



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\ a8_table3.scml
log type: smcl
opened on: 30 May 2024, 14:49:14

```

```
1 . codebookr _all,all
```

```

Dataset: *\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\stata\s
> cramble/a8_table3_run.dta
Last saved: 30 May 2024 14:49

```

```

Label: [none]
Number of variables: 15
Number of observations: 6,733
Size: 760,829 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

```
hhid household id
```

```

type: string (str15)
unique values: 1,411 missing "": 0/6,733
examples: "201591160604008"
           "201691131006023"
           "201691160105105"
           "201691161706142"

```

```
iyear year
```

```

type: string (str4)
unique values: 2 missing "": 0/6,733
tabulation: Freq. Value
            2,447 "2015"
            4,286 "2016"

```

```
prov province
```

```
type: string (str2)
```

unique values: 2 missing "": 0/6,733
 tabulation: Freq. Value
 6,095 "91"
 638 "93"

amp

amphoe

type: string (str2)
 unique values: 7 missing "": 0/6,733
 tabulation: Freq. Value
 638 "12"
 1,202 "13"
 518 "14"
 691 "15"
 2,523 "16"
 163 "17"
 998 "18"

tam

tambon

type: string (str2)
 unique values: 15 missing "": 0/6,733
 tabulation: Freq. Value
 300 "01"
 1,044 "02"
 605 "04"
 255 "05"
 244 "06"
 263 "07"
 264 "08"
 459 "09"
 611 "10"
 392 "11"
 665 "13"
 235 "14"
 673 "15"
 466 "17"
 257 "19"

moo

moo

type: string (str2)
 unique values: 21 missing "": 0/6,733
 tabulation: Freq. Value
 679 "01"
 327 "02"
 628 "03"
 698 "04"
 577 "05"
 741 "06"
 334 "07"
 678 "08"
 458 "09"
 348 "10"
 272 "11"
 191 "12"
 191 "13"
 49 "14"
 37 "15"

```

175 "16"
 44 "17"
 58 "18"
140 "19"
 82 "22"
 26 "24"

```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/6,733
examples: "011"
           "034"
           "070"
           "141"

```

no **order**

```

type: numeric (byte)
range: [1,13]           units: 1
unique values: 13       missing .: 0/6,733

tabulation: Freq. Value
            1,411  1
            1,393  2
            1,353  3
            1,073  4
             714  5
             441  6
             207  7
              83  8
              35  9
              16 10
               5 11
               1 12
               1 13
mean:      3.18313
std. dev:  1.83391

percentiles:      10%      25%      50%      75%      90%
                  1         2         3         4         6

```

hc2a **Member ID**

```

type: string (str3)
unique values: 13           missing "": 0/6,733

tabulation: Freq. Value
            1,411 "H1"
              16 "H10"
               5 "H11"
               1 "H12"
               1 "H13"
            1,393 "H2"
            1,353 "H3"
            1,073 "H4"
             713 "H5"
             440 "H6"
             209 "H7"
              82 "H8"
              36 "H9"

```

hc2b **Nickname (unavailable)**

type: string (**str36**), but longest is str0
 unique values: **0** missing "": **6,733/6,733**
 tabulation: Freq. Value
 6,733 ""

hc2c **Expenditures on cloths (Baht/year)**

type: numeric (**long**)
 range: [**0,36000**] units: **1**
 unique values: **108** missing .: **10/6,733**
 unique missing codes: **4** missing *: **438/6,733**
 mean: **1154.99**
 std. dev: **1703.77**
 percentiles: 10% 25% 50% 75% 90%
 0 **250** **800** **1500** **2500**

year_survey **year survey**

type: numeric (**float**)
 range: [**2016,2016**] units: **1**
 unique values: **1** missing .: **0/6,733**
 tabulation: Freq. Value
 6,733 **2016**
 mean: **2016**
 std. dev: **0**
 percentiles: 10% 25% 50% 75% 90%
 2016 **2016** **2016** **2016** **2016**

note_cleaner **data cleaner note (not display)**

type: string (**str19**), but longest is str0
 unique values: **0** missing "": **6,733/6,733**
 tabulation: Freq. Value
 6,733 ""

hh_change **Sample has moved so that its household structure changed**

type: numeric (**float**)
 label: **hh_change**
 range: [**0,1**] units: **1**
 unique values: **2** missing .: **0/6,733**
 tabulation: Freq. Numeric Label
 6,693 **0** no
 40 **1** yes

survey_name **survey round**

type: string (**str12**)

unique values: **2**

missing "": **0/6,733**

tabulation: Freq. Value
4,286 "BASELINE2016"
2,447 "RESURVEY2016"

2 . log close
name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codeboo
> k_sc\a8_table3.scml
log type: smcl
closed on: 30 May 2024, 14:49:15
