



name: <unnamed>  
 log: V:\RIECE DATA\RIECE\_RELEASE V3-2017-2018/codebook\2017\al.smcl  
 log type: smcl  
 opened on: 30 May 2024, 14:29:32

1 . codebookr \_all,all

Dataset: V:\RIECE DATA\RIECE\_RELEASE V3-2017-2018/codebook\al\_run.dta  
 Last saved: 30 May 2024 14:28  
 DATA HAVE CHANGED SINCE LAST SAVED

Label: [none]  
 Number of variables: 155  
 Number of observations: 4,492  
 Size: 19,899,560 bytes ignoring labels, etc.  
 Unique Values: A list of all of the possible non-missing values  
 for the variable and the description of the values.  
 Unique Missing Values: There are four types of missing values

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

---

**hhid** **household id**

---

type: string (str15)  
 unique values: 1,266                      missing "": 0/4,492  
 examples: "201591161007003"  
           "201691131012055"  
           "201691160118021"  
           "201691161708026"

---

**iyear** **year**

---

type: string (str9), but longest is str4  
 unique values: 2                              missing "": 0/4,492  
 tabulation: Freq. Value  
               1,567 "2015"  
               2,925 "2016"

---

**prov** **province**

---

type: string (str2)

unique values: 2 missing "": 0/4,492  
 tabulation: Freq. Value  
                   4,078 "91"  
                   414 "93"

**amp** **amphoe**

type: string (str2)  
 unique values: 8 missing "": 0/4,492  
 tabulation: Freq. Value  
                   3 "09"  
                   414 "12"  
                   748 "13"  
                   361 "14"  
                   460 "15"  
                   1,706 "16"  
                   100 "17"  
                   700 "18"

**tam** **tambon**

type: string (str2)  
 unique values: 15 missing "": 0/4,492  
 tabulation: Freq. Value  
                   218 "01"  
                   672 "02"  
                   387 "04"  
                   178 "05"  
                   186 "06"  
                   183 "07"  
                   184 "08"  
                   310 "09"  
                   387 "10"  
                   282 "11"  
                   465 "13"  
                   154 "14"  
                   439 "15"  
                   295 "17"  
                   152 "19"

**moo** **moo**

type: string (str2)  
 unique values: 22 missing "": 0/4,492  
 tabulation: Freq. Value  
                   440 "01"  
                   224 "02"  
                   410 "03"  
                   491 "04"  
                   384 "05"  
                   490 "06"  
                   224 "07"  
                   459 "08"  
                   315 "09"  
                   230 "10"  
                   178 "11"  
                   118 "12"  
                   126 "13"  
                   25 "14"

```

26 "15"
119 "16"
29 "17"
34 "18"
90 "19"
3 "20"
58 "22"
19 "24"

```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 185           missing "": 0/4,492
examples: "011"
           "034"
           "069"
           "135"

```

---

**memberid** **Member ID in the household**

---

```

type: string (str5), but longest is str3
unique values: 11           missing "": 0/4,492
tabulation: Freq. Value
              1 "H1"
              13 "H10"
               3 "H11"
            1,194 "H2"
            1,156 "H3"
              864 "H4"
              604 "H5"
              372 "H6"
              184 "H7"
               72 "H8"
               29 "H9"

```

---

**nickname** **Nickname (unavailable)**

---

```

type: string (str30), but longest is str0
unique values: 0           missing "": 4,492/4,492
tabulation: Freq. Value
            4,492 ""

```

---

**alive** **Is this members still alive**

---

```

type: numeric (byte)
label: alive
range: [1,3]
unique values: 2           units: 1
unique missing codes: 1    missing .: 0/4,492
                           missing *: 2/4,492
tabulation: Freq. Numeric Label
            4,482      1 live
              8        3 dead
              2         .d

```

---

**istudy2** **In the past 1 month, did you go to any school**

---

```

type: numeric (byte)
label: istudy2

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 8/4,492
missing *: 7/4,492

tabulation: Freq.  Numeric  Label
              730      1  yes
              3,747    3  no
               8      .
               5      .a
               2      .d
    
```

---

**iwork2** **In the past 1 month, did you work as a wage worker, trader, farmer (excluding h**

---

```

type: numeric (byte)
label: iwork2

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 8/4,492
missing *: 7/4,492

tabulation: Freq.  Numeric  Label
              2,990    1  yes
              1,487    3  no
               8      .
               5      .a
               2      .d
    
```

---

**dmonthwork2\_1** **In the past 1 month, how many days on average do you go to school or work per mo**

---

```

type: numeric (byte)

range: [1,30]
unique values: 30
unique missing codes: 3

units: 1
missing .: 794/4,492
missing *: 41/4,492

tabulation: Freq.  Value
              20  1
              47  2
              58  3
              61  4
              63  5
              28  6
              53  7
              21  8
              23  9
              58 10
              12 11
              10 12
              16 13
              32 14
              99 15
               4 16
              17 17
               8 18
              15 19
              87 20
               9 21
              786 22
               22 23
    
```

```

                20 24
                26 25
               340 26
                16 27
                32 28
                 6 29
            1,668 30
               794 .
                32 .c
                 9 .d
    mean:       23.723
    std. dev:   8.057

    percentiles:    10%    25%    50%    75%    90%
                   9      22     26     30     30
    
```

**dmonthwork2\_hr**  
**In the past 1 month, how many hours on average per day do you go to school or w**

```

    type: numeric (byte)

    range: [0,17]          units: 1
    unique values: 18      missing .: 796/4,492
    unique missing codes: 3  missing *: 110/4,492

    tabulation:  Freq.  Value
                 25    0
                 125    1
                 143    2
                 157    3
                 182    4
                 180    5
                 147    6
                 305    7
                 718    8
                 818    9
                 375   10
                 140   11
                 125   12
                  50   13
                  51   14
                  29   15
                   8   16
                   8   17
                 796 .
                 104 .c
                   6 .d
    mean:       7.66481
    std. dev:   3.03697

    percentiles:    10%    25%    50%    75%    90%
                   3      6      8      9     11
    
```

**dmonthwork2\_mi**  
**In the past 1 month, how many hours on average per day do you go to school or w**

```

    type: numeric (byte)

    range: [0,50]          units: 1
    unique values: 8      missing .: 796/4,492
    unique missing codes: 3  missing *: 110/4,492
    
```

```

tabulation:  Freq.  Value
              2,621  0
               6    10
               4    15
               6    20
              930    30
               6    40
               6    45
               7    50
              796    .
              104  .c
               6    .d
    mean:     8.08701
    std. dev: 13.4198

percentiles:    10%    25%    50%    75%    90%
                0      0      0     30     30
    
```

**isleep2\_hr**  
 In the past 1 month, how many hours on average do you sleep per day (unit: hour)

```

type: numeric (byte)

range: [2,17]           units: 1
unique values: 15       missing .: 8/4,492
unique missing codes: 4 missing *: 151/4,492
    
```

```

tabulation:  Freq.  Value
              2    2
              8    3
             28    4
             62    5
            209    6
            661    7
           1,342    8
           1,303    9
            558   10
            124   11
             25   12
              4   13
              5   14
              1   15
              1   17
              8    .
              5   .a
             143  .c
              3   .d
    mean:     8.35264
    std. dev:  1.33297

percentiles:    10%    25%    50%    75%    90%
                7      8      8      9     10
    
```

**isleep2\_mi**  
 In the past 1 month, how many hours on average do you sleep per day (unit: minut

```

type: numeric (byte)

range: [0,50]           units: 1
unique values: 9       missing .: 8/4,492
unique missing codes: 4 missing *: 151/4,492
    
```

```

tabulation:  Freq.  Value
              2,930  0
              1    6
              1   10
              5   15
              2   20
            1,381  30
              3   40
              7   45
              3   50
              8   .
              5  .a
            143  .c
              3  .d
    mean:     9.72675
    std. dev: 14.102

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

**iactivity2a\_hr**  
 In the past 1 month, on school day/working day how many hours on average per day

```

type: numeric (byte)

range: [0,17]          units: 1
unique values: 16      missing .: 8/4,492
unique missing codes: 5  missing *: 959/4,492
    
```

```

tabulation:  Freq.  Value
              397  0
            1,789  1
            800  2
            276  3
             91  4
             83  5
             37  6
             20  7
             13  8
              1  9
              5 10
              2 11
              4 12
              4 13
              2 14
              1 17
              8  .
              5  .a
            781  .b
            158  .c
             15  .d
    mean:     1.61362
    std. dev: 1.48065

percentiles:    10%    25%    50%    75%    90%
                0      1      1      2      3
    
```

**iactivity2a\_mi**  
 In the past 1 month, on school day/working day how many hours on average per day

```

type: numeric (byte)

range: [0,50]          units: 1
unique values: 13      missing .: 8/4,492
unique missing codes: 5  missing *: 959/4,492
    
```

```

tabulation:  Freq.  Value
              2,845  0
               1    3
               2    5
               8   10
               1   13
               4   15
               6   20
               2   25
              642  30
               2   35
               2   40
               9   45
               1   50
               8   .
               5   .a
              781  .b
              158  .c
               15  .d
    mean:      5.73078
  std. dev:   11.8397
  
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        30
  
```

**iactivity2b\_hr**

In the past 1 month, on holiday how many hours on average per day do you spend o

```

type: numeric (byte)
range: [0,22]
unique values: 22
unique missing codes: 5
units: 1
missing .: 8/4,492
missing *: 1,805/4,492
  
```

```

tabulation:  Freq.  Value
              148  0
              460  1
              559  2
              359  3
              207  4
              188  5
               64  6
               21  7
               48  8
                9  9
               44 10
                7 11
               36 12
               90 13
              199 14
              159 15
               57 16
               17 17
                3 18
                2 19
                1 20
                1 22
                8  .
                5  .a
             1,668 .b
              121  .c
               11  .d
    mean:      5.24225
  std. dev:   5.11093
  
```

```

percentiles:      10%      25%      50%      75%      90%
                  1        2        3        8       14
  
```



**iactivity2b\_mi**

In the past 1 month, on holiday how many hours on average per day do you spend o

type: numeric (byte)  
 range: [0,45] units: 1  
 unique values: 10 missing .: 8/4,492  
 unique missing codes: 5 missing \*: 1,805/4,492

tabulation: Freq. Value  
 1,982 0  
           3 5  
           1 8  
           3 10  
           2 15  
           3 20  
           1 25  
           678 30  
           1 35  
           5 45  
           8 .  
           5 .a  
           1,668 .b  
           121 .c  
           11 .d  
 mean: 7.75215  
 std. dev: 13.1526

percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           30          30

**farming3**

Since previous interview, have you ever done agriculture

type: numeric (byte)  
 label: farming3  
 range: [1,3] units: 1  
 unique values: 2 missing .: 718/4,492  
 unique missing codes: 3 missing \*: 6/4,492

tabulation: Freq. Numeric Label  
 2,582 1 yes  
 1,186 3 no  
           718 .  
           5 .a  
           1 .c

**livestock3**

Since previous interview, have you ever done livestock

type: numeric (byte)  
 label: livestock3  
 range: [1,3] units: 1  
 unique values: 2 missing .: 718/4,492  
 unique missing codes: 3 missing \*: 6/4,492

tabulation: Freq. Numeric Label  
 1,609 1 yes  
 2,159 3 no  
           718 .  
           5 .a  
           1 .c

**bussowner3**

Since previous interview, have you ever done owner of business/store tha tnot ra

```

type: numeric (byte)
label: bussowner3

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 718/4,492
missing *: 6/4,492

tabulation: Freq.   Numeric   Label
              820         1   yes
              2,948       3   no
              718         .
              5          .a
              1          .c
    
```

**contractwork3**

Since previous interview, Have you got wage from paid work

```

type: numeric (byte)
label: contractwork3

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 719/4,492
missing *: 5/4,492

tabulation: Freq.   Numeric   Label
              1,677       1   yes
              2,091       3   no
              719         .
              5          .a
    
```

**position3\_1**

Job 1, please specify the job title/position (not display)

```

type: string (str156), but longest is str0
unique values: 0
missing "": 4,492/4,492

tabulation: Freq.   Value
              4,492  ""
    
```

**jcode3\_1**

Job ID 1

```

type: string (str3), but longest is str2
unique values: 3
missing "": 2,813/4,492

tabulation: Freq.   Value
              2,813  ""
              1,593  "J4"
              82     "J5"
              4     "J6"
    
```

**typework3\_1**

Type of work (job 1)

```

type: numeric (byte)
label: typework3_1

range: [1,7]
unique values: 4
unique missing codes: 2

units: 1
missing .: 2,815/4,492
missing *: 1/4,492
    
```

```

tabulation:  Freq.  Numeric  Label
              72      1  Government officer/state
              284     3  enterprise employee
              582     5  Temporary government
              738     7  worker/temporary state
              2,815   .  enterprise worker
              1      .d Regular company employee
              1      .d Temporary company worker,
              1      .d seasonal hired
    
```

**monthwork3\_1**      **Since previous interview, how many months have you worked on this job**

```

type: numeric (byte)
range: [0,16]
unique values: 17
unique missing codes: 4
units: 1
missing .: 2,815/4,492
missing *: 41/4,492
    
```

```

tabulation:  Freq.  Value
              2      0
             177     1
              96     2
              72     3
              41     4
              43     5
              45     6
              20     7
              50     8
             109     9
             158    10
             206    11
             307    12
             193    13
              98    14
              17    15
               2    16
            2,815   .
               1   .a
               36   .c
               4   .d
mean: 8.83435
std. dev: 4.35308
    
```

```

percentiles: 10% 25% 50% 75% 90%
              1  5  11  12  13
    
```

**daywork3\_1**      **Since previous interview, how many days per month have you worked on this job**

```

type: numeric (byte)
range: [0,30]
unique values: 31
unique missing codes: 4
units: 1
missing .: 2,815/4,492
missing *: 101/4,492
    
```

```

tabulation:  Freq.  Value
              2    0
              32    1
              73    2
              75    3
              72    4
              62    5
              28    6
              57    7
              20    8
              9     9
              58   10
              11   11
              3    12
              10   13
              21   14
              67   15
              5    16
              7    17
              4    18
              7    19
              71   20
              2    21
             196   22
              4    23
              8    24
              17   25
             307   26
              14   27
              23   28
              5    29
             306   30
            2,815  .
              1   .a
              98  .c
              2   .d
    mean:      18.5222
  std. dev:   10.119

```

```

percentiles:    10%    25%    50%    75%    90%
                3      7      22     26     30

```

**pmonthwork3\_1**

Since previous interview, how much on average have you earned from this job per

```

type: numeric (long)
range: [0,100000]          units: 1
unique values: 235         missing .: 2,815/4,492
unique missing codes: 4    missing *: 169/4,492

mean: 6997.01
std. dev: 6767.37

percentiles:    10%    25%    50%    75%    90%
                600    2000   6500   9000   13000

```

**pyearwork3\_1**

Since previous interview, how much have you additionally earned from this job in

```

type: numeric (long)
range: [0,275000]          units: 1
unique values: 73         missing .: 2,815/4,492
unique missing codes: 4    missing *: 261/4,492

```

```

tabulation:  Freq.  Value
              1,299  0
                1  22
                1  75
                1  100
                1  200
                2  300
                1  645
                1  750
                7 1000
                1 1200
                2 1300
                1 1600
                1 1650
                5 2000
                1 2838
                8 3000
                2 3500
                2 3600
                2 4000
                2 4500
                1 4800
                5 5000
                4 5500
                1 6000
                2 6500
                1 7000
                1 7800
                1 8000
                1 9900
                2 10000
                1 11000
                1 11200
                1 11340
                1 12000
                1 13440
                1 14000
                1 14250
                1 15000
                1 15700
                1 16000
                1 16900
                4 18000
                1 19200
                1 19500
                3 20000
                1 22000
                1 25000
                1 29900
                4 30000
                1 31200
                1 31500
                1 33000
                2 34944
                1 40000
                1 45000
                1 46900
                3 50000
                1 54288
                1 58500
                2 60000
                1 65780
                1 69888
                1 78000
                1 80000
                1 84000
                2 88000
                1 92400
                1 100000
                1 140000
                1 234000
                1 240000
    
```

```

          1 260000
          1 275000
    2,815 .
          1 .a
          255 .c
          5 .d
    mean: 2331.75
    std. dev: 16273.1

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

---

**position3\_2** Job 2, please specify the job title/position (not display)

---

```

    type: string (str157), but longest is str0
    unique values: 0 missing "": 4,492/4,492
    tabulation: Freq. Value
                4,492 ""
    
```

---

**jcode3\_2** Job ID 2

---

```

    type: string (str2)
    unique values: 4 missing "": 4,284/4,492
    tabulation: Freq. Value
                4,284 ""
                 5 "J4"
                 177 "J5"
                 25 "J6"
                 1 "J7"
    
```

---

**typework3\_2** Work status (job 2)

---

```

    type: numeric (byte)
    label: typework3_2
    range: [1,7] units: 1
    unique values: 4 missing .: 4,284/4,492
    tabulation: Freq. Numeric Label
                 3          1 Government officer/state
                    enterprise employee
                 52          3 Temporary government
                    worker/temporary state
                    enterprise worker
                 44          5 Regular company employee
                 109         7 Temporary company worker,
                    seasonal hired
                 4,284      .
    
```

---

**monthwork3\_2** Since previous interview, how many months have you worked on this job

---

```

    type: numeric (byte)
    range: [1,14] units: 1
    unique values: 14 missing .: 4,284/4,492
    unique missing codes: 3 missing *: 11/4,492
    
```

```

tabulation:  Freq.  Value
              57    1
              20    2
              16    3
               7    4
               8    5
               5    6
               4    7
               4    8
               8    9
              10   10
              14   11
              28   12
               9   13
               7   14
            4,284  .
               1   .a
              10   .c
    mean:     5.98985
    std. dev: 4.75093
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1         1         4         11         12
    
```

**daywork3\_2**

Since previous interview, how many days per month have you worked on this job

```

type:  numeric (double)
range: [0,30]
unique values: 26
unique missing codes: 3
units: 1
missing .: 4,284/4,492
missing *: 19/4,492
    
```

```

tabulation:  Freq.  Value
              1    0
               8    1
               6    2
              17    3
              10    4
               9    5
               3    6
              14    7
               4    8
               4    9
               9   10
               2   11
               2   12
               1   13
               3   14
               7   15
               2   16
               1   19
               7   20
              12   22
               1   24
               1   25
              26   26
               1   27
               3   28
              35   30
            4,284  .
               1   .a
              18   .c
    mean:     15.7513
    std. dev: 10.7321
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  3         5         15         26         30
    
```

**pmonthwork3\_2**

Since previous interview, how much on average have you earned from this job per

```

type: numeric (long)
range: [0,16900]
unique values: 83
unique missing codes: 3
units: 1
missing .: 4,284/4,492
missing *: 20/4,492
    
```

tabulation:	Freq.	Value
	6	0
	2	166
	1	300
	2	367
	2	405
	1	500
	2	550
	25	600
	1	620
	1	750
	3	800
	1	875
	2	900
	1	915
	5	1000
	2	1085
	1	1151
	3	1200
	1	1220
	1	1250
	1	1320
	1	1350
	2	1375
	3	1500
	1	1800
	1	1830
	1	1840
	1	1890
	1	1950
	1	2000
	2	2100
	1	2135
	1	2200
	1	2250
	2	2400
	1	2440
	1	2500
	3	2700
	3	2800
	3	3000
	1	3050
	1	3150
	2	3500
	1	3600
	1	3750
	1	3763
	1	3850
	1	3965
	2	4000
	2	4200
	1	4400
	3	4500
	9	5000
	1	5200
	1	5805
	6	6000
	1	6440
	1	6450
	3	6600
	2	7000



```

                2 7200
                2 7500
                9 7800
                1 7930
                3 8000
                2 8008
                1 8500
                1 8900
               11 9000
                1 9780
                1 9800
                1 9900
                2 10000
                3 10400
                1 10500
                1 10714
                1 10800
                1 11000
                2 12000
                1 13000
                3 15000
                1 16667
                2 16900
           4,284 .
                1 .a
               19 .c
    mean:      4430.91
    std. dev:  4018.75

    percentiles:    10%    25%    50%    75%    90%
                   600    887.5  3025  7800  9900
    
```

**pyearwork3\_2**

Since previous interview, how much have you additionally earned from this job in

```

    type: numeric (int)
    range: [0,22500]
    unique values: 10
    unique missing codes: 4
    units: 10
    missing .: 4,284/4,492
    missing *: 24/4,492

    tabulation:  Freq.  Value
                 172    0
                 1    300
                 1    400
                 3    1500
                 1    3420
                 2    4000
                 1    6000
                 1    8600
                 1   10000
                 1   22500
           4,284 .
                 1 .a
                22 .c
                 1 .d
    mean:      346.304
    std. dev:  2017.46

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

**position3\_3**

Job 3, please specify the job title/position (not display)

```

    type: string (str81), but longest is str0
    unique values: 0
    missing "": 4,492/4,492
    
```

tabulation: Freq. Value  
 4,492 ""

---

**jcode3\_3** **Job ID 3**

---

type: string (**str2**)  
 unique values: 2 missing "": 4,481/4,492  
 tabulation: Freq. Value  
 4,481 ""  
 7 "J6"  
 4 "J7"

---

**typework3\_3** **Work status (job 3)**

---

type: numeric (**byte**)  
 label: **typework3\_3**  
 range: [3,7] units: 1  
 unique values: 3 missing .: 4,481/4,492  
 tabulation: Freq. Numeric Label  
 5 3 Temporary government  
 worker/temporary state  
 enterprise worker  
 4 5 Regular company employee  
 2 7 Temporary company worker,  
 seasonal hired  
 4,481 .

---

**monthwork3\_3** **Since previous interview, how many months have you worked on this job**

---

type: numeric (**byte**)  
 range: [1,12] units: 1  
 unique values: 6 missing .: 4,481/4,492  
 unique missing codes: 2 missing \*: 1/4,492  
 tabulation: Freq. Value  
 1 1  
 4 2  
 1 3  
 1 6  
 2 8  
 1 12  
 4,481 .  
 1 .c  
 mean: 4.6  
 std. dev: 3.68782  
 percentiles: 10% 25% 50% 75% 90%  
 1.5 2 2.5 8 10

---

**daywork3\_3** **Since previous interview, how many days per month have you worked on this job**

---

type: numeric (**byte**)  
 range: [1,30] units: 1  
 unique values: 5 missing .: 4,481/4,492  
 unique missing codes: 2 missing \*: 1/4,492

```

tabulation:  Freq.  Value
              1    1
              2    2
              1   10
              2   26
              4   30
            4,481 .
              1  .c
    mean:      18.7
    std. dev:  13.1829

percentiles:  10%      25%      50%      75%      90%
              1.5      2        26       30       30
    
```

**pmonthwork3\_3**  
**Since previous interview, how much on average have you earned from this job per**

```

type: numeric (int)
range: [600,13000]          units: 100
unique values: 7           missing .: 4,481/4,492
unique missing codes: 2   missing *: 1/4,492

tabulation:  Freq.  Value
              3    600
              1   3000
              1   5000
              1   6500
              2   9000
              1  12000
              1  13000
            4,481 .
              1  .c
    mean:      5930
    std. dev:  4722.06

percentiles:  10%      25%      50%      75%      90%
              600      600      5750     9000     12500
    
```

**pyearwork3\_3**  
**Since previous interview, how much have you additionally earned from this job in**

```

type: numeric (int)
range: [0,10000]          units: 10000
unique values: 2           missing .: 4,481/4,492
unique missing codes: 2   missing *: 1/4,492

tabulation:  Freq.  Value
              9    0
              1  10000
            4,481 .
              1  .c
    mean:      1000
    std. dev:  3162.28

percentiles:  10%      25%      50%      75%      90%
              0        0        0        0        5000
    
```

**money4\_1** **Since previous interview, did you receive financial assistance from outside**

```

type: numeric (byte)
label: money4_1
    
```

range: [1,3] units: 1  
 unique values: 2 missing .: 8/4,492  
 unique missing codes: 4 missing \*: 13/4,492

tabulation:	Freq.	Numeric	Label
	1,456	1	yes
	3,015	3	no
	8	.	.
	6	.a	.a
	4	.c	.c
	3	.d	.d

**getmoney4\_1**

**Total amount (THB)**

type: numeric (long)  
 range: [150,650000] units: 1  
 unique values: 310 missing .: 3,036/4,492  
 unique missing codes: 3 missing \*: 120/4,492

mean: 46805.9  
 std. dev: 57283.9

percentiles:	10%	25%	50%	75%	90%
	4000	13000	30000	59997	100000

**object4\_1**

**Since previous interview, have you received any goods from anyone outside your h**

type: numeric (byte)  
 label: **object4\_1**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 9/4,492  
 unique missing codes: 3 missing \*: 43/4,492

tabulation:	Freq.	Numeric	Label
	1,780	1	yes
	2,660	3	no
	9	.	.
	6	.a	.a
	37	.d	.d

**money4\_2**

**Since previous interview, have you provided any financial support to anyone outs**

type: numeric (byte)  
 label: **money4\_2**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 8/4,492  
 unique missing codes: 4 missing \*: 13/4,492

tabulation:	Freq.	Numeric	Label
	293	1	yes
	4,178	3	no
	8	.	.
	6	.a	.a
	5	.c	.c
	2	.d	.d

**getmoney4\_2**

**Total amount (THB)**

type: numeric (**long**)  
range: [175,130000] units: 1  
unique values: 83 missing .: 4,199/4,492  
unique missing codes: 2 missing \*: 73/4,492

tabulation: Freq. Value

1	175
3	200
1	225
2	250
3	300
1	350
1	413
2	450
1	480
11	500
1	525
1	800
1	900
26	1000
12	1500
12	2000
1	2061
1	2400
13	2500
6	3000
5	3500
1	3650
1	3750
1	4000
1	4300
6	4500
6	5000
1	5070
1	5200
1	5250
1	5400
4	5500
1	5850
4	6000
3	6500
1	6750
4	7000
1	7143
1	7200
2	8000
1	8250
1	8500
2	9750
10	10000
2	11000
5	12000
1	13000
2	14000
2	15000
2	16000
1	16160
2	16500
4	20000
1	21000
1	21500
1	22000
1	22500
1	23400
1	24000
1	25000
1	26000
1	27000
1	27400
2	28000
2	30000

```

                1 32000
                1 33000
                5 36000
                1 39000
                1 40000
                1 43000
                2 45000
                1 45500
                1 48000
                1 49500
                2 50000
                1 52000
                2 55000
                1 60000
                1 84500
                1 108000
                1 124000
                1 130000
            4,199 .
                73 .c
    mean:      11625
    std. dev:  19134.5

    percentiles:    10%    25%    50%    75%    90%
                   500    1250   4500   12000  36000
    
```

**object4\_2**  
**Since previous interview, have you provided any goods to anyone outside your hou**

```

    type: numeric (byte)
    label: object4_2

    range: [1,3]
    unique values: 2
    unique missing codes: 4

    units: 1
    missing .: 8/4,492
    missing *: 13/4,492

    tabulation:  Freq.  Numeric  Label
                 472    1  yes
                 3,999  3  no
                 8      .
                 6      .a
                 5      .c
                 2      .d
    
```

**asset5a**  
**Do you have any commercial bank savings account**

```

    type: numeric (byte)
    label: asset5a

    range: [1,3]
    unique values: 2
    unique missing codes: 4

    units: 1
    missing .: 8/4,492
    missing *: 38/4,492

    tabulation:  Freq.  Numeric  Label
                 1,850    1  yes
                 2,596    3  no
                 8      .
                 6      .a
                 30     .c
                 2      .d
    
```

**asset5a\_account**  
**Total accounts**

```

    type: numeric (byte)
    
```

range: [1,7] units: 1  
 unique values: 7 missing .: 2,642/4,492  
 unique missing codes: 3 missing \*: 70/4,492

tabulation: Freq. Value  
 1,489 1  
 236 2  
 43 3  
 8 4  
 1 5  
 1 6  
 2 7  
 2,642 .  
 2 .a  
 68 .c  
 mean: 1.20618  
 std. dev: .539258

percentiles: 10% 25% 50% 75% 90%  
 1 1 1 1 2

---

**asset5a\_balance** The current account balance for all accounts (THB)

---

type: numeric (long)

range: [0,350000] units: 1  
 unique values: 95 missing .: 2,642/4,492  
 unique missing codes: 4 missing \*: 1,169/4,492

tabulation: Freq. Value  
 222 0  
 1 9  
 1 41  
 1 44  
 2 50  
 1 57  
 1 67  
 2 70  
 1 73  
 2 78  
 4 80  
 1 88  
 20 100  
 1 115  
 2 120  
 5 150  
 1 175  
 3 180  
 16 200  
 1 231  
 2 250  
 9 300  
 1 350  
 3 400  
 2 450  
 1 475  
 55 500  
 2 550  
 4 600  
 6 700  
 1 750  
 1 800  
 1 900  
 1 986  
 30 1000  
 1 1060  
 1 1100  
 1 1200  
 1 1250  
 1 1300

```

      1 1400
      9 1500
      1 1550
      2 1700
      2 1800
     26 2000
      1 2100
      1 2300
     15 2500
      2 2600
     20 3000
      1 3400
      2 3500
     10 4000
     10 4500
      1 4600
     19 5000
      2 5500
      1 6000
      4 6500
      6 7000
      1 7500
      3 8000
      2 9000
     45 10000
      1 10500
      2 11000
      2 12000
      1 13600
      8 15000
      2 18000
      1 18500
      1 19000
     19 20000
      1 20300
      2 25000
      1 29000
      4 30000
      2 35000
      4 40000
      2 44000
      3 45000
      1 47500
      7 50000
      1 50500
      1 60000
      2 70000
      1 75000
      2 80000
      5 100000
      1 120000
      1 150000
      1 175000
      2 200000
      1 350000
    2,642 .
      53 .a
    1,115 .c
      1 .d
    mean: 7261.33
    std. dev: 23688.9

percentiles:      10%      25%      50%      75%      90%
                  0         0         500     4500    15000

```

---

asset5b

Do you have any savings account with the Bank for Agriculture and Agricultural c

---



```

type: numeric (byte)
label: asset5b

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 8/4,492
missing *: 29/4,492
    
```

```

tabulation: Freq.  Numeric  Label
            2,158      1      yes
            2,297      3      no
             8         .
             6         .a
            21         .c
             2         .d
    
```

---

**asset5b\_account** **Number of accounts**

---

```

type: numeric (byte)

range: [1,4]
unique values: 4
unique missing codes: 4

units: 1
missing .: 2,334/4,492
missing *: 31/4,492
    
```

```

tabulation: Freq.  Value
            2,062      1
             54         2
              8         3
               3         4
            2,334         .
               1         .a
              28         .c
               2         .d

mean: 1.03714
std. dev: .227533
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         1         1
    
```

---

**asset5b\_balance** **The current account balance for all accounts (THB)**

---

```

type: numeric (long)

range: [0,300000]
unique values: 88
unique missing codes: 4

units: 1
missing .: 2,334/4,492
missing *: 1,106/4,492
    
```

```

tabulation: Freq.  Value
            280         0
              1         1
              1        11
              1        31
              2         40
              2         45
              2         50
              1         51
              1         57
              2         70
              1         82
              1         91
            26        100
              1        108
              2        125
              1        130
              3        150
            21        200
              1        224
              2        250
              1        285
    
```

```
17 300
2 350
5 400
1 420
6 450
223 500
5 550
1 575
14 600
11 700
1 750
11 800
1 850
5 900
69 1000
1 1100
4 1200
1 1400
23 1500
1 1600
3 1700
58 2000
1 2250
15 2500
1 2600
32 3000
1 3400
5 3500
9 4000
4 4500
21 5000
1 5500
3 6000
1 6500
3 7000
1 7500
1 7979
5 8000
1 8300
4 9000
37 10000
1 10500
2 12000
2 13000
1 13500
1 14000
12 15000
1 15500
1 17000
16 20000
6 25000
1 27000
9 30000
1 32000
1 35000
3 40000
1 42000
5 45000
7 50000
2 55000
1 60000
2 65000
1 75000
8 100000
1 140000
3 200000
1 300000
2,334 .
37 .a
1 .b
1,068 .c
mean: 5062.03
```

std. dev: 18830.3  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 500 2000 10000

---

**asset5c Do you have any savings with any cooperative as cooperative deposits or stocks**

---

type: numeric (byte)  
 label: asset5c  
 range: [1,3] units: 1  
 unique values: 2 missing .: 8/4,492  
 unique missing codes: 4 missing \*: 27/4,492

tabulation:	Freq.	Numeric	Label
	382	1	yes
	4,075	3	no
	8	.	.
	6	.a	.a
	19	.c	.c
	2	.d	.d

---

**asset5c\_balance The current account balance from all accounts (THB)**

---

type: numeric (long)  
 range: [0,450000] units: 10  
 unique values: 49 missing .: 4,110/4,492  
 unique missing codes: 4 missing \*: 258/4,492

tabulation:	Freq.	Value
	13	0
	4	100
	1	150
	1	300
	2	500
	1	650
	1	900
	1	1000
	3	1500
	3	2000
	4	2500
	1	3000
	1	3100
	1	3300
	1	3500
	1	4500
	3	5000
	2	6000
	2	6500
	2	7000
	1	7500
	10	10000
	1	11000
	8	15000
	1	16000
	1	17000
	1	19000
	1	19780
	3	20000
	1	24000
	3	25000
	1	26000
	9	30000
	5	40000
	1	42000
	3	45000
	4	50000

```

      4 60000
      1 70000
      3 80000
      1 85000
      4 100000
      1 120000
      2 150000
      1 200000
      1 250000
      2 300000
      1 400000
      1 450000
4,110 .
      4 .a
      253 .c
      1 .d
mean: 38657.9
std. dev: 72571.5

percentiles:    10%    25%    50%    75%    90%
                0      2500   15000  40000  100000
    
```

**asset5d**

**Are you a member of a community grocey store cooperative fund / any other villag**

```

type: numeric (byte)
label: asset5d

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 8/4,492
missing *: 22/4,492
    
```

```

tabulation: Freq.  Numeric  Label
            1,031    1      yes
            3,431    3      no
            8        .
            6        .a
            14       .c
            2        .d
    
```

**asset5d\_balance**

**The current account balance from all accounts (THB)**

```

type: numeric (long)

range: [0,80000]
unique values: 60
unique missing codes: 4

units: 10
missing .: 3,461/4,492
missing *: 810/4,492
    
```

```

tabulation: Freq.  Value
            18     0
            1     50
            8    100
            1    200
            3    220
            2    240
            1    300
            2    350
            1    400
            1    480
            12   500
            1   550
            3   600
            1   700
            2   900
            16  1000
            9  1200
            1  1350
            8  1500
    
```

```

      1 1600
      1 1680
      1 1700
      2 1800
     16 2000
      2 2360
      2 2400
      1 2450
      7 2500
      1 2600
     12 3000
      2 3300
      1 3480
      9 3500
      2 3700
      5 4000
      6 4500
      1 5000
      1 5400
      2 5500
      1 6000
      1 6500
      2 7000
      1 7400
      2 7500
      1 7800
      1 8000
     19 10000
      1 11000
      1 13000
      4 15000
      1 18000
      5 20000
      1 22000
      5 30000
      1 33000
      3 35000
      2 40000
      1 50000
      1 60000
      1 80000
    3,461 .
      2 .a
     805 .c
      3 .d
    mean: 5962.9
    std. dev: 10505.9

    percentiles:      10%      25%      50%      75%      90%
                     100      900      2000      5500      15000

```

---

**asset5e**                      **Do you have any savings with a school or child development center**

---

```

    type: numeric (byte)
    label: asset5e

    range: [1,3]
    unique values: 2
    unique missing codes: 4

    units: 1
    missing .: 8/4,492
    missing *: 19/4,492

    tabulation: Freq.  Numeric  Label
                319      1      yes
                4,146    3      no
                 8       .
                 6       .a
                 11      .c
                 2       .d

```

---

**asset5e\_balance**

**The current total balance (THB)**

---

type: numeric (**long**)  
 range: [0,35000] units: 1  
 unique values: 39 missing .: 4,173/4,492  
 unique missing codes: 3 missing \*: 233/4,492

tabulation: Freq. Value  
 1 0  
 1 25  
 2 100  
 2 150  
 4 200  
 4 250  
 5 300  
 1 320  
 1 350  
 1 400  
 1 460  
 4 500  
 2 550  
 3 600  
 1 650  
 1 700  
 2 750  
 2 800  
 13 1000  
 1 1200  
 1 1400  
 4 1800  
 6 2000  
 1 2100  
 2 2200  
 1 2400  
 2 2500  
 1 2600  
 1 2700  
 3 3000  
 1 3500  
 1 3700  
 1 4000  
 4 5000  
 1 6000  
 1 8000  
 1 10000  
 1 15000  
 1 35000

mean: 2126.8  
 std. dev: 4252.64

percentiles: 10% 25% 50% 75% 90%  
 200 400 1000 2200 5000

---

**asset6**

**Specify other financial assets (not display)**

---

type: string (**str141**), but longest is str0  
 unique values: 0 missing "": 4,492/4,492  
 tabulation: Freq. Value  
 4,492 ""

---

**asset6e Do you have any other financial assets**

---

```

type: numeric (byte)
label: asset6e

range: [1,1]
unique values: 1
unique missing codes: 2

units: 1
missing .: 4,479/4,492
missing *: 2/4,492

tabulation: Freq. Numeric Label
              11      1 yes
              4,479    .
              2      .d
    
```

---

**asset6e\_balance The current total balance (THB)**

---

```

type: numeric (long)

range: [4000,126000]
unique values: 6
unique missing codes: 2

units: 100
missing .: 4,481/4,492
missing *: 5/4,492

tabulation: Freq. Value
              1 4000
              1 4500
              1 10000
              1 13500
              1 20000
              1 126000
            4,481 .
              5 .c
mean: 29666.7
std. dev: 47568.5

percentiles: 10% 25% 50% 75% 90%
              4000 4500 11750 20000 126000
    
```

---

**grf6a Since previous interview, do you have sharing ROSCA money between friends or acq**

---

```

type: numeric (byte)
label: grf6a

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 8/4,492
missing *: 9/4,492

tabulation: Freq. Numeric Label
              25      1 yes
            4,450    3 no
              8      .
              6      .a
              1      .c
              2      .d
    
```

---

**grf6b Since previous interview, how much have you paid for all ROSCA groups (THB)**

---

```

type: numeric (long)

range: [6000,117000]
unique values: 19
unique missing codes: 3

units: 100
missing .: 4,432/4,492
missing *: 38/4,492
    
```

```

tabulation:  Freq.  Value
              1  6000
              1  9800
              2 10000
              1 10200
              1 11000
              1 12000
              1 13200
              1 14000
              1 14400
              1 15000
              3 20000
              1 24000
              1 26000
              1 31900
              1 37400
              1 40000
              1 70000
              1 91000
              1 117000
            4,432 .
              35 .b
               3 .c
    mean:      28313.6
    std. dev:  28623.6

percentiles:      10%      25%      50%      75%      90%
                  10000   11000   17500   31900   70000
    
```

---

**grf6c Since previous interview, how much have you received from all ROSCA groups (THB)**

---

```

type: numeric (long)
range: [0,70000]
unique values: 15
unique missing codes: 4
units: 10
missing .: 4,432/4,492
missing *: 38/4,492
    
```

```

tabulation:  Freq.  Value
              7  0
              1  7000
              1  7240
              1 11200
              2 20000
              1 22000
              1 23000
              1 25000
              1 26000
              1 27000
              1 30000
              1 34000
              1 47000
              1 55000
              1 70000
            4,432 .
              35 .b
               2 .c
               1 .d
    mean:      19292.7
    std. dev:  19604.7

percentiles:      10%      25%      50%      75%      90%
                  0         0      20000   27000   47000
    
```

---

**smoke7 Since previous interview, do you smoke cigarettes/tobacco**

---

```

type: numeric (byte)
label: smoke7
    
```



```

range: [1,3] units: 1
unique values: 2 missing .: 8/4,492
unique missing codes: 4 missing *: 10/4,492

tabulation: Freq. Numeric Label
             856      1 yes
             3,618    3 no
              8      .
              6      .a
              2      .c
              2      .d
    
```

**alcohol18** Since previous interview, have you drunk any alcohol (once a month on average)

```

type: numeric (byte)
label: alcohol18

range: [1,3] units: 1
unique values: 2 missing .: 8/4,492
unique missing codes: 4 missing *: 10/4,492

tabulation: Freq. Numeric Label
             851      1 yes
             3,623    3 no
              8      .
              6      .a
              2      .c
              2      .d
    
```

**disease9** Do you have any congenital disease or chronic disease currently

```

type: numeric (byte)
label: disease9

range: [1,3] units: 1
unique values: 2 missing .: 8/4,492
unique missing codes: 4 missing *: 9/4,492

tabulation: Freq. Numeric Label
             371      1 yes
             4,104    3 no
              8      .
              6      .a
              1      .c
              2      .d
    
```

**disease9\_1** Additional code for congenital disease or chronic disease (disease 1)

```

type: numeric (byte)
label: disease9_1

range: [1,99] units: 1
unique values: 28 missing .: 4,121/4,492
    
```



```

tabulation: Freq.  Numeric  Label
             1         31  Allergy
             1         35  Kidney failure/damage
             1         37  Enlarged Prostate/Prostatitis
             2         67  Severe gastrointestinal disease
             4,487      .
    
```

---

**disease9\_1\_det** **The first disease (not display)**

---

```

type: string (str113), but longest is str0
unique values: 0 missing "": 4,492/4,492
tabulation: Freq.  Value
             4,492 ""
    
```

---

**disease9\_2\_det** **The second disease (not display)**

---

```

type: string (str94), but longest is str0
unique values: 0 missing "": 4,492/4,492
tabulation: Freq.  Value
             4,492 ""
    
```

---

**disease9\_3\_det** **The third disease (not display)**

---

```

type: string (str65), but longest is str0
unique values: 0 missing "": 4,492/4,492
tabulation: Freq.  Value
             4,492 ""
    
```

---

**nwork3\_1** **Do you still work on this job currently**

---

```

type: numeric (byte)
label: nwork3_1
range: [1,3] units: 1
unique values: 2 missing .: 2,826/4,492
unique missing codes: 2 missing *: 1/4,492
tabulation: Freq.  Numeric  Label
             1,436      1  yes
             229        3  no
             2,826      .
             1          .a
    
```

---

**nwork3\_2** **Do you still work on this job currently**

---

```

type: numeric (byte)
label: nwork3_2
range: [1,3] units: 1
unique values: 2 missing .: 4,288/4,492
unique missing codes: 2 missing *: 1/4,492
    
```

```

tabulation:  Freq.  Numeric  Label
              173      1  yes
              30      3  no
            4,288      .
              1      .a
    
```

**nwork3\_3** **Do you still work on this job currently**

```

type:  numeric (byte)
label:  nwork3_3

range:  [1,3]
unique values:  2
units:  1
missing .:  4,481/4,492
    
```

```

tabulation:  Freq.  Numeric  Label
              10      1  yes
              1      3  no
            4,481      .
    
```

**asset7** **Specify other financial assets**

```

type:  string (str2)
unique values:  1
missing "":  4,490/4,492
    
```

```

tabulation:  Freq.  Value
            4,490  ""
              2  "-9"
    
```

**asset7e** **Do you have any other financial assets**

```

type:  numeric (byte)
label:  asset7e

range:  [.,.]
unique values:  0
unique missing codes:  2
units:  .
missing .:  4,490/4,492
missing *:  2/4,492
    
```

```

tabulation:  Freq.  Numeric  Label
            4,490      .
              2      .d
    
```

**asset7e\_balance** **The current total balance (THB)**

```

type:  numeric (byte)
range:  [.,.]
unique values:  0
units:  .
missing .:  4,492/4,492
    
```

```

tabulation:  Freq.  Value
            4,492  .
mean:  .
std. dev:  .
    
```

```

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

**hala\_A** **Insurance type A: Life insurance (not display)**

```

type:  string (str152), but longest is str0
    
```

unique values: 0 missing "": 4,492/4,492

tabulation: Freq. Value  
4,492 ""

---

**halb\_A** **Current number of insurance type A contract**

---

type: numeric (**byte**)  
 range: [0,6] units: 1  
 unique values: 7 missing .: 0/4,492  
 unique missing codes: 3 missing \*: 65/4,492

tabulation: Freq. Value  
 3,571 0  
 746 1  
 83 2  
 18 3  
 4 4  
 4 5  
 1 6  
 6 .a  
 56 .c  
 3 .d

mean: .227694  
 std. dev: .522967

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 1

---

**halca\_A** **Total premium of insurance paid by household members (THB)**

---

type: numeric (**double**)  
 range: [0,76000] units: .01  
 unique values: 219 missing .: 3,571/4,492  
 unique missing codes: 4 missing \*: 126/4,492

mean: 5703.67  
 std. dev: 6786.81

percentiles: 10% 25% 50% 75% 90%  
 0 1792 4400 7200 12000

---

**halcb\_A** **Total premium of insurance paid by anyone outside the household (THB)**

---

type: numeric (**long**)  
 range: [0,175000] units: 1  
 unique values: 67 missing .: 3,571/4,492  
 unique missing codes: 4 missing \*: 107/4,492

tabulation: Freq. Value  
 689 0  
 1 1700  
 1 1800  
 1 2200  
 1 2500  
 1 2800  
 1 3000  
 1 3029  
 1 3150  
 1 3400  
 5 3500  
 2 3600  
 2 3700

```

1 3965
4 4000
1 4070
1 4200
3 4500
1 4700
2 4800
8 5000
1 5200
3 5300
3 5500
1 5633
1 5700
11 6000
1 6036
1 6300
1 6400
1 6500
4 7000
1 7100
1 7200
1 7240
1 7443
2 7500
1 7820
1 7870
2 8000
1 8085
1 8400
2 8500
1 8600
1 8640
3 9000
8 10000
1 10400
1 10800
1 10900
1 11000
1 11500
7 12000
2 13000
1 13060
1 14600
1 14800
2 15000
2 19040
2 21000
1 22000
1 22890
2 30000
1 44000
1 50000
1 60000
1 175000
3,571 .
6 .a
97 .c
4 .d
mean: 1602.35
std. dev: 7657.09

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      5500

```

---

**hald\_A** **Total claims/refunds/allowance of insurance type A (THB)**

---

type: numeric (long)

range: [0,60000] units: 100  
 unique values: 7 missing .: 3,571/4,492  
 unique missing codes: 4 missing \*: 59/4,492

tabulation: Freq. Value  
 855 0  
 1 400  
 1 1000  
 2 2000  
 1 6000  
 1 50000  
 1 60000  
 3,571 .  
 6 .a  
 49 .c  
 4 .d  
 mean: 140.835  
 std. dev: 2667.84

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hala\_B Insurance type B: Health insurance/accident insurance (not display)**

---

type: string (**str152**), but longest is str0  
 unique values: 0 missing "": 4,492/4,492  
 tabulation: Freq. Value  
 4,492 ""

---

**halb\_B Current number of insurance type B contract**

---

type: numeric (**byte**)  
 range: [0,6] units: 1  
 unique values: 6 missing .: 0/4,492  
 unique missing codes: 3 missing \*: 57/4,492

tabulation: Freq. Value  
 3,429 0  
 928 1  
 71 2  
 4 3  
 1 4  
 2 6  
 6 .a  
 48 .c  
 3 .d  
 mean: .247576  
 std. dev: .489898

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 1

---

**halca\_B Total premium of insurance paid by household members (THB)**

---

type: numeric (**double**)  
 range: [0,98000] units: 1  
 unique values: 176 missing .: 3,429/4,492  
 unique missing codes: 4 missing \*: 201/4,492  
 mean: 2901.25  
 std. dev: 5868.52

percentiles:           10%           25%           50%           75%           90%  
                           150           150           300           4300           8500

---

**halcb\_B                   Total premium of insurance paid by anyone outside the household (THB)**

---

type: numeric (**long**)  
           range: [0,20420]                                   units: 1  
           unique values: 28                                   missing .: 3,429/4,492  
           unique missing codes: 4                            missing \*: 88/4,492

tabulation:   Freq.   Value  
                   938   0  
                   1   150  
                   1   350  
                   1   520  
                   1   700  
                   2   2000  
                   1   3400  
                   1   3500  
                   2   3600  
                   1   3850  
                   1   4200  
                   1   4400  
                   6   5000  
                   1   5055  
                   1   5200  
                   1   6000  
                   1   6200  
                   1   6300  
                   2   6500  
                   1   7800  
                   2   8500  
                   1   9600  
                   1  10000  
                   1  11000  
                   1  11500  
                   1  12000  
                   2  13000  
                   1  20420  
                   3,429 .  
                   6   .a  
                   79   .c  
                   3   .d

mean: 235.226  
 std. dev: 1435.63

percentiles:           10%           25%           50%           75%           90%  
                           0           0           0           0           0

---

**hald\_B                   Total claims/refunds/allowance of insurance type B (THB)**

---

type: numeric (**long**)  
           range: [0,24000]                                   units: 10  
           unique values: 9                                   missing .: 3,429/4,492  
           unique missing codes: 4                            missing \*: 59/4,492



```

tabulation:  Freq.  Value
              996    0
              1    170
              1    450
              1    500
              1    700
              1   1000
              1   1500
              1   2500
              1  24000
            3,429  .
              6   .a
             50   .c
              3   .d
    mean:     30.6972
    std. dev: 764.051

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**hala\_C** **Insurance type C: Social insurance (not display)**

---

```

type: string (str152), but longest is str0
unique values: 0 missing "": 4,492/4,492
tabulation:  Freq.  Value
            4,492 ""
    
```

---

**halb\_C** **Current number of insurance type C contract**

---

```

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/4,492
unique missing codes: 3 missing *: 45/4,492

tabulation:  Freq.  Value
            3,990    0
             457    1
              6   .a
             36   .c
              3   .d
    mean:     .102766
    std. dev: .303687

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

---

**halca\_C** **Total premium of insurance paid by household members (THB)**

---

```

type: numeric (double)
range: [0,16800] units: 1
unique values: 93 missing .: 3,989/4,492
unique missing codes: 4 missing *: 266/4,492
    
```

```

tabulation:  Freq.  Value
              10    0
              1   150
              1   216
              1   300
              4   400
              2   450
              1   500
              1   550
              2   800
              1   810
              1   856
              2   900
              1   960
              7  1000
              1  1050
              6  1100
             15  1200
              3  1210
              4  1300
              1  1320
              2  1350
              4  1400
              4  1430
              3  1500
              1  1540
              1  2000
              1  2250
              3  2400
              6  2600
              1  2700
              1  2800
              3  3000
              2  3300
              1  3375
              2  3456
             11  3600
              3  3760
              1  3840
              3  3888
              2  3900
              3  4000
              1  4032
              1  4050
              2  4080
              3  4200
              2  4300
              3  4320
              4  4400
              2  4500
              2  4560
              2  4680
              9  4752
             11  4800
              5  4950
              1  4956
              1  5000
              2  5040
              1  5060
              1  5070
              1  5080
              7  5184
              4  5200
              1  5304
              1  5400
              3  5500
              2  5520
              2  5600
              4  5616
              1  5760
              3  5850
              1  5980
    
```

```

5 6000
1 6090
1 6300
1 6480
1 6500
1 6720
1 7000
1 7150
2 7200
1 7440
1 7700
1 8090
1 9000
2 9100
2 9600
1 10500
1 10640
1 10920
1 11200
3 11250
1 13200
1 16800
3,989 .
6 .a
257 .c
3 .d
mean: 3773.57
std. dev: 2717.85

percentiles:    10%    25%    50%    75%    90%
                810    1210   3900   5184   6480

```

---

**halcb\_C Total premium of insurance paid by anyone outside the household (THB)**

---

```

type: numeric (long)
range: [0,4950]
unique values: 5
unique missing codes: 4
units: 1
missing .: 3,989/4,492
missing *: 49/4,492

tabulation: Freq. Value
             450 0
             1 216
             1 3000
             1 4752
             1 4950
3,989 .
6 .a
40 .c
3 .d
mean: 28.4537
std. dev: 350.852

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

---

**hald\_C Total claims/refunds/allowance of insurance type C (THB)**

---

```

type: numeric (long)
range: [0,120000]
unique values: 29
unique missing codes: 4
units: 100
missing .: 3,989/4,492
missing *: 64/4,492

```

```

tabulation:  Freq.  Value
              349    0
              1    500
              1    800
              1   2000
              2   2400
              1   3200
              2   3600
              9   4000
             10   4400
             14   4800
             12   5200
              8   5600
              3   6000
              2   6400
              2   7200
              1   7800
              3   8800
              4   9600
              1  10400
              4  11200
              1  11700
              1  12000
              1  14400
              1  15000
              1  21600
              1  24000
              1  24400
              1  90000
              1 120000
             3,989  .
              6   .a
             55   .c
              3   .d
    mean:      1774.49
    std. dev:  7752.19

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      5200
    
```

---

**hala\_D** Insurance type D: Cremation village fund for individual (excluding BAAC) (not di

---

```

type: string (str152), but longest is str0
unique values: 0 missing "": 4,492/4,492

tabulation:  Freq.  Value
             4,492  ""
    
```

---

**halb\_D** Current number of insurance type D contract

---

```

type: numeric (byte)
range: [0,7]
unique values: 8
unique missing codes: 3

units: 1
missing .: 0/4,492
missing *: 43/4,492
    
```

```

tabulation:  Freq.  Value
              3,182  0
              731   1
              308   2
              147   3
               53   4
               19   5
                3   6
                6   7
                6  .a
               34  .c
                3  .d
    mean:     .484379
    std. dev: .944404

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
    
```

---

**halca\_D** **Total premium of insurance paid by household members (THB)**

---

```

type: numeric (double)
range: [0,15000]
unique values: 84
unique missing codes: 4

units: 1
missing .: 3,182/4,492
missing *: 941/4,492
    
```

```

tabulation:  Freq.  Value
              17   0
               1  50
               1  80
               6 100
               1 150
              21 200
               1 220
               2 233
               2 240
               3 260
              26 300
               1 350
               5 360
               1 387
               2 390
              16 400
               2 420
               1 440
               8 450
               6 500
               3 550
              10 600
               1 630
               1 675
               3 700
               2 720
               1 780
               5 800
               4 813
               1 840
               2 850
               1 880
               1 890
              27 900
               1 915
               4 930
               1 950
               1 960
              23 1000
               5 1100
               7 1200
               1 1250
              11 1300
    
```

```

1 1330
1 1352
1 1380
1 1450
1 1480
2 1500
3 1600
1 1650
1 1688
2 1800
1 1870
9 2000
4 2040
2 2100
7 2200
2 2300
5 2400
11 2500
1 2800
21 3000
5 3500
1 3600
2 3900
5 4000
3 4500
1 4950
6 5000
2 5200
5 5500
5 6000
1 6350
1 7000
1 7500
1 8000
1 8400
3 9000
2 9350
5 10000
1 12000
1 13500
1 15000
3,182 .
6 .a
931 .c
4 .d
mean: 1784.59
std. dev: 2292.24

percentiles:    10%    25%    50%    75%    90%
                200    400    900    2300   4950

```

---

**halcb\_D            Total premium of insurance paid by anyone outside the household (THB)**

---

```

type: numeric (long)
range: [0,2000]
unique values: 6
unique missing codes: 4

units: 10
missing .: 3,182/4,492
missing *: 61/4,492

```

```

tabulation:  Freq.  Value
              1,243  0
              1    700
              1    900
              2   1000
              1   1250
              1   2000
              3,182  .
              6    .a
              50    .c
              5    .d
    mean:     5.48439
    std. dev: 84.0908

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

---

**hald\_D** Total claims/refunds/allowance of insurance type D (THB)

---

```

type: numeric (long)

range: [0,122000]          units: 10
unique values: 7           missing .: 3,182/4,492
unique missing codes: 4   missing *: 49/4,492

tabulation:  Freq.  Value
              1,255  0
              1    320
              1    550
              1   40000
              1   82000
              1  120000
              1  122000
              3,182  .
              6    .a
              38    .c
              5    .d
    mean:     289.35
    std. dev: 5455.65

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

---

**hala\_E** Insurance type E: BAAC cremation fund/saving cooperative/teacher fund (not displ

---

```

type: string (str152), but longest is str0

unique values: 0           missing "": 4,492/4,492

tabulation:  Freq.  Value
              4,492  ""
    
```

---

**halb\_E** Current number of insurance type E contract

---

```

type: numeric (byte)

range: [0,5]          units: 1
unique values: 6       missing .: 0/4,492
unique missing codes: 3  missing *: 36/4,492
    
```

```

tabulation:  Freq.  Value
              3,250  0
              1,051  1
              132    2
               18    3
                4    4
                1    5
                6    .a
               27    .c
                3    .d
    mean:     .311939
    std. dev: .559863

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

---

**halca\_E** **Total premium of insurance paid by household members (THB)**

---

```

type: numeric (double)

range: [0,77000]          units: 1
unique values: 142        missing .: 3,250/4,492
unique missing codes: 4   missing *: 204/4,492

mean: 4203.79
std. dev: 3665.36

percentiles:    10%    25%    50%    75%    90%
                1600   2800   3900   4500   7000
    
```

---

**halcb\_E** **Total premium of insurance paid by anyone outside the household (THB)**

---

```

type: numeric (long)

range: [0,14500]          units: 10
unique values: 25         missing .: 3,250/4,492
unique missing codes: 4   missing *: 52/4,492
    
```

```

tabulation:  Freq.  Value
              1,155  0
                1  1000
                2  1200
                2  1250
                2  1500
                1  1690
                1  2000
                1  2500
                2  3000
                1  3500
                1  3630
                1  3640
                1  3670
                1  3700
                5  4000
                1  4010
                1  4200
                1  4800
                2  5000
                1  5800
                2  7250
                1  7400
                2  8000
                1  9070
                1 14500
    3,250      .
                6  .a
               42  .c
                4  .d
    
```



mean: 125.639  
 std. dev: 865.4  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

**hald\_E Total claims/refunds/allowance of insurance type E (THB)**

type: numeric (long)  
 range: [0,300000] units: 1000  
 unique values: 6 missing .: 3,250/4,492  
 unique missing codes: 4 missing \*: 37/4,492

tabulation:	Freq.	Value
	1,199	0
	1	3000
	1	170000
	1	200000
	2	220000
	1	300000
	3,250	.
	6	.a
	27	.c
	4	.d

mean: 923.651  
 std. dev: 14544  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

**hala\_F Insurance type F: One baht per day community welfare fund (not display)**

type: string (str152), but longest is str0  
 unique values: 0 missing "": 4,492/4,492

tabulation:	Freq.	Value
	4,492	" "

**halb\_F Current number of insurance type F contract**

type: numeric (byte)  
 range: [0,2] units: 1  
 unique values: 3 missing .: 0/4,492  
 unique missing codes: 3 missing \*: 28/4,492

tabulation:	Freq.	Value
	3,069	0
	1,393	1
	2	2
	6	.a
	19	.c
	3	.d

mean: .312948  
 std. dev: .464711  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 1 1

**halca\_F Total premium of insurance paid by household members (THB)**

```

type: numeric (double)
range: [0,720]
unique values: 42
unique missing codes: 4
units: 1
missing .: 3,069/4,492
missing *: 39/4,492

```

```

tabulation: Freq. Value
13 0
1 20
3 30
1 60
2 90
2 180
1 210
6 240
6 242
1 260
20 270
3 272
24 273
65 300
23 303
19 304
1 320
79 330
60 334
7 335
1 350
218 360
504 365
1 368
1 369
2 370
15 380
14 385
75 390
24 395
98 396
26 420
1 425
35 426
2 427
6 450
10 457
1 460
3 480
3 487
5 490
2 720
3,069 .
6 .a
28 .c
5 .d
mean: 355.77
std. dev: 57.4031

```

```

percentiles: 10% 25% 50% 75% 90%
300 360 365 365 396

```

---

**halcb\_F Total premium of insurance paid by outsides (THB)**

---

```

type: numeric (long)
range: [0,396]
unique values: 6
unique missing codes: 4
units: 1
missing .: 3,069/4,492
missing *: 30/4,492

```

```

tabulation:  Freq.  Value
              1,380  0
              1    270
              1    304
              1    360
              8    365
              2    396
            3,069  .
              6    .a
              18    .c
              6    .d
    mean:     3.33525
  std. dev:  34.5211

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**hald\_F** **Total claims/refunds/allowance of insurance type F (THB)**

---

```

type: numeric (long)
range: [0,20000]          units: 100
unique values: 13         missing .: 3,069/4,492
unique missing codes: 4   missing *: 32/4,492
    
```

```

tabulation:  Freq.  Value
              1,377  0
              1    200
              2    300
              1    500
              1    700
              1    800
              1   1000
              2   1500
              1   9000
              1  10000
              1  12000
              1  17000
              1  20000
            3,069  .
              6    .a
              18    .c
              8    .d
    mean:     53.7743
  std. dev:  855.401

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**hala\_G** **Insurance type G: Cremation village fund for household (not display)**

---

```

type: string (str152), but longest is str0
unique values: 0          missing "": 4,492/4,492

tabulation:  Freq.  Value
            4,492  ""
    
```

---

**halb\_G** **Current number of insurance type G contract**

---

```

type: numeric (byte)
range: [0,5]          units: 1
unique values: 6       missing .: 0/4,492
unique missing codes: 3  missing *: 21/4,492
    
```

```

tabulation:  Freq.  Value
              3,293  0
              1,093  1
                59  2
                22  3
                 3  4
                 1  5
                 6  .a
                12  .c
                 3  .d
    mean:     .289421
    std. dev: .523602

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

---

**halca\_G** **Total premium of insurance paid by household members (THB)**

---

```

type: numeric (double)
range: [0,20000]
unique values: 48
unique missing codes: 4

units: 1
missing .: 3,293/4,492
missing *: 990/4,492
    
```

```

tabulation:  Freq.  Value
              8  0
              1  50
              4  100
              2  120
              2  150
              1  180
             16  200
              1  225
              1  240
              4  250
              7  300
              2  350
              4  360
             11  400
              4  450
             16  500
              4  550
              7  600
              1  650
              3  700
              5  750
              4  800
              1  850
              2  900
              1  960
             21  1000
              1  1080
              8  1200
              3  1300
              2  1350
             13  1500
              1  1600
             12  2000
              2  2100
              2  2200
              3  2400
              7  2500
              1  2600
              1  2700
              4  3000
              4  3500
              1  3960
              5  4000
              2  4500
              1  5500
    
```

```

          1  9000
          1 13000
          1 20000
    3,293  .
           6  .a
          980 .c
           4  .d
    mean:   1303.47
    std. dev: 1943.3

percentiles:    10%    25%    50%    75%    90%
                200    360    800    1500   2700
    
```

**halcb\_G** **Total premium of insurance paid by outsides (THB)**

```

    type: numeric (long)
    range: [0,0]
    unique values: 1
    unique missing codes: 4
    units: 1
    missing .: 3,293/4,492
    missing *: 25/4,492

    tabulation:  Freq.  Value
                 1,174  0
                 3,293  .
                   6  .a
                  15  .c
                   4  .d
    mean:        0
    std. dev:    0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

**hald\_G** **Total claims/refunds/allowance of insurance type G (THB)**

```

    type: numeric (long)
    range: [0,30000]
    unique values: 7
    unique missing codes: 4
    units: 100
    missing .: 3,293/4,492
    missing *: 22/4,492

    tabulation:  Freq.  Value
                 1,168  0
                   1 10500
                   1 12000
                   1 15000
                   4 20000
                   1 23000
                   1 30000
                 3,293  .
                   6  .a
                  12  .c
                   4  .d
    mean:        144.86
    std. dev:    1721.11

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

**hala\_H** **Insurance type H: Others (not display)**

```

    type: string (str152), but longest is str0
    unique values: 0
    missing "": 4,492/4,492
    
```

tabulation: Freq. Value  
 4,492 ""

---

**halb\_H** **Current number of insurance type H contract**

---

type: numeric (**byte**)  
 range: [0,2] units: 1  
 unique values: 3 missing .: 4,450/4,492  
 unique missing codes: 2 missing \*: 2/4,492

tabulation: Freq. Value  
 1 0  
 37 1  
 2 2  
 4,450 .  
 2 .c  
 mean: 1.025  
 std. dev: .276192

percentiles: 10% 25% 50% 75% 90%  
 1 1 1 1 1

---

**halca\_H** **Total premium of insurance paid by household members (THB)**

---

type: numeric (**double**)  
 range: [0,8190] units: 1  
 unique values: 16 missing .: 4,451/4,492  
 unique missing codes: 2 missing \*: 18/4,492

tabulation: Freq. Value  
 3 0  
 2 11  
 4 12  
 1 84  
 1 200  
 2 250  
 1 300  
 1 395  
 1 1100  
 1 1120  
 1 1200  
 1 1320  
 1 2500  
 1 3500  
 1 4100  
 1 8190  
 4,451 .  
 18 .c  
 mean: 1068.65  
 std. dev: 1932.8

percentiles: 10% 25% 50% 75% 90%  
 0 12 250 1200 3500

---

**halcb\_H** **Total premium of insurance paid by outsides (THB)**

---

type: numeric (**long**)  
 range: [0,4200] units: 100  
 unique values: 2 missing .: 4,451/4,492  
 unique missing codes: 2 missing \*: 4/4,492

```

tabulation:  Freq.  Value
              36    0
              1  4200
            4,451  .
              4  .c
    mean:    113.514
    std. dev: 690.476

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**hald\_H** **Total claims/refunds/allowance of insurance type H (THB)**

---

```

type: numeric (long)

range: [0,0]
unique values: 1
unique missing codes: 2

units: 1
missing .: 4,451/4,492
missing *: 2/4,492

tabulation:  Freq.  Value
              39    0
            4,451  .
              2  .c
    mean:    0
    std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**hala\_I** **Insurance type I: Others**

---

```

type: string (str152), but longest is str0

unique values: 0
missing "": 4,492/4,492

tabulation:  Freq.  Value
            4,492  ""
    
```

---

**halb\_I** **Current number of insurance type I contract**

---

```

type: numeric (byte)

range: [.,.]
unique values: 0

units: .
missing .: 4,492/4,492

tabulation:  Freq.  Value
            4,492  .
    mean:    .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

---

**halca\_I** **Total premium of insurance paid by household members (THB)**

---

```

type: numeric (double)

range: [.,.]
unique values: 0

units: .
missing .: 4,492/4,492
    
```

```

tabulation: Freq. Value
             4,492 .
      mean: .
      std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

**halcb\_I** **Total premium of insurance paid by outsides (THB)**

```

type: numeric (long)

range: [.,.]
unique values: 0
units: .
missing ..: 4,492/4,492

tabulation: Freq. Value
             4,492 .
      mean: .
      std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

**hald\_I** **Total claims/refunds/allowance of insurance type I (THB)**

```

type: numeric (long)

range: [.,.]
unique values: 0
units: .
missing ..: 4,492/4,492

tabulation: Freq. Value
             4,492 .
      mean: .
      std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

**note** **Interviewer note**

```

type: string (str741), but longest is str0
unique values: 0
missing "": 4,492/4,492

tabulation: Freq. Value
             4,492 ""
    
```

**age** **Age of household member (year)**

```

type: numeric (double)

range: [.03,92.58]
unique values: 938
units: .0001
missing ..: 43/4,492

mean: 40.1927
std. dev: 20.206

percentiles: 10%    25%    50%    75%    90%
              10.41  24.58  42.25  56     65
    
```

**year\_survey** **year survey**



```

type: numeric (float)
range: [2017,2017]
unique values: 1
units: 1
missing .: 0/4,492

tabulation: Freq. Value
4,492 2017
mean: 2017
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
2017 2017 2017 2017 2017
    
```

**note\_cleaner** Data cleaner note (not display)

```

type: string (str372), but longest is str0
unique values: 0
missing "": 4,492/4,492

tabulation: Freq. Value
4,492 ""
    
```

**hh\_change** Sample has moved so that its household structure changed

```

type: numeric (float)
label: hh_change
range: [0,1]
unique values: 2
units: 1
missing .: 0/4,492

tabulation: Freq. Numeric Label
4,457 0 no
35 1 yes
    
```

**survey\_name** survey round

```

type: string (str12)
unique values: 1
missing "": 0/4,492

tabulation: Freq. Value
4,492 "RESURVEY2017"
    
```

**studyorwork\_hr\_perday**  
 How many hours per day do you spend on average studying or working (in the past

```

type: numeric (double)
range: [0,17.5]
unique values: 62
unique missing codes: 4
units: .01
missing .: 1/4,492
missing *: 115/4,492

tabulation: Freq. Value
790 0
1 .17
1 .25
3 .33
18 .5
2 .75
100 1
25 1.5
112 2
31 2.5
113 3
    
```

```

44 3.5
149 4
33 4.5
138 5
41 5.5
1 5.75
114 6
32 6.5
1 6.67
177 7
1 7.17
123 7.5
1 7.67
1 7.75
2 7.82
449 8
2 8.17
2 8.25
1 8.32
258 8.5
1 8.67
1 8.75
4 8.82
632 9
1 9.17
1 9.32
182 9.5
1 9.67
1 9.82
316 10
1 10.1
57 10.5
1 10.6
109 11
1 11.2
29 11.5
1 11.7
101 12
24 12.5
36 13
14 13.5
38 14
1 14.3
11 14.5
1 14.6
23 15
6 15.5
7 16
1 16.5
7 17
1 17.5
1 .
5 .a
104 .c
6 .d
mean: 6.39143
std. dev: 4.06852
percentiles: 10% 25% 50% 75% 90%
              0 3 8 9 10.5

```

---

**sleep\_hr\_perday**  
How many hours do you spend on average sleeping each day (in the past one month)

---

```

type: numeric (double)
range: [2,17]
unique values: 41
unique missing codes: 4
units: .01
missing .: 9/4,492
missing *: 151/4,492

```

```

tabulation:  Freq.  Value
              1      2
              1    2.5
              5      3
              3    3.5
             16      4
             12    4.5
             30      5
             32    5.5
            110      6
             99    6.5
            347      7
              1    7.25
            309    7.5
              2    7.75
              2    7.82
            915      8
              2    8.25
              1    8.32
            421    8.5
              2    8.67
              1    8.75
            934      9
              2    9.25
            363    9.5
              3    9.75
              1    9.82
            447     10
              2   10.1
              1   10.3
            107   10.5
              1   10.7
             96    11
             27   11.5
             19    12
              5   12.5
              1   12.6
              3    13
              1   13.5
              5    14
              1    15
              1    17
              9     .
              5    .a
            143    .c
              3    .d

```

```

mean: 8.51401
std. dev: 1.31208

```

```

percentiles:      10%      25%      50%      75%      90%
                  7         8         8.5       9.5       10

```

---

**relaxinga\_hr\_perday**

In the past 1 month on school/work days, how many hours per day on average do yo

---

type: numeric (double)

```

range: [0,17.5]
unique values: 47
unique missing codes: 4

```

```

units: .01
missing .: 9/4,492
missing *: 178/4,492

```

```

tabulation:  Freq.  Value
              979    0
               2   .08
               7   .17
               1   .22
               2   .25
               6   .33
               1   .42
            170   .5
               2   .58
               1   .67
               6   .75
          1,602   1
               1   1.16
               1   1.25
               1   1.41
            184   1.5
            652   2
            148   2.5
            214   3
               1   3.04
              60   3.5
               1   3.75
              62   4
              29   4.5
              58   5
               1   5.25
              23   5.5
               1   5.67
              21   6
              14   6.5
               1   6.75
               1   6.82
              14   7
               6   7.5
              11   8
               2   8.5
               1   9
               4   10
               1   10.5
               2   11.5
               3   12
               1   12.5
               2   13
               1   13.5
               1   13.7
               2   14
               1   17.5
               9   .
               5   .a
            158   .c
              15   .d
    mean:      1.39944
std. dev:     1.5091

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        .5       1        2        3

```

---

**relaxingb\_hr\_perday            Hours per day spent on recreational activities (on holidays)**

---

```

type: numeric (double)
range: [0,22]
unique values: 55
unique missing codes: 3
units: .01
missing .: 9/4,492
missing *: 132/4,492

```

```

tabulation:  Freq.  Value
              1,759  0
                3   .08
                2   .17
                1   .42
               55   .5
                1   .58
              377   1
                1  1.33
               81  1.5
                1  1.75
              412  2
                1  2.13
             145  2.5
                1  2.75
             281  3
                1  3.32
               77  3.5
             123  4
               84  4.5
            163  5
               25  5.5
               50  6
               14  6.5
               16  7
                5  7.5
               43  8
                5  8.5
                7  9
                2  9.5
               43 10
                1 10.5
                3 11
                4 11.5
               21 12
               14 12.5
               54 13
               36 13.5
            117 14
                1 14.1
                2 14.2
               78 14.5
                1 14.7
            126 15
                1 15.3
               31 15.5
                1 15.7
               43 16
               13 16.5
                1 16.7
               11 17
                6 17.5
                3 18
                2 19
                1 20.5
                1 22
                9  .
            121  .c
             11  .d
    mean:      3.30436
  std. dev:   4.79482

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        4       14

```

---

**monthwork3\_1\_percent**  
 Percentage of the number of months that you performed the paid job 1 since the p

---

type: numeric (double)

range: [0,100]  
 unique values: 70  
 unique missing codes: 4

units: .01  
 missing .: 2,814/4,492  
 missing \*: 41/4,492

tabulation:	Freq.	Value
	3	0
	2	6.25
	1	6.67
	18	7.13
	37	7.69
	49	8.32
	29	9.09
	26	10
	13	11.1
	2	12.5
	8	14.2
	23	15.3
	22	16.6
	25	18.1
	1	18.7
	11	20
	4	21.4
	5	22.2
	14	23
	35	25
	14	27.2
	2	28.5
	1	30
	9	30.7
	1	31.2
	21	33.3
	4	35.7
	10	36.3
	8	38.4
	6	40
	10	41.6
	5	42.8
	3	44.4
	13	45.4
	6	46.1
	17	50
	1	53.3
	1	53.8
	11	54.5
	1	57.1
	5	58.3
	7	60
	4	61.5
	1	62.5
	6	63.6
	2	64.2
	8	66.6
	9	69.2
	3	70
	2	71.4
	11	72.7
	2	73.3
	14	75
	10	76.9
	3	77.7
	8	78.5
	6	80
	12	81.8
	9	83.3
	5	84.6
	10	85.7
	1	86.6
	5	88.8
	8	90
	16	90.9
	8	91.6
	9	92.3

```

          1  92.8
          1  93.3
        979 100
       2,814 .
          1  .a
          36  .c
           4  .d
    mean:    74.9726
  std. dev:  35.5701

percentiles:    10%    25%    50%    75%    90%
                10    41.6    100    100    100
  
```

**monthwork3\_2\_percent**

Percentage of the number of months that you performed the paid job 2 since the p

```

    type: numeric (double)
    range: [6.67,100]           units: .01
  unique values: 46           missing .: 4,284/4,492
  unique missing codes: 3     missing *: 11/4,492
  
```

```

  tabulation:  Freq.  Value
                1  6.67
                5  7.13
                9  7.69
               18  8.32
               13  9.09
                9  10
                1  11.1
                1  12.5
                3  14.2
                1  15.3
                7  16.6
                2  18.1
                3  20
                2  21.4
                2  22.2
                1  23
               10  25
                4  27.2
                1  30
                3  30.7
                2  33.3
                1  35.7
                1  36.3
                1  38.4
                1  40
                3  41.6
                1  42.8
                2  45.4
                1  46.1
                4  50
                1  55.5
                3  58.3
                1  61.5
                2  68.7
                1  69.2
                1  71.4
                1  72.7
                1  75
                1  80
                1  81.8
                1  83.3
                2  84.6
                1  85.7
                1  91.6
                3  92.3
                63 100
       4,284 .
  
```

```

          1 .a
          10 .c
    mean:  50.5688
    std. dev: 39.4244

    percentiles:      10%      25%      50%      75%      90%
                     8.32      10      35.7      100      100
    
```

**monthwork3\_3\_percent**  
**Percentage of the number of months that you performed the paid job 3 since the p**

```

    type: numeric (double)

    range: [10,100]
    unique values: 5
    unique missing codes: 2

    tabulation:  Freq.  Value
                  1  10
                  4  16.6
                  1  27.2
                  1  54.5
                  3  100
                4,481 .
                  1  .c
    mean:  45.81
    std. dev: 39.3372

    percentiles:      10%      25%      50%      75%      90%
                     13.3     16.6     21.9     100     100
    
```

**jobs\_number**  
**Total number of jobs of each household member**

```

    type: numeric (float)

    range: [0,6]
    unique values: 7
    unique missing codes: 2

    tabulation:  Freq.  Value
                  1,272  0
                   894  1
                  1,370  2
                   782  3
                   150  4
                    12  5
                     1  6
                     1  .
                    10  .d
    mean:  1.48315
    std. dev: 1.185

    percentiles:      10%      25%      50%      75%      90%
                     0         0         2         2         3
    
```

**earning\_permonth**  
**Total earnings per month of each household member (THB)**

```

    type: numeric (float)

    range: [14.29,100000]
    unique values: 650
    unique missing codes: 4

    mean:  6264.65
    std. dev: 7210.77

    percentiles:      10%      25%      50%      75%      90%
                     193/4,492
    
```







```

tabulation:  Freq.  Numeric  Label
              18      1  Retail
              13      9  Restaurant/noodle restaurant
              5       19  Building contractors
              53     99  Other
            4,403      .
    
```

---

**buss\_4**                      **Name of the fourth business (only for business owner) (not display)**

---

```

type:  string (str135), but longest is str0
unique values:  0                                      missing "":  4,492/4,492
tabulation:  Freq.  Value
            4,492  ""
    
```

---

**buss\_code\_4**                      **Code of the fourth business (only for business owner)**

---

```

type:  numeric (byte)
label:  a5_code
range:  [1,99]                                      units:  1
unique values:  3                                      missing .:  4,471/4,492
tabulation:  Freq.  Numeric  Label
              3      1  Retail
              5      9  Restaurant/noodle restaurant
              13     99  Other
            4,471      .
    
```

```

2 . log close
   name:  <unnamed>
   log:  V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2017\a1.scm1
   log type:  smcl
   closed on:  30 May 2024, 14:30:05
    
```

---