



```

name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a14.smcl
log type: smcl
opened on: 19 Jan 2024, 16:45:41
    
```

1 . codebookr \_all,all

```

Dataset: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\a14_run.dta
Last saved: 19 Jan 2024 16:45
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 102
Number of observations: 1,273
Size: 385,719 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

---

**hhid** **household id**

---

```

type: string (str15)
unique values: 1,266 missing "": 0/1,273
examples: "201591160605216"
           "201691131006008"
           "201691160105068"
           "201691161706110"
    
```

---

**iyear** **year**

---

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,273
tabulation: Freq. Value
             460 "2015"
             813 "2016"
    
```

---

**prov** **province**

---

```

type: string (str2)
    
```

unique values: 2 missing "": 0/1,273  
 tabulation: Freq. Value  
 1,149 "91"  
 124 "93"

amp

amphoe

type: string (str2)  
 unique values: 8 missing "": 0/1,273  
 tabulation: Freq. Value  
 1 "09"  
 124 "12"  
 227 "13"  
 108 "14"  
 124 "15"  
 477 "16"  
 31 "17"  
 181 "18"

tam

tambon

type: string (str2)  
 unique values: 15 missing "": 0/1,273  
 tabulation: Freq. Value  
 57 "01"  
 204 "02"  
 105 "04"  
 52 "05"  
 50 "06"  
 56 "07"  
 49 "08"  
 85 "09"  
 116 "10"  
 73 "11"  
 125 "13"  
 43 "14"  
 129 "15"  
 85 "17"  
 44 "19"

moo

moo

type: string (str2)  
 unique values: 22 missing "": 0/1,273  
 tabulation: Freq. Value  
 126 "01"  
 57 "02"  
 123 "03"  
 141 "04"  
 114 "05"  
 138 "06"  
 63 "07"  
 132 "08"  
 80 "09"  
 64 "10"  
 45 "11"  
 37 "12"  
 37 "13"  
 10 "14"

```

    9 "15"
   33 "16"
    8 "17"
   11 "18"
   24 "19"
    1 "20"
   14 "22"
    6 "24"

```

---

**strucid** **structure ID**

---

```

    type: string (str3)
unique values: 185           missing "": 0/1,273
examples: "010"
          "035"
          "070"
          "142"

```

---

**memberid** **memberID**

---

```

    type: string (str5), but longest is str2
unique values: 9           missing "": 11/1,273
unique missing codes: 2   missing *: 2/1,273
tabulation:  Freq.  Value
              11   ""
              518  "H2"
              479  "H3"
              141  "H4"
               76  "H5"
               25  "H6"
               17  "H7"
                3  "H8"
                1  "H9"
                2  "NA"

```

---

**nickname** **Nickname (unavailable)**

---

```

    type: string (str36), but longest is str0
unique values: 0           missing "": 1,273/1,273
tabulation:  Freq.  Value
              1,273 ""

```

---

**gender** **gender**

---

```

    type: numeric (byte)
    label: gender
    range: [1,3]
unique values: 2           units: 1
                                missing .: 11/1,273
tabulation:  Freq.  Numeric  Label
              143     1      Male
              1,119   3      Female
               11     .

```

---

**age** **(unlabeled)**

---

```

    type: numeric (double)
    range: [16.08,87.75]           units: .01
    unique values: 539             missing .: 11/1,273
    mean: 47.8394
    std. dev: 13.2486
    percentiles:      10%      25%      50%      75%      90%
                    28.41    37.58    49.58    57.25    64.33
    
```

---

**cf1** **The questioner will read 10 words, asking you to listen carefully and memorize t**

---

```

    type: string (str1)
    unique values: 3             missing "": 11/1,273
    tabulation:  Freq.  Value
                11    ""
                472   "A"
                458   "B"
                332   "C"
    
```

---

**cf1a\_1** **score : 8200**

---

```

    type: numeric (byte)
    label: cf1a_1
    range: [0,1]                 units: 1
    unique values: 2             missing .: 801/1,273
    tabulation:  Freq.  Numeric  Label
                125    0        respondent can't remember
                347    1        Respondent can remember
                801    .
    
```

---

**cf1a\_2** **score : 410**

---

```

    type: numeric (byte)
    label: cf1a_2
    range: [0,1]                 units: 1
    unique values: 2             missing .: 801/1,273
    tabulation:  Freq.  Numeric  Label
                198    0        respondent can't remember
                274    1        Respondent can remember
                801    .
    
```

---

**cf1a\_3** **score : 410**

---

```

    type: numeric (byte)
    label: cf1a_3
    range: [0,1]                 units: 1
    unique values: 2             missing .: 801/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              167      0  respondent can't remember
              305      1  Respondent can remember
              801      .
    
```

---

**cf1a\_4** **score : กะทิ**

---

```

      type: numeric (byte)
      label: cf1a_4

      range: [0,1]          units: 1
unique values: 2          missing .: 801/1,273

      tabulation:  Freq.  Numeric  Label
                   374      0  respondent can't remember
                   98       1  Respondent can remember
                   801      .
    
```

---

**cf1a\_5** **score : สีม่วง**

---

```

      type: numeric (byte)
      label: cf1a_5

      range: [0,1]          units: 1
unique values: 2          missing .: 801/1,273

      tabulation:  Freq.  Numeric  Label
                   303      0  respondent can't remember
                   169      1  Respondent can remember
                   801      .
    
```

---

**cf1a\_6** **score : ทองฟ้า**

---

```

      type: numeric (byte)
      label: cf1a_6

      range: [0,1]          units: 1
unique values: 2          missing .: 801/1,273

      tabulation:  Freq.  Numeric  Label
                   381      0  respondent can't remember
                   91       1  Respondent can remember
                   801      .
    
```

---

**cf1a\_7** **score : ไข่**

---

```

      type: numeric (byte)
      label: cf1a_7

      range: [0,1]          units: 1
unique values: 2          missing .: 801/1,273

      tabulation:  Freq.  Numeric  Label
                   341      0  respondent can't remember
                   131      1  Respondent can remember
                   801      .
    
```

---

**cf1a\_8** **score : เค้ก**

---

```

      type: numeric (byte)
      label: cf1a_8
    
```

range: [0,1] units: 1  
 unique values: 2 missing .: 801/1,273

tabulation:	Freq.	Numeric	Label
	352	0	respondent can't remember
	120	1	Respondent can remember
	801	.	

**cf1a\_9** score : ๑๗๗

type: numeric (byte)  
 label: cf1a\_9

range: [0,1] units: 1  
 unique values: 2 missing .: 801/1,273

tabulation:	Freq.	Numeric	Label
	327	0	respondent can't remember
	145	1	Respondent can remember
	801	.	

**cf1a\_10** score : ๒๖๒

type: numeric (byte)  
 label: cf1a\_10

range: [0,1] units: 1  
 unique values: 2 missing .: 801/1,273

tabulation:	Freq.	Numeric	Label
	317	0	respondent can't remember
	155	1	Respondent can remember
	801	.	

**cf1b\_1** score : ๓๓๗

type: numeric (byte)  
 label: cf1b\_1

range: [0,1] units: 1  
 unique values: 2 missing .: 815/1,273

tabulation:	Freq.	Numeric	Label
	62	0	respondent can't remember
	396	1	Respondent can remember
	815	.	

**cf1b\_2** score : ๕๕๐

type: numeric (byte)  
 label: cf1b\_2

range: [0,1] units: 1  
 unique values: 2 missing .: 815/1,273

tabulation:	Freq.	Numeric	Label
	273	0	respondent can't remember
	185	1	Respondent can remember
	815	.	

**cf1b\_3** score : ๖๖๓

```

type: numeric (byte)
label: cf1b_3

range: [0,1]
unique values: 2
units: 1
missing .. 815/1,273

tabulation: Freq. Numeric Label
             243      0 respondent can't remember
             215      1 Respondent can remember
             815      .
    
```

**cf1b\_4** **score : 164**

```

type: numeric (byte)
label: cf1b_4

range: [0,1]
unique values: 2
units: 1
missing .. 815/1,273

tabulation: Freq. Numeric Label
             256      0 respondent can't remember
             202      1 Respondent can remember
             815      .
    
```

**cf1b\_5** **score : 164**

```

type: numeric (byte)
label: cf1b_5

range: [0,1]
unique values: 2
units: 1
missing .. 815/1,273

tabulation: Freq. Numeric Label
             237      0 respondent can't remember
             221      1 Respondent can remember
             815      .
    
```

**cf1b\_6** **score : พระจันทร์**

```

type: numeric (byte)
label: cf1b_6

range: [0,1]
unique values: 2
units: 1
missing .. 815/1,273

tabulation: Freq. Numeric Label
             394      0 respondent can't remember
             64       1 Respondent can remember
             815      .
    
```

**cf1b\_7** **score : เส้าเข็ม**

```

type: numeric (byte)
label: cf1b_7

range: [0,1]
unique values: 2
units: 1
missing .. 815/1,273

tabulation: Freq. Numeric Label
             294      0 respondent can't remember
             164      1 Respondent can remember
             815      .
    
```

---

**cf1b\_8** **score : เผลอ**

---

```

type: numeric (byte)
label: cf1b_8

range: [0,1]
unique values: 2
units: 1
missing .. 815/1,273

tabulation: Freq.  Numeric  Label
              242      0  respondent can't remember
              216      1  Respondent can remember
              815      .
    
```

---

**cf1b\_9** **score : กวาก**

---

```

type: numeric (byte)
label: cf1b_9

range: [0,1]
unique values: 2
units: 1
missing .. 815/1,273

tabulation: Freq.  Numeric  Label
              169      0  respondent can't remember
              289      1  Respondent can remember
              815      .
    
```

---

**cf1b\_10** **score : บ้า**

---

```

type: numeric (byte)
label: cf1b_10

range: [0,1]
unique values: 2
units: 1
missing .. 815/1,273

tabulation: Freq.  Numeric  Label
              284      0  respondent can't remember
              174      1  Respondent can remember
              815      .
    
```

---

**cf1c\_1** **score : ใจ**

---

```

type: numeric (byte)
label: cf1c_1

range: [0,1]
unique values: 2
units: 1
missing .. 941/1,273

tabulation: Freq.  Numeric  Label
              100      0  respondent can't remember
              232      1  Respondent can remember
              941      .
    
```

---

**cf1c\_2** **score : ใจ**

---

```

type: numeric (byte)
label: cf1c_2

range: [0,1]
unique values: 2
units: 1
missing .. 941/1,273
    
```



```

tabulation:  Freq.  Numeric  Label
              152      0  respondent can't remember
              180      1  Respondent can remember
              941      .
    
```

---

**cf1c\_3** **score : 1771**

---

```

      type: numeric (byte)
      label: cf1c_3

      range: [0,1]          units: 1
unique values: 2          missing .: 941/1,273

      tabulation:  Freq.  Numeric  Label
                  223      0  respondent can't remember
                  109      1  Respondent can remember
                  941      .
    
```

---

**cf1c\_4** **score : 10**

---

```

      type: numeric (byte)
      label: cf1c_4

      range: [0,1]          units: 1
unique values: 2          missing .: 941/1,273

      tabulation:  Freq.  Numeric  Label
                  190      0  respondent can't remember
                  142      1  Respondent can remember
                  941      .
    
```

---

**cf1c\_5** **score : 1000**

---

```

      type: numeric (byte)
      label: cf1c_5

      range: [0,1]          units: 1
unique values: 2          missing .: 941/1,273

      tabulation:  Freq.  Numeric  Label
                  172      0  respondent can't remember
                  160      1  Respondent can remember
                  941      .
    
```

---

**cf1c\_6** **score : 1000**

---

```

      type: numeric (byte)
      label: cf1c_6

      range: [0,1]          units: 1
unique values: 2          missing .: 941/1,273

      tabulation:  Freq.  Numeric  Label
                  229      0  respondent can't remember
                  103      1  Respondent can remember
                  941      .
    
```

---

**cf1c\_7** **score : 1000**

---

```

      type: numeric (byte)
      label: cf1c_7
    
```

range: [0,1] units: 1  
 unique values: 2 missing .: 941/1,273

tabulation:	Freq.	Numeric	Label
	222	0	respondent can't remember
	110	1	Respondent can remember
	941	.	.

**cf1c\_8** score : อินคิง

type: numeric (byte)  
 label: cf1c\_8

range: [0,1] units: 1  
 unique values: 2 missing .: 941/1,273

tabulation:	Freq.	Numeric	Label
	181	0	respondent can't remember
	151	1	Respondent can remember
	941	.	.

**cf1c\_9** score : ต้นไม้

type: numeric (byte)  
 label: cf1c\_9

range: [0,1] units: 1  
 unique values: 2 missing .: 941/1,273

tabulation:	Freq.	Numeric	Label
	199	0	respondent can't remember
	133	1	Respondent can remember
	941	.	.

**cf1c\_10** score : ส้ม

type: numeric (byte)  
 label: cf1c\_10

range: [0,1] units: 1  
 unique values: 2 missing .: 941/1,273

tabulation:	Freq.	Numeric	Label
	175	0	respondent can't remember
	157	1	Respondent can remember
	941	.	.

**cf2\_1** score : From 100 minus 7, what is the remainder? (1st time)

type: numeric (byte)  
 label: cf2\_1

range: [0,1] units: 1  
 unique values: 2 missing .: 11/1,273

tabulation:	Freq.	Numeric	Label
	152	0	incorrect
	1,110	1	correct
	11	.	.

**cf2\_2** score : If minus 7, what is the remainder? (2nd time)

```

    type: numeric (byte)
    label: cf2_2

    range: [0,1]
    unique values: 2
                    units: 1
                    missing .. 100/1,273

    tabulation: Freq.  Numeric  Label
                 588      0 incorrect
                 585      1 correct
                 100      .
    
```

**cf2\_3** score : If minus 7, what is the remainder? (3rd time)

```

    type: numeric (byte)
    label: cf2_3

    range: [0,1]
    unique values: 2
                    units: 1
                    missing .. 279/1,273

    tabulation: Freq.  Numeric  Label
                 444      0 incorrect
                 550      1 correct
                 279      .
    
```

**cf2\_4** score : If minus 7, what is the remainder? (4nd time)

```

    type: numeric (byte)
    label: cf2_4

    range: [0,1]
    unique values: 2
                    units: 1
                    missing .. 381/1,273

    tabulation: Freq.  Numeric  Label
                 398      0 incorrect
                 494      1 correct
                 381      .
    
```

**cf2\_5** score : If minus 7, what is the remainder? (5nd time)

```

    type: numeric (byte)
    label: cf2_5

    range: [0,1]
    unique values: 2
                    units: 1
                    missing .. 441/1,273

    tabulation: Freq.  Numeric  Label
                 341      0 incorrect
                 491      1 correct
                 441      .
    
```

**ac1** Exercise or do light physical activity, such as cleaning the house, watering the

```

    type: numeric (byte)
    label: ac1

    range: [1,7]
    unique values: 7
                    units: 1
                    missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              7         1  Did not do
              3         2  Less than once a month
             16         3  1-2 times a month
             62         4  1-2 times a week
             74         5  3-4 times a week
             24         6  5-6 times a week
            1,076       7  Every day
              11         .
    
```

**ac2 serious exercise Or do strenuous work such as playing sports, gardening, doing a**

```

type: numeric (byte)
label: ac2

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              156     1  Did not do
              37      2  Less than once a month
              98      3  1-2 times a month
             209     4  1-2 times a week
             136     5  3-4 times a week
              44      6  5-6 times a week
             582     7  Every day
              11      .
    
```

**ac3 Meet with friends, relatives**

```

type: numeric (byte)
label: ac3

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              33      1  Did not do
              52      2  Less than once a month
              80      3  1-2 times a month
             172     4  1-2 times a week
             101     5  3-4 times a week
              31      6  5-6 times a week
             793     7  Every day
              11      .
    
```

**ac4 Go on vacations, such as going to the zoo, the sea, and the mountains.**

```

type: numeric (byte)
label: ac4

range: [1,7]          units: 1
unique values: 6      missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
             903     1  Did not do
            306     2  Less than once a month
              44     3  1-2 times a month
               5     4  1-2 times a week
               2     5  3-4 times a week
               2     7  Every day
              11     .
    
```

---

**ac5** Go to department stores such as Big C, Tesco Lotus, Sermthai Plaza.

---

```

type: numeric (byte)
label: ac5

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273

tabulation: Freq.   Numeric  Label
             395     1      Did not do
             317     2      Less than once a month
             366     3      1-2 times a month
             135     4      1-2 times a week
              29     5      3-4 times a week
               8     6      5-6 times a week
               12     7      Every day
              11     .

```

---

**ac6** Volunteer work within the community

---

```

type: numeric (byte)
label: ac6

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273

tabulation: Freq.   Numeric  Label
             819     1      Did not do
             211     2      Less than once a month
             163     3      1-2 times a month
              49     4      1-2 times a week
               5     5      3-4 times a week
               3     6      5-6 times a week
               12     7      Every day
              11     .

```

---

**ac7** read books, attend training or study for new knowledge (not including reading sto

---

```

type: numeric (byte)
label: ac7

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273

tabulation: Freq.   Numeric  Label
             916     1      Did not do
             116     2      Less than once a month
             131     3      1-2 times a month
              53     4      1-2 times a week
              22     5      3-4 times a week
               3     6      5-6 times a week
              21     7      Every day
              11     .

```

---

**ac8** take care of others who are sick

---

```

type: numeric (byte)
label: ac8

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273

```

```

tabulation:  Freq.  Numeric  Label
              949      1  Did not do
              80       2  Less than once a month
              59       3  1-2 times a month
              37       4  1-2 times a week
              13       5  3-4 times a week
               5       6  5-6 times a week
             119       7  Every day
              11       .
    
```

**ac9 Caring for children in the family (under 15 years old)**

```

type: numeric (byte)
label: ac9

range: [1,7]          units: 1
unique values: 5      missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              10      1  Did not do
               1      2  Less than once a month
               5      4  1-2 times a week
               3      5  3-4 times a week
             1,243    7  Every day
              11      .
    
```

**ac10 work for family**

```

type: numeric (byte)
label: ac10

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              405     1  Did not do
               41     2  Less than once a month
               61     3  1-2 times a month
               65     4  1-2 times a week
               43     5  3-4 times a week
               41     6  5-6 times a week
             606     7  Every day
              11      .
    
```

**ac11 surf the Internet or use facebook social media**

```

type: numeric (byte)
label: ac11

range: [1,7]          units: 1
unique values: 7      missing .. 11/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              862     1  Did not do
               4      2  Less than once a month
              16      3  1-2 times a month
              52      4  1-2 times a week
              51      5  3-4 times a week
              10      6  5-6 times a week
             267     7  Every day
              11      .
    
```

**ac12 doing religious activities such as praying, listening to sermons, meditating, go**

```

type: numeric (byte)
label: ac12

range: [1,7]
unique values: 7
units: 1
missing .. 12/1,273

tabulation: Freq. Numeric Label
             216      1 Did not do
             168      2 Less than once a month
             308      3 1-2 times a month
             356      4 1-2 times a week
              66      5 3-4 times a week
              17      6 5-6 times a week
             130      7 Every day
              12      .
    
```

**cf4** **The questioner read 10 words, which words do you remember?**

```

type: string (str1)
unique values: 3
missing "": 11/1,273

tabulation: Freq. Value
             11 ""
             472 "A"
             458 "B"
             332 "C"
    
```

**cf4a\_1** **score: มหภูมิ**

```

type: numeric (byte)
label: cf4a_1

range: [0,1]
unique values: 2
units: 1
missing .. 801/1,273

tabulation: Freq. Numeric Label
             262      0 respondent can't remember
             210      1 Respondent can remember
             801      .
    
```

**cf4a\_2** **score : ฟ้า**

```

type: numeric (byte)
label: cf4a_2

range: [0,1]
unique values: 2
units: 1
missing .. 801/1,273

tabulation: Freq. Numeric Label
             304      0 respondent can't remember
             168      1 Respondent can remember
             801      .
    
```

**cf4a\_3** **score : ฟ้า**

```

type: numeric (byte)
label: cf4a_3

range: [0,1]
unique values: 2
units: 1
missing .. 801/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              279      0  respondent can't remember
              193      1  Respondent can remember
              801      .
    
```

---

**cf4a\_4** **score : กะทิ**

---

```

      type: numeric (byte)
      label: cf4a_4

      range: [0,1]          units: 1
unique values: 2          missing .: 801/1,273

      tabulation:  Freq.  Numeric  Label
                   405      0  respondent can't remember
                   67      1  Respondent can remember
                   801      .
    
```

---

**cf4a\_5** **score : สีม่วง**

---

```

      type: numeric (byte)
      label: cf4a_5

      range: [0,1]          units: 1
unique values: 2          missing .: 801/1,273

      tabulation:  Freq.  Numeric  Label
                   338      0  respondent can't remember
                   134      1  Respondent can remember
                   801      .
    
```

---

**cf4a\_6** **score : ทองฟ้า**

---

```

      type: numeric (byte)
      label: cf4a_6

      range: [0,1]          units: 1
unique values: 2          missing .: 801/1,273

      tabulation:  Freq.  Numeric  Label
                   412      0  respondent can't remember
                   60      1  Respondent can remember
                   801      .
    
```

---

**cf4a\_7** **score : ไข่**

---

```

      type: numeric (byte)
      label: cf4a_7

      range: [0,1]          units: 1
unique values: 2          missing .: 801/1,273

      tabulation:  Freq.  Numeric  Label
                   397      0  respondent can't remember
                   75      1  Respondent can remember
                   801      .
    
```

---

**cf4a\_8** **score : เค้ก**

---

```

      type: numeric (byte)
      label: cf4a_8
    
```



range: [0,1] units: 1  
 unique values: 2 missing .: 801/1,273

tabulation:	Freq.	Numeric	Label
	363	0	respondent can't remember
	109	1	Respondent can remember
	801	.	

**cf4a\_9** score : ๑๗๗

type: numeric (byte)  
 label: cf4a\_9

range: [0,1] units: 1  
 unique values: 2 missing .: 801/1,273

tabulation:	Freq.	Numeric	Label
	395	0	respondent can't remember
	77	1	Respondent can remember
	801	.	

**cf4a\_10** score : ๒๖๒

type: numeric (byte)  
 label: cf4a\_10

range: [0,1] units: 1  
 unique values: 2 missing .: 801/1,273

tabulation:	Freq.	Numeric	Label
	392	0	respondent can't remember
	80	1	Respondent can remember
	801	.	

**cf4b\_1** score : ๓๓๗

type: numeric (byte)  
 label: cf4b\_1

range: [0,1] units: 1  
 unique values: 2 missing .: 814/1,273

tabulation:	Freq.	Numeric	Label
	176	0	respondent can't remember
	283	1	Respondent can remember
	814	.	

**cf4b\_2** score : ๓๕๐

type: numeric (byte)  
 label: cf4b\_2

range: [0,1] units: 1  
 unique values: 2 missing .: 814/1,273

tabulation:	Freq.	Numeric	Label
	346	0	respondent can't remember
	113	1	Respondent can remember
	814	.	

**cf4b\_3** score : ๓๖๓

```

type: numeric (byte)
label: cf4b_3

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq. Numeric Label
             299      0 respondent can't remember
             160      1 Respondent can remember
             814      .
    
```

---

**cf4b\_4** **score : โด่ง**

---

```

type: numeric (byte)
label: cf4b_4

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq. Numeric Label
             320      0 respondent can't remember
             139      1 Respondent can remember
             814      .
    
```

---

**cf4b\_5** **score : สัพ**

---

```

type: numeric (byte)
label: cf4b_5

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq. Numeric Label
             284      0 respondent can't remember
             175      1 Respondent can remember
             814      .
    
```

---

**cf4b\_6** **score : พระจันทร์**

---

```

type: numeric (byte)
label: cf4b_6

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq. Numeric Label
             417      0 respondent can't remember
             42       1 Respondent can remember
             814      .
    
```

---

**cf4b\_7** **score : เส่าเข้ม**

---

```

type: numeric (byte)
label: cf4b_7

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq. Numeric Label
             363      0 respondent can't remember
             96       1 Respondent can remember
             814      .
    
```

---

**cf4b\_8** **score : เกล็ด**

---

```

type: numeric (byte)
label: cf4b_8

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq.  Numeric  Label
              315      0  respondent can't remember
              144      1  Respondent can remember
              814      .
    
```

---

**cf4b\_9** **score : กะทือ**

---

```

type: numeric (byte)
label: cf4b_9

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq.  Numeric  Label
              297      0  respondent can't remember
              162      1  Respondent can remember
              814      .
    
```

---

**cf4b\_10** **score : ไม้**

---

```

type: numeric (byte)
label: cf4b_10

range: [0,1]
unique values: 2
units: 1
missing .. 814/1,273

tabulation: Freq.  Numeric  Label
              342      0  respondent can't remember
              117      1  Respondent can remember
              814      .
    
```

---

**cf4c\_1** **score : ไม้**

---

```

type: numeric (byte)
label: cf4c_1

range: [0,1]
unique values: 2
units: 1
missing .. 941/1,273

tabulation: Freq.  Numeric  Label
              194      0  respondent can't remember
              138      1  Respondent can remember
              941      .
    
```

---

**cf4c\_2** **score : ไม้**

---

```

type: numeric (byte)
label: cf4c_2

range: [0,1]
unique values: 2
units: 1
missing .. 941/1,273
    
```

```

tabulation:  Freq.  Numeric  Label
              212      0  respondent can't remember
              120      1  Respondent can remember
              941      .
    
```

---

**cf4c\_3** **score : 1771**

---

```

type:  numeric (byte)
label:  cf4c_3

range:  [0,1]          units:  1
unique values:  2          missing .:  941/1,273

tabulation:  Freq.  Numeric  Label
              261      0  respondent can't remember
              71      1  Respondent can remember
              941      .
    
```

---

**cf4c\_4** **score : 10**

---

```

type:  numeric (byte)
label:  cf4c_4

range:  [0,1]          units:  1
unique values:  2          missing .:  941/1,273

tabulation:  Freq.  Numeric  Label
              232      0  respondent can't remember
              100      1  Respondent can remember
              941      .
    
```

---

**cf4c\_5** **score : 1000**

---

```

type:  numeric (byte)
label:  cf4c_5

range:  [0,1]          units:  1
unique values:  2          missing .:  941/1,273

tabulation:  Freq.  Numeric  Label
              201      0  respondent can't remember
              131      1  Respondent can remember
              941      .
    
```

---

**cf4c\_6** **score : 1000**

---

```

type:  numeric (byte)
label:  cf4c_6

range:  [0,1]          units:  1
unique values:  2          missing .:  941/1,273

tabulation:  Freq.  Numeric  Label
              277      0  respondent can't remember
              55      1  Respondent can remember
              941      .
    
```

---

**cf4c\_7** **score : 1000**

---

```

type:  numeric (byte)
label:  cf4c_7
    
```

range: [0,1] units: 1  
 unique values: 2 missing .: 941/1,273

tabulation:	Freq.	Numeric	Label
	280	0	respondent can't remember
	52	1	Respondent can remember
	941	.	

**cf4c\_8** **score : อินดีช**

type: numeric (byte)  
 label: cf4c\_8

range: [0,1] units: 1  
 unique values: 2 missing .: 941/1,273

tabulation:	Freq.	Numeric	Label
	249	0	respondent can't remember
	83	1	Respondent can remember
	941	.	

**cf4c\_9** **score : ค้นไผ่**

type: numeric (byte)  
 label: cf4c\_9

range: [0,1] units: 1  
 unique values: 2 missing .: 941/1,273

tabulation:	Freq.	Numeric	Label
	250	0	respondent can't remember
	82	1	Respondent can remember
	941	.	

**cf4c\_10** **score : สัม**

type: numeric (byte)  
 label: cf4c\_10

range: [0,1] units: 1  
 unique values: 2 missing .: 941/1,273

tabulation:	Freq.	Numeric	Label
	252	0	respondent can't remember
	80	1	Respondent can remember
	941	.	

**cf6** **How satisfied are you with your health? (HS)**

type: numeric (byte)  
 label: cf6

range: [1,7] units: 1  
 unique values: 7 missing .: 11/1,273

tabulation:	Freq.	Numeric	Label
	10	1	Very dissatisfied
	59	2	Dissatisfied
	72	3	Quite dissatisfied
	413	4	Moderate
	107	5	Quite satisfied
	397	6	Satisfied
	204	7	Very satisfied
	11	.	

---

**cf7** **How satisfied are you with your financial situation? (IS)**

---

type: numeric (**byte**)  
 label: **cf7**  
 range: [1,7] units: 1  
 unique values: 7 missing .. 11/1,273

tabulation:	Freq.	Numeric	Label
	21	1	Very dissatisfied
	122	2	Dissatisfied
	122	3	Quite dissatisfied
	500	4	Moderate
	119	5	Quite satisfied
	303	6	Satisfied
	75	7	Very satisfied
	11	.	

---

**cf8** **How satisfied are you with your free time? (LS)**

---

type: numeric (**byte**)  
 label: **cf8**  
 range: [1,7] units: 1  
 unique values: 7 missing .. 11/1,273

tabulation:	Freq.	Numeric	Label
	10	1	Very dissatisfied
	61	2	Dissatisfied
	75	3	Quite dissatisfied
	410	4	Moderate
	108	5	Quite satisfied
	456	6	Satisfied
	142	7	Very satisfied
	11	.	

---

**cf9** **Overall, how much self satisfaction do you have? (OS)**

---

type: numeric (**byte**)  
 label: **cf9**  
 range: [1,7] units: 1  
 unique values: 7 missing .. 11/1,273

tabulation:	Freq.	Numeric	Label
	1	1	Very dissatisfied
	15	2	Dissatisfied
	20	3	Quite dissatisfied
	336	4	Moderate
	121	5	Quite satisfied
	454	6	Satisfied
	315	7	Very satisfied
	11	.	

---

**cf3 You can name as many animals as real or from fairy tales as much as you can in 1**

---

```

type: numeric (byte)
range: [0,39]
unique values: 32
unique missing codes: 2
units: 1
missing .: 356/1,273
missing *: 1/1,273

```

```

tabulation: Freq. Value
1 0
1 1
3 2
4 3
6 4
8 5
20 6
19 7
28 8
30 9
52 10
51 11
68 12
64 13
90 14
73 15
70 16
67 17
59 18
56 19
35 20
40 21
20 22
22 23
9 24
9 25
6 26
1 27
1 28
1 31
1 35
1 39
356 .
1 .a
mean: 14.7838
std. dev: 4.87182

percentiles:      10%      25%      50%      75%      90%
                  9        12       15       18       21

```

---

**cf1\_adult Total Score Cognitive & Aging (CF1)**

---

```

type: numeric (float)
range: [0,10]
unique values: 11
units: 1
missing .: 19/1,273

```

```

tabulation: Freq. Value
13 0
52 1
119 2
234 3
259 4
274 5
183 6
79 7
27 8
7 9
7 10

```

```

                19 .
    mean:      4.30463
    std. dev:  1.7519

    percentiles:    10%    25%    50%    75%    90%
                   2      3      4      5      6
    
```

---

**cf2\_adult** **Total Score Cognitive & Aging (CF2)**

---

```

    type: numeric (float)

    range: [0,5]
    unique values: 6
    units: 1
    missing .: 19/1,273

    tabulation: Freq. Value
                138 0
                360 1
                131 2
                172 3
                191 4
                262 5
                19 .
    mean:      2.5614
    std. dev:  1.74394

    percentiles:    10%    25%    50%    75%    90%
                   0      1      2      4      5
    
```

---

**cf4\_adult** **Total Score Cognitive & Aging (CF4)**

---

```

    type: numeric (float)

    range: [0,10]
    unique values: 11
    units: 1
    missing .: 19/1,273

    tabulation: Freq. Value
                211 0
                129 1
                197 2
                249 3
                256 4
                124 5
                58 6
                24 7
                 2 8
                 2 9
                 2 10
                19 .
    mean:      2.77831
    std. dev:  1.87995

    percentiles:    10%    25%    50%    75%    90%
                   0      1      3      4      5
    
```

---

**note\_cleaner** **Data cleaner note (not display)**

---

```

    type: string (str102), but longest is str0

    unique values: 0
    missing "": 1,273/1,273

    tabulation: Freq. Value
                1,273 ""
    
```



---

**hh\_change** **Sample has moved so that its household structure changed**

---

```

    type: numeric (float)
    label: hh_change

    range: [0,1]
    unique values: 2
    units: 1
    missing .: 0/1,273

    tabulation: Freq.   Numeric   Label
                1,260     0       no
                13       1       yes
    
```

---

**survey\_name** **survey round**

---

```

    type: string (str12)
    unique values: 1
    missing "": 0/1,273

    tabulation: Freq.   Value
                1,273   "RESURVEY2017"
    
```

---

**year\_survey** **year\_survey**

---

```

    type: numeric (float)
    range: [2017,2017]
    unique values: 1
    units: 1
    missing .: 0/1,273

    tabulation: Freq.   Value
                1,273   2017
    mean:      2017
    std. dev:   0

    percentiles:      10%      25%      50%      75%      90%
                    2017      2017      2017      2017      2017
    
```

```

2 . log close
   name: <unnamed>
   log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2017\\a14.scml
   log type: smcl
   closed on: 19 Jan 2024, 16:45:49
    
```

---