



name: <unnamed>
 log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\a7.scml
 log type: smcl
 opened on: 19 Jan 2024, 10:31:20

1 . codebookr _all,all

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\a7_run.dta
 Last saved: 19 Jan 2024 10:31
 DATA HAVE CHANGED SINCE LAST SAVED

Label: [none]
 Number of variables: 48
 Number of observations: 1,266
 Size: 2,107,890 bytes ignoring labels, etc.
 Unique Values: A list of all of the possible non-missing values
 for the variable and the description of the values.
 Unique Missing Values: There are four types of missing values

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

hhid **household id**

type: string (str15)
 unique values: 1,266 missing "": 0/1,266
 examples: "201591160604209"
 "201691131001998"
 "201691160105068"
 "201691161706097"

iyear **year**

type: string (str4)
 unique values: 2 missing "": 0/1,266
 tabulation: Freq. Value
 459 "2015"
 807 "2016"

prov **province**

type: string (str2)

unique values: 2 missing "": 0/1,266

tabulation: Freq. Value
 1,144 "91"
 122 "93"

amp **amphoe**

type: string (str2)

unique values: 8 missing "": 0/1,266

tabulation: Freq. Value
 1 "09"
 122 "12"
 226 "13"
 106 "14"
 124 "15"
 475 "16"
 31 "17"
 181 "18"

tam **tambon**

type: string (str2)

unique values: 15 missing "": 0/1,266

tabulation: Freq. Value
 57 "01"
 202 "02"
 105 "04"
 51 "05"
 50 "06"
 55 "07"
 49 "08"
 85 "09"
 115 "10"
 73 "11"
 125 "13"
 42 "14"
 129 "15"
 84 "17"
 44 "19"

moo **moo**

type: string (str2)

unique values: 22 missing "": 0/1,266

tabulation: Freq. Value
 126 "01"
 57 "02"
 122 "03"
 140 "04"
 114 "05"
 136 "06"
 63 "07"
 132 "08"
 79 "09"
 64 "10"
 45 "11"
 36 "12"
 36 "13"
 10 "14"

```

    9 "15"
   33 "16"
    8 "17"
   11 "18"
   24 "19"
    1 "20"
   14 "22"
    6 "24"

```

strucid **structure ID**

```

    type: string (str3)
unique values: 185           missing "": 0/1,266
  examples: "010"
            "034"
            "070"
            "142"

```

hilb1 In the past 12 months, the household has received income from the following sour

```

    type: numeric (byte)
    label: hilb1
    range: [1,3]           units: 1
unique values: 2           missing .: 0/1,266
  tabulation: Freq.   Numeric  Label
               9       1   yes
             1,257     3   no

```

hilc1 Other rents, e.g., vehicle rent. How much is the total income per year from the

```

    type: numeric (long)
    range: [1000,420000]   units: 1
unique values: 7           missing .: 1,257/1,266
unique missing codes: 3    missing *: 2/1,266
  tabulation: Freq.  Value
               1    1000
               1    3000
               1    4000
               1   18000
               1   19125
               1   320000
               1   420000
             1,257    .
               1    .c
               1    .d
    mean:      112161
    std. dev:  178632
  percentiles:    10%    25%    50%    75%    90%
                  1000   3000   18000  320000  420000

```

hilb2 In the past 12 months, household has received the state aid, such as premiums fo

```

    type: numeric (byte)
    label: hilb2

```

```

range: [1,3] units: 1
unique values: 2 missing .: 0/1,266
unique missing codes: 1 missing *: 1/1,266

tabulation: Freq. Numeric Label
             1,067      1 yes
             198       3 no
             1         .c
    
```

hi1c2 Government aids, e.g., elderly aids, disability aids. How much is the total inco

```

type: numeric (long)

range: [0,53800] units: 1
unique values: 270 missing .: 1/1,266
unique missing codes: 2 missing *: 10/1,266

mean: 15297.8
std. dev: 11097.9

percentiles: 10% 25% 50% 75% 90%
              0 7000 16000 22200 30400
    
```

hi1b3 In the past 12 months, household has received aids from other non-governmental o

```

type: numeric (byte)
label: hi1b3

range: [1,3] units: 1
unique values: 2 missing .: 0/1,266

tabulation: Freq. Numeric Label
             6      1 yes
             1,260    3 no
    
```

hi1c3 How much is the total income per year from non-government aids

```

type: numeric (int)

range: [19200,19200] units: 100
unique values: 1 missing .: 1,260/1,266
unique missing codes: 2 missing *: 5/1,266

tabulation: Freq. Value
             1 19200
             1,260 .
             5 .c
mean: 19200
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              19200 19200 19200 19200 19200
    
```

hi1b4 In the past 12 months, household received scholarship

```

type: numeric (byte)
label: hi1b4

range: [1,3] units: 1
unique values: 2 missing .: 0/1,266
    
```

```

tabulation:  Freq.  Numeric  Label
              133      1  yes
              1,133    3  no
    
```

hilc4 **How much is the total income per year from scholarships**

```

type: numeric (int)
range: [50,4000]
unique values: 23
unique missing codes: 2
units: 10
missing .: 1,133/1,266
missing *: 2/1,266
    
```

```

tabulation:  Freq.  Value
              1  50
              1  100
              1  150
              8  200
             14  300
              1  360
              7  400
             41  500
              1  550
              2  600
              4  700
              1  800
              1  900
             22 1000
              1 1100
              1 1200
              6 1500
              1 1750
              7 2000
              1 2100
              1 2600
              7 3000
              1 4000
            1,133 .
              2  .c
mean: 876.031
std. dev: 766.593
    
```

```

percentiles:  10%    25%    50%    75%    90%
              300    400    500    1000   2000
    
```

hilb6 **In the past 12 months, household has received interest on deposit**

```

type: numeric (byte)
label: hilb7
range: [1,3]
unique values: 2
unique missing codes: 1
units: 1
missing .: 0/1,266
missing *: 5/1,266
    
```

```

tabulation:  Freq.  Numeric  Label
              166      1  yes
             1,095    3  no
              5      .c
    
```

hilc6 **How much is the total income per year from interest of deposit**

```

type: numeric (int)
label: hilc6, but label does not exist
    
```

range: [20,5000] units: 1
 unique values: 15 missing .: 1,100/1,266
 unique missing codes: 3 missing *: 148/1,266

tabulation: Freq. Value
 1 20
 2 50
 1 75
 1 80
 1 100
 1 120
 1 150
 2 250
 2 400
 1 500
 1 600
 1 1000
 1 1080
 1 1500
 1 5000
 1,100 .
 2 .a
 146 .c
 mean: 645.833
 std. dev: 1163.87

percentiles: 10% 25% 50% 75% 90%
 50 80 250 600 1500

hilb7 In the past 12 months, household has received dividend from investment shares,

type: numeric (byte)
 label: **hilb7**

range: [1,3] units: 1
 unique values: 2 missing .: 0/1,266
 unique missing codes: 1 missing *: 5/1,266

tabulation: Freq. Numeric Label
 227 1 yes
 1,034 3 no
 5 .c

hilc7 How much is the total income per year from dividend of cooperative funds or comp

type: numeric (long)
 label: **hilc7**, but label does not exist

range: [30,60000] units: 1
 unique values: 72 missing .: 1,039/1,266
 unique missing codes: 2 missing *: 61/1,266

tabulation: Freq. Value
 1 30
 1 35
 1 45
 1 60
 1 65
 2 75
 1 80
 9 100
 2 120
 6 150
 1 170
 4 200
 1 250
 1 260
 4 300

```

1 345
1 350
3 400
1 413
1 450
1 482
7 500
1 510
2 550
3 600
1 660
7 700
1 750
2 800
1 900
11 1000
2 1060
1 1100
5 1200
1 1250
1 1270
1 1300
1 1350
2 1400
10 1500
2 1600
2 1800
1 1900
5 2000
1 2030
1 2140
2 2200
1 2300
4 2500
1 2650
5 3000
1 3200
1 3500
7 4000
2 4500
2 5000
1 5500
1 6000
2 7000
1 7500
1 8500
4 10000
1 10300
1 12000
1 14000
1 17000
4 20000
1 25000
1 27000
1 34000
1 35000
2 60000

```

```

1,039 .
61 .c
mean: 3819.61
std. dev: 8517.06

```

```

percentiles:    10%    25%    50%    75%    90%
                100    413    1150    3000    10000

```

hi1b8 In the past 12 months, household has received dividend from investment in villag

```

type: numeric (byte)
label: hi1b8

```

```

range: [1,3] units: 1
unique values: 2 missing .: 0/1,266
unique missing codes: 1 missing *: 1/1,266

tabulation: Freq. Numeric Label
              713      1 yes
              552      3 no
              1       .c
    
```

hi1c8 **How much is the total income per year from dividend of community funds**

```

type: numeric (long)

range: [16,10000] units: 1
unique values: 114 missing .: 553/1,266
unique missing codes: 2 missing *: 132/1,266

mean: 567.47
std. dev: 1024.8

percentiles:      10%      25%      50%      75%      90%
                  100      150      300      500      1200
    
```

hi1b9 **In the past 12 months, household has received pension fund**

```

type: numeric (byte)
label: hi1b9

range: [1,3] units: 1
unique values: 2 missing .: 0/1,266

tabulation: Freq. Numeric Label
              6      1 yes
            1,260      3 no
    
```

hi1c9 **How much is the total income per year from pension**

```

type: numeric (long)

range: [16000,480000] units: 100
unique values: 5 missing .: 1,260/1,266
unique missing codes: 2 missing *: 1/1,266

tabulation: Freq. Value
              1 16000
              1 72000
              1 110000
              1 137500
              1 480000
            1,260 .
              1 .c
mean: 163100
std. dev: 182920

percentiles:      10%      25%      50%      75%      90%
                  16000      72000      110000      137500      480000
    
```

hi1b10 **In the past 12 months, household has received the prize in winnings from governm**

```

type: numeric (byte)
label: hi1b10
    
```



```

range: [1,3] units: 1
unique values: 2 missing .: 0/1,266

tabulation: Freq. Numeric Label
              72          1 yes
              1,194        3 no
    
```

hilc10 How much is the total income per year from government lottery winning

```

type: numeric (long)

range: [2000,100000] units: 10
unique values: 19 missing .: 1,194/1,266
unique missing codes: 2 missing *: 3/1,266

tabulation: Freq. Value
              15 2000
               2 2500
               1 3800
               1 3950
              16 4000
               2 5000
               4 6000
              11 8000
               4 10000
               1 10500
               2 12000
               1 14000
               1 16000
               1 20000
               1 25000
               3 40000
               1 70000
               1 80000
               1 100000
            1,194 .
               3 .c
mean: 10844.2
std. dev: 17788.6

percentiles: 10% 25% 50% 75% 90%
              2000 3800 4000 8000 25000
    
```

hilb11 In the past 12 months, household has received the prize in winnings from illegal

```

type: numeric (byte)
label: hilb11

range: [1,3] units: 1
unique values: 2 missing .: 0/1,266

tabulation: Freq. Numeric Label
              311          1 yes
              955          3 no
    
```

hilc11 How much is the total income per year from illegal lottery winning

```

type: numeric (long)

range: [500,300000] units: 1
unique values: 65 missing .: 955/1,266
unique missing codes: 3 missing *: 24/1,266
    
```

```

tabulation:  Freq.  Value
              1    500
              7    700
              1    750
              1    800
              6   1000
              1   1300
             21   1400
              3   1500
              1   1600
              1   1700
              1   1750
              2   1800
             33   2000
              7   2100
              4   2500
              1  2625
              7   2800
             14   3000
             11   3500
             10   4000
              5   4200
              3   4500
             19   5000
              1  5250
              4   5500
              1   5600
             10   6000
              2   6250
              2   6300
              1   6500
              1   6750
             12   7000
              2   7500
              1   8000
              1   8500
              1   8750
             23  10000
              2  12000
              1  12500
              3  13000
              2  14000
              8  15000
              1  16000
              1  17000
              1  17500
             10  20000
              1  21000
              1  22000
              3  25000
              1  26000
              1  28000
              7  30000
              1  32500
              5  35000
              2  40000
              2  50000
              1  55000
              1  60000
              4  70000
              1  80000
              1  90000
              1 100000
              1 200000
              1 263500
              1 300000
             955 .
              1  .a
             23  .c
    mean:      12464
    std. dev:  29261

```

percentiles: 10% 25% 50% 75% 90%
 1400 2000 5000 10000 30000

hi1b12

In the past 12 months, household has received income from organizing various ev

type: numeric (**byte**)
 label: **hi1b12**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,266

tabulation:	Freq.	Numeric	Label
	81	1	yes
	1,185	3	no

hi1c12

How much is the total income per year from organizing various events such as wed

type: numeric (**long**)
 label: **hi1c12**, but label does not exist
 range: [100,220000] units: 100
 unique values: 35 missing .: 1,185/1,266
 unique missing codes: 3 missing *: 19/1,266

tabulation:	Freq.	Value
	1	100
	1	200
	1	300
	3	1000
	2	1500
	1	1600
	3	2000
	1	3400
	1	7000
	1	7500
	2	10000
	1	11000
	1	13500
	1	14000
	1	15000
	4	20000
	1	23000
	4	30000
	4	40000
	3	50000
	2	60000
	2	65000
	1	68000
	2	70000
	4	80000
	1	85000
	2	90000
	3	100000
	1	105500
	1	106000
	1	134000
	2	150000
	1	190000
	1	200000
	1	220000
	1,185	.
	1	.a
	18	.c
mean:	52211.3	
std. dev:	52884.1	

percentiles: 10% 25% 50% 75% 90%
 1500 10000 40000 80000 106000

hi1b13 Other income (or not?)

 type: numeric (**byte**)
 label: **hi1b13**

 range: [1,1] units: 1
unique values: 1 missing .: 1,128/1,266

 tabulation: Freq. Numeric Label
 138 1 yes
 1,128 .

hi1b13_des Description of other income (not display)

 type: string (**str262**), but longest is str0
unique values: 0 missing "": 1,266/1,266

 tabulation: Freq. Value
 1,266 ""

hi1c13 How much is the total income per year from other sources

 type: numeric (**long**)
 label: **hi1c13**, but label does not exist

 range: [10,1000000] units: 1
unique values: 84 missing .: 1,128/1,266
unique missing codes: 2 missing *: 14/1,266

 tabulation: Freq. Value
 1 10
 1 20
 1 24
 1 40
 2 100
 3 200
 2 400
 2 500
 2 550
 1 750
 1 800
 1 825
 6 1000
 1 1100
 1 1200
 1 1300
 1 1400
 2 1500
 1 1520
 1 1667
 1 1715
 1 1800
 5 2000
 1 2100
 2 2200
 2 2500
 2 2700
 1 2800
 5 3000
 1 3096
 1 4000
 1 4500

```

      4 5000
      1 5100
      1 5400
      1 5500
      1 6000
      1 6500
      1 7000
      1 7500
      2 8500
      2 9000
      2 10000
      1 10500
      1 11800
      1 12000
      1 14000
      4 15000
      2 16000
      1 17500
      5 20000
      1 20035
      1 22000
      1 24000
      2 25000
      1 26000
      1 30000
      1 37000
      1 40000
      1 47160
      2 50000
      1 55000
      1 57000
      1 72000
      1 73000
      1 90000
      2 100000
      1 131000
      1 150000
      1 152000
      1 163420
      1 200000
      1 214500
      1 240150
      1 241000
      1 252500
      1 280000
      1 340000
      1 350000
      1 400000
      1 500000
      1 550000
      1 600000
      1 1000000
1,128 .
      14 .c
    mean: 57796.2
  std. dev: 139527

percentiles:      10%      25%      50%      75%      90%
                  500    1593.5    5750    25500    200000

```

hi2a In the past 12 months, how much is the total income from selling rice which had

```

      type: numeric (int)
      range: [0,3750]
  unique values: 56
unique missing codes: 1
      units: 1
  missing .: 0/1,266
  missing *: 30/1,266

```

```

tabulation:  Freq.  Value
              1,124  0
                5    1
                2    2
                3    3
                1    4
                1    5
                1   75
                1  100
                1  125
                1  135
                2  140
                2  150
                1  175
                1  190
                2  210
                1  224
                2  225
                7  250
                1  270
                1  275
                6  300
                1  320
                3  350
                1  375
                1  390
                1  400
                2  450
                1  495
                8  500
                1  550
                1  560
                7  600
                1  667
                1  675
                1  700
                9  750
                1  760
                1  778
                2  800
                1  875
                3  900
                1  980
                4 1000
                3 1050
                1 1200
                1 1250
                1 1350
                2 1400
                1 1600
                1 1650
                1 1700
                3 1750
                1 2000
                1 2240
                1 3400
                1 3750
              30  .c

```

```

mean: 57.9782
std. dev: 262.724

```

```

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0

```

hi2b

Please specify the production unit

```

type: numeric (byte)
label: hi2b

```

```

range: [1,3] units: 1
unique values: 2 missing .: 1,154/1,266
unique missing codes: 2 missing *: 2/1,266

tabulation: Freq. Numeric Label
             100      1 kilogram
             10      3 ton
            1,154      .
             2       .d
    
```

hi2c

Value in Baht

```

type: numeric (long)

range: [900,70000] units: 1
unique values: 76 missing .: 1,124/1,266
unique missing codes: 3 missing *: 13/1,266
    
```

```

tabulation: Freq. Value
             1  900
             1 1030
             1 1250
             1 1350
             1 1400
             1 1470
             1 1500
             1 1540
             1 1575
             1 1800
             1 1900
             1 1950
             1 2000
             1 2100
             1 2125
             2 2250
             1 2400
             1 2430
             1 2464
             2 2500
             1 2750
             1 2800
             1 2875
             9 3000
             1 3300
             1 3500
             2 3600
             2 3850
             2 4000
             1 4290
             1 4480
             7 4500
             1 4875
             5 5000
             1 5250
             1 5445
             2 5500
             4 6000
             1 6080
             1 6413
             1 6500
             1 6750
             2 7000
             1 7080
             1 7200
             3 8000
             2 8250
             1 8700
             1 8750
             1 8800
             1 9600
    
```

```

1 9625
1 9660
1 9750
9 10000
1 10500
5 11000
1 11200
1 12000
1 13000
3 15000
2 15750
1 16000
1 16500
1 16800
1 18900
7 20000
1 21000
1 21500
2 22400
1 23000
1 36000
1 40000
1 41250
1 50000
1 70000
1,124 .
11 .c
2 .d
mean: 9341.14
std. dev: 9903.07

percentiles:    10%    25%    50%    75%    90%
                2000   3000   6000  11000  20000

```

hi3a **In the past 12 months, has the household received subsidy for a newborn baby**

```

type: numeric (byte)
label: hi3a

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing.: 0/1,266
missing*: 1/1,266

```

```

tabulation: Freq.  Numeric  Label
             24       1      yes
             1,241   3      no
             1       .c

```

hi3aa **Since month (unavailable)**

```

type: numeric (byte)
label: hi3aa, but label does not exist

range: [.,.]
unique values: 0

units: .
missing.: 1,266/1,266

```

```

tabulation: Freq.  Value
             1,266  .
mean:      .
std. dev:  .

```

```

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

hi3ab **year (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

hi3ac **Total value (THB)**

```

type: numeric (int)
range: [3500,10200]
unique values: 11
unique missing codes: 2
units: 100
missing .: 1,242/1,266
missing *: 3/1,266

tabulation: Freq. Value
1 3500
2 3600
1 4600
4 4800
1 4900
2 5400
2 6000
4 6600
2 7200
1 8400
1 10200
1,242 .
3 .c
mean: 5790.48
std. dev: 1646.48

percentiles: 10% 25% 50% 75% 90%
3600 4800 5400 6600 7200
    
```

hi3ad **Please specify the reason why you have not received this (unavailable)**

```

type: string (str303), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

hi4 **Do you know of the low-income registration program?**

```

type: numeric (byte)
label: hi4
range: [1,3]
unique values: 2
units: 1
missing .: 0/1,266

tabulation: Freq. Numeric Label
1,254 1 yes
12 3 no
    
```

note **Interviewer note (unavailable)**

```

type: string (str670), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

note_cleaner **Data cleaner note (not display)**

```

type: string (str304), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

hi2a_kg
In the past 12 months, how much has the household sold rice which had been produ

```

type: numeric (float)
range: [3,5000] units: 1
unique values: 54 missing .: 1,154/1,266
tabulation: Freq. Value
             2 3
             1 75
             1 100
             1 125
             1 135
             2 140
             2 150
             1 175
             1 190
             2 210
             1 224
             2 225
             7 250
             1 270
             1 275
             6 300
             1 320
             3 350
             1 375
             1 390
             1 400
             2 450
             1 495
             8 500
             1 550
             1 560
             7 600
             1 667
             1 675
             1 700
             9 750
             1 760
             1 778
             2 800
             1 875
             3 900
             1 980
             9 1000
             3 1050
             1 1200
             1 1250
             1 1350
             2 1400
    
```

```

                1 1600
                1 1650
                1 1700
                3 1750
                3 2000
                1 2240
                1 3000
                1 3400
                1 3750
                1 4000
                1 5000
    mean:      1,154 .
    std. dev:  827.143
percentiles:  10%    25%    50%    75%    90%
              190    300    600    1000   1750
    
```

other_income **Total other income (THB)**

```

    type: numeric (float)
    range: [0,1033800]          units: 1
    unique values: 713          missing .: 0/1,266
    mean: 29160.7
    std. dev: 58650.9
percentiles:  10%    25%    50%    75%    90%
              700    9000   18300  29267  44000
    
```

hh_change **Sample has moved so that its household structure changed**

```

    type: numeric (float)
    label: hh_change
    range: [0,1]              units: 1
    unique values: 2          missing .: 0/1,266
    tabulation: Freq.  Numeric  Label
                1,253    0      no
                13      1      yes
    
```

survey_name **survey round**

```

    type: string (str12)
    unique values: 1          missing "": 0/1,266
    tabulation: Freq.  Value
                1,266  "RESURVEY2017"
    
```

year_survey **year_survey**

```

    type: numeric (float)
    range: [2017,2017]        units: 1
    unique values: 1          missing .: 0/1,266
    tabulation: Freq.  Value
                1,266  2017
    mean: 2017
    std. dev: 0
    
```

percentiles:	10%	25%	50%	75%	90%
	2017	2017	2017	2017	2017

2 . log close
name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2017\a7.scml
log type: smcl
closed on: 19 Jan 2024, 10:31:22
