



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\b1.smcl
log type: smcl
opened on: 29 May 2024, 11:22:02
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b1_run.dta
Last saved: 29 May 2024 11:21
           DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 105
Number of observations: 1,506
Size: 3,980,358 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
                for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,506 missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,284 missing "": 0/1,506
 examples: "201591160604207"
 "201691131001097"
 "201691160105067"
 "201691161708041"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,506
 tabulation: Freq. Value
 1,361 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,506
 tabulation: Freq. Value
 1 "09"
 145 "12"
 264 "13"
 129 "14"
 148 "15"
 557 "16"
 38 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,506
 tabulation: Freq. Value
 65 "01"
 229 "02"
 121 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 136 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8   "17"
              12  "18"
              26  "19"
              1   "20"
              21  "22"
              7   "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,506
examples: "011"
          "035"
          "071"
          "149"
    
```

nickname **Child nickname (unavailable)**

```

type: string (str33), but longest is str0
unique values: 0           missing "": 1,506/1,506
tabulation:  Freq.  Value
              1,506  ""
    
```

nickname:
 1. subjected to a carryforward operation

idcard **Identification number (unavailable)**

```

type: string (str13), but longest is str0
unique values: 0           missing "": 1,506/1,506
tabulation:  Freq.  Value
              1,506  ""
    
```

idcard:
 1. subjected to a carryforward operation

prefix **Child's prefix (unavailable)**

```

type: string (str18), but longest is str0
    
```

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""

fname **Child's name (unavailable)**

type: string (**str36**), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""

lname **Child's lastname (unavailable)**

type: string (**str51**), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""

ci0 **Respondent's member ID**

type: string (**str2**)

unique values: 9 missing "": 0/1,506
unique missing codes: 1 missing *: 1/1,506

tabulation: Freq. Value
563 "H2"
579 "H3"
185 "H4"
101 "H5"
40 "H6"
25 "H7"
10 "H8"
2 "H9"
1 "NA"

tel **Tel-number (unavailable)**

type: string (**str10**), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""

cila_des **Relationship description (not display)**

type: string (**str77**), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""

cila **Relationship code : caregiver to the child**

```

type: numeric (byte)
label: cila

range: [1,19]          units: 1
unique values: 5      missing .: 0/1,506

tabulation: Freq.  Numeric  Label
             502     1      father / mother
             23      13     uncle / aunt
             695     17     great-grandparents (Mother's
                               side)
             206     18     great-grandparents (Father's
                               side)
             80      19     relatives
    
```

cill_prefix **Maincare's prefix (unavailable)**

```

type: string (str18), but longest is str0

unique values: 0      missing "": 1,506/1,506

tabulation: Freq.  Value
             1,506 ""
    
```

cill_fname **Maincare's name (unavailable)**

```

type: string (str36), but longest is str0

unique values: 0      missing "": 1,506/1,506

tabulation: Freq.  Value
             1,506 ""
    
```

cill_lname **Maincare's last name (unavailable)**

```

type: string (str51), but longest is str0

unique values: 0      missing "": 1,506/1,506

tabulation: Freq.  Value
             1,506 ""
    
```

cill **Member ID**

```

type: string (str2)

unique values: 9      missing "": 0/1,506
unique missing codes: 1  missing *: 279/1,506

tabulation: Freq.  Value
             446   "H2"
             411   "H3"
             189   "H4"
             102   "H5"
              47   "H6"
              19   "H7"
              10   "H8"
               3   "H9"
             279   "MI"
    
```



```

      87 100
       5 101
      11 102
      13 103
       8 104
      52 105
       7 106
       7 107
      13 108
       8 109
      92 110
       5 111
      12 112
       8 113
       5 114
      30 115
       5 116
       6 117
       6 118
       5 119
      28 120
       4 122
       2 123
       2 124
       8 125
       1 127
       1 129
       6 130
       1 132
       1 135
      782 .c
       1 .d
    mean: 101.34
  std. dev: 12.2535

percentiles:      10%      25%      50%      75%      90%
                  85       95      100      110      116

```

ci2w2 **Current weight (km)**

```

type: numeric (double)
range: [6.3,50]
unique values: 86
unique missing codes: 1
units: .1
missing .: 0/1,506
missing *: 200/1,506

```

```

tabulation: Freq. Value
            1 6.3
            1 7
            1 7.8
            1 8
            5 9
            1 9.4
            1 9.5
            1 9.6
            1 9.8
            1 9.9
           35 10
            1 10.4
            1 10.7
            1 10.8
           44 11
            1 11.2
            4 11.5
          105 12
            1 12.2
            6 12.5
            1 12.6
            1 12.8
           82 13

```

```

1 13.2
7 13.5
1 13.6
2 13.7
1 13.8
110 14
2 14.2
1 14.3
1 14.4
9 14.5
3 14.7
2 14.9
178 15
2 15.3
5 15.5
1 15.6
1 15.7
2 15.8
1 15.9
104 16
2 16.2
4 16.5
1 16.6
104 17
1 17.2
8 17.5
1 17.6
2 17.8
87 18
2 18.1
1 18.2
5 18.5
1 18.7
1 18.9
55 19
1 19.4
1 19.6
3 19.7
1 19.9
119 20
1 20.5
25 21
29 22
15 23
1 23.5
10 24
26 25
10 26
1 26.4
7 27
11 28
1 28.5
5 29
11 30
3 31
4 32
2 33
4 35
2 37
1 39
2 40
2 43
2 50
200 .c

```

```

mean: 16.7616
std. dev: 4.85867

```

```

percentiles:      10%      25%      50%      75%      90%
                  12       14       16       19       22

```

ci3 **Does the child's father live in the house?**

```

type: numeric (byte)
label: ci3

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,506

tabulation: Freq.  Numeric  Label
              579      1     yes
              927      3     no
    
```

ci3g **Vital status of father**

```

type: numeric (byte)
label: ci3g

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 579/1,506
missing *: 12/1,506

tabulation: Freq.  Numeric  Label
              904      1     alive
              1       3     dead
              10      5     dead longer than 12 month
              579      .
              12      .c
    
```

ci3h_des **Father's occupation description**

```

type: string (str148), but longest is str141

unique values: 540
unique missing codes: 4
missing "": 589/1,506
missing *: 148/1,506

warning: variable has embedded blanks
    
```

ci3h **Code : father's occupation**

```

type: numeric (byte)
label: ci3h

range: [1,21]
unique values: 11
unique missing codes: 4
units: 1
missing ..: 589/1,506
missing *: 162/1,506

tabulation: Freq.  Numeric  Label
              35      1     Legislators/Senior Government
              29      3     Official/Administrator
              44      5     Professional
              11      7     Technician and Related
              150     9     Office Workers
              29     11     Service Officer/Trader
              65     13     Agriculture and Fishery Workers
              227    15     Skilled Craftsmen and Related
              118    17     Mechanical and Assembly Workers
              22     19     General Workers
              25     21     Armed Forces
              589     .     Not working ex. student
              2     .a
              159    .c
              1     .d
    
```

ci3ha **Father's type of work**

```

type: numeric (byte)
label: ci3ha

range: [1,9]
unique values: 5
unique missing codes: 5

units: 1
missing .: 589/1,506
missing *: 189/1,506
    
```

tabulation:	Freq.	Numeric	Label
	47	1	Government employee/state enterprise employee
	20	3	temporary government worker/temporary state enterprise worker
	536	5	company employee
	38	7	temporary company worker, seasonal
	87	9	business owner
	589	.	
	2	.a	
	25	.b	
	159	.c	
	3	.d	

ci3i_des **Description : father's net income per month**

```

type: string (str122)

unique values: 148
unique missing codes: 5

missing "": 589/1,506
missing *: 391/1,506
    
```

warning: variable has leading, embedded, and trailing blanks

ci3i **Father's net income per month**

```

type: numeric (long)
label: ci3i, but label does not exist

range: [2100,1500000]
unique values: 72
unique missing codes: 5

units: 10
missing .: 589/1,506
missing *: 454/1,506
    
```

tabulation:	Freq.	Value
	1	2100
	1	2400
	1	3500
	2	4500
	2	5000
	1	5500
	6	6000
	1	6600
	1	6710
	2	6900
	3	7000
	1	7350
	1	7500
	1	7700
	1	7740
	7	7800
	8	8000
	1	8400
	8	8500
	1	8800

ci3k **Number of days : father visit the child (per year)**

```

type: numeric (int)
range: [0,365]
unique values: 94
unique missing codes: 4
units: 1
missing .: 589/1,506
missing *: 9/1,506
    
```

```

tabulation: Freq. Value
             272  0
              15  1
              24  2
              38  3
              24  4
              29  5
              26  6
              30  7
              29  8
              23  9
              27 10
              26 11
              21 12
              16 13
              29 14
              21 15
              11 16
               9 17
              13 18
               2 19
               9 20
              12 21
               3 22
               1 23
               2 24
               3 25
               6 26
               1 27
               5 28
              15 30
               2 31
               4 33
               1 35
               3 36
               2 38
               2 39
               4 40
               1 42
               5 43
               1 44
               2 45
               3 46
               5 47
               3 48
               1 50
              10 52
               3 54
              12 56
               1 57
              14 60
               2 61
               2 63
               2 64
               1 65
               1 67
               1 68
               1 69
               3 70
               4 75
               1 78
    
```

```

      1 81
      4 84
      3 86
      1 88
      4 90
      4 91
      1 92
      2 95
      1 98
      2 100
      1 103
      2 104
      1 105
      1 108
      1 110
      7 112
      1 116
      7 120
      1 124
      2 130
      1 133
      1 135
      1 140
      2 142
      1 145
      2 150
      2 151
      1 169
      1 188
      1 194
      1 200
      1 273
      1 334
      6 365
      589 .
      1 .a
      7 .c
      1 .d
    mean: 21.8976
    std. dev: 44.0426

    percentiles:      10%      25%      50%      75%      90%
                       0         0         7         18         60

```

ci31 Does the child sleep with the father when the father lives in a house?

```

    type: numeric (byte)
    label: ci31

    range: [1,3]
    unique values: 2
    unique missing codes: 4

    units: 1
    missing .: 861/1,506
    missing *: 5/1,506

    tabulation: Freq.  Numeric  Label
                455      1      yes
                185      3      no
                861      .
                1        .a
                3        .c
                1        .d

```

ci3m Number of days : father take the child to his place (outside the household) (pe

```

    type: numeric (int)

```

range: [0,258]
 unique values: 55
 unique missing codes: 4

units: 1
 missing .: 589/1,506
 missing *: 6/1,506

tabulation: Freq. Value

598	0
7	1
7	2
15	3
8	4
11	5
4	6
27	7
2	8
4	9
15	10
5	11
7	12
2	13
24	14
18	15
1	16
1	17
3	18
1	19
13	20
3	21
1	24
1	25
1	26
1	27
62	30
1	33
1	35
1	36
5	37
2	39
1	40
1	42
1	43
8	45
2	52
1	56
19	60
1	64
2	66
4	75
1	84
2	90
1	91
1	99
1	100
6	120
1	129
1	144
1	145
1	148
1	153
1	195
1	258
589	.
1	.a
4	.c
1	.d

mean: 9.68606
 std. dev: 23.1867

percentiles: 10% 25% 50% 75% 90%
 0 0 0 10 30

ci4 **Does the child's mother live in the house?**

```

type: numeric (byte)
label: ci4

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,506

tabulation: Freq.  Numeric  Label
              788      1     yes
              718      3     no
    
```

ci4g **Vital status of mother**

```

type: numeric (byte)
label: ci4g

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 788/1,506
missing *: 5/1,506

tabulation: Freq.  Numeric  Label
              708      1     alive
              1       3     dead
              4       5     dead longer than 12 month
              788      .
              5       .c
    
```

ci4h_des **Mother's occupation description**

```

type: string (str138), but longest is str131

unique values: 453
unique missing codes: 2
missing "": 792/1,506
missing *: 65/1,506

warning: variable has embedded and trailing blanks
    
```

ci4h **Code : mother's occupation**

```

type: numeric (byte)
label: ci4h

range: [1,21]
unique values: 10
unique missing codes: 2
units: 1
missing ..: 792/1,506
missing *: 76/1,506

tabulation: Freq.  Numeric  Label
              18      1     Legislators/Senior Government
              29      3     Official/Administrator
              21      5     Professional
              52      7     Technician and Related
              164     9     Office Workers
              19      11    Service Officer/Trader
              28      13    Agriculture and Fishery Workers
              206     15    Skilled Craftsmen and Related
              64      17    Mechanical and Assembly Workers
              37      21    General Workers
              792     .
              76     .c
    
```

ci4ha **Mother's type of work**

```

type: numeric (byte)
label: ci4ha

range: [1,9]
unique values: 5
unique missing codes: 3

units: 1
missing .: 792/1,506
missing *: 112/1,506
    
```

tabulation:	Freq.	Numeric	Label
	14	1	Government employee/state enterprise employee
	13	3	temporary government worker/temporary state enterprise worker
	487	5	company employee
	22	7	temporary company worker,seasonal
	66	9	business owner
	792	.	.
	37	.b	.b
	75	.c	.c

ci4i_des **Description : mother's net income per month**

```

type: string (str89)

unique values: 128
unique missing codes: 3

missing "": 792/1,506
missing *: 247/1,506
    
```

warning: variable has embedded blanks

ci4i **Mothers net income per month**

```

type: numeric (long)
label: ci4i, but 64 nonmissing values are not labeled

range: [1400,250000]
unique values: 64
unique missing codes: 3

units: 1
missing .: 792/1,506
missing *: 278/1,506
    
```

tabulation:	Freq.	Numeric	Label
	2	1400	
	1	3900	
	1	4200	
	1	4400	
	2	4500	
	3	6000	
	2	6450	
	1	6500	
	3	6600	
	1	7000	
	5	7500	
	1	7700	
	14	7800	
	1	7930	
	9	8000	
	2	8060	
	2	8086	
	1	8320	
	5	8500	
	52	9000	
	3	9100	
	1	9240	
	1	9350	


```

1      9360
3      9500
1      9600
2      9800
1      9900
55     10000
6      10400
1      10500
6      11000
2      11500
39     12000
11     12500
20     13000
1      13500
1      13600
1      13750
10     14000
5      14500
1      14700
59     15000
2      16000
2      16500
4      17000
6      17500
6      18000
1      18200
5      18500
2      19500
26     20000
4      22000
11     25000
1      28000
13     30000
1      32500
4      35000
1      36000
3      40000
1      50000
1      55000
1      75000
1      250000
792    .
37     .b
241    .c
    
```

ci4j **Contact telephone number (unavailable)**

```

type: string (str12), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4ka_des **Mother's address : sub-district (unavailable)**

```

type: string (str54), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4ka **Mother's address : sub-district code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4kb_des **Mother's address : district (unavailable)**

```

type: string (str48), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4kb **Mother's address : district code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4kc_des **Mother's address : province (unavailable)**

```

type: string (str45), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4kc **Mother's address : province code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4kd **Mother's address : country (unavailable)**

```

type: string (str39), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4l **Number of days : mother visit the child (per year)**

```

type: numeric (int)
range: [0,365] units: 1
unique values: 75 missing .: 792/1,506
unique missing codes: 2 missing *: 4/1,506
    
```

```

tabulation:  Freq.  Value
              130    0
               6    1
              19    2
              29    3
              32    4
              35    5
              36    6
              29    7
              31    8
              23    9
              28   10
              24   11
              19   12
              11   13
              31   14
              15   15
               8   16
               8   17
              17   18
              10   20
              16   21
               4   22
               6   24
               5   25
               7   26
               4   28
               1   29
              11   30
               2   31
               1   33
               1   35
               4   36
               1   38
               1   39
               1   40
               4   43
               1   44
               5   45
               1   46
               5   47
               4   48
               1   50
              11   52
               2   54
               7   56
               8   60
               1   61
               3   63
               1   67
               1   68
               2   69
               1   75
               3   77
               2   84
               3   86
               1   88
               2   90
               2   91
               1   95
               1   97
               2  103
               3  104
               1  105
               1  108
               5  112
               1  116
               1  118
               4  120
               1  122
               1  124
               1  135
    
```

```

          1 168
          2 169
          2 180
          5 365
        792 .
          4 .c
    mean: 20.9563
  std. dev: 40.2856

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         3         9        20        54

```

ci4m Does the child sleep with the mother when the mother lives in a house?

```

    type: numeric (byte)
    label: ci4m
    range: [1,3]
  unique values: 2
unique missing codes: 2
          units: 1
    missing .: 922/1,506
    missing *: 1/1,506

```

```

tabulation:  Freq.  Numeric  Label
             436      1      yes
             147      3      no
             922      .
              1      .c

```

ci4n How many days on average per year that the child stays at the mother's place (ou

```

    type: numeric (int)
    range: [0,195]
  unique values: 51
unique missing codes: 2
          units: 1
    missing .: 792/1,506
    missing *: 2/1,506

```

```

tabulation:  Freq.  Value
             414      0
              2      1
              4      2
             12      3
             11      4
             15      5
              4      6
             26      7
              1      9
             16     10
              4     11
              5     12
              2     13
             25     14
             23     15
              1     16
              2     17
              1     19
             12     20
              1     21
              1     26
              1     27
             65     30
              1     34
              1     36
              4     37
              1     39
              1     40
              1     43
              1     44
              9     45
              1     48

```

```

                2  52
                1  54
                1  56
               15  60
                1  64
                1  66
                4  75
                1  84
                3  90
                1  92
                1 100
                3 104
                1 112
                4 120
                1 144
                1 145
                1 150
                1 153
                1 195
               792 .
                2  .c
    mean:      11.6798
    std. dev:  23.5549

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      14     30
    
```

ci2a **Do the parents live together**

```

    type: numeric (byte)
    label: ci2a

    range: [1,7]
    unique values: 4
    unique missing codes: 1

    units: 1
    missing .: 0/1,506
    missing *: 3/1,506

    tabulation:  Freq.  Numeric  Label
                 949      1      live together (both married
                 347      3      divorced
                 192      5      separated (but still be spouse)
                 15       7      widowed
                 3        .c
    
```

ci2a3 **Father marital status**

```

    type: numeric (byte)
    label: ci2a3

    range: [1,5]
    unique values: 3
    unique missing codes: 4

    units: 1
    missing .: 1,142/1,506
    missing *: 111/1,506

    tabulation:  Freq.  Numeric  Label
                 144      1      not remarried
                 106      3      remarried
                   3      5      divorced (after remarried)
               1,142      .
                   12      .b
                   98      .c
                   1      .d
    
```

ci2a4 **Mother marital status**

```

type: numeric (byte)
label: ci2a4

range: [1,7]
unique values: 4
unique missing codes: 4

units: 1
missing .: 1,142/1,506
missing *: 32/1,506

```

tabulation:	Freq.	Numeric	Label
	160	1	not remarried
	158	3	remarried
	13	5	divorced (after remarried)
	1	7	windowed (after remarried)
	1,142	.	
	5	.b	
	26	.c	
	1	.d	

ci5a Average financial support from father who lives outside the household per month

```

type: numeric (int)

range: [0,30000]
unique values: 89
unique missing codes: 3

units: 1
missing .: 0/1,506
missing *: 983/1,506

```

tabulation:	Freq.	Value
	291	0
	1	23
	1	38
	1	42
	1	63
	1	71
	1	83
	1	100
	2	136
	1	140
	2	143
	1	145
	3	154
	1	182
	1	185
	2	200
	1	208
	5	250
	2	269
	1	313
	2	346
	1	364
	2	385
	1	409
	1	444
	5	500
	2	545
	1	550
	2	557
	4	667
	1	700
	3	750
	1	808
	1	833
	1	909
	1	938
	1	962
	11	1000
	2	1167
	1	1200
	3	1250
	2	1290
	1	1462
	8	1500

```

1 1563
1 1667
1 1727
2 1875
2 1923
17 2000
1 2159
1 2273
22 2500
3 2750
14 3000
1 3091
1 3225
1 3462
2 3500
2 3611
1 3633
2 3750
6 4000
1 4231
5 4500
10 5000
3 5500
3 6000
1 6500
3 6667
2 7000
2 7500
1 8000
1 8182
1 8500
1 8750
1 9000
9 10000
1 10750
4 12500
1 13000
1 14000
1 14500
2 15000
1 16950
3 20000
1 22000
4 25000
1 30000
2 .a
557 .b
424 .c
mean: 1783.67
std. dev: 3999.63

percentiles:    10%    25%    50%    75%    90%
                0      0      0     2000    5000

```

ci5aa Is the amount that the father sends to the child only for child care

```

type: numeric (byte)
label: ci5aa

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 1,255/1,506
missing *: 71/1,506

```

```

tabulation:  Freq.  Numeric  Label
              38      1  yes
              142     3  no
            1,255     .
                1     .a
                17     .c
                53     .d
    
```

ci5b Average financial support from mother who lives outside the household per month

```

type: numeric (long)
range: [0,40000]
unique values: 70
unique missing codes: 4
units: 1
missing .: 0/1,506
missing *: 1,176/1,506
    
```

```

tabulation:  Freq.  Value
              127    0
                1    45
                1    63
                1   115
                1   125
                1   138
                3   167
                1   179
                1   200
                1   318
                1   333
                1   341
                1   346
                1   385
                2   400
                2   417
                1   477
                1   482
                2   500
                1   521
                1   571
                1   667
                1   692
                5   750
                1   833
                1   875
                1   909
                9  1000
                1  1018
                1  1075
                3  1077
                1  1167
                1  1200
                1  1250
                1  1300
                1  1400
               12  1500
                1  1667
                1  1720
                1  1731
                1  1750
                1  1857
                1  1909
               19  2000
               18  2500
                3  2667
                3  2750
               16  3000
                1  3273
                1  3333
                8  3500
                7  4000
                1  4167
    
```



```

20 1000
1 1021
1 1075
1 1145
1 1231
7 1250
1 1269
1 1286
2 1333
1 1346
9 1500
2 1667
5 1750
1 1935
31 2000
1 2115
3 2250
1 2273
1 2292
1 2333
36 2500
1 2625
6 2750
31 3000
1 3077
2 3225
3 3250
1 3333
1 3375
15 3500
1 3750
1 3889
36 4000
3 4300
1 4455
17 4500
1 4615
59 5000
6 5500
1 5667
1 5833
18 6000
1 6364
8 6500
8 7000
3 7500
10 8000
1 8750
1 9000
1 9675
14 10000
2 13000
1 15000
1 20000
1 22000
1 25000
1 50000
583 .
1 .a
515 .b
mean: 4117.55
std. dev: 3646.44
percentiles: 10% 25% 50% 75% 90%
1021 2000 3500 5000 7000

```

ci5ca Is the amount that the father and mother sends to the child only for child care

```

type: numeric (byte)
label: ci5ca
range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .: 1,098/1,506
missing *: 78/1,506

```

tabulation:	Freq.	Numeric	Label
	48	1	yes
	282	3	no
	1,098	.	
	1	.a	
	77	.d	

ci6a Average appliances support from father who lives outside the household per month

```

type: numeric (int)
range: [0,4500]
unique values: 58
unique missing codes: 3
units: 1
missing .: 0/1,506
missing *: 890/1,506

```

tabulation:	Freq.	Value
	532	0
	1	2
	1	15
	1	17
	1	18
	1	21
	1	28
	1	30
	2	38
	2	41
	3	42
	2	45
	2	47
	1	55
	1	64
	1	68
	2	69
	1	75
	1	90
	2	91
	1	92
	1	95
	4	100
	1	103
	1	115
	1	125
	3	143
	1	150
	1	155
	2	167
	1	169
	1	173
	2	182
	1	200
	2	202
	1	214
	1	225
	5	250
	1	286
	1	289
	1	300
	1	308
	2	313
	1	321
	1	430
	3	500
	1	545

```

          1  563
          1  615
          1  722
          4 1000
          1 1050
          1 1250
          2 1750
          1 2200
          1 3000
          1 3500
          1 4500
          1  .a
        557  .b
        332  .c
    mean:  58.0731
    std. dev: 315.302

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         69

```

ci6b Average appliances support from mother who lives outside the household per month

```

    type: numeric (int)
    range: [0,5500]
    unique values: 77
    unique missing codes: 3
    units: 1
    missing .: 0/1,506
    missing *: 1,087/1,506

```

```

tabulation:  Freq.  Value
              306    0
                1    14
                3    19
                1    21
                1    23
                1    32
                2    33
                1    38
                1    42
                4    45
                3    50
                1    53
                4    54
                1    60
                1    61
                1    63
                1    64
                1    69
                1    70
                1    71
                2    77
                3    83
                1    92
                2    97
                3   100
                1   108
                2   115
                1   120
                4   125
                2   136
                1   163
                1   167
                1   179
                1   180
                4   182
                1   200
                1   208
                1   214
                1   222
                1   227
                3   250

```

```

1 272
2 273
1 275
1 277
1 278
1 286
1 290
1 300
1 308
1 312
1 313
1 318
1 333
1 350
1 375
2 450
1 455
1 462
1 481
2 500
1 545
1 568
2 625
1 680
1 786
2 800
6 1000
1 1038
1 1075
1 1473
1 2000
1 2100
1 2500
1 4000
1 4500
1 5500
1 .a
764 .b
322 .c
mean: 120.652
std. dev: 472.281

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         33       277

```

ci6c Average appliances support from father and mother who live outside the household

```

type: numeric (int)

range: [0,10697]          units: 1
unique values: 129        missing .: 691/1,506
unique missing codes: 4   missing *: 548/1,506

mean: 596.393
std. dev: 1042.66

percentiles:      10%      25%      50%      75%      90%
                  42       91       208     550     2000

```

ci10 Since previous interview, How many child's siblings (younger person and new born

```

type: numeric (byte)

range: [0,1]          units: 1
unique values: 2       missing .: 0/1,506

```

```

tabulation: Freq. Value
             1,455  0
             51    1
    mean:    .033865
    std. dev: .180941

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

ci10a_1 **Does sibling (no.1) live in the same house as the child**

```

    type: numeric (byte)
    label: ci10a

    range: [1,3]
    unique values: 2

    units: 1
    missing .: 1,455/1,506

    tabulation: Freq.   Numeric   Label
                41       1   yes
                10       3   no
                1,455     .
    
```

ci10b_1 **Sibling (no.1): Member ID**

```

    type: string (str3)
    unique values: 8
    missing "": 1,465/1,506

    tabulation: Freq.   Value
                1,465   ""
                 1   "H10"
                 1   "H11"
                 8   "H4"
                 8   "H5"
                 5   "H6"
                12   "H7"
                 4   "H8"
                 2   "H9"
    
```

ci10c_1 **Sibling (no.1): Vital status**

```

    type: numeric (byte)
    label: ci10c

    range: [1,1]
    unique values: 1

    units: 1
    missing .: 1,496/1,506

    tabulation: Freq.   Numeric   Label
                10       1   alive
                1,496     .
    
```

ci10d_1 **Sibling (no.1): Gender**

```

    type: numeric (byte)
    label: ci10d

    range: [1,3]
    unique values: 2

    units: 1
    missing .: 1,496/1,506

    tabulation: Freq.   Numeric   Label
                 5       1   male
                 5       3   female
                1,496     .
    
```

ci10e_1 **Sibling (no.1): Date of birth (unavailable)**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,506/1,506

tabulation: Freq. Value
             1,506 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ci10f_1 **Sibling (no.1): Month of birth (unavailable)**

```

type: numeric (byte)
label: ci10f
range: [.,.]
unique values: 0
units: .
missing .: 1,506/1,506

tabulation: Freq. Numeric Label
             1,506 .
    
```

ci10g_1 **Sibling (no.1): Year of birth (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 1,506/1,506

tabulation: Freq. Value
             1,506 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

sibling_age_1 **Age year : sibling (no.1)**

```

type: numeric(float)
range: [.03,1.47]
unique values: 39
units: .01
missing .: 1,455/1,506

tabulation: Freq. Value
             2 .03
             1 .09
             2 .1
             1 .15000001
             1 .16
             1 .19
             1 .22
             1 .23999999
             2 .25999999
             1 .28
             1 .31999999
             1 .38999999
             1 .40000001
             2 .41999999
             3 .44
    
```

```

                2 .44999999
                3 .5
                3 .51999998
                1 .56
                1 .63999999
                1 .66000003
                1 .67000002
                1 .68000001
                1 .72000003
                2 .75999999
                1 .77999997
                1 .81
                1 .85000002
                1 .86000001
                1 .87
                1 .88999999
                1 .89999998
                1 .94
                1 1.02
                1 1.0700001
                1 1.16
                1 1.4
                1 1.45
                1 1.47
            1,455 .
    mean:      .573725
    std. dev:  .358552

    percentiles:    10%    25%    50%    75%    90%
                   .15    .28    .5     .81    1.02

```

ci10a_2 **Does sibling (no.2) live in the same house as the child**

```

    type: numeric (byte)
    label: ci10a

    range: [3,3]
    unique values: 1
    units: 1
    missing .: 1,505/1,506

    tabulation: Freq.  Numeric  Label
                1       3      no
                1,505      .

```

ci10b_2 **Sibling (no.2): Member ID**

```

    type: string (str3), but longest is str0
    unique values: 0
    missing "": 1,506/1,506

    tabulation: Freq.  Value
                1,506 ""

```

ci10c_2 **Sibling (no.2): Vital status**

```

    type: numeric (byte)
    label: ci10c

    range: [3,3]
    unique values: 1
    units: 1
    missing .: 1,505/1,506

    tabulation: Freq.  Numeric  Label
                1       3      dead
                1,505      .

```

ci10d_2 **Sibling (no.2): Gender**

```

type: numeric (byte)
label: ci10d
range: [...]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Numeric Label
             1,506 .
    
```

ci10e_2 **Sibling (no.2): Date of birth (unavailable)**

```

type: numeric (byte)
range: [...]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Value
             1,506 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ci10f_2 **Sibling (no.2): Month of birth (unavailable)**

```

type: numeric (byte)
label: ci10f
range: [...]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Numeric Label
             1,506 .
    
```

ci10g_2 **Sibling (no.2): Year of birth (unavailable)**

```

type: numeric (int)
range: [...]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Value
             1,506 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

sibling_age_2 **Age year : sibling (no.1)**

```

type: numeric (float)
range: [...]
unique values: 0
units: .
missing ..: 1,506/1,506
    
```

```

tabulation: Freq. Value
             1,506 .
      mean:   .
      std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

ci9 **Interviewer note (not display)**

```

type: string (str549), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

father_memberid **Member ID of father**

```

type: string (str3)
unique values: 11 missing "": 0/1,506
unique missing codes: 1 missing *: 927/1,506

tabulation: Freq. Value
             4 "H10"
             1 "H11"
            101 "H2"
             84 "H3"
            142 "H4"
            156 "H5"
             44 "H6"
             34 "H7"
              9 "H8"
              4 "H9"
            927 "NA"
    
```

mother_memberid **Member ID of mother**

```

type: string (str3), but longest is str2
unique values: 9 missing "": 0/1,506
unique missing codes: 1 missing *: 718/1,506

tabulation: Freq. Value
             93 "H2"
            203 "H3"
            238 "H4"
            146 "H5"
             69 "H6"
             23 "H7"
             12 "H8"
              4 "H9"
            718 "NA"
    
```

gender **Children's gender**

```

type: numeric (byte)
label: blaf

range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              780      1  Male
              726      3  Female
    
```

age **Children's age (year)**

```

type:  numeric (double)
range: [1.21,7.42]
unique values: 483
mean:  4.3353
std. dev: 1.30247
units:  .01
missing .: 0/1,506

percentiles:  10%    25%    50%    75%    90%
               2.51    3.26    4.4    5.34    6.11
    
```

father_age **Father's age (year)**

```

type:  numeric (float)
range: [18.19,66.34]
unique values: 934
mean:  33.5895
std. dev: 6.93386
units:  .01
missing .: 206/1,506

percentiles:  10%    25%    50%    75%    90%
               24.64   28.415  33.41   37.805  42.515
    
```

father_edu **Father's highest education level (not display)**

```

type:  string (str63), but longest is str0
unique values: 0
missing "": 1,506/1,506
tabulation:  Freq.  Value
              1,506  ""
    
```

father_edu_code **Code of mfather's highest education level**

```

type:  numeric (float)
label:  father_edu_code
range: [15,99]
unique values: 20
unique missing codes: 2
units:  1
missing .: 0/1,506
missing *: 139/1,506

tabulation:  Freq.  Numeric  Label
              21      15  Primary 4
              2      17  Primary 5
             196      19  Primary 6
              3      21  Primary 7 (old system)
              9      23  Lower secondary 1
              23      25  Lower secondary 2
             345      27  Lower secondary 3
              4      29  Upper secondary 1
              9      31  Upper secondary 2
             408      33  Upper secondary 3
              2      45  Vocational school year 1
              2      47  Vocational school year 2
             51      49  Vocational school year 3
              3      51  High vocational school year 1
             135      53  High vocational school year 2
    
```

```

      2      63 Bachelor year 2
      2      65 Bachelor year 3
    131      67 Bachelor year 4
     12      69 Master degree
      7      99 Other
      1      .a
    138      .c
  
```

father_mainjob **Father's occupation description (not display)**

```

type: string (str148), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
            1,506 ""
  
```

father_mainjob_code **Code of father's occupation**

```

type: numeric (float)
label: father_mainjob_code
range: [1,21] units: 1
unique values: 11 missing .: 0/1,506
unique missing codes: 4 missing *: 181/1,506
  
```

```

tabulation: Freq. Numeric Label
            60      1 Legislators/senior government
            354      3 officer/administrator
            82      5 Professional
            15      7 Technican and related
            147      9 Office clerk
            32      11 Service provider / seller who
            70      13 sells goods in the store and/or
            218      15 in the market
            292      17 Agriculture and fishery workers
            22      19 Skilled craftsmen and related
            33      21 Mechanical and assembly workers
            10      .a General workers
            11      .b Armed force
            159      .c Not working
            1      .d
  
```

father_mainjob_type **Father's type of work**

```

type: numeric (float)
label: father_mainjob_type
range: [1,9] units: 1
unique values: 5 missing .: 0/1,506
unique missing codes: 4 missing *: 216/1,506
  
```

```

tabulation:  Freq.  Numeric  Label
              80      1  Government officer/state
              32      3  enterprise employee
              791     5  Temporary government officer/
              301     7  state enterprise employee
              86      9  Company employee
              10      .a  Temporary company employee,
              44      .b  seasonal
              159     .c  Business owner
              3       .d
    
```

father_wagepmth **Father's net income per month (for paid work)**

```

type:  numeric (float)
range: [207,1500000]          units: 1
unique values: 134          missing .: 182/1,506
unique missing codes: 5     missing *: 516/1,506

mean: 14658
std. dev: 52966.2

percentiles:  10%    25%    50%    75%    90%
              4500   8000   10500  15000  25000
    
```

mother_edu **Mother's highest education level (not display)**

```

type:  string (str39), but longest is str0
unique values: 0          missing "": 1,506/1,506

tabulation:  Freq.  Value
              1,506  ""
    
```

mother_age **Mother's age (year)**

```

type:  numeric (float)
range: [17.55,58.97]        units: .01
unique values: 962          missing .: 75/1,506

mean: 30.3194
std. dev: 6.10579

percentiles:  10%    25%    50%    75%    90%
              22.94  25.44  29.7   34.61  38.62
    
```

mother_edu_code **Code of mother's highest education level**

```

type:  numeric (float)
label: mother_edu_code

range: [15,99]          units: 1
unique values: 20       missing .: 0/1,506
unique missing codes: 1  missing *: 29/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              7      15  Primary 4
              2      17  Primary 5
            139      19  Primary 6
              6      23  Lower secondary 1
              21      25  Lower secondary 2
            415      27  Lower secondary 3
              7      29  Upper secondary 1
              11      31  Upper secondary 2
            441      33  Upper secondary 3
              3      45  Vocational school year 1
              3      47  Vocational school year 2
             63      49  Vocational school year 3
              4      51  High vocational school year 1
            115      53  High vocational school year 2
              4      59  Diploma
              4      63  Bachelor year 2
              4      65  Bachelor year 3
            197      67  Bachelor year 4
              14      69  Master degree
              17      99  Other
              29      .c
    
```

mother_mainjob **Mother's occupation description (not display)**

```

type: string (str138), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation:  Freq.  Value
            1,506  ""
    
```

mother_mainjob_code **Code of mother's occupation**

```

type: numeric (float)
label: mother_mainjob_code
range: [1,21] units: 1
unique values: 10 missing .: 4/1,506
unique missing codes: 4 missing *: 90/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              61      1  Legislators/senior government
              183      3  Professional
              22      5  Technican and related
              70      7  Office clerk
             368      9  Service provider / seller who
              145      11  Agriculture and fishery workers
              66      13  Skilled craftsmen and related
             206      15  Mechanical and assembly workers
             167      17  General workers
             124      21  Not working
              4      .
              12      .a
              76      .c
              2      .d
    
```

mother_mainjob_type **mother's type of work**

```

type: numeric (float)
label: mother_mainjob_type
    
```

range: [1,9] units: 1
 unique values: 5 missing .: 4/1,506
 unique missing codes: 5 missing *: 213/1,506

tabulation:	Freq.	Numeric	Label
	43	1	Government officer/state enterprise employee
	52	3	Temporary government officer/state enterprise employee
	705	5	Company employee
	161	7	Temporary company employee, seasonal
	328	9	Business owner
	4	.	.
	12	.a	.a
	124	.b	.b
	75	.c	.c
	2	.d	.d

mother_wagepmnth mother's net income per month (for paid work)

type: numeric (float)
 range: [150,250000] units: 1
 unique values: 138 missing .: 354/1,506
 unique missing codes: 5 missing *: 327/1,506
 mean: 11453.6
 std. dev: 11248.4
 percentiles: 10% 25% 50% 75% 90%
 2400 7700 10000 15000 20000

note_cleaner data cleaner note (not display)

type: string (str370), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

survey_name survey name

type: string (str12)
 unique values: 1 missing "": 0/1,506
 tabulation: Freq. Value
 1,506 "RESURVEY2017"

year_survey year survey

type: numeric (float)
 range: [2017,2017] units: 1
 unique values: 1 missing .: 0/1,506
 tabulation: Freq. Value
 1,506 2017
 mean: 2017
 std. dev: 0

percentiles:	10%	25%	50%	75%	90%
	2017	2017	2017	2017	2017

2 . log close
name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2017\b1.scm1
log type: smcl
closed on: 29 May 2024, 11:22:07
