



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\b11.smcl
log type: smcl
opened on: 22 Jan 2024, 18:05:40
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b11_run.dta
Last saved: 22 Jan 2024 17:55
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 755
Number of observations: 1,506
Size: 15,460,596 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,506 missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,284 missing "": 0/1,506
 examples: "201591160604207"
 "201691131001097"
 "201691160105067"
 "201691161708041"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,506
 tabulation: Freq. Value
 1,361 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,506
 tabulation: Freq. Value
 1 "09"
 145 "12"
 264 "13"
 129 "14"
 148 "15"
 557 "16"
 38 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,506
 tabulation: Freq. Value
 65 "01"
 229 "02"
 121 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 136 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type:  string (str3)
unique values: 185           missing "": 0/1,506
examples: "011"
          "035"
          "071"
          "149"
    
```

td1_times **At night, the child sleeps : from (hour:minute)**

```

type:  string (str6), but longest is str5
unique values: 19           missing "": 0/1,506
tabulation:  Freq.  Value
              1  "03.00"
              1  "06.30"
              1  "07.30"
              1  "17.30"
              6  "18.00"
              1  "18.30"
              50 "19.00"
              87 "19.30"
              4  "19.45"
              517 "20.00"
              1  "20.15"
              295 "20.30"
              1  "20.45"
              1  "20.50"
              359 "21.00"
              82  "21.30"
              81  "22.00"
              15  "22.30"
              2  "23.00"
    
```

td1_timee **At night, the child sleeps : until (hour:minute)**

```

type:  string (str6), but longest is str5
    
```

unique values: 21 missing "": 0/1,506

```

tabulation: Freq. Value
              1 "03.00"
              10 "04.00"
               7 "04.30"
             124 "05.00"
             112 "05.30"
               2 "05.40"
               5 "05.45"
               3 "05.50"
             620 "06.00"
               3 "06.15"
               1 "06.20"
             264 "06.30"
               4 "06.40"
               2 "06.50"
            242 "07.00"
               2 "07.15"
               2 "07.20"
             76 "07.30"
             23 "08.00"
               1 "12.00"
               2 "20.30"
    
```

td1_hr **At night, the child sleeps for hours**

```

type: numeric (byte)
range: [6,14] units: 1
unique values: 9 missing .: 0/1,506

tabulation: Freq. Value
              1 6
             21 7
            156 8
            532 9
            607 10
            173 11
             12 12
              2 13
              2 14
mean: 9.53519
std. dev: .93177

percentiles: 10% 25% 50% 75% 90%
              8 9 10 10 11
    
```

td1_mi **At night, the child sleeps for minutes**

```

type: numeric (byte)
range: [0,50] units: 1
unique values: 9 missing .: 0/1,506

tabulation: Freq. Value
            888 0
              1 5
              2 10
              8 15
              3 20
            588 30
              5 40
              6 45
              5 50
mean: 12.3274
std. dev: 14.9466
    
```

percentiles: 10% 25% 50% 75% 90%
0 0 0 30 30

td2_times The child goes to school/child development center : from (hour:minute)

type: string (str17), but longest is str5

unique values: 26 missing "": 0/1,506
unique missing codes: 1 missing *: 147/1,506

tabulation: Freq. Value

7	"06.00"
1	"06.15"
2	"06.20"
1	"06.21"
47	"06.30"
4	"06.40"
2	"06.45"
2	"06.50"
189	"07.00"
9	"07.10"
8	"07.15"
10	"07.20"
1	"07.25"
571	"07.30"
29	"07.40"
7	"07.45"
7	"07.50"
322	"08.00"
2	"08.10"
1	"08.15"
122	"08.30"
1	"08.45"
12	"09.00"
1	"09.30"
1	"13.00"
147	"NA"

td2_timee The child goes to school/child development center : until (hour:minute)

type: string (str6), but longest is str5

unique values: 28 missing "": 0/1,506
unique missing codes: 1 missing *: 147/1,506

tabulation: Freq. Value

1	"11.00"
2	"12.00"
4	"13.00"
7	"13.30"
1	"13.40"
206	"14.00"
2	"14.15"
5	"14.20"
1	"14.25"
369	"14.30"
3	"14.40"
2	"14.45"
3	"14.50"
380	"15.00"
2	"15.15"
4	"15.20"
189	"15.30"
4	"15.40"
1	"15.45"
91	"16.00"
2	"16.10"
1	"16.20"

36 "16.30"
1 "16.40"
31 "17.00"
9 "17.30"
2 "18.00"
147 "NA"

td2_hr The child goes to school/child development center for hours

```
type: numeric (byte)
      range: [1,11]          units: 1
unique values: 9           missing.: 0/1,506
unique missing codes: 1   missing*: 147/1,506
```

```
tabulation: Freq.  Value
             1    1
             4    4
            46    5
           355    6
           586    7
           248    8
            71    9
            42   10
             6   11
           147   .b
mean:       7.05519
std. dev:   1.0898

percentiles:   10%   25%   50%   75%   90%
                6     6     7     8     8
```

td2_mi The child goes to school/child development center for minutes

```
type: numeric (byte)
      range: [0,55]         units: 1
unique values: 11          missing.: 0/1,506
unique missing codes: 1   missing*: 147/1,506
```

```
tabulation: Freq.  Value
             637    0
              1    5
              9   10
             13   15
             24   20
            613   30
              1   39
             19   40
             13   45
             27   50
              2   55
           147   .b
mean:       16.1913
std. dev:   15.8387

percentiles:   10%   25%   50%   75%   90%
                0     0    20    30    30
```

td3_times The child takes a nap during the day (weekdays) : from (hour:minute)

```
type: string (str11)
unique values: 18          missing "": 0/1,506
unique missing codes: 1   missing*: 1,292/1,506
```

```

tabulation:  Freq.  Value
              68  "0"
              1  "08.00"
             10  "09.00"
              3  "09.00-10.30"
              4  "09.00-11.00"
              1  "09.00-12.00"
              1  "09.30"
              1  "09.30-11.00"
             28  "10.00"
              3  "10.00-11.00"
              2  "10.00-12.00"
              3  "10.30"
             40  "11.00"
              2  "11.30"
             28  "12.00"
             16  "13.00"
              3  "14.00"
            1,292  "NA"
    
```

td3_timee The child takes a nap during the day (weekdays): until (hour:minute)

```

type:  string (str11)
unique values:  21
unique missing codes:  1
missing "":  0/1,506
missing *:  1,292/1,506
    
```

```

tabulation:  Freq.  Value
              68  "0"
              1  "03.00"
              5  "11.00"
             17  "12.00"
              7  "12.30"
             32  "13.00"
              1  "13.00-15.00"
              5  "13.30"
             32  "14.00"
              3  "14.00-15.00"
              4  "14.00-16.00"
              8  "14.30"
              2  "14.30-15.30"
             19  "15.00"
              1  "15.00-15.30"
              1  "15.00-16.00"
              1  "15.00-16.30"
              3  "15.30"
              2  "16.00"
              2  "17.00"
            1,292  "NA"
    
```

td3_hr The child takes a nap during the day (weekdays) for hours

```

type:  numeric (byte)
range:  [0,15]
unique values:  7
unique missing codes:  1
units:  1
missing .:  0/1,506
missing *:  1,292/1,506
    
```

```

tabulation:  Freq.  Value
              69    0
              18    1
              65    2
              44    3
              15    4
               2    5
               1   15
             1,292  .b
      mean:   1.70561
  std. dev:  1.63077

percentiles:      10%    25%    50%    75%    90%
                  0      0      2      3      3
    
```

td3_mi **The child takes a nap during the day (weekdays) for minutes**

```

      type:  numeric (byte)
      range: [0,30]
  unique values: 3
unique missing codes: 1
      units: 1
  missing .: 0/1,506
  missing *: 1,292/1,506
    
```

```

tabulation:  Freq.  Value
              185    0
               1   15
              28   30
             1,292  .b
      mean:   3.99533
  std. dev:  10.1651

percentiles:      10%    25%    50%    75%    90%
                  0      0      0      0     30
    
```

td3b_times **The child takes a nap during the day (holidays) : from (hour:minute)**

```

      type:  string (str20)
  unique values: 33
unique missing codes: 1
  missing "": 0/1,506
  missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
             434    "0"
               1   "08.00"
              16   "09.00"
               1   "09.00-10.00"
               3   "09.00-10.30"
               4   "09.00-11.00"
               1   "09.00-12.00"
               2   "09.30"
               1   "09.30-11.00"
               1   "09.40"
               1   "1-2 ชม"
               1   "1-2ชม./วัน"
               1   "1.30 ชม."
              80   "10.00"
               3   "10.00-11.00"
               2   "10.00-12.00"
              11   "10.30"
               1   "10.40"
             211   "11.00"
              22   "11.30"
               1   "11.45"
             366   "12.00"
              10   "12.30"
             242   "13.00"
               4   "13.30"
              67   "14.00"
    
```



```

6 "14.30"
6 "15.00"
1 "16.00"
2 "17.00"
1 "2-3am."
2 "30min"
1 "DK"

```

warning: variable has embedded blanks

td3b_timee The child taks a nap during the day (holidays) : util (hour:minute)

type: string (str11)

unique values: 32 missing "": 0/1,506
unique missing codes: 2 missing *: 7/1,506

tabulation:	Freq.	Value
	434	"00.00"
	1	"03.00"
	1	"10.00"
	1	"10.30"
	14	"11.00"
	4	"11.30"
	76	"12.00"
	1	"12.15"
	29	"12.30"
	196	"13.00"
	1	"13.00-14.30"
	1	"13.00-15.00"
	57	"13.30"
	1	"13.40"
	283	"14.00"
	1	"14.00-14.40"
	3	"14.00-15.00"
	4	"14.00-16.00"
	67	"14.30"
	2	"14.30-15.30"
	201	"15.00"
	1	"15.00-15.30"
	1	"15.00-16.00"
	1	"15.00-16.30"
	34	"15.30"
	65	"16.00"
	7	"16.30"
	8	"17.00"
	2	"17.30"
	2	"18.00"
	1	"DK"
	6	"NA"

td3b_hr The child taks a nap during the day (holidays) for hours

type: numeric (byte)

range: [0,15] units: 1
unique values: 7 missing .: 0/1,506

```

tabulation: Freq. Value
             449 0
             339 1
             484 2
             186 3
              43 4
               4 5
               1 15
mean:       1.37583
std. dev:   1.18442

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      3
    
```

td3b_mi The child taks a nap during the day (holidays) for minutes

```

type: numeric (byte)
range: [0,50] units: 1
unique values: 6 missing.: 0/1,506

tabulation: Freq. Value
             1,280 0
               3 15
               1 20
              220 30
               1 40
               1 50
mean:       4.48539
std. dev:   10.7176

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30
    
```

td5d Does the child do other activities while they are watching TV?

```

type: numeric (byte)
label: td5d
range: [1,3] units: 1
unique values: 2 missing.: 102/1,506

tabulation: Freq. Numeric Label
             291      1 do not
            1,113      3 do
             102      .
    
```

td5d_des Activities to do while children watch TV

```

type: string (str168)
unique values: 367 missing "": 390/1,506

warning: variable has embedded and trailing blanks
    
```

activity_A Listening to a story book that adult reads (use a book while reading) (not displ

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,506/1,506
    
```

tabulation: Freq. Value
 1,506 ""

detail_A **A : Identify the books**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

c1_code_A **A : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,506
 unique missing codes: 1 missing *: 485/1,506

tabulation:	Freq.	Numeric	Label
	882	0	never
	2	5	at least once a week
	130	7	once a day
	7	9	more than once a day
	485	.c	

c1_hr_A **A : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,12] units: 1
 unique values: 6 missing .: 1,367/1,506

tabulation:	Freq.	Value
	92	0
	18	1
	19	2
	1	3
	8	5
	1	12
	1,367	.
mean:	.798561	
std. dev:	1.61146	

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

c1_min_A **A : Minutes per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,50] units: 1
 unique values: 14 missing .: 1,367/1,506

```

tabulation:  Freq.  Value
              8    0
              1    5
              1    8
              4   13
              8   15
              1   18
              1   23
             22   25
             23   30
              1   33
              6   38
             12   40
              1   45
             50   50
             1,367 .
    mean:     34.1871
    std. dev: 15.0817

percentiles: 10%    25%    50%    75%    90%
              13     25     33     50     50
    
```

c1_aa_A **A :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str3
unique values: 5 missing "": 1,367/1,506

tabulation:  Freq.  Value
             1,367 ""
             130 "1"
              2 "1.5"
              4 "2"
              1 "2.5"
              2 "4"
    
```

c1_ab_A **A :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,367/1,506

tabulation:  Freq.  Value
             1,367 ""
             137 "day"
              2  "week"
    
```

c1_ac_A **A :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,367/1,506

tabulation:  Freq.  Value
             131    0
              8    1
             1,367 .
    mean:     .057554
    std. dev: .23374

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     0
    
```

c1_ad_A **A : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45]
unique values: 16
units: .1
missing : 1,367/1,506

tabulation: Freq. Value
              8  0
              1  1.5
              4  2.5
              2  3
              1  3.5
              2  4
              1  4.5
              22 5
              1  6.5
              8  7.5
             53 10
              6  15
              9  20
              1  25
             19 30
              1  45
             1,367 .
mean: 11.8705
std. dev: 9.15474

percentiles:    10%    25%    50%    75%    90%
                3      5      10     15     30

```

c1_ba_A **A : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c1_ba
range: [1,13]
unique values: 7
units: 1
missing : 1,367/1,506

tabulation: Freq. Numeric Label
              17      1 father
              46      3 mother
              52      5 grandparents
               5      7 uncle/aunt
              14      9 brother/sister/cousin
               1     11 outside-household-person
               4     13 other household member
             1,367      .

```

c1_bb_A **A : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb
range: [1,13]
unique values: 6
units: 1
missing : 1,438/1,506

tabulation: Freq. Numeric Label
              7      1 father
             14      3 mother
             15      5 grandparents
               1      7 uncle/aunt
             30      9 brother/sister/cousin
               1     13 other household member
             1,438      .

```

c1_bc_A **A : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c1_bc

range: [1,9]
unique values: 5
units: 1
missing .. 1,480/1,506

tabulation: Freq.  Numeric  Label
              2          1  father
              3          3  mother
              3          5  grandparents
              1          7  uncle/aunt
              17         9  brother/sister/cousin
            1,480          .
    
```

c1_ba_gen_A **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,367/1,506

tabulation: Freq.  Numeric  Label
              28          1  male
              111         3  female
            1,367          .
    
```

c1_bb_gen_A **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,438/1,506

tabulation: Freq.  Numeric  Label
              33          1  male
              35          3  female
            1,438          .
    
```

c1_bc_gen_A **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,480/1,506

tabulation: Freq.  Numeric  Label
              12          1  male
              14          3  female
            1,480          .
    
```

c2_code_A **A : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code
    
```

range: [0,9] units: 1
 unique values: 4 missing .: 0/1,506
 unique missing codes: 1 missing *: 485/1,506

tabulation:	Freq.	Numeric	Label
	918	0	never
	1	5	at least once a week
	95	7	once a day
	7	9	more than once a day
	485	.c	

c2_hr_A **A : Hours per week (Saturday - Sunday)**

type: numeric (**float**)
 range: [0,5] units: 1
 unique values: 4 missing .: 1,403/1,506

tabulation:	Freq.	Value
	79	0
	15	1
	8	2
	1	5
	1,403	.
mean:	.349515	
std. dev:	.763233	

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

c2_min_A **A : Minutes per week (Saturday - Sunday)**

type: numeric (**float**)
 range: [0,40] units: 1
 unique values: 10 missing .: 1,403/1,506

tabulation:	Freq.	Value
	23	0
	2	3
	3	5
	1	6
	10	10
	2	12
	6	15
	36	20
	8	30
	12	40
	1,403	.
mean:	16.3204	
std. dev:	12.5762	

percentiles:	10%	25%	50%	75%	90%
	0	5	20	20	40

c2_aa_A **A : Monday-Friday How many times (Saturday - Sunday)**

type: string (**str30**), but longest is str3
 unique values: 4 missing "": 1,403/1,506

```

tabulation:  Freq.  Value
              1,403  ""
              96   "1"
              2   "1.5"
              4   "2"
              1   "2.5"
    
```

c2_ab_A **A :Monday-Friday How many times per units (Saturday - Sunday)**

```

type:  string (str21), but longest is str4
unique values:  2                            missing "":  1,403/1,506
tabulation:  Freq.  Value
              1,403  ""
              102  "day"
              1   "week"
    
```

c2_ac_A **A :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type:  numeric (double)
range:  [0,1]                            units:  1
unique values:  2                            missing .:  1,403/1,506
tabulation:  Freq.  Value
              95   0
              8   1
            1,403  .
mean:       .07767
std. dev:   .26896
percentiles:  10%    25%    50%    75%    90%
               0       0       0       0       0
    
```

c2_ad_A **A :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type:  numeric (double)
range:  [0,45]                            units:  .1
unique values:  12                            missing .:  1,403/1,506
tabulation:  Freq.  Value
              8   0
              2  1.5
              3  2.5
              1  3
              2  4
             10  5
              6  7.5
             39 10
              6 15
              9 20
             16 30
              1 45
            1,403  .
mean:       12.6359
std. dev:   9.64116
percentiles:  10%    25%    50%    75%    90%
               2.5    5       10      20      30
    
```

c2_ba_A **A : Relationship-with-the-child doing activity (person 1)**


```

type: numeric (byte)
label: c2_ba

range: [1,13] units: 1
unique values: 6 missing .. 1,403/1,506

tabulation: Freq. Numeric Label
             11      1  father
             42      3  mother
             35      5  grandparents
              2      7  uncle/aunt
              9      9  brother/sister/cousin
              4     13  other household member
            1,403      .

```

c2_bb_A **A : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb

range: [1,13] units: 1
unique values: 6 missing .. 1,463/1,506

tabulation: Freq. Numeric Label
             6      1  father
             8      3  mother
             8      5  grandparents
              1      7  uncle/aunt
             19      9  brother/sister/cousin
              1     13  other household member
            1,463      .

```

c2_bc_A **A : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c2_bc

range: [1,9] units: 1
unique values: 4 missing .. 1,490/1,506

tabulation: Freq. Numeric Label
             1      1  father
              3      3  mother
              1      5  grandparents
             11      9  brother/sister/cousin
            1,490      .

```

c2_ba_gen_A **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3] units: 1
unique values: 2 missing .. 1,403/1,506

tabulation: Freq. Numeric Label
             17      1  male
             86      3  female
            1,403      .

```

c2_bb_gen_A **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,463/1,506

tabulation: Freq.  Numeric  Label
              19         1  male
              24         3  female
            1,463         .
    
```

c2_bc_gen_A **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,490/1,506

tabulation: Freq.  Numeric  Label
              8         1  male
              8         3  female
            1,490         .
    
```

c3_code_A **A : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,506
missing *: 1,021/1,506

tabulation: Freq.  Numeric  Label
              1         1  less than once a month
              73         3  at least once a month
             411         5  at least once a week
            1,020         .b
              1         .c
    
```

c3_hr_A **A : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,14]
unique values: 6
units: 1
missing ..: 1,095/1,506

tabulation: Freq.  Value
              356    0
              36    1
               8    2
               7    3
               2    4
               2   14
            1,095    .
mean:       .265207
std. dev:   1.13276

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c3_min_A **A : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,54]
unique values: 32
units: 1
missing .: 1,095/1,506

```

```

tabulation: Freq. Value
             26  0
              3  2
             13  3
              6  4
             20  5
             17  6
              8  7
             14  8
              5  9
             63 10
              6 11
              2 12
             14 13
              2 14
             43 15
              1 16
              1 17
              4 18
              3 19
             32 20
              8 23
             17 25
              5 26
             53 30
              1 34
              9 35
              3 38
              7 40
             14 45
              9 50
              1 53
              1 54

```

```

mean: 17.3236
std. dev: 12.6281

```

```

percentiles: 10% 25% 50% 75% 90%
              3   8  15  26  35

```

c3_aa_A **A :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 10
missing "": 1,095/1,506

```

```

tabulation: Freq. Value
             1,095 ""
             116 "1"
              43 "1.5"
              93 "2"
              60 "2.5"
              55 "3"
              23 "3.5"
              10 "4"
               5 "4.5"
               5 "5"
               1 "6"

```

c3_ab_A **A :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4

```

unique values: 1 missing "": 1,096/1,506
 tabulation: Freq. Value
 1,096 ""
 410 "week"

c3_ac_A A :Monday-Friday How many times per hours (Monday - Sunday)

type: numeric (double)
 range: [0,3] units: 1
 unique values: 3 missing .: 1,095/1,506
 tabulation: Freq. Value
 394 0
 15 1
 2 3
 1,095 .
 mean: .051095
 std. dev: .279053
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c3_ad_A A :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)
 range: [1,53] units: .1
 unique values: 22 missing .: 1,110/1,506
 tabulation: Freq. Value
 1 1
 1 1.5
 7 2
 15 2.5
 18 3
 1 3.5
 5 4
 15 4.5
 73 5
 6 5.5
 23 7.5
 126 10
 1 12
 3 12.5
 16 15
 4 17.5
 13 20
 3 22.5
 1 25
 62 30
 1 45
 1 53
 1,110 .
 mean: 11.8674
 std. dev: 9.30874
 percentiles: 10% 25% 50% 75% 90%
 3 5 10 15 30

c3_ba_A A : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c3_ba

range: [1,13] units: 1
 unique values: 7 missing .: 1,020/1,506

tabulation:	Freq.	Numeric	Label
	40	1	father
	170	3	mother
	196	5	grandparents
	23	7	uncle/aunt
	47	9	brother/sister/cousin
	4	11	outside-household-person
	6	13	other household member
	1,020	.	.

c3_bb_A A : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c3_bb

range: [1,11] units: 1
 unique values: 6 missing .: 1,289/1,506

tabulation:	Freq.	Numeric	Label
	13	1	father
	36	3	mother
	41	5	grandparents
	9	7	uncle/aunt
	117	9	brother/sister/cousin
	1	11	outside-household-person
	1,289	.	.

c3_bc_A A : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
 label: c3_bc

range: [1,9] units: 1
 unique values: 4 missing .: 1,447/1,506

tabulation:	Freq.	Numeric	Label
	2	1	father
	7	3	mother
	9	5	grandparents
	41	9	brother/sister/cousin
	1,447	.	.

c3_ba_gen_A Gender code (person 1)

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,020/1,506

tabulation:	Freq.	Numeric	Label
	99	1	male
	387	3	female
	1,020	.	.

c3_bb_gen_A Gender code (person 2)

type: numeric (byte)
 label: c3_bb_gen

```

range: [1,3] units: 1
unique values: 2 missing ..: 1,289/1,506

tabulation: Freq. Numeric Label
             86         1 male
             131        3 female
             1,289      .
    
```

c3_bc_gen_A **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3] units: 1
unique values: 2 missing ..: 1,447/1,506

tabulation: Freq. Numeric Label
             23         1 male
             36         3 female
             1,447      .
    
```

activity_B
Listening to a story that adult tells (no book used while reading) (not display)

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

detail_B **B : Identify the stories**

```

type: string (str238), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

c1_code_B **B : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9] units: 1
unique values: 3 missing ..: 0/1,506
unique missing codes: 1 missing *: 676/1,506

tabulation: Freq. Numeric Label
             716         0 never
             105         7 once a day
              9         9 more than once a day
             676         .c
    
```

c1_hr_B **B : Hours per week (Monday - Friday)**

```

type: numeric (float)

range: [0,12] units: 1
unique values: 7 missing ..: 1,392/1,506
    
```

```

tabulation:  Freq.  Value
              60    0
              14    1
              24    2
              12    5
               1    6
               2    7
               1   12
            1,392  .
      mean:   1.35088
    std. dev: 2.06094

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      5
    
```

c1_min_B **B : Minutes per week (Monday - Friday)**

```

      type:  numeric (float)
      range: [0,53]
unique values: 16
                units: 1
                missing : 1,392/1,506

tabulation:  Freq.  Value
              12    0
               2    3
               4    5
               1   10
               2   13
               9   15
               1   18
               2   20
               3   23
              14   25
              23   30
               1   31
               8   38
               4   40
              27   50
               1   53
            1,392  .
      mean:   28.614
    std. dev: 16.4626

percentiles:    10%    25%    50%    75%    90%
                0     15     30     40     50
    
```

c1_aa_B **B :Monday-Friday How many times (Monday - Friday)**

```

      type:  string (str27), but longest is str10
unique values: 5
                missing "": 1,392/1,506

tabulation:  Freq.  Value
            1,392  ""
             105  "1"
               2  "1.5"
               2  "2"
               3  "2.5"
               2  "many times"

warning:  variable has embedded blanks
    
```

c1_ab_B **B :Monday-Friday How many times per units (Monday - Friday)**

```

type:  string (str21), but longest is str3
    
```

unique values: 1 missing "": 1,392/1,506
 tabulation: Freq. Value
 1,392 ""
 114 "day"

c1_ac_B B :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)
 range: [0,2.5] units: .1
 unique values: 4 missing .: 1,392/1,506
 tabulation: Freq. Value
 100 0
 11 1
 2 1.5
 1 2.5
 1,392 .
 mean: .144737
 std. dev: .413937
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c1_ad_B B :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (double)
 range: [0,30] units: .1
 unique values: 15 missing .: 1,392/1,506
 tabulation: Freq. Value
 13 0
 1 2
 3 2.5
 1 3
 1 3.5
 2 4
 3 4.5
 15 5
 9 7.5
 29 10
 5 15
 4 20
 1 22.5
 4 25
 23 30
 1,392 .
 mean: 12.6096
 std. dev: 10.4003
 percentiles: 10% 25% 50% 75% 90%
 0 5 10 20 30

c1_ba_B B : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c1_ba
 range: [1,13] units: 1
 unique values: 6 missing .: 1,392/1,506


```

tabulation:  Freq.  Numeric  Label
              11      1  father
              24      3  mother
              59      5  grandparents
               4      7  uncle/aunt
               7      9  brother/sister/cousin
               9     13  other household member
            1,392      .
    
```

c1_bb_B **B : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb

range: [1,13]          units: 1
unique values: 6      missing .: 1,454/1,506

tabulation:  Freq.  Numeric  Label
              1      1  father
              8      3  mother
             17      5  grandparents
               2      7  uncle/aunt
             23      9  brother/sister/cousin
               1     13  other household member
            1,454      .
    
```

c1_bc_B **B : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c1_bc

range: [1,9]          units: 1
unique values: 4      missing .: 1,491/1,506

tabulation:  Freq.  Numeric  Label
              1      1  father
              5      5  grandparents
               1      7  uncle/aunt
               8      9  brother/sister/cousin
            1,491      .
    
```

c1_ba_gen_B **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,392/1,506

tabulation:  Freq.  Numeric  Label
              38      1  male
              76      3  female
            1,392      .
    
```

c1_bb_gen_B **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,454/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              17      1  male
              35      3  female
            1,454      .
    
```

c1_bc_gen_B **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,491/1,506

tabulation:  Freq.  Numeric  Label
              9      1  male
              6      3  female
            1,491      .
    
```

c2_code_B **B : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,506
unique missing codes: 1  missing *: 676/1,506

tabulation:  Freq.  Numeric  Label
              710    0  never
              1      5  at least once a week
              109    7  once a day
              10     9  more than once a day
              676    .c
    
```

c2_hr_B **B : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,5]          units: 1
unique values: 5      missing .: 1,386/1,506

tabulation:  Freq.  Value
              82    0
              20    1
              15    2
              2     3
              1     5
            1,386  .
mean:       .508333
std. dev:   .879226

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

c2_min_B **B : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,50]          units: 1
unique values: 16      missing .: 1,386/1,506
    
```

```

tabulation:  Freq.  Value
              37    0
              1    4
              1    5
              3    6
              1    7
              2    8
              3    9
             15   10
              2   13
              8   15
             27   20
              2   25
              9   30
              4   40
              1   45
              4   50
             1,386 .
    mean:      13.65
    std. dev:  13.1005

percentiles:  10%    25%    50%    75%    90%
              0      0      10     20     30
    
```

c2_aa_B **B :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 5 missing "": 1,386/1,506

tabulation:  Freq.  Value
             1,386 ""
             110 "1"
              2  "1.5"
              2  "2"
              4  "2.5"
              2  "many times"

warning: variable has embedded blanks
    
```

c2_ab_B **B :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,386/1,506

tabulation:  Freq.  Value
             1,386 ""
             119 "day"
              1  "week"
    
```

c2_ac_B **B :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,2.5] units: .1
unique values: 4 missing .: 1,386/1,506
    
```

```

tabulation:  Freq.  Value
              105    0
              12    1
               2   1.5
               1   2.5
            1,386  .
      mean:    .145833
    std. dev: .411983

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c2_ad_B **B : Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,30]
unique values: 15
units: .1
missing .. 1,386/1,506

tabulation:  Freq.  Value
              15    0
               1    2
               3   2.5
               3    3
               1   3.5
               2    4
               3   4.5
              15    5
               9   7.5
              30   10
               6   15
               4   20
               1  22.5
               4   25
              23   30
            1,386  .
      mean:    12.2375
    std. dev: 10.3394

percentiles:    10%    25%    50%    75%    90%
                0      5     10     20     30
    
```

c2_ba_B **B : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c2_ba
range: [1,13]
unique values: 6
units: 1
missing .. 1,386/1,506

tabulation:  Freq.  Numeric  Label
              11      1  father
              25      3  mother
              63      5  grandparents
               4      7  uncle/aunt
               8      9  brother/sister/cousin
               9     13  other household member
            1,386  .
    
```

c2_bb_B **B : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb
    
```

range: [1,13] units: 1
 unique values: 6 missing : 1,451/1,506

tabulation:	Freq.	Numeric	Label
	1	1	father
	8	3	mother
	17	5	grandparents
	3	7	uncle/aunt
	25	9	brother/sister/cousin
	1	13	other household member
	1,451	.	

c2_bc_B **B : Relationship-with-the-child doing activity (person 3)**

type: numeric (byte)
 label: c2_bc

range: [1,9] units: 1
 unique values: 4 missing : 1,490/1,506

tabulation:	Freq.	Numeric	Label
	1	1	father
	5	5	grandparents
	1	7	uncle/aunt
	9	9	brother/sister/cousin
	1,490	.	

c2_ba_gen_B **Gender code (person 1)**

type: numeric (byte)
 label: c2_ba_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,386/1,506

tabulation:	Freq.	Numeric	Label
	40	1	male
	80	3	female
	1,386	.	

c2_bb_gen_B **Gender code (person 2)**

type: numeric (byte)
 label: c2_bb_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,451/1,506

tabulation:	Freq.	Numeric	Label
	18	1	male
	37	3	female
	1,451	.	

c2_bc_gen_B **Gender code (person 3)**

type: numeric (byte)
 label: c2_bc_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,490/1,506

```

tabulation:  Freq.  Numeric  Label
              10      1  male
              6       3  female
            1,490      .
    
```

c3_code_B **B : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]                units: 1
unique values: 2            missing .: 0/1,506
unique missing codes: 2    missing *: 827/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              136    3  at least once a month
              543    5  at least once a week
              826    .b
              1     .c
    
```

c3_hr_B **B : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,4]                units: 1
unique values: 5            missing .: 963/1,506
    
```

```

tabulation:  Freq.  Value
              454    0
              73    1
              12    2
               3    3
               1    4
              963    .
    
```

```

mean: .202578
std. dev: .511341
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

c3_min_B **B : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,56]              units: 1
unique values: 31          missing .: 963/1,506
    
```

```

tabulation:  Freq.  Value
              40    0
               2    1
               6    2
              19    3
              12    4
              50    5
              12    6
               8    7
              35    8
               6    9
              74   10
              13   11
               2   12
               8   13
               2   14
              63   15
               3   16
               7   18
    
```

```

          9 19
         34 20
          7 23
          6 25
         75 30
          1 31
          1 33
         10 35
          6 38
         13 40
         12 45
          6 50
          1 56
         963 .
    mean: 15.5783
  std. dev: 12.121

percentiles:      10%      25%      50%      75%      90%
                  3         6        11        23        30

```

c3_aa_B **B :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str3
unique values: 9          missing "": 962/1,506

tabulation: Freq. Value
            962 ""
            159 "1"
             67 "1.5"
            129 "2"
             62 "2.5"
             77 "3"
             21 "3.5"
             15 "4"
              9 "4.5"
              5 "5"

```

c3_ab_B **B :Monday-Friday How many times per units (Monday - Sunday)**

```

    type: string (str22), but longest is str5
unique values: 2          missing "": 963/1,506

tabulation: Freq. Value
            963 ""
              1 "month"
            542 "week"

```

c3_ac_B **B :Monday-Friday How many times per hours (Monday - Sunday)**

```

    type: numeric (double)
    range: [0,1.5]          units: .1
unique values: 3          missing .: 963/1,506

tabulation: Freq. Value
            525 0
             17 1
              1 1.5
            963 .
    mean: .03407
  std. dev: .185348

```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c3_ad_B B : Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)
 range: [1,40] units: .1
 unique values: 22 missing .: 980/1,506

tabulation: Freq. Value
 2 1
 4 1.5
 12 2
 29 2.5
 18 3
 6 3.5
 5 4
 23 4.5
 108 5
 3 5.5
 2 6.5
 32 7.5
 123 10
 5 12.5
 34 15
 4 17.5
 36 20
 1 22.5
 4 25
 69 30
 3 35
 3 40
 980 .
 mean: 11.6397
 std. dev: 9.19316

percentiles: 10% 25% 50% 75% 90%
 3 5 10 15 30

c3_ba_B B : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c3_ba
 range: [1,13] units: 1
 unique values: 7 missing .: 827/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Numeric Label
 54 1 father
 146 3 mother
 402 5 grandparents
 19 7 uncle/aunt
 30 9 brother/sister/cousin
 6 11 outside-household-person
 21 13 other household member
 827 .
 1 .b

c3_bb_B B : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c3_bb

range: [1,13] units: 1
 unique values: 7 missing : 1,217/1,506

tabulation:	Freq.	Numeric	Label
	12	1	father
	32	3	mother
	82	5	grandparents
	5	7	uncle/aunt
	150	9	brother/sister/cousin
	6	11	outside-household-person
	2	13	other household member
	1,217	.	

c3_bc_B B : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
 label: c3_bc

range: [1,13] units: 1
 unique values: 6 missing : 1,439/1,506

tabulation:	Freq.	Numeric	Label
	1	1	father
	2	3	mother
	6	5	grandparents
	56	9	brother/sister/cousin
	1	11	outside-household-person
	1	13	other household member
	1,439	.	

c3_ba_gen_B Gender code (person 1)

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing : 828/1,506

tabulation:	Freq.	Numeric	Label
	189	1	male
	489	3	female
	828	.	

c3_bb_gen_B Gender code (person 2)

type: numeric (byte)
 label: c3_bb_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,217/1,506

tabulation:	Freq.	Numeric	Label
	111	1	male
	178	3	female
	1,217	.	

c3_bc_gen_B Gender code (person 3)

type: numeric (byte)
 label: c3_bc_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,438/1,506

```

tabulation:  Freq.  Numeric  Label
              30      1  male
              38      3  female
            1,438      .
    
```

activity_C **Running outside the house (not display)**

```

type:  string (str147), but longest is str0
unique values:  0                               missing "":  1,506/1,506
tabulation:  Freq.  Value
            1,506  ""
    
```

detail_C **C: detail**

```

type:  string (str238), but longest is str0
unique values:  0                               missing "":  1,506/1,506
tabulation:  Freq.  Value
            1,506  ""
    
```

c1_code_C **C : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  c1_code

range:  [0,9]                               units:  1
unique values:  4                           missing .:  0/1,506
unique missing codes:  1                    missing *:  237/1,506

tabulation:  Freq.  Numeric  Label
            236      0  never
              3      5  at least once a week
             695      7  once a day
            335      9  more than once a day
            237      .c
    
```

c1_hr_C **C : Hours per week (Monday - Friday)**

```

type:  numeric (float)

range:  [0,33]                               units:  1
unique values:  23                           missing .:  473/1,506
unique missing codes:  2                    missing *:  1/1,506

tabulation:  Freq.  Value
            43      0
            50      1
           160      2
            15      3
             8      4
           343      5
            22      6
           106      7
             8      8
           132     10
             4     11
            59     12
             1     13
            36     15
            16     17
             1     18
    
```

```

          7 20
         10 22
          5 25
          1 27
          1 30
          1 31
          3 33
         473 .
          1 .c
    mean:   6.47965
  std. dev: 4.89616

percentiles:    10%    25%    50%    75%    90%
                2      3      5      10     12
    
```

c1_min_C **C : Minutes per week (Monday - Friday)**

```

    type: numeric (float)
    range: [0,56]
  unique values: 28
unique missing codes: 2
                    units: 1
                    missing .: 473/1,506
                    missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              528    0
               1    1
               1    2
               2    3
              15    5
               5    8
               4   10
               1   11
               2   13
              43   15
               3   18
               1   19
               2   20
               1   21
               6   23
               6   25
               1   28
             327   30
               1   31
               1   34
               1   36
               5   38
              23   40
              20   45
              18   50
               6   53
               6   55
               2   56
             473   .
               1   .c
    mean:   14.4157
  std. dev: 16.3491
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0     30     30
    
```

c1_aa_C **C :Monday-Friday How many times (Monday - Friday)**

```

    type: string (str27), but longest is str18
  unique values: 16
unique missing codes: 2
                    missing "": 473/1,506
                    missing *: 2/1,506
    
```



```

tabulation:  Freq.  Value
              607   0
              1    1
              2   1.5
              7   2.5
              3    3
              2   3.5
              3   4.5
             10    5
             16   7.5
             28   10
             29   15
              3  17.5
             23   20
              9   25
            274   30
              3   35
              1   40
             11   45
             474  .
    mean:    10.2069
    std. dev: 13.6826

percentiles:  10%    25%    50%    75%    90%
              0      0      0      30     30

```

c1_ba_C **C : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c1_ba

range: [1,13]                units: 1
unique values: 7              missing .: 473/1,506
unique missing codes: 2      missing *: 19/1,506

```

```

tabulation:  Freq.  Numeric  Label
              10     1   father
              25     3   mother
             111     5  grandparents
              15     7  uncle/aunt
             250     9  brother/sister/cousin
             595    11  outside-household-person
               8    13  other household member
             473     .
              19     .b

```

c1_bb_C **C : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb

range: [1,13]                units: 1
unique values: 7              missing .: 632/1,506
unique missing codes: 2      missing *: 1/1,506

```

```

tabulation:  Freq.  Numeric  Label
              3      1   father
              5      3   mother
             35      5  grandparents
             15      7  uncle/aunt
            152      9  brother/sister/cousin
             659    11  outside-household-person
               4    13  other household member
             632     .
               1     .b

```

c1_bc_C **C : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c1_bc

range: [3,13]          units: 1
unique values: 6      missing .. 925/1,506

tabulation: Freq.  Numeric  Label
              6          3  mother
              11         5  grandparents
              8          7  uncle/aunt
              101        9  brother/sister/cousin
              454        11  outside-household-person
              1          13  other household member
              925         .
    
```

c1_ba_gen_C **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .. 492/1,506

tabulation: Freq.  Numeric  Label
              475        1  male
              539        3  female
              492         .
    
```

c1_bb_gen_C **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .. 632/1,506

tabulation: Freq.  Numeric  Label
              391        1  male
              483        3  female
              632         .
    
```

c1_bc_gen_C **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .. 926/1,506

tabulation: Freq.  Numeric  Label
              265        1  male
              315        3  female
              926         .
    
```

c2_code_C **C : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code
    
```

```

        range: [0,9]                units: 1
    unique values: 4                missing .: 0/1,506
    unique missing codes: 1        missing *: 239/1,506

    tabulation:  Freq.  Numeric  Label
                 263      0      never
                 3       5      at least once a week
                 449      7      once a day
                 552      9      more than once a day
                 239      .c
    
```

c2_hr_C **C : Hours per week (Saturday - Sunday)**

```

        type: numeric (float)

        range: [0,24]                units: 1
    unique values: 22                missing .: 502/1,506
    unique missing codes: 2        missing *: 1/1,506

    tabulation:  Freq.  Value
                 81     0
                 116    1
                 247    2
                 88     3
                 136    4
                 68     5
                 79     6
                 44     7
                 31     8
                 24     9
                 34    10
                 8     11
                 18    12
                 2     13
                 4     14
                 4     15
                 9     16
                 1     17
                 5     18
                 1     20
                 2     22
                 1     24
                 502   .
                 1     .c
    mean: 4.11665
    std. dev: 3.57991

    percentiles:      10%      25%      50%      75%      90%
                   1         2         3         6         9
    
```

c2_min_C **C : Minutes per week (Saturday - Sunday)**

```

        type: numeric (float)

        range: [0,55]                units: 1
    unique values: 22                missing .: 502/1,506
    unique missing codes: 2        missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              839    0
              1     2
              2     5
              1     6
              1     7
              2     8
              1     9
              9    10
              1    12
              1    13
              9    15
             15    20
              2    23
              3    25
             67    30
              1    35
              2    38
             22    40
             12    45
              7    50
              1    53
              4    55
             502   .
              1   .c
    mean:     4.87039
    std. dev: 12.0316

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30
    
```

c2_aa_C **C :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str18
unique values: 15
unique missing codes: 2
missing "": 502/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
             502   ""
            451  "1"
             21  "1.5"
              1  "10"
            124  "2"
             76  "2.5"
             25  "3"
             25  "3.5"
              4  "4"
             10  "4.5"
              3  "5"
              4  "5.5"
              1  "DK"
            252  "many times"
              6  "more than 1 time"
              1  "more than 10 times"
    
```

warning: variable has embedded blanks

c2_ab_C **C :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 3
missing "": 504/1,506
    
```



```

tabulation:  Freq.  Value
              504  ""
              998  "day"
               1  "time"
               3  "week"
    
```

c2_ac_C **C :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,12]                    units: .1
unique values: 18                missing .: 503/1,506

tabulation:  Freq.  Value
              274  0
              329  1
               48  1.5
              124  2
               32  2.5
               80  3
               15  3.5
               33  4
               10  4.5
               29  5
                4  5.5
                8  6
                4  7
                6  8
                4  9
                1  10
                1  11
                1  12
              503  .
mean:        1.55384
std. dev:    1.65623

percentiles:            10%        25%        50%        75%        90%
                   0            0            1            2            4
    
```

c2_ad_C **C :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45]                    units: .1
unique values: 17                missing .: 502/1,506

tabulation:  Freq.  Value
              644  0
                2  1.5
                6  2.5
                2  3
                1  3.5
                2  4.5
                9  5
               17  7.5
               24  10
               22  15
                1  17.5
               19  20
                9  25
              227  30
                2  35
                2  40
               15  45
              502  .
mean:        9.0005
std. dev:    13.4397
    
```

percentiles: 10% 25% 50% 75% 90%
0 0 0 25 30

c2_ba_C C : Relationship-with-the-child doing activity (person 1)

type: numeric (**byte**)
label: **c2_ba**

range: [1,13] units: 1
unique values: 7 missing .: 502/1,506
unique missing codes: 2 missing *: 20/1,506

tabulation:	Freq.	Numeric	Label
	11	1	father
	24	3	mother
	110	5	grandparents
	14	7	uncle/aunt
	232	9	brother/sister/cousin
	585	11	outside-household-person
	8	13	other household member
	502	.	.
	20	.b	.b

c2_bb_C C : Relationship-with-the-child doing activity (person 2)

type: numeric (**byte**)
label: **c2_bb**

range: [1,13] units: 1
unique values: 7 missing .: 652/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation:	Freq.	Numeric	Label
	4	1	father
	7	3	mother
	35	5	grandparents
	14	7	uncle/aunt
	152	9	brother/sister/cousin
	637	11	outside-household-person
	4	13	other household member
	652	.	.
	1	.b	.b

c2_bc_C C : Relationship-with-the-child doing activity (person 3)

type: numeric (**byte**)
label: **c2_bc**

range: [3,13] units: 1
unique values: 6 missing .: 954/1,506

tabulation:	Freq.	Numeric	Label
	6	3	mother
	12	5	grandparents
	6	7	uncle/aunt
	94	9	brother/sister/cousin
	433	11	outside-household-person
	1	13	other household member
	954	.	.

c2_ba_gen_C Gender code (person 1)

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 522/1,506

tabulation: Freq.  Numeric  Label
              453      1  male
              531      3  female
              522      .
    
```

c2_bb_gen_C **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 653/1,506

tabulation: Freq.  Numeric  Label
              383      1  male
              470      3  female
              653      .
    
```

c2_bc_gen_C **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 954/1,506

tabulation: Freq.  Numeric  Label
              250      1  male
              302      3  female
              954      .
    
```

c3_code_C **C : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 0/1,506
missing *: 1,270/1,506

tabulation: Freq.  Numeric  Label
              8      3  at least once a month
              228     5  at least once a week
             1,268    .b
              2      .c
    
```

c3_hr_C **C : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,20]
unique values: 17
units: 1
missing ..: 1,278/1,506
    
```

```

tabulation:  Freq.  Value
              43    0
              76    1
              33    2
              29    3
               8    4
              15    5
               9    6
               2    7
               2    8
               1    9
               1   10
               4   12
               1   15
               1   16
               1   17
               1   18
               1   20
              1,278 .
    mean:      2.51316
  std. dev:    3.20583

percentiles:      10%      25%      50%      75%      90%
                  0         1         1         3         6
    
```

c3_min_C **C : Minutes per week (Monday - Sunday)**

```

    type:  numeric (float)
    range: [0,53]
unique values: 17
              units: 1
              missing.: 1,278/1,506

    tabulation:  Freq.  Value
                  90    0
                   2    3
                   2    8
                   2   10
                   2   13
                  35   15
                   3   20
                   1   22
                   3   25
                   1   26
                  60   30
                   1   35
                   1   38
                   6   40
                  14   45
                   2   50
                   3   53
                  1,278 .
    mean:      16.5702
  std. dev:    16.0173

percentiles:      10%      25%      50%      75%      90%
                  0         0         15         30         40
    
```

c3_aa_C **C :Monday-Friday How many times (Monday - Sunday)**

```

    type:  string (str6), but longest is str3
unique values: 11
              missing "": 1,278/1,506
    
```

```

tabulation: Freq. Value
            1,278 ""
             24 "1"
             18 "1.5"
             49 "2"
             47 "2.5"
              1 "2.9"
             43 "3"
             20 "3.5"
             11 "4"
              5 "4.5"
              9 "5"
              1 "6"
    
```

c3_ab_C **C :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1 missing "": 1,278/1,506
tabulation: Freq. Value
            1,278 ""
             228 "week"
    
```

c3_ac_C **C :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,9] units: .1
unique values: 10 missing .: 1,278/1,506
tabulation: Freq. Value
            116 0
             65 1
              9 1.5
             18 2
              7 2.5
              5 3
              3 3.5
              2 5
              2 8
              1 9
            1,278 .
mean: .844298
std. dev: 1.29251
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 2
    
```

c3_ad_C **C :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 12 missing .: 1,374/1,506
    
```

```

tabulation:  Freq.  Value
              2     0
              1     3
              4     5
              4    7.5
              9    10
              4    15
             16    20
              1   22.5
              2    25
             82    30
              1    35
              6    45
             1,374  .
    mean:     25.4583
    std. dev:  9.536

percentiles:          10%       25%       50%       75%       90%
                   10         20         30         30         30

```

c3_ba_C C : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c3_ba

range: [1,13]           units: 1
unique values: 7       missing .: 1,270/1,506
unique missing codes: 2 missing *: 5/1,506

```

```

tabulation:  Freq.  Numeric  Label
              9       1  father
             11       3  mother
             40       5  grandparents
              8       7  uncle/aunt
             55       9  brother/sister/cousin
             106      11  outside-household-person
              2       13  other household member
             1,270   .
              5       .b

```

c3_bb_C C : Relationship-with-the-child doing activity (person 2)

```

type: numeric (byte)
label: c3_bb

range: [1,11]           units: 1
unique values: 6       missing .: 1,329/1,506
unique missing codes: 2 missing *: 1/1,506

```

```

tabulation:  Freq.  Numeric  Label
              1       1  father
              4       3  mother
             12       5  grandparents
              6       7  uncle/aunt
             32       9  brother/sister/cousin
             121      11  outside-household-person
             1,329   .
              1       .b

```

c3_bc_C C : Relationship-with-the-child doing activity (person 3)

```

type: numeric (byte)
label: c3_bc

```

```

range: [5,11] units: 1
unique values: 4 missing : 1,406/1,506

tabulation: Freq. Numeric Label
              1         5 grandparents
              1         7 uncle/aunt
              14        9 brother/sister/cousin
              84       11 outside-household-person
1,406          .
    
```

c3_ba_gen_C **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3] units: 1
unique values: 2 missing : 1,275/1,506

tabulation: Freq. Numeric Label
              102        1 male
              129        3 female
1,275          .
    
```

c3_bb_gen_C **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3] units: 1
unique values: 2 missing : 1,330/1,506

tabulation: Freq. Numeric Label
              68         1 male
              108        3 female
1,330          .
    
```

c3_bc_gen_C **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3] units: 1
unique values: 2 missing : 1,406/1,506

tabulation: Freq. Numeric Label
              50         1 male
              50         3 female
1,406          .
    
```

activity_D **Playing sport, singing and dancing (not display)**

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
1,506      ""
    
```

detail_D **D: detail**

```

type: string (str238), but longest is str0
    
```

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""

c1_code_D **D : Frequency (Monday - Friday)**

type: numeric (**byte**)
label: **c1_code**
range: [0,9] units: 1
unique values: 4 missing .: 0/1,506
unique missing codes: 1 missing *: 544/1,506

tabulation:	Freq.	Numeric	Label
	216	0	never
	1	5	at least once a week
	388	7	once a day
	357	9	more than once a day
	544	.c	

c1_hr_D **D : Hours per week (Monday - Friday)**

type: numeric (**float**)
range: [0,20] units: 1
unique values: 14 missing .: 760/1,506
unique missing codes: 2 missing *: 4/1,506

tabulation:	Freq.	Value
	257	0
	112	1
	159	2
	21	3
	4	4
	123	5
	8	6
	20	7
	17	10
	2	11
	12	12
	4	15
	2	17
	1	20
	760	.
	4	.c

mean: 2.37466
std. dev: 3.00872

percentiles:	10%	25%	50%	75%	90%
	0	0	2	5	5

c1_min_D **D : Minutes per week (Monday - Friday)**

type: numeric (**float**)
range: [0,56] units: 1
unique values: 33 missing .: 760/1,506
unique missing codes: 2 missing *: 4/1,506


```

tabulation:  Freq.  Value
              143    0
               1    1
               1    2
              16    3
              21    5
               3    8
               1    9
              12   10
               7   11
              21   13
              53   15
               9   18
               4   19
              17   20
               1   21
              10   23
              61   25
               3   27
               4   28
             167   30
               8   31
              12   34
               4   35
               1   36
              32   38
               1   39
              35   40
               3   44
              15   45
              62   50
              10   53
               1   55
               3   56
             760   .
               4   .c
    mean:      23.124
std. dev:    16.2444

percentiles:  10%      25%      50%      75%      90%
              0         9        25       31       50
    
```

cl_aa_D **D :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str16
unique values: 14          missing "": 760/1,506
    
```

```

tabulation:  Freq.  Value
              760   ""
             389  "1"
               35  "1.5"
                1  "10"
               51  "2"
               72  "2.5"
               22  "3"
               14  "3.5"
                2  "4"
                8  "4.5"
                1  "5"
                2  "5.5"
                2  "6.5"
                1  "less than 1 time"
             146  "many times"
    
```

warning: variable has embedded blanks

c1_ab_D **D :Monday-Friday How many times per units (Monday - Friday)**

type: string (**str21**), but longest is str4
 unique values: 2 missing "": 760/1,506
 tabulation: Freq. Value
 760 ""
 744 "day"
 2 "week"

c1_ac_D **D :Monday-Friday How many times per hours (Monday - Friday)**

type: numeric (**double**)
 range: [0,3] units: .1
 unique values: 6 missing .: 760/1,506
 unique missing codes: 2 missing *: 2/1,506
 tabulation: Freq. Value
 578 0
 133 1
 6 1.5
 19 2
 5 2.5
 3 3
 760 .
 2 .c
 mean: .270833
 std. dev: .551734
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c1_ad_D **D :Monday-Friday How many times per minutes (Monday - Friday)**

type: numeric (**double**)
 range: [0,45] units: .1
 unique values: 23 missing .: 760/1,506
 unique missing codes: 2 missing *: 1/1,506
 tabulation: Freq. Value
 158 0
 3 1
 11 1.5
 16 2
 35 2.5
 13 3
 16 3.5
 4 4
 18 4.5
 90 5
 4 5.5
 1 6.5
 46 7.5
 1 9
 85 10
 27 15
 3 17.5
 39 20
 10 25
 159 30
 1 35
 3 40
 2 45

```

              760 .
              1 .c
    mean:     11.4309
    std. dev:  11.5532

    percentiles:    10%    25%    50%    75%    90%
                   0      2      7.5    20     30
    
```

c1_ba_D **D : Relationship-with-the-child doing activity (person 1)**

```

    type: numeric (byte)
    label: c1_ba

    range: [1,13]
    unique values: 7
    unique missing codes: 2

    units: 1
    missing .: 760/1,506
    missing *: 288/1,506
    
```

```

    tabulation:  Freq.  Numeric  Label
                 21      1  father
                 31      3  mother
                 44      5  grandparents
                 10      7  uncle/aunt
                 245     9  brother/sister/cousin
                 104     11  outside-household-person
                   3     13  other household member
                 760     .
                 288     .b
    
```

c1_bb_D **D : Relationship-with-the-child doing activity (person 2)**

```

    type: numeric (byte)
    label: c2_bb

    range: [1,13]
    unique values: 7
    unique missing codes: 2

    units: 1
    missing .: 1,172/1,506
    missing *: 13/1,506
    
```

```

    tabulation:  Freq.  Numeric  Label
                 10      1  father
                 20      3  mother
                 49      5  grandparents
                   7      7  uncle/aunt
                 106     9  brother/sister/cousin
                 127     11  outside-household-person
                   2     13  other household member
                1,172     .
                   13     .b
    
```

c1_bc_D **D : Relationship-with-the-child doing activity (person 3)**

```

    type: numeric (byte)
    label: c1_bc

    range: [1,13]
    unique values: 7
    unique missing codes: 2

    units: 1
    missing .: 1,356/1,506
    missing *: 3/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              3       1  father
              8       3  mother
             16       5  grandparents
              1       7  uncle/aunt
             35       9  brother/sister/cousin
             82      11  outside-household-person
              2      13  other household member
          1,356       .
              3       .b
    
```

c1_ba_gen_D **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,048/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              199     1  male
             259     3  female
          1,048     .
    
```

c1_bb_gen_D **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,185/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
             140     1  male
             181     3  female
          1,185     .
    
```

c1_bc_gen_D **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,359/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
             63     1  male
             84     3  female
          1,359     .
    
```

c2_code_D **D : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 1
units: 1
missing ..: 0/1,506
missing *: 544/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              203      0      never
              2        5      at least once a week
              376      7      once a day
              381      9      more than once a day
              544      .c
    
```

c2_hr_D

D : Hours per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,8]
unique values: 9
unique missing codes: 2
units: 1
missing .: 747/1,506
missing *: 4/1,506
    
```

```

tabulation:  Freq.  Value
              395      0
              156      1
              131      2
               20      3
               26      4
               15      5
                6      6
                4      7
                2      8
              747      .
                4      .c
mean: .976159
std. dev: 1.39703
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        2        2
    
```

c2_min_D

D : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,57]
unique values: 32
unique missing codes: 2
units: 1
missing .: 747/1,506
missing *: 4/1,506
    
```

```

tabulation:  Freq.  Value
              321      0
                1      2
                3      3
                9      4
               24      5
                9      6
                8      7
               10      8
                7      9
               62     10
                1     11
                1     12
                8     13
                8     14
               30     15
                9     18
               73     20
                1     21
                3     23
               18     25
                2     27
                2     28
               54     30
                1     33
                7     35
                8     38
    
```

```

                40 40
                8 45
               20 50
                4 53
                2 55
                1 57
               747 .
                4 .c
    mean:       12.6384
    std. dev:   14.8917

percentiles:   10%        25%        50%        75%        90%
                0          0          8          20         38
    
```

c2_aa_D D :Monday-Friday How many times (Saturday - Sunday)

```

    type: string (str30), but longest is str16
    unique values: 14          missing "": 747/1,506

    tabulation:  Freq. Value
                 747 ""
                 378 "1"
                   36 "1.5"
                    1 "10"
                   58 "2"
                   74 "2.5"
                   23 "3"
                   16 "3.5"
                    2 "4"
                    9 "4.5"
                    1 "5"
                    2 "5.5"
                    2 "6.5"
                    1 "less than 1 time"
                   156 "many times"

    warning: variable has embedded blanks
    
```

c2_ab_D D :Monday-Friday How many times per units (Saturday - Sunday)

```

    type: string (str21), but longest is str4
    unique values: 2          missing "": 747/1,506

    tabulation:  Freq. Value
                 747 ""
                 756 "day"
                    3 "week"
    
```

c2_ac_D D :Monday-Friday How many times per hours (Saturday - Sunday)

```

    type: numeric (double)

    range: [0,4]          units: .1
    unique values: 8      missing .: 747/1,506
    unique missing codes: 2  missing *: 2/1,506
    
```

```

tabulation:  Freq.  Value
              579    0
              133    1
               6   1.5
              26    2
               5   2.5
               6    3
               1   3.5
               1    4
             747    .
               2   .c
    mean:     .306473
  std. dev:   .62244

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
  
```

c2_ad_D **D :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45]           units: .1
unique values: 23       missing .: 747/1,506
unique missing codes: 2 missing *: 1/1,506
  
```

```

tabulation:  Freq.  Value
              170    0
               3    1
              11   1.5
              16    2
              36   2.5
              13    3
              16   3.5
               4    4
              17   4.5
              90    5
               2   5.5
               1   6.5
              45   7.5
               1    9
              87   10
              29   15
               3  17.5
              41   20
              12   25
             156   30
               1   35
               3   40
               1   45
             747    .
               1   .c
    mean:     11.2144
  std. dev:   11.4456

percentiles:    10%    25%    50%    75%    90%
                0      2      7     20     30
  
```

c2_ba_D **D : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c2_ba
range: [1,13]           units: 1
unique values: 7       missing .: 747/1,506
unique missing codes: 2 missing *: 288/1,506
  
```

tabulation:	Freq.	Numeric	Label
	21	1	father
	31	3	mother
	44	5	grandparents
	12	7	uncle/aunt
	253	9	brother/sister/cousin
	107	11	outside-household-person
	3	13	other household member
	747	.	
	288	.b	

c2_bb_D **D : Relationship-with-the-child doing activity (person 2)**

type: numeric (byte)
 label: **c2_bb**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,161/1,506
 unique missing codes: 2 missing *: 13/1,506

tabulation:	Freq.	Numeric	Label
	10	1	father
	21	3	mother
	48	5	grandparents
	7	7	uncle/aunt
	109	9	brother/sister/cousin
	135	11	outside-household-person
	2	13	other household member
	1,161	.	
	13	.b	

c2_bc_D **D : Relationship-with-the-child doing activity (person 3)**

type: numeric (byte)
 label: **c2_bc**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,350/1,506
 unique missing codes: 2 missing *: 3/1,506

tabulation:	Freq.	Numeric	Label
	3	1	father
	8	3	mother
	16	5	grandparents
	1	7	uncle/aunt
	35	9	brother/sister/cousin
	88	11	outside-household-person
	2	13	other household member
	1,350	.	
	3	.b	

c2_ba_gen_D **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,035/1,506

tabulation:	Freq.	Numeric	Label
	208	1	male
	263	3	female
	1,035	.	

c2_bb_gen_D **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,174/1,506

tabulation: Freq.  Numeric  Label
              146      1  male
              186      3  female
              1,174      .
    
```

c2_bc_gen_D **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,354/1,506

tabulation: Freq.  Numeric  Label
              67      1  male
              85      3  female
              1,354      .
    
```

c3_code_D **D : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,506
missing *: 963/1,506

tabulation: Freq.  Numeric  Label
              2      1  less than once a month
              27     3  at least once a month
              514     5  at least once a week
              960     .b
              3      .c
    
```

c3_hr_D **D : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,9]
unique values: 9
unique missing codes: 2
units: 1
missing ..: 993/1,506
missing *: 1/1,506

tabulation: Freq.  Value
              334  0
              99  1
              36  2
              25  3
               4  4
               4  5
               2  6
               7  7
               1  9
              993  .
               1  .c
mean: .6875
std. dev: 1.31676
    
```



```

tabulation: Freq. Value
             992 ""
             66 "1"
             62 "1.5"
             98 "2"
              1 "2.3"
            103 "2.5"
             72 "3"
             51 "3.5"
             31 "4"
             15 "4.5"
             15 "5"
    
```

c3_ab_D **D :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1                                missing "": 992/1,506
tabulation: Freq. Value
             992 ""
             514 "week"
    
```

c3_ac_D **D :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,2.5]                                units: .1
unique values: 5                              missing .: 992/1,506
unique missing codes: 2                      missing *: 1/1,506
tabulation: Freq. Value
             437 0
             63 1
              3 1.5
              7 2
              3 2.5
            992 .
              1 .c
mean: .173489
std. dev: .444277
percentiles:            10%            25%            50%            75%            90%
                   0            0            0            0            1
    
```

c3_ad_D **D :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [0,50]                                units: .01
unique values: 25                            missing .: 1,060/1,506
unique missing codes: 2                      missing *: 1/1,506
tabulation: Freq. Value
              2 0
              8 1
              4 1.5
             10 2
             20 2.5
             22 3
             11 3.5
              1 4
             15 4.5
             65 5
              5 5.5
              1 6
    
```

```

                22  7.5
                1   9
                75  10
                 5 12.5
                22  15
                 1 17.5
                39  20
                 4  25
                 1 26.25
               102  30
                 1  35
                 7  45
                 1  50
              1,060 .
                 1 .c
            mean:  14.1994
           std. dev: 11.2575

percentiles:      10%      25%      50%      75%      90%
                  3         5         10       26.25      30
    
```

c3_ba_D **D : Relationship-with-the-child doing activity (person 1)**

```

            type: numeric (byte)
            label: c3_ba

            range: [1,13]                    units: 1
            unique values: 7                missing .: 963/1,506
            unique missing codes: 2         missing *: 143/1,506
    
```

```

tabulation: Freq.  Numeric  Label
              18      1  father
              34      3  mother
              27      5  grandparents
               5      7  uncle/aunt
             196      9  brother/sister/cousin
             117     11  outside-household-person
               3     13  other household member
             963      .
             143     .b
    
```

c3_bb_D **D : Relationship-with-the-child doing activity (person 2)**

```

            type: numeric (byte)
            label: c3_bb

            range: [1,13]                    units: 1
            unique values: 7                missing .: 1,237/1,506
            unique missing codes: 2         missing *: 8/1,506
    
```

```

tabulation: Freq.  Numeric  Label
              2      1  father
             16      3  mother
             14      5  grandparents
               9      7  uncle/aunt
             97      9  brother/sister/cousin
             119     11  outside-household-person
               4     13  other household member
            1,237      .
               8     .b
    
```

c3_bc_D **D : Relationship-with-the-child doing activity (person 3)**

```

            type: numeric (byte)
            label: c3_bc
    
```

range: [1,11] units: 1
 unique values: 5 missing .: 1,375/1,506
 unique missing codes: 2 missing *: 2/1,506

tabulation:	Freq.	Numeric	Label
	1	1	father
	4	3	mother
	4	5	grandparents
	33	9	brother/sister/cousin
	87	11	outside-household-person
	1,375	.	
	2	.b	

c3_ba_gen_D Gender code (person 1)

type: numeric (byte)
 label: c3_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,106/1,506

tabulation:	Freq.	Numeric	Label
	189	1	male
	211	3	female
	1,106	.	

c3_bb_gen_D Gender code (person 2)

type: numeric (byte)
 label: c3_bb_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,245/1,506

tabulation:	Freq.	Numeric	Label
	118	1	male
	143	3	female
	1,245	.	

c3_bc_gen_D Gender code (person 3)

type: numeric (byte)
 label: c3_bc_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,377/1,506

tabulation:	Freq.	Numeric	Label
	61	1	male
	68	3	female
	1,377	.	

activity_E Playing a role play, selling things, playing Robot and car (not display)

type: string (str147), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation:	Freq.	Value
	1,506	" "

detail_E **E: detail**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

c1_code_E **E : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,506
 unique missing codes: 2 missing *: 407/1,506
 tabulation: Freq. Numeric Label
 115 0 never
 3 5 at least once a week
 579 7 once a day
 402 9 more than once a day
 1 .a
 406 .c

c1_hr_E **E : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,42] units: 1
 unique values: 20 missing .: 522/1,506
 unique missing codes: 2 missing *: 2/1,506
 tabulation: Freq. Value
 106 0
 86 1
 234 2
 30 3
 18 4
 282 5
 16 6
 59 7
 9 8
 1 9
 61 10
 4 11
 35 12
 17 15
 6 17
 6 20
 5 22
 4 25
 1 31
 2 42
 522 .
 2 .c
 mean: 4.67617
 std. dev: 4.54595
 percentiles: 10% 25% 50% 75% 90%
 0 2 5 5 10

c1_min_E **E : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,56]
unique values: 25
unique missing codes: 2
units: 1
missing .: 522/1,506
missing *: 2/1,506
    
```

```

tabulation: Freq. Value
             367  0
              6  3
             21  5
              6  8
             18 10
             11 13
             58 15
              1 18
              3 19
             11 20
             13 23
             17 25
              1 26
              2 28
            315 30
              6 34
              3 35
             11 38
             30 40
              1 44
             25 45
             47 50
              5 53
              3 55
              1 56
            522 .
              2 .c
mean:      18.1741
std. dev:  16.6875

percentiles:      10%      25%      50%      75%      90%
                  0        0       19.5      30       40
    
```

c1_aa_E **E :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str16
unique values: 10
missing "": 522/1,506
    
```

```

tabulation: Freq. Value
            522 ""
            578 "1"
             36 "1.5"
            113 "2"
             72 "2.5"
             24 "3"
             22 "3.5"
              3 "4.5"
              3 "5.5"
            131 "many times"
              2 "more than 1 time"
    
```

warning: variable has embedded blanks

c1_ab_E **E :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 3 missing "": 522/1,506
tabulation: Freq. Value
              522 ""
              977 "day"
                1 "time"
                6 "week"
    
```

cl_ac_E E :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,5] units: .1
unique values: 9 missing .: 522/1,506
unique missing codes: 2 missing *: 2/1,506
tabulation: Freq. Value
              558 0
              324 1
               19 1.5
               47 2
               10 2.5
               11 3
                2 3.5
                8 4
                3 5
              522 .
                2 .c
mean: .568737
std. dev: .798897
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1.5
    
```

cl_ad_E E :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (double)
range: [0,50] units: .1
unique values: 22 missing .: 522/1,506
unique missing codes: 2 missing *: 2/1,506
tabulation: Freq. Value
              385 0
                6 1.5
                6 2
               14 2.5
                2 3
                2 3.5
                1 4
                7 4.5
               24 5
                4 5.5
               25 7.5
               56 10
               48 15
               55 20
                1 24
               15 25
                1 26
              315 30
                3 35
                1 40
                9 45
                2 50
              522 .
    
```



```

                2 .c
    mean:      13.5835
    std. dev:  13.6316

    percentiles:  10%    25%    50%    75%    90%
                  0      0      10     30     30

```

c1_ba_E **E : Relationship-with-the-child doing activity (person 1)**

```

    type: numeric (byte)
    label: c1_ba

    range: [1,13]                      units: 1
    unique values: 7                      missing .: 522/1,506
    unique missing codes: 2                missing *: 418/1,506

```

```

    tabulation: Freq.    Numeric    Label
                 2          1    father
                 9          3    mother
                 20         5    grandparents
                 4          7    uncle/aunt
                 332         9    brother/sister/cousin
                 195        11    outside-household-person
                 4          13    other household member
                 522         .
                 418         .b

```

c1_bb_E **E : Relationship-with-the-child doing activity (person 2)**

```

    type: numeric (byte)
    label: c2_bb

    range: [1,11]                      units: 1
    unique values: 6                      missing .: 1,020/1,506
    unique missing codes: 2                missing *: 31/1,506

```

```

    tabulation: Freq.    Numeric    Label
                 2          1    father
                 9          3    mother
                 28         5    grandparents
                 2          7    uncle/aunt
                 149         9    brother/sister/cousin
                 265        11    outside-household-person
                 1,020         .
                 31          .b

```

c1_bc_E **E : Relationship-with-the-child doing activity (person 3)**

```

    type: numeric (byte)
    label: c1_bc

    range: [1,11]                      units: 1
    unique values: 6                      missing .: 1,274/1,506
    unique missing codes: 2                missing *: 9/1,506

```

```

    tabulation: Freq.    Numeric    Label
                 3          1    father
                 2          3    mother
                 8          5    grandparents
                 4          7    uncle/aunt
                 47         9    brother/sister/cousin
                 159        11    outside-household-person
                 1,274         .
                 9          .b

```

c1_ba_gen_E **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 938/1,506

tabulation: Freq.  Numeric  Label
              268      1  male
              300      3  female
              938      .
    
```

c1_bb_gen_E **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,050/1,506

tabulation: Freq.  Numeric  Label
              232      1  male
              224      3  female
             1,050      .
    
```

c1_bc_gen_E **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,283/1,506

tabulation: Freq.  Numeric  Label
              102      1  male
              121      3  female
             1,283      .
    
```

c2_code_E **E : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 2
units: 1
missing ..: 0/1,506
missing *: 407/1,506

tabulation: Freq.  Numeric  Label
              68      0  never
              3       5  at least once a week
             518      7  once a day
             510      9  more than once a day
              1       .a
             406      .c
    
```

c2_hr_E **E : Hours per week (Saturday - Sunday)**

```

type: numeric (float)
    
```

range: [0,20] units: 1
 unique values: 14 missing .: 475/1,506
 unique missing codes: 2 missing *: 2/1,506

tabulation: Freq. Value
 192 0
 258 1
 294 2
 69 3
 93 4
 47 5
 38 6
 10 7
 7 8
 6 9
 6 10
 5 12
 2 16
 2 20
 475 .
 2 .c

mean: 2.19631
 std. dev: 2.24439

percentiles: 10% 25% 50% 75% 90%
 0 1 2 3 5

c2_min_E

E : Minutes per week (Saturday - Sunday)

type: numeric (float)

range: [0,50] units: 1
 unique values: 24 missing .: 475/1,506
 unique missing codes: 2 missing *: 2/1,506

tabulation: Freq. Value
 740 0
 1 2
 1 3
 4 4
 10 5
 1 6
 3 8
 6 9
 18 10
 2 11
 2 12
 1 13
 20 15
 1 18
 52 20
 1 21
 1 23
 5 25
 79 30
 2 33
 7 38
 45 40
 8 45
 19 50
 475 .
 2 .c

mean: 7.51506
 std. dev: 13.7456

percentiles: 10% 25% 50% 75% 90%
 0 0 0 10 30

c2_aa_E **E :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str16
unique values: 11 missing "": 476/1,506
tabulation: Freq. Value
              476 ""
              517 "1"
               40 "1.5"
              143 "2"
               78 "2.5"
               34 "3"
               22 "3.5"
                1 "4"
                6 "4.5"
                4 "5.5"
              183 "many times"
                2 "more than 1 time"
warning: variable has embedded blanks
    
```

c2_ab_E **E :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 3 missing "": 477/1,506
tabulation: Freq. Value
              477 ""
            1,021 "day"
                 1 "time"
                 7 "week"
    
```

c2_ac_E **E :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,10] units: .1
unique values: 12 missing .: 475/1,506
unique missing codes: 2 missing *: 2/1,506
tabulation: Freq. Value
              545 0
              334 1
               26 1.5
               65 2
               17 2.5
               23 3
                3 3.5
                6 4
                5 5
                1 6
                2 8
                2 10
              475 .
                2 .c
mean: .695821
std. dev: 1.02938
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 2
    
```

c2_ad_E **E : Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,50]
unique values: 24
unique missing codes: 2
units: .01
missing .: 475/1,506
missing *: 2/1,506

tabulation:
  Freq. Value
    441  0
     4  1.5
     5  2
    13  2.5
     2  3
     1  3.5
     1  4
     7  4.5
    25  5
     4  5.5
    24  7.5
    51  10
    47  15
     2 17.14
    56  20
     1  24
    13  25
     1  26
   314  30
     2  35
     1  40
    11  45
     1  48
     2  50
    475  .
     2  .c
mean: 12.9619
std. dev: 13.7296

percentiles:      10%      25%      50%      75%      90%
                  0         0         7.5       30       30
  
```

c2_ba_E **E : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c2_ba
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 475/1,506
missing *: 417/1,506

tabulation:
  Freq. Numeric Label
     2      1 father
     9      3 mother
    20      5 grandparents
     4      7 uncle/aunt
   362      9 brother/sister/cousin
   213     11 outside-household-person
     4     13 other household member
   475      .
   417     .b
  
```

c2_bb_E **E : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb
  
```

range: [1,11] units: 1
 unique values: 6 missing .: 993/1,506
 unique missing codes: 2 missing *: 31/1,506

tabulation:	Freq.	Numeric	Label
	2	1	father
	9	3	mother
	26	5	grandparents
	2	7	uncle/aunt
	155	9	brother/sister/cousin
	288	11	outside-household-person
	993	.	.
	31	.b	.b

c2_bc_E E : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
 label: c2_bc
 range: [1,11] units: 1
 unique values: 6 missing .: 1,257/1,506
 unique missing codes: 2 missing *: 10/1,506

tabulation:	Freq.	Numeric	Label
	3	1	father
	2	3	mother
	8	5	grandparents
	4	7	uncle/aunt
	50	9	brother/sister/cousin
	172	11	outside-household-person
	1,257	.	.
	10	.b	.b

c2_ba_gen_E Gender code (person 1)

type: numeric (byte)
 label: c2_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 890/1,506

tabulation:	Freq.	Numeric	Label
	279	1	male
	337	3	female
	890	.	.

c2_bb_gen_E Gender code (person 2)

type: numeric (byte)
 label: c2_bb_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,023/1,506

tabulation:	Freq.	Numeric	Label
	237	1	male
	246	3	female
	1,023	.	.

c2_bc_gen_E Gender code (person 3)

type: numeric (byte)
 label: c2_bc_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,267/1,506

tabulation:	Freq.	Numeric	Label
	109	1	male
	130	3	female
	1,267	.	

c3_code_E **E : Frequency (Monday - Sunday)**

type: numeric (**byte**)
 label: **c3_code**

range: [3,5] units: 1
 unique values: 2 missing .: 0/1,506
 unique missing codes: 3 missing *: 1,101/1,506

tabulation:	Freq.	Numeric	Label
	11	3	at least once a month
	394	5	at least once a week
	1	.a	
	1,099	.b	
	1	.c	

c3_hr_E **E : Hours per week (Monday - Sunday)**

type: numeric (**float**)

range: [0,9] units: 1
 unique values: 9 missing .: 1,112/1,506

tabulation:	Freq.	Value
	149	0
	132	1
	58	2
	32	3
	7	4
	8	5
	4	6
	2	8
	2	9
	1,112	.

mean: 1.19289
 std. dev: 1.45967

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	3

c3_min_E **E : Minutes per week (Monday - Sunday)**

type: numeric (**float**)

range: [0,53] units: 1
 unique values: 26 missing .: 1,112/1,506

```

tabulation:  Freq.  Value
              102    0
               3    2
               4    3
               3    4
               4    5
               2    6
              10    8
               2    9
              10   10
               5   11
               2   13
              52   15
               2   18
               2   19
              19   20
               3   23
               3   25
               3   26
             105   30
               1   31
               7   35
               6   38
               4   40
              29   45
               6   50
               5   53
             1,112 .
    mean:      18.9873
    std. dev:  15.4655

percentiles:    10%    25%    50%    75%    90%
                  0      0      15     30     45
    
```

c3_aa_E **E :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 9 missing "": 1,112/1,506

tabulation:  Freq.  Value
              1,112 ""
               49 "1"
               44 "1.5"
               80 "2"
               83 "2.5"
               62 "3"
               38 "3.5"
               21 "4"
                8 "4.5"
                9 "5"
    
```

c3_ab_E **E :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 2 missing "": 1,113/1,506

tabulation:  Freq.  Value
              1,113 ""
                3 "day"
               390 "week"
    
```

c3_ac_E **E :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,3] units: .1
unique values: 6 missing .: 1,112/1,506

tabulation: Freq. Value
             271 0
             106 1
              6 1.5
              7 2
              1 2.5
              3 3
            1,112 .
mean:       .356599
std. dev:   .576574

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

c3_ad_E E :Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [0,53] units: .1
unique values: 22 missing .: 1,224/1,506

tabulation: Freq. Value
             6 0
             2 1
             3 1.5
             5 2.5
             6 3
             4 4
             3 4.5
            14 5
             1 5.5
            12 7.5
            37 10
             4 12.5
            18 15
             1 18
            22 20
             4 25
            131 30
             1 35
             2 40
             4 45
             1 50
             1 53
            1,224 .
mean:       20.5957
std. dev:   11.5347

percentiles:    10%    25%    50%    75%    90%
                4.5    10     25     30     30
    
```

c3_ba_E E : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c3_ba
range: [3,11] units: 1
unique values: 5 missing .: 1,100/1,506
unique missing codes: 2 missing *: 147/1,506
    
```

tabulation:	Freq.	Numeric	Label
	4	3	mother
	9	5	grandparents
	2	7	uncle/aunt
	151	9	brother/sister/cousin
	93	11	outside-household-person
	1,100	.	
	147	.b	

c3_bb_E **E : Relationship-with-the-child doing activity (person 2)**

type: numeric (byte)
 label: **c3_bb**
 range: [1,11] units: 1
 unique values: 6 missing .: 1,308/1,506
 unique missing codes: 2 missing *: 7/1,506

tabulation:	Freq.	Numeric	Label
	1	1	father
	3	3	mother
	4	5	grandparents
	1	7	uncle/aunt
	59	9	brother/sister/cousin
	123	11	outside-household-person
	1,308	.	
	7	.b	

c3_bc_E **E : Relationship-with-the-child doing activity (person 3)**

type: numeric (byte)
 label: **c3_bc**
 range: [1,11] units: 1
 unique values: 5 missing .: 1,404/1,506
 unique missing codes: 2 missing *: 4/1,506

tabulation:	Freq.	Numeric	Label
	1	1	father
	1	3	mother
	1	7	uncle/aunt
	17	9	brother/sister/cousin
	78	11	outside-household-person
	1,404	.	
	4	.b	

c3_ba_gen_E **Gender code (person 1)**

type: numeric (byte)
 label: **c3_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,248/1,506

tabulation:	Freq.	Numeric	Label
	109	1	male
	149	3	female
	1,248	.	

c3_bb_gen_E **Gender code (person 2)**

type: numeric (byte)
 label: **c3_bb_gen**

```

range: [1,3] units: 1
unique values: 2 missing .: 1,315/1,506

tabulation: Freq. Numeric Label
             69      1 male
             122     3 female
             1,315     .
    
```

c3_bc_gen_E **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,408/1,506

tabulation: Freq. Numeric Label
             46      1 male
             52      3 female
             1,408     .
    
```

activity_F **Practice reading-writing num, ABC and counting number (not display)**

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

detail_F **F: detail**

```

type: string (str238), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

c1_code_F **F : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9] units: 1
unique values: 3 missing .: 0/1,506
unique missing codes: 3 missing *: 563/1,506

tabulation: Freq. Numeric Label
             442      0 never
             424      7 once a day
             77       9 more than once a day
             1       .a
             1       .b
             561     .c
    
```

c1_hr_F **F : Hours per week (Monday - Friday)**

```

type: numeric (float)
    
```

range: [0,17] units: 1
 unique values: 13 missing .: 1,005/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Value
 178 0
 96 1
 129 2
 5 3
 2 4
 74 5
 3 6
 5 7
 1 8
 1 9
 3 10
 2 12
 1 17
 1,005 .
 1 .c
 mean: 1.776
 std. dev: 2.16407

percentiles: 10% 25% 50% 75% 90%
 0 0 1 2 5

cl_min_F

F : Minutes per week (Monday - Friday)

type: numeric (**float**)

range: [0,56] units: 1
 unique values: 29 missing .: 1,005/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Value
 74 0
 1 1
 2 3
 16 5
 1 8
 2 9
 5 10
 1 11
 10 13
 32 15
 9 18
 1 19
 5 20
 9 23
 33 25
 1 27
 1 28
 120 30
 1 31
 2 34
 1 35
 21 38
 64 40
 4 45
 2 49
 78 50
 1 53
 1 55
 2 56
 1,005 .
 1 .c
 mean: 27.284
 std. dev: 16.4697


```

tabulation:  Freq.  Value
              71    0
              2    1.5
              5    2
             15    2.5
              6    3
             11    3.5
              3    4
              9    4.5
             36    5
              2    5.5
              1    6.5
             22    7.5
             85    10
             25    15
              2    17.5
             60    20
             16    25
            127    30
              2    45
           1,005    .
              1    .c
    mean:     14.564
std. dev:    11.3082

percentiles: 10%    25%    50%    75%    90%
              0     5     10     30     30
  
```

c1_ba_F **F : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c1_ba
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,005/1,506
missing *: 54/1,506
  
```

```

tabulation:  Freq.  Numeric  Label
              52    1  father
             133    3  mother
             161    5  grandparents
              7    7  uncle/aunt
             71    9  brother/sister/cousin
              5   11  outside-household-person
             18   13  other household member
           1,005    .
             54   .b
  
```

c1_bb_F **F : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,262/1,506
missing *: 9/1,506
  
```

```

tabulation:  Freq.  Numeric  Label
              21    1  father
             65    3  mother
             68    5  grandparents
             10    7  uncle/aunt
             63    9  brother/sister/cousin
              3   11  outside-household-person
              5   13  other household member
           1,262    .
              9    .b
  
```

c1_bc_F **F : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c1_bc

range: [3,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,445/1,506
missing *: 4/1,506

tabulation: Freq.  Numeric  Label
              6          3  mother
              14         5  grandparents
              7          7  uncle/aunt
              26         9  brother/sister/cousin
              2         11  outside-household-person
              2         13  other household member
            1,445         .
              4          .b
    
```

c1_ba_gen_F **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,059/1,506

tabulation: Freq.  Numeric  Label
              112         1  male
              335         3  female
            1,059         .
    
```

c1_bb_gen_F **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,271/1,506

tabulation: Freq.  Numeric  Label
              69         1  male
              166         3  female
            1,271         .
    
```

c1_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,449/1,506

tabulation: Freq.  Numeric  Label
              20         1  male
              37         3  female
            1,449         .
    
```

c2_code_F **F : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 3

units: 1
missing .: 0/1,506
missing *: 563/1,506
    
```

tabulation:	Freq.	Numeric	Label
	430	0	never
	1	5	at least once a week
	422	7	once a day
	90	9	more than once a day
	1	.a	
	1	.b	
	561	.c	

c2_hr_F

F : Hours per week (Saturday - Sunday)

```

type: numeric (float)

range: [0,7]
unique values: 8
unique missing codes: 2

units: 1
missing .: 993/1,506
missing *: 1/1,506
    
```

tabulation:	Freq.	Value
	284	0
	124	1
	88	2
	7	3
	4	4
	3	5
	1	6
	1	7
	993	.
	1	.c
mean:		.712891
std. dev:		.991939

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

c2_min_F

F : Minutes per week (Saturday - Sunday)

```

type: numeric (float)

range: [0,50]
unique values: 24
unique missing codes: 2

units: 1
missing .: 993/1,506
missing *: 1/1,506
    
```

tabulation:	Freq.	Value
	210	0
	1	3
	4	4
	10	5
	4	6
	7	7
	6	8
	7	9
	33	10
	2	12
	1	13
	4	14
	19	15
	1	16
	81	20
	2	23
	3	25
	2	28


```

                29 30
                2 35
                1 38
                64 40
                3 45
                16 50
                993 .
                1 .c
    mean:      14.1543
    std. dev:  15.5541

    percentiles:    10%    25%    50%    75%    90%
                   0      0      10     20     40
    
```

c2_aa_F **F :Monday-Friday How many times (Saturday - Sunday)**

```

    type: string (str30), but longest is str10
    unique values: 8          missing "": 993/1,506

    tabulation:  Freq.  Value
                 993  ""
                 424  "1"
                 16  "1.5"
                 41  "2"
                 16  "2.5"
                   1  "3"
                   4  "3.5"
                   2  "4.5"
                   9  "many times"

    warning: variable has embedded blanks
    
```

c2_ab_F **F :Monday-Friday How many times per units (Saturday - Sunday)**

```

    type: string (str21), but longest is str4
    unique values: 3          missing "": 993/1,506

    tabulation:  Freq.  Value
                 993  ""
                 510  "day"
                   1  "time"
                   2  "week"
    
```

c2_ac_F **F :Monday-Friday How many times per hours (Saturday - Sunday)**

```

    type: numeric (double)
    range: [0,3]
    unique values: 5          units: .1
    unique missing codes: 2    missing .: 993/1,506
                                missing *: 1/1,506

    tabulation:  Freq.  Value
                 427  0
                 76  1
                   2  1.5
                   6  2
                   1  3
                 993  .
                 1  .c
    mean:      .183594
    std. dev:  .433983
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c2_ad_F F :Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)
 range: [0,45] units: .1
 unique values: 19 missing .: 993/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Value
 81 0
 2 1.5
 5 2
 14 2.5
 6 3
 11 3.5
 3 4
 9 4.5
 39 5
 2 5.5
 1 6.5
 20 7.5
 83 10
 24 15
 2 17.5
 60 20
 16 25
 132 30
 2 45
 993 .
 1 .c
 mean: 14.4424
 std. dev: 11.4593

percentiles: 10% 25% 50% 75% 90%
 0 4.5 10 30 30

c2_ba_F F : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c2_ba
 range: [1,13] units: 1
 unique values: 7 missing .: 993/1,506
 unique missing codes: 2 missing *: 55/1,506

tabulation: Freq. Numeric Label
 52 1 father
 136 3 mother
 157 5 grandparents
 11 7 uncle/aunt
 77 9 brother/sister/cousin
 7 11 outside-household-person
 18 13 other household member
 993 .
 55 .b

c2_bb_F F : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c2_bb

range: [1,13] units: 1
 unique values: 7 missing .: 1,257/1,506
 unique missing codes: 2 missing *: 9/1,506

tabulation:	Freq.	Numeric	Label
	21	1	father
	67	3	mother
	68	5	grandparents
	10	7	uncle/aunt
	64	9	brother/sister/cousin
	4	11	outside-household-person
	6	13	other household member
	1,257	.	.
	9	.b	.

c2_bc_F **F : Relationship-with-the-child doing activity (person 3)**

type: numeric (byte)
 label: c2_bc

range: [3,13] units: 1
 unique values: 6 missing .: 1,441/1,506
 unique missing codes: 2 missing *: 4/1,506

tabulation:	Freq.	Numeric	Label
	6	3	mother
	16	5	grandparents
	7	7	uncle/aunt
	27	9	brother/sister/cousin
	3	11	outside-household-person
	2	13	other household member
	1,441	.	.
	4	.b	.

c2_ba_gen_F **Gender code (person 1)**

type: numeric (byte)
 label: c2_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,048/1,506

tabulation:	Freq.	Numeric	Label
	115	1	male
	343	3	female
	1,048	.	.

c2_bb_gen_F **Gender code (person 2)**

type: numeric (byte)
 label: c2_bb_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,266/1,506

tabulation:	Freq.	Numeric	Label
	69	1	male
	171	3	female
	1,266	.	.

c2_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,445/1,506

tabulation: Freq. Numeric Label
              20      1  male
              41      3  female
            1,445      .
    
```

c3_code_F **F : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 3
units: 1
missing ..: 0/1,506
missing *: 945/1,506

tabulation: Freq. Numeric Label
              23      3  at least once a month
             538      5  at least once a week
               1      .a
             943      .b
               1      .c
    
```

c3_hr_F **F : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,9]
unique values: 7
unique missing codes: 2
units: 1
missing ..: 968/1,506
missing *: 1/1,506

tabulation: Freq. Value
             371  0
             110  1
              36  2
              16  3
               1  4
               1  6
               2  9
             968  .
               1  .c
mean:       .480447
std. dev:   .954218

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

c3_min_F **F : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,56]
unique values: 33
unique missing codes: 2
units: 1
missing ..: 968/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              58    0
              1    1
              6    2
              9    3
              6    4
             13    5
              9    6
              1    7
             11    8
              6    9
             35   10
             15   11
              2   12
              8   13
              1   14
             53   15
              4   16
              2   18
              7   19
             37   20
              9   23
             20   25
              5   26
              1   28
            128   30
             15   35
              7   38
             14   40
              2   44
             31   45
             14   50
              6   53
              1   56
             968  .
              1   .c
    mean:     21.1732
  std. dev:  14.2323

percentiles:    10%    25%    50%    75%    90%
                0      10     20     30     44
  
```

c3_aa_F **F :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 10          missing "": 967/1,506

tabulation:  Freq.  Value
              967  ""
              75  "1"
              60  "1.5"
              86  "2"
             100  "2.5"
             116  "3"
              54  "3.5"
              27  "4"
              11  "4.5"
               9  "5"
               1  "6"
  
```

c3_ab_F **F :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str5
unique values: 2          missing "": 967/1,506
  
```

```

tabulation: Freq. Value
             967 ""
             1  "month"
             538 "week"
    
```

c3_ac_F **F : Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,2]
unique values: 4
unique missing codes: 2

units: .1
missing .: 968/1,506
missing *: 1/1,506
    
```

```

tabulation: Freq. Value
             482 0
             50 1
             2  1.5
             3  2
             968 .
             1  .c
    
```

```

mean: .10987
std. dev: .334624
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c3_ad_F **F : Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [0,45]
unique values: 21
unique missing codes: 2

units: .1
missing .: 1,020/1,506
missing *: 1/1,506
    
```

```

tabulation: Freq. Value
             1  0
             3  1
             9  1.5
             4  2
             12 2.5
             10 3
             6  3.5
             4  4
             15 4.5
             52 5
             2  5.5
             27 7.5
             135 10
             4  12.5
             35 15
             2  17.5
             46 20
             4  25
             108 30
             3  40
             3  45
            1,020 .
             1  .c
    
```

```

mean: 14.7165
std. dev: 10.1714
    
```

```

percentiles:    10%    25%    50%    75%    90%
                4      7.5    10     20     30
    
```

c3_ba_F **F : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c3_ba

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 945/1,506
missing *: 42/1,506

```

tabulation:	Freq.	Numeric	Label
	54	1	father
	163	3	mother
	194	5	grandparents
	16	7	uncle/aunt
	79	9	brother/sister/cousin
	6	11	outside-household-person
	7	13	other household member
	945	.	.
	42	.b	.b

c3_bb_F **F : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c3_bb

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,248/1,506
missing *: 14/1,506

```

tabulation:	Freq.	Numeric	Label
	14	1	father
	55	3	mother
	58	5	grandparents
	10	7	uncle/aunt
	96	9	brother/sister/cousin
	7	11	outside-household-person
	4	13	other household member
	1,248	.	.
	14	.b	.b

c3_bc_F **F : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c3_bc

range: [1,11]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,435/1,506
missing *: 3/1,506

```

tabulation:	Freq.	Numeric	Label
	5	1	father
	6	3	mother
	15	5	grandparents
	5	7	uncle/aunt
	33	9	brother/sister/cousin
	4	11	outside-household-person
	1,435	.	.
	3	.b	.b

c3_ba_gen_F **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 987/1,506

```

```

tabulation: Freq.  Numeric  Label
             134      1  male
             385      3  female
             987      .
    
```

c3_bb_gen_F **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,260/1,506

tabulation: Freq.  Numeric  Label
             74      1  male
             172     3  female
            1,260     .
    
```

c3_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,438/1,506

tabulation: Freq.  Numeric  Label
             27      1  male
             41      3  female
            1,438     .
    
```

activity_G **Playing blocks or plasticine, drawing and painting (not display)**

```

type: string (str147), but longest is str0

unique values: 0      missing "": 1,506/1,506

tabulation: Freq.  Value
            1,506  ""
    
```

detail_G **G: detail**

```

type: string (str238), but longest is str0

unique values: 0      missing "": 1,506/1,506

tabulation: Freq.  Value
            1,506  ""
    
```

c1_code_G **G : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,506
unique missing codes: 3  missing *: 709/1,506
    
```



```

tabulation:  Freq.  Numeric  Label
              366      0      never
              1       5      at least once a week
              310     7      once a day
              120     9      more than once a day
              1       .a
              1       .b
              707     .c
    
```

c1_hr_G

G : Hours per week (Monday - Friday)

```

type: numeric (float)
range: [0,30]          units: 1
unique values: 17      missing .: 1,075/1,506

tabulation:  Freq.  Value
              146   0
              66   1
              93   2
               8   3
               1   4
              77   5
               2   6
               6   7
               1   8
              17  10
               1  11
               6  12
               3  15
               1  17
               1  20
               1  22
               1  30
            1,075 .
mean:        2.58469
std. dev:    3.5551

percentiles: 10%    25%    50%    75%    90%
              0     0     2     5     5
    
```

c1_min_G

G : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,56]          units: 1
unique values: 21      missing .: 1,075/1,506

tabulation:  Freq.  Value
              100   0
               1   2
               7   3
               9   5
               4  10
               5  13
              27  15
               4  18
               1  19
               5  20
              11  23
              20  25
               5  28
             100  30
               4  35
              14  38
              34  40
               5  45
              71  50
    
```

```

          1 53
          3 56
    mean: 1,075 .
    std. dev: 24.8028
          17.8966
percentiles:      10%      25%      50%      75%      90%
                  0        3        30        40        50
    
```

c1_aa_G **G :Monday-Friday How many times (Monday - Friday)**

```

    type: string (str27), but longest is str10
unique values: 9          missing "": 1,075/1,506
tabulation:
  Freq. Value
  1,075 ""
    310 "1"
    15 "1.5"
    45 "2"
    14 "2.5"
    5 "3"
    2 "3.5"
    3 "4"
    2 "4.5"
    35 "many times"
warning: variable has embedded blanks
    
```

c1_ab_G **G :Monday-Friday How many times per units (Monday - Friday)**

```

    type: string (str21), but longest is str4
unique values: 2          missing "": 1,075/1,506
tabulation:
  Freq. Value
  1,075 ""
    429 "day"
    2 "week"
    
```

c1_ac_G **G :Monday-Friday How many times per hours (Monday - Friday)**

```

    type: numeric (double)
    range: [0,6]          units: .1
unique values: 10        missing .: 1,075/1,506
tabulation:
  Freq. Value
    329 0
    85 1
    1 1.5
    9 2
    1 2.5
    2 3
    1 3.5
    1 4
    1 4.5
    1 6
  1,075 .
    mean: .303944
    std. dev: .668534
percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

c1_ad_G **G : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45]
unique values: 19
unique missing codes: 2
units: .1
missing .: 1,075/1,506
missing *: 1/1,506

tabulation: Freq. Value
             99  0
              3  2
              6  2.5
              7  3
              8  3.5
             11  4.5
             33  5
              2  5.5
              2  6.5
             24  7.5
             74  10
              1  12.5
             18  15
              2  17.5
             37  20
              3  25
             98  30
              1  40
              1  45
            1,075 .
              1  .c
mean:      12.5256
std. dev:  11.4262

percentiles:      10%      25%      50%      75%      90%
                  0        2.5        10        20        30
    
```

c1_ba_G **G : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c1_ba
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,075/1,506
missing *: 211/1,506

tabulation: Freq. Numeric Label
             14         1 father
             29         3 mother
             37         5 grandparents
              2         7 uncle/aunt
             110        9 brother/sister/cousin
             26        11 outside-household-person
              2        13 other household member
            1,075      .
             211      .b
    
```

c1_bb_G **G : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,350/1,506
missing *: 11/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              7       1  father
              13      3  mother
              20      5  grandparents
               1       7  uncle/aunt
              66      9  brother/sister/cousin
              36     11  outside-household-person
               2     13  other household member
            1,350      .
              11     .b
    
```

c1_bc_G **G : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c1_bc

range: [3,11]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,466/1,506
missing *: 3/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              3       3  mother
               2       5  grandparents
              16      9  brother/sister/cousin
              16     11  outside-household-person
            1,466      .
               3     .b
    
```

c1_ba_gen_G **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,286/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              93       1  male
              127      3  female
            1,286      .
    
```

c1_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,360/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              53       1  male
              93       3  female
            1,360      .
    
```

c1_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,469/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              17      1  male
              20      3  female
            1,469      .
    
```

c2_code_G **G : Frequency (Saturday - Sunday)**

```

type:  numeric (byte)
label:  c2_code

range:  [0,9]
unique values:  4
unique missing codes:  3

units:  1
missing .:  0/1,506
missing *:  709/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              354      0  never
              2       5  at least once a week
              304      7  once a day
              137      9  more than once a day
              1       .a
              1       .b
              707      .c
    
```

c2_hr_G **G : Hours per week (Saturday - Sunday)**

```

type:  numeric (float)

range:  [0,12]
unique values:  10

units:  1
missing .:  1,063/1,506
    
```

```

tabulation:  Freq.  Value
              217    0
              87    1
              97    2
               7    3
              18    4
              10    5
               4    6
               1    7
               1    9
               1   12
            1,063    .
    
```

```

mean:  1.07449
std. dev:  1.49095
    
```

```

percentiles:  10%    25%    50%    75%    90%
              0      0      1      2      2
    
```

c2_min_G **G : Minutes per week (Saturday - Sunday)**

```

type:  numeric (float)

range:  [0,50]
unique values:  21

units:  1
missing .:  1,063/1,506
    
```

```

tabulation:  Freq.  Value
              204    0
              3     4
              5     5
              4     6
              4     7
              1     8
              9     9
             20    10
              2    11
              1    12
              4    14
             15    15
              1    18
             77    20
              3    23
              7    25
              3    26
             32    30
              3    35
             38    40
              7    50
             1,063  .
    mean:      12.4334
    std. dev:  14.2105

percentiles:  10%    25%    50%    75%    90%
              0      0      9      20     40
    
```

c2_aa_G **G :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 9 missing "": 1,063/1,506

tabulation:  Freq.  Value
             1,063  ""
             305   "1"
              16  "1.5"
              49  "2"
              18  "2.5"
               5  "3"
               3  "3.5"
               2  "4"
               3  "4.5"
              42  "many times"

warning: variable has embedded blanks
    
```

c2_ab_G **G :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,063/1,506

tabulation:  Freq.  Value
             1,063  ""
             440  "day"
               3  "week"
    
```

c2_ac_G **G :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
    
```

range: [0,6] units: .1
 unique values: 9 missing .: 1,063/1,506

tabulation: Freq. Value
 329 0
 93 1
 1 1.5
 13 2
 1 2.5
 3 3
 1 3.5
 1 4.5
 1 6

1,063 .
 mean: .329571
 std. dev: .674155

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

c2_ad_G G : Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)

range: [0,45] units: .1
 unique values: 18 missing .: 1,063/1,506

tabulation: Freq. Value
 108 0
 4 2
 6 2.5
 5 3
 8 3.5
 9 4.5
 30 5
 2 5.5
 2 6.5
 25 7.5
 77 10
 17 15
 2 17.5
 42 20
 3 25
 99 30
 1 40
 3 45

1,063 .
 mean: 12.614
 std. dev: 11.6297

percentiles: 10% 25% 50% 75% 90%
 0 2 10 20 30

c2_ba_G G : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c2_ba

range: [1,13] units: 1
 unique values: 7 missing .: 1,063/1,506
 unique missing codes: 2 missing *: 211/1,506

```

tabulation:  Freq.  Numeric  Label
              14      1  father
              28      3  mother
              37      5  grandparents
               2      7  uncle/aunt
             124      9  brother/sister/cousin
              25     11  outside-household-person
               2     13  other household member
            1,063      .
             211     .b
    
```

c2_bb_G **G : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb

range: [1,13]          units: 1
unique values: 7       missing .: 1,348/1,506
unique missing codes: 2  missing *: 11/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              6      1  father
             13      3  mother
             20      5  grandparents
               2      7  uncle/aunt
             68      9  brother/sister/cousin
             36     11  outside-household-person
               2     13  other household member
            1,348      .
             11     .b
    
```

c2_bc_G **G : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c2_bc

range: [3,11]         units: 1
unique values: 4       missing .: 1,465/1,506
unique missing codes: 2  missing *: 3/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              3      3  mother
               2      5  grandparents
             16      9  brother/sister/cousin
             17     11  outside-household-person
            1,465      .
               3     .b
    
```

c2_ba_gen_G **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]          units: 1
unique values: 2       missing .: 1,275/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              95      1  male
             136      3  female
            1,275      .
    
```

c2_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,358/1,506

tabulation: Freq. Numeric Label
             53      1  male
             95      3  female
            1,358      .
    
```

c2_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,468/1,506

tabulation: Freq. Numeric Label
             17      1  male
             21      3  female
            1,468      .
    
```

c3_code_G **G : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 3
units: 1
missing ..: 0/1,506
missing *: 798/1,506

tabulation: Freq. Numeric Label
             1      1  less than once a month
             47     3  at least once a month
            660     5  at least once a week
             1      .a
            796     .b
             1      .c
    
```

c3_hr_G **G : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,8]
unique values: 9
units: 1
missing ..: 846/1,506

tabulation: Freq. Value
            418  0
            168  1
             48  2
             13  3
              6  4
              2  5
              1  6
              3  7
              1  8
            846  .
mean:      .563636
std. dev:  1.00101

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
    
```

c3_min_G

G : Minutes per week (Monday - Sunday)

type: numeric (**float**)
 range: [0,53] units: 1
 unique values: 33 missing .: 846/1,506

tabulation: Freq. Value

109	0
4	1
10	2
16	3
3	4
34	5
9	6
2	7
15	8
6	9
51	10
9	11
2	12
7	13
1	14
78	15
2	18
6	19
55	20
9	23
11	25
5	26
3	28
124	30
1	31
1	33
9	35
8	38
23	40
1	44
31	45
11	50
4	53
846	.

mean: 17.9909
 std. dev: 14.2273

percentiles: 10% 25% 50% 75% 90%
 0 5 15 30 40

c3_aa_G

G :Monday-Friday How many times (Monday - Sunday)

type: string (**str6**), but longest is str3
 unique values: 11 missing "": 846/1,506

tabulation: Freq. Value

846	" "
148	"1"
1	"1.3"
68	"1.5"
166	"2"
99	"2.5"
86	"3"
45	"3.5"
20	"4"
14	"4.5"
11	"5"
2	"5.5"

c3_ab_G **G :Monday-Friday How many times per units (Monday - Sunday)**

type: string (**str22**), but longest is str4
 unique values: 1 missing "": 846/1,506
 tabulation: Freq. Value
 846 ""
 660 "week"

c3_ac_G **G :Monday-Friday How many times per hours (Monday - Sunday)**

type: numeric (**double**)
 range: [0,3] units: .1
 unique values: 5 missing .: 846/1,506
 tabulation: Freq. Value
 570 0
 80 1
 3 1.5
 6 2
 1 3
 846 .
 mean: .150758
 std. dev: .398688
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c3_ad_G **G :Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (**double**)
 range: [0,45] units: .1
 unique values: 22 missing .: 927/1,506
 tabulation: Freq. Value
 7 0
 8 1
 3 1.5
 9 2
 14 2.5
 15 3
 7 3.5
 5 4
 4 4.5
 61 5
 2 5.5
 27 7.5
 138 10
 8 12.5
 40 15
 1 17.5
 58 20
 15 25
 151 30
 2 35
 1 40
 3 45
 927 .
 mean: 15.715
 std. dev: 10.4889

percentiles: 10% 25% 50% 75% 90%
 3.5 7.5 10 30 30

c3_ba_G G : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c3_ba
 range: [1,11] units: 1
 unique values: 6 missing .: 798/1,506
 unique missing codes: 2 missing *: 293/1,506

tabulation:	Freq.	Numeric	Label
	15	1	father
	34	3	mother
	39	5	grandparents
	3	7	uncle/aunt
	265	9	brother/sister/cousin
	59	11	outside-household-person
	798	.	
	293	.b	

c3_bb_G G : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c3_bb
 range: [1,11] units: 1
 unique values: 6 missing .: 1,287/1,506
 unique missing codes: 2 missing *: 15/1,506

tabulation:	Freq.	Numeric	Label
	4	1	father
	18	3	mother
	22	5	grandparents
	9	7	uncle/aunt
	91	9	brother/sister/cousin
	60	11	outside-household-person
	1,287	.	
	15	.b	

c3_bc_G G : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
 label: c3_bc
 range: [1,13] units: 1
 unique values: 7 missing .: 1,432/1,506
 unique missing codes: 2 missing *: 6/1,506

tabulation:	Freq.	Numeric	Label
	1	1	father
	4	3	mother
	7	5	grandparents
	1	7	uncle/aunt
	27	9	brother/sister/cousin
	27	11	outside-household-person
	1	13	other household member
	1,432	.	
	6	.b	

c3_ba_gen_G Gender code (person 1)

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,091/1,506

tabulation: Freq.  Numeric  Label
              173      1  male
              242      3  female
              1,091      .
    
```

c3_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,302/1,506

tabulation: Freq.  Numeric  Label
              84      1  male
              120     3  female
              1,302      .
    
```

c3_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,438/1,506

tabulation: Freq.  Numeric  Label
              31      1  male
              37      3  female
              1,438      .
    
```

activity_J
 Go to work with the household members e.g. go to field,farm, sell goods (not dis

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
              1,506  ""
    
```

detail_J **_J detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
              1,506  ""
    
```

c1_code_J **J : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code
    
```

range: [0,9] units: 1
 unique values: 4 missing .: 0/1,506
 unique missing codes: 3 missing *: 527/1,506

tabulation:	Freq.	Numeric	Label
	742	0	never
	9	5	at least once a week
	212	7	once a day
	16	9	more than once a day
	1	.a	
	1	.b	
	525	.c	

c1_hr_J

J : Hours per week (Monday - Friday)

type: numeric (float)
 range: [0,60] units: 1
 unique values: 22 missing .: 1,269/1,506

tabulation:	Freq.	Value
	5	0
	6	1
	31	2
	3	3
	1	4
	56	5
	5	6
	17	7
	48	10
	16	12
	17	15
	4	17
	9	20
	4	22
	3	25
	1	32
	2	35
	1	42
	4	45
	1	47
	2	55
	1	60
	1,269	.

mean: 10.0802
 std. dev: 9.91435

percentiles:	10%	25%	50%	75%	90%
	2	5	7	12	20

c1_min_J

J : Minutes per week (Monday - Friday)

type: numeric (float)
 range: [0,56] units: 1
 unique values: 11 missing .: 1,269/1,506


```

tabulation:  Freq.  Value
              44    0
              65    1
              8    1.5
              63    2
              8    2.5
              23    3
              11    4
              2    4.5
              2    5
              1    6
              2    7
              1    8
              4    9
              2    11
              1    12
              1,269 .
      mean:    1.91139
      std. dev: 1.95353

percentiles: 10%    25%    50%    75%    90%
              0      1      2      2      4
    
```

c1_ad_J **J : Monday-Friday How many times per minutes (Monday - Friday)**

```

      type: numeric (double)
      range: [0,45]
      unique values: 10
      units: .1
      missing .: 1,269/1,506

      tabulation:  Freq.  Value
                   166    0
                   1    1
                   1    2.5
                   2    7.5
                   1    10
                   2    15
                   4    20
                   1    25
                   56    30
                   3    45
                   1,269 .
      mean:    8.3481
      std. dev: 13.4752

      percentiles: 10%    25%    50%    75%    90%
                   0      0      0      25    30
    
```

c1_ba_J **J : Relationship-with-the-child doing activity (person 1)**

```

      type: numeric (byte)
      label: c1_ba
      range: [1,13]
      unique values: 6
      units: 1
      missing .: 1,269/1,506

      tabulation:  Freq.  Numeric  Label
                   50      1   father
                   29      3   mother
                   136     5   grandparents
                   6       7   uncle/aunt
                   7       9   brother/sister/cousin
                   9      13   other household member
                   1,269 .
    
```

c1_bb_J **J : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb

range: [1,13]          units: 1
unique values: 7      missing .. 1,323/1,506

tabulation: Freq.  Numeric  Label
              7          1  father
              42         3  mother
              101        5  grandparents
               2         7  uncle/aunt
               24         9  brother/sister/cousin
               2         11  outside-household-person
               5         13  other household member
            1,323          .
    
```

c1_bc_J **J : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c1_bc

range: [1,13]          units: 1
unique values: 6      missing .. 1,434/1,506

tabulation: Freq.  Numeric  Label
              2          1  father
              3          3  mother
              13         5  grandparents
               2         7  uncle/aunt
              51         9  brother/sister/cousin
               1         13  other household member
            1,434          .
    
```

c1_ba_gen_J **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,269/1,506

tabulation: Freq.  Numeric  Label
              146        1  male
               91         3  female
            1,269          .
    
```

c1_bb_gen_J **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,323/1,506

tabulation: Freq.  Numeric  Label
              46         1  male
              137        3  female
            1,323          .
    
```

c1_bc_gen_J **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,434/1,506

tabulation: Freq.  Numeric  Label
              38         1  male
              34         3  female
            1,434         .
    
```

c2_code_J **J : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 5
unique missing codes: 3
units: 1
missing .: 0/1,506
missing *: 527/1,506

tabulation: Freq.  Numeric  Label
              479         0  never
               4         3  at least once a month
              49         5  at least once a week
             417         7  once a day
              30         9  more than once a day
               1         .a
               1         .b
             525         .c
    
```

c2_hr_J **J : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,44]
unique values: 29
units: .1
missing .: 1,010/1,506

tabulation: Freq.  Value
              18     0
              39     1
              82     2
              23     3
              28     4
              17     5
              37     6
               9     7
              21     8
              19     9
              23    10
               5    11
               1   11.6
              17    12
               7    13
              21    14
               6    15
              42    16
               5    17
              37    18
              11    19
              16    20
               1    21
               4    22
               3    24
               1    25
    
```

```

                1 26
                1 28
                1 44
            1,010 .
    mean:      8.71895
    std. dev:  6.84837

    percentiles:    10%    25%    50%    75%    90%
                   1      2      7     15     18
    
```

c2_min_J **J : Minutes per week (Saturday - Sunday)**

```

    type: numeric (float)
    range: [0,50]
    unique values: 8
    units: 1
    missing .: 1,010/1,506

    tabulation:
    Freq. Value
    462 0
    1 9
    3 15
    1 19
    2 20
    18 30
    7 40
    2 50
    1,010 .
    mean: 2.08266
    std. dev: 8.06108

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

c2_aa_J **J :Monday-Friday How many times (Saturday - Sunday)**

```

    type: string (str30), but longest is str10
    unique values: 10
    missing "": 1,010/1,506

    tabulation:
    Freq. Value
    1,010 ""
    1 "0.9"
    462 "1"
    1 "1.2"
    3 "1.5"
    14 "2"
    2 "2.5"
    1 "3"
    1 "4"
    1 "4.5"
    10 "many times"

    warning: variable has embedded blanks
    
```

c2_ab_J **J :Monday-Friday How many times per units (Saturday - Sunday)**

```

    type: string (str21), but longest is str4
    unique values: 2
    missing "": 1,010/1,506

    tabulation:
    Freq. Value
    1,010 ""
    451 "day"
    45 "week"
    
```

c2_ac_J **J :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,14] units: .1
unique values: 22 missing .: 1,010/1,506

tabulation: Freq. Value
             53 0
             90 1
             14 1.5
             31 2
             15 2.5
             40 3
             6 3.5
             21 4
             13 4.5
             21 5
             5 5.5
             24 6
             1 6.5
             26 7
             1 7.5
             52 8
             53 9
             19 10
             5 11
             4 12
             1 13
             1 14
             1,010 .
mean: 4.39415
std. dev: 3.41556

percentiles: 10% 25% 50% 75% 90%
              0 1 3.5 8 9
    
```

c2_ad_J **J :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 10 missing .: 1,010/1,506

tabulation: Freq. Value
             392 0
             1 1
             3 7.5
             3 10
             1 11.6
             4 15
             7 20
             2 25
             81 30
             2 45
             1,010 .
mean: 5.71593
std. dev: 11.5731

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 30
    
```

c2_ba_J **J : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c2_ba

range: [1,13]          units: 1
unique values: 7      missing .. 1,006/1,506

tabulation: Freq.  Numeric  Label
             105      1      father
             57       3      mother
             284      5      grandparents
             16       7      uncle/aunt
             20       9      brother/sister/cousin
             2        11     outside-household-person
             16       13     other household member
             1,006      .
    
```

c2_bb_J **J : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb

range: [1,13]          units: 1
unique values: 7      missing .. 1,088/1,506

tabulation: Freq.  Numeric  Label
             11      1      father
             89      3      mother
             234     5      grandparents
             9       7      uncle/aunt
             58      9      brother/sister/cousin
             3        11     outside-household-person
             14       13     other household member
             1,088      .
    
```

c2_bc_J **J : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c2_bc

range: [1,13]          units: 1
unique values: 7      missing .. 1,332/1,506

tabulation: Freq.  Numeric  Label
             6       1      father
             10      3      mother
             40      5      grandparents
             5       7      uncle/aunt
             108     9      brother/sister/cousin
             2        11     outside-household-person
             3        13     other household member
             1,332      .
    
```

c2_ba_gen_J **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,006/1,506

tabulation: Freq.  Numeric  Label
             317     1      male
             183     3      female
             1,006      .
    
```

c2_bb_gen_J **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,088/1,506

tabulation: Freq.  Numeric  Label
              110      1  male
              308      3  female
              1,088      .
    
```

c2_bc_gen_J **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,332/1,506

tabulation: Freq.  Numeric  Label
              81      1  male
              93      3  female
              1,332      .
    
```

c3_code_J **J : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 3
units: 1
missing ..: 0/1,506
missing *: 980/1,506

tabulation: Freq.  Numeric  Label
              6      1  less than once a month
              222     3  at least once a month
              298     5  at least once a week
              1      .a
              977     .b
              2      .c
    
```

c3_hr_J **J : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,32]
unique values: 25
units: .1
missing ..: 1,208/1,506

tabulation: Freq.  Value
              40     0
              63     1
              54     2
              32     3
              20     4
              13     5
              16     6
              11     7
              2      8
              15     9
              5     10
              2     11
              6     12
    
```

```

                2 13
                2 14
                3 15
                2 16
                1 17
                2 18
                1 22
                1 25
                1 27.9
                1 28
                1 30
                2 32
            1,208 .
    mean:      4.23121
    std. dev:  5.32268

    percentiles:    10%    25%    50%    75%    90%
                   0      1      2      6     10
    
```

c3_min_J **J : Minutes per week (Monday - Sunday)**

```

    type: numeric (float)
    range: [0,53]
    unique values: 16
    units: 1
    missing .: 1,208/1,506

    tabulation:
    Freq.  Value
    157    0
     1    5
     2    8
     3   10
     1   11
     1   13
    21   15
     1   19
     2   20
     1   23
     1   25
    86   30
     1   35
    18   45
     1   50
     1   53
    1,208 .
    mean:   13.5067
    std. dev: 15.7637

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     30     30
    
```

c3_aa_J **J :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str4
    unique values: 12
    missing "": 1,208/1,506

    tabulation:
    Freq.  Value
    1,208  ""
    101    "1"
     31    "1.5"
     60    "2"
     1     "2.1"
     27    "2.5"
     37    "3"
     1     "3.49"
     14    "3.5"
     8     "4"
     8     "4.5"
    
```

8 "5"
2 "5.5"

c3_ab_J **J :Monday-Friday How many times per units (Monday - Sunday)**

type: string (**str22**), but longest is str5
 unique values: 2 missing "": 1,207/1,506
 tabulation: Freq. Value
 1,207 ""
 2 "month"
 297 "week"

c3_ac_J **J :Monday-Friday How many times per hours (Monday - Sunday)**

type: numeric (**double**)
 range: [0,27.9] units: .1
 unique values: 16 missing .: 1,208/1,506
 tabulation: Freq. Value
 70 0
 90 1
 13 1.5
 31 2
 14 2.5
 21 3
 4 3.5
 5 4
 8 4.5
 9 5
 7 6
 7 7
 7 8
 10 9
 1 10
 1 27.9
 1,208 .
 mean: 2.21275
 std. dev: 2.7877
 percentiles: 10% 25% 50% 75% 90%
 0 1 1 3 6

c3_ad_J **J :Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (**double**)
 range: [0,45] units: .1
 unique values: 11 missing .: 1,407/1,506
 tabulation: Freq. Value
 8 0
 1 1
 5 5
 1 7.5
 6 10
 8 15
 1 20
 1 25
 1 29
 65 30
 2 45
 1,407 .
 mean: 23.5101

std. dev: 11.1933
 percentiles: 10% 25% 50% 75% 90%
 5 15 30 30 30

c3_ba_J J : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c3_ba
 range: [1,13] units: 1
 unique values: 7 missing : 980/1,506

tabulation:	Freq.	Numeric	Label
	82	1	father
	64	3	mother
	327	5	grandparents
	17	7	uncle/aunt
	14	9	brother/sister/cousin
	5	11	outside-household-person
	17	13	other household member
	980	.	

c3_bb_J J : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c3_bb
 range: [1,13] units: 1
 unique values: 7 missing : 1,126/1,506

tabulation:	Freq.	Numeric	Label
	23	1	father
	73	3	mother
	214	5	grandparents
	8	7	uncle/aunt
	50	9	brother/sister/cousin
	1	11	outside-household-person
	11	13	other household member
	1,126	.	

c3_bc_J J : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
 label: c3_bc
 range: [1,13] units: 1
 unique values: 7 missing : 1,367/1,506

tabulation:	Freq.	Numeric	Label
	6	1	father
	8	3	mother
	22	5	grandparents
	2	7	uncle/aunt
	98	9	brother/sister/cousin
	1	11	outside-household-person
	2	13	other household member
	1,367	.	

c3_ba_gen_J Gender code (person 1)

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing : 981/1,506

tabulation:	Freq.	Numeric	Label
	289	1	male
	236	3	female
	981	.	

c3_bb_gen_J Gender code (person 2)

type: numeric (byte)
 label: c3_bb_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,127/1,506

tabulation:	Freq.	Numeric	Label
	108	1	male
	271	3	female
	1,127	.	

c3_bc_gen_J Gender code (person 3)

type: numeric (byte)
 label: c3_bc_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,367/1,506

tabulation:	Freq.	Numeric	Label
	48	1	male
	91	3	female
	1,367	.	

activity_K Do housework (not display)

type: string (str147), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation:	Freq.	Value
	1,506	" "

detail_K K: detail

type: string (str238), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation:	Freq.	Value
	1,506	" "

c1_code_K K : Frequency (Monday - Friday)

type: numeric (byte)
 label: c1_code

range: [0,9] units: 1
 unique values: 3 missing : 0/1,506
 unique missing codes: 2 missing *: 458/1,506

```

tabulation:  Freq.  Numeric  Label
              921      0  never
              79       7  once a day
              48       9  more than once a day
              1       .a
              457      .c
    
```

c1_hr_K **K : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [0,7]
unique values: 7
units: 1
missing .: 1,379/1,506

tabulation:  Freq.  Value
              90      0
              19      1
              11      2
               1      3
               2      4
               3      5
               1      7
            1,379 .
mean: .582677
std. dev: 1.21133

percentiles:  10%    25%    50%    75%    90%
              0      0      0      1      2
    
```

c1_min_K **K : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,56]
unique values: 19
units: 1
missing .: 1,379/1,506

tabulation:  Freq.  Value
               3      0
               2      3
               3      5
               1      8
               6     10
               5     13
              13     15
               3     18
               4     20
               2     23
              32     25
               1     28
              10     30
               1     34
              15     38
               5     40
               1     44
              17     50
               3     56
            1,379 .
mean: 27.7402
std. dev: 14.0499

percentiles:  10%    25%    50%    75%    90%
              10     15     25     38     50
    
```

c1_aa_K **K : Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 7 missing "": 1,379/1,506
tabulation: Freq. Value
             1,379 ""
              79 "1"
              21 "1.5"
              11 "2"
               6 "2.5"
               1 "3"
               2 "3.5"
               7 "many times"
warning: variable has embedded blanks

```

c1_ab_K K :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str21), but longest is str3
unique values: 1 missing "": 1,379/1,506
tabulation: Freq. Value
             1,379 ""
              127 "day"

```

c1_ac_K K :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,379/1,506
tabulation: Freq. Value
             124 0
               3 1
            1,379 .
mean: .023622
std. dev: .15247
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0

```

c1_ad_K K :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric(double)
range: [0,30] units: .1
unique values: 15 missing .: 1,379/1,506
tabulation: Freq. Value
             2 0
             1 1
             2 1.5
             5 2
             8 2.5
             2 3
             3 3.5
             2 4
             3 4.5
            50 5
             8 7.5
            19 10
             4 15
             9 20
             9 30

```

```

        1,379 .
    mean: 8.51969
    std. dev: 7.56176

    percentiles:    10%    25%    50%    75%    90%
                   2.5     5     5     10     20
    
```

c1_ba_K **K : Relationship-with-the-child doing activity (person 1)**

```

        type: numeric (byte)
        label: c1_ba

        range: [1,13]                units: 1
    unique values: 6                missing .: 1,379/1,506
    unique missing codes: 2        missing *: 12/1,506

    tabulation:  Freq.  Numeric  Label
                   2      1  father
                   25     3  mother
                   66     5  grandparents
                   1      7  uncle/aunt
                   17     9  brother/sister/cousin
                   4     13  other household member
    1,379         .
                   12     .b
    
```

c1_bb_K **K : Relationship-with-the-child doing activity (person 2)**

```

        type: numeric (byte)
        label: c2_bb

        range: [3,13]                units: 1
    unique values: 5                missing .: 1,471/1,506

    tabulation:  Freq.  Numeric  Label
                   9      3  mother
                   11     5  grandparents
                   2      7  uncle/aunt
                   12     9  brother/sister/cousin
                   1     13  other household member
    1,471         .
    
```

c1_bc_K **K : Relationship-with-the-child doing activity (person 3)**

```

        type: numeric (byte)
        label: c1_bc

        range: [5,9]                units: 1
    unique values: 2                missing .: 1,502/1,506

    tabulation:  Freq.  Numeric  Label
                   2      5  grandparents
                   2      9  brother/sister/cousin
    1,502         .
    
```

c1_ba_gen_K **Gender code (person 1)**

```

        type: numeric (byte)
        label: c1_ba_gen

        range: [1,3]                units: 1
    unique values: 2                missing .: 1,391/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              13      1  male
              102     3  female
              1,391   .
    
```

c1_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,471/1,506

tabulation:  Freq.  Numeric  Label
              5      1  male
              30     3  female
              1,471   .
    
```

c1_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,502/1,506

tabulation:  Freq.  Numeric  Label
              2      1  male
              2      3  female
              1,502   .
    
```

c2_code_K **K : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 3
unique missing codes: 2

units: 1
missing ..: 0/1,506
missing *: 458/1,506

tabulation:  Freq.  Numeric  Label
              918     0  never
              80      7  once a day
              50      9  more than once a day
              1       .a
              457     .c
    
```

c2_hr_K **K : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,3]
unique values: 4

units: 1
missing ..: 1,376/1,506

tabulation:  Freq.  Value
              114    0
              12    1
               3    2
               1    3
              1,376  .
mean:       .161538
std. dev:   .479079
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c2_min_K K : Minutes per week (Saturday - Sunday)

 type: numeric (**float**)
 range: **[0,50]** units: **1**
unique values: **20** missing .: **1,376/1,506**

tabulation: Freq. Value
 13 0
 1 2
 1 3
 5 4
 5 5
 2 6
 3 7
 3 8
 2 9
 32 10
 1 14
 16 15
 2 18
 17 20
 3 23
 2 25
 12 30
 1 35
 7 40
 2 50

1,376 .
 mean: **15.1462**
 std. dev: **11.3008**

percentiles: 10% 25% 50% 75% 90%
 1 8 10 20 30

c2_aa_K K : Monday-Friday How many times (Saturday - Sunday)

 type: string (**str30**), but longest is str10
unique values: **7** missing "": **1,376/1,506**

tabulation: Freq. Value
 1,376 ""
 80 "1"
 23 "1.5"
 10 "2"
 6 "2.5"
 1 "3"
 3 "3.5"
 7 "**many times**"

 warning: variable has embedded blanks

c2_ab_K K : Monday-Friday How many times per units (Saturday - Sunday)

 type: string (**str21**), but longest is str3
unique values: **1** missing "": **1,376/1,506**

tabulation: Freq. Value
 1,376 ""
 130 "**day**"

c2_ac_K **K :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,376/1,506

tabulation: Freq. Value
             128 0
             2 1
            1,376 .
mean: .015385
std. dev: .123553

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c2_ad_K **K :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,30] units: .1
unique values: 15 missing .: 1,376/1,506

tabulation: Freq. Value
             2 0
             1 1
             2 1.5
             6 2
             8 2.5
             2 3
             3 3.5
             2 4
             3 4.5
            52 5
             8 7.5
            19 10
             4 15
             9 20
             9 30
            1,376 .
mean: 8.41538
std. dev: 7.5074

percentiles: 10% 25% 50% 75% 90%
              2.5 5 5 10 20
    
```

c2_ba_K **K : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c2_ba
range: [1,13] units: 1
unique values: 6 missing .: 1,376/1,506
unique missing codes: 2 missing *: 11/1,506

tabulation: Freq. Numeric Label
             2 1 father
            28 3 mother
            67 5 grandparents
             1 7 uncle/aunt
            17 9 brother/sister/cousin
             4 13 other household member
            1,376 .
             11 .b
    
```

c2_bb_K **K : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb

range: [3,13]
unique values: 5
units: 1
missing .. 1,466/1,506

tabulation: Freq.  Numeric  Label
              9         3  mother
              12        5  grandparents
              2         7  uncle/aunt
              16        9  brother/sister/cousin
              1        13  other household member
1,466         .
    
```

c2_bc_K **K : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c2_bc

range: [5,9]
unique values: 2
units: 1
missing .. 1,502/1,506

tabulation: Freq.  Numeric  Label
              2         5  grandparents
              2         9  brother/sister/cousin
1,502         .
    
```

c2_ba_gen_K **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,387/1,506

tabulation: Freq.  Numeric  Label
              13         1  male
              106        3  female
1,387         .
    
```

c2_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,466/1,506

tabulation: Freq.  Numeric  Label
              5         1  male
              35        3  female
1,466         .
    
```

c2_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen
    
```

```

range: [1,3] units: 1
unique values: 2 missing .: 1,502/1,506

tabulation: Freq. Numeric Label
              2          1 male
              2          3 female
            1,502          .
    
```

c3_code_K **K : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5] units: 1
unique values: 2 missing .: 0/1,506
unique missing codes: 3 missing *: 1,049/1,506

tabulation: Freq. Numeric Label
              61          3 at least once a month
              396         5 at least once a week
               1          .a
             1,047         .b
               1          .c
    
```

c3_hr_K **K : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,3] units: 1
unique values: 4 missing .: 1,110/1,506

tabulation: Freq. Value
              364  0
               27  1
                 3  2
                 2  3
             1,110  .
mean: .098485
std. dev: .366851

percentiles: 10% 25% 50% 75% 90%
              0   0   0   0   0
    
```

c3_min_K **K : Minutes per week (Monday - Sunday)**

```

type: numeric(float)

range: [0,53] units: 1
unique values: 31 missing .: 1,110/1,506

tabulation: Freq. Value
              18  0
               2  1
              13  2
              32  3
              13  4
              38  5
              12  6
               6  7
              23  8
               6  9
              48 10
              12 11
              10 13
               2 14
              30 15
    
```

```

      1 17
      3 18
      4 19
     32 20
      9 23
     14 25
      1 26
      1 28
     29 30
      1 31
     12 35
      5 38
     11 40
      2 45
      4 50
      2 53
    1,110 .
      mean: 14.351
    std. dev: 11.7394
percentiles:    10%    25%    50%    75%    90%
                3      5      10     20     30

```

c3_aa_K **K :Monday-Friday How many times (Monday - Sunday)**

```

      type: string (str6), but longest is str3
unique values: 11          missing "": 1,110/1,506
  tabulation: Freq. Value
              1,110 ""
              113 "1"
              45  "1.5"
              94  "2"
              53  "2.5"
              50  "3"
              22  "3.5"
               9  "4"
               6  "4.5"
               1  "4.9"
               2  "5"
               1  "5.5"

```

c3_ab_K **K :Monday-Friday How many times per units (Monday - Sunday)**

```

      type: string (str22), but longest is str4
unique values: 1          missing "": 1,110/1,506
  tabulation: Freq. Value
              1,110 ""
              396 "week"

```

c3_ac_K **K :Monday-Friday How many times per hours (Monday - Sunday)**

```

      type: numeric (double)
      range: [0,2.4]          units: .1
unique values: 3          missing .: 1,110/1,506

```

```
tabulation: Freq. Value
             388  0
              7  1
              1  2.4
            1,110 .
      mean:   .023737
      std. dev: .178154

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
```

c3_ad_K **K : Monday-Friday How many times per minutes (Monday - Sunday)**

```
type: numeric (double)
range: [1,35] units: .1
unique values: 21 missing .: 1,118/1,506

tabulation: Freq. Value
             9  1
              7  1.5
             24  2
             31  2.5
             19  3
              7  3.5
             13  4.5
             91  5
              1  5.5
              1  6
              1  6.5
             21  7.5
             93  10
              2  12.5
             16  15
              1  17
              1  17.5
             22  20
              2  25
             25  30
              1  35
            1,118 .
      mean:   8.81443
      std. dev: 7.51169

percentiles:      10%      25%      50%      75%      90%
                  2         4         5         10        20
```

c3_ba_K **K : Relationship-with-the-child doing activity (person 1)**

```
type: numeric (byte)
label: c3_ba
range: [1,13] units: 1
unique values: 7 missing .: 1,049/1,506
unique missing codes: 2 missing *: 94/1,506

tabulation: Freq. Numeric Label
             6          1 father
            129         3 mother
            165         5 grandparents
             10         7 uncle/aunt
             43         9 brother/sister/cousin
              1         11 outside-household-person
              9         13 other household member
           1,049         .
             94         .b
```

c3_bb_K **K : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c3_bb

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,407/1,506
missing *: 4/1,506

tabulation: Freq.  Numeric  Label
              4          1  father
              15         3  mother
              37         5  grandparents
              4          7  uncle/aunt
              31         9  brother/sister/cousin
              4          13  other household member
            1,407         .
              4          .b
    
```

c3_bc_K **K : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c3_bc

range: [1,13]
unique values: 5

units: 1
missing .: 1,490/1,506

tabulation: Freq.  Numeric  Label
              1          1  father
              2          3  mother
              4          5  grandparents
              8          9  brother/sister/cousin
              1          13  other household member
            1,490         .
    
```

c3_ba_gen_K **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,144/1,506

tabulation: Freq.  Numeric  Label
              39         1  male
              323        3  female
            1,144         .
    
```

c3_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,409/1,506

tabulation: Freq.  Numeric  Label
              19         1  male
              78         3  female
            1,409         .
    
```

c3_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,491/1,506

tabulation: Freq.  Numeric  Label
              5         1  male
              10        3  female
             1,491        .
    
```

activity_L **Do homework (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
             1,506 ""
    
```

detail_L **L: detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
             1,506 ""
    
```

c1_code_L **L : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 6
unique missing codes: 2
units: 1
missing .: 0/1,506
missing *: 184/1,506

tabulation: Freq.  Numeric  Label
              565        0  never
               1         1  less than once a month
               2         3  at least once a month
               53         5  at least once a week
              689         7  once a day
               12         9  more than once a day
               2          .a
              182          .c
    
```

c1_hr_L **L : Hours per week (Monday - Friday)**

```

type: numeric (float)

range: [0,25]
unique values: 15
unique missing codes: 2
units: .1
missing .: 752/1,506
missing *: 2/1,506
    
```

```

tabulation:  Freq.  Value
              266    0
              149    1
                1  1.6
              206    2
                7    3
              105    5
                4    7
                1  7.4000001
                1    8
                1    9
                4   10
                4   12
                1   15
                1   20
                1   25
              752    .
                2    .c
    mean:     1.74069
    std. dev: 2.30981
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      5
    
```

cl_min_L

L : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,56]
unique values: 34
unique missing codes: 2
units: .1
missing .: 752/1,506
missing *: 2/1,506
    
```

```

tabulation:  Freq.  Value
              124    0
                1  1.9
                2    2
                4    3
                7    5
                2    8
                1    9
                6   10
                8   13
                1   14
              59   15
                1   16
                1   17
                6   18
                1   19
                6   20
                5   23
              58   25
                2   27
                8   28
              211   30
                1  34.900002
                4   35
              15   38
              79   40
                2   42
                6   45
                1  45.299999
                1   46
                1   47
              123   50
                2   53
                2   55
                1   56
              752    .
                2    .c
    mean:     27.1451
    
```

std. dev: 16.4025
 percentiles: 10% 25% 50% 75% 90%
 0 15 30 40 50

c1_aa_L L :Monday-Friday How many times (Monday - Friday)

type: string (str27), but longest is str4
 unique values: 28 missing "": 752/1,506

tabulation:

Freq.	Value
752	" "
696	"1"
2	"1.5"
1	"1.6"
1	"1.8"
10	"2"
1	"2.3"
1	"2.32"
5	"2.5"
1	"2.79"
1	"2.8"
7	"3"
1	"3.02"
1	"3.3"
1	"3.48"
2	"3.49"
1	"3.5"
1	"3.7"
1	"3.72"
2	"3.9"
8	"4"
1	"4.2"
2	"4.4"
2	"4.42"
1	"4.5"
1	"4.65"
1	"4.9"
1	"5.1"
1	"5.8"

c1_ab_L L :Monday-Friday How many times per units (Monday - Friday)

type: string (str21), but longest is str4
 unique values: 2 missing "": 752/1,506

tabulation:

Freq.	Value
752	" "
702	"day"
52	"week"

c1_ac_L L :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)
 range: [0,30] units: .1
 unique values: 9 missing .: 752/1,506
 unique missing codes: 2 missing *: 2/1,506


```

tabulation:  Freq.  Value
              624  0
              116  1
               1  1.5
               6  2
               1  2.5
               1  3
               1  4
               1  7.4
               1  30
              752  .
               2  .c
    mean:     .234574
  std. dev:   1.20302

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

cl_ad_L **L :Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,56]
unique values: 23
unique missing codes: 2
units: .1
missing .: 752/1,506
missing *: 2/1,506
    
```

```

tabulation:  Freq.  Value
              122  0
               4  1
               1  1.5
               5  2
               8  2.5
               9  3
               7  3.5
               4  4
               6  4.5
              65  5
               4  5.5
               1  7
              23  7.5
             127  10
              48  15
               4  17.5
              83  20
               2  25
             218  30
               2  35
               2  40
               6  45
               1  56
              752  .
               2  .c
    mean:     15.2161
  std. dev:   11.8646

percentiles:      10%      25%      50%      75%      90%
                  0         5         10        30        30
    
```

cl_ba_L **L : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: cl_ba
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 750/1,506
missing *: 200/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
               62      1  father
               163     3  mother
               228     5  grandparents
                23     7  uncle/aunt
                61     9  brother/sister/cousin
                 2    11  outside-household-person
                17    13  other household member
               750     .
               200    .b
    
```

c1_bb_L L : Relationship-with-the-child doing activity (person 2)

```

type: numeric (byte)
label: c2_bb

range: [1,13]                units: 1
unique values: 7              missing .: 1,178/1,506
unique missing codes: 2      missing *: 20/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
               34      1  father
               67      3  mother
              102     5  grandparents
               18      7  uncle/aunt
               68      9  brother/sister/cousin
                5    11  outside-household-person
               14    13  other household member
            1,178     .
               20     .b
    
```

c1_bc_L L : Relationship-with-the-child doing activity (person 3)

```

type: numeric (byte)
label: c1_bc

range: [1,11]                units: 1
unique values: 6              missing .: 1,430/1,506
unique missing codes: 2      missing *: 4/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
                6      1  father
               12      3  mother
               29      5  grandparents
                3      7  uncle/aunt
               20      9  brother/sister/cousin
                2    11  outside-household-person
            1,430     .
                 4     .b
    
```

c1_ba_gen_L Gender code (person 1)

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]                units: 1
unique values: 2              missing .: 950/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
               141     1  male
               415     3  female
               950     .
    
```

c1_bb_gen_L **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,198/1,506

tabulation: Freq.  Numeric  Label
              97      1      male
              211     3      female
              1,198     .
    
```

c1_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,434/1,506

tabulation: Freq.  Numeric  Label
              25      1      male
              47      3      female
              1,434     .
    
```

c2_code_L **L : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 3
units: 1
missing ..: 1/1,506
missing *: 184/1,506

tabulation: Freq.  Numeric  Label
              998     0      never
              14      5      at least once a week
              303     7      once a day
              6       9      more than once a day
              1       .
              2       .a
              182     .c
    
```

c2_hr_L **L : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,5]
unique values: 6
units: 1
missing ..: 1,183/1,506

tabulation: Freq.  Value
              178    0
              87     1
              47     2
              3      3
              5      4
              3      5
              1,183  .
mean: .696594
std. dev: .965662
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 2

c2_min_L L : Minutes per week (Saturday - Sunday)

type: numeric (float)
 range: [0,40] units: 1
 unique values: 15 missing.: 1,183/1,506

tabulation:

Freq.	Value
142	0
2	2
2	3
2	4
4	5
3	6
5	7
5	8
29	10
1	12
5	15
55	20
3	25
27	30
38	40
1,183	.

mean: 12.4241
 std. dev: 14.111

percentiles: 10% 25% 50% 75% 90%
 0 0 8 20 40

c2_aa_L L : Monday-Friday How many times (Saturday - Sunday)

type: string (str30), but longest is str10
 unique values: 3 missing "": 1,183/1,506

tabulation:

Freq.	Value
1,183	" "
318	"1"
4	"2"
1	"many times"

warning: variable has embedded blanks

c2_ab_L L : Monday-Friday How many times per units (Saturday - Sunday)

type: string (str21), but longest is str4
 unique values: 2 missing "": 1,183/1,506

tabulation:

Freq.	Value
1,183	" "
309	"day"
14	"week"

c2_ac_L L : Monday-Friday How many times per hours (Saturday - Sunday)

type: numeric (double)

```

range: [0,2.5] units: .1
unique values: 5 missing .: 1,183/1,506

tabulation: Freq. Value
             263 0
             53 1
              2 1.5
              4 2
              1 2.5
             1,183 .
mean: .205882
std. dev: .452937

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c2_ad_L L :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,40] units: .1
unique values: 16 missing .: 1,183/1,506

tabulation: Freq. Value
             57 0
              2 1
              1 1.5
              2 2
              2 2.5
              5 3
              4 3.5
              4 4
              1 4.5
             27 5
             10 7.5
             55 10
             23 15
             38 20
             89 30
              3 40
             1,183 .
mean: 14.6037
std. dev: 11.6002

percentiles: 10% 25% 50% 75% 90%
              0 5 10 30 30
    
```

c2_ba_L L : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c2_ba
range: [1,13] units: 1
unique values: 7 missing .: 1,183/1,506
unique missing codes: 2 missing *: 86/1,506

tabulation: Freq. Numeric Label
             28 1 father
             67 3 mother
             94 5 grandparents
             11 7 uncle/aunt
             31 9 brother/sister/cousin
              1 11 outside-household-person
              5 13 other household member
             1,183 .
             86 .b
    
```

c2_bb_L **I : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,370/1,506
missing *: 10/1,506

```

tabulation:	Freq.	Numeric	Label
	15	1	father
	29	3	mother
	33	5	grandparents
	8	7	uncle/aunt
	31	9	brother/sister/cousin
	4	11	outside-household-person
	6	13	other household member
	1,370	.	
	10	.b	

c2_bc_L **I : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c2_bc

range: [1,11]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,474/1,506
missing *: 1/1,506

```

tabulation:	Freq.	Numeric	Label
	6	1	father
	6	3	mother
	12	5	grandparents
	1	7	uncle/aunt
	4	9	brother/sister/cousin
	2	11	outside-household-person
	1,474	.	
	1	.b	

c2_ba_gen_L **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,269/1,506

```

tabulation:	Freq.	Numeric	Label
	57	1	male
	180	3	female
	1,269	.	

c2_bb_gen_L **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,379/1,506

```

```

tabulation:  Freq.  Numeric  Label
              39      1  male
              88      3  female
            1,379      .
    
```

c2_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,475/1,506

tabulation:  Freq.  Numeric  Label
              13      1  male
              18      3  female
            1,475      .
    
```

c3_code_L **L : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5] units: 1
unique values: 3 missing .: 1/1,506
unique missing codes: 4 missing *: 1,324/1,506

tabulation:  Freq.  Numeric  Label
              2      1  less than once a month
              18      3  at least once a month
             161      5  at least once a week
              1      .
              2      .a
            1,321      .b
              1      .c
    
```

c3_hr_L **L : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,6] units: .1
unique values: 7 missing .: 1,345/1,506
unique missing codes: 2 missing *: 2/1,506

tabulation:  Freq.  Value
            104  0
             33  1
             10  2
              2  2.4000001
              7  3
              2  4
              1  6
            1,345  .
              2  .c
mean:      .583648
std. dev:  1.01057

percentiles:  10%  25%  50%  75%  90%
              0    0    0    1    2
    
```

c3_min_L **L : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
    
```

range: [0,53] units: 1
 unique values: 23 missing .: 1,346/1,506
 unique missing codes: 2 missing *: 2/1,506

tabulation: Freq. Value
 29 0
 1 2
 4 3
 5 5
 4 6
 5 8
 10 10
 3 11
 1 12
 4 13
 1 14
 16 15
 2 18
 12 20
 1 21
 2 25
 1 28
 40 30
 1 38
 7 40
 4 45
 4 50
 1 53
 1,346 .
 2 .c

mean: 18.2278
 std. dev: 14.1844

percentiles: 10% 25% 50% 75% 90%
 0 6 15 30 40

c3_aa_L L :Monday-Friday How many times (Monday - Sunday)

type: string (str6), but longest is str3
 unique values: 14 missing "": 1,345/1,506

tabulation: Freq. Value
 1,345 ""
 37 "1"
 6 "1.5"
 21 "2"
 1 "2.3"
 19 "2.5"
 1 "2.8"
 50 "3"
 7 "3.5"
 10 "4"
 1 "4.5"
 1 "4.7"
 2 "4.9"
 3 "5"
 2 "6"

c3_ab_L L :Monday-Friday How many times per units (Monday - Sunday)

type: string (str22), but longest is str4
 unique values: 1 missing "": 1,345/1,506


```

tabulation: Freq. Value
             1,345 ""
             161  "week"
    
```

c3_ac_L L :Monday-Friday How many times per hours (Monday - Sunday)

```

type: numeric (double)
range: [0,2.4] units: .1
unique values: 4 missing .: 1,345/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Value
             139 0
             19 1
              1 2
              1 2.4
            1,345 .
              1 .c
mean: .14625
std. dev: .399195

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c3_ad_L L :Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [1,40] units: .1
unique values: 17 missing .: 1,366/1,506
unique missing codes: 2 missing *: 2/1,506

tabulation: Freq. Value
             1 1
             1 2
             4 2.5
             7 3
             1 3.5
             2 4.5
            19 5
             2 5.5
             3 7.5
             1 9.5
            37 10
             3 12.5
             4 15
            16 20
             2 25
            34 30
             1 40
            1,366 .
              2 .c
mean: 15.087
std. dev: 10.2693

percentiles: 10% 25% 50% 75% 90%
              3.5 5 10 30 30
    
```

c3_ba_L L : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c3_ba
    
```

range: [1,13] units: 1
 unique values: 6 missing .: 1,325/1,506
 unique missing codes: 2 missing *: 42/1,506

tabulation:	Freq.	Numeric	Label
	10	1	father
	48	3	mother
	60	5	grandparents
	1	7	uncle/aunt
	17	9	brother/sister/cousin
	3	13	other household member
	1,325	.	.
	42	.b	.b

c3_bb_L L : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c3_bb
 range: [1,13] units: 1
 unique values: 6 missing .: 1,446/1,506
 unique missing codes: 2 missing *: 4/1,506

tabulation:	Freq.	Numeric	Label
	4	1	father
	12	3	mother
	21	5	grandparents
	2	7	uncle/aunt
	15	9	brother/sister/cousin
	2	13	other household member
	1,446	.	.
	4	.b	.b

c3_bc_L L : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
 label: c3_bc
 range: [3,11] units: 1
 unique values: 4 missing .: 1,497/1,506

tabulation:	Freq.	Numeric	Label
	2	3	mother
	1	5	grandparents
	5	9	brother/sister/cousin
	1	11	outside-household-person
	1,497	.	.

c3_ba_gen_L Gender code (person 1)

type: numeric (byte)
 label: c3_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,367/1,506

tabulation:	Freq.	Numeric	Label
	34	1	male
	105	3	female
	1,367	.	.

c3_bb_gen_L Gender code (person 2)

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,450/1,506

tabulation: Freq.  Numeric  Label
              13      1  male
              43      3  female
            1,450      .
    
```

c3_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,497/1,506

tabulation: Freq.  Numeric  Label
              3      1  male
              6      3  female
            1,497      .
    
```

activity_M **Child reads a book byself (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
            1,506  ""
    
```

detail_M **M: detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
            1,506  ""
    
```

c1_code_M **M : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,506
missing *: 36/1,506

tabulation: Freq.  Numeric  Label
            1,434      0  never
              32      7  once a day
               4      9  more than once a day
               1      .a
              35      .c
    
```

c1_hr_M **M : Hours per week (Monday - Friday)**

```

type: numeric (float)
    
```

```

range: [0,5] units: 1
unique values: 4 missing .: 1,470/1,506

tabulation: Freq. Value
              15  0
              11  1
               6  2
               4  5
            1,470 .
mean: 1.19444
std. dev: 1.54586

percentiles: 10% 25% 50% 75% 90%
              0  0  1  2  5
    
```

c1_min_M **M : Minutes per week (Monday - Friday)**

```

type: numeric (float)

range: [0,50] units: 1
unique values: 13 missing .: 1,470/1,506

tabulation: Freq. Value
              4  0
              3  3
              1  5
              1  8
              1 10
              1 20
              1 23
              4 25
              5 30
              1 34
              1 38
              7 40
              6 50
            1,470 .
mean: 27.1389
std. dev: 17.2629

percentiles: 10% 25% 50% 75% 90%
              0  9 30 40 50
    
```

c1_aa_M **M :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10

unique values: 5 missing "": 1,470/1,506

tabulation: Freq. Value
            1,470 ""
              32 "1"
               1 "2"
               1 "2.5"
               1 "4"
               1 "many times"

warning: variable has embedded blanks
    
```

c1_ab_M **M :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str3

unique values: 1 missing "": 1,470/1,506
    
```

```

tabulation: Freq. Value
             1,470 ""
             36  "day"
    
```

c1_ac_M **M : Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,470/1,506

tabulation: Freq. Value
             32 0
             4 1
             1,470 .
mean: .111111
std. dev: .318728

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c1_ad_M **M : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,30] units: .1
unique values: 11 missing .: 1,470/1,506

tabulation: Freq. Value
             4 0
             1 1
             1 1.5
             1 2
             1 4.5
             4 5
             1 7
             5 7.5
             7 10
             6 20
             5 30
             1,470 .
mean: 11.4861
std. dev: 9.7222

percentiles: 10% 25% 50% 75% 90%
              0 5 8.75 20 30
    
```

c1_ba_M **M : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c1_ba
range: [.,.] units: .
unique values: 0 missing .: 1,470/1,506
unique missing codes: 2 missing *: 36/1,506

tabulation: Freq. Numeric Label
             1,470 .
             36 .b
    
```

c1_bb_M **M : Relationship-with-the-child doing activity (person 2)**

```

        type: numeric (byte)
        label: c2_bb
        range: [..]
        unique values: 0
        units: .
        missing ..: 1,506/1,506
        tabulation: Freq.  Numeric  Label
                   1,506      .
    
```

c1_bc_M **M : Relationship-with-the-child doing activity (person 3)**

```

        type: numeric (byte)
        label: c1_bc
        range: [..]
        unique values: 0
        units: .
        missing ..: 1,506/1,506
        tabulation: Freq.  Numeric  Label
                   1,506      .
    
```

c1_ba_gen_M **Gender code (person 1)**

```

        type: numeric (byte)
        label: c1_ba_gen
        range: [..]
        unique values: 0
        unique missing codes: 2
        units: .
        missing ..: 1,505/1,506
        missing *: 1/1,506
        tabulation: Freq.  Numeric  Label
                   1,505      .
                   1         .b
    
```

c1_bb_gen_M **Gender code (person 2)**

```

        type: numeric (byte)
        label: c1_bb_gen
        range: [..]
        unique values: 0
        units: .
        missing ..: 1,506/1,506
        tabulation: Freq.  Numeric  Label
                   1,506      .
    
```

c1_bc_gen_M **Gender code (person 3)**

```

        type: numeric (byte)
        label: c1_bc_gen
        range: [..]
        unique values: 0
        units: .
        missing ..: 1,506/1,506
        tabulation: Freq.  Numeric  Label
                   1,506      .
    
```

c2_code_M **M : Frequency (Saturday - Sunday)**

```

        type: numeric (byte)
        label: c2_code
    
```

range: [0,9] units: 1
 unique values: 4 missing .: 0/1,506
 unique missing codes: 2 missing *: 36/1,506

tabulation:	Freq.	Numeric	Label
	1,439	0	never
	1	5	at least once a week
	26	7	once a day
	4	9	more than once a day
	1	.a	
	35	.c	

c2_hr_M M : Hours per week (Saturday - Sunday)

type: numeric (float)
 range: [0,2] units: 1
 unique values: 3 missing .: 1,475/1,506

tabulation:	Freq.	Value
	23	0
	5	1
	3	2
	1,475	.

mean: .354839
 std. dev: .660726

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	1

c2_min_M M : Minutes per week (Saturday - Sunday)

type: numeric (float)
 range: [0,56] units: 1
 unique values: 12 missing .: 1,475/1,506

tabulation:	Freq.	Value
	8	0
	1	2
	1	3
	1	4
	1	9
	4	10
	1	15
	5	20
	3	25
	1	38
	4	40
	1	56
	1,475	.

mean: 16.1935
 std. dev: 15.7701

percentiles:	10%	25%	50%	75%	90%
	0	0	10	25	40

c2_aa_M M : Monday-Friday How many times (Saturday - Sunday)

type: string (str30), but longest is str10
 unique values: 5 missing "": 1,475/1,506

```

tabulation: Freq. Value
            1,475 ""
             26 "1"
              2 "2"
              1 "2.5"
              1 "4"
              1 "many times"
    
```

warning: variable has embedded blanks

c2_ab_M M :Monday-Friday How many times per units (Saturday - Sunday)

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,475/1,506
tabulation: Freq. Value
            1,475 ""
             30 "day"
              1 "week"
    
```

c2_ac_M M :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,475/1,506
tabulation: Freq. Value
            28 0
              3 1
            1,475 .
mean: .096774
std. dev: .300537
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c2_ad_M M :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,30] units: .1
unique values: 11 missing .: 1,475/1,506
tabulation: Freq. Value
            3 0
             1 1
             1 1.5
             1 2
             1 4.5
             4 5
             1 7
             5 7.5
             6 10
             3 20
             5 30
            1,475 .
mean: 11.0806
std. dev: 9.91892
percentiles: 10% 25% 50% 75% 90%
              1 5 7.5 20 30
    
```

c2_ba_M **M : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c2_ba

range: [.,.]
unique values: 0
unique missing codes: 2

units: .
missing ..: 1,475/1,506
missing *: 31/1,506

tabulation: Freq.   Numeric   Label
              1,475         .
              31           .b
    
```

c2_bb_M **M : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb

range: [.,.]
unique values: 0

units: .
missing ..: 1,506/1,506

tabulation: Freq.   Numeric   Label
              1,506         .
    
```

c2_bc_M **M : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c2_bc

range: [.,.]
unique values: 0

units: .
missing ..: 1,506/1,506

tabulation: Freq.   Numeric   Label
              1,506         .
    
```

c2_ba_gen_M **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [3,3]
unique values: 1
unique missing codes: 2

units: 1
missing ..: 1,488/1,506
missing *: 1/1,506

tabulation: Freq.   Numeric   Label
              17         3 female
              1,488         .
              1           .b
    
```

c2_bb_gen_M **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [.,.]
unique values: 0

units: .
missing ..: 1,506/1,506

tabulation: Freq.   Numeric   Label
              1,506         .
    
```

c2_bc_gen_M **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.  Numeric  Label
              1,506      .
    
```

c3_code_M **M : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 3
units: 1
missing ..: 0/1,506
missing *: 1,472/1,506

tabulation: Freq.  Numeric  Label
              2         3  at least once a month
              32         5  at least once a week
              1         .a
            1,470         .b
              1         .c
    
```

c3_hr_M **M : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,2]
unique values: 3
units: 1
missing ..: 1,474/1,506

tabulation: Freq.  Value
              27    0
               2    1
               3    2
            1,474    .
mean: .25
std. dev: .622171

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

c3_min_M **M : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,53]
unique values: 14
units: 1
missing ..: 1,474/1,506

tabulation: Freq.  Value
              4    0
              1    2
              1    3
              2    6
              1   10
              1   11
              5   20
              1   23
              1   24
              2   25
              6   30
    
```

```

          3 38
          3 45
          1 53
    mean: 1,474 .
    std. dev: 22.4063
          15.2524
percentiles:      10%      25%      50%      75%      90%
                  0         8       23.5      30       45
    
```

c3_aa_M **M :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str3
unique values: 8          missing "": 1,474/1,506
tabulation:
  Freq. Value
  1,474 ""
    3 "1"
    6 "1.5"
    9 "2"
    7 "2.5"
    4 "3"
    1 "3.5"
    1 "4"
    1 "5"
    
```

c3_ab_M **M :Monday-Friday How many times per units (Monday - Sunday)**

```

    type: string (str22), but longest is str4
unique values: 1          missing "": 1,474/1,506
tabulation:
  Freq. Value
  1,474 ""
    32 "week"
    
```

c3_ac_M **M :Monday-Friday How many times per hours (Monday - Sunday)**

```

    type: numeric (double)
    range: [0,1]          units: 1
unique values: 2          missing .: 1,474/1,506
tabulation:
  Freq. Value
    28 0
    4 1
  1,474 .
    mean: .125
    std. dev: .336011
percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

c3_ad_M **M :Monday-Friday How many times per minutes (Monday - Sunday)**

```

    type: numeric (double)
    range: [1,30]        units: .1
unique values: 12       missing .: 1,478/1,506
    
```

```

tabulation:  Freq.  Value
              1      1
              1     1.5
              1     2.5
              1      3
              1     4.5
              1      5
              1     7.5
              1      8
              8     10
              6     15
              3     20
              3     30
            1,478 .
    mean:    12.6071
    std. dev: 8.12786

```

```

percentiles:    10%    25%    50%    75%    90%
                2.5    7.75   10     15     30

```

c3_ba_M **M : Relationship-with-the-child doing activity (person 1)**

```

    type: numeric (byte)
    label: c3_ba

    range: [.,.]
    unique values: 0
    unique missing codes: 2

    units: .
    missing .: 1,472/1,506
    missing *: 34/1,506

```

```

tabulation:  Freq.  Numeric  Label
              1,472    .
              34       .b

```

c3_bb_M **M : Relationship-with-the-child doing activity (person 2)**

```

    type: numeric (byte)
    label: c3_bb

    range: [.,.]
    unique values: 0
    unique missing codes: 2

    units: .
    missing .: 1,473/1,506
    missing *: 33/1,506

```

```

tabulation:  Freq.  Numeric  Label
              1,473    .
              33       .b

```

c3_bc_M **M : Relationship-with-the-child doing activity (person 3)**

```

    type: numeric (byte)
    label: c3_bc

    range: [.,.]
    unique values: 0
    unique missing codes: 2

    units: .
    missing .: 1,473/1,506
    missing *: 33/1,506

```

```

tabulation:  Freq.  Numeric  Label
              1,473    .
              33       .b

```

c3_ba_gen_M **Gender code (person 1)**

```

    type: numeric (byte)
    label: c3_ba_gen

```

```

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Numeric Label
1,506 .
    
```

c3_bb_gen_M **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Numeric Label
1,506 .
    
```

c3_bc_gen_M **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Numeric Label
1,506 .
    
```

activity_N **Others (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""
    
```

detail_N **Identify frequent activities (not display)**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""
    
```

c1_code_N **N : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [7,9]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1,498/1,506
missing *: 3/1,506

tabulation: Freq. Numeric Label
4 7 once a day
1 9 more than once a day
1,498 .
3 .c
    
```

c1_hr_N **N : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [0,5] units: 1
unique values: 3 missing .: 1,501/1,506

tabulation: Freq. Value
              3 0
              1 1
              1 5
            1,501 .
mean: 1.2
std. dev: 2.16795

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 5
    
```

c1_min_N **N : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,50] units: 1
unique values: 4 missing .: 1,501/1,506

tabulation: Freq. Value
              1 0
              1 15
              1 38
              2 50
            1,501 .
mean: 30.6
std. dev: 22.289

percentiles: 10% 25% 50% 75% 90%
              0 15 38 50 50
    
```

c1_aa_N **N :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str3
unique values: 2 missing "": 1,501/1,506

tabulation: Freq. Value
            1,501 ""
              4 "1"
              1 "1.5"
    
```

c1_ab_N **N :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str3
unique values: 1 missing "": 1,501/1,506

tabulation: Freq. Value
            1,501 ""
              5 "day"
    
```

c1_ac_N **N :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
    
```

range: [0,1] units: 1
 unique values: 2 missing .: 1,501/1,506

tabulation: Freq. Value
 4 0
 1 1
 1,501 .
 mean: .2
 std. dev: .447214

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c1_ad_N N : Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (double)

range: [0,10] units: .1
 unique values: 3 missing .: 1,501/1,506

tabulation: Freq. Value
 1 0
 1 7.5
 3 10
 1,501 .
 mean: 7.5
 std. dev: 4.33013

percentiles: 10% 25% 50% 75% 90%
 0 7.5 10 10 10

c1_ba_N N : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c1_ba

range: [3,5] units: 1
 unique values: 2 missing .: 1,501/1,506

tabulation: Freq. Numeric Label
 1 3 mother
 4 5 grandparents
 1,501 .

c1_bb_N N : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c2_bb

range: [1,5] units: 1
 unique values: 2 missing .: 1,504/1,506

tabulation: Freq. Numeric Label
 1 1 father
 1 5 grandparents
 1,504 .

c1_bc_N N : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
 label: c1_bc

range: [3,3] units: 1
 unique values: 1 missing .: 1,505/1,506

tabulation:	Freq.	Numeric	Label
	1	3	mother
	1,505	.	

c1_ba_gen_N Gender code (person 1)

type: numeric (byte)
 label: c1_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,501/1,506

tabulation:	Freq.	Numeric	Label
	2	1	male
	3	3	female
	1,501	.	

c1_bb_gen_N Gender code (person 2)

type: numeric (byte)
 label: c1_bb_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,504/1,506

tabulation:	Freq.	Numeric	Label
	1	1	male
	1	3	female
	1,504	.	

c1_bc_gen_N Gender code (person 3)

type: numeric (byte)
 label: c1_bc_gen

range: [3,3] units: 1
 unique values: 1 missing .: 1,505/1,506

tabulation:	Freq.	Numeric	Label
	1	3	female
	1,505	.	

c2_code_N N : Frequency (Saturday - Sunday)

type: numeric (byte)
 label: c2_code

range: [7,9] units: 1
 unique values: 2 missing .: 1,498/1,506
 unique missing codes: 2 missing *: 3/1,506

tabulation:	Freq.	Numeric	Label
	4	7	once a day
	1	9	more than once a day
	1,498	.	
	3	.c	

c2_hr_N N : Hours per week (Saturday - Sunday)


```

type: numeric (float)
range: [0,2]
unique values: 2
units: 1
missing .: 1,501/1,506

tabulation: Freq. Value
              4 0
              1 2
            1,501 .
mean: .4
std. dev: .894427

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 2
    
```

c2_min_N N : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,30]
unique values: 4
units: 1
missing .: 1,501/1,506

tabulation: Freq. Value
              1 0
              1 15
              2 20
              1 30
            1,501 .
mean: 17
std. dev: 10.9545

percentiles: 10% 25% 50% 75% 90%
              0 15 20 20 30
    
```

c2_aa_N N : Monday-Friday How many times (Saturday - Sunday)

```

type: string (str30), but longest is str3
unique values: 2
missing "": 1,501/1,506

tabulation: Freq. Value
            1,501 ""
              4 "1"
              1 "1.5"
    
```

c2_ab_N N : Monday-Friday How many times per units (Saturday - Sunday)

```

type: string (str21), but longest is str3
unique values: 1
missing "": 1,501/1,506

tabulation: Freq. Value
            1,501 ""
              5 "day"
    
```

c2_ac_N N : Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,1]
unique values: 2
units: 1
missing .: 1,501/1,506
    
```

```

tabulation:  Freq.  Value
              4      0
              1      1
            1,501  .
    mean:      .2
    std. dev:  .447214

percentiles:  10%      25%      50%      75%      90%
              0         0         0         0         1
    
```

c2_ad_N **N : Monday-Friday How many times per minutes (Saturday - Sunday)**

```

    type:  numeric (double)
    range:  [0,10]
unique values:  3
              units:  .1
              missing :  1,501/1,506

    tabulation:  Freq.  Value
                  1      0
                  1     7.5
                  3     10
            1,501  .
    mean:        7.5
    std. dev:    4.33013

percentiles:  10%      25%      50%      75%      90%
              0         7.5      10         10         10
    
```

c2_ba_N **N : Relationship-with-the-child doing activity (person 1)**

```

    type:  numeric (byte)
    label:  c2_ba
    range:  [3,5]
unique values:  2
              units:  1
              missing :  1,501/1,506

    tabulation:  Freq.  Numeric  Label
                  1         3  mother
                  4         5  grandparents
            1,501  .
    
```

c2_bb_N **N : Relationship-with-the-child doing activity (person 2)**

```

    type:  numeric (byte)
    label:  c2_bb
    range:  [1,5]
unique values:  2
              units:  1
              missing :  1,504/1,506

    tabulation:  Freq.  Numeric  Label
                  1         1  father
                  1         5  grandparents
            1,504  .
    
```

c2_bc_N **N : Relationship-with-the-child doing activity (person 3)**

```

    type:  numeric (byte)
    label:  c2_bc
    range:  [3,3]
unique values:  1
              units:  1
              missing :  1,505/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              1      3      mother
              1,505      .
    
```

c2_ba_gen_N **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,501/1,506

tabulation:  Freq.  Numeric  Label
              2      1      male
              3      3      female
              1,501      .
    
```

c2_bb_gen_N **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,504/1,506

tabulation:  Freq.  Numeric  Label
              1      1      male
              1      3      female
              1,504      .
    
```

c2_bc_gen_N **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [3,3]
unique values: 1

units: 1
missing ..: 1,505/1,506

tabulation:  Freq.  Numeric  Label
              1      3      female
              1,505      .
    
```

c3_code_N **N : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 2
unique missing codes: 2

units: 1
missing ..: 1,498/1,506
missing *: 5/1,506

tabulation:  Freq.  Numeric  Label
              1      1      less than once a month
              2      5      at least once a week
              1,498      .
              5      .b
    
```

c3_hr_N **N : Hours per week (Monday - Sunday)**

```

type: numeric (float)
    
```

```

    range: [0,0]                units: 1
unique values: 1                missing .: 1,504/1,506

  tabulation: Freq. Value
                2 0
            1,504 .
    mean:      0
  std. dev:    0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

c3_min_N N : Minutes per week (Monday - Sunday)

```

    type: numeric (float)

    range: [8,10]                units: 1
unique values: 2                missing .: 1,504/1,506

  tabulation: Freq. Value
                1 8
                1 10
            1,504 .
    mean:      9
  std. dev:    1.41421

percentiles:    10%    25%    50%    75%    90%
                8      8      9      10     10
    
```

c3_aa_N N : Monday-Friday How many times (Monday - Sunday)

```

    type: string (str6), but longest is str3

unique values: 2                missing "": 1,504/1,506

  tabulation: Freq. Value
            1,504 ""
                1 "1"
                1 "1.5"
    
```

c3_ab_N N : Monday-Friday How many times per units (Monday - Sunday)

```

    type: string (str22), but longest is str4

unique values: 1                missing "": 1,504/1,506

  tabulation: Freq. Value
            1,504 ""
                2 "week"
    
```

c3_ac_N N : Monday-Friday How many times per hours (Monday - Sunday)

```

    type: numeric (double)

    range: [0,0]                units: 1
unique values: 1                missing .: 1,504/1,506

  tabulation: Freq. Value
                2 0
            1,504 .
    mean:      0
  std. dev:    0
    
```



```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,503/1,506

tabulation: Freq.   Numeric   Label
              1           1   male
              2           3   female
            1,503           .
    
```

c3_bb_gen_N **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [3,3]
unique values: 1
units: 1
missing ..: 1,504/1,506

tabulation: Freq.   Numeric   Label
              2           3   female
            1,504           .
    
```

c3_bc_gen_N **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,1]
unique values: 1
units: 1
missing ..: 1,505/1,506

tabulation: Freq.   Numeric   Label
              1           1   male
            1,505           .
    
```

activity_0 **Child plays computer, tablet, ipad, mobile phone (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.   Value
            1,506   ""
    
```

detail_0 **0: detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.   Value
            1,506   ""
    
```

c1_code_0 **0 : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 4
unique missing codes: 2
units: 1
missing ..: 0/1,506
missing *: 402/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              390      0      never
              3       5      at least once a week
              365      7      once a day
              346      9      more than once a day
              1       .a
              401      .c
    
```

c1_hr_0

0 : Hours per week (Monday - Friday)

```

type: numeric (float)
range: [0,27]
unique values: 18
unique missing codes: 2
units: 1
missing .: 792/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              75      0
              54      1
             107      2
              23      3
               6      4
             210      5
               8      6
              58      7
              12      8
              72     10
               6     11
              32     12
              26     15
               8     17
               5     20
               5     22
               5     25
               1     27
             792      .
               1     .c
mean: 5.63675
std. dev: 4.77719
    
```

```

percentiles: 10% 25% 50% 75% 90%
              0   2   5   7  12
    
```

c1_min_0

0 : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,63]
unique values: 26
unique missing codes: 2
units: 1
missing .: 793/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
             311      0
               1      2
               2      3
               8      5
               3      8
               9     10
               6     13
              41     15
               4     18
              10     20
               1     23
              13     25
             201     30
               1     31
               3     34
               1     35
    
```

```

      5 38
      1 39
     23 40
      1 44
     24 45
     34 50
      1 53
      4 55
      3 56
      1 63
     793 .
      1 .c
mean:    17.0646
std. dev: 17.3524

percentiles:    10%    25%    50%    75%    90%
                0      0      15     30     40
    
```

cl_aa_0 O :Monday-Friday How many times (Monday - Friday)

```

type: string (str27), but longest is str10
unique values: 9 missing "": 792/1,506
tabulation:
  Freq. Value
   792 ""
   367 "1"
    31 "1.5"
   102 "2"
    40 "2.5"
    26 "3"
    20 "3.5"
     6 "4"
     4 "4.5"
   118 "many times"
warning: variable has embedded blanks
    
```

cl_ab_0 O :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str21), but longest is str4
unique values: 3 missing "": 792/1,506
tabulation:
  Freq. Value
   792 ""
   709 "day"
     1 "time"
     4 "week"
    
```

cl_ac_0 O :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,10] units: .1
unique values: 10 missing .: 792/1,506
unique missing codes: 2 missing *: 1/1,506
    
```



```

tabulation:  Freq.  Value
              345  0
              254  1
              22  1.5
              60  2
              9  2.5
              16  3
              1  3.5
              4  4
              1  5
              1  10
              792  .
              1  .c
mean:        .718093
std. dev:    .900481

percentiles: 10%    25%    50%    75%    90%
              0     0     1     1     2
    
```

c1_ad_0 **0 : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,50]
unique values: 24
unique missing codes: 2
units: .1
missing .: 792/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              336  0
              2  1
              3  2
              8  2.5
              4  3
              5  3.5
              2  4
              2  4.5
              23  5
              1  5.5
              14  7.5
              33  10
              25  15
              1  17.5
              28  20
              11  25
              195 30
              1  31
              5  35
              1  36
              1  37.5
              2  40
              8  45
              2  50
              792  .
              1  .c
mean:        11.9593
std. dev:    13.8534

percentiles: 10%    25%    50%    75%    90%
              0     0     3.5   30    30
    
```

c1_ba_0 **0 : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c1_ba
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 792/1,506
 unique missing codes: 2 missing *: 429/1,506

tabulation:	Freq.	Numeric	Label
	32	1	father
	48	3	mother
	28	5	grandparents
	13	7	uncle/aunt
	149	9	brother/sister/cousin
	12	11	outside-household-person
	3	13	other household member
	792	.	.
	429	.b	.b

c1_bb_0 O : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c2_bb

range: [1,13] units: 1
 unique values: 7 missing .: 1,311/1,506
 unique missing codes: 2 missing *: 20/1,506

tabulation:	Freq.	Numeric	Label
	12	1	father
	42	3	mother
	24	5	grandparents
	9	7	uncle/aunt
	69	9	brother/sister/cousin
	17	11	outside-household-person
	2	13	other household member
	1,311	.	.
	20	.b	.b

c1_bc_0 O : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
 label: c1_bc

range: [1,11] units: 1
 unique values: 6 missing .: 1,460/1,506
 unique missing codes: 2 missing *: 5/1,506

tabulation:	Freq.	Numeric	Label
	3	1	father
	11	3	mother
	7	5	grandparents
	2	7	uncle/aunt
	9	9	brother/sister/cousin
	9	11	outside-household-person
	1,460	.	.
	5	.b	.b

c1_ba_gen_0 Gender code (person 1)

type: numeric (byte)
 label: c1_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,221/1,506

```

tabulation:  Freq.  Numeric  Label
              115      1  male
              170      3  female
              1,221      .
    
```

c1_bb_gen_0 **Gender code (person 2)**

```

type:  numeric (byte)
label:  c1_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,331/1,506

tabulation:  Freq.  Numeric  Label
              70      1  male
              105     3  female
              1,331     .
    
```

c1_bc_gen_0 **Gender code (person 3)**

```

type:  numeric (byte)
label:  c1_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,465/1,506

tabulation:  Freq.  Numeric  Label
              13      1  male
              28      3  female
              1,465     .
    
```

c2_code_0 **0 : Frequency (Saturday - Sunday)**

```

type:  numeric (byte)
label:  c2_code

range:  [0,9]
unique values:  3
unique missing codes:  2

units:  1
missing .:  0/1,506
missing *:  402/1,506

tabulation:  Freq.  Numeric  Label
              376      0  never
              311      7  once a day
              417      9  more than once a day
              1         .a
              401         .c
    
```

c2_hr_0 **0 : Hours per week (Saturday - Sunday)**

```

type:  numeric (float)

range:  [0,21]
unique values:  16
unique missing codes:  2

units:  1
missing .:  778/1,506
missing *:  1/1,506
    
```

```

tabulation:  Freq.  Value
              123  0
              122  1
              191  2
               62  3
              100  4
               39  5
               41  6
               13  7
               13  8
                7  9
                8 10
                2 11
                1 12
                3 15
                1 17
                1 21
              778  .
              1  .c
    mean:     2.73177
  std. dev:   2.54348

percentiles:      10%      25%      50%      75%      90%
                  0         1         2         4         6
    
```

c2_min_0

0 : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,55]
unique values: 26
unique missing codes: 2
units: 1
missing .: 779/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              527  0
                1  2
                3  4
                7  5
                3  6
                3  7
                3  8
                1  9
               17 10
                1 12
                1 13
                1 14
               10 15
                2 18
               38 20
                1 22
                1 23
                5 25
                1 28
               62 30
                4 38
               27 40
                1 42
                1 45
                4 50
                1 55
              779  .
              1  .c
    mean:     6.76033
  std. dev:   12.5613

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         8         30
    
```

c2_aa_0 O :Monday-Friday How many times (Saturday - Sunday)

```

type: string (str30), but longest is str10
unique values: 10 missing "": 778/1,506
tabulation: Freq. Value
              778 ""
              312 "1"
               28 "1.5"
              114 "2"
               50 "2.5"
               28 "3"
               26 "3.5"
                5 "4"
                6 "4.5"
                1 "6"
              158 "many times"
warning: variable has embedded blanks
    
```

c2_ab_0 O :Monday-Friday How many times per units (Saturday - Sunday)

```

type: string (str21), but longest is str4
unique values: 3 missing "": 778/1,506
tabulation: Freq. Value
              778 ""
              725 "day"
                1 "time"
                2 "week"
    
```

c2_ac_0 O :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,10] units: .1
unique values: 13 missing .: 778/1,506
unique missing codes: 2 missing *: 1/1,506
tabulation: Freq. Value
              323 0
              245 1
               20 1.5
               71 2
               16 2.5
               29 3
                4 3.5
                9 4
                2 4.5
                3 5
                2 5.5
                2 7
                1 10
              778 .
                1 .c
mean: .898212
std. dev: 1.12293
percentiles: 10% 25% 50% 75% 90%
              0 0 1 1 2
    
```

c2_ad_0 O :Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)
range: [0,45]
unique values: 22
unique missing codes: 2
units: .1
missing .: 778/1,506
missing *: 1/1,506

tabulation: Freq. Value
368 0
2 1
3 2
9 2.5
4 3
6 3.5
1 4
2 4.5
22 5
1 5.5
13 7.5
31 10
1 14.2
21 15
29 20
9 25
194 30
2 35
1 36
1 37.5
1 40
6 45
778 .
1 .c
mean: 11.014
std. dev: 13.4896
percentiles: 10% 25% 50% 75% 90%
0 0 0 30 30

c2_ba_0 O : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
label: c2_ba
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 778/1,506
missing *: 433/1,506

tabulation: Freq. Numeric Label
33 1 father
49 3 mother
27 5 grandparents
12 7 uncle/aunt
156 9 brother/sister/cousin
14 11 outside-household-person
4 13 other household member
778 .
433 .b

c2_bb_0 O : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
label: c2_bb

range: [1,13] units: 1
 unique values: 7 missing .: 1,309/1,506
 unique missing codes: 2 missing *: 20/1,506

tabulation:	Freq.	Numeric	Label
	14	1	father
	41	3	mother
	24	5	grandparents
	9	7	uncle/aunt
	69	9	brother/sister/cousin
	18	11	outside-household-person
	2	13	other household member
	1,309	.	
	20	.b	

c2_bc_0 **0 : Relationship-with-the-child doing activity (person 3)**

type: numeric (byte)
 label: **c2_bc**

range: [1,11] units: 1
 unique values: 6 missing .: 1,460/1,506
 unique missing codes: 2 missing *: 5/1,506

tabulation:	Freq.	Numeric	Label
	3	1	father
	12	3	mother
	7	5	grandparents
	2	7	uncle/aunt
	8	9	brother/sister/cousin
	9	11	outside-household-person
	1,460	.	
	5	.b	

c2_ba_gen_0 **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,211/1,506

tabulation:	Freq.	Numeric	Label
	123	1	male
	172	3	female
	1,211	.	

c2_bb_gen_0 **Gender code (person 2)**

type: numeric (byte)
 label: **c2_bb_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,329/1,506

tabulation:	Freq.	Numeric	Label
	73	1	male
	104	3	female
	1,329	.	

c2_bc_gen_0 **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3] units: 1
unique values: 2 missing .. 1,465/1,506

tabulation: Freq. Numeric Label
              13      1 male
              28      3 female
              1,465      .
    
```

c3_code_0 **O : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5] units: 1
unique values: 3 missing .. 0/1,506
unique missing codes: 3 missing *: 1,107/1,506

tabulation: Freq. Numeric Label
              1      1 less than once a month
              51      3 at least once a month
              347      5 at least once a week
              1      .a
              1,105      .b
              1      .c
    
```

c3_hr_0 **O : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,9] units: 1
unique values: 10 missing .. 1,158/1,506

tabulation: Freq. Value
              142  0
              98  1
              45  2
              33  3
              17  4
              6   5
              3   6
              2   7
              1   8
              1   9
              1,158 .
mean: 1.24713
std. dev: 1.52477

percentiles: 10% 25% 50% 75% 90%
              0   0   1   2   3
    
```

c3_min_0 **O : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,56] units: 1
unique values: 30 missing .. 1,158/1,506
    
```



```

tabulation: Freq. Value
            1,158 ""
            348  "week"
    
```

c3_ac_0 O :Monday-Friday How many times per hours (Monday - Sunday)

```

type: numeric (double)
range: [0,5] units: .1
unique values: 8 missing .: 1,158/1,506
    
```

```

tabulation: Freq. Value
            215 0
            102 1
             11 1.5
             14 2
              3 2.5
              1 3
              1 3.5
              1 5
            1,158 .
mean:      .475575
std. dev:  .697964
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        1
    
```

c3_ad_0 O :Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [0,49] units: .1
unique values: 19 missing .: 1,283/1,506
    
```

```

tabulation: Freq. Value
            4 0
            1 1
            2 1.5
            3 2
            3 3
            2 3.5
            4 4.5
           14 5
            8 7.5
           38 10
            5 12.5
           18 15
            2 17.5
           24 20
            2 25
           90 30
            1 35
            1 45
            1 49
          1,283 .
mean:      19.1951
std. dev:  10.7239
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  5        10       20       30       30
    
```

c3_ba_0 O : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c3_ba
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 1,106/1,506
 unique missing codes: 2 missing *: 164/1,506

tabulation:	Freq.	Numeric	Label
	32	1	father
	48	3	mother
	24	5	grandparents
	13	7	uncle/aunt
	109	9	brother/sister/cousin
	9	11	outside-household-person
	1	13	other household member
	1,106	.	.
	164	.b	.b

c3_bb_0 O : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c3_bb

range: [1,13] units: 1
 unique values: 7 missing .: 1,389/1,506
 unique missing codes: 2 missing *: 7/1,506

tabulation:	Freq.	Numeric	Label
	8	1	father
	25	3	mother
	5	5	grandparents
	1	7	uncle/aunt
	65	9	brother/sister/cousin
	5	11	outside-household-person
	1	13	other household member
	1,389	.	.
	7	.b	.b

c3_bc_0 O : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
 label: c3_bc

range: [1,11] units: 1
 unique values: 6 missing .: 1,490/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation:	Freq.	Numeric	Label
	1	1	father
	4	3	mother
	1	5	grandparents
	1	7	uncle/aunt
	6	9	brother/sister/cousin
	2	11	outside-household-person
	1,490	.	.
	1	.b	.b

c3_ba_gen_0 Gender code (person 1)

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,269/1,506

```

tabulation:  Freq.  Numeric  Label
              105      1  male
              132      3  female
              1,269      .
    
```

c3_bb_gen_0 **Gender code (person 2)**

```

type:  numeric (byte)
label:  c3_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,395/1,506

tabulation:  Freq.  Numeric  Label
              38      1  male
              73      3  female
              1,395      .
    
```

c3_bc_gen_0 **Gender code (person 3)**

```

type:  numeric (byte)
label:  c3_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,490/1,506

tabulation:  Freq.  Numeric  Label
              7      1  male
              9      3  female
              1,490      .
    
```

activity_P **Child watches TV (not display)**

```

type:  string (str147), but longest is str0

unique values:  0
missing "":  1,506/1,506

tabulation:  Freq.  Value
              1,506  ""
    
```

detail_P **Identify frequent activities (not display)**

```

type:  string (str238), but longest is str0

unique values:  0
missing "":  1,506/1,506

tabulation:  Freq.  Value
              1,506  ""
    
```

c1_code_P **P : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  c1_code

range:  [0,9]
unique values:  3
unique missing codes:  2

units:  1
missing .:  0/1,506
missing *:  115/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              152      0  never
              867      7  once a day
              372      9  more than once a day
               1      .a
              114      .c
    
```

c1_hr_P

P : Hours per week (Monday - Friday)

```

type: numeric (double)
range: [0,50]          units: 1
unique values: 25      missing .: 0/1,506
    
```

```

tabulation:  Freq.  Value
              347    0
              45     1
              175    2
               24    3
               4     4
              454    5
               3     6
              80     7
               1     9
              214   10
               1    11
              26    12
              66    15
               2    16
              12    17
               3    18
              28    20
               8    22
               4    25
               1    27
               2    30
               2    32
               1    35
               2    37
               1    50
    
```

```

mean: 5.46414
std. dev: 5.48017
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         1         5         7         12
    
```

c1_min_P

P : Minutes per week (Monday - Friday)

```

type: numeric (double)
range: [0,56]          units: 1
unique values: 23      missing .: 0/1,506
    
```

```

tabulation:  Freq.  Value
              1,029  0
               1     3
              12     5
               1     8
               4    10
               4    13
              25    15
               2    18
              13    20
               2    23
              18    25
               1    26
               1    28
              288   30
    
```

```

          1 35
          1 36
          7 38
         28 40
         15 45
         44 50
          2 53
          6 55
          1 56
    mean:   9.85923
  std. dev: 15.5563

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

c1_aa_P **P :Monday-Friday How many times (Monday - Friday)**

```

    type: string (str27), but longest is str10
  unique values: 8          missing "": 267/1,506

  tabulation: Freq. Value
              267 ""
              867 "1"
               19 "1.5"
              272 "2"
               13 "2.5"
               14 "3"
                5 "3.5"
                1 "4"
               48 "many times"

  warning: variable has embedded blanks
    
```

c1_ab_P **P :Monday-Friday How many times per units (Monday - Friday)**

```

    type: string (str21), but longest is str3
  unique values: 1          missing "": 267/1,506

  tabulation: Freq. Value
              267 ""
             1,239 "day"
    
```

c1_ac_P **P :Monday-Friday How many times per hours (Monday - Friday)**

```

    type: numeric (double)
  range: [0,10]          units: .1
  unique values: 11      missing .: 267/1,506

  tabulation: Freq. Value
              419 0
              546 1
               27 1.5
              168 2
               11 2.5
               52 3
                3 3.5
                9 4
                2 5
                1 6
                1 10
              267 .
    mean:     .95117
  std. dev:   .925887
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 1 1 2

c1_ad_P P : Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (double)
 range: [0,50] units: .1
 unique values: 24 missing .: 267/1,506

tabulation: Freq. Value
 732 0
 1 1
 1 1.5
 2 2
 3 2.5
 3 3
 4 3.5
 1 4.5
 26 5
 1 5.5
 11 7.5
 41 10
 27 15
 2 17.5
 40 20
 1 22.5
 15 25
 279 30
 1 32.5
 1 33
 6 35
 1 37.5
 38 45
 2 50
 267 .

mean: 10.3309
 std. dev: 14.2051

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c1_ba_P P : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c1_ba
 range: [1,13] units: 1
 unique values: 7 missing .: 266/1,506
 unique missing codes: 2 missing *: 98/1,506

tabulation: Freq. Numeric Label
 180 1 father
 115 3 mother
 492 5 grandparents
 23 7 uncle/aunt
 275 9 brother/sister/cousin
 11 11 outside-household-person
 46 13 other household member
 266 . .
 98 .b .b

c1_bb_P P : Relationship-with-the-child doing activity (person 2)

```

type: numeric (byte)
label: c2_bb

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing ..: 489/1,506
missing *: 14/1,506

```

tabulation:	Freq.	Numeric	Label
	60	1	father
	205	3	mother
	430	5	grandparents
	34	7	uncle/aunt
	217	9	brother/sister/cousin
	16	11	outside-household-person
	41	13	other household member
	489	.	
	14	.b	

c1_bc_P P : Relationship-with-the-child doing activity (person 3)

```

type: numeric (byte)
label: c1_bc

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing ..: 947/1,506
missing *: 11/1,506

```

tabulation:	Freq.	Numeric	Label
	21	1	father
	71	3	mother
	117	5	grandparents
	47	7	uncle/aunt
	262	9	brother/sister/cousin
	6	11	outside-household-person
	24	13	other household member
	947	.	
	11	.b	

c1_ba_gen_P Gender code (person 1)

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 364/1,506

```

tabulation:	Freq.	Numeric	Label
	595	1	male
	547	3	female
	364	.	

c1_bb_gen_P Gender code (person 2)

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 503/1,506

```

tabulation:	Freq.	Numeric	Label
	278	1	male
	725	3	female
	503	.	

c1_bc_gen_P **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 958/1,506

tabulation: Freq.  Numeric  Label
              226      1  male
              322      3  female
              958      .
    
```

c2_code_P **P : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,506
missing *: 117/1,506

tabulation: Freq.  Numeric  Label
              119      0  never
              673      7  once a day
              597      9  more than once a day
               1      .a
              116      .c
    
```

c2_hr_P **P : Hours per week (Saturday - Sunday)**

```

type: numeric (double)

range: [0,28]
unique values: 22
units: 1
missing ..: 0/1,506

tabulation: Freq.  Value
              354  0
              160  1
              357  2
               68  3
              253  4
               37  5
              103  6
               22  7
               64  8
               19  9
               20 10
                 2 11
               18 12
                 4 13
                 6 14
                 2 15
                 4 16
                 2 17
                 4 18
                 3 20
                 3 22
                 1 28

mean: 3.09296
std. dev: 3.32682

percentiles:      10%      25%      50%      75%      90%
                  0         1         2         4         8
    
```

c2_min_P **P : Minutes per week (Saturday - Sunday)**

type: numeric (**byte**)
 range: [0,55] units: 1
 unique values: 20 missing .: 0/1,506

tabulation:

Freq.	Value
1,330	0
1	2
2	3
2	4
5	5
3	6
2	7
1	8
24	10
1	14
7	15
48	20
1	23
2	25
37	30
26	40
3	45
9	50
1	52
1	55

mean: 2.86521
 std. dev: 9.01971

percentiles:

10%	25%	50%	75%	90%
0	0	0	0	10

c2_aa_P **P :Monday-Friday How many times (Saturday - Sunday)**

type: string (**str30**), but longest is str10
 unique values: 10 missing "": 237/1,506

tabulation:

Freq.	Value
237	" "
675	"1"
23	"1.5"
390	"2"
23	"2.5"
32	"3"
8	"3.5"
3	"4"
1	"4.5"
1	"5.5"
113	"many times"

warning: variable has embedded blanks

c2_ab_P **P :Monday-Friday How many times per units (Saturday - Sunday)**

type: string (**str21**), but longest is str3
 unique values: 1 missing "": 237/1,506

tabulation:

Freq.	Value
237	" "
1,269	"day"

c2_ac_P **P :Monday-Friday How many times per hours (Saturday - Sunday)**

type: numeric (double)
 range: [0,14] units: .1
 unique values: 18 missing .: 237/1,506

tabulation: Freq. Value
 359 0
 544 1
 29 1.5
 193 2
 11 2.5
 78 3
 4 3.5
 16 4
 4 4.5
 13 5
 4 6
 2 6.5
 2 7
 2 8
 3 9
 3 10
 1 11
 1 14
 237 .
 mean: 1.21749
 std. dev: 1.34577

percentiles: 10% 25% 50% 75% 90%
 0 0 1 2 3

c2_ad_P **P :Monday-Friday How many times per minutes (Saturday - Sunday)**

type: numeric (double)
 range: [0,45] units: .1
 unique values: 23 missing .: 237/1,506

tabulation: Freq. Value
 791 0
 3 1
 1 1.5
 2 2
 3 2.5
 3 3
 3 3.5
 23 5
 10 7.5
 40 10
 37 15
 3 17.5
 34 20
 14 25
 260 30
 2 32.5
 2 35
 1 36
 1 37.5
 4 40
 1 42.5
 1 43
 30 45
 237 .
 mean: 9.35146
 std. dev: 13.6981

percentiles: 10% 25% 50% 75% 90%
 0 0 0 20 30

c2_ba_P P : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c2_ba

range: [1,13]                                   units: 1
unique values: 7                               missing .: 235/1,506
unique missing codes: 2                       missing *: 109/1,506
    
```

tabulation:	Freq.	Numeric	Label
	181	1	father
	118	3	mother
	490	5	grandparents
	25	7	uncle/aunt
	289	9	brother/sister/cousin
	13	11	outside-household-person
	46	13	other household member
	235	.	.
	109	.b	.b

c2_bb_P P : Relationship-with-the-child doing activity (person 2)

```

type: numeric (byte)
label: c2_bb

range: [1,13]                                   units: 1
unique values: 7                               missing .: 480/1,506
unique missing codes: 2                       missing *: 14/1,506
    
```

tabulation:	Freq.	Numeric	Label
	59	1	father
	205	3	mother
	429	5	grandparents
	35	7	uncle/aunt
	223	9	brother/sister/cousin
	22	11	outside-household-person
	39	13	other household member
	480	.	.
	14	.b	.b

c2_bc_P P : Relationship-with-the-child doing activity (person 3)

```

type: numeric (byte)
label: c2_bc

range: [1,13]                                   units: 1
unique values: 7                               missing .: 945/1,506
unique missing codes: 2                       missing *: 12/1,506
    
```

tabulation:	Freq.	Numeric	Label
	23	1	father
	71	3	mother
	118	5	grandparents
	46	7	uncle/aunt
	259	9	brother/sister/cousin
	9	11	outside-household-person
	23	13	other household member
	945	.	.
	12	.b	.b

c2_ba_gen_P **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .. 344/1,506

tabulation: Freq.   Numeric   Label
              605         1   male
              557         3   female
              344         .
    
```

c2_bb_gen_P **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .. 494/1,506

tabulation: Freq.   Numeric   Label
              276         1   male
              736         3   female
              494         .
    
```

c2_bc_gen_P **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .. 957/1,506

tabulation: Freq.   Numeric   Label
              227         1   male
              322         3   female
              957         .
    
```

c3_code_P **P : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,7]
unique values: 3
unique missing codes: 3

units: 1
missing .. 0/1,506
missing *: 1,393/1,506

tabulation: Freq.   Numeric   Label
              6         3   at least once a month
             106         5   at least once a week
              1         7   once a day
              1         .a
            1,391         .b
              1         .c
    
```

c3_hr_P **P : Hours per week (Monday - Sunday)**

```

type: numeric (double)
    
```

```

range: [0,7] units: 1
unique values: 8 missing : 0/1,506

tabulation: Freq. Value
1,445 0
28 1
11 2
12 3
4 4
2 5
1 6
3 7
mean: .092297
std. dev: .555355

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

c3_min_P P : Minutes per week (Monday - Sunday)

```

type: numeric (byte)
range: [0,53] units: 1
unique values: 17 missing : 0/1,506

tabulation: Freq. Value
1,430 0
3 3
2 4
2 5
1 6
1 8
5 10
1 11
1 15
5 20
1 23
33 30
2 38
8 40
7 45
2 50
2 53
mean: 1.42563
std. dev: 6.85416

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

c3_aa_P P :Monday-Friday How many times (Monday - Sunday)

```

type: string (str6), but longest is str3
unique values: 11 missing "": 1,399/1,506

tabulation: Freq. Value
1,399 ""
16 "1"
6 "1.5"
1 "1.6"
25 "2"
12 "2.5"
21 "3"
10 "3.5"
7 "4"
3 "4.5"
5 "5"
1 "6"
    
```

c3_ab_P **P :Monday-Friday How many times per units (Monday - Sunday)**

type: string (**str22**), but longest is str4
 unique values: 2 missing "": 1,399/1,506
 tabulation: Freq. Value
 1,399 ""
 1 "day"
 106 "week"

c3_ac_P **P :Monday-Friday How many times per hours (Monday - Sunday)**

type: numeric (**double**)
 range: [0,2.5] units: .1
 unique values: 5 missing .: 1,400/1,506
 tabulation: Freq. Value
 70 0
 30 1
 4 1.5
 1 2
 1 2.5
 1,400 .
 mean: .382075
 std. dev: .567165
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

c3_ad_P **P :Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (**double**)
 range: [0,45] units: .1
 unique values: 13 missing .: 1,433/1,506
 tabulation: Freq. Value
 3 0
 3 2
 2 2.5
 2 3
 1 4.5
 4 5
 1 7.5
 9 10
 5 15
 16 20
 3 25
 23 30
 1 45
 1,433 .
 mean: 18.411
 std. dev: 10.8651
 percentiles: 10% 25% 50% 75% 90%
 2.5 10 20 30 30

c3_ba_P **P : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c3_ba

range: [1,13]          units: 1
unique values: 6        missing .: 1,393/1,506
unique missing codes: 2 missing *: 10/1,506

```

tabulation:	Freq.	Numeric	Label
	18	1	father
	21	3	mother
	32	5	grandparents
	26	9	brother/sister/cousin
	2	11	outside-household-person
	4	13	other household member
	1,393	.	
	10	.b	

c3_bb_P **P : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c3_bb

range: [1,13]          units: 1
unique values: 7        missing .: 1,437/1,506
unique missing codes: 2 missing *: 1/1,506

```

tabulation:	Freq.	Numeric	Label
	6	1	father
	18	3	mother
	24	5	grandparents
	2	7	uncle/aunt
	13	9	brother/sister/cousin
	3	11	outside-household-person
	2	13	other household member
	1,437	.	
	1	.b	

c3_bc_P **P : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c3_bc

range: [1,13]          units: 1
unique values: 7        missing .: 1,467/1,506

```

tabulation:	Freq.	Numeric	Label
	2	1	father
	5	3	mother
	11	5	grandparents
	1	7	uncle/aunt
	15	9	brother/sister/cousin
	3	11	outside-household-person
	2	13	other household member
	1,467	.	

c3_ba_gen_P **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]           units: 1
unique values: 2        missing .: 1,403/1,506

```



```

tabulation:  Freq.  Numeric  Label
              46      1      male
              57      3      female
              1,403    .
    
```

c3_bb_gen_P **Gender code (person 2)**

```

type:  numeric (byte)
label:  c3_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,438/1,506

tabulation:  Freq.  Numeric  Label
              22      1      male
              46      3      female
              1,438    .
    
```

c3_bc_gen_P **Gender code (person 3)**

```

type:  numeric (byte)
label:  c3_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,467/1,506

tabulation:  Freq.  Numeric  Label
              12      1      male
              27      3      female
              1,467    .
    
```

activity_H **Go to temple, library, zoo and museum (not display)**

```

type:  string (str97), but longest is str0

unique values:  0

missing "":  1,506/1,506

tabulation:  Freq.  Value
              1,506  ""
    
```

detail_H **H: detail**

```

type:  string (str1), but longest is str0

unique values:  0

missing "":  1,506/1,506

tabulation:  Freq.  Value
              1,506  ""
    
```

c1b_code_H **H : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  c1b_code

range:  [0,7]
unique values:  2
unique missing codes:  1

units:  1
missing .:  0/1,506
missing *:  1,160/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              329      0      never
              17      7      once a day
              1,160    .c
    
```

clb_hr_H **H : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [1,10] units: 1
unique values: 4 missing .: 1,489/1,506

tabulation:  Freq.  Value
              1      1
              6      2
              9      5
              1     10
            1,489    .
mean:        4
std. dev:    2.20794

percentiles: 10%    25%    50%    75%    90%
              2      2      5      5      5
    
```

clb_min_H **H : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,30] units: 1
unique values: 3 missing .: 1,489/1,506

tabulation:  Freq.  Value
              10     0
              1     15
              6     30
            1,489    .
mean:        11.4706
std. dev:    14.5521

percentiles: 10%    25%    50%    75%    90%
              0      0      0     30     30
    
```

clb_aa_H **H :Monday-Friday How many times (Monday - Friday)**

```

type: string (str1)
unique values: 1 missing "": 1,489/1,506

tabulation:  Freq.  Value
            1,489    ""
              17    "1"
    
```

clb_ab_H **H :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str9), but longest is str3
unique values: 1 missing "": 1,489/1,506

tabulation:  Freq.  Value
            1,489    ""
              17    "day"
    
```

clb_ac_H H :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,2] units: 1
unique values: 3 missing .: 1,489/1,506

tabulation: Freq. Value
              7 0
              9 1
              1 2
            1,489 .
mean: .647059
std. dev: .606339

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        1        1
    
```

clb_ad_H H :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (byte)
range: [0,30] units: 1
unique values: 3 missing .: 1,489/1,506

tabulation: Freq. Value
              10 0
               1 15
               6 30
            1,489 .
mean: 11.4706
std. dev: 14.5521

percentiles:      10%      25%      50%      75%      90%
                  0        0        0       30       30
    
```

clb_ba_H H : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: clb_ba
range: [3,13] units: 1
unique values: 4 missing .: 1,489/1,506

tabulation: Freq. Numeric Label
              3         3 mother
              7         5 grandparents
               1        11 outside-household-person
               6        13 other household member
            1,489 .
    
```

clb_bb_H H : Relationship-with-the-child doing activity (person 2)

```

type: numeric (byte)
label: c2b_bb
range: [5,9] units: 1
unique values: 2 missing .: 1,502/1,506

tabulation: Freq. Numeric Label
              1         5 grandparents
              3         9 brother/sister/cousin
            1,502 .
    
```

clb_bc_H **H : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: clb_bc

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.   Numeric   Label
              1,506         .
    
```

clb_ba_gen_H **Gender code (person 1)**

```

type: numeric (byte)
label: clb_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,489/1,506

tabulation: Freq.   Numeric   Label
              4         1   male
              13        3   female
            1,489         .
    
```

clb_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: clb_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,502/1,506

tabulation: Freq.   Numeric   Label
              2         1   male
              2         3   female
            1,502         .
    
```

clb_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: clb_bc_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.   Numeric   Label
              1,506         .
    
```

c2b_code_H **H : Frequency (Saturday - Sunday)**

```

type: numeric (byte)

range: [0,9]
unique values: 5
unique missing codes: 1
units: 1
missing ..: 0/1,506
missing *: 1,160/1,506
    
```

```

tabulation:  Freq.  Value
              296  0
              1   3
              4   5
              42  7
              3   9
            1,160  .c
      mean:   .99422
    std. dev: 2.4483

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      7
    
```

c2b_hr_H **H : Hours per week (Saturday - Sunday)**

```

      type:  numeric (float)
      range: [0,8]
unique values: 7
      units: 1
      missing .. 1,457/1,506

tabulation:  Freq.  Value
              3   0
             15   1
             27   2
              1   3
              1   4
              1   6
              1   8
            1,457  .
      mean:   1.83673
    std. dev: 1.31255

percentiles:  10%    25%    50%    75%    90%
              1      1      2      2      2
    
```

c2b_min_H **H : Minutes per week (Saturday - Sunday)**

```

      type:  numeric (float)
      range: [0,30]
unique values: 4
      units: 1
      missing .. 1,457/1,506

tabulation:  Freq.  Value
             45   0
              1   7
              1  20
              2  30
            1,457  .
      mean:   1.77551
    std. dev: 6.60576

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

c2b_aa_H **H :Monday-Friday How many times (Saturday - Sunday)**

```

      type:  string (str6), but longest is str3
unique values: 3
      missing "": 1,457/1,506

tabulation:  Freq.  Value
            1,457  ""
             46  "1"
              1  "1.5"
              2  "2"
    
```

c2b_ab_H H :Monday-Friday How many times per units (Saturday - Sunday)

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,457/1,506
tabulation: Freq. Value
             1,457 ""
              45 "day"
               4 "week"
    
```

c2b_ac_H H :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,3] units: .1
unique values: 5 missing .. 1,457/1,506
tabulation: Freq. Value
             15 0
             30 1
              1 1.5
               2 2
               1 3
           1,457 .
mean: .785714
std. dev: .629153
percentiles: 10% 25% 50% 75% 90%
              0 0 1 1 1
    
```

c2b_ad_H H :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,30] units: .1
unique values: 5 missing .. 1,457/1,506
tabulation: Freq. Value
             34 0
              1 3.5
              1 10
              1 15
             12 30
           1,457 .
mean: 7.92857
std. dev: 12.9559
percentiles: 10% 25% 50% 75% 90%
              0 0 0 15 30
    
```

c2b_ba_H H : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c2b_ba
range: [3,13] units: 1
unique values: 6 missing .. 1,456/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              9      3  mother
              30     5  grandparents
              1      7  uncle/aunt
              2      9  brother/sister/cousin
              2     11  outside-household-person
              6     13  other household member
            1,456      .
    
```

c2b_bb_H **H : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2b_bb

range: [3,13]          units: 1
unique values: 5      missing .: 1,488/1,506

tabulation:  Freq.  Numeric  Label
              2      3  mother
              3      5  grandparents
             10     9  brother/sister/cousin
              1     11  outside-household-person
              2     13  other household member
            1,488      .
    
```

c2b_bc_H **H : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c2b_bc

range: [3,9]          units: 1
unique values: 2      missing .: 1,504/1,506

tabulation:  Freq.  Numeric  Label
              1      3  mother
              1     9  brother/sister/cousin
            1,504      .
    
```

c2b_ba_gen_H **Gender code (person 1)**

```

type: numeric (byte)
label: c2b_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,456/1,506

tabulation:  Freq.  Numeric  Label
              6      1  male
             44     3  female
            1,456      .
    
```

c2b_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: c2b_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,488/1,506

tabulation:  Freq.  Numeric  Label
              3      1  male
             15     3  female
            1,488      .
    
```

c2b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c2b_bc_gen

range: [3,3]
unique values: 1
units: 1
missing .. 1,504/1,506

tabulation: Freq.  Numeric  Label
              2         3  female
              1,504      .
    
```

c3b_code_H **H : Frequency (Monday - Sunday)**

```

type: numeric (byte)

range: [1,5]
unique values: 3
unique missing codes: 1
units: 1
missing .. 0/1,506
missing *: 344/1,506

tabulation: Freq.  Value
              417  1
              496  3
              249  5
              344  .b
mean: 2.71084
std. dev: 1.48691

percentiles:      10%      25%      50%      75%      90%
                  1         1         3         3         5
    
```

c3b_hr_H **H : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,6]
unique values: 8
units: .1
missing .. 1,257/1,506

tabulation: Freq.  Value
              57  0
              146  1
              33  2
               5  3
               3  4
               1  4.5999999
               3  5
               1  6
              1,257  .
mean: 1.06265
std. dev: .946093

percentiles:      10%      25%      50%      75%      90%
                  0         1         1         1         2
    
```

c3b_min_H **H : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,56]
unique values: 13
units: 1
missing .. 1,257/1,506
    
```



```

tabulation:  Freq.  Value
              151    0
              1     6
              1     8
              2    10
              7    15
              1    18
              5    20
              1    25
             59    30
              1    38
             18    45
              1    50
              1    56
             1,257  .
    mean:     12.0723
    std. dev: 16.2099

percentiles: 10%    25%    50%    75%    90%
              0     0     0     30    30
    
```

c3b_aa_H **H :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 11 missing "": 1,257/1,506

tabulation:  Freq.  Value
             1,257  ""
             172   "1"
              16  "1.5"
              28  "2"
              14  "2.5"
               4  "3"
               7  "3.5"
               2  "4"
               2  "4.5"
               1  "4.6"
               1  "5"
               2  "5.5"
    
```

c3b_ab_H **H :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 1 missing "": 1,257/1,506

tabulation:  Freq.  Value
             1,257  ""
             249  "week"
    
```

c3b_ac_H **H :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,5] units: .1
unique values: 8 missing .: 1,257/1,506
    
```

```

tabulation:  Freq.  Value
              77    0
              153    1
              9     1.5
              5     2
              2     3
              1     4.5
              1     4.6
              1     5
              1,257  .
    mean:     .789558
    std. dev: .702624

percentiles:    10%    25%    50%    75%    90%
                0      0      1      1      1
    
```

c3b_ad_H H :Monday-Friday How many times per minutes (Monday - Sunday)

```

    type: numeric (double)
    range: [0,50]
    unique values: 13
    units: .1
    missing .: 1,257/1,506

tabulation:  Freq.  Value
              169    0
              1     6
              1     7.5
              5     10
              2     15
              1     17.5
              5     20
              1     22.5
              1     25
              60    30
              1     35
              1     45
              1     50
              1,257  .
    mean:     8.78916
    std. dev: 13.4696

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

c3b_ba_H H : Relationship-with-the-child doing activity (person 1)

```

    type: numeric (byte)
    label: c3b_ba
    range: [1,13]
    unique values: 7
    units: 1
    missing .: 344/1,506

tabulation:  Freq.  Numeric  Label
              185     1   father
              257     3   mother
              603     5   grandparents
              31      7   uncle/aunt
              39      9   brother/sister/cousin
              11     11   outside-household-person
              36     13   other household member
              344     .
    
```

c3b_bb_H H : Relationship-with-the-child doing activity (person 2)

```

type: numeric (byte)
label: c3b_bb

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing ..: 835/1,506
missing *: 1/1,506
    
```

tabulation:	Freq.	Numeric	Label
	52	1	father
	223	3	mother
	173	5	grandparents
	41	7	uncle/aunt
	157	9	brother/sister/cousin
	9	11	outside-household-person
	15	13	other household member
	835	.	
	1	.b	

c3b_bc_H **H : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c3b_bc

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing ..: 1,209/1,506
missing *: 1/1,506
    
```

tabulation:	Freq.	Numeric	Label
	10	1	father
	21	3	mother
	60	5	grandparents
	17	7	uncle/aunt
	180	9	brother/sister/cousin
	7	11	outside-household-person
	1	13	other household member
	1,209	.	
	1	.b	

c3b_ba_gen_H **Gender code (person 1)**

```

type: numeric (byte)
label: c3b_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 344/1,506
    
```

tabulation:	Freq.	Numeric	Label
	297	1	male
	865	3	female
	344	.	

c3b_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: c3b_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 836/1,506
    
```

tabulation:	Freq.	Numeric	Label
	167	1	male
	503	3	female
	836	.	

c3b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c3b_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,209/1,506

tabulation: Freq.  Numeric  Label
              120      1  male
              177      3  female
              1,209      .
    
```

activity_I **Go to department store (not display)**

```

type: string (str97), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
              1,506 ""
    
```

detail_I **I: detail**

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
              1,506 ""
    
```

clb_code_I **I : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: clb_code

range: [0,7]
unique values: 2
unique missing codes: 1
units: 1
missing ..: 0/1,506
missing *: 1,260/1,506

tabulation: Freq.  Numeric  Label
              237      0  never
              9       7  once a day
              1,260      .c
    
```

clb_hr_I **I : Hours per week (Monday - Friday)**

```

type: numeric (float)

range: [2,12]
unique values: 5
units: 1
missing ..: 1,497/1,506

tabulation: Freq.  Value
              1  2
              5  5
              1  7
              1 10
              1 12
              1,497 .
mean: 6.22222
std. dev: 3.03223
    
```

percentiles: 10% 25% 50% 75% 90%
2 5 5 7 12

clb_min_I I : Minutes per week (Monday - Friday)

type: numeric (float)
range: [0,30] units: 10
unique values: 2 missing .: 1,497/1,506
tabulation: Freq. Value
6 0
3 30
1,497 .
mean: 10
std. dev: 15
percentiles: 10% 25% 50% 75% 90%
0 0 0 30 30

clb_aa_I I :Monday-Friday How many times (Monday - Friday)

type: string (str1)
unique values: 1 missing "": 1,497/1,506
tabulation: Freq. Value
1,497 ""
9 "1"

clb_ab_I I :Monday-Friday How many times per units (Monday - Friday)

type: string (str9), but longest is str3
unique values: 1 missing "": 1,497/1,506
tabulation: Freq. Value
1,497 ""
9 "day"

clb_ac_I I :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)
range: [0,5] units: .1
unique values: 5 missing .: 1,497/1,506
tabulation: Freq. Value
1 0
4 1
1 1.5
2 2
1 5
1,497 .
mean: 1.61111
std. dev: 1.40929
percentiles: 10% 25% 50% 75% 90%
0 1 1 2 5

clb_ad_I I :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (byte)
range: [0,30] units: 10
unique values: 2 missing .: 1,497/1,506

tabulation: Freq. Value
              7 0
              2 30
            1,497 .
mean: 6.66667
std. dev: 13.2288

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 30
    
```

clb_ba_I I : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: clb_ba
range: [1,11] units: 1
unique values: 4 missing .: 1,497/1,506

tabulation: Freq. Numeric Label
              4 1 father
              2 3 mother
              2 5 grandparents
              1 11 outside-household-person
            1,497 .
    
```

clb_bb_I I : Relationship-with-the-child doing activity (person 2)

```

type: numeric (byte)
label: c2b_bb
range: [3,5] units: 1
unique values: 2 missing .: 1,501/1,506

tabulation: Freq. Numeric Label
              3 3 mother
              2 5 grandparents
            1,501 .
    
```

clb_bc_I I : Relationship-with-the-child doing activity (person 3)

```

type: numeric (byte)
label: clb_bc
range: [9,9] units: 1
unique values: 1 missing .: 1,505/1,506

tabulation: Freq. Numeric Label
              1 9 brother/sister/cousin
            1,505 .
    
```

clb_ba_gen_I Gender code (person 1)

```

type: numeric (byte)
label: clb_ba_gen
range: [1,3] units: 1
unique values: 2 missing .: 1,497/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              4         1  male
              5         3  female
            1,497         .
    
```

c1b_bb_gen_I **Gender code (person 2)**

```

type:  numeric (byte)
label:  c1b_bb_gen

range:  [1,3]
unique values:  2
units:  1
missing .:  1,501/1,506

tabulation:  Freq.  Numeric  Label
              2         1  male
              3         3  female
            1,501         .
    
```

c1b_bc_gen_I **Gender code (person 3)**

```

type:  numeric (byte)
label:  c1b_bc_gen

range:  [3,3]
unique values:  1
units:  1
missing .:  1,505/1,506

tabulation:  Freq.  Numeric  Label
              1         3  female
            1,505         .
    
```

c2b_code_I **I : Frequency (Saturday - Sunday)**

```

type:  numeric (byte)

range:  [0,7]
unique values:  3
unique missing codes:  1
units:  1
missing .:  0/1,506
missing *:  1,260/1,506

tabulation:  Freq.  Value
              233    0
               4    5
               9    7
            1,260  .c
mean:  .337398
std. dev:  1.44702

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

c2b_hr_I **I : Hours per week (Saturday - Sunday)**

```

type:  numeric (float)

range:  [1,6]
unique values:  6
units:  1
missing .:  1,493/1,506
    
```

```

tabulation:  Freq.  Value
              2    1
              5    2
              1    3
              2    4
              2    5
              1    6
            1,493  .
    mean:      3
    std. dev:  1.63299

percentiles:  10%    25%    50%    75%    90%
              1      2      2      4      5
    
```

c2b_min_I **I : Minutes per week (Saturday - Sunday)**

```

    type:  numeric (float)
    range: [0,33]
unique values: 3
              units: 1
              missing.: 1,493/1,506

    tabulation:  Freq.  Value
                 11    0
                 1    30
                 1    33
            1,493  .
    mean:      4.84615
    std. dev:  11.8452

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      30
    
```

c2b_aa_I **I :Monday-Friday How many times (Saturday - Sunday)**

```

    type:  string (str6), but longest is str4
unique values: 2
              missing "": 1,493/1,506

    tabulation:  Freq.  Value
                 1,493  ""
                  1    "0.47"
                  12   "1"
    
```

c2b_ab_I **I :Monday-Friday How many times per units (Saturday - Sunday)**

```

    type:  string (str21), but longest is str4
unique values: 2
              missing "": 1,493/1,506

    tabulation:  Freq.  Value
                 1,493  ""
                   9   "day"
                   4   "week"
    
```

c2b_ac_I **I :Monday-Friday How many times per hours (Saturday - Sunday)**

```

    type:  numeric (double)
    range: [0,5]
unique values: 7
              units: .1
              missing.: 1,493/1,506
    
```



```

tabulation:  Freq.  Value
              1    0
              5    1
              1   1.5
              2    2
              1    3
              1    4
              2    5
            1,493  .
      mean:    2.11538
    std. dev:  1.63495

percentiles:      10%      25%      50%      75%      90%
                  1         1         1.5       3         5
    
```

c2b_ad_I I : Monday-Friday How many times per minutes (Saturday - Sunday)

```

      type: numeric (double)
      range: [0,30]
unique values: 2
            units: 10
            missing .. 1,493/1,506

      tabulation:  Freq.  Value
                   9    0
                   4   30
            1,493  .
      mean:    9.23077
    std. dev:  14.4115

percentiles:      10%      25%      50%      75%      90%
                  0         0         0       30       30
    
```

c2b_ba_I I : Relationship-with-the-child doing activity (person 1)

```

      type: numeric (byte)
      label: c2b_ba
      range: [1,11]
unique values: 5
            units: 1
            missing .. 1,493/1,506

      tabulation:  Freq.  Numeric  Label
                   4         1  father
                   5         3  mother
                   2         5  grandparents
                   1         7  uncle/aunt
                   1        11  outside-household-person
            1,493  .
    
```

c2b_bb_I I : Relationship-with-the-child doing activity (person 2)

```

      type: numeric (byte)
      label: c2b_bb
      range: [3,7]
unique values: 3
            units: 1
            missing .. 1,498/1,506

      tabulation:  Freq.  Numeric  Label
                   4         3  mother
                   3         5  grandparents
                   1         7  uncle/aunt
            1,498  .
    
```

c2b_bc_I I : Relationship-with-the-child doing activity (person 3)

```

type: numeric (byte)
label: c2b_bc

range: [9,9]
unique values: 1
units: 1
missing .. 1,504/1,506

tabulation: Freq.  Numeric  Label
              2          9  brother/sister/cousin
              1,504      .
    
```

c2b_ba_gen_I **Gender code (person 1)**

```

type: numeric (byte)
label: c2b_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,493/1,506

tabulation: Freq.  Numeric  Label
              4          1  male
              9          3  female
              1,493      .
    
```

c2b_bb_gen_I **Gender code (person 2)**

```

type: numeric (byte)
label: c2b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,498/1,506

tabulation: Freq.  Numeric  Label
              2          1  male
              6          3  female
              1,498      .
    
```

c2b_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: c2b_bc_gen

range: [3,3]
unique values: 1
units: 1
missing .. 1,504/1,506

tabulation: Freq.  Numeric  Label
              2          3  female
              1,504      .
    
```

c3b_code_I **I : Frequency (Monday - Sunday)**

```

type: numeric (byte)

range: [1,5]
unique values: 3
unique missing codes: 1
units: 1
missing .. 0/1,506
missing *: 244/1,506

tabulation: Freq.  Value
              433  1
              597  3
              232  5
              244  .b

mean: 2.68146
std. dev: 1.417
    
```

percentiles: 10% 25% 50% 75% 90%
1 1 3 3 5

c3b_hr_I I : Hours per week (Monday - Sunday)

type: numeric (**float**)
range: [0,16] units: 1
unique values: 14 missing .: 1,274/1,506

tabulation: Freq. Value
21 0
82 1
66 2
21 3
10 4
10 5
7 6
3 7
4 8
3 9
1 10
2 11
1 12
1 16
1,274 .
mean: 2.36638
std. dev: 2.35934

percentiles: 10% 25% 50% 75% 90%
1 1 2 3 5

c3b_min_I I : Minutes per week (Monday - Sunday)

type: numeric (**float**)
range: [0,45] units: 1
unique values: 8 missing .: 1,274/1,506

tabulation: Freq. Value
136 0
1 2
2 5
3 10
12 15
1 24
72 30
5 45
1,274 .
mean: 11.3405
std. dev: 14.5224

percentiles: 10% 25% 50% 75% 90%
0 0 0 30 30

c3b_aa_I I :Monday-Friday How many times (Monday - Sunday)

type: string (**str6**), but longest is str3
unique values: 10 missing "": 1,274/1,506

```

tabulation: Freq. Value
             1,274 ""
             146 "1"
              14 "1.5"
               1 "1.6"
              26 "2"
              12 "2.5"
              16 "3"
               8 "3.5"
               5 "4"
               2 "4.5"
               2 "5"
    
```

c3b_ab_I **I :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 1 missing "": 1,274/1,506
tabulation: Freq. Value
             1,274 ""
             232 "week"
    
```

c3b_ac_I **I :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,8] units: .1
unique values: 11 missing .: 1,275/1,506
tabulation: Freq. Value
             28 0
             97 1
             15 1.5
             54 2
             11 2.5
             11 3
              3 3.5
              4 4
              4 4.5
              2 5
              2 8
             1,275 .
mean: 1.55195
std. dev: 1.17562
percentiles: 10% 25% 50% 75% 90%
              0 1 1 2 3
    
```

c3b_ad_I **I :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [0,30] units: 1
unique values: 5 missing .: 1,275/1,506
tabulation: Freq. Value
             174 0
              2 5
              4 10
              5 15
             46 30
             1,275 .
mean: 6.51515
std. dev: 12.009
    
```

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 30

c3b_ba_I I : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
label: c3b_ba
range: [1,13] units: 1
unique values: 7 missing.: 244/1,506
unique missing codes: 3 missing*: 2/1,506

tabulation:	Freq.	Numeric	Label
	525	1	father
	309	3	mother
	273	5	grandparents
	81	7	uncle/aunt
	44	9	brother/sister/cousin
	14	11	outside-household-person
	14	13	other household member
	244	.	.
	1	.b	.
	1	.d	.

c3b_bb_I I : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
label: c3b_bb
range: [1,13] units: 1
unique values: 7 missing.: 403/1,506

tabulation:	Freq.	Numeric	Label
	104	1	father
	547	3	mother
	215	5	grandparents
	51	7	uncle/aunt
	157	9	brother/sister/cousin
	13	11	outside-household-person
	16	13	other household member
	403	.	.

c3b_bc_I I : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
label: c3b_bc
range: [1,13] units: 1
unique values: 7 missing.: 922/1,506

tabulation:	Freq.	Numeric	Label
	22	1	father
	37	3	mother
	93	5	grandparents
	46	7	uncle/aunt
	371	9	brother/sister/cousin
	10	11	outside-household-person
	5	13	other household member
	922	.	.

c3b_ba_gen_I Gender code (person 1)

```

type: numeric (byte)
label: c3b_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 246/1,506

tabulation: Freq.  Numeric  Label
              697      1  male
              563      3  female
              246      .
    
```

c3b_bb_gen_I **Gender code (person 2)**

```

type: numeric (byte)
label: c3b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 403/1,506

tabulation: Freq.  Numeric  Label
              253      1  male
              850      3  female
              403      .
    
```

c3b_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: c3b_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 923/1,506

tabulation: Freq.  Numeric  Label
              234      1  male
              349      3  female
              923      .
    
```

note **Interviewer note (unavailable)**

```

type: string (str517), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
              1,506  ""
    
```

sleeptime_perday **Hours per day of a child's nighttime sleep**

```

type: numeric (float)

range: [6.5,14.5]
unique values: 33
units: 1.000e-06
missing ..: 0/1,506
    
```

```

tabulation:  Freq.  Value
              1    6.5
              7    7
             14   7.5
             61    8
              1  8.333333
             89   8.5
              2  8.666667
              1  8.75
              2  8.833333
            248    9
              2  9.166667
              7   9.25
            269   9.5
              1  9.666667
              2   9.75
              3  9.833333
            420   10
              1 10.083333
              1 10.25
              1 10.333333
            181  10.5
              1 10.666667
              2 10.75
            138  11
              1 11.333333
             32  11.5
              1 11.666667
              1 11.75
             11  12
              1 12.5
              2  13
              1  14
              1 14.5

```

```

mean: 9.74065
std. dev: .895294

```

```

percentiles:    10%    25%    50%    75%    90%
                8.5     9      10     10     11

```

sleeptime_perweek **Hours per week of a child's nighttime sleep**

```

type: numeric (float)
range: [45.5,101.5]
unique values: 33
units: 1.000e-06
missing .: 0/1,506

```

```

tabulation:  Freq.  Value
              1  45.5
              7  49
             14 52.5
             61 56
              1 58.333332
             89 59.5
              2 60.666668
              1 61.25
              2 61.833332
            248 63
              2 64.166664
              7 64.75
            269 66.5
              1 67.666664
              2 68.25
              3 68.833336
            420 70
              1 70.583336
              1 71.75
              1 72.333336
            181 73.5
              1 74.666664

```

```

      2 75.25
    138 77
      1 79.333336
     32 80.5
      1 81.666664
      1 82.25
     11 84
      1 87.5
      2 91
      1 98
      1 101.5
    mean: 68.1845
  std. dev: 6.26705

percentiles:      10%      25%      50%      75%      90%
                  59.5      63      70      70      77
  
```

schooltime_perweek **Hours per week of a child's going to school**

```

type: numeric (float)
range: [0,57.5]
unique values: 50
units: 1.000e-06
missing .: 0/1,506
  
```

```

tabulation: Freq. Value
            147 0
              1 5
              3 20
              1 22.5
             10 25
             32 27.5
              1 28.75
              2 29.166666
              1 29.583334
            123 30
              4 30.833334
              3 31.25
              6 31.666666
            207 32.5
              2 33.333332
              3 33.75
              6 34.166668
              1 34.583332
            273 35
              4 35.833332
              6 36.25
             16 36.666668
            263 37.5
              7 38.333332
              5 38.75
             12 39.166668
            162 40
              1 40.833332
              1 41.25
             69 42.5
              7 43.333332
              3 43.75
              5 44.166668
             42 45
              1 45.416668
              2 46.25
              1 46.666668
             22 47.5
              2 48.333332
              1 49.166668
             18 50
              1 51.25
              1 51.666668
             18 52.5
              1 53.25
  
```



```

          1 53.333332
          1 53.75
          1 54.166668
          5 55
          1 57.5
    mean: 33.0502
  std. dev: 12.0206

  percentiles:    10%    25%    50%    75%    90%
                  20    32.5    35    39.1667    42.5

```

naptime_athome_perweek **Hours per week of a child's nap time at home**

```

    type: numeric (float)
    range: [0,75.5]
  unique values: 32
                                units: 1.000e-09
                                missing .. 3/1,506

```

```

  tabulation: Freq. Value
              440 0
               1 .00833333
              10 .01666667
               1 .02222222
             217 .03333334
               1 .04444445
              99 .05
             361 .06666667
               1 .075
              53 .08333334
               1 .09444444
             124 .1
              17 .11666667
              22 .13333334
               6 .15000001
               3 .16666667
               1 2.5166667
              10 5.0333333
               8 7.5500002
             51 10.066667
               1 10.1
               1 11.325
              12 12.583333
             38 15.1
               1 15.133333
               5 17.616667
               1 20.066668
             12 20.133333
               2 22.65
               1 25.033333
               1 25.166666
               1 75.5
               3 .

```

```

    mean: 1.30975
  std. dev: 4.40455

```

```

  percentiles:    10%    25%    50%    75%    90%
                  0      0      .05    .066667    .15

```

atctivity_tv_dum **While a child watch TV, did the child participate in any activities**

```

    type: numeric (float)
    label: atctivity_tv_dum
    range: [0,1]
  unique values: 2
                                units: 1
                                missing .. 0/1,506

```

```

tabulation:  Freq.  Numeric  Label
              390      0  do not
              1,116    1  do
    
```

atctivity_tv_des **While a child watch TV, what activities did the child do**

```

type:  string (str168)
unique values:  367                               missing "":  390/1,506

warning:  variable has embedded and trailing blanks
    
```

reading_time_c1 **Monday-Friday:Hours per week of reading to child**

```

type:  numeric (float)
range:  [0,12.5]                                units:  1.000e-08
unique values:  18                               missing .:  0/1,506

tabulation:  Freq.  Value
              1,367  0
               1  .13333334
               4  .21666667
               2  .25
               1  .30000001
               1  .38333333
              22  .41666666
               4  .5
               1  .55000001
               6  .63333333
              50  .83333331
               6  1.25
              12  1.6666666
               1  2.0833333
              18  2.5
               1  3.75
               8  5
               1  12.5

mean:  .126295
std. dev:  .603785

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

reading_time_c2 **Saturday-Sunday:Hours per week of reading to child**

```

type:  numeric (float)
range:  [0,5]                                    units:  1.000e-09
unique values:  14                               missing .:  0/1,506

tabulation:  Freq.  Value
              1,403  0
               2  .05
               3  .08333334
               1  .1
              10  .16666667
               2  .2
               6  .25
              36  .33333334
               7  .5
              12  .66666669
              14  1
               1  1.5
               8  2
    
```

```

          1 5
    mean:  .042508
    std. dev: .233962

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

reading_time_c3 **Monday-Sunday:Hours per week of reading to child**

```

    type: numeric (float)
    range: [0,14]
    unique values: 46
    units: 1.000e-09
    missing .: 0/1,506
    
```

```

    tabulation: Freq. Value
                1,095 0
                 3 .03333334
                13 .05
                 6 .06666667
                20 .08333334
                16 .1
                 8 .11666667
                14 .13333334
                 5 .15000001
                62 .16666667
                 6 .18333334
                 2 .2
                14 .21666667
                 2 .23333333
                33 .25
                 1 .26666668
                 1 .28333333
                 4 .30000001
                 3 .31666666
                32 .33333334
                 8 .38333333
                17 .41666666
                 5 .43333334
                40 .5
                 1 .56666666
                 9 .58333331
                 3 .63333333
                 7 .66666669
                10 .75
                 9 .83333331
                 1 .88333333
                 1 .89999998
                13 1
                 1 1.16666666
                 9 1.25
                 9 1.5
                 4 1.75
                 5 2
                 1 2.25
                 2 2.5
                 5 3
                 1 3.09999999
                 1 3.5
                 1 4
                 1 4.5
                 2 14
    
```

```

    mean: .151173
    std. dev: .63426

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0    .083333    .416667
    
```

reading_time **Hours per week of reading to children**

type: numeric (**float**)
 range: [0,17.5] units: 1.000e-09
 unique values: 56 missing .: 0/1,506

tabulation:

Freq.	Value
947	0
3	.03333334
14	.05
6	.06666667
20	.08333334
16	.1
8	.11666667
14	.13333334
5	.15000001
62	.16666667
7	.18333334
2	.2
15	.21666667
2	.23333333
36	.25
1	.26666668
1	.28333333
8	.30000001
3	.31666666
34	.33333334
1	.34999999
9	.38333333
29	.41666666
5	.43333334
44	.5
1	.55000001
1	.56666666
19	.58333331
5	.63333333
8	.66666669
2	.69999999
10	.75
25	.83333331
5	.88333333
1	.89999998
13	1
35	1.1666666
10	1.25
9	1.5
1	1.6666666
9	1.75
6	2
1	2.0833333
1	2.25
11	2.3333333
6	2.5
5	3
1	3.0999999
15	3.5
1	4
1	4.5
1	5
1	5.25
7	7
2	14
1	17.5

mean: .319976
 std. dev: 1.01238

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .25 .833333

storytelling_time_c1 **Monday-Friday:Hours per week of storytelling to child**

```

type: numeric (float)
range: [0,12.5]
unique values: 21
units: 1.000e-08
missing .: 0/1,506

tabulation: Freq. Value
1,392 0
1 .16666667
2 .21666667
1 .25
1 .30000001
2 .33333334
3 .38333333
14 .41666666
1 .51666665
8 .63333333
27 .83333331
2 1.05
7 1.25
4 1.6666666
1 1.8833333
4 2.0833333
20 2.5
12 5
1 6.25
2 7.5
1 12.5

mean: .138358
std. dev: .717479

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

storytelling_time_c2 **Saturday-Sunday:Hours per week of storytelling to child**

```

type: numeric (float)
range: [0,5]
unique values: 21
units: 1.000e-09
missing .: 0/1,506

tabulation: Freq. Value
1,386 0
1 .06666667
1 .08333334
3 .1
1 .11666667
2 .13333334
3 .15000001
15 .16666667
2 .21666667
8 .25
27 .33333334
2 .41666666
8 .5
4 .66666669
1 .75
4 .83333331
20 1
14 2
1 2.5
2 3
1 5

mean: .058632
std. dev: .295826
    
```

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0

storytelling_time_c3 Monday-Sunday:Hours per week of storytelling to child

type: numeric (float)
range: [0,4] units: 1.000e-09
unique values: 46 missing .: 0/1,506

tabulation:	Freq.	Value
	963	0
	2	.01666667
	6	.03333334
	16	.05
	12	.06666667
	50	.08333334
	12	.1
	8	.11666667
	34	.13333334
	6	.15000001
	69	.16666667
	13	.18333334
	2	.2
	8	.21666667
	2	.23333333
	48	.25
	3	.26666668
	7	.30000001
	9	.31666666
	30	.33333334
	7	.38333333
	6	.41666666
	56	.5
	1	.51666665
	1	.55000001
	10	.58333331
	6	.63333333
	12	.66666669
	11	.75
	6	.83333331
	1	.93333334
	29	1
	3	1.05
	1	1.1333333
	5	1.1666666
	14	1.25
	4	1.3333334
	15	1.5
	1	1.6666666
	1	1.75
	8	2
	1	2.25
	3	2.5
	2	3
	1	3.5
	1	4

mean: .166656
std. dev: .382881

percentiles: 10% 25% 50% 75% 90%
0 0 0 .166667 .5

storytelling_time Hours per week of storytelling to children

type: numeric (float)

range: [0,17.5] units: 1.000e-09
 unique values: 62 missing .: 0/1,506

tabulation:	Freq.	Value
	843	0
	2	.01666667
	6	.03333334
	16	.05
	12	.06666667
	50	.08333334
	14	.1
	8	.11666667
	34	.13333334
	6	.15000001
	70	.16666667
	13	.18333334
	2	.2
	8	.21666667
	2	.23333333
	1	.23333335
	48	.25
	3	.26666668
	8	.30000001
	9	.31666666
	30	.33333334
	1	.34999999
	7	.38333333
	6	.41666666
	1	.41666669
	1	.43333334
	2	.46666667
	57	.5
	1	.51666665
	3	.53333333
	1	.55000001
	24	.58333331
	6	.63333333
	12	.66666669
	1	.73333335
	11	.75
	6	.83333331
	8	.88333333
	1	.93333334
	29	1
	3	1.05
	1	1.1333333
	32	1.1666666
	14	1.25
	4	1.3333334
	2	1.4666666
	15	1.5
	1	1.6666666
	8	1.75
	10	2
	1	2.25
	4	2.3333333
	3	2.5
	1	2.6333332
	4	2.9166665
	2	3
	21	3.5
	1	4
	12	7
	1	8.75
	2	10.5
	1	17.5

mean: .363645
 std. dev: 1.04599

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .25 1

outdoorplaying_time_c1 **Monday-Friday:Hours per week of child's outdoor play**

type: numeric (float)
 range: [0,33.75] units: 1.000e-09
 unique values: 60 missing .: 0/1,506

tabulation:

Freq.	Value
474	0
1	.08333334
1	.13333334
2	.21666667
2	.25
1	.30000001
1	.31666666
2	.38333333
6	.41666666
1	.5
1	.51666665
5	.63333333
18	.83333331
2	.93333334
1	1
1	1.0333333
2	1.05
16	1.25
1	1.35
1	1.4666667
1	1.5666667
23	1.6666666
4	1.8833333
1	2
12	2.0833333
1	2.1833334
139	2.5
1	2.5999999
6	2.9166667
1	3
4	3.1333334
1	3.3333333
9	3.75
4	4.1666665
4	4.3833332
343	5
20	6.25
2	6.8833332
1	7
2	7.3000002
103	7.5
1	8.333333
7	8.75
131	10
1	10.016666
4	11.25
1	12.083333
58	12.5
1	13
36	15
1	17.083334
15	17.5
1	18.75
7	20
10	22.5
5	25
1	27.5
1	30
1	31.25
3	33.75

mean: 4.60488
 std. dev: 5.08935

percentiles: 10% 25% 50% 75% 90%
 0 0 5 7.5 10

outdoorplaying_time_c2 Saturday-Sunday:Hours per week of child's outdoor play

type: numeric (float)
 range: [0,24] units: 1.000e-09
 unique values: 60 missing .: 0/1,506

tabulation: Freq. Value

503	0
1	.08333334
1	.1
1	.11666667
2	.13333334
1	.15000001
5	.16666667
1	.2
1	.21666667
3	.25
12	.33333334
2	.38333333
3	.41666666
13	.5
1	.58333331
2	.63333333
18	.66666669
5	.75
7	.83333331
1	.88333333
1	.91666669
87	1
1	1.0333333
4	1.1666666
6	1.25
2	1.3333334
10	1.5
4	1.6666666
2	1.75
217	2
1	2.0833333
24	2.5
2	2.75
3	2.9166667
79	3
1	3.3333333
5	3.5
3	3.75
129	4
7	4.5
68	5
79	6
40	7
4	7.5
31	8
24	9
33	10
1	10.5
8	11
16	12
2	12.5
2	13
4	14
4	15
9	16
1	17.5
5	18
1	20

2 22
 1 24
 mean: 2.79576
 std. dev: 3.49099

percentiles: 10% 25% 50% 75% 90%
 0 0 2 4 7

outdoorplaying_time_c3 Monday-Sunday:Hours per week of child's outdoor play

type: numeric (float)
 range: [0,20] units: 1.000e-08
 unique values: 48 missing .: 0/1,506

tabulation: Freq. Value
 1,278 0
 1 .05
 2 .13333334
 1 .16666667
 2 .21666667
 2 .25
 3 .33333334
 1 .36666667
 3 .41666666
 1 .43333334
 12 .5
 1 .58333331
 1 .63333333
 6 .66666669
 5 .75
 2 .83333331
 29 1
 1 1.05
 1 1.16666666
 17 1.25
 21 1.5
 4 1.75
 3 1.8833333
 13 2
 5 2.25
 15 2.5
 19 3
 6 3.5
 4 3.75
 4 4
 4 4.5
 9 5
 6 5.25
 5 6
 3 6.25
 1 6.75
 2 7
 2 8
 1 9
 1 10
 1 12
 2 12.25
 1 12.5
 1 15
 1 16
 1 17.5
 1 18
 1 20

mean: .422289
 std. dev: 1.57645

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1.25

outdoorplaying_time **Hours per week of child's outdoor play**

```

type: numeric (float)
range: [0,49.5]
unique values: 170
mean: 7.82293
std. dev: 7.59798
units: 1.000e-08
missing .: 0/1,506

percentiles:      10%      25%      50%      75%      90%
                  0      1.88333  7        11       17.5
    
```

sport_time_c1 **Monday-Friday:Hours per week of child's playing sport, singing, dancing**

```

type: numeric (float)
range: [0,20]
unique values: 63
units: 1.000e-09
missing .: 0/1,506
    
```

```

tabulation: Freq. Value
             764  0
             1  .08333334
             2  .13333334
             9  .16666667
             3  .18333334
            20  .21666667
             9  .25
             8  .30000001
             4  .31666666
             6  .33333334
            10  .38333333
            61  .41666666
             3  .46666667
             1  .5
             8  .51666665
             5  .56666666
             3  .58333331
            32  .63333333
             3  .73333335
             3  .75
            61  .83333331
             2  .88333333
             3  .93333334
             1  1.0166667
             1  1.0333333
            16  1.05
             1  1.1333333
             1  1.15
             1  1.1666666
            35  1.25
             2  1.3333334
             1  1.35
             3  1.45
             1  1.4666667
             7  1.5666667
            34  1.6666666
             1  1.75
             7  1.8833333
            19  2.0833333
             4  2.1833334
             1  2.3
            133  2.5
             1  2.5999999
             1  2.9166667
             9  3.3333333
             1  3.6500001
            11  3.75
    
```

```

                2  4.1666665
                1  4.5833335
                1  4.8833332
            121  5
                1  5.2166667
                1  5.8333335
                7  6.25
                1  6.6666665
            20  7.5
            17  10
                2  11.25
                1  12.083333
            11  12.5
                4  15
                2  17.5
                1  20
    mean:      1.35987
    std. dev:  2.45779

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     1.88333    5
    
```

sport_time_c2
Saturday-Sunday:Hours per week of child's playing sport, singing, dancing

```

    type: numeric (float)
    range: [0,8]
    unique values: 53
    units: 1.000e-09
    missing .: 0/1,506
    
```

```

    tabulation: Freq. Value
                751  0
                 1  .03333334
                 2  .05
                 9  .06666667
                23  .08333334
                 9  .1
                 8  .11666667
                10  .13333334
                 7  .15000001
                61  .16666667
                 1  .18333334
                 1  .2
                 8  .21666667
                 8  .23333333
                30  .25
                 9  .30000001
                63  .33333334
                 1  .34999999
                 3  .38333333
                18  .41666666
                 1  .44999999
                 2  .46666667
                35  .5
                 1  .55000001
                 7  .58333331
                 8  .63333333
                37  .66666669
                 8  .75
                19  .83333331
                 4  .88333333
                 1  .91666669
            129  1
                 1  1.05
                 1  1.1666666
                 9  1.3333334
                 1  1.45
                11  1.5
                 2  1.6666666
                 1  1.8333334
    
```

```

      1 1.95
    121 2
      1 2.0833333
      1 2.3333333
      6 2.5
      1 2.6666667
      1 2.9166667
     20 3
     24 4
      2 4.5
     15 5
      6 6
      4 7
      2 8
    mean: .594976
    std. dev: 1.0907

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        .05     .833333  2

```

sport_time_c3 Monday-Sunday:Hours per week of child's playing sport, singing, dancing

```

type: numeric (float)
range: [0,9]
unique values: 57
units: 1.000e-09
missing .: 0/1,506

```

```

tabulation: Freq. Value
            993 0
              9 .03333334
             12 .05
              6 .06666667
             23 .08333334
             20 .1
              7 .11666667
             18 .13333334
              7 .15000001
             10 .16666667
             13 .18333334
              9 .21666667
              4 .23333333
             25 .25
              3 .26666668
             10 .30000001
              4 .31666666
             35 .33333334
              8 .38333333
             23 .41666666
              5 .43333334
             27 .5
              1 .56666666
              8 .58333331
              6 .63333333
              8 .66666669
              1 .73333335
             16 .75
             14 .83333331
              3 .88333333
             34 1
              1 1.05
              2 1.1333333
              5 1.1666666
             18 1.25
              1 1.3166667
              2 1.3333334
              1 1.4666667
             28 1.5
              1 1.6666666
              5 1.75
              1 1.8833333

```

```

15 2
2 2.25
1 2.3333333
15 2.5
3 2.6333334
15 3
8 3.5
2 3.75
3 4
1 4.5
4 5
2 6
2 7
5 7.5
1 9
mean: .336166
std. dev: .892576
percentiles: 10% 25% 50% 75% 90%
              0 0 0 .233333 1
    
```

sport_time Hours per week of child's playing sport, singing, dancing

```

type: numeric (float)
range: [0,28] units: 1.000e-09
unique values: 127 missing.: 0/1,506
mean: 2.29101
std. dev: 3.41084
percentiles: 10% 25% 50% 75% 90%
              0 .233333 .883333 3.5 7
    
```

roleplay_time_c1 Monday-Friday:Hours per week of child's role play, selling play, playing with rob

```

type: numeric (float)
range: [0,42.5] units: 1.000e-08
unique values: 53 missing.: 0/1,506
tabulation:
Freq. Value
524 0
3 .13333334
5 .16666667
9 .21666667
1 .25
3 .31666666
7 .38333333
17 .41666666
1 .43333334
2 .46666667
2 .5
11 .63333333
1 .73333335
42 .83333331
1 .88333333
1 .93333334
2 1
6 1.05
36 1.25
2 1.3833333
6 1.5666667
30 1.6666666
4 1.8833333
1 2
21 2.0833333
    
```

```

208 2.5
  1 2.8333333
  3 2.9166667
  3 3.1333334
 11 3.3333333
 16 3.75
 12 4.1666665
  4 4.3833332
  2 4.5833335
276 5
  2 5.2166667
  4 5.8333335
 16 6.25
  1 7.3000002
 57 7.5
  1 7.5833335
  9 8.75
  1 9.1666667
 61 10
  4 11.25
 35 12.5
 17 15
  6 17.5
  6 20
  5 22.5
  4 25
  1 31.25
  2 42.5
      mean: 3.24665
      std. dev: 4.31674

percentiles:      10%      25%      50%      75%      90%
                  0        0        2.5      5        8.75

```

roleplay_time_c2
Saturday-Sunday:Hours per week of child's role play, selling play, playing with

```

type: numeric (float)
range: [0,20]
unique values: 53
units: 1.000e-09
missing .: 0/1,506

```

```

tabulation: Freq. Value
477 0
  1 .05
  4 .06666667
  8 .08333334
  1 .1
  3 .13333334
  6 .15000001
 16 .16666667
  2 .18333334
  2 .2
  1 .21666667
 11 .25
  1 .30000001
 37 .33333334
  1 .34999999
  1 .38333333
  5 .41666666
 32 .5
  2 .55000001
  7 .63333333
 31 .66666669
  4 .75
 16 .83333331
200 1
  2 1.1666666
  7 1.25
 11 1.3333334

```

```

19 1.5
12 1.6666666
4 1.75
3 1.8333334
268 2
2 2.0833333
2 2.25
4 2.3333333
17 2.5
1 2.6666667
62 3
1 3.0333333
5 3.5
1 3.6666667
88 4
5 4.5
47 5
38 6
10 7
7 8
6 9
6 10
4 12
1 12.5
2 16
2 20
mean: 1.58624
std. dev: 2.09034

percentiles: 10% 25% 50% 75% 90%
              0 0 1 2 4

```

roleplay_time_c3
Monday-Sunday:Hours per week of child's role play, selling play, playing with ro

```

type: numeric (float)
range: [0,9] units: 1.000e-09
unique values: 48 missing .: 0/1,506

```

```

tabulation: Freq. Value
1,112 0
3 .03333334
3 .05
3 .06666667
4 .08333334
2 .1
10 .13333334
2 .15000001
7 .16666667
4 .18333334
2 .21666667
15 .25
2 .30000001
2 .31666666
16 .33333334
3 .38333333
3 .41666666
3 .43333334
24 .5
1 .51666665
7 .58333331
6 .63333333
4 .66666669
14 .75
6 .83333331
3 .88333333
38 1
1 1.05
3 1.1666666

```



```

32 1.25
3 1.3333334
42 1.5
11 1.75
2 1.8833333
28 2
1 2.1833334
2 2.25
27 2.5
19 3
9 3.5
4 3.75
4 4
3 4.5
5 5
3 5.25
4 6
2 8
2 9
mean: .394876
std. dev: .975142
percentiles: 10% 25% 50% 75% 90%
              0 0 0 .133333 1.5

```

roleplay_time
Hours per week of child's role play, selling play, playing with robot or car

```

type: numeric (float)
range: [0,62.5] units: 1.000e-09
unique values: 138 missing.: 0/1,506
mean: 5.22777
std. dev: 5.89996
percentiles: 10% 25% 50% 75% 90%
              .333333 1.25 3.5 7 12.8333

```

learning_time_c1
Monday-Friday:Hours per week of child's practice reading, writing alphabet, count

```

type: numeric (float)
range: [0,17.5] units: 1.000e-08
unique values: 47 missing.: 0/1,506
tabulation: Freq. Value
1,006 0
1 .13333334
4 .16666667
1 .18333334
8 .21666667
5 .25
9 .30000001
1 .31666666
3 .33333334
7 .38333333
33 .41666666
1 .5
1 .51666665
1 .56666666
1 .58333331
20 .63333333
1 .66666669
1 .81666666
78 .83333331
2 .93333334

```

```

      1 1.0166667
      2 1.05
      2 1.15
     24 1.25
      1 1.45
      1 1.4666667
      1 1.5666667
     63 1.6666666
      1 1.8833333
     16 2.0833333
    111 2.5
      1 2.8166666
      1 2.9166667
      2 3.3333333
      3 3.75
      1 4.1666665
      1 4.3833332
     71 5
      2 5.2166667
      1 5.6333332
      3 6.25
      5 7.5
      1 8.75
      1 9.3833332
      3 10
      2 12.5
      1 17.5
    mean: .740615
  std. dev: 1.56821

  percentiles:      10%      25%      50%      75%      90%
                   0         0         0      .833333      2.5

```

learning_time_c2
 Saturday-Sunday:Hours per week of child's practice reading, writing alphabet, co

```

  type: numeric (float)
  range: [0,7]
  unique values: 42
  units: 1.000e-09
  missing .: 0/1,506

```

```

  tabulation: Freq. Value
              994 0
               1 .05
               4 .06666667
               8 .08333334
               4 .1
               7 .11666667
               5 .13333334
               7 .15000001
              33 .16666667
               2 .2
               1 .21666667
               4 .23333333
              17 .25
               1 .26666668
              79 .33333334
               2 .38333333
               3 .41666666
               2 .46666667
              22 .5
               2 .58333331
               1 .63333333
              62 .66666669
               1 .75
              16 .83333331
             114 1
               1 1.1333333
               1 1.25
               2 1.3333334

```

```

      3 1.5
      2 1.6666666
      1 1.75
     82 2
      2 2.0833333
      1 2.25
      3 2.5
      5 3
      1 3.5
      1 3.75
      4 4
      3 5
      1 6
      1 7
    mean: .322565
  std. dev: .678855

percentiles:      10%      25%      50%      75%      90%
                  0        0        0      .333333      1

```

learning_time_c3
Monday-Sunday:Hours per week of child's practice reading, writing alphabet, coun

```

      type: numeric (float)
      range: [0,9]
  unique values: 51
      units: 1.000e-09
  missing .: 0/1,506

```

```

tabulation:  Freq.  Value
              969    0
                1  .01666667
                6  .03333334
                8  .05
                6  .06666667
               13  .08333334
                9  .1
                1  .11666667
               11  .13333334
                6  .15000001
               32  .16666667
               15  .18333334
                2  .2
                8  .21666667
                1  .23333333
               33  .25
                4  .26666668
                2  .30000001
                7  .31666666
               34  .33333334
                9  .38333333
               20  .41666666
                5  .43333334
               65  .5
               15  .58333331
                7  .63333333
               13  .66666669
                2  .73333335
               17  .75
               14  .83333331
                4  .88333333
                1  .93333334
               35  1
                1  1.05
                3  1.1666666
               16  1.25
                3  1.3333334
                1  1.4666667
               37  1.5
                1  1.6666666
               11  1.75

```

```

      2 1.8833333
     14 2
      4 2.25
     18 2.5
      5 3
      8 3.5
      3 3.75
      1 4
      1 6
      2 9
    mean: .297145
  std. dev: .693567

percentiles:    10%    25%    50%    75%    90%
                0      0      0     .316667    1
  
```

learning_time
Hours per week of child's practice reading, writing alphabet, counting numbers

```

type: numeric (float)
range: [0,24.5]          units: 1.000e-09
unique values: 97       missing .: 0/1,506
  
```

```

tabulation:  Freq.  Value
             436    0
              1   .01666667
              6   .03333334
              8   .05
              6   .06666667
             13   .08333334
              9   .1
              1   .11666667
             11   .13333334
              6   .15000001
             34   .16666667
             16   .18333334
              2   .2
              8   .21666667
              1   .23333333
              4   .23333335
             33   .25
              5   .26666668
              9   .30000001
              7   .31666666
             37   .33333334
              4   .34999999
              9   .38333333
             21   .41666666
              7   .41666669
              5   .43333334
              2   .44999999
              3   .46666667
             66   .5
              7   .53333333
              2   .53333336
             45   .58333331
              9   .63333333
             14   .66666669
              1   .69999999
              3   .73333335
             19   .75
              1   .76666665
              1   .80000001
              1   .81666666
             19   .83333331
             21   .88333333
              1   .93333334
              1   .93333334
             46   1
  
```

```

1 1.05
1 1.15
76 1.1666666
19 1.25
2 1.3166666
3 1.3333334
1 1.4333333
2 1.4666666
1 1.4666667
37 1.5
2 1.6166667
1 1.6666666
32 1.75
2 1.8833333
27 2
1 2.0333333
1 2.05
1 2.0833333
1 2.2
1 2.2166667
4 2.25
60 2.3333333
22 2.5
1 2.6333332
15 2.9166665
5 3
1 3.1666667
1 3.3333333
112 3.5
2 3.6666665
3 3.75
1 3.9499998
1 4
1 4.1666667
2 4.5
2 4.6666665
7 5
3 5.25
1 5.833333
2 6
1 6.1333332
64 7
2 7.3000002
1 7.8833332
3 8.75
3 9
5 10.5
1 12.25
1 13.133333
3 14
2 17.5
1 24.5

```

```

mean: 1.36033
std. dev: 2.15064

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      .5    1.75   3.5

```

drawing_time_c1
Monday-Friday:Hours per week of child's palying blocks, plasticine, drawing, colo

```

type: numeric (float)
range: [0,30]
unique values: 39
units: 1.000e-08
missing .: 0/1,506

```

```

tabulation:  Freq.  Value
              1,075  0
                3  .16666667
                5  .21666667
                5  .25
                4  .30000001
                1  .31666666
               11  .38333333
               20  .41666666
                2  .46666667
                1  .5
                4  .58333331
               14  .63333333
                1  .75
               71  .83333331
                1  .88333333
                3  .93333334
                1  1.0333333
                7  1.05
                2  1.0833334
               19  1.25
                3  1.4666667
               34  1.6666666
                7  2.0833333
               86  2.5
                4  3.3333333
                4  3.75
                1  4.1666665
               77  5
                2  6.25
                6  7.5
                1  8.333333
               17  10
                1  11.25
                6  12.5
                3  15
                1  17.5
                1  20
                1  22
                1  30
    mean:      .858012
  std. dev:   2.26565

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0      .583333  2.5

```

drawing_time_c2
Saturday-Sunday:Hours per week of child's palying blocks, plasticine, drawing, c

```

type:  numeric(float)
range: [0,12]
unique values: 38
units: 1.000e-09
missing .: 0/1,506

```

```

tabulation:  Freq.  Value
              1,063  0
                3  .06666667
                5  .08333334
                4  .1
                4  .11666667
                1  .13333334
                9  .15000001
               20  .16666667
                2  .18333334
                1  .2
                4  .23333333
               14  .25
                1  .30000001
               70  .33333334
                3  .38333333

```

```

      7 .41666666
      3 .43333334
    19 .5
      3 .58333331
    37 .66666669
      7 .83333331
    73 1
      1 1.25
      5 1.3333334
      7 1.5
      1 1.6666666
    92 2
      1 2.3333333
      4 2.5
      6 3
      1 3.3333333
    16 4
      2 4.5
    10 5
      4 6
      1 7
      1 9
      1 12
    mean: .377025
  std. dev: .948943

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         .25     1.33333

```

drawing_time_c3
Monday-Sunday:Hours per week of child's palying blocks, plasticine, drawing, col

```

type: numeric (float)
range: [0,8]
unique values: 58
units: 1.000e-09
missing .: 0/1,506

```

```

tabulation: Freq. Value
            846 0
              4 .01666667
              8 .03333334
             10 .05
              3 .06666667
             34 .08333334
              9 .1
              2 .11666667
             12 .13333334
              6 .15000001
             46 .16666667
              9 .18333334
              2 .2
              7 .21666667
              1 .23333333
             41 .25
              2 .30000001
              6 .31666666
             55 .33333334
              9 .38333333
             11 .41666666
              5 .43333334
              1 .46666667
             66 .5
              1 .51666665
              9 .58333331
              7 .63333333
             20 .66666669
              1 .73333335
             19 .75
             10 .83333331
              2 .88333333

```

```

78 1
 2 1.0333333
 6 1.05
 3 1.1333333
 5 1.1666666
32 1.25
 2 1.4666667
23 1.5
 2 1.6666666
12 1.75
 1 1.8333334
 2 1.8833333
17 2
 5 2.25
23 2.5
 1 2.55
 1 2.6333334
 1 2.6666667
 5 3
 8 3.5
 5 4
 1 4.5
 2 5
 1 6
 3 7.5
 1 8
mean: .37842
std. dev: .785274

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        .5      1.16667

```

drawing_time Hours per week of child's palying blocks, plasticine, drawing, coloring

```

type: numeric (float)
range: [0,42]
unique values: 97
units: 1.000e-09
missing .: 0/1,506

```

```

tabulation: Freq. Value
391 0
 4 .01666667
 8 .03333334
10 .05
 3 .06666667
34 .08333334
 9 .1
 2 .11666667
12 .13333334
 6 .15000001
47 .16666667
 9 .18333334
 2 .2
 7 .21666667
 1 .23333333
 3 .23333335
43 .25
 7 .30000001
 6 .31666666
58 .33333334
 4 .34999999
10 .38333333
12 .41666666
 4 .41666669
 6 .43333334
 1 .44999999
 1 .46666667
67 .5
 1 .51666665
 9 .53333333

```


28 .58333331
8 .63333333
2 .64999998
23 .66666669
1 .69999999
1 .73333335
19 .75
4 .81666666
12 .83333331
16 .88333333
79 1
2 1.0333333
7 1.05
3 1.1333333
72 1.1666666
33 1.25
3 1.3166666
1 1.4499999
6 1.4666666
2 1.4666667
24 1.5
2 1.5166667
2 1.6666666
30 1.75
1 1.8333334
2 1.8833333
28 2
3 2.05
1 2.0833333
5 2.25
33 2.3333333
25 2.5
1 2.55
1 2.6333334
1 2.6666667
1 2.8333333
6 2.9166665
6 3
1 3.05
1 3.1666665
80 3.5
1 3.75
7 4
1 4.3833332
6 4.5
4 4.6666665
7 5
4 5.25
1 5.8333333
1 6
75 7
4 7.5
1 8
2 8.75
1 9
6 10.5
1 11.5
1 11.666666
14 14
2 15
1 15.75
6 17.5
3 21
1 24.5
1 26
1 31
1 42

mean: 1.61346
std. dev: 3.12264

percentiles: 10% 25% 50% 75% 90%
 0 0 .5 1.75 4

fieldtrip_time_c1

Monday-Friday:Hours per week of child's going to temple, library, zoo, museum

 type: numeric (**float**)
 range: [0,10] units: .01
 unique values: 5 missing .: 0/1,506

 tabulation: Freq. Value
 1,489 0
 1 1.25
 6 2.5
 9 5
 1 10

 mean: .047311
 std. dev: .489553

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

fieldtrip_time_c2

Saturday-Sunday:Hours per week of child's going to temples, libraries, zoo, muse

 type: numeric (**float**)
 range: [0,8] units: 1.000e-08
 unique values: 11 missing .: 0/1,506

 tabulation: Freq. Value
 1,457 0
 1 .11666667
 1 .33333334
 1 .5
 14 1
 1 1.5
 27 2
 1 3
 1 4
 1 6
 1 8

 mean: .060724
 std. dev: .402708

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

fieldtrip_time_c3

Monday-Sunday:Hours per week of child's going to temples, libraries, zoo, museum

 type: numeric (**float**)
 range: [0,6] units: 1.000e-08
 unique values: 28 missing .: 0/1,506

```

tabulation:  Freq.  Value
              1,257  0
                1  .1
                1  .13333334
                2  .16666667
                1  .30000001
                4  .33333334
                1  .41666666
               31  .5
               14  .75
                1  .83333331
                1  .93333334
              123  1
                5  1.25
               14  1.5
                4  1.75
               22  2
                2  2.25
                8  2.5
                1  2.6333334
                1  3
                1  3.3333333
                3  3.5
                2  4
                1  4.5
                1  4.5999999
                1  5
                2  5.5
                1  6
    mean:      .208964
  std. dev:   .59545

percentiles:  10%      25%      50%      75%      90%
              0        0        0        0        1
  
```

fieldtrip_time **Hours per week of child's going to temples, libraries, zoo, museums**

```

type: numeric (float)
range: [0,18]
unique values: 32
units: 1.000e-08
missing .: 0/1,506
  
```

```

tabulation:  Freq.  Value
              1,207  0
                1  .1
                1  .11666667
                1  .13333334
                2  .16666667
                1  .30000001
                5  .33333334
                1  .41666666
               31  .5
               14  .75
                1  .83333331
                1  .93333334
              133  1
                5  1.25
               15  1.5
                5  1.75
               40  2
                2  2.25
                8  2.5
                1  2.6333334
                2  3
                1  3.3333333
                7  3.5
                3  4
                2  4.5
                1  4.5999999
                2  5
  
```

```

                2  5.5
                1  6
                8  7
                1  8.5
                1  18
    mean:      .316999
    std. dev:  .979178

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      1
    
```

shopping_time_c1 Monday-Friday:Hours per week of child's going to department store

```

    type: numeric (float)

    range: [0,12.5]          units: .1
    unique values: 6          missing .. 0/1,506

    tabulation: Freq. Value
                1,497  0
                 1  2.5
                 5  5
                 1  7.5
                 1  10
                 1  12.5
    mean:      .038181
    std. dev:  .541657

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

shopping_time_c2 Saturday-Sunday:Hours per week of child's going to department store

```

    type: numeric (float)

    range: [0,6]          units: .01
    unique values: 9          missing .. 0/1,506

    tabulation: Freq. Value
                1,493  0
                 2  1
                 4  2
                 1  2.55
                 1  3
                 2  4
                 1  5
                 1  5.5
                 1  6
    mean:      .026594
    std. dev:  .321631

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

shopping_time_c3 Monday-Sunday:Hours per week of child's going to department store

```

    type: numeric (float)

    range: [0,16]          units: 1.000e-09
    unique values: 30          missing .. 0/1,506
    
```

```

tabulation:  Freq.  Value
              1,274  0
                1  .03333334
                2  .08333334
                3  .16666667
                1  .40000001
               11  .5
                3  .75
               52  1
                2  1.25
               28  1.5
               40  2
                3  2.25
               23  2.5
               14  3
                5  3.5
                2  3.75
                6  4
                4  4.5
                5  5
                5  5.25
                6  6
                1  6.25
                3  7
                4  8
                3  9
                1  10.5
                1  11
                1  11.25
                1  12
                1  16
    mean:      .393659
  std. dev:   1.29462

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1.5
  
```

shopping_time **Hours per week of child's going to department store**

```

type: numeric (float)
range: [0,17.5]          units: 1.000e-09
unique values: 34       missing .: 0/1,506
  
```

```

tabulation:  Freq.  Value
              1,260  0
                1  .03333334
                2  .08333334
                3  .16666667
                1  .40000001
               11  .5
                3  .75
               53  1
                2  1.25
               28  1.5
               40  2
                3  2.25
               23  2.5
                1  2.55
               14  3
                6  3.5
                2  3.75
                7  4
                4  4.5
                6  5
                5  5.25
                1  5.5
                7  6
                1  6.25
                7  7
  
```

```

          4  8
          3  9
          2 10.5
          1 11
          1 11.25
          1 12
          1 14
          1 16
          1 17.5
    mean:   .458433
  std. dev: 1.49747

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      1.5
    
```

working_time_c1
Monday-Friday:Hours per week of child's going to work with household members

```

    type: numeric (float)
    range: [0,60]
unique values: 34
    units: 1.000e-08
missing .: 0/1,506
    
```

```

tabulation: Freq. Value
1,269 0
          1 .38333333
          2 .63333333
          1 .83333331
          1 .93333334
          2 1.25
          4 1.6666666
          3 2
          1 2.0833333
         27 2.5
          1 3
          2 3.75
          1 4
         55 5
          1 5.8333335
          1 6
          1 6.1500001
          3 6.25
         17 7.5
         48 10
          1 12
         15 12.5
         17 15
          4 17.5
          9 20
          4 22.5
          3 25
          1 32.5
          2 35
          1 42.5
          4 45
          1 47.5
          2 55
          1 60
    
```

```

    mean: 1.61614
  std. dev: 5.40912
    
```

```

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      5
    
```

working_time_c2
Saturday-Sunday:Hours per week of child's going to work with household members

```

type: numeric (float)
range: [0,44]
unique values: 42
units: 1.000e-08
missing .: 0/1,506

```

```

tabulation: Freq. Value
1,010 0
1 .15000001
2 .25
1 .31666666
2 .33333334
3 .5
7 .66666669
2 .83333331
36 1
3 1.5
78 2
1 2.25
3 2.5
21 3
2 3.5
22 4
6 4.5
17 5
37 6
9 7
20 8
1 8.5
19 9
23 10
5 11
1 11.6
17 12
7 13
21 14
6 15
42 16
5 17
37 18
11 19
16 20
1 21
4 22
3 24
1 25
1 26
1 28
1 44
mean: 2.88301
std. dev: 5.67454

```

```

percentiles: 10% 25% 50% 75% 90%
              0 0 0 2 13

```

working_time_c3
Monday-Sunday:Hours per week of child's going to work with household members

```

type: numeric (float)
range: [0,32]
unique values: 59
units: 1.000e-09
missing .: 0/1,506

```

```

tabulation:  Freq.  Value
              1,208  0
                1  .08333334
                1  .13333334
                3  .16666667
                1  .18333334
                1  .21666667
                4  .25
                2  .33333334
                1  .38333333
               20  .5
                1  .58333331
                3  .75
                1  .83333331
                1  .88333333
               30  1
                1  1.1333333
                5  1.25
               24  1.5
                3  1.75
               37  2
                2  2.25
                1  2.4166667
               14  2.5
               20  3
                4  3.5
                8  3.75
               12  4
                8  4.5
                7  5
                2  5.25
                4  5.5
               10  6
                4  6.25
                2  6.75
                5  7
                1  7.3166666
                5  7.5
                1  8.5
                1  8.75
               15  9
                4  10
                1  10.5
                2  11.25
                3  12
                2  12.25
                1  12.5
                2  13.5
                2  14
                2  15
                1  15.75
                2  16
                1  17.5
                2  18
                1  22.5
                1  25
                1  27.9
                1  28
                1  30
                2  32
    mean:      .881795
  std. dev:   2.93946

percentiles:  10%      25%      50%      75%      90%
              0        0        0        0        2.5

```

working_time **Hours per week of child's going to work with household members**

type: numeric (**float**)

range: [0,84] units: 1.000e-09
 unique values: 117 missing .: 0/1,506
 mean: 5.38094
 std. dev: 9.61439
 percentiles: 10% 25% 50% 75% 90%
 0 0 .883333 7 17

housework_time_c1 Monday-Fiday:Hours per week of child's doing housework

type: numeric (float)
 range: [0,7.5] units: 1.000e-09
 unique values: 25 missing .: 0/1,506
 tabulation: Freq. Value
 1,379 0
 1 .08333334
 1 .13333334
 4 .16666667
 5 .21666667
 2 .25
 3 .30000001
 3 .33333334
 2 .38333333
 32 .41666666
 1 .56666666
 15 .63333333
 1 .73333335
 17 .83333331
 3 .93333334
 2 1.05
 11 1.25
 1 1.46666667
 5 1.66666666
 2 2.0833333
 9 2.5
 1 3.3333333
 2 4.1666665
 3 5
 1 7.5
 mean: .088125
 std. dev: .441978
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

housework_time_c2 Saturday-Sunday:Hours per week of child's doing housework

type: numeric (float)
 range: [0,3] units: 1.000e-09
 unique values: 25 missing .: 0/1,506
 tabulation: Freq. Value
 1,376 0
 1 .03333334
 1 .05
 5 .06666667
 5 .08333334
 2 .1
 3 .11666667
 3 .13333334
 2 .15000001
 32 .16666667
 1 .23333333
 16 .25

```

                2 .30000001
               16 .33333334
                3 .38333333
                2 .41666666
               12 .5
                1 .58333331
                5 .66666669
                2 .83333331
                9 1
                1 1.3333334
                2 1.6666666
                3 2
                1 3
    mean:       .035735
    std. dev:   .177226

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0

```

housework_time_c3 **Monday-Sunday:Hours per week of child's doing housework**

```

    type: numeric (float)
    range: [0,3]
    unique values: 37
    units: 1.000e-09
    missing .: 0/1,506

```

```

    tabulation: Freq. Value
                1,110 0
                 2 .01666667
                 13 .03333334
                 32 .05
                 13 .06666667
                 38 .08333334
                 12 .1
                  6 .11666667
                 23 .13333334
                  6 .15000001
                 47 .16666667
                 12 .18333334
                 10 .21666667
                  2 .23333333
                 26 .25
                  1 .28333333
                  3 .30000001
                  4 .31666666
                 32 .33333334
                  9 .38333333
                 14 .41666666
                  1 .43333334
                 21 .5
                  1 .51666665
                 12 .58333331
                  5 .63333333
                 11 .66666669
                  2 .75
                  4 .83333331
                  2 .88333333
                 13 1
                  1 1.1666666
                  4 1.25
                  1 1.4666667
                  8 1.5
                  3 2
                  2 3

```

```

    mean:       .088789
    std. dev:   .250143

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      .05    .3

```

housework_time **Hours per week of child's doing housework**

type: numeric (**float**)
 range: [0,10.5] units: 1.000e-09
 unique values: 58 missing .: 0/1,506

tabulation:

Freq.	Value
980	0
2	.01666667
13	.03333334
32	.05
14	.06666667
38	.08333334
12	.1
6	.11666667
1	.11666667
23	.13333334
6	.15000001
47	.16666667
13	.18333334
10	.21666667
2	.23333333
4	.23333335
28	.25
1	.28333333
8	.30000001
4	.31666666
32	.33333334
2	.34999999
9	.38333333
14	.41666666
3	.41666669
1	.43333334
3	.46666667
21	.5
1	.51666665
2	.53333333
44	.58333331
5	.63333333
11	.66666669
2	.75
1	.80000001
4	.83333331
16	.88333333
1	.93333334
13	1
1	1.03333333
17	1.16666666
4	1.25
3	1.31666666
1	1.33333333
2	1.46666666
1	1.46666667
8	1.5
11	1.75
3	2
1	2.05
5	2.33333333
2	2.91666665
2	3
9	3.5
1	4.66666665
2	5.83333333
3	7
1	10.5

mean: .212649
 std. dev: .65093

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .166667 .583333

homework_time_c1 **Monday-Friday:Hours per week of child's doing homework**

 type: numeric (float)
 range: [0,25] units: 1.000e-09
 unique values: 60 missing .: 0/1,506

tabulation:	Freq.	Value
	754	0
	1	.03166667
	5	.08333334
	2	.13333334
	1	.15000001
	5	.16666667
	8	.21666667
	1	.23333333
	10	.25
	1	.26666668
	1	.28333333
	6	.30000001
	1	.31666666
	3	.33333334
	4	.38333333
	58	.41666666
	5	.46666667
	5	.5
	1	.58166665
	4	.58333331
	15	.63333333
	1	.66666669
	1	.69999999
	1	.75
	1	.755
	1	.76666665
	1	.78333336
	122	.83333331
	1	.93333334
	4	1
	2	1.0333333
	4	1.05
	1	1.1666666
	48	1.25
	2	1.45
	3	1.4666667
	3	1.5
	1	1.6
	78	1.6666666
	1	1.7
	1	1.8333334
	2	1.8833333
	5	2
	2	2.0833333
	1	2.25
	1	2.3333333
	195	2.5
	2	2.9166667
	2	3.3333333
	5	3.75
	105	5
	1	7.4000001
	4	7.5
	1	8
	1	9.3833332
	4	10
	4	12.5
	1	15
	1	20

```

                1 25
    mean:       1.0951
    std. dev:   1.88403
    percentiles: 10%    25%    50%    75%    90%
                  0      0      0      1.66667  2.5
    
```

homework_time_c2 **Saturday-Sunday:Hours per week of child's doing homework**

```

    type: numeric (float)
    range: [0,5]
    unique values: 21
    units: 1.000e-09
    missing .: 0/1,506

    tabulation: Freq. Value
                 1,183 0
                   2 .03333334
                   2 .05
                   2 .06666667
                   4 .08333334
                   3 .1
                   5 .11666667
                   5 .13333334
                  29 .16666667
                   1 .2
                   5 .25
                  52 .33333334
                   3 .41666666
                  27 .5
                  38 .66666669
                  84 1
                   3 1.3333334
                  47 2
                   3 3
                   5 4
                   3 5
    mean: .193814
    std. dev: .537058

    percentiles: 10%    25%    50%    75%    90%
                  0      0      0      0      .666667
    
```

homework_time_c3 **Monday-Sunday:Hours per week of child's doing homework**

```

    type: numeric (float)
    range: [0,6]
    unique values: 36
    units: 1.000e-09
    missing .: 0/1,506

    tabulation: Freq. Value
                 1,348 0
                   1 .03333334
                   3 .05
                   5 .08333334
                   4 .1
                   5 .13333334
                   8 .16666667
                   3 .18333334
                   1 .2
                   4 .21666667
                   1 .23333333
                  11 .25
                   2 .30000001
                  12 .33333334
                   2 .41666666
                   1 .46666667
                  23 .5
                   1 .63333333
    
```

```

      7 .66666669
      4 .75
      4 .83333331
      1 .88333333
    16 1
      1 1.05
      2 1.1666666
      4 1.25
     10 1.5
      3 2
      1 2.25
      1 2.3499999
      2 2.4000001
      5 2.5
      5 3
      2 3.5
      2 4
      1 6
    mean: .093493
    std. dev: .413139

    percentiles:      10%      25%      50%      75%      90%
                     0        0        0        0      .083333

```

homework_time **Hours per week of child's doing homework**

```

    type: numeric (float)
    range: [0,25]
    unique values: 93
    units: 1.000e-09
    missing .: 0/1,506

```

```

    tabulation: Freq. Value
                589 0
                 1 .03166667
                 1 .03333334
                 3 .05
                 8 .08333334
                 4 .1
                 2 .11666667
                 8 .13333334
                 1 .15000001
                13 .16666667
                 4 .18333334
                 1 .2
                10 .21666667
                 2 .23333333
                 2 .23333335
                16 .25
                 1 .26666668
                 1 .28333333
                 6 .30000001
                 1 .31666666
                12 .33333334
                 3 .34999999
                 4 .38333333
                33 .41666666
                 5 .41666669
                 1 .44999999
                 6 .46666667
                 3 .46666667
                30 .5
                 1 .58166665
                30 .58333331
                10 .63333333
                 8 .66666669
                 1 .69999999
                 5 .75
                 1 .755
                 1 .76666665
                 1 .78333336

```

```

74 .83333331
6 .88333333
1 .93333334
20 1
1 1.0333333
3 1.05
1 1.0833334
54 1.1666666
29 1.25
2 1.3333334
1 1.4499999
2 1.45
2 1.4666666
3 1.4666667
13 1.5
1 1.6
40 1.6666666
1 1.7
23 1.75
1 1.8333334
2 1.8833333
6 2
2 2.0833333
2 2.25
39 2.3333333
1 2.3499999
2 2.4000001
116 2.5
1 2.6333332
1 2.8333333
2 2.9166667
6 3
1 3.3333333
83 3.5
4 3.75
2 4
1 4.5
1 4.6666665
1 4.75
57 5
1 5.5
3 6
1 6.5
45 7
1 7.4000001
3 7.5
2 8
1 9.3833332
1 10.5
1 12.5
4 14
1 15
3 17.5
1 20
1 25

```

```

mean: 1.3824
std. dev: 2.20973

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        .5      2.33333  3.5

```

selfreading_c1 **Monday-Fiday:Hours per week of child's reading**

```

type: numeric (float)
range: [0,5]
unique values: 14
units: 1.000e-09
missing .: 0/1,506

```

```

tabulation:  Freq.  Value
              1,470  0
              1   .08333334
              1   .13333334
              1   .16666667
              1   .38333333
              4   .41666666
              1   .63333333
              6   .83333331
              3   1.05
              1   1.5666667
              7   1.6666666
              1   2.3333333
              5   2.5
              4   5
    mean:     .039365
    std. dev: .33114

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

selfreading_c2 **Saturday-Sunday:Hours per week of child's reading**

```

type: numeric (float)

range: [0,2]          units: 1.000e-09
unique values: 14      missing .: 0/1,506

tabulation:  Freq.  Value
              1,475  0
              1   .03333334
              1   .05
              1   .06666667
              1   .15000001
              4   .16666667
              1   .25
              5   .33333334
              3   .41666666
              1   .63333333
              4   .66666669
              1   .93333334
              5   1
              3   2
    mean:     .01286
    std. dev: .118354

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

selfreading_c3 **Monday-Sunday:Hours per week of child's reading**

```

type: numeric (float)

range: [0,2.5]        units: 1.000e-09
unique values: 17      missing .: 0/1,506

tabulation:  Freq.  Value
              1,474  0
              1   .03333334
              1   .05
              2   .1
              1   .16666667
              1   .18333334
              5   .33333334
              1   .38333333
              1   .40000001
              2   .41666666
              5   .5
    
```



```

          3 .63333333
          3 .75
          1 .88333333
          2 1
          2 2
          1 2.5
    mean:  .013247
    std. dev: .121457

    percentiles:      10%      25%      50%      75%      90%
                      0         0         0         0         0
    
```

selfreading_time **Hours per week of child's reading**

```

    type: numeric (float)
    range: [0,7]
    unique values: 31
    units: 1.000e-09
    missing .: 0/1,506
    
```

```

    tabulation: Freq. Value
    1,437 0
                1 .03333334
                1 .05
                2 .1
                1 .11666667
                1 .16666667
                2 .18333334
                1 .23333335
                5 .33333334
                1 .38333333
                1 .40000001
                2 .41666666
                5 .5
                1 .53333333
                4 .58333331
                3 .63333333
                3 .75
                1 .83333331
                2 .88333333
                3 1
                5 1.1666666
                3 1.4666666
                3 1.6666666
                2 2
                1 2.2
                4 2.3333333
                2 2.5
                1 3.2666667
                4 3.5
                1 5
                3 7
    
```

```

    mean: .065471
    std. dev: .45118

    percentiles:      10%      25%      50%      75%      90%
                      0         0         0         0         0
    
```

screen_time_c1 **Monday-Friday:Hours per week of child's playing computer ,tablet, ipad and smart**

```

    type: numeric (float)
    range: [0,27.5]
    unique values: 55
    units: 1.000e-09
    missing .: 0/1,506
    
```

```

tabulation:  Freq.  Value
              793    0
                1   .08333334
                3   .16666667
                5   .21666667
                4   .25
                3   .30000001
                2   .33333334
                1   .38333333
               12   .41666666
                1   .51666665
                1   .58333331
                4   .63333333
                1   .66666669
                1   .73333335
                1   .75
               30   .83333331
                1   .91666669
                3   .93333334
                1   1
                1   1.0333333
                3   1.05
               23   1.25
                1   1.5
                3   1.5666667
               22   1.6666666
                1   1.8833333
                7   2.0833333
               97   2.5
                3   2.9166667
                3   3.1333334
                7   3.3333333
                1   3.6500001
               12   3.75
                1   4
                5   4.1666665
              203   5
                1   5.1666665
                1   5.2166667
                1   5.6333332
                4   5.8333335
                8   6.25
                1   7.3000002
               57   7.5
                1   8.333333
               11   8.75
               71   10
                1   10.416667
                6   11.25
               32   12.5
               26   15
                8   17.5
                5   20
                5   22.5
                5   25
                1   27.5
    mean:      2.80312
  std. dev:   4.37667

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        5        10

```

screen_time_c2
 Saturday-Sunday:Hours per week of child's playing computer ,tablet, ipad and sma

```

type:  numeric (float)
range:  [0,21]
unique values:  57
units:  1.000e-09
missing .:  0/1,506

```

```

tabulation:  Freq.  Value
              779    0
                1   .03333334
                3   .06666667
                6   .08333334
                3   .1
                3   .11666667
                2   .13333334
                1   .15000001
               12   .16666667
                1   .2
                1   .21666667
                1   .23333333
                4   .25
                2   .30000001
               27   .33333334
                1   .36666667
                1   .38333333
                4   .41666666
               19   .5
                4   .63333333
               21   .66666669
                1   .69999999
                1   .75
                4   .83333331
               86   1
                1  1.1333333
                4  1.1666666
                5  1.25
                6  1.3333334
                1  1.4166666
                1  1.4666667
               12  1.5
                6  1.6666666
              174  2
                1  2.0833333
                1  2.25
                4  2.3333333
               10  2.5
                1  2.9166667
               50  3
                1  3.3333333
               11  3.5
               92  4
                1  4.1666665
                7  4.5
               39  5
               41  6
               11  7
                2  7.5
               13  8
                7  9
                8  10
                2  11
                1  12
                3  15
                1  17.5
                1  21

```

```

mean: 1.37304
std. dev: 2.22928

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      4

```

screen_time_c3

Monday-Sunday:Hours per week of child's playing computer ,tablet, ipad and smart

type: numeric (float)

range: [0,9] units: 1.000e-09
 unique values: 51 missing .: 0/1,506

tabulation: Freq. Value
 1,158 0
 3 .05
 2 .06666667
 6 .08333334
 1 .1
 1 .11666667
 3 .13333334
 1 .15000001
 8 .16666667
 4 .18333334
 6 .21666667
 1 .23333333
 10 .25
 2 .31666666
 14 .33333334
 4 .38333333
 5 .41666666
 1 .43333334
 27 .5
 2 .51666665
 1 .55000001
 6 .58333331
 2 .63333333
 8 .66666669
 1 .73333335
 8 .75
 8 .83333331
 6 .88333333
 1 .93333334
 40 1
 1 1.1333333
 1 1.16666666
 12 1.25
 35 1.5
 2 1.66666666
 7 1.75
 26 2
 3 2.25
 15 2.5
 1 2.75
 21 3
 9 3.5
 3 3.75
 12 4
 5 4.5
 5 5
 1 5.81666666
 3 6
 2 7.5
 1 8
 1 9

mean: .360735
 std. dev: .959544

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1.5

screen_time Hours per week of child's playing computer ,tablet, ipad and smart phone

type: numeric (float)
 range: [0,35.5] units: 1.000e-09
 unique values: 140 missing .: 0/1,506

mean: 4.5369
 std. dev: 6.16671
 percentiles: 10% 25% 50% 75% 90%
 0 0 1.75 7 14

tv_time_c1 Hours per week of child's watching tv

type: numeric (float)
 range: [0,50] units: 1.000e-09
 unique values: 54 missing .: 0/1,506

tabulation:	Freq.	Value
	267	0
	1	.08333334
	1	.13333334
	3	.21666667
	3	.25
	2	.30000001
	1	.33333334
	1	.38333333
	17	.41666666
	1	.43333334
	1	.46666667
	1	.58333331
	7	.63333333
	1	.66666669
	39	.83333331
	1	.93333334
	1	1.05
	17	1.25
	25	1.6666666
	2	1.8833333
	1	2
	11	2.0833333
	156	2.5
	1	2.5999999
	6	2.9166667
	10	3.3333333
	14	3.75
	4	4.1666665
	445	5
	1	5.2166667
	1	5.25
	1	5.4166665
	1	5.5
	5	5.8333335
	3	6.25
	80	7.5
	1	9.3833332
	214	10
	1	11.25
	26	12.5
	66	15
	2	16.666666
	12	17.5
	2	18.333334
	1	18.75
	28	20
	8	22.5
	4	25
	1	27.5
	2	30
	2	32.5
	1	35
	2	37.5
	1	50

mean: 5.62846
 std. dev: 5.44723

percentiles: 10% 25% 50% 75% 90%
 0 1.66667 5 7.5 12.5

tv_time_c2 Hours per week of child's watching tv

type: numeric (float)
 range: [0,28] units: 1.000e-09
 unique values: 58 missing .: 0/1,506

tabulation:	Freq.	Value
	236	0
	1	.03333334
	1	.05
	2	.06666667
	3	.08333334
	3	.1
	2	.11666667
	1	.13333334
	15	.16666667
	1	.23333333
	7	.25
	34	.33333334
	1	.38333333
	1	.41666666
	16	.5
	19	.66666669
	2	.75
	8	.83333331
	1	.91666669
	124	1
	1	1.05
	6	1.1666666
	13	1.3333334
	10	1.5
	6	1.6666666
	344	2
	2	2.0833333
	2	2.1666667
	1	2.3333333
	1	2.4166667
	4	2.5
	1	2.6666667
	1	2.8333333
	1	2.8666666
	68	3
	251	4
	2	4.5
	36	5
	1	5.1666665
	102	6
	1	6.75
	18	7
	4	7.5
	64	8
	19	9
	20	10
	2	11
	18	12
	4	13
	6	14
	2	15
	4	16
	1	17
	1	17.5
	4	18
	3	20
	3	22
	1	28

mean: 3.14071
 std. dev: 3.29714
 percentiles: 10% 25% 50% 75% 90%
 0 1 2 4 8

tv_time_c3 **Hours per week of child's watching tv**

type: numeric (float)
 range: [0,7.5] units: 1.000e-09
 unique values: 35 missing .: 0/1,506

tabulation: Freq. Value
 1,400 0
 2 .05
 2 .06666667
 2 .08333334
 1 .1
 1 .13333334
 4 .16666667
 1 .18333334
 1 .25
 4 .33333334
 1 .38333333
 12 .5
 1 .63333333
 7 .66666669
 2 .75
 2 .83333331
 2 .88333333
 12 1
 1 1.05
 1 1.16666666
 1 1.33333334
 8 1.5
 1 1.66666666
 4 1.75
 3 2
 7 2.5
 1 2.63333334
 9 3
 2 3.5
 1 3.75
 3 4
 1 4.5
 2 5
 1 6
 3 7.5

mean: .116058
 std. dev: .60214

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

tv_time **Hours per week of child's watching tv**

type: numeric (float)
 range: [0,70] units: 1.000e-09
 unique values: 150 missing .: 0/1,506

mean: 8.88524
 std. dev: 8.06389

percentiles: 10% 25% 50% 75% 90%
 .5 3.5 7 14 20

other_c1 **Monday-Friday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,5] units: 1.000e-07
unique values: 5 missing : 0/1,506

tabulation: Freq. Value
1,501 0
1 .63333333
2 .83333331
1 1.25
1 5
mean: .005677
std. dev: .137137

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

other_c2 **Saturday-Sunday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,2] units: 1.000e-08
unique values: 5 missing : 0/1,506

tabulation: Freq. Value
1,501 0
1 .25
2 .33333334
1 .5
1 2
mean: .002269
std. dev: .054845

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

other_c3 **Monday-Sunday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,.16666667] units: 1.000e-08
unique values: 3 missing : 0/1,506

tabulation: Freq. Value
1,504 0
1 .13333334
1 .16666667
mean: .000199
std. dev: .005498

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

other_time **Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,7] units: 1.000e-08
unique values: 7 missing : 0/1,506
    
```



```

tabulation: Freq. Value
             1,499 0
             1 .13333334
             1 .16666667
             1 .88333333
             2 1.16666666
             1 1.75
             1 7
mean:       .008145
std. dev:   .192052

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2017,2017]
unique values: 1
units: 1
missing.: 0/1,506

tabulation: Freq. Value
             1,506 2017
mean:       2017
std. dev:   0

percentiles:    10%    25%    50%    75%    90%
                2017    2017    2017    2017    2017
    
```

survey_name **survey round**

```

type: string (str12)
unique values: 1
missing "": 0/1,506

tabulation: Freq. Value
             1,506 "RESURVEY2017"
    
```

```

2 . log close
   name: <unnamed>
   log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2017\\b11.scml
   log type: smcl
   closed on: 22 Jan 2024, 18:12:20
    
```
