



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\b3.scml
log type: smcl
opened on: 22 Jan 2024, 15:10:44
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b3_run.dta
Last saved: 22 Jan 2024 15:10
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 42
Number of observations: 1,506
Size: 1,923,162 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,506 missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,284 missing "": 0/1,506
 examples: "201591160604207"
 "201691131001097"
 "201691160105067"
 "201691161708041"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,506
 tabulation: Freq. Value
 1,361 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,506
 tabulation: Freq. Value
 1 "09"
 145 "12"
 264 "13"
 129 "14"
 148 "15"
 557 "16"
 38 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,506
 tabulation: Freq. Value
 65 "01"
 229 "02"
 121 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 136 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,506
examples: "011"
          "035"
          "071"
          "149"
    
```

ch1 **At present : What level do you think children's health**

```

type: numeric (byte)
label: ch1
range: [1,7]           units: 1
unique values: 4       missing .: 0/1,506
tabulation:  Freq.  Numeric  Label
              242    1  very good
              1,000  3  good
              251    5  quite good
              13     7  somewhat bad
    
```

ch2 **Since previous interview : Did the child ever visit a dentist to take care of hi**

```

type: numeric (byte)
label: ch2
range: [1,3]           units: 1
unique values: 2       missing .: 0/1,506
tabulation:  Freq.  Numeric  Label
              414    1  yes
              1,092  3  no
    
```

ch2a **Number of times of the child 's dentinst visiting**

```

type: numeric (byte)
label: ch2a, but label does not exist

range: [1,7] units: 1
unique values: 6 missing .: 1,092/1,506
unique missing codes: 3 missing *: 4/1,506

tabulation: Freq. Value
             260 1
             104 2
              34 3
               8 4
               3 5
               1 7
            1,092 .
               3 .c
               1 .d
mean: 1.52195
std. dev: .833736

percentiles: 10% 25% 50% 75% 90%
              1 1 1 2 3
    
```

ch10 Since the last interview Has the child been to a psychiatrist or doctor for advi

```

type: numeric (byte)
label: ch10

range: [.,.] units: .
unique values: 0 missing .: 1,506/1,506

tabulation: Freq. Numeric Label
            1,506 .
    
```

ch4 Since the last interview How many times do children receive health checkups that

```

type: numeric (byte)
label: ch4, but label does not exist

range: [0,12] units: 1
unique values: 8 missing .: 0/1,506
unique missing codes: 1 missing *: 3/1,506

tabulation: Freq. Value
            1,298 0
             142 1
              43 2
               7 3
               7 4
               2 6
               2 11
               2 12
               3 .c
mean: .222888
std. dev: .822589

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

ch4_des Name of place for the health check-ups (unavailable)

```

type: string (str114), but longest is str0
unique values: 0 missing "": 1,506/1,506
    
```

tabulation: Freq. Value
 1,506 ""

ch4b **Code of the most place for the health check-ups**

type: numeric (**byte**)
 label: **ch4b**
 range: [1,99] units: 1
 unique values: 7 missing .: 1,298/1,506

tabulation:	Freq.	Numeric	Label
	137	1	sub-district health promoting hospital
	29	3	district hospital
	17	5	center hospital / provincial hospital
	3	7	university hospital
	3	15	private hospital
	17	17	medical clinic
	2	99	other
	1,298	.	

ch4ba **Detail : place for the health check-ups (not display)**

type: string (**str48**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

ch4aa_des **Sub-district (unavailable)**

type: string (**str36**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

ch4aa **Sub-district code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

ch4ab_des **District (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

ch4ab **District code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ch4ac_des **Province (unavailable)**

```

type: string (str39), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ch4ac **Province code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ch5 Ever since the child was 2 years old until now, Has the child ever go to the doc

```

type: numeric (byte)
label: ch5
range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
tabulation: Freq. Numeric Label
             162      1 yes
             1,344    3 no
    
```

ch5a **Number of times : meeting doctor**

```

type: numeric (byte)
label: ch5a, but label does not exist
range: [1,10] units: 1
unique values: 6 missing .: 1,344/1,506
tabulation: Freq. Value
             147  1
              11  2
               1  3
               1  5
               1  8
               1 10
            1,344 .
mean:      1.2037
std. dev:  .978901
percentiles:      10%      25%      50%      75%      90%
                  1         1         1         1         1
    
```

ch5b **The most severe injury**

```

type: numeric (byte)
label: ch5b

range: [1,99]          units: 1
unique values: 10      missing .: 1,344/1,506

tabulation: Freq.  Numeric  Label
              9          1  cut or pierced by sharp object
              78         3  crash / fall
              2          5  burn
              2          7  take or put adulterated things
                           in the ear or nose
              5         11  bitten or stung by poisonous
                           animals
              16         13  hurt by non-poisonous animals
                           e.g.dog or cat
              1         15  car accident : the child in the
                           car
              19         23  bicycle injury
              10         25  motorcycle injury
              20         99  other
              1,344      .
    
```

ch5ba **Detail of the most severe injury (not display)**

```

type: string (str154), but longest is str0

unique values: 0          missing "": 1,506/1,506

tabulation: Freq.  Value
              1,506  ""
    
```

ch5c **Place of accident**

```

type: numeric (byte)
label: ch5c

range: [1,99]          units: 1
unique values: 6        missing .: 1,344/1,506
unique missing codes: 2  missing *: 2/1,506

tabulation: Freq.  Numeric  Label
              65         1  home
              27         3  house of others
              24         5  school / child center
              2          7  playing field / playground
              19         9  alley / road
              23         99  other
              1,344      .
              2          .d
    
```

ch5ca **Detail : place of accident (unavailable)**

```

type: string (str69), but longest is str0

unique values: 0          missing "": 1,506/1,506

tabulation: Freq.  Value
              1,506  ""
    
```

ch5e **How many days the child is not going to school since this injury**

```

type: numeric (byte)
label: ch5e, but label does not exist

range: [0,61]                units: 1
unique values: 18            missing .: 1,344/1,506
unique missing codes: 3     missing *: 2/1,506
    
```

```

tabulation:  Freq.  Value
              76    0
              12    1
              16    2
               9    3
               2    4
              15    5
              11    7
               2    8
               1   10
               1   11
               3   14
               2   15
               1   20
               4   22
               2   30
               1   33
               1   44
               1   61
            1,344  .
               1  .c
               1  .d
mean:        4.0375
std. dev:    8.2278

percentiles:    10%    25%    50%    75%    90%
                0      0      1      5     10.5
    
```

ch5f **How many days the child stays in hospital since this injury**

```

type: numeric (byte)
label: ch5f, but label does not exist

range: [0,30]                units: 1
unique values: 11            missing .: 1,344/1,506
unique missing codes: 2     missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              132    0
               8    1
               5    2
               8    3
               1    4
               1    5
               2    7
               1    8
               1   11
               1   26
               1   30
            1,344  .
               1  .d
mean:        .869565
std. dev:    3.42624

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      2
    
```

ch9 Since the last interview, Did the child is once sick and had to be admitted to t

```

type: numeric (byte)
label: ch9

range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
unique missing codes: 1 missing *: 1/1,506

tabulation: Freq. Numeric Label
             121      1 yes
             1,384    3 no
              1      .d
    
```

ch9a Number of times : the child admitted to the hospital because of acute disease

```

type: numeric (byte)
label: ch9a, but label does not exist

range: [1,4] units: 1
unique values: 4 missing .: 1,384/1,506
unique missing codes: 3 missing *: 2/1,506

tabulation: Freq. Value
             96  1
             18  2
              5  3
              1  4
            1,384 .
              1  .c
              1  .d
mean: 1.25833
std. dev: .572417

percentiles: 10% 25% 50% 75% 90%
              1  1  1  1  2
    
```

ch9b The most severe disease

```

type: numeric (byte)
label: ch9b

range: [1,99] units: 1
unique values: 9 missing .: 1,384/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Numeric Label
             13      1 respiratory (cough / cold /
             16      3 diarrhea / dysentery
              5      5 stomachache / flatulence /
              1     11 indigestion / gastritis
              1     15 dermatitis / eczema / rash
              64     17 oral diseases/caries / gum
              9     19 disease / mouth ulcers
              3     21 fever (fever / influenza /
              9     99 dengue fever)
            1,384 . Lung and bronchial diseases
                    (pneumonia / bronchitis)
                    21 Diseases of the gastrointestinal
                    tract and liver (intestinal /
                    liver / appendicitis / bile
                    ducts / gallbladder / excluding
                    gastritis)
                    99 other
    
```

1 .d

ch9ba **Detail : the most severe disease (not display)**

type: string (**str129**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

ch9c **Number of days : the child was not going to school because of this acute disease**

type: numeric (**byte**)
 label: **ch9c**, but label does not exist
 range: [0,44] units: 1
 unique values: 12 missing .: 1,384/1,506
 unique missing codes: 2 missing *: 1/1,506
 tabulation: Freq. Value
 50 0
 1 1
 11 2
 10 3
 5 4
 17 5
 22 7
 1 10
 1 11
 1 15
 1 30
 1 44
 1,384 .
 1 .d
 mean: 3.4876
 std. dev: 5.42235
 percentiles: 10% 25% 50% 75% 90%
 0 0 2 5 7

ch9d **Number of days : the child stayed in hospital because of this acute disease**

type: numeric (**byte**)
 label: **ch9d**, but label does not exist
 range: [0,11] units: 1
 unique values: 11 missing .: 1,384/1,506
 unique missing codes: 2 missing *: 1/1,506
 tabulation: Freq. Value
 2 0
 10 1
 37 2
 43 3
 8 4
 6 5
 2 6
 10 7
 1 9
 1 10
 1 11
 1,384 .
 1 .d
 mean: 3.19835
 std. dev: 1.93486

percentiles: 10% 25% 50% 75% 90%
 2 2 3 3 7

ch6 Does the child have private health insurance (such as AIA, Krungthai AXA, Bupa,

type: numeric (**byte**)
 label: **ch6**
 range: [1,3] units: 1
 unique values: 2 missing.: 0/1,506
 unique missing codes: 1 missing *: 19/1,506

tabulation:	Freq.	Numeric	Label
	146	1	yes
	1,341	3	no
	19	.c	

ch7 Since the last interview, have there been cases where the child need medical ser

type: numeric (**byte**)
 label: **ch7**
 range: [1,3] units: 1
 unique values: 2 missing.: 0/1,506

tabulation:	Freq.	Numeric	Label
	43	1	yes
	1,463	3	no

ch8 Interviewer note (unavailable)

type: string (**str417**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

note_cleaner Data cleaner note (not display)

type: string (**str142**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

year_survey year survey

type: numeric (**int**)
 range: [2017,2017] units: 1
 unique values: 1 missing.: 0/1,506
 tabulation: Freq. Value
 1,506 2017
 mean: 2017
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 2017 2017 2017 2017 2017

survey_name	survey round
--------------------	---------------------

type: string (**str12**)

unique values: **1** missing "": **0/1,506**

tabulation: Freq. Value
1,506 "RESURVEY2017"

2 . log close

name: **<unnamed>**

log: **V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\b3.scml**

log type: **smcl**

closed on: **22 Jan 2024, 15:10:45**
