



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\b4.scml
log type: smcl
opened on: 22 Jan 2024, 15:30:38
    
```

1 . codebookr \_all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b4_run.dta
Last saved: 22 Jan 2024 15:30
           DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 88
Number of observations: 1,506
Size: 6,335,742 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
                for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

---

**cid** **children id**

---

```

type: string (str18)
unique values: 1,506 missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

---

**iyear** **year**

---

```

type: string (str4)
unique values: 2 missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

---

**hhid** **household id**

---

```

type: string (str15)
    
```

unique values: 1,284                      missing "": 0/1,506  
 examples: "201591160604207"  
           "201691131001097"  
           "201691160105067"  
           "201691161708041"

---

**prov** **province**

---

type: string (**str2**)  
 unique values: 2                              missing "": 0/1,506  
 tabulation: Freq. Value  
               1,361 "91"  
               145 "93"

---

**amp** **amphoe**

---

type: string (**str2**)  
 unique values: 8                              missing "": 0/1,506  
 tabulation: Freq. Value  
               1 "09"  
               145 "12"  
               264 "13"  
               129 "14"  
               148 "15"  
               557 "16"  
               38 "17"  
               224 "18"

---

**tam** **tambon**

---

type: string (**str2**)  
 unique values: 15                              missing "": 0/1,506  
 tabulation: Freq. Value  
               65 "01"  
               229 "02"  
               121 "04"  
               63 "05"  
               57 "06"  
               66 "07"  
               64 "08"  
               97 "09"  
               136 "10"  
               93 "11"  
               154 "13"  
               47 "14"  
               151 "15"  
               106 "17"  
               57 "19"

---

**moo** **moo**

---

type: string (**str2**)  
 unique values: 22                              missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8   "17"
              12  "18"
              26  "19"
              1   "20"
              21  "22"
              7   "24"
    
```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 185           missing "": 0/1,506
examples: "011"
          "035"
          "071"
          "149"
    
```

---

**chd1\_1** **Open Roster and Identify childhood underlying disease since previous interview**

---

```

type: numeric (byte)
label: chd1_1, but label does not exist
range: [0,3]           units: 1
unique values: 4       missing .: 0/1,506

tabulation:  Freq.  Value
              1,343  0
              152   1
               9    2
               2    3
mean:       .116866
std. dev:   .351013

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

---

**chd1\_2** **Since previous interview, Have you ever been told by a doctor, nurse or speciali**

---

```

type: numeric (byte)
label: chd1_2, but label does not exist
range: [0,2]           units: 1
unique values: 3       missing .: 0/1,506
    
```

```

tabulation: Freq. Value
             1,442  0
             62    1
             2     2
mean:       .043825
std. dev:   .211163

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

**chd1a\_1** **Underlying disease 1 (not display)**

```

type: string (str92), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

**chd1aa\_1** **Underlying disease code 1**

```

type: numeric (byte)
label: chd1aa

range: [7,99] units: 1
unique values: 10 missing .: 1,302/1,506

tabulation: Freq. Numeric Label
             5         7 Heart disease
             1        17 Depression / psychosis /
                    neurosis
             7        21 Seizures / epilepsy
            115        27 Asthma / emphysema
             25        31 Allergy
             13        55 Thalassemia
              2        57 Down's syndrom
             20        75 G6PD
             12        77 Anemia
              4         99 Other
            1,302         .
    
```

**chd1b\_1** **What kind of treatment did child receive**

```

type: string (str6), but longest is str3

unique values: 11 missing "": 1,302/1,506
unique missing codes: 3 missing *: 15/1,506

tabulation: Freq. Value
            1,302 ""
              1 "-9"
             58 "B"
              2 "B;C"
              7 "B;D"
              9 "C"
             28 "D"
              1 "D;G"
             70 "F"
             13 "G"
             14 "MI"
              1 "RF"
    
```

**chd1ba\_1** **Other categories of treatment 1 (not display)**

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

**chdlc\_1 Taking the child to an emergency room at least for one night 1**

```

type: numeric (byte)
label: chdlc

range: [1,3] units: 1
unique values: 2 missing .: 1,303/1,506
unique missing codes: 3 missing *: 16/1,506

tabulation: Freq. Numeric Label
             40 1 yes
             147 3 no
             1,303 .
              1 .a
              15 .d
    
```

**chdlca\_1 Number of days : the child stayed in hospital at the longest period because of u**

```

type: numeric (int)
label: chdlca, but label does not exist

range: [1,220] units: 1
unique values: 11 missing .: 1,466/1,506

tabulation: Freq. Value
             4 1
             9 2
            10 3
             7 4
             1 5
             4 7
             1 10
             1 11
             1 12
             1 30
             1 220
            1,466 .
mean: 9.9
std. dev: 34.4211

percentiles: 10% 25% 50% 75% 90%
              1.5 2 3 4.5 10.5
    
```

**chdlid\_1 At present, Does the child have an underlying medical condition**

```

type: numeric (byte)
label: chdlid

range: [1,3] units: 1
unique values: 2 missing .: 1,303/1,506
unique missing codes: 3 missing *: 15/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              163      1  yes
              25      3  no
            1,303      .
              1      .a
              14      .d
    
```

---

**chd1a\_2** **Underlying disease 2 (not display)**

---

```

type:  string (str92), but longest is str0
unique values:  0                               missing "":  1,506/1,506
tabulation:  Freq.  Value
              1,506  ""
    
```

---

**chd1aa\_2** **Underlying disease code 2**

---

```

type:  numeric (byte)
label:  chd1aa
range:  [3,99]
unique values:  8                               units:  1
                                                    missing .:  1,487/1,506
tabulation:  Freq.  Numeric  Label
              1      3  Thyroid / Goiter
              1      13  Cancer
              1      21  Seizures / epilepsy
              8      27  Asthma / emphysema
              4      31  Allergy
              1      55  Thalassemia
              2      75  G6PD
              1      99  Other
            1,487      .
    
```

---

**chd1b\_2** **What kind of treatment did child receive**

---

```

type:  string (str6), but longest is str3
unique values:  10                               missing "":  1,487/1,506
unique missing codes:  2                         missing *:  2/1,506
tabulation:  Freq.  Value
            1,487  ""
              1  "A;D"
              5  "B"
              1  "C"
              1  "C;D"
              1  "D"
              1  "D;G"
              1  "E"
              4  "F"
              2  "G"
              2  "MI"
    
```

---

**chd1ba\_2** **Other category of treatment 2 (not display)**

---

```

type:  string (str250), but longest is str0
unique values:  0                               missing "":  1,506/1,506
tabulation:  Freq.  Value
              1,506  ""
    
```

---

**chdlc\_2** Taking the child to an emergency room at least for one night 2

---

```

type: numeric (byte)
label: chdlc

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,487/1,506
missing *: 2/1,506

tabulation: Freq. Numeric Label
              3         1 yes
              14        3 no
            1,487      .
              2         .d
    
```

---

**chdlca\_2** Number of days : the child stayed in hospitalized at the longest period because

---

```

type: numeric (int)
label: chdlca, but label does not exist

range: [2,7]
unique values: 3

units: 1
missing .: 1,503/1,506

tabulation: Freq. Value
              1  2
              1  3
              1  7
            1,503 .
mean:          4
std. dev:     2.64575

percentiles: 10%    25%    50%    75%    90%
              2     2     3     7     7
    
```

---

**chdlid\_2** At present, Does the child have an underlying medical condition

---

```

type: numeric (byte)
label: chdlid

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,487/1,506
missing *: 2/1,506

tabulation: Freq. Numeric Label
              16        1 yes
              1         3 no
            1,487      .
              2         .d
    
```

---

**chdla\_3** Underlying disease 3 (not display)

---

```

type: string (str92), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

---

**chdlaa\_3** Underlying disease code 3

---

```

type: numeric (byte)
label: chd1aa

range: [3,77]
unique values: 4
units: 1
missing ..: 1,502/1,506

tabulation: Freq.  Numeric  Label
              1         3  Thyroid / Goiter
              1        27  Asthma / emphysema
              1        57  Down's syndrom
              1        77  Anemia
            1,502         .
    
```

**chd1b\_3** **What kind of treatment did child receive**

```

type: string (str6), but longest is str1
unique values: 3
missing "": 1,502/1,506

tabulation: Freq.  Value
            1,502 ""
              1 "B"
              2 "F"
              1 "G"
    
```

**chd1ba\_3** **Other category of treatment 3 (not display)**

```

type: string (str250), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
            1,506 ""
    
```

**chd1c\_3** **Taking the child to an emergency room at least for one night 3**

```

type: numeric (byte)
label: chd1c

range: [3,3]
unique values: 1
units: 1
missing ..: 1,502/1,506

tabulation: Freq.  Numeric  Label
              4         3  no
            1,502         .
    
```

**chd1ca\_3** **Number of days : the child stayed in hospitalized at the longest period because**

```

type: numeric (int)
label: chd1ca, but label does not exist

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.  Value
            1,506 .
mean: .
std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```



---

**chd1d\_3** **At present, Does the child have an underlying medical condition**

---

```

type: numeric (byte)
label: chd1d

range: [1,1]                units: 1
unique values: 1            missing .: 1,502/1,506

tabulation: Freq.  Numeric  Label
              4          1  yes
            1,502          .
    
```

---

**chd1a\_4** **Underlying disease 4**

---

```

type: string (str92), but longest is str0
unique values: 0            missing "": 1,506/1,506

tabulation: Freq.  Value
            1,506  ""
    
```

---

**chd1aa\_4** **Underlying disease code 4**

---

```

type: numeric (byte)
label: chd1aa

range: [3,27]              units: 1
unique values: 2            missing .: 1,504/1,506

tabulation: Freq.  Numeric  Label
              1          3  Thyroid / Goiter
              1          27  Asthma / emphysema
            1,504          .
    
```

---

**chd1b\_4** **Treatment 4**

---

```

type: string (str6), but longest is str1
unique values: 2            missing "": 1,504/1,506

tabulation: Freq.  Value
            1,504  ""
              1  "B"
              1  "C"
    
```

---

**chd1b\_des\_4** **Detail of treatment method**

---

```

type: string (str58)
unique values: 2            missing "": 1,504/1,506

tabulation: Freq.  Value
            1,504  ""
              1  "antibiotics (take continuously until
                the dose is finished)"
              1  "bronchodilators"

warning: variable has embedded blanks
    
```

---

**chdlba\_4** **Other category of treatment 4**

---

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
              1,506 ""
    
```

---

**chdlc\_4** **Taking the child to an emergency room at least for one night 4**

---

```

type: numeric (byte)
label: chdlc
range: [3,3] units: 1
unique values: 1 missing .: 1,504/1,506
tabulation: Freq. Numeric Label
              2 3 no
              1,504 .
    
```

---

**chdlca\_4**  
**No. of days : hospitalized at the longest period because of underlying disease 4**

---

```

type: numeric (int)
label: chdlca, but label does not exist
range: [.,.] units: .
unique values: 0 missing .: 1,506/1,506
tabulation: Freq. Value
              1,506 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

---

**chdlld\_4** **Having an underlying medical condition (underlying disease 4)**

---

```

type: numeric (byte)
label: chdlld
range: [1,1] units: 1
unique values: 1 missing .: 1,504/1,506
tabulation: Freq. Numeric Label
              2 1 yes
              1,504 .
    
```

---

**chd2** **Since the last interview Has the child ever had their ear pierced**

---

```

type: numeric (byte)
label: chd2
range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
tabulation: Freq. Numeric Label
              5 1 yes
              1,501 3 no
    
```

---

**chd3 Code of the reason for the child ever had an ear drainage puncture**

---

```

type: numeric (byte)
label: chd3

range: [1,7] units: 1
unique values: 2 missing .. 1,501/1,506

tabulation: Freq. Numeric Label
              1         1 fluid in the ears
              4         7 other CHD3A
            1,501         .
    
```

---

**chd3a Other category of the reason for the child ever had an ear drainage puncture (no**

---

```

type: string (str90), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

---

**chd4\_1 Open Roster and identify the number of defects of child since previous interview**

---

```

type: numeric (byte)
label: chd4_1, but label does not exist

range: [0,2] units: 1
unique values: 3 missing .. 0/1,506

tabulation: Freq. Value
            1,494 0
              11 1
               1 2
mean:      .008632
std. dev:  .09946

percentiles:      10%    25%    50%    75%    90%
                  0      0      0      0      0
    
```

---

**chd4\_2 Since previous interview, Have you ever been told by a doctor how many defects o**

---

```

type: numeric (byte)
label: chd4_2, but label does not exist

range: [0,2] units: 1
unique values: 3 missing .. 0/1,506

tabulation: Freq. Value
            1,501 0
               4 1
                1 2
mean:      .003984
std. dev:  .072799

percentiles:      10%    25%    50%    75%    90%
                  0      0      0      0      0
    
```

---

**chd4a\_1 Disability 1 (not display)**

---

```

type: string (str108), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

---

**chd4aa\_1** **Disability code 1**

---

```

type: numeric (byte)
label: chd4aa_1
range: [1,99] units: 1
unique values: 5 missing .: 1,490/1,506
tabulation: Freq. Numeric Label
             1          1 Movement disorder
             4          3 Problems with learning
                   development
             1          7 Developmental coordination
                   disorder
             6          9 Communication disorder
             4          99 Other
            1,490 .
    
```

---

**chd4b\_1** **What kind of treatment did child receive**

---

```

type: string (str11)
unique values: 11 missing "": 1,490/1,506
unique missing codes: 2 missing *: 2/1,506
tabulation: Freq. Value
            1,490 ""
             1 "A"
             1 "A;C;D;G;I;J"
             1 "A;G;L"
             1 "B"
             1 "B;C"
             3 "C"
             1 "C;I"
             1 "H"
             2 "I"
             2 "L"
             2 "NA"
    
```

---

**chd4ba\_1** **Other category of treatment 1 (not display)**

---

```

type: string (str144), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

---

**chd4c\_1** **Has the child ever been diagnosed by a medical professional**

---

```

type: numeric (byte)
label: chd4c
range: [1,3] units: 1
unique values: 2 missing .: 1,490/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              10      1  yes
              6       3  no
            1,490      .
    
```

---

**chd4d\_1** **At present: Is this still a problem**

---

```

type: numeric (byte)
label: chd4d

range: [1,3]          units: 1
unique values: 2      missing .: 1,490/1,506

tabulation:  Freq.  Numeric  Label
              15      1  yes
              1       3  no
            1,490      .
    
```

---

**chd4a\_2** **Disability 2 (not display)**

---

```

type: string (str108), but longest is str0
unique values: 0      missing "": 1,506/1,506

tabulation:  Freq.  Value
            1,506  ""
    
```

---

**chd4aa\_2** **Disability code 2**

---

```

type: numeric (byte)
label: chd4aa_2

range: [1,9]          units: 1
unique values: 2      missing .: 1,504/1,506

tabulation:  Freq.  Numeric  Label
              1       1  Movement disorder
              1       9  Communication disorder
            1,504      .
    
```

---

**chd4b\_2** **What kind of treatment did child receive**

---

```

type: string (str11), but longest is str3
unique values: 2      missing "": 1,504/1,506

tabulation:  Freq.  Value
            1,504  ""
              1    "B"
              1    "C;I"
    
```

---

**chd4ba\_2** **Other category of treatment 2 (not display)**

---

```

type: string (str144), but longest is str0
unique values: 0      missing "": 1,506/1,506

tabulation:  Freq.  Value
            1,506  ""
    
```

---

**chd4c\_2** **Has the child ever been diagnosed by a medical professional**

---

```

type: numeric (byte)
label: chd4c

range: [1,3]
unique values: 2
units: 1
missing ..: 1,504/1,506

tabulation: Freq.  Numeric  Label
              1         1  yes
              1         3  no
            1,504         .
    
```

---

**chd4d\_2** **At present: Is this still a problem**

---

```

type: numeric (byte)
label: chd4d

range: [1,1]
unique values: 1
units: 1
missing ..: 1,504/1,506

tabulation: Freq.  Numeric  Label
              2         1  yes
            1,504         .
    
```

---

**chd4a\_3** **Disability 3**

---

```

type: string (str108), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
            1,506  ""
    
```

---

**chd4aa\_3** **Disability code 3**

---

```

type: numeric (byte)
label: chd4aa_3

range: [9,9]
unique values: 1
units: 1
missing ..: 1,505/1,506

tabulation: Freq.  Numeric  Label
              1         9  Communication disorder
            1,505         .
    
```

---

**chd4b\_3** **Treatment\_3**

---

```

type: string (str11), but longest is str3
unique values: 1
missing "": 1,505/1,506

tabulation: Freq.  Value
            1,505  ""
              1  "C;I"
    
```

---

**chd4b\_des\_3** **Description of disability treatment 3**

---

```

type: string (str45)
    
```

unique values: 1 missing "": 1,505/1,506  
 tabulation: Freq. Value  
 1,505 ""  
           1 "physical therapy;parental support or  
                   training"  
 warning: variable has embedded blanks

**chd4ba\_3** **Other category of treatment 3**

type: string (**str144**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

**chd4c\_3** **Be diagnosed or treated by a doctor or a specialist 3**

type: numeric (**byte**)  
 label: **chd4c**  
 range: [3,3] units: 1  
 unique values: 1 missing .: 1,505/1,506  
 tabulation: Freq. Numeric Label  
           1 3 no  
           1,505 .

**chd4d\_3** **At present: having this problem 3**

type: numeric (**byte**)  
 label: **chd4d**  
 range: [1,1] units: 1  
 unique values: 1 missing .: 1,505/1,506  
 tabulation: Freq. Numeric Label  
           1 1 yes  
           1,505 .

**chd5** **Since the last interview, Does the child have hearing disability problem**

type: numeric (**byte**)  
 label: **chd5**  
 range: [1,3] units: 1  
 unique values: 2 missing .: 0/1,506  
 unique missing codes: 1 missing \*: 1/1,506  
 tabulation: Freq. Numeric Label  
           4 1 yes  
           1,501 3 no  
           1 .c

**chd6** **Ear side of hearing disability**

type: numeric (**byte**)  
 label: **chd6**

```

        range: [1,5]
unique values: 2
unique missing codes: 2
        units: 1
        missing .: 1,501/1,506
        missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              2         1  left
              2         5  both
            1,501      .
              1         .c
    
```

**chd7 Since the last interview, Does the child have vision disability problem**

```

        type: numeric (byte)
        label: chd7

        range: [1,3]
unique values: 2
        units: 1
        missing .: 0/1,506

tabulation: Freq.  Numeric  Label
              1         1  yes
            1,505      3  no
    
```

**chd8 Does the child need to use assistive devices such as canes, wheelchairs, hearing**

```

        type: numeric (byte)
        label: chd8

        range: [1,3]
unique values: 2
        units: 1
        missing .: 0/1,506

tabulation: Freq.  Numeric  Label
              4         1  yes
            1,502      3  no
    
```

**chd9 Does the child currently wear glasses**

```

        type: numeric (byte)
        label: chd9

        range: [3,3]
unique values: 1
        units: 1
        missing .: 0/1,506

tabulation: Freq.  Numeric  Label
            1,506      3  no
    
```

**chd10 Is the child currently receiving special education**

```

        type: numeric (byte)
        label: chd10

        range: [1,3]
unique values: 2
        units: 1
        missing .: 0/1,506

tabulation: Freq.  Numeric  Label
              1         1  yes
            1,505      3  no
    
```

**chd10a1\_des Location where the child receiving special education services (unavailable)**

```

type: string (str126), but longest is str0
    
```



unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

**chd10a1** **Location code (unavailable)**

type: string (**str6**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

**chd10a2\_des**  
**Sub-district where the child receiving special education services (unavailable)**

type: string (**str21**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

**chd10a2** **Sub-district code (unavailable)**

type: string (**str2**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

**chd10a3\_des**  
**District where the child receiving special education services (unavailable)**

type: string (**str42**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

**chd10a3** **District code (unavailable)**

type: string (**str2**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

**chd10a4\_des**  
**Province where the child receiving special education services (unavailable)**

type: string (**str27**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value  
 1,506 ""

---

**chd10a4** **Province code (unavailable)**

---

type: string (**str2**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

---

**chd11** **Interviewer note (unavailable)**

---

type: string (**str620**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

---

**note\_cleaner** **data cleaner note (not display)**

---

type: string (**str291**), but longest is str0  
 unique values: 0 missing "": 1,506/1,506  
 tabulation: Freq. Value  
 1,506 ""

---

**year\_survey** **year survey**

---

type: numeric (**float**)  
 range: [2017,2017] units: 1  
 unique values: 1 missing .: 0/1,506  
 tabulation: Freq. Value  
 1,506 2017  
 mean: 2017  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 2017 2017 2017 2017 2017

---

**survey\_name** **survey round**

---

type: string (**str12**)  
 unique values: 1 missing "": 0/1,506  
 tabulation: Freq. Value  
 1,506 "RESURVEY2017"

---

**chd1\_number**  
 How many underlying disease does the child currently have that are incurable?

---

type: numeric (**float**)

```

range: [0,4] units: 1
unique values: 5 missing .: 0/1,506

tabulation: Freq. Value
1,342 0
148 1
12 2
3 3
1 4
mean: .122842
std. dev: .379083

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 1
    
```

---

**chdlb\_des\_1** **Detail of treatment method**

---

```

type: string (str74)
unique values: 8 missing "": 1,318/1,506

tabulation: Freq. Value
1,318 ""
9 "antibiotics (take continuously until
the dose is finished)"
58 "bronchodilators"
2 "bronchodilators;antibiotics (take
continuously until the dose is
finished)"
7 "bronchodilators;drug (unknown type)"
28 "drug (unknown type)"
1 "drug (unknown type);other"
70 "no treatment just observe symptoms"
13 "other"

warning: variable has embedded blanks
    
```

---

**chdlb\_des\_2** **Detail of treatment method**

---

```

type: string (str78)
unique values: 9 missing "": 1,489/1,506

tabulation: Freq. Value
1,489 ""
1 "antibiotics (take continuously until
the dose is finished)"
1 "antibiotics (take continuously until
the dose is finished);drug (unknown
type)"
5 "bronchodilators"
1 "drug (unknown type)"
1 "drug (unknown type);other"
4 "no treatment just observe symptoms"
2 "other"
1 "respirator/pacemaker;drug (unknown
type)"
1 "steroids"

warning: variable has embedded blanks
    
```

---

**chdlb\_des\_3** **Detail of treatment method**

---

```

type: string (str34)
    
```



unique values: 2 missing "": 1,504/1,506

tabulation:	Freq.	Value
	1,504	"
	1	"occupational therapy"
	1	"physical therapy;parental support or training"

warning: variable has embedded blanks

```
2 . log close
   name: <unnamed>
   log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2017\b4.scm1
   log type: smcl
   closed on: 22 Jan 2024, 15:30:41
```

---