



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\b5.scml
log type: smcl
opened on: 22 Jan 2024, 17:22:24
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b5_run.dta
Last saved: 22 Jan 2024 17:21
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 188
Number of observations: 1,506
Size: 7,379,400 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,506 missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,284 missing "": 0/1,506
 examples: "201591160604207"
 "201691131001097"
 "201691160105067"
 "201691161708041"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,506
 tabulation: Freq. Value
 1,361 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,506
 tabulation: Freq. Value
 1 "09"
 145 "12"
 264 "13"
 129 "14"
 148 "15"
 557 "16"
 38 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,506
 tabulation: Freq. Value
 65 "01"
 229 "02"
 121 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 136 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8   "17"
              12  "18"
              26  "19"
              1   "20"
              21  "22"
              7   "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,506
examples: "011"
           "035"
           "071"
           "149"
    
```

ce0 **Child attend school**

```

type: numeric (byte)
label: ce0
range: [1,3]           units: 1
unique values: 2       missing .: 0/1,506
tabulation:  Freq.  Numeric  Label
              1,365  1      yes
              141   3      no
    
```

ce3a **Expected month for school attendance**

```

type: numeric (byte)
label: ce3a
range: [5,11]         units: 1
unique values: 3       missing .: 1,365/1,506
unique missing codes: 2 missing *: 9/1,506
tabulation:  Freq.  Numeric  Label
              122   5      May
              2     9      September
              8     11     November
              1,365 .
              9     .c
    
```

ce3b **Expected year for school attendance**

```

type: numeric (int)
range: [2017,2019]
unique values: 3
unique missing codes: 2
units: 1
missing .: 1,365/1,506
missing *: 5/1,506

tabulation: Freq. Value
             14 2017
             113 2018
              9 2019
            1,365 .
              5 .c
mean: 2017.96
std. dev: .411107

percentiles:      10%      25%      50%      75%      90%
                 2017      2018      2018      2018      2018
    
```

tce4a **CEC/school**

```

type: string (str26), but longest is str10
unique values: 3
unique missing codes: 2
missing "": 1,365/1,506
missing *: 10/1,506

tabulation: Freq. Value
            1,365 ""
              10 "DK"
              29 "??."
             102 "###."
    
```

ce4a **CEC name (unavailable)**

```

type: string (str110), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

ce4b3 **Province of school address (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

ce4b2 **District of school address (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

ce4b1 **Sub-district of school address (unavailable)**

type: string (**str36**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

ce4c **Expected school code (unavailable)**

type: string (**str10**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

ce16m_1 **Class 1**

type: string (**str24**), but longest is str22
 unique values: 6 missing "": 141/1,506
 unique missing codes: 2 missing *: 2/1,506
 tabulation: Freq. Value
 141 ""
 887 "Child Education Center"
 2 "DK"
 318 "Kindergarten1"
 118 "Kindergarten2"
 9 "Kindergarten3"
 31 "Pre-Kindergarten"
 warning: variable has embedded blanks

tce16a_1 **CEC/School 1**

type: string (**str10**), but longest is str6
 unique values: 3 missing "": 141/1,506
 unique missing codes: 2 missing *: 2/1,506
 tabulation: Freq. Value
 141 ""
 937 "CEC"
 2 "DK"
 426 "School"

ce16a_1 **School name 1 (unavailable)**

type: string (**str120**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

ce16n_1 **CDC/School Code 1 (unavailable)**

```

type: string (str11), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ce16o_1 **School type 1**

```

type: numeric (byte)
label: ce16o_1
range: [1,99] units: 1
unique values: 3 missing .: 141/1,506
unique missing codes: 2 missing *: 1/1,506
tabulation: Freq. Numeric Label
             1,269 1 Public School
             94 5 Private School
             1 99 other
             141 .
             1 .c
    
```

ce16p_1 **Province 1 (unavailable)**

```

type: string (str39), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ce16q_1 **Amphoe 1 (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ce16r_1 **Tambon 1 (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ce16s_1 **Number of teachers 1**

```

type: numeric (byte)
range: [1,5] units: 1
unique values: 5 missing .: 141/1,506
unique missing codes: 2 missing *: 94/1,506
    
```

```

tabulation:  Freq.  Value
              606    1
              420    2
              198    3
               35    4
               12    5
              141    .
               94    .c
    mean:    1.76239
    std. dev: .878547

percentiles:    10%    25%    50%    75%    90%
                1      1      2      2      3
    
```

celb1_1 **The 1st teacher's name 1 (unavailable)**

```

    type:  string (str64), but longest is str0
unique values:  0                missing "":  1,506/1,506
    tabulation:  Freq.  Value
                 1,506  ""
    
```

celc1_1 **The 1st teacher's code 1 (unavailable)**

```

    type:  string (str12), but longest is str0
unique values:  0                missing "":  1,506/1,506
    tabulation:  Freq.  Value
                 1,506  ""
    
```

celb2_1 **The 2nd teacher's name 1 (unavailable)**

```

    type:  string (str67), but longest is str0
unique values:  0                missing "":  1,506/1,506
    tabulation:  Freq.  Value
                 1,506  ""
    
```

celc2_1 **The 2nd teacher's code 1 (unavailable)**

```

    type:  string (str18), but longest is str0
unique values:  0                missing "":  1,506/1,506
    tabulation:  Freq.  Value
                 1,506  ""
    
```

celb3_1 **The 3rd teacher's name 1 (unavailable)**

```

    type:  string (str58), but longest is str0
unique values:  0                missing "":  1,506/1,506
    tabulation:  Freq.  Value
                 1,506  ""
    
```

celc3_1 **The 3rd teacher's code 1 (unavailable)**

type: string (**str10**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

cel6t_1 **number of students 1**

type: numeric (**byte**)
 range: [3,90] units: 1
 unique values: 53 missing .: 141/1,506
 unique missing codes: 2 missing *: 841/1,506

tabulation: Freq. Value

1	3
2	4
1	5
5	6
9	7
13	8
3	9
33	10
11	11
33	12
24	13
8	14
40	15
15	16
13	17
19	18
9	19
66	20
7	21
17	22
15	23
7	24
21	25
6	26
4	27
12	28
43	30
1	31
15	32
2	33
1	34
11	35
6	36
6	38
2	39
16	40
2	41
3	42
2	43
1	44
2	45
2	46
1	47
1	48
4	50
1	52
1	53
1	55
1	56
1	62


```

          1 65
          1 70
          2 90
        141 .
        841 .c
    mean: 21.7939
    std. dev: 11.395

    percentiles:    10%    25%    50%    75%    90%
                   10     13     20     28     36
    
```

cel6ba_1 **Start month 1 (unavailable)**

```

    type: numeric (byte)
    label: cel6ba

    range: [.,.]
    unique values: 0
    units: .
    missing .: 1,506/1,506

    tabulation: Freq.  Numeric  Label
                1,506      .
    
```

cel6bb_1 **Start year 1 (unavailable)**

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
    units: .
    missing .: 1,506/1,506

    tabulation: Freq.  Value
                1,506  .
    mean: .
    std. dev: .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

cel6ca_1 **End month 1 (unavailable)**

```

    type: numeric (byte)
    label: cel6ca

    range: [.,.]
    unique values: 0
    units: .
    missing .: 1,506/1,506

    tabulation: Freq.  Numeric  Label
                1,506      .
    
```

cel6cb_1 **End year 1 (unavailable)**

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
    units: .
    missing .: 1,506/1,506

    tabulation: Freq.  Value
                1,506  .
    mean: .
    std. dev: .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

ce16d_1 **Study hours/day 1**

```

type: numeric (byte)
range: [3,10]
unique values: 8
unique missing codes: 2
units: 1
missing .: 141/1,506
missing *: 7/1,506

tabulation: Freq. Value
              1 3
              3 4
              57 5
             509 6
             632 7
             145 8
              9 9
              2 10
             141 .
              7 .c
mean: 6.65611
std. dev: .776594

percentiles:      10%      25%      50%      75%      90%
                  6        6        7        7        8
    
```

ce16e_1 **Study hours/week 1**

```

type: numeric (byte)
range: [2,5]
unique values: 2
unique missing codes: 2
units: 1
missing .: 141/1,506
missing *: 1/1,506

tabulation: Freq. Value
              2 2
             1,362 5
             141 .
              1 .c
mean: 4.9956
std. dev: .114834

percentiles:      10%      25%      50%      75%      90%
                  5        5        5        5        5
    
```

ce16f_1 **Borrowed a story book 1**

```

type: numeric (byte)
label: ce16f
range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing .: 141/1,506
missing *: 3/1,506

tabulation: Freq. Numeric Label
              602      1 yes
              760      3 no
              141      .
              3        .c
    
```

ce16g_1 **Times 1**

```

type: numeric (byte)
    
```

range: [1,10] units: 1
 unique values: 7 missing .: 901/1,506
 unique missing codes: 2 missing *: 4/1,506

tabulation: Freq. Value
 117 1
 68 2
 62 3
 17 4
 335 5
 1 8
 1 10
 901 .
 4 .c
 mean: 3.66057
 std. dev: 1.6856

percentiles: 10% 25% 50% 75% 90%
 1 2 5 5 5

cel6h_1 **Frequency 1 (not display)**

type: string (**str45**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

cel6ha_1 **Code 1**

type: numeric (**byte**)
 label: **cel6ha_1**
 range: [1,9] units: 1
 unique values: 4 missing .: 901/1,506
 unique missing codes: 3 missing *: 6/1,506

tabulation: Freq. Numeric Label
 1 1 daily
 556 3 weekly
 19 5 monthly
 23 9 yearly
 901 .
 5 .c
 1 .d

cel6i_1 **School sent a child development record 1**

type: numeric (**byte**)
 label: **cel6i**
 range: [1,3] units: 1
 unique values: 2 missing .: 141/1,506
 unique missing codes: 3 missing *: 5/1,506

tabulation: Freq. Numeric Label
 296 1 yes
 1,064 3 no
 141 .
 4 .c
 1 .d

cel6j_1 **Times 1**

```

type: numeric (byte)
range: [1,4]
unique values: 4
unique missing codes: 3
units: 1
missing .: 1,205/1,506
missing *: 9/1,506

tabulation: Freq. Value
             169 1
             118 2
              1 3
              4 4
            1,205 .
              8 .c
              1 .d
mean: 1.45205
std. dev: .581291

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         2         2
    
```

cel6k_1 **Frequency 1 (not display)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

cel6ka_1 **Code 1**

```

type: numeric (byte)
label: cel6ka_1
range: [1,9]
unique values: 4
unique missing codes: 3
units: 1
missing .: 1,205/1,506
missing *: 8/1,506

tabulation: Freq. Numeric Label
             1         1 daily
             4         3 weekly
             2         5 monthly
            286         9 yearly
            1,205 .
              7 .c
              1 .d
    
```

cel6ua_1 **GPA 1**

```

type: numeric (double)
range: [.,.]
unique values: 0
unique missing codes: 3
units: .
missing .: 141/1,506
missing *: 1,365/1,506

tabulation: Freq. Value
             141 .
            1,363 .b
              2 .c
mean: .
std. dev: .
    
```

ce16a_2 **School name 2 (unavailable)**

type: string (**str120**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

ce16n_2 **CDC/School Code 2 (unavailable)**

type: string (**str11**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

ce16o_2 **School type 2**

type: numeric (**byte**)
 label: **ce16o_2**
 range: [1,99] units: 1
 unique values: 4 missing .: 450/1,506
 unique missing codes: 2 missing *: 3/1,506
 tabulation: Freq. Numeric Label
 943 1 Public School
 3 3 University-affiliated school
 106 5 Private School
 1 99 other
 450 .
 3 .c

ce16p_2 **Province 2 (unavailable)**

type: string (**str39**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

ce16q_2 **Amphoe 2 (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

ce16r_2 **Tambon 2 (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

cel6s_2 **Number of teachers 2**

type: numeric (**byte**)
 range: [1,5] units: 1
 unique values: 5 missing .: 450/1,506
 unique missing codes: 2 missing *: 95/1,506

tabulation: Freq. Value
 684 1
 226 2
 41 3
 7 4
 3 5
 450 .
 95 .c
 mean: 1.35484
 std. dev: .629153

percentiles: 10% 25% 50% 75% 90%
 1 1 1 2 2

celb1_2 **The 1st teacher's name 2 (unavailable)**

type: string (**str64**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

celc1_2 **The 1st teacher's code 2 (unavailable)**

type: string (**str12**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

celb2_2 **The 2nd teacher's name 2 (unavailable)**

type: string (**str67**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

celc2_2 **The 2nd teacher's code 2 (unavailable)**

type: string (**str18**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

ce1b3_2 **The 3rd teacher's name 2 (unavailable)**

```

type: string (str58), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ce1c3_2 **The 3rd teacher's code 2 (unavailable)**

```

type: string (str10), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ce16t_2 **Number of students 2**

```

type: numeric (byte)
range: [2,90] units: 1
unique values: 48 missing .: 450/1,506
unique missing codes: 3 missing *: 598/1,506
tabulation: Freq. Value
             1 2
             3 3
             2 4
             2 5
             6 6
             5 7
             5 8
             6 9
            30 10
            10 11
            25 12
            21 13
             9 14
            36 15
            20 16
            14 17
            22 18
            12 19
            50 20
            14 21
            10 22
             9 23
             9 24
            25 25
             8 26
             1 27
            13 28
             4 29
            27 30
             1 31
             7 32
             3 33
             4 34
            10 35
             4 36
             3 37
             5 38
             1 39
             6 40
    
```



```

          1 41
          3 42
          1 44
          1 45
          1 46
          5 50
          1 55
          1 57
          1 90
          450 .
          597 .c
          1 .d
    mean: 20.5895
    std. dev: 9.97511

    percentiles:    10%    25%    50%    75%    90%
                   10     13    19.5    25     34
    
```

ce16ba_2 **Start month 2 (unavailable)**

```

    type: numeric (byte)
    label: ce16ba

    range: [.,.]
    unique values: 0
    units: .
    missing .. 1,506/1,506

    tabulation: Freq.  Numeric  Label
                1,506      .
    
```

ce16bb_2 **Start year 2 (unavailable)**

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
    units: .
    missing .. 1,506/1,506

    tabulation: Freq.  Value
                1,506  .
    mean: .
    std. dev: .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

ce16ca_2 **End month 2 (unavailable)**

```

    type: numeric (byte)
    label: ce16ca

    range: [.,.]
    unique values: 0
    units: .
    missing .. 1,506/1,506

    tabulation: Freq.  Numeric  Label
                1,506      .
    
```

ce16cb_2 **End year 2 (unavailable)**

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
    units: .
    missing .. 1,506/1,506
    
```

```

tabulation: Freq. Value
             1,506 .
             mean: .
             std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

ce16d_2 **Study hours/day 2**

```

type: numeric (byte)

range: [3,10]
unique values: 7
unique missing codes: 2

units: 1
missing .: 450/1,506
missing *: 11/1,506

tabulation: Freq. Value
             1 3
             23 5
             274 6
             540 7
             192 8
             10 9
             5 10
             450 .
             11 .c
             mean: 6.90718
             std. dev: .789051

percentiles:      10%      25%      50%      75%      90%
                  6        6        7        7        8
    
```

ce16e_2 **Study hours/week 2**

```

type: numeric (byte)

range: [2,5]
unique values: 2
unique missing codes: 2

units: 1
missing .: 450/1,506
missing *: 1/1,506

tabulation: Freq. Value
             1 2
             1,054 5
             450 .
             1 .c
             mean: 4.99716
             std. dev: .092362

percentiles:      10%      25%      50%      75%      90%
                  5        5        5        5        5
    
```

ce16f_2 **Borrowed a story book 2**

```

type: numeric (byte)
label: ce16f

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 450/1,506
missing *: 6/1,506

tabulation: Freq. Numeric Label
             186      1 yes
             864      3 no
             450      .
             6        .c
    
```

ce16g_2

Times 2

```

type: numeric (byte)
range: [1,5]
unique values: 5
unique missing codes: 2
units: 1
missing .: 1,314/1,506
missing *: 6/1,506

tabulation: Freq. Value
             45 1
             13 2
             14 3
              5 4
             109 5
            1,314 .
              6 .c
mean: 3.64516
std. dev: 1.73452

percentiles:      10%      25%      50%      75%      90%
                  1         2         5         5         5
    
```

ce16h_2

Frequency 2 (not display)

```

type: string (str45), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

ce16ha_2

Code 2

```

type: numeric (byte)
label: ce16ha_2
range: [1,9]
unique values: 4
unique missing codes: 2
units: 1
missing .: 1,314/1,506
missing *: 6/1,506

tabulation: Freq. Numeric Label
             1         1 daily
            171         3 weekly
             11         5 monthly
              3         9 yearly
            1,314         .
              6         .c
    
```

ce16i_2

School sent a child development record 2

```

type: numeric (byte)
label: ce16i
range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing .: 450/1,506
missing *: 3/1,506

tabulation: Freq. Numeric Label
             16         1 yes
            1,037         3 no
             450         .
              3         .c
    
```

cel6j_2 **Times 2**

```

type: numeric (byte)
range: [1,2]
unique values: 2
unique missing codes: 2
units: 1
missing .: 1,487/1,506
missing *: 3/1,506

tabulation: Freq. Value
             14  1
             2  2
            1,487 .
             3  .c
mean:       1.125
std. dev:   .341565

percentiles: 10%    25%    50%    75%    90%
              1     1     1     1     2
    
```

cel6k_2 **Frequency 2 (not display)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

cel6ka_2 **Code 2**

```

type: numeric (byte)
label: cel6ka_2
range: [3,9]
unique values: 3
unique missing codes: 2
units: 1
missing .: 1,487/1,506
missing *: 3/1,506

tabulation: Freq. Numeric Label
             3         3 weekly
             2         5 monthly
             11        9 yearly
            1,487 .
             3         .c
    
```

cel6ua_2 **GPA 2**

```

type: numeric (double)
range: [.,.]
unique values: 0
unique missing codes: 4
units: .
missing .: 450/1,506
missing *: 1,056/1,506

tabulation: Freq. Value
             450 .
             992 .b
              4  .c
             60  .d
mean:       .
std. dev:   .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

ce16ub_2 **Percentage 2**

```

type: numeric (double)
range: [.,.]
unique values: 0
unique missing codes: 4
units: .
missing .: 450/1,506
missing *: 1,056/1,506

tabulation: Freq. Value
             450 .
             992 .b
              4 .c
             60 .d
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ce16l_2 **Reason for leave 2 (not display)**

```

type: string (str206), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

ce16m_3 **Class 3**

```

type: string (str24), but longest is str22
unique values: 1
missing "": 1,503/1,506

tabulation: Freq. Value
             1,503 ""
              3 "Child Education Center"

warning: variable has embedded blanks
    
```

tce16a_3 **CEC/School 3**

```

type: string (str10), but longest is str3
unique values: 1
missing "": 1,503/1,506

tabulation: Freq. Value
             1,503 ""
              3 "CEC"
    
```

ce16a_3 **School name 3 (unavailable)**

```

type: string (str120), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

ce16n_3 **CDC/School Code 3 (unavailable)**

```

type: string (str11), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ce16o_3 **School type 3**

```

type: numeric (byte)
label: ce16o_3
range: [1,1] units: 1
unique values: 1 missing .: 1,503/1,506
tabulation: Freq. Numeric Label
             3 1 Public School
             1,503 .
    
```

ce16p_3 **Province 3 (unavailable)**

```

type: string (str39), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ce16q_3 **Amphoe 3 (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ce16r_3 **Tambon 3 (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ce16s_3 **Number of teachers 3**

```

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1,503/1,506
    
```


tabulation: Freq. Value
 1,506 ""

ce16t_3 **Number of students 3**

type: numeric (**byte**)
 range: [..]
 unique values: 0
 unique missing codes: 2
 units: .
 missing .: 1,503/1,506
 missing *: 3/1,506

tabulation: Freq. Value
 1,503 .
 3 .c

mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

ce16ba_3 **Start month 3 (unavailable)**

type: numeric (**byte**)
 label: **ce16ba**
 range: [..]
 unique values: 0
 units: .
 missing .: 1,506/1,506

tabulation: Freq. Numeric Label
 1,506 .

ce16bb_3 **Start year 3 (unavailable)**

type: numeric (**int**)
 range: [..]
 unique values: 0
 units: .
 missing .: 1,506/1,506

tabulation: Freq. Value
 1,506 .

mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

ce16ca_3 **End month 3 (unavailable)**

type: numeric (**byte**)
 label: **ce16ca**
 range: [..]
 unique values: 0
 units: .
 missing .: 1,506/1,506

tabulation: Freq. Numeric Label
 1,506 .

ce16cb_3 **End year 3 (unavailable)**

type: numeric (**int**)


```

    range: [.,.]
unique values: 0
    units: .
missing ..: 1,506/1,506

    tabulation: Freq. Value
                1,506 .
    mean: .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

ce16d_3 **Study hours/day 3**

```

    type: numeric (byte)

    range: [6,6]
unique values: 1
    units: 1
missing ..: 1,503/1,506

    tabulation: Freq. Value
                3 6
                1,503 .
    mean: 6
    std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                6      6      6      6      6
    
```

ce16e_3 **Study hours/week 3**

```

    type: numeric (byte)

    range: [5,5]
unique values: 1
    units: 1
missing ..: 1,503/1,506

    tabulation: Freq. Value
                3 5
                1,503 .
    mean: 5
    std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                5      5      5      5      5
    
```

ce16f_3 **Borrowed a story book 3**

```

    type: numeric (byte)
    label: ce16f

    range: [3,3]
unique values: 1
    units: 1
missing ..: 1,503/1,506

    tabulation: Freq. Numeric Label
                3      3 no
                1,503 .
    
```

ce16g_3 **Times 3**

```

    type: numeric (byte)

    range: [.,.]
unique values: 0
    units: .
missing ..: 1,506/1,506
    
```

```

tabulation: Freq. Value
             1,506 .
      mean:  .
      std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

ce16h_3 **Frequency 3 (not display)**

```

      type: string (str45), but longest is str0
unique values: 0          missing "": 1,506/1,506

      tabulation: Freq. Value
                  1,506 ""
    
```

ce16ha_3 **Code 3**

```

      type: numeric (byte)
      label: ce16ha_3

      range: [.,.]          units: .
unique values: 0          missing .: 1,506/1,506

      tabulation: Freq. Numeric Label
                  1,506      .
    
```

ce16i_3 **School sent a child development record 3**

```

      type: numeric (byte)
      label: ce16i

      range: [3,3]          units: 1
unique values: 1          missing .: 1,503/1,506

      tabulation: Freq. Numeric Label
                  3      3      no
                  1,503      .
    
```

ce16j_3 **Times 3**

```

      type: numeric (byte)

      range: [.,.]          units: .
unique values: 0          missing .: 1,506/1,506

      tabulation: Freq. Value
                  1,506 .
      mean:  .
      std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

ce16k_3 **Frequency 3 (not display)**

```

      type: string (str30), but longest is str0
unique values: 0          missing "": 1,506/1,506
    
```

tabulation: Freq. Value
 1,506 ""

cel6ka_3 **Code 3**

type: numeric (**byte**)
 label: **cel6ka_3**
 range: [.,.] units: .
 unique values: 0 missing .: 1,506/1,506
 tabulation: Freq. Numeric Label
 1,506 .

cel6ua_3 **Percentage 3**

type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,503/1,506
 unique missing codes: 2 missing *: 3/1,506
 tabulation: Freq. Value
 1,503 .
 3 .b
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cel6ub_3 **Percentage 3**

type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,503/1,506
 unique missing codes: 2 missing *: 3/1,506
 tabulation: Freq. Value
 1,503 .
 3 .b
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cel6l_3 **Reason for leave 3 (not display)**

type: string (**str206**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

cel6m_4 **class 4**

type: string (**str14**), but longest is str0

unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

tcel6a_4 **CEC/School 4**

type: string (**str10**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

cel6a_4 **School name 4 (unavailable)**

type: string (**str118**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

cel6n_4 **CDC/School Code 4 (unavailable)**

type: string (**str9**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

cel6o_4 **School type 4**

type: numeric (**byte**)
 label: **cel6o_4**
 range: [.,.] units: .
 unique values: 0 missing .: 1,506/1,506
 tabulation: Freq. Numeric Label
 1,506 .

cel6p_4 **Province 4 (unavailable)**

type: string (**str39**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

cel6q_4 **Amphoe 4 (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

cel6r_4 **Tambon 4 (unavailable)**

type: string (**str36**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

cel6s_4 **Number of teachers 4**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,506/1,506
 tabulation: Freq. Value
 1,506 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

celb1_4 **The 1st teacher's name 4 (unavailable)**

type: string (**str64**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

celc1_4 **The 1st teacher's code 4 (unavailable)**

type: string (**str11**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

celb2_4 **The 2nd teacher's name 4 (unavailable)**

type: string (**str36**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

celc2_4 **The 2nd teacher's code 4 (unavailable)**

type: string (**str18**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

celb3_4 **The 3rd teacher's name 4 (unavailable)**

type: string (**str33**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

celc3_4 **The 3rd teacher's code 4 (unavailable)**

type: string (**str10**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

cel6t_4 **Number of students 4**

type: numeric (**byte**)
 range: [..] units: .
 unique values: 0 missing ..: 1,506/1,506
 tabulation: Freq. Value
 1,506 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cel6ba_4 **Start month 4 (unavailable)**

type: numeric (**byte**)
 label: **cel6ba**
 range: [..] units: .
 unique values: 0 missing ..: 1,506/1,506
 tabulation: Freq. Numeric Label
 1,506 .

cel6bb_4 **Start year 4 (unavailable)**

type: numeric (**int**)
 range: [..] units: .
 unique values: 0 missing ..: 1,506/1,506
 tabulation: Freq. Value
 1,506 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

ce16ca_4 **End month 4 (unavailable)**

```

type: numeric (byte)
label: ce16ca

range: [...]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Numeric Label
             1,506 .
    
```

ce16cb_4 **End year 4 (unavailable)**

```

type: numeric (int)

range: [...]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Value
             1,506 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ce16d_4 **Study hours/day 4**

```

type: numeric (byte)

range: [...]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Value
             1,506 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ce16e_4 **Study hours/week 4**

```

type: numeric (byte)

range: [...]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Value
             1,506 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ce16f_4 **Borrowed a story book 4**

```

type: numeric (byte)
label: ce16f
    
```

```

    range: [.,.]
unique values: 0
units: .
missing .: 1,506/1,506

    tabulation: Freq.  Numeric  Label
                1,506      .

```

ce16g_4 **Times 4**

```

    type: numeric (byte)
    range: [.,.]
unique values: 0
units: .
missing .: 1,506/1,506

    tabulation: Freq.  Value
                1,506  .
    mean:      .
    std. dev:  .

    percentiles: 10%    25%    50%    75%    90%
                  .      .      .      .      .

```

ce16h_4 **Frequency 4**

```

    type: string (str30), but longest is str0
unique values: 0
missing "": 1,506/1,506

    tabulation: Freq.  Value
                1,506  ""

```

ce16ha_4 **Code 4**

```

    type: numeric (byte)
    label: ce16ha_4
    range: [.,.]
unique values: 0
units: .
missing .: 1,506/1,506

    tabulation: Freq.  Numeric  Label
                1,506      .

```

ce16i_4 **School sent a child development record 4**

```

    type: numeric (byte)
    label: ce16i
    range: [.,.]
unique values: 0
units: .
missing .: 1,506/1,506

    tabulation: Freq.  Numeric  Label
                1,506      .

```

ce16j_4 **Times 4**

```

    type: numeric (byte)
    range: [.,.]
unique values: 0
units: .
missing .: 1,506/1,506

```



```

tabulation: Freq. Value
             1,506 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

cel6k_4 **Frequency 4**

```

      type: string (str30), but longest is str0
unique values: 0 missing "": 1,506/1,506

      tabulation: Freq. Value
                  1,506 ""
    
```

cel6ka_4 **Code 4**

```

      type: numeric (byte)
      label: cel6ka_4

      range: [.,.] units: .
unique values: 0 missing .: 1,506/1,506

      tabulation: Freq. Numeric Label
                  1,506 .
    
```

cel6ua_4 **GPA 4**

```

      type: numeric (double)

      range: [.,.] units: .
unique values: 0 missing .: 1,506/1,506

      tabulation: Freq. Value
                  1,506 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

cel6ub_4 **Percentage 4**

```

      type: numeric (double)

      range: [.,.] units: .
unique values: 0 missing .: 1,506/1,506

      tabulation: Freq. Value
                  1,506 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

cel6l_4 **Reason for leave 4**

```

      type: string (str186), but longest is str0
    
```

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""

ce12a1a

Books in the child's house

type: numeric (byte)
label: ce12a1a
range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
tabulation: Freq. Numeric Label
551 1 yes
955 3 no

ce12a2a

Picture book or picture card in the child's house

type: numeric (byte)
label: ce12a1a
range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
tabulation: Freq. Numeric Label
626 1 yes
880 3 no

ce12a3a

Posters

type: numeric (byte)
label: ce12a1a
range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
tabulation: Freq. Numeric Label
533 1 yes
973 3 no

ce12a1aa

Books in the child's house : amount

type: numeric (byte)
range: [1,50] units: 1
unique values: 17 missing .: 955/1,506
unique missing codes: 2 missing *: 43/1,506
tabulation: Freq. Value
72 1
136 2
103 3
48 4
64 5
20 6
10 7
5 8
33 10
2 12
1 13
1 14
5 15
5 20

```

          1 30
          1 45
          1 50
        955 .
         43 .c
    mean:  4.08661
    std. dev: 4.31962

percentiles:    10%    25%    50%    75%    90%
                1      2      3      5      8
    
```

ce12a2aa **Picture book or picture card in the child's house : amount**

```

    type: numeric (byte)

    range: [1,30]          units: 1
    unique values: 13      missing .: 880/1,506
    unique missing codes: 2  missing *: 38/1,506
    
```

```

    tabulation:  Freq.  Value
                 220    1
                 180    2
                 88     3
                 38     4
                 36     5
                 11     6
                  1     7
                  1     8
                  2     9
                  7    10
                  1    15
                  2    20
                  1    30
                 880    .
                 38    .c
    mean:  2.43197
    std. dev: 2.28255

percentiles:    10%    25%    50%    75%    90%
                1      1      2      3      5
    
```

ce12a3aa **Posters : amount**

```

    type: numeric (byte)

    range: [1,10]          units: 1
    unique values: 8      missing .: 973/1,506
    unique missing codes: 2  missing *: 9/1,506
    
```

```

    tabulation:  Freq.  Value
                 174    1
                 188    2
                 105    3
                  32    4
                  17    5
                   6    6
                   1    8
                   1   10
                  973    .
                   9    .c
    mean:  2.16031
    std. dev: 1.19154

percentiles:    10%    25%    50%    75%    90%
                1      1      2      3      4
    
```

ce13a1a **Exercise book in the child's house**

```

type: numeric (byte)
label: ce12a1a

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,506

tabulation: Freq.  Numeric  Label
              860      1     yes
              646      3     no
    
```

ce13a2a **Coloring book in the child's house**

```

type: numeric (byte)
label: ce12a1a

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 0/1,506
missing *: 2/1,506

tabulation: Freq.  Numeric  Label
              962      1     yes
              542      3     no
               1         .c
               1         .d
    
```

ce13a1aa **Exercise book in the child's house : amount**

```

type: numeric (byte)

range: [1,40]
unique values: 13
unique missing codes: 3
units: 1
missing ..: 646/1,506
missing *: 54/1,506

tabulation: Freq.  Value
              224    1
              273    2
              159    3
               43    4
               46    5
               16    6
                8    7
                4    8
                1    9
               27   10
                3   15
                1   20
                1   40
              646    .
               53   .c
                1   .d

mean: 2.75062
std. dev: 2.53347

percentiles:      10%      25%      50%      75%      90%
                  1         1         2         3         5
    
```

ce13a2aa **Coloring book in the child's house : amount**

```

type: numeric (byte)
    
```

```

        range: [.,.]
unique values: 0
unique missing codes: 1
        units: .
        missing .: 0/1,506
        missing *: 1,506/1,506

tabulation: Freq. Value
            1,506 .b
        mean: .
        std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

ce18 **What subjects do this child has aptitude for**

```

        type: string (str72), but longest is str0
unique values: 0
unique missing codes: 1
        missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

ce17 **Does this child have any special classes or extra activities?**

```

        type: numeric (byte)
        label: ce17

        range: [1,3]
unique values: 2
unique missing codes: 1
        units: 1
        missing .: 0/1,506
        missing *: 2/1,506

tabulation: Freq. Numeric Label
            54      1 yes
            1,450  3 no
            2      .d
    
```

ce17a **What extra classes or extra activities did this child receive?**

```

        type: numeric (byte)
        label: ce17a

        range: [1,3]
unique values: 2
unique missing codes: 2
        units: 1
        missing .: 1,452/1,506
        missing *: 1/1,506

tabulation: Freq. Numeric Label
            11      1 yes
            42      3 no
            1,452  .
            1      .c
    
```

note_cleaner **Data cleaner note (not display)**

```

        type: string (str159), but longest is str0
unique values: 0
unique missing codes: 1
        missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

ce17b_1 **Where does this child take special education or supplementary 1 (unavailable)**

```

type: string (str99), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

cel7ba_1 **Type of place to study 1**

```

type: numeric (byte)
label: cel7ba_1
range: [1,11] units: 1
unique values: 5 missing .: 1,452/1,506
tabulation: Freq. Numeric Label
             29      1 Study at school organized by the
             11      3 school
             11      5 Study at school
             2       9 Study at the teacher's house
             1       9 Study at tutoring Institute
             1      11 Other
            1,452 .
    
```

cel7c_1 **What subjects does this child study 1**

```

type: string (str33)
unique values: 10 missing "": 1,452/1,506
unique missing codes: 2 missing *: 6/1,506
tabulation: Freq. Value
            1,452 ""
            32 "Assorted Subjects"
             6 "DK"
             3 "English"
             1 "Mathematics;English"
             1 "Mathematics;Science;Thai Language"
             1 "Mathematics;Thai Language"
             5 "Mathematics;Thai Language;English"
             2 "Music"
             2 "Other subjects"
             1 "Sports"
warning: variable has embedded blanks
    
```

cel7ca_1 **Other such as 1**

```

type: string (str58), but longest is str34
unique values: 5 missing "": 1,500/1,506
unique missing codes: 2 missing *: 1/1,506
tabulation: Freq. Value
            1,500 ""
             1 "Computer"
             2 "Computer;Chinese"
             1 "DK"
             1 "Skill Development"
             1 "Skill Development;Practice Writing"
warning: variable has embedded blanks
    
```

cel7d_1 **How many days a year does this child study 1**

```

type: numeric (int)
range: [0,365]
unique values: 41
unique missing codes: 2
units: 1
missing .: 1,452/1,506
missing *: 2/1,506
    
```

```

tabulation: Freq. Value
              2  0
              1  3
              1  5
              1  6
              1  7
              1 12
              1 16
              1 17
              2 18
              3 21
              1 22
              1 27
              1 28
              1 29
              4 30
              1 33
              1 34
              2 36
              1 44
              2 56
              1 57
              2 60
              1 61
              1 65
              1 77
              1 79
              1 80
              1 81
              1 86
              1 94
              1 96
              1 104
              2 108
              1 111
              1 115
              1 165
              1 180
              1 211
              1 240
              1 289
              1 365
1,452 .
              2 .c
    
```

```

mean: 68.8077
std. dev: 74.5212
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  7        21        40        90       165
    
```

cel7e_1 **How much does it cost per year 1**

```

type: numeric (int)
range: [0,27000]
unique values: 30
unique missing codes: 2
units: 1
missing .: 1,452/1,506
missing *: 4/1,506
    
```

```

tabulation:  Freq.  Value
              5      0
              1     250
              1     300
              1     400
              5     500
              2     600
              2     800
              1     900
              4    1000
              1    1050
              2    1200
              1    1300
              2    1500
              1    1920
              1    2000
              1    2400
              2    2500
              2    3000
              2    3500
              1    3750
              2    4000
              1    4500
              1    5200
              1    5600
              2    6000
              1    6500
              1   10000
              1   12000
              1  21273
              1  27000
1,452      .
              4      .c
    mean:    3180.86
  std. dev:  5041.87
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  125      500      1250      3750      6250
    
```

ce17b_2 Where does this child take special education or supplementary 2 (unavailable)

```

    type:  string (str99), but longest is str0
unique values:  0                               missing "":  1,506/1,506
    tabulation:  Freq.  Value
                  1,506  ""
    
```

ce17ba_2 Type of place to study 2

```

    type:  numeric (byte)
    label:  ce17ba_2
    range:  [1,5]
unique values:  2                               units:  1
                                                    missing .:  1,504/1,506
    tabulation:  Freq.  Numeric  Label
                  1      1      Study at school organized by the
                  1      5      school
                  1,504      .      Study at the teacher's house
    
```

ce17c_2 What subjects does this child study 2

```

    type:  string (str33), but longest is str17
    
```


unique values: 2 missing "": 1,504/1,506
 tabulation: Freq. Value
 1,504 ""
 1 "Assorted Subjects"
 1 "Sports"
 warning: variable has embedded blanks

cel7ca_2 **Other such as 2**

type: string (**str58**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

cel7d_2 **How many days a year does this child study 2**

type: numeric (**int**)
 range: [4,15] units: 1
 unique values: 2 missing .: 1,504/1,506
 tabulation: Freq. Value
 1 4
 1 15
 1,504 .
 mean: 9.5
 std. dev: 7.77817
 percentiles: 10% 25% 50% 75% 90%
 4 4 9.5 15 15

cel7e_2 **How much does it cost per year 2**

type: numeric (**int**)
 range: [800,1750] units: 10
 unique values: 2 missing .: 1,504/1,506
 tabulation: Freq. Value
 1 800
 1 1750
 1,504 .
 mean: 1275
 std. dev: 671.751
 percentiles: 10% 25% 50% 75% 90%
 800 800 1275 1750 1750

cel14 **Interviewer note (not display)**

type: string (**str653**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

ce2e **Borrowed a story book from the child development center**

```

type: numeric (float)
label: ce2e

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 141/1,506
missing *: 7/1,506

tabulation: Freq.  Numeric  Label
             243      1      yes
             1,115    3      no
             141      .
             7        .c
    
```

ce2f **Borrowed a story book : times**

```

type: numeric (float)

range: [1,5]
unique values: 5
unique missing codes: 2

units: 1
missing .: 1,256/1,506
missing *: 7/1,506

tabulation: Freq.  Value
             55      1
             19      2
             18      3
             8       4
             143     5
             1,256   .
             7       .c
mean:       3.67901
std. dev:   1.70919

percentiles: 10%      25%      50%      75%      90%
              1        2         5         5         5
    
```

ce2f_yearly **Code of frequency (yearly)**

```

type: numeric (float)

range: [1,200]
unique values: 11
unique missing codes: 2

units: 1
missing .: 1,256/1,506
missing *: 7/1,506

tabulation: Freq.  Value
             3       1
             1       3
             1       4
             9       9
             4      18
             1      27
             42     40
             15     80
             16    120
             7     160
             144   200
             1,256 .
             7     .c
mean:       143.663
std. dev:   73.8639

percentiles: 10%      25%      50%      75%      90%
              40      40       200     200     200
    
```

ce2g **Borrowed a story book : frequency**

```

type: string (str30), but longest is str7
unique values: 5                               missing "": 1,256/1,506
unique missing codes: 2                       missing *: 7/1,506

tabulation:  Freq.  Value
              1,256  ""
              7     "DK"
              1     "daily"
              14    "monthly"
              223   "weekly"
              5     "yearly"
    
```

ce2h **Borrowed a story book code**

```

type: numeric (float)
label: ce2h

range: [1,9]                                units: 1
unique values: 4                            missing .: 1,256/1,506
unique missing codes: 2                     missing *: 7/1,506

tabulation:  Freq.  Numeric  Label
              1     1     daily
              223   3     weekly
              14    5     monthly
              5     9     yearly
              1,256 .
              7     .c
    
```

ce8 **Sending a child-development record by school**

```

type: numeric (float)
label: ce8

range: [1,3]                                units: 1
unique values: 2                            missing .: 141/1,506
unique missing codes: 2                     missing *: 4/1,506

tabulation:  Freq.  Numeric  Label
              22    1     yes
              1,339 3     no
              141   .
              4     .c
    
```

ce8a **Number of times : sending a child-development record by school**

```

type: numeric (float)

range: [1,4]                                units: 1
unique values: 3                            missing .: 1,480/1,506
unique missing codes: 2                     missing *: 4/1,506

tabulation:  Freq.  Value
              18    1
              3     2
              1     4
              1,480 .
              4     .c
mean: 1.27273
std. dev: .7025
    
```


