



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\b6.scml
log type: smcl
opened on: 22 Jan 2024, 17:28:24
    
```

1 . codebookr \_all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b6_run.dta
Last saved: 22 Jan 2024 17:28
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 72
Number of observations: 1,506
Size: 1,335,822 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI
    
```

---

**cid** **children id**

---

```

type: string (str18)
unique values: 1,506 missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

---

**iyear** **year**

---

```

type: string (str4)
unique values: 2 missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

---

**hhid** **household id**

---

```

type: string (str15)
    
```

unique values: 1,284                      missing "": 0/1,506  
 examples: "201591160604207"  
           "201691131001097"  
           "201691160105067"  
           "201691161708041"

---

**prov** **province**

---

type: string (**str2**)  
 unique values: 2                      missing "": 0/1,506  
 tabulation: Freq. Value  
               1,361 "91"  
               145 "93"

---

**amp** **amphoe**

---

type: string (**str2**)  
 unique values: 8                      missing "": 0/1,506  
 tabulation: Freq. Value  
               1 "09"  
               145 "12"  
               264 "13"  
               129 "14"  
               148 "15"  
               557 "16"  
               38 "17"  
               224 "18"

---

**tam** **tambon**

---

type: string (**str2**)  
 unique values: 15                      missing "": 0/1,506  
 tabulation: Freq. Value  
               65 "01"  
               229 "02"  
               121 "04"  
               63 "05"  
               57 "06"  
               66 "07"  
               64 "08"  
               97 "09"  
               136 "10"  
               93 "11"  
               154 "13"  
               47 "14"  
               151 "15"  
               106 "17"  
               57 "19"

---

**moo** **moo**

---

type: string (**str2**)  
 unique values: 22                      missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 185           missing "": 0/1,506
examples: "011"
          "035"
          "071"
          "149"
    
```

---

**cd1** **Can walk up stairs alternating feet (child age less than 5 years old)**

---

```

type: numeric (byte)
label: cd1
range: [0,5]           units: 1
unique values: 4       missing .: 498/1,506

tabulation:  Freq.  Numeric  Label
              64     0  not happened
              120    1  never
              227    3  sometimes
              597    5  usually
              498    .
    
```

---

**cd2** **Can hold a pencil or other writing correctly (child age under 5 years old)**

---

```

type: numeric (byte)
label: cd2
range: [0,5]           units: 1
unique values: 4       missing .: 498/1,506

tabulation:  Freq.  Numeric  Label
              8     0  not happened
              181    1  never
              194    3  sometimes
              625    5  usually
              498    .
    
```

---

**cd3 Can pour water into a cup or bowl without spilling it. (child age under 5 years**

---

```

type: numeric (byte)
label: cd3

range: [0,5]                units: 1
unique values: 4            missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              17         0  not happened
              209        1  never
              464        3  sometimes
              318        5  usually
              498         .
    
```

---

**cd4 Can use a spoon to eat by themselves without spilling. (child age under 5 years**

---

```

type: numeric (byte)
label: cd4

range: [0,5]                units: 1
unique values: 4            missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              4         0  not happened
             217        1  never
             532        3  sometimes
             255        5  usually
             498         .
    
```

---

**cd5 Can tell the way back home from a nearby location. (child age under 5 years old)**

---

```

type: numeric (byte)
label: cd5

range: [0,5]                units: 1
unique values: 4            missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              42         0  not happened
             157        1  never
             178        3  sometimes
             631        5  usually
             498         .
    
```

---

**cd6 Can brush teeth by themselves. (child age under 5 years old)**

---

```

type: numeric (byte)
label: cd6

range: [0,5]                units: 1
unique values: 4            missing .. 498/1,506
unique missing codes: 2    missing *: 2/1,506

tabulation: Freq.  Numeric  Label
              3         0  not happened
             128        1  never
             224        3  sometimes
             651        5  usually
             498         .
              2         .c
    
```

---

**cd11 Can follow simple rules such as queuing to buy Or throw trash into bins etc (chi**

---

```

      type: numeric (byte)
      label: cd11

      range: [0,5]                units: 1
unique values: 4                  missing .. 498/1,506

      tabulation: Freq.  Numeric  Label
                  27       0  not happened
                  137      1  never
                  430      3  sometimes
                  414      5  usually
                  498      .

```

---

**cd13 Can say they like or dislike something or activity. (child age under 5 years old**

---

```

      type: numeric (byte)
      label: cd13

      range: [0,5]                units: 1
unique values: 4                  missing .. 498/1,506

      tabulation: Freq.  Numeric  Label
                  11       0  not happened
                  120      1  never
                  208      3  sometimes
                  669      5  usually
                  498      .

```

---

**cd15 Child often show off their work to make others feel that they are talented (chil**

---

```

      type: numeric (byte)
      label: cd15

      range: [0,5]                units: 1
unique values: 4                  missing .. 498/1,506

      tabulation: Freq.  Numeric  Label
                  18       0  not happened
                  169      1  never
                  308      3  sometimes
                  513      5  usually
                  498      .

```

---

**cd17 Can tell a story that happened in their daily lives (child age under 5 years old**

---

```

      type: numeric (byte)
      label: cd17

      range: [0,5]                units: 1
unique values: 4                  missing .. 498/1,506

      tabulation: Freq.  Numeric  Label
                  10       0  not happened
                  232      1  never
                  325      3  sometimes
                  441      5  usually
                  498      .

```

---

**cd18 Child always doubt and question on the things they interests (child age under 5**

---

```

type: numeric (byte)
label: cd18

range: [0,5]
unique values: 4
units: 1
missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              2          0  not happened
             138         1  never
             218         3  sometimes
             650         5  usually
             498          .
    
```

**cd19 Can listen to adults reading books (not story books) at least 5 minutes. (child**

```

type: numeric (byte)
label: cd19

range: [0,5]
unique values: 4
unique missing codes: 2
units: 1
missing .. 498/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              66          0  not happened
             371         1  never
             382         3  sometimes
             188         5  usually
             498          .
              1          .d
    
```

**cd22 Can arrange a word into a sentence correctly (child age under 5 years old)**

```

type: numeric (byte)
label: cd22

range: [0,5]
unique values: 4
units: 1
missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              4          0  not happened
             84         1  never
             157         3  sometimes
             763         5  usually
             498          .
    
```

**cd24 Can tell meaning and what to do following the sign in daily life (child age unde**

```

type: numeric (byte)
label: cd24

range: [0,5]
unique values: 4
units: 1
missing .. 498/1,506

tabulation: Freq.  Numeric  Label
             100         0  not happened
            485         1  never
            154         3  sometimes
            269         5  usually
            498          .
    
```

**cd25 Can sing a song to the end, or almost finished songs. (child age under 5 years o**

```

type: numeric (byte)
label: cd25

range: [0,5]          units: 1
unique values: 4      missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              6          0  not happened
              355         1  never
              346         3  sometimes
              301         5  usually
              498         .
    
```

**cd29 Can tidy up their toy and stuff, such as bring it back to storage place. (child**

```

type: numeric (byte)
label: cd29

range: [1,5]          units: 1
unique values: 3      missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              319         1  never
              500         3  sometimes
              189         5  usually
              498         .
    
```

**cd30 Child recognize and accept to apologize. when they do wrong or misbehaves (child**

```

type: numeric (byte)
label: cd30

range: [0,5]          units: 1
unique values: 4      missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              5          0  not happened
              301         1  never
              423         3  sometimes
              279         5  usually
              498         .
    
```

**cd32 Can tell name and surname (child age under 5 years old)**

```

type: numeric (byte)
label: cd32

range: [0,5]          units: 1
unique values: 4      missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              2          0  not happened
              230         1  never
              165         3  sometimes
              611         5  usually
              498         .
    
```

**cd33 Child knows their age (child age under 5 years old)**

```

type: numeric (byte)
label: cd33
    
```

```

range: [0,5] units: 1
unique values: 4 missing .. 498/1,506

tabulation: Freq. Numeric Label
             44      0 not happened
             767     1 never
             93      3 sometimes
             104     5 usually
             498     .
    
```

**cd34 Child knows their gender (child age under 5 years old)**

```

type: numeric (byte)
label: cd34

range: [0,5] units: 1
unique values: 4 missing .. 498/1,506

tabulation: Freq. Numeric Label
             22      0 not happened
             154     1 never
             95      3 sometimes
             737     5 usually
             498     .
    
```

**cd35 Can wash the hands and wipe byself ,adult turn on/off the faucet (child age unde**

```

type: numeric (byte)
label: cd35

range: [0,5] units: 1
unique values: 4 missing .. 498/1,506

tabulation: Freq. Numeric Label
             1      0 not happened
             42     1 never
             148    3 sometimes
             817    5 usually
             498     .
    
```

**cd36 Can dress byself exclude tying shoelaces and button up back (child age under 5 y**

```

type: numeric (byte)
label: cd36

range: [0,5] units: 1
unique values: 4 missing .. 498/1,506

tabulation: Freq. Numeric Label
             1      0 not happened
             459    1 never
             346    3 sometimes
             202    5 usually
             498     .
    
```

**cd37 Can count up to ten ,pronounce loudly (child age under 5 years old)**

```

type: numeric (byte)
label: cd37

range: [0,5] units: 1
unique values: 4 missing .. 498/1,506
    
```



```

tabulation:  Freq.  Numeric  Label
              2      0  not happened
              173     1  never
              142     3  sometimes
              691     5  usually
              498     .
    
```

---

**cd38 Can draw a picture. It have composition at least 3 parts and adult can guess man**

---

```

type: numeric (byte)
label: cd38

range: [0,5]          units: 1
unique values: 4      missing .: 498/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              59      0  not happened
              815     1  never
              78      3  sometimes
              56      5  usually
              498     .
    
```

---

**cd39 Can tell color names at least 8 correctly (child age under 5 years old)**

---

```

type: numeric (byte)
label: cd39

range: [0,5]          units: 1
unique values: 4      missing .: 498/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              44      0  not happened
              514     1  never
              117     3  sometimes
              333     5  usually
              498     .
    
```

---

**cd40 Can easily calculate by using object or doing mental arithmetic (child age under**

---

```

type: numeric (byte)
label: cd40

range: [0,5]          units: 1
unique values: 4      missing .: 498/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              44      0  not happened
              827     1  never
              90      3  sometimes
              47      5  usually
              498     .
    
```

---

**cd41 Can count amount of object more than 10 pieces and tell correctly number (child**

---

```

type: numeric (byte)
label: cd41

range: [0,5]          units: 1
unique values: 4      missing .: 498/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              47      0  not happened
              693     1  never
              155     3  sometimes
              113     5  usually
              498     .
    
```

**cd42 Can write thai alphabet at least 5 (child age under 5 years old)**

```

type:  numeric (byte)
label: cd42

range: [0,5]          units: 1
unique values: 4      missing .: 498/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              19      0  not happened
              858     1  never
              52      3  sometimes
              79      5  usually
              498     .
    
```

**cd43 Can spell word by letter spelling not memorizing (child age under 5 years old)**

```

type:  numeric (byte)
label: cd43

range: [0,5]          units: 1
unique values: 4      missing .: 498/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              21      0  not happened
              938     1  never
              35      3  sometimes
              14      5  usually
              498     .
    
```

**cd44 Can use fingers to working many steps until completion ex. using scissors cut al**

```

type:  numeric (byte)
label: cd44

range: [0,5]          units: 1
unique values: 4      missing .: 498/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              104     0  not happened
              772     1  never
              83      3  sometimes
              49      5  usually
              498     .
    
```

**cd31 Interviewer note (unavailable)**

```

type:  string (str432), but longest is str0
unique values: 0      missing "": 1,506/1,506

tabulation:  Freq.  Value
              1,506 ""
    
```

---

**ef4 Can follow simple rules, such as queuing for buy or using the restroom (child ag**

---

```

type: numeric (byte)
label: ef4

range: [0,5]                units: 1
unique values: 4            missing .: 1,008/1,506
unique missing codes: 2    missing *: 1/1,506

tabulation:  Freq.  Numeric  Label
              31      0      not happened
              8       1      never
              118     3      sometimes
              340     5      usually
              1,008   .
              1       .a

```

---

**vn5 Use violence and aggression to solve problems when something dissatisfied (child**

---

```

type: numeric (byte)
label: vn5

range: [0,5]                units: 1
unique values: 4            missing .: 1,008/1,506
unique missing codes: 2    missing *: 1/1,506

tabulation:  Freq.  Numeric  Label
              3      0      not happened
              166    1      never
              244    3      sometimes
              84     5      usually
              1,008  .
              1     .a

```

---

**ef5 Can suppress the desires even if I want that thing (child age over 5 years old)**

---

```

type: numeric (byte)
label: ef5

range: [0,5]                units: 1
unique values: 4            missing .: 1,008/1,506
unique missing codes: 2    missing *: 1/1,506

tabulation:  Freq.  Numeric  Label
              2      0      not happened
              97     1      never
              235    3      sometimes
              163    5      usually
              1,008  .
              1     .a

```

---

**ef9 Can accept the reason and not be angry if plans has changing (child age over 5 y**

---

```

type: numeric (byte)
label: ef9

range: [0,5]                units: 1
unique values: 4            missing .: 1,008/1,506
unique missing codes: 2    missing *: 1/1,506

```

```

tabulation:  Freq.  Numeric  Label
              1      0  not happened
              59      1  never
              239     3  sometimes
              198     5  usually
            1,008     .
              1      .a
    
```

**vn7 Obedient child (child age over 5 years old)**

```

type: numeric (byte)
label: vn7

range: [1,5] units: 1
unique values: 3 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation:  Freq.  Numeric  Label
              12      1  never
              280     3  sometimes
              205     5  usually
            1,008     .
              1      .a
    
```

**ef7 Give up what is playing when called to do something else (child age over 5 years)**

```

type: numeric (byte)
label: ef7

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation:  Freq.  Numeric  Label
              2      0  not happened
              51      1  never
              267     3  sometimes
              177     5  usually
            1,008     .
              1      .a
    
```

**ef14 Sit and listen to the story attentively until the end of 1-2 stories (child age**

```

type: numeric (byte)
label: ef14

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation:  Freq.  Numeric  Label
              21      0  not happened
              112     1  never
              174     3  sometimes
              190     5  usually
            1,008     .
              1      .a
    
```

**ef19 When intend to do, acts immediately without delay (child age over 5 years old)**

```

type: numeric (byte)
label: ef19
    
```

range: [0,5] units: 1  
 unique values: 4 missing .: 1,008/1,506  
 unique missing codes: 2 missing \*: 1/1,506

tabulation:	Freq.	Numeric	Label
	4	0	not happened
	46	1	never
	182	3	sometimes
	265	5	usually
	1,008	.	.
	1	.a	.a

**vn16 when go to a new place or meeting new people ,unafraid and can adaptable (child**

type: numeric (byte)  
 label: vn16

range: [0,5] units: 1  
 unique values: 4 missing .: 1,008/1,506  
 unique missing codes: 2 missing \*: 1/1,506

tabulation:	Freq.	Numeric	Label
	1	0	not happened
	61	1	never
	156	3	sometimes
	279	5	usually
	1,008	.	.
	1	.a	.a

**vn17 Kind to younger children (Exclude siblings in the household) (child age over 5 y**

type: numeric (byte)  
 label: vn17

range: [0,5] units: 1  
 unique values: 4 missing .: 1,008/1,506  
 unique missing codes: 2 missing \*: 1/1,506

tabulation:	Freq.	Numeric	Label
	7	0	not happened
	20	1	never
	149	3	sometimes
	321	5	usually
	1,008	.	.
	1	.a	.a

**vn18 Children lie (child age over 5 years old)**

type: numeric (byte)  
 label: vn18

range: [0,5] units: 1  
 unique values: 4 missing .: 1,008/1,506  
 unique missing codes: 2 missing \*: 1/1,506

tabulation:	Freq.	Numeric	Label
	12	0	not happened
	235	1	never
	226	3	sometimes
	24	5	usually
	1,008	.	.
	1	.a	.a

---

**ef23 Put things in order ,when want to use can found it (child age over 5 years old)**

---

```

type: numeric (byte)
label: ef23

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Numeric Label
              2          0 not happened
             173          1 never
             202          3 sometimes
             120          5 usually
            1,008          .
              1          .a
    
```

---

**vn19 Being bullied by other children (Exclude siblings in the household) (child age o**

---

```

type: numeric (byte)
label: vn19

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Numeric Label
              25          0 not happened
             126          1 never
             266          3 sometimes
              80          5 usually
            1,008          .
              1          .a
    
```

---

**vn20 Often volunteer to help others (child age over 5 years old)**

---

```

type: numeric (byte)
label: vn20

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Numeric Label
              12          0 not happened
              46          1 never
             273          3 sometimes
             166          5 usually
            1,008          .
              1          .a
    
```

---

**exp\_a9 Can accurately describe a wide range of emotions such as excited,embarrassed,di**

---

```

type: numeric (byte)
label: exp_a9

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              14      0  not happened
              57      1  never
              183     3  sometimes
              243     5  usually
            1,008     .
              1      .a
    
```

**vn22 Steal things from home,school or anywhere else (child age over 5 years old)**

```

type: numeric (byte)
label: vn22

range: [0,5]          units: 1
unique values: 4      missing .: 1,008/1,506
unique missing codes: 2  missing *: 1/1,506

tabulation:  Freq.  Numeric  Label
              11      0  not happened
              453     1  never
              32      3  sometimes
              1       5  usually
            1,008     .
              1      .a
    
```

**exp\_a3 Children can use complex words to talk about possibilities (child age over 5 yea**

```

type: numeric (byte)
label: exp_a3

range: [0,5]          units: 1
unique values: 4      missing .: 1,008/1,506
unique missing codes: 2  missing *: 1/1,506

tabulation:  Freq.  Numeric  Label
              33      0  not happened
              198     1  never
              189     3  sometimes
              77      5  usually
            1,008     .
              1      .a
    
```

**vn25 Do the thing until it's done ,didn't fall by the way (child age over 5 years old)**

```

type: numeric (byte)
label: vn25

range: [1,5]          units: 1
unique values: 3      missing .: 1,008/1,506
unique missing codes: 2  missing *: 1/1,506

tabulation:  Freq.  Numeric  Label
              52      1  never
              191     3  sometimes
              254     5  usually
            1,008     .
              1      .a
    
```

**vn1 Show that you care about other people's feelings. (child age over 5 years old)**

```

type: numeric (byte)
label: vn1
    
```

range: [0,5] units: 1  
 unique values: 4 missing .: 1,008/1,506  
 unique missing codes: 2 missing \*: 1/1,506

tabulation:	Freq.	Numeric	Label
	18	0	not happened
	84	1	never
	221	3	sometimes
	174	5	usually
	1,008	.	.
	1	.a	.a

**vn6 Quite secluded often play alone (child age over 5 years old)**

type: numeric (byte)  
 label: vn6

range: [1,5] units: 1  
 unique values: 3 missing .: 1,008/1,506  
 unique missing codes: 2 missing \*: 1/1,506

tabulation:	Freq.	Numeric	Label
	239	1	never
	173	3	sometimes
	85	5	usually
	1,008	.	.
	1	.a	.a

**ef11 When have a small disappointed, take a long time to dealing (child age over 5 ye**

type: numeric (byte)  
 label: ef11

range: [0,5] units: 1  
 unique values: 4 missing .: 1,008/1,506  
 unique missing codes: 2 missing \*: 1/1,506

tabulation:	Freq.	Numeric	Label
	1	0	not happened
	345	1	never
	93	3	sometimes
	58	5	usually
	1,008	.	.
	1	.a	.a

**ef12 Getting over-excitement when do something what their like (child age over 5 year**

type: numeric (byte)  
 label: ef12

range: [1,5] units: 1  
 unique values: 3 missing .: 1,008/1,506  
 unique missing codes: 2 missing \*: 1/1,506

tabulation:	Freq.	Numeric	Label
	179	1	never
	134	3	sometimes
	184	5	usually
	1,008	.	.
	1	.a	.a

**vn12 Be bullying or arguments with other children (Exclude siblings in the household)**



```

type: numeric (byte)
label: vn12

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

```

tabulation:	Freq.	Numeric	Label
	15	0	not happened
	319	1	never
	152	3	sometimes
	11	5	usually
	1,008	.	
	1	.a	

**vn13 Depressed or crying easily (child age over 5 years old)**

```

type: numeric (byte)
label: vn13

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

```

tabulation:	Freq.	Numeric	Label
	2	0	not happened
	281	1	never
	124	3	sometimes
	90	5	usually
	1,008	.	
	1	.a	

**vn14 Generally liked by other children. (Exclude siblings in the household) (child ag**

```

type: numeric (byte)
label: vn14

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

```

tabulation:	Freq.	Numeric	Label
	4	0	not happened
	36	1	never
	163	3	sometimes
	294	5	usually
	1,008	.	
	1	.a	

**exp\_a10 Can mediate when other children are arguing (child age over 5 years old)**

```

type: numeric (byte)
label: exp_a10

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

```

tabulation:	Freq.	Numeric	Label
	131	0	not happened
	161	1	never
	163	3	sometimes
	42	5	usually
	1,008	.	
	1	.a	

---

**vn23 Get along with adults better than children (Exclude siblings in the household) (**

---

```

type: numeric (byte)
label: vn23

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,008/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              5          0  not happened
              134         1  never
              143         3  sometimes
              215         5  usually
            1,008         .
              1          .a
    
```

---

**vn24 Easily frightened and afraid of many things (child age over 5 years old)**

---

```

type: numeric (byte)
label: vn24

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,008/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              1          0  not happened
             254         1  never
             150         3  sometimes
              92         5  usually
            1,008         .
              1          .a
    
```

---

**vn29 Have problems with emotions, concentration, behavior and interactions with other**

---

```

type: numeric (byte)
label: vn29

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,008/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              83         1  yes
             414         3  no
            1,008         .
              1          .a
    
```

---

**vn29a What extent the problem with this child(child age over 5 years old)**

---

```

type: numeric (byte)
label: vn29a

range: [1,5]
unique values: 3
unique missing codes: 2

units: 1
missing .: 1,422/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              73      1      little problem
              9       3      quite problem
              1       5      serious problem
            1,422      .
              1       .a
    
```

---

**note** **Interviewer note (unavailable)**

---

```

type: string (str331), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation:  Freq.  Value
            1,506  ""
    
```

---

**year\_survey** **year survey**

---

```

type: numeric (float)
range: [2017,2017] units: 1
unique values: 1 missing .: 0/1,506
tabulation:  Freq.  Value
            1,506  2017
mean: 2017
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
              2017 2017 2017 2017 2017
    
```

---

**survey\_name** **survey round**

---

```

type: string (str12)
unique values: 1 missing "": 0/1,506
tabulation:  Freq.  Value
            1,506  "RESURVEY2017"
    
```

```

2 . log close
   name: <unnamed>
   log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2017\\b6.scml
   log type: smcl
   closed on: 22 Jan 2024, 17:28:28
    
```

---