



```

name: <unnamed>
log: X:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\hh_member.scml
log type: smcl
opened on: 29 May 2024, 16:05:27

```

1 . codebookr _all,all

```

> un.dta
Dataset: X:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\hh_member_r
Last saved: 29 May 2024 16:05
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 42
Number of observations: 7,445
Size: 5,233,835 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

cid **children id**

```

type: string (str18)
unique values: 1,506 missing "": 0/7,445
examples: "201591161007003H1"
           "201691131006147H1"
           "201691160118021H1"
           "201691161708116H6"

```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/7,445
tabulation: Freq. Value
             2,646 "2015"
             4,799 "2016"

```

hhid **household id**

```

type: string (str15)

```

unique values: 1,284 missing "": 0/7,445
 examples: "201591161007003"
 "201691131006147"
 "201691160118021"
 "201691161708116"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/7,445
 tabulation: Freq. Value
 6,760 "91"
 685 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/7,445
 tabulation: Freq. Value
 4 "09"
 685 "12"
 1,221 "13"
 613 "14"
 750 "15"
 2,776 "16"
 184 "17"
 1,212 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/7,445
 tabulation: Freq. Value
 333 "01"
 1,057 "02"
 616 "04"
 310 "05"
 295 "06"
 303 "07"
 340 "08"
 489 "09"
 649 "10"
 513 "11"
 791 "13"
 237 "14"
 707 "15"
 523 "17"
 282 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/7,445

```

tabulation:  Freq.  Value
              766  "01"
              352  "02"
              727  "03"
              781  "04"
              645  "05"
              780  "06"
              392  "07"
              778  "08"
              508  "09"
              372  "10"
              269  "11"
              209  "12"
              184  "13"
               45  "14"
               54  "15"
              205  "16"
               37  "17"
               52  "18"
              130  "19"
                4  "20"
              125  "22"
               30  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/7,445
examples: "011"
          "034"
          "070"
          "137"
    
```

hh_a **Member id**

```

type: string (str5), but longest is str3
unique values: 11           missing "": 0/7,445
tabulation:  Freq.  Value
              1,500  "H1"
                40  "H10"
                13  "H11"
              1,440  "H2"
              1,414  "H3"
              1,130  "H4"
                815  "H5"
                558  "H6"
                315  "H7"
                147  "H8"
                 73  "H9"
    
```

no **No**

```

type: numeric (byte)
range: [1,11]           units: 1
unique values: 11       missing .: 0/7,445
    
```

```

tabulation: Freq. Value
            1,500 1
            1,441 2
            1,414 3
            1,130 4
             815 5
             557 6
             315 7
             147 8
              73 9
              40 10
              13 11
    mean:    3.37703
    std. dev: 2.00485

percentiles:    10%    25%    50%    75%    90%
                1      2      3      5      6
    
```

hh_b Nickname of member (unavailable)

```

    type: string (str36), but longest is str0
unique values: 0          missing "": 7,445/7,445
    tabulation: Freq. Value
                7,445 ""
    
```

hh_d Name of member (unavailable)

```

    type: string (str42), but longest is str0
unique values: 0          missing "": 7,445/7,445
    tabulation: Freq. Value
                7,445 ""
    
```

hh_e Surname of of member (unavailable)

```

    type: string (str51), but longest is str0
unique values: 0          missing "": 7,445/7,445
    tabulation: Freq. Value
                7,445 ""
    
```

hh_code Status in houshold (code)

```

    type: numeric (byte)
    label: hh_code
    range: [1,3]          units: 1
unique values: 2          missing .: 0/7,445
    tabulation: Freq. Numeric Label
                7,137 1 old member
                 308 3 new member
    
```

hh_f Relationship with household head (not display)

```

    type: string (str78), but longest is str0
    
```

unique values: 0 missing "": 7,445/7,445
 tabulation: Freq. Value
 7,445 ""

hh_fcode Code of relationship with household head

type: numeric (byte)
 label: **hh_fcode**
 range: [1,37] units: 1
 unique values: 16 missing .: 0/7,445

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|--|
| | 1,506 | 1 | household head |
| | 1,176 | 3 | husband/Wife |
| | 140 | 5 | father/Mother |
| | 1,358 | 7 | son/daughther |
| | 40 | 9 | brother/sister/younger brother/younger sister |
| | 2,420 | 11 | grand son/grand daughter |
| | 6 | 17 | uncle,aunt of femal head |
| | 2 | 19 | grand parent:father side |
| | 2 | 21 | grand parent:mother side |
| | 38 | 23 | father/mother-in-law(of wife) |
| | 3 | 25 | father/mother-in-law(of husband) |
| | 468 | 27 | son/doughter-in-law |
| | 8 | 29 | sister in law/brother-in-law |
| | 51 | 31 | grandson/grand daughter-in-law |
| | 220 | 35 | relatives |
| | 7 | 37 | non-relatives |

hh_1 Relationship with child

type: string (str90), but longest is str86
 unique values: 194 missing "": 0/7,445
 examples: "ป"
 "พ่อ"
 "แม่"
 "เด็ก ก ก ก , ' ม ค ' ว อ ย ' 1 ง "
 warning: variable has embedded blanks

hh_lcode Code of relationship with child

type: numeric (byte)
 label: **hh_lcode**
 range: [0,21] units: 1
 unique values: 19 missing .: 0/7,445

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|--|
| | 1,504 | 0 | Sample children |
| | 1,364 | 1 | father / mother |
| | 21 | 2 | Stepfather / Stepmother (a person) |
| | 2 | 3 | Adoptive father / Adoptive mother |
| | 5 | 4 | Stepfather / Stepmother (both of them) |
| | 1,637 | 5 | grand parent : mother side |
| | 545 | 6 | grand parent : father side |
| | 771 | 7 | siblings |
| | 8 | 8 | half-siblings(same father) |

| | | |
|-----|----|------------------------------------|
| 118 | 9 | half-siblings (same mother) |
| 2 | 11 | Adoptive brother / Adoptive sister |
| 449 | 13 | uncle / aunt |
| 458 | 14 | cousin |
| 10 | 15 | grand son / grand daughter |
| 5 | 16 | sister in law / brother-in-law |
| 217 | 17 | great-grandparents (Mother's side) |
| 51 | 18 | great-grandparents (Father's side) |
| 276 | 19 | relatives |
| 2 | 21 | House tenant |

hh_ga **Household head**

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing .: 5,944/7,445

tabulation: Freq. Value
1,501 1
5,944 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
1 1 1 1 1
    
```

hh_gb **Target child**

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing .: 5,939/7,445

tabulation: Freq. Value
1,506 1
5,939 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
1 1 1 1 1
    
```

hh_gc **Primary caregiver**

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing .: 5,336/7,445

tabulation: Freq. Value
2,109 1
5,336 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
1 1 1 1 1
    
```

hh_gd **Father / Mother of child**

```

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 6,070/7,445

tabulation: Freq. Value
1,375 1
6,070 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
1 1 1 1 1
    
```

hh_ge Informant

```

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 5,685/7,445

tabulation: Freq. Value
1,760 1
5,685 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
1 1 1 1 1
    
```

hh_h Contact number (unavailable)

```

type: string (str11), but longest is str0
unique values: 0 missing "": 7,445/7,445

tabulation: Freq. Value
7,445 ""
    
```

hh_k Currently living at home?

```

type: numeric (byte)
label: hh_k
range: [1,3] units: 1
unique values: 2 missing .: 0/7,445

tabulation: Freq. Numeric Label
7,190 1 yes
255 3 no
    
```

hh_i Do you have savings?

```

type: numeric (byte)
label: hh_i
range: [1,3] units: 1
unique values: 2 missing .: 5,325/7,445
unique missing codes: 2 missing *: 13/7,445
    
```

```

tabulation:  Freq.  Numeric  Label
              720      1      yes
            1,387      3      no
            5,325      .
              13      .c
    
```

hh_j

Amount of deposit

```

type: numeric (int)
label: hh_j, but 77 nonmissing values are not labeled
range: [3,25000]
unique values: 77
unique missing codes: 3
units: 1
missing .: 6,712/7,445
missing *: 427/7,445
    
```

```

tabulation:  Freq.  Numeric  Label
              1      3
              1      30
              1      40
              2      45
              1      55
              1      90
              8     100
              2     110
              2     125
              7     150
             10     200
              1     210
              3     220
              8     250
              6     300
              2     350
              2     380
              3     400
              1     420
              3     440
              9     450
              1     460
              1     480
             17     500
              1     520
              2     550
              4     600
              3     650
              9     700
              1     750
              1     760
              2     800
              3     850
              7     900
              1     960
             21    1000
              1    1070
              2    1080
             10    1200
              3    1250
              2    1300
              1    1400
              2    1450
              9    1500
              1    1520
              4    1700
             27    2000
              1    2250
             10    2500
              2    2600
              1    2920
             14    3000
              2    3200
              2    3220
    
```



```

      1      3300
      6      3500
      6      3800
     12      4000
      1      4100
      1      4200
      1      4300
      3      4500
      1      4900
      6      5000
      1      5500
      1      5600
      1      5900
      6      6000
      1      6900
      6      7000
      1      7500
      4      8000
      1      9000
      1     10500
      1     15000
      1     18000
      1     25000
    6,712      .
     424      .c
      3      .d
  
```

blaf **Gender**

```

      type: numeric (byte)
      label: blaf

      range: [1,3]
unique values: 2
      units: 1
missing .: 0/7,445

      tabulation: Freq.  Numeric  Label
                  3,571      1  Male
                  3,874      3  Female
  
```

blag **Nationality**

```

      type: numeric (byte)
      label: blag

      range: [1,3]
unique values: 2
      units: 1
missing .: 0/7,445

      tabulation: Freq.  Numeric  Label
                  7,432      1  Thai
                  13         3  Other
  
```

blag_other **Other**

```

      type: string (str11)

unique values: 4
unique missing codes: 2
      missing "": 7,432/7,445
      missing *: 1/7,445

      tabulation: Freq.  Value
                  7,432  ""
                   2  "British"
                   9  "Laos"
                   1  "MI"
                   1  "Thai-Canana"
  
```

blah **Highest *education/present**

```

type: string (str96)
unique values: 157
unique missing codes: 1
missing "": 0/7,445
missing *: 76/7,445

examples: "j.4"
          "j.6"
          "y.4"
          "###."

warning: variable has leading, embedded, and trailing blanks
    
```

blah_code **Code of highest education/present**

```

type: numeric (byte)
label: blah_code

range: [1,75]
unique values: 30
unique missing codes: 2
units: 1
missing .: 0/7,445
missing *: 83/7,445
    
```

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|------------------------------------|
| | 800 | 1 | no education |
| | 172 | 3 | kindergarten 1 |
| | 139 | 5 | kindergarten 2 |
| | 22 | 7 | kindergarten 3 |
| | 105 | 9 | primary 1 |
| | 125 | 11 | primary 2 |
| | 111 | 13 | primary 3 |
| | 1,692 | 15 | primary 4 |
| | 75 | 17 | primary 5 |
| | 874 | 19 | primary 6 |
| | 39 | 21 | primary 7 |
| | 64 | 23 | lower secondary 1 |
| | 99 | 25 | lower secondary 2 |
| | 641 | 27 | lower secondary 3 |
| | 49 | 29 | upper secondary 1 |
| | 38 | 31 | upper secondary 2 |
| | 668 | 33 | upper secondary 3 |
| | 21 | 39 | highschool 3 (old system) |
| | 13 | 43 | highschool 5 (old system) |
| | 7 | 45 | vocational school year 1 |
| | 7 | 47 | vocational school year 2 |
| | 70 | 49 | vocational school year 3 |
| | 7 | 51 | high vocational school year 1 |
| | 151 | 53 | high vocational school year 2 |
| | 2 | 57 | Technical vocational certificate 2 |
| | 6 | 63 | Bachelor year 2 |
| | 215 | 67 | Bachelor year 4 |
| | 23 | 69 | Master degree |
| | 1,081 | 73 | Early childhood center |
| | 46 | 75 | Other |
| | 82 | .c | |
| | 1 | .d | |

blaj **Marital status**

```

type: numeric (byte)
label: blaj

range: [1,9]
unique values: 5
units: 1
missing .: 0/7,445
    
```

```

tabulation:  Freq.  Numeric  Label
              3,233      1  single
              3,497      3  married (both registered and
                          non-registered)
              147       5  divorced
              308       7  widowed
              260       9  separate (but keep the
                          relationship)
    
```

male

Male

```

type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .. 0/7,445

tabulation:  Freq.  Value
              3,874  0
              3,571  1
mean: .479651
std. dev: .499619

percentiles: 10% 25% 50% 75% 90%
              0  0  0  1  1
    
```

female

Female

```

type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .. 0/7,445

tabulation:  Freq.  Value
              3,571  0
              3,874  1
mean: .520349
std. dev: .499619

percentiles: 10% 25% 50% 75% 90%
              0  0  1  1  1
    
```

child

Child

```

type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .. 66/7,445

tabulation:  Freq.  Value
              4,560  0
              2,819  1
              66  .
mean: .38203
std. dev: .485917

percentiles: 10% 25% 50% 75% 90%
              0  0  0  1  1
    
```

adult

Adult

```

type: numeric (float)
    
```

```

    range: [0,1]                units: 1
unique values: 2                missing .: 66/7,445

  tabulation: Freq. Value
              3,783  0
              3,596  1
              66    .
    mean:    .487329
  std. dev:  .499873

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        1
    
```

elder **Elder**

```

    type: numeric (float)

    range: [0,1]                units: 1
unique values: 2                missing .: 66/7,445

  tabulation: Freq. Value
              6,459  0
              920   1
              66    .
    mean:    .124678
  std. dev:  .330376

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

age **Member's age (year)**

```

    type: numeric (double)

    range: [.03,92.58]          units: .01
unique values: 959             missing .: 66/7,445

    mean:    30.4813
  std. dev:  23.4154

percentiles:      10%      25%      50%      75%      90%
                  3.41     5.83     28.75    51.91    62.33
    
```

note_cleaner **data cleaner note (not display)**

```

    type: string (str174), but longest is str0

unique values: 0                missing "": 7,445/7,445

  tabulation: Freq. Value
              7,445  ""
    
```

survey_name **Survey name**

```

    type: string (str12)

unique values: 1                missing "": 0/7,445

  tabulation: Freq. Value
              7,445  "RESURVEY2017"
    
```

year_survey

year survey

type: numeric (**float**)
range: [2017,2017] units: 1
unique values: 1 missing .: 0/7,445

tabulation: Freq. Value
7,445 2017
mean: 2017
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
2017 2017 2017 2017 2017

2 . log close
name: <unnamed>
log: X:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\hh_member.sml
log type: smcl
closed on: 29 May 2024, 16:05:30
