



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\a1.smcl
log type: smcl
opened on: 30 May 2024, 14:30:06

```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\a1_run.dta
Last saved: 30 May 2024 14:28
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 155
Number of observations: 4,237
Size: 18,769,910 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                    NA
                  .c                    DK
                  .d                    MI

```

hhid **household id**

```

type: string (str15)
unique values: 1,182 missing "": 0/4,237
examples: "201591161003009"
           "201691131006125"
           "201691160106012"
           "201691161708089"

```

iyear **year**

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/4,237
tabulation: Freq. Value
             1,497 "2015"
             2,740 "2016"

```

prov **province**

```

type: string (str2)

```

unique values: 2 missing "": 0/4,237
 tabulation: Freq. Value
 3,849 "91"
 388 "93"

amp

amphoe

type: string (str2)
 unique values: 7 missing "": 0/4,237
 tabulation: Freq. Value
 388 "12"
 722 "13"
 333 "14"
 438 "15"
 1,572 "16"
 115 "17"
 669 "18"

tam

tambon

type: string (str2)
 unique values: 15 missing "": 0/4,237
 tabulation: Freq. Value
 209 "01"
 645 "02"
 390 "04"
 150 "05"
 172 "06"
 183 "07"
 169 "08"
 297 "09"
 362 "10"
 274 "11"
 430 "13"
 139 "14"
 401 "15"
 260 "17"
 156 "19"

moo

moo

type: string (str2)
 unique values: 21 missing "": 0/4,237
 tabulation: Freq. Value
 446 "01"
 201 "02"
 398 "03"
 465 "04"
 332 "05"
 472 "06"
 214 "07"
 439 "08"
 277 "09"
 203 "10"
 169 "11"
 108 "12"
 120 "13"
 18 "14"
 26 "15"

```

113 "16"
 31 "17"
 39 "18"
 92 "19"
 56 "22"
 18 "24"

```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/4,237
examples: "010"
           "034"
           "068"
           "134"

```

memberid **Member ID in the household**

```

type: string (str5), but longest is str3
unique values: 12           missing "": 0/4,237
tabulation: Freq. Value
              17 "H10"
               9 "H11"
               2 "H12"
               1 "H13"
            1,085 "H2"
            1,054 "H3"
             795 "H4"
             576 "H5"
             364 "H6"
             195 "H7"
              99 "H8"
              40 "H9"

```

nickname **Nickname (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0           missing "": 4,237/4,237
tabulation: Freq. Value
             4,237 ""

```

alive **Is this members still alive**

```

type: numeric (byte)
label: alive
range: [1,3]           units: 1
unique values: 2       missing .: 0/4,237
tabulation: Freq. Numeric Label
             4,223      1 live
              14       3 dead

```

istudy2 **In the past 1 month, did you go to any school**

```

type: numeric (byte)
label: istudy2

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 14/4,237
missing *: 10/4,237

```

```

tabulation: Freq.  Numeric  Label
             673      1  yes
             3,540    3  no
              14      .
               5      .a
               5      .d

```

iwork2

In the past 1 month, did you work as a wage worker, trader, farmer (excluding h

```

type: numeric (byte)
label: iwork2

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 14/4,237
missing *: 10/4,237

```

```

tabulation: Freq.  Numeric  Label
             2,730    1  yes
             1,483    3  no
              14      .
               5      .a
               5      .d

```

dmonthwork2_1

In the past 1 month, how many days on average do you go to school or work per mo

```

type: numeric (byte)

range: [1,30]
unique values: 30
unique missing codes: 4

units: 1
missing .: 860/4,237
missing *: 50/4,237

```

```

tabulation: Freq.  Value
             24     1
             44     2
             49     3
             67     4
             39     5
             23     6
             30     7
             22     8
             18     9
             58    10
             16    11
             29    12
             16    13
             18    14
             72    15
             10    16
             27    17
             15    18
               6    19
             63    20
             11    21
            718    22
               6    23
             19    24
             17    25
            300    26
               9    27

```

```

          30 28
          6 29
    1,565 30
          860 .
           5 .a
           27 .c
           18 .d
    mean: 23.8557
    std. dev: 8.03886

percentiles:      10%      25%      50%      75%      90%
                  10       22       26       30       30
    
```

dmonthwork2_hr

In the past 1 month, how many hours on average per day do you go to school or w

```

    type: numeric (byte)
    range: [0,18]
    unique values: 19
    unique missing codes: 3
    units: 1
    missing .: 865/4,237
    missing *: 136/4,237
    
```

```

    tabulation: Freq. Value
                 41  0
                 149  1
                 145  2
                 162  3
                 149  4
                 119  5
                 172  6
                 356  7
                 579  8
                 725  9
                 285 10
                 126 11
                 89  12
                 62  13
                 39  14
                 26  15
                 8   16
                 1   17
                 3   18
                 865 .
                 119 .c
                 17  .d
    mean: 7.42954
    std. dev: 3.1542
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  2       6       8       9       11
    
```

dmonthwork2_mi

In the past 1 month, how many hours on average per day do you go to school or w

```

    type: numeric (byte)
    range: [0,55]
    unique values: 14
    unique missing codes: 3
    units: 1
    missing .: 865/4,237
    missing *: 136/4,237
    
```

```

tabulation:  Freq.  Value
              2,230  0
              1    2
              1    4
              6    5
              1    8
              11   10
              1   12
              5   15
              8   20
              958  30
              5   40
              5   45
              3   50
              1   55
              865  .
              119  .c
              17   .d
    mean:     9.19994
    std. dev: 13.8747
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

isleep2_hr

In the past 1 month, how many hours on average do you sleep per day (unit: hour)

```

type: numeric (byte)
range: [2,16]
unique values: 14
unique missing codes: 4
units: 1
missing .: 14/4,237
missing *: 174/4,237
    
```

```

tabulation:  Freq.  Value
              3    2
              9    3
              27   4
              56   5
              203  6
              633  7
              1,194 8
              1,173 9
              572 10
              133 11
              32  12
              8   13
              4   14
              2   16
              14  .
              5   .a
              163 .c
              6   .d
    mean:     8.38182
    std. dev: 1.38506
    
```

```

percentiles:    10%    25%    50%    75%    90%
                7      8      8      9     10
    
```

isleep2_mi

In the past 1 month, how many hours on average do you sleep per day (unit: minut)

```

type: numeric (byte)
range: [0,50]
unique values: 9
unique missing codes: 4
units: 1
missing .: 14/4,237
missing *: 174/4,237
    
```

```

tabulation:  Freq.  Value
              2,716  0
              1    1
              2   10
              4   15
              2   20
            1,319  30
              2   40
              2   45
              1   50
              14  .
              5  .a
            163  .c
              6  .d
    mean:      9.857
    std. dev:  14.105

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        30       30
    
```

iactivity2a_hr
In the past 1 month, on school day/working day how many hours on average per day

```

type: numeric (byte)

range: [0,16]          units: 1
unique values: 17      missing .: 14/4,237
unique missing codes: 5  missing *: 1,158/4,237
    
```

```

tabulation:  Freq.  Value
              392  0
            1,534  1
              573  2
              239  3
              115  4
              84  5
              52  6
              24  7
              30  8
               4  9
               4  10
               3  11
               2  12
               5  13
               1  14
               2  15
               1  16
              14  .
               5  .a
            846  .b
            269  .c
              38  .d
    mean:      1.71452
    std. dev:  1.7136

percentiles:      10%      25%      50%      75%      90%
                  0        1        1        2        4
    
```

iactivity2a_mi
In the past 1 month, on school day/working day how many hours on average per day

```

type: numeric (byte)

range: [0,45]          units: 1
unique values: 13      missing .: 14/4,237
unique missing codes: 5  missing *: 1,158/4,237
    
```

```

tabulation:  Freq.  Value
              2,329  0
               1  1
               2  3
               2  5
               1  8
               8 10
               6 15
               9 20
               1 22
              698 30
               2 35
               1 40
               5 45
               14 .
                5 .a
              846 .b
              269 .c
               38 .d
    mean:      7.0708
  std. dev:   12.7168

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      30
    
```

iactivity2b_hr

In the past 1 month, on holiday how many hours on average per day do you spend o

```

type: numeric (byte)

range: [0,19]          units: 1
unique values: 20      missing .: 14/4,237
unique missing codes: 5  missing *: 1,793/4,237

tabulation:  Freq.  Value
              109  0
              367  1
              420  2
              309  3
              161  4
              130  5
               67  6
               34  7
               46  8
                7  9
               27 10
               17 11
               48 12
              124 13
              271 14
              199 15
               67 16
               17 17
                7 18
                3 19
               14 .
                5 .a
             1,565 .b
              205 .c
               18 .d
    mean:      6.36502
  std. dev:   5.58357

percentiles:  10%    25%    50%    75%    90%
              1      2      4      13    15
    
```


iactivity2b_mi

In the past 1 month, on holiday how many hours on average per day do you spend o

```

type: numeric (byte)
range: [0,50]
unique values: 12
unique missing codes: 5
units: 1
missing .: 14/4,237
missing *: 1,793/4,237
    
```

```

tabulation: Freq. Value
            1,609 0
              1 1
              1 3
              3 5
              1 10
              1 15
              1 20
             804 30
              2 35
              3 40
              3 45
              1 50
             14 .
              5 .a
            1,565 .b
             205 .c
              18 .d
mean:      10.1066
std. dev:  14.2325
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        30       30
    
```

farming3

Since previous interview, have you ever done agriculture

```

type: numeric (byte)
label: farming3
range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .: 725/4,237
missing *: 10/4,237
    
```

```

tabulation: Freq. Numeric Label
            2,367      1 yes
            1,135      3 no
             725      .
              5      .a
              5      .d
    
```

livestock3

Since previous interview, have you ever done livestock

```

type: numeric (byte)
label: livestock3
range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .: 725/4,237
missing *: 10/4,237
    
```

```

tabulation: Freq. Numeric Label
            1,524      1 yes
            1,978      3 no
             725      .
              5      .a
              5      .d
    
```

bussowner3

Since previous interview, have you ever done owner of business/store tha tnot ra

```

type: numeric (byte)
label: bussowner3

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 725/4,237
missing *: 10/4,237

tabulation: Freq.  Numeric  Label
              758      1  yes
              2,744    3  no
              725      .
              5        .a
              5        .d
    
```

contractwork3

Since previous interview, Have you got wage from paid work

```

type: numeric (byte)
label: contractwork3

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 725/4,237
missing *: 10/4,237

tabulation: Freq.  Numeric  Label
              1,454    1  yes
              2,048    3  no
              725      .
              5        .a
              5        .d
    
```

position3_1

Job 1, please specify the job title/position (not display)

```

type: string (str156), but longest is str0
unique values: 0
missing "": 4,237/4,237

tabulation: Freq.  Value
              4,237  ""
    
```

jcode3_1

Job ID 1

```

type: string (str3)
unique values: 6
missing "": 2,782/4,237

tabulation: Freq.  Value
              2,782  ""
                1  "J1"
                1  "J13"
              1,295  "J4"
                144  "J5"
                 11  "J6"
                 3  "J7"
    
```

typework3_1

Type of work (job 1)

```

type: numeric (byte)
label: typework3_1
    
```

range: [1,7] units: 1
 unique values: 4 missing .: 2,783/4,237
 unique missing codes: 2 missing *: 1/4,237

tabulation:	Freq.	Numeric	Label
	50	1	Government officer/state enterprise employee
	294	3	Temporary government worker/temporary state enterprise worker
	531	5	Regular company employee
	578	7	Temporary company worker, seasonal hired
	2,783	.	
	1	.d	

monthwork3_1 Since previous interview, how many months have you worked on this job

type: numeric (byte)

range: [1,16] units: 1
 unique values: 16 missing .: 2,783/4,237
 unique missing codes: 3 missing *: 20/4,237

tabulation:	Freq.	Value
	151	1
	72	2
	61	3
	35	4
	38	5
	40	6
	26	7
	29	8
	36	9
	35	10
	62	11
	779	12
	48	13
	12	14
	8	15
	2	16
	2,783	.
	19	.c
	1	.d

mean: 9.14226
 std. dev: 4.26634

percentiles:	10%	25%	50%	75%	90%
	1	6	12	12	12

daywork3_1 Since previous interview, how many days per month have you worked on this job

type: numeric (byte)

range: [1,30] units: 1
 unique values: 30 missing .: 2,783/4,237
 unique missing codes: 3 missing *: 64/4,237

```

tabulation:  Freq.  Value
              33    1
              68    2
              81    3
              72    4
              54    5
              22    6
              39    7
               7    8
               9    9
              55   10
              16   11
              11   12
               4   13
               7   14
              63   15
               6   16
               4   17
               2   18
               5   19
              50   20
               4   21
             196   22
               4   23
               7   24
              17   25
             285   26
               7   27
              19   28
               6   29
             237   30
            2,783  .
               63  .c
                1  .d
    mean:      18.1698
    std. dev:  10.1576
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  3         7         22        26        30
    
```

pmonthwork3_1

Since previous interview, how much on average have you earned from this job per

```

type: numeric (long)
range: [0,100000]          units: 1
unique values: 213        missing .: 2,783/4,237
unique missing codes: 4   missing *: 227/4,237

mean: 6562.1
std. dev: 6692.12

percentiles:      10%      25%      50%      75%      90%
                  600     1720     6000     9000     12000
    
```

pyearwork3_1

Since previous interview, how much have you additionally earned from this job in

```

type: numeric (long)
range: [0,360000]        units: 1
unique values: 58        missing .: 2,783/4,237
unique missing codes: 4   missing *: 252/4,237
    
```

```

tabulation:  Freq.  Value
              1,117  0
                1  100
                1  250
                1  300
                1  350
                1  450
                1  600
                3 1000
                3 1500
                3 2000
                1 2150
                1 2500
                1 2600
                3 3000
                1 3600
                1 3700
                1 4125
                1 4800
                4 5000
                1 5400
                3 5500
                1 6000
                2 6600
                1 6837
                2 9000
                4 10000
                1 12000
                2 13000
                1 14000
                1 15319
                1 15480
                1 16000
                1 16800
                1 18000
                1 19000
                3 20000
                1 20250
                1 24000
                1 26026
                2 29200
                2 30000
                1 36000
                2 37440
                1 44000
                1 45000
                1 47859
                1 58500
                1 59280
                1 59400
                1 60000
                2 62400
                1 63000
                1 66000
                2 72000
                1 77400
                1 84000
                2 100000
                2 360000
          2,783  .
                2  .a
           249  .c
                1  .d
    mean:      2112.61
std. dev:    17012.7

percentiles:  10%      25%      50%      75%      90%
               0        0        0        0        0
    
```

position3_2 **Job 2, please specify the job title/position (not display)**

type: string (**str157**), but longest is str0
 unique values: 0 missing "": 4,237/4,237
 tabulation: Freq. Value
 4,237 ""

jcode3_2 **Job ID 2**

type: string (**str2**)
 unique values: 5 missing "": 4,083/4,237
 tabulation: Freq. Value
 4,083 ""
 1 "J4"
 119 "J5"
 29 "J6"
 4 "J7"
 1 "J8"

typework3_2 **Work status (job 2)**

type: numeric (**byte**)
 label: **typework3_2**
 range: [3,7] units: 1
 unique values: 3 missing .: 4,083/4,237
 unique missing codes: 2 missing *: 1/4,237
 tabulation: Freq. Numeric Label
 39 3 Temporary government
 worker/temporary state
 enterprise worker
 53 5 Regular company employee
 61 7 Temporary company worker,
 seasonal hired
 4,083 .
 1 .d

monthwork3_2 **Since previous interview, how many months have you worked on this job**

type: numeric (**byte**)
 range: [1,15] units: 1
 unique values: 14 missing .: 4,083/4,237
 unique missing codes: 2 missing *: 4/4,237
 tabulation: Freq. Value
 18 1
 12 2
 23 3
 7 4
 11 5
 10 6
 3 7
 4 8
 4 9
 2 10
 2 11
 47 12
 6 13

```

          1 15
    4,083 .
          4 .c
    mean:  6.94667
    std. dev: 4.45528

    percentiles:    10%    25%    50%    75%    90%
                   1      3      6     12     12
    
```

daywork3_2

Since previous interview, how many days per month have you worked on this job

```

    type: numeric (double)
    range: [0,30]
    unique values: 21
    unique missing codes: 2
    units: .1
    missing .: 4,083/4,237
    missing *: 8/4,237
    
```

```

    tabulation: Freq. Value
                1 0
                6 1
               11 2
                9 3
                6 4
                2 5
                1 5.5
                1 6
                9 7
                1 8
                9 10
                2 12
                6 15
                1 16
                5 20
               13 22
                4 25
               19 26
                1 27
                4 28
               35 30
            4,083 .
                8 .c
    mean: 17.5377
    std. dev: 11.0603
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   2      6     22     28     30
    
```

pmonthwork3_2

Since previous interview, how much on average have you earned from this job per

```

    type: numeric (long)
    range: [0,36000]
    unique values: 59
    unique missing codes: 2
    units: 1
    missing .: 4,083/4,237
    missing *: 28/4,237
    
```

```

tabulation:  Freq.  Value
              4      0
              2     120
              1     175
              2     240
              1     300
              1     400
              1     500
              1     550
             20     600
              1     800
              1     825
              4     900
              1    1000
              1    1050
              2    1200
              1    1376
              1    1500
              1    1800
              1    2000
              1    2025
              3    2100
              1    2250
              6    2500
              1    2640
              3    3000
              1    4000
              1    4500
              1    4840
              4    5000
              1    5200
              4    5500
              8    6000
              1    6500
              2    6600
              1    7000
              1    7560
              1    7700
              3    7800
              1    7930
              4    8000
              3    8060
              2    8250
              2    8320
              1    8400
              1    8500
              1    8580
              1    8910
              1    8960
              6    9000
              3   10000
              1   10400
              1   10500
              1   11000
              1   11667
              1   13000
              1   15000
              1   21667
              1   25000
              1   36000
            4,083  .
              28  .c
    mean:      4928.13
std. dev:    5174.05

percentiles:    10%    25%    50%    75%    90%
                550    600    4250    8000    9000
    
```


pyearwork3_2

Since previous interview, how much have you additionally earned from this job in

```

type: numeric (int)
range: [0,7500]           units: 1
unique values: 6         missing .: 4,083/4,237
unique missing codes: 2  missing *: 20/4,237

tabulation: Freq. Value
             128  0
             1   928
             1  1400
             2  3500
             1  6000
             1  7500
            4,083  .
             20  .c
mean:       170.358
std. dev:   932.626

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

position3_3

Job 3, please specify the job title/position (not display)

```

type: string (str81), but longest is str0
unique values: 0           missing "": 4,237/4,237

tabulation: Freq. Value
            4,237  ""
    
```

jcode3_3

Job ID 3

```

type: string (str2)
unique values: 4           missing "": 4,227/4,237

tabulation: Freq. Value
            4,227  ""
             1   "J5"
             5   "J6"
             3   "J7"
             1   "J8"
    
```

typework3_3

Work status (job 3)

```

type: numeric (byte)
label: typework3_3
range: [3,7]           units: 1
unique values: 3       missing .: 4,227/4,237

tabulation: Freq. Numeric Label
            2           3 Temporary government
                               worker/temporary state
                               enterprise worker
            3           5 Regular company employee
            5           7 Temporary company worker,
                               seasonal hired
            4,227      .
    
```

monthwork3_3 Since previous interview, how many months have you worked on this job

```

type: numeric (byte)
range: [1,15] units: 1
unique values: 7 missing .: 4,227/4,237

tabulation: Freq. Value
              1 1
              1 3
              1 7
              1 8
              4 12
              1 13
              1 15
            4,227 .
mean: 9.5
std. dev: 4.60072

percentiles: 10% 25% 50% 75% 90%
              2 7 12 12 14
    
```

daywork3_3 Since previous interview, how many days per month have you worked on this job

```

type: numeric (byte)
range: [2,30] units: 1
unique values: 9 missing .: 4,227/4,237
unique missing codes: 2 missing *: 1/4,237

tabulation: Freq. Value
              1 2
              1 4
              1 5
              1 8
              1 15
              1 21
              1 22
              1 27
              1 30
            4,227 .
              1 .c
mean: 14.8889
std. dev: 10.5646

percentiles: 10% 25% 50% 75% 90%
              2 5 15 22 30
    
```

pmonthwork3_3 Since previous interview, how much on average have you earned from this job per

```

type: numeric (int)
range: [0,10800] units: 10
unique values: 10 missing .: 4,227/4,237
    
```

```

tabulation:  Freq.  Value
              1    0
              1   300
              1   600
              1  1200
              1  2400
              1  5940
              1  6930
              1  9150
              1 10000
              1 10800
              4,227 .
mean:        4732
std. dev:    4312.81

percentiles: 10%    25%    50%    75%    90%
              150    600    4170   9150  10400
    
```

pyearwork3_3

Since previous interview, how much have you additionally earned from this job in

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 4,227/4,237
missing *: 1/4,237

tabulation:  Freq.  Value
              9    0
              4,227 .
              1   .c
mean:        0
std. dev:    0

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     0
    
```

money4_1 Since previous interview, did you receive financial assistance from outside

```

type: numeric (byte)
label: money4_1
range: [1,3]
unique values: 2
unique missing codes: 4
units: 1
missing .: 14/4,237
missing *: 15/4,237

tabulation:  Freq.  Numeric  Label
              1,447    1    yes
              2,761    3    no
              14      .
              5      .a
              4      .c
              6      .d
    
```

getmoney4_1

Total amount (THB)

```

type: numeric (long)
range: [30,701500]
unique values: 252
unique missing codes: 3
units: 1
missing .: 2,790/4,237
missing *: 100/4,237

mean: 46810.5
std. dev: 62041.5
    
```



```

5 3500
2 3750
1 3900
6 4000
6 4500
4 5000
2 5400
1 5500
4 6000
2 7000
1 7150
1 7200
1 7500
1 8000
2 9000
6 10000
1 10500
1 11000
4 12000
1 13000
1 15000
5 18000
1 19600
5 24000
2 25000
1 26000
1 27500
1 30000
1 32500
1 34000
1 35000
1 39130
1 40000
1 48000
2 60000
1 72000
1 90000
1 91000
1 99600
1 104000
3 120000
1 140000
3,962 .
81 .c
mean: 11163.8
std. dev: 23728.9

percentiles:      10%      25%      50%      75%      90%
                  450      1000     3000     9000     26000

```

object4_2

Since previous interview, have you provided any goods to anyone outside your hou

```

type: numeric (byte)
label: object4_2

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 14/4,237
missing *: 14/4,237

tabulation: Freq.  Numeric  Label
             393      1  yes
             3,816    3  no
              14      .
              5      .a
              3      .c
              6      .d

```

asset5a **Do you have any commercial bank savings account**

```

type: numeric (byte)
label: asset5a

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 14/4,237
missing *: 201/4,237

tabulation: Freq. Numeric Label
            1,557      1  yes
            2,465      3  no
             14         .
              7         .a
            189         .c
              5         .d
    
```

asset5a_account **Total accounts**

```

type: numeric (byte)

range: [1,6]
unique values: 6
unique missing codes: 3

units: 1
missing .: 2,679/4,237
missing *: 38/4,237

tabulation: Freq. Value
            1,296      1
             171      2
              43      3
               5      4
                4      5
                 1      6
            2,679      .
                 1      .a
                 37      .c
mean:      1.19276
std. dev:  .526156

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         1         2
    
```

asset5a_balance **The current account balance for all accounts (THB)**

```

type: numeric (long)

range: [0,1000000]
unique values: 85
unique missing codes: 3

units: 1
missing .: 2,679/4,237
missing *: 958/4,237

tabulation: Freq. Value
            244      0
              1      1
              1     13
              1     20
              1     27
              1     38
              1     40
              1     50
              1     67
              1     70
              1     72
              1     75
              1     80
              1     86
              1     95
             11    100
    
```

4	150
15	200
3	250
11	300
1	353
2	400
2	450
42	500
3	600
1	650
1	700
2	800
1	950
20	1000
1	1083
2	1100
1	1150
1	1200
1	1300
2	1400
9	1500
1	1600
1	1700
26	2000
8	2500
10	3000
2	3500
1	3800
6	4000
1	4200
6	4500
1	4700
18	5000
1	5300
6	5500
6	6000
1	6300
2	6500
2	7000
1	8000
1	8500
1	9000
23	10000
1	10200
1	12000
1	13000
1	13550
7	15000
13	20000
1	21000
3	25000
1	27000
7	30000
4	35000
1	38000
5	40000
1	45000
6	50000
5	55000
2	60000
1	61000
1	70000
1	90000
6	100000
5	150000
1	200000
3	250000
2	300000
1	1000000
2,679	.
115	.a
843	.c

mean: 11160.5
 std. dev: 51628.4
 percentiles: 10% 25% 50% 75% 90%
 0 0 300 4350 20000

asset5b

Do you have any savings account with the Bank for Agriculture and Agricultural c

type: numeric (byte)
 label: asset5b
 range: [1,3] units: 1
 unique values: 2 missing .: 14/4,237
 unique missing codes: 4 missing *: 123/4,237

tabulation:	Freq.	Numeric	Label
	1,978	1	yes
	2,122	3	no
	14	.	
	7	.a	
	111	.c	
	5	.d	

asset5b_account

Number of accounts

type: numeric (byte)
 range: [1,4] units: 1
 unique values: 4 missing .: 2,258/4,237
 unique missing codes: 2 missing *: 8/4,237

tabulation:	Freq.	Value
	1,934	1
	24	2
	11	3
	2	4
	2,258	.
	8	.c

mean: 1.02638
 std. dev: .207264

percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 1

asset5b_balance

The current account balance for all accounts (THB)

type: numeric (long)
 range: [0,700000] units: 1
 unique values: 86 missing .: 2,258/4,237
 unique missing codes: 3 missing *: 1,004/4,237

tabulation:	Freq.	Value
	354	0
	1	15
	1	35
	1	36
	2	50
	1	56
	1	60
	1	70
	1	81
	1	84
	26	100
	1	110

1 130
1 140
2 150
1 190
1 198
14 200
7 250
11 300
6 400
2 450
146 500
7 550
8 600
1 650
6 700
9 800
5 900
1 950
65 1000
4 1200
2 1300
1 1400
17 1500
2 1600
2 1700
2 1800
1 1900
30 2000
1 2300
12 2500
2 2700
25 3000
1 3453
7 3500
12 4000
6 4500
1 4504
15 5000
2 5500
1 5700
3 6000
4 6500
9 7000
2 7500
3 8000
5 9000
32 10000
1 10500
1 10900
1 11000
3 12000
1 14000
6 15000
1 18000
1 19000
24 20000
1 23000
6 25000
2 27000
1 29000
8 30000
5 35000
3 40000
1 45000
3 50000
2 55000
2 60000
1 67000
7 100000
1 130000
1 140000
1 160000

```

          1 200000
          1 700000
    2,258 .
      99 .a
      905 .c
    mean: 5242.22
    std. dev: 26923.9

percentiles:    10%    25%    50%    75%    90%
                0      0      500   2000   10000
    
```

asset5c Do you have any savings with any cooperative as cooperative deposits or stocks

```

    type: numeric (byte)
    label: asset5c

    range: [1,3]
    unique values: 2
    unique missing codes: 4

    units: 1
    missing .: 14/4,237
    missing *: 125/4,237

    tabulation:  Freq.  Numeric  Label
                 270     1      yes
                 3,828   3      no
                 14     .
                 7      .a
                 113    .c
                 5      .d
    
```

asset5c_balance The current account balance from all accounts (THB)

```

    type: numeric (long)

    range: [0,700000]
    unique values: 41
    unique missing codes: 3

    units: 10
    missing .: 3,967/4,237
    missing *: 183/4,237

    tabulation:  Freq.  Value
                 9      0
                 2     100
                 1     200
                 2     300
                 1     400
                 4     500
                 2     600
                 1     750
                 3    1000
                 1    1700
                 4    2000
                 1    2600
                 3    3000
                 1    3500
                 1    3800
                 1    4000
                 3    5000
                 3    6000
                 1    7000
                 1    8000
                 7   10000
                 1   11000
                 1   11500
                 1   15000
                 1   16000
                 1   18500
                 3   19000
                 5   20000
                 4   30000
                 2   35000
                 1   36000
    
```

```

          4 40000
          2 50000
          1 55000
          2 60000
          1 70000
          1 100100
          1 190000
          1 250000
          1 550000
          1 700000
    3,967 .
         11 .a
         172 .c
    mean: 33437.4
    std. dev: 99005.3

```

```

percentiles:    10%    25%    50%    75%    90%
                 0      750    7000   30000  55000

```

asset5d

Are you a member of a community grocey store cooperative fund / any other villag

```

    type: numeric (byte)
    label: asset5d

    range: [1,3]
    unique values: 2
    unique missing codes: 4

    units: 1
    missing .: 14/4,237
    missing *: 110/4,237

```

```

tabulation:  Freq.  Numeric  Label
              872      1  yes
              3,241    3  no
               14      .
               7       .a
               98      .c
               5       .d

```

asset5d_balance

The current account balance from all accounts (THB)

```

    type: numeric (long)

    range: [0,60000]
    unique values: 75
    unique missing codes: 3

    units: 10
    missing .: 3,365/4,237
    missing *: 616/4,237

```

```

tabulation:  Freq.  Value
              24      0
               2      40
               2      50
              15     100
               3     120
               6     200
               1     240
               2     250
               3     300
               1     350
               1     360
               1     400
               3     450
               2     480
              13     500
               5     600
               1     650
               2     700
               2     750
               1     800
               1     900
              13    1000

```

```

1 1100
4 1200
1 1280
2 1300
3 1400
5 1500
1 1600
1 1660
2 1700
1 1900
9 2000
1 2020
2 2400
13 2500
1 2700
11 3000
1 3200
7 3500
1 3550
2 3600
1 3700
7 4000
2 4500
1 4800
9 5000
4 5500
2 6000
1 6200
1 6500
2 6600
1 7000
5 7500
1 7600
1 8480
1 8500
3 9000
8 10000
1 11000
4 12000
3 13000
1 13500
2 14000
1 14200
2 14500
2 15000
1 16000
5 20000
1 22000
4 25000
2 30000
1 36000
2 50000
1 60000
3,365 .
12 .a
604 .c
mean: 4807.58
std. dev: 8083.29

percentiles:    10%    25%    50%    75%    90%
                40     465   2000   5000   13000

```

asset5e **Do you have any savings with a school or child development center**

```

type: numeric (byte)
label: asset5e

```

range: [1,3] units: 1
 unique values: 2 missing .: 14/4,237
 unique missing codes: 4 missing *: 90/4,237

tabulation:	Freq.	Numeric	Label
	248	1	yes
	3,885	3	no
	14	.	.
	7	.a	.a
	78	.c	.c
	5	.d	.d

asset5e_balance

The current total balance (THB)

type: numeric (long)

range: [100,80000] units: 10
 unique values: 35 missing .: 3,989/4,237
 unique missing codes: 2 missing *: 188/4,237

tabulation:	Freq.	Value
	1	100
	5	200
	3	250
	1	300
	1	350
	1	400
	1	450
	2	500
	1	510
	1	550
	1	600
	2	700
	1	900
	1	960
	3	1000
	3	1300
	3	1500
	1	1600
	1	1900
	1	2000
	1	2300
	2	2400
	2	2500
	1	2900
	7	3000
	3	3500
	1	3800
	1	4500
	2	5000
	1	5300
	1	6000
	1	7500
	1	7900
	1	8000
	1	80000
	3,989	.
	188	.c
mean:	3427.83	
std. dev:	10246.1	

percentiles:	10%	25%	50%	75%	90%
	225	505	1500	3000	5150

asset6

Specify other financial assets (not display)

type: string (str141), but longest is str0

unique values: 0 missing "": 4,237/4,237
 tabulation: Freq. Value
 4,237 ""

asset6e Do you have any other financial assets

type: numeric (byte)
 label: **asset6e**
 range: [1,1] units: 1
 unique values: 1 missing .: 4,233/4,237
 tabulation: Freq. Numeric Label
 4 1 yes
 4,233 .

asset6e_balance The current total balance (THB)

type: numeric (long)
 range: [4500,4500] units: 100
 unique values: 1 missing .: 4,233/4,237
 unique missing codes: 2 missing *: 3/4,237
 tabulation: Freq. Value
 1 4500
 4,233 .
 3 .c
 mean: 4500
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%
 4500 4500 4500 4500 4500

grf6a Since previous interview, do you have sharing ROSCA money between friends or acq

type: numeric (byte)
 label: **grf6a**
 range: [1,3] units: 1
 unique values: 2 missing .: 15/4,237
 unique missing codes: 4 missing *: 14/4,237
 tabulation: Freq. Numeric Label
 18 1 yes
 4,190 3 no
 15 .
 5 .a
 4 .c
 5 .d

grf6b Since previous interview, how much have you paid for all ROSCA groups (THB)

type: numeric (long)
 range: [0,144000] units: 10
 unique values: 14 missing .: 4,219/4,237
 unique missing codes: 2 missing *: 4/4,237

```

tabulation:  Freq.  Value
              1    0
              1  2400
              1  3500
              1  4000
              1  6000
              1 10000
              1 12000
              1 17840
              1 22400
              1 36000
              1 46000
              1 65000
              1 72000
              1 144000
            4,219  .
              4  .c
    mean:      31510
    std. dev:  39991.1

percentiles:    10%    25%    50%    75%    90%
                2400    4000   14920  46000  72000
    
```

grf6c Since previous interview, how much have you received from all ROSCA groups (THB)

```

type: numeric (long)
range: [0,107000]
unique values: 11
unique missing codes: 2
units: 100
missing .: 4,219/4,237
missing *: 4/4,237

tabulation:  Freq.  Value
              4    0
              1  5500
              1 10000
              1 14000
              1 20000
              1 22000
              1 24000
              1 34000
              1 50000
              1 100000
              1 107000
            4,219  .
              4  .c
    mean:      27607.1
    std. dev:  35323.9

percentiles:    10%    25%    50%    75%    90%
                0      0     17000  34000  100000
    
```

smoke7 Since previous interview, do you smoke cigarettes/tobacco

```

type: numeric (byte)
label: smoke7
range: [1,3]
unique values: 2
unique missing codes: 4
units: 1
missing .: 14/4,237
missing *: 11/4,237

tabulation:  Freq.  Numeric  Label
              710     1  yes
            3,502     3  no
              14      .
              5      .a
              1      .c
              5      .d
    
```

alcohol8 Since previous interview, have you drunk any alcohol (once a month on average)

```

type: numeric (byte)
label: alcohol8

range: [1,3]                units: 1
unique values: 2            missing .: 14/4,237
unique missing codes: 4    missing *: 11/4,237

tabulation:  Freq.  Numeric  Label
              746    1       yes
              3,466  3       no
              14     .
              5     .a
              1     .c
              5     .d
    
```

disease9 Do you have any congenital disease or chronic disease currently

```

type: numeric (byte)
label: disease9

range: [1,3]                units: 1
unique values: 2            missing .: 14/4,237
unique missing codes: 4    missing *: 12/4,237

tabulation:  Freq.  Numeric  Label
              265    1       yes
              3,946  3       no
              14     .
              5     .a
              2     .c
              5     .d
    
```

disease9_1 Additional code for congenital disease or chronic disease (disease 1)

```

type: numeric (byte)
label: disease9_1

range: [1,99]              units: 1
unique values: 28          missing .: 3,972/4,237

tabulation:  Freq.  Numeric  Label
              34     1       Diabetes
              16     3       Thyroid/Goiter
              42     5       Hypertension
              18     7       Heart disease
              7      9       Dyslipidemia/high cholesterol
              5     11      Ischemic Stroke
              4     13      Cancer
              2     21      Seizures/epilepsy
              4     23      Cataract/glaucoma
              11    27      Asthma/emphysema
              2     29      Tuberculosis
              19    31      Allergy
              2     33      Liver cirrhosis
              11    35      Kidney failure/damage
              4     39      Gallstones in the gallbladder
              3     41      Urinary stones
              7     43      Gout/rheumatoid
              4     45      Chronic neck pain/osteoarthritis
              1     51      Polio
              2     55      Thalassemia
              2     63      Palsy
              16    67      Severe gastrointestinal disease
    
```



```

                2      75 G6PD
                7      77 Anemia
                1      79 Disability (both physical and
                    brain)
                1      81 Cervical myelopathy /
                    Degenerative disc
                4      83 Migraine
               34      99 Other
            3,972      .
    
```

disease9_2 Additional code for congenital disease or chronic disease (disease 2)

```

        type: numeric (byte)
        label: disease9_2

        range: [5,79]
        unique values: 9
                    units: 1
                    missing .: 4,217/4,237

        tabulation: Freq.  Numeric  Label
                   6         5  Hypertension
                   1         7  Heart disease
                   7         9  Dyslipidemia/high cholesterol
                   1        19  Dementia
                   1        25  Hearing loss
                   1        27  Asthma/emphysema
                   1        31  Allergy
                   1        41  Urinary stones
                   1        79  Disability (both physical and
                               brain)
                   4,217      .
    
```

disease9_3 Additional code for congenital disease or chronic disease (disease 3)

```

        type: numeric (byte)
        label: disease9_3

        range: [7,43]
        unique values: 3
                    units: 1
                    missing .: 4,233/4,237

        tabulation: Freq.  Numeric  Label
                   2         7  Heart disease
                   1        11  Ischemic Stroke
                   1        43  Gout/rheumatoid
                   4,233      .
    
```

disease9_1_det The first disease (not display)

```

        type: string (str113), but longest is str0
        unique values: 0
                    missing "": 4,237/4,237

        tabulation: Freq.  Value
                   4,237  ""
    
```

disease9_2_det The second disease (not display)

```

        type: string (str94), but longest is str0
        unique values: 0
                    missing "": 4,237/4,237

        tabulation: Freq.  Value
                   4,237  ""
    
```

disease9_3_det **The third disease (not display)**

type: string (**str65**), but longest is str0
 unique values: 0 missing "": 4,237/4,237
 tabulation: Freq. Value
 4,237 ""

nwork3_1 **Do you still work on this job currently**

type: numeric (**byte**)
 label: **nwork3_1**
 range: [1,3] units: 1
 unique values: 2 missing .: 2,783/4,237
 tabulation: Freq. Numeric Label
 1,293 1 yes
 161 3 no
 2,783 .

nwork3_2 **Do you still work on this job currently**

type: numeric (**byte**)
 label: **nwork3_2**
 range: [1,3] units: 1
 unique values: 2 missing .: 4,083/4,237
 tabulation: Freq. Numeric Label
 141 1 yes
 13 3 no
 4,083 .

nwork3_3 **Do you still work on this job currently**

type: numeric (**byte**)
 label: **nwork3_3**
 range: [1,1] units: 1
 unique values: 1 missing .: 4,227/4,237
 tabulation: Freq. Numeric Label
 10 1 yes
 4,227 .

asset7 **Specify other financial assets**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 4,237/4,237
 tabulation: Freq. Value
 4,237 ""

asset7e **Do you have any other financial assets**

```

type: numeric (byte)
label: asset7e
range: [.,.]
unique values: 0
units: .
missing ..: 4,237/4,237
tabulation: Freq. Numeric Label
              4,237 .
    
```

asset7e_balance **The current total balance (THB)**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 4,237/4,237
tabulation: Freq. Value
              4,237 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

hala_A **Insurance type A: Life insurance (not display)**

```

type: string (str152), but longest is str0
unique values: 0
missing "": 4,237/4,237
tabulation: Freq. Value
              4,237 ""
    
```

halb_A **Current number of insurance type A contract**

```

type: numeric (byte)
range: [0,6]
unique values: 7
unique missing codes: 3
units: 1
missing ..: 0/4,237
missing *: 120/4,237
tabulation: Freq. Value
              3,293 0
              717 1
              79 2
              16 3
              5 4
              4 5
              3 6
              7 .a
              108 .c
              5 .d
mean: .23828
std. dev: .546934
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

halca_A **Total premium of insurance paid by household members (THB)**

```

type: numeric (double)
    
```

```

        range: [0,80000]                units: 1
    unique values: 218                    missing .: 3,298/4,237
    unique missing codes: 3                missing *: 201/4,237

        mean: 6561.59
        std. dev: 8088.59

    percentiles:      10%      25%      50%      75%      90%
                     0        2000     4700     8320     14020
    
```

halcb_A Total premium of insurance paid by anyone outside the household (THB)

```

        type: numeric (long)

        range: [0,50000]                units: 1
    unique values: 68                    missing .: 3,298/4,237
    unique missing codes: 4                missing *: 165/4,237
    
```

```

    tabulation:  Freq.  Value
                 663    0
                 2    1800
                 1    2000
                 1    2200
                 1    2400
                 1    2500
                 1    2800
                 1    3000
                 1    3011
                 3    3500
                 3    3600
                 2    3700
                 1    3750
                 6    4000
                 1    4070
                 1    4500
                 2    4700
                 2    4800
                 5    5000
                 2    5300
                 1    5356
                 4    5400
                 2    5500
                 1    5600
                 1    5700
                 4    6000
                 1    6100
                 2    6200
                 1    6400
                 1    6450
                 1    6500
                 1    6630
                 2    6800
                 4    7000
                 1    7290
                 1    7308
                 1    7400
                 3    7500
                 1    7510
                 1    7700
                 1    7900
                 3    8000
                 1    8500
                 1    8670
                 1    9100
                 1    9500
                 3   10000
                 1   10288
                 1   10400
                 1   10700
                 2   11500
    
```

```

      1 11648
      1 11800
      4 12000
      1 13000
      3 14000
      1 14812
      1 17000
      1 18000
      1 19000
      2 20000
      1 22000
      2 25000
      1 29000
      1 30800
      1 40000
      1 41700
      1 50000
    3,298 .
      7 .a
     157 .c
      1 .d
    mean: 1306.19
    std. dev: 4422.17

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      5000

```

hald_A Total claims/refunds/allowance of insurance type A (THB)

```

    type: numeric (long)
    range: [0,400000]
    unique values: 6
    unique missing codes: 4
    units: 100
    missing .: 3,298/4,237
    missing *: 117/4,237

    tabulation: Freq. Value
                 815 0
                 1 300
                 1 10000
                 1 100000
                 3 200000
                 1 400000
    3,298 .
      7 .a
     108 .c
      2 .d
    mean: 1350.73
    std. dev: 18748.9

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      0

```

hala_B Insurance type B: Health insurance/accident insurance (not display)

```

    type: string (str152), but longest is str0
    unique values: 0
    missing "": 4,237/4,237

    tabulation: Freq. Value
                 4,237 ""

```

halb_B Current number of insurance type B contract

```

    type: numeric (byte)

```

range: [0,6] units: 1
 unique values: 5 missing .: 0/4,237
 unique missing codes: 3 missing *: 127/4,237

tabulation: Freq. Value
 3,212 0
 842 1
 50 2
 5 3
 1 6
 7 .a
 115 .c
 5 .d
 mean: .234307
 std. dev: .467322

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

halca_B Total premium of insurance paid by household members (THB)

type: numeric (double)
 range: [0,76000] units: 1
 unique values: 163 missing .: 3,217/4,237
 unique missing codes: 3 missing *: 284/4,237

mean: 2768.51
 std. dev: 5847.07

percentiles: 10% 25% 50% 75% 90%
 150 160 300 3500 8000

halcb_B Total premium of insurance paid by anyone outside the household (THB)

type: numeric (long)
 range: [0,10000] units: 1
 unique values: 25 missing .: 3,217/4,237
 unique missing codes: 3 missing *: 136/4,237

tabulation: Freq. Value
 857 0
 2 150
 1 170
 1 200
 1 400
 1 1000
 2 1200
 1 1300
 1 1700
 1 2000
 1 2400
 1 2500
 1 3285
 1 3333
 1 3600
 2 4000
 1 4500
 1 5500
 1 6000
 1 6120
 1 7000
 1 7500
 1 8000
 1 9800
 1 10000
 3,217 .

```

          7 .a
         129 .c
    mean: 109.738
   std. dev: 803.59
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

hald_B Total claims/refunds/allowance of insurance type B (THB)

```

type: numeric (long)
range: [0,200000] units: 100
unique values: 7 missing .: 3,217/4,237
unique missing codes: 3 missing *: 122/4,237
    
```

```

tabulation: Freq. Value
             891  0
              1 200
              1 300
              1 400
              1 500
              1 3000
              2 200000
            3,217 .
              7 .a
             115 .c
    
```

```

mean: 450.334
std. dev: 9433.65
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

hala_C Insurance type C: Social insurance (not display)

```

type: string (str152), but longest is str0
unique values: 0 missing "": 4,237/4,237
    
```

```

tabulation: Freq. Value
            4,237 ""
    
```

halb_C Current number of insurance type C contract

```

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/4,237
unique missing codes: 3 missing *: 89/4,237
    
```

```

tabulation: Freq. Value
            3,724 0
             424 1
              7 .a
             76 .c
              6 .d
    
```

```

mean: .102218
std. dev: .302971
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

halca_C Total premium of insurance paid by household members (THB)

```

type: numeric (double)
range: [0,36000]
unique values: 76
unique missing codes: 4
units: 1
missing .: 3,729/4,237
missing *: 265/4,237

```

```

tabulation: Freq. Value
7 0
1 150
1 200
2 250
1 300
5 400
1 432
1 490
3 500
1 550
2 600
1 650
1 670
1 700
1 864
2 960
1 1000
1 1020
3 1100
31 1200
1 1209
2 1296
13 1300
5 1320
1 1350
1 1374
2 1440
2 1500
1 1560
5 1800
1 2160
2 2376
8 2400
1 2450
1 2760
5 3000
1 3300
1 3580
5 3600
1 3888
1 4050
1 4104
6 4200
3 4400
2 4680
2 4752
22 4800
1 4920
1 4950
2 5040
2 5160
23 5184
1 5200
2 5264
2 5304
8 5400
1 5472
1 5500
1 5600
1 5850
1 5940
5 6000
1 6300
1 6500
7 6600

```



```

      3 7200
      1 7500
      5 8400
      3 9000
      1 9600
      1 10400
      1 10800
      1 12000
      1 15000
      1 16800
      1 36000
    3,729 .
      7 .a
     257 .c
      1 .d
    mean: 3672.09
    std. dev: 3405.88

percentiles:      10%      25%      50%      75%      90%
                  600      1200      3600      5184      6600
    
```

halcb_C Total premium of insurance paid by anyone outside the household (THB)

```

    type: numeric (long)
    range: [0,4800]
    unique values: 4
    unique missing codes: 4
    units: 10
    missing .: 3,729/4,237
    missing *: 87/4,237

    tabulation: Freq. Value
                 418 0
                 1 450
                 1 600
                 1 4800
    3,729 .
      7 .a
     79 .c
      1 .d
    mean: 13.8955
    std. dev: 236.649

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

hald_C Total claims/refunds/allowance of insurance type C (THB)

```

    type: numeric (long)
    range: [0,48000]
    unique values: 23
    unique missing codes: 4
    units: 100
    missing .: 3,729/4,237
    missing *: 125/4,237

    tabulation: Freq. Value
                 314 0
                 1 1000
                 1 1200
                 1 1600
                 2 2200
                 1 3000
                 1 3400
                 1 3600
                 3 4400
                38 4800
                 3 5200
                 1 6000
                 1 7800
                 1 8400
                 1 8800
    
```

```

                    5  9600
                    1 14400
                    1 20000
                    1 21600
                    1 28800
                    1 35500
                    1 38000
                    2 48000
3,729 .
    7 .a
   117 .c
    1 .d
mean: 1469.19
std. dev: 5156.57

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0      4800

```

hala_D Insurance type D: Cremation village fund for individual (excluding BAAC) (not di

```

type: string (str152), but longest is str0
unique values: 0 missing "": 4,237/4,237
tabulation: Freq. Value
             4,237 ""

```

halb_D Current number of insurance type D contract

```

type: numeric (byte)
range: [0,7] units: 1
unique values: 8 missing .: 0/4,237
unique missing codes: 3 missing *: 72/4,237
tabulation: Freq. Value
             3,036 0
             643 1
             316 2
             103 3
              51 4
              10 5
               3 6
               3 7
               7 .a
              60 .c
               5 .d
mean: .45066
std. dev: .891457

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2

```

halca_D Total premium of insurance paid by household members (THB)

```

type: numeric (double)
range: [0,45000] units: 1
unique values: 100 missing .: 3,041/4,237
unique missing codes: 3 missing *: 750/4,237

```

```

tabulation:  Freq.  Value
              30    0
              1    90
             10   100
              2   110
             10   200
              1   220
              2   240
              1   250
              2   275
             13   300
              2   350
              4   360
             22   400
             11   500
              1   550
             12   600
              2   640
              2   650
              7   700
              1   750
              1   760
             14   800
             37   900
              1   920
              2   930
              1   950
             32  1000
              1  1020
              1  1040
              1  1050
              5  1100
              2  1120
             25  1200
             14  1300
              1  1320
              1  1325
              1  1330
              4  1400
              2  1440
              1  1450
             10  1500
              1  1565
              4  1600
              1  1650
              2  1680
              1  1790
              4  1800
              1  1840
              1  1950
             19  2000
              1  2070
              3  2100
              5  2200
              1  2270
              2  2300
              1  2350
             10  2400
              6  2500
              1  2730
              1  2850
              1  2900
             13  3000
              1  3040
              1  3100
              2  3300
              1  3390
              1  3470
              4  3500
              3  3600
              6  4000
              1  4200
    
```

```

      2 4400
      4 4500
      1 4800
      4 5000
      1 5200
      2 5400
      4 5500
      1 5540
      5 6000
      1 6460
      1 6500
      2 6600
      1 6980
      2 7200
      2 7500
      1 7560
      1 8000
      1 8950
      2 9000
      2 9200
      6 10000
      1 12000
      1 13000
      1 14000
      1 16400
      1 24750
      1 25000
      1 30000
      1 45000
    3,041 .
      7 .a
      743 .c
  mean: 2130.58
std. dev: 3683.29

percentiles:      10%      25%      50%      75%      90%
                  200      550      1000     2200     5000

```

halcb_D Total premium of insurance paid by anyone outside the household (THB)

```

type: numeric (long)
range: [0,10000]
unique values: 8
unique missing codes: 3
units: 10
missing .: 3,041/4,237
missing *: 83/4,237

tabulation: Freq. Value
            1,103 0
              1 400
              3 800
              1 1200
              1 1300
              1 3000
              1 4250
              2 10000
            3,041 .
              7 .a
              76 .c
  mean: 29.2453
std. dev: 456.094

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

hald_D Total claims/refunds/allowance of insurance type D (THB)

```

type: numeric (long)

```

range: [0,294000] units: 100
 unique values: 8 missing .: 3,041/4,237
 unique missing codes: 4 missing *: 68/4,237

tabulation: Freq. Value
 1,121 0
 1 8700
 1 14000
 1 31000
 1 60000
 1 100000
 1 160000
 1 294000
 3,041 .
 7 .a
 60 .c
 1 .d

mean: 591.933
 std. dev: 10593.5

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

halca_E Insurance type E: BAAC cremation fund/saving cooperative/teacher fund (not displ

type: string (str152), but longest is str0

unique values: 0 missing "": 4,237/4,237

tabulation: Freq. Value
 4,237 ""

halb_E Current number of insurance type E contract

type: numeric (byte)

range: [0,5] units: 1
 unique values: 6 missing .: 0/4,237
 unique missing codes: 3 missing *: 69/4,237

tabulation: Freq. Value
 3,057 0
 973 1
 116 2
 16 3
 4 4
 2 5
 7 .a
 57 .c
 5 .d

mean: .306862
 std. dev: .559089

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

halca_E Total premium of insurance paid by household members (THB)

type: numeric (double)

range: [0,42900] units: 1
 unique values: 137 missing .: 3,062/4,237
 unique missing codes: 3 missing *: 190/4,237

mean: 4296.25
 std. dev: 3342.41
 percentiles: 10% 25% 50% 75% 90%
 2000 3000 4000 4810 6600

halcb_E Total premium of insurance paid by anyone outside the household (THB)

type: numeric (long)
 range: [0,12000] units: 10
 unique values: 19 missing .: 3,062/4,237
 unique missing codes: 3 missing *: 72/4,237

tabulation: Freq. Value
 1,065 0
 3 2000
 2 2500
 1 2600
 3 3000
 1 3410
 2 3500
 4 3700
 3 4000
 3 4500
 3 4800
 3 5000
 2 6000
 1 7000
 1 8000
 2 9200
 2 9500
 1 10000
 1 12000

3,062 .
 7 .a
 65 .c
 mean: 171.451
 std. dev: 1020.82

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hald_E Total claims/refunds/allowance of insurance type E (THB)

type: numeric (long)
 range: [0,211000] units: 1000
 unique values: 6 missing .: 3,069/4,237
 unique missing codes: 3 missing *: 53/4,237

tabulation: Freq. Value
 1,108 0
 1 150000
 2 170000
 1 190000
 2 200000
 1 211000

3,069 .
 7 .a
 46 .c
 mean: 1157.85
 std. dev: 14660.3

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hala_F Insurance type F: One baht per day community welfare fund (not display)

type: string (**str152**), but longest is str0
 unique values: 0 missing "": 4,237/4,237
 tabulation: Freq. Value
 4,237 ""

halb_F Current number of insurance type F contract

type: numeric (**byte**)
 range: [0,1] units: 1
 unique values: 2 missing .: 0/4,237
 unique missing codes: 3 missing *: 56/4,237
 tabulation: Freq. Value
 2,918 0
 1,263 1
 7 .a
 44 .c
 5 .d
 mean: .302081
 std. dev: .459215
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

halca_F Total premium of insurance paid by household members (THB)

type: numeric (**double**)
 range: [0,800] units: 1
 unique values: 33 missing .: 2,923/4,237
 unique missing codes: 3 missing *: 57/4,237
 tabulation: Freq. Value
 15 0
 2 153
 1 195
 3 280
 2 300
 1 303
 3 304
 11 330
 5 334
 4 335
 2 336
 475 360
 640 365
 1 368
 1 369
 6 370
 14 380
 12 385
 12 390
 5 395
 12 396
 4 420
 7 426
 1 427
 4 450
 2 457
 1 470
 1 480

```

      1 500
      2 560
      2 700
      4 720
      1 800
    2,923 .
      7 .a
      50 .c
  mean: 361.834
std. dev: 51.5748

percentiles:    10%    25%    50%    75%    90%
                360    360    365    365    365

```

halcb_F **Total premium of insurance paid by outsides (THB)**

```

type: numeric (long)
range: [0,390]
unique values: 4
unique missing codes: 4

units: 1
missing .: 2,923/4,237
missing *: 54/4,237

tabulation: Freq. Value
            1,247 0
              5 360
              6 365
              2 390
            2,923 .
              7 .a
              46 .c
               1 .d
  mean: 3.78571
std. dev: 37.1063

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

hald_F **Total claims/refunds/allowance of insurance type F (THB)**

```

type: numeric (long)
range: [0,30000]
unique values: 5
unique missing codes: 4

units: 100
missing .: 2,923/4,237
missing *: 55/4,237

tabulation: Freq. Value
            1,254 0
              2 100
              1 1000
              1 2500
              1 30000
            2,923 .
              7 .a
              47 .c
               1 .d
  mean: 26.7673
std. dev: 848.813

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

hala_G **Insurance type G: Cremation village fund for household (not display)**

```

type: string (str152), but longest is str0

```


unique values: 0 missing "": 4,237/4,237

tabulation: Freq. Value
4,237 ""

halb_G **Current number of insurance type G contract**

type: numeric (byte)

range: [0,5] units: 1
unique values: 6 missing .: 0/4,237
unique missing codes: 3 missing *: 36/4,237

tabulation: Freq. Value
3,108 0
1,005 1
55 2
24 3
7 4
2 5
7 .a
24 .c
5 .d

mean: .291597
std. dev: .544626

percentiles: 10% 25% 50% 75% 90%
0 0 0 1 1

halca_G **Total premium of insurance paid by household members (THB)**

type: numeric (double)

range: [0,15000] units: 1
unique values: 67 missing .: 3,113/4,237
unique missing codes: 4 missing *: 773/4,237

tabulation: Freq. Value
8 0
1 40
1 80
5 100
1 110
4 120
1 130
4 150
1 175
15 200
2 250
14 300
1 325
2 350
2 360
13 400
7 450
1 460
23 500
2 540
5 550
20 600
3 650
2 660
1 675
4 700
1 750
9 800
1 825
4 900

```

      1  990
     62 1000
      1 1100
      1 1170
      9 1200
      1 1350
      1 1400
      2 1440
     29 1500
      2 1600
      1 1680
      1 1700
      1 1750
      1 1800
     21 2000
      1 2080
      1 2100
      1 2200
      1 2400
     11 2500
      1 2760
      1 2800
     12 3000
      3 3500
      2 4000
      3 4500
      8 5000
      1 5500
      1 6000
      2 6500
      1 7200
      3 7500
      1 9600
      2 10000
      1 12000
      1 14000
      1 15000
    3,113 .
      7  .a
     765  .c
      1  .d
    mean: 1478.01
    std. dev: 1921.33

    percentiles:      10%      25%      50%      75%      90%
                     200      500      1000     1500     3000

```

halcb_G **Total premium of insurance paid by outsides (THB)**

```

    type: numeric(long)
    range: [0,50]
    unique values: 2
    unique missing codes: 4
    units: 10
    missing .: 3,113/4,237
    missing *: 35/4,237

    tabulation: Freq. Value
                1,088  0
                 1  50
                3,113  .
                 7  .a
                 27  .c
                  1  .d
    mean: .045914
    std. dev: 1.51515

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         0         0

```

hald_G **Total claims/refunds/allowance of insurance type G (THB)**

```

type: numeric (long)
range: [0,140000]
unique values: 21
unique missing codes: 4
units: 100
missing .: 3,113/4,237
missing *: 34/4,237

tabulation: Freq. Value
1,060 0
1 6600
1 7500
1 8000
1 11700
1 12900
1 14000
3 15000
1 17000
1 18000
4 20000
1 22000
5 30000
2 35000
1 40000
1 45000
1 50000
1 51000
1 60000
1 70000
1 140000
3,113 .
7 .a
26 .c
1 .d
mean: 842.844
std. dev: 6572.11

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

hala_H **Insurance type H: Others (not display)**

```

type: string (str152), but longest is str0
unique values: 0
missing "": 4,237/4,237

tabulation: Freq. Value
4,237 ""
    
```

halb_H **Current number of insurance type H contract**

```

type: numeric (byte)
range: [0,5]
unique values: 3
unique missing codes: 2
units: 1
missing .: 4,194/4,237
missing *: 4/4,237

tabulation: Freq. Value
6 0
32 1
1 5
4,194 .
4 .c
mean: .948718
std. dev: .75911
    
```



```

tabulation: Freq. Value
              32  0
              1 22000
            4,200 .
              4  .c
    mean:     666.667
    std. dev: 3829.71

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

hala_I **Insurance type I: Others**

```

type: string (str152), but longest is str51
unique values: 1 missing "": 4,236/4,237

tabulation: Freq. Value
            4,236 ""
                1 "ฌาปนกิจกรรมทางหลวง"
    
```

halb_I **Current number of insurance type I contract**

```

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 4,236/4,237

tabulation: Freq. Value
            1  1
          4,236 .
    mean:     1
    std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         1         1
    
```

halca_I **Total premium of insurance paid by household members (THB)**

```

type: numeric (double)
range: [.,.] units: .
unique values: 0 missing .: 4,236/4,237
unique missing codes: 2 missing *: 1/4,237

tabulation: Freq. Value
            4,236 .
              1  .c
    mean:     .
    std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .         .         .         .         .
    
```

halcb_I **Total premium of insurance paid by outsides (THB)**

```

type: numeric (long)
range: [.,.] units: .
unique values: 1 missing .: 4,236/4,237
    
```

```

tabulation: Freq. Value
              1 0
            4,236 .
    mean:      0
    std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

hald_I **Total claims/refunds/allowance of insurance type I (THB)**

```

    type: numeric (long)
    range: [.,.]
unique values: 1
              units: .
              missing .: 4,236/4,237

    tabulation: Freq. Value
                  1 0
                4,236 .
    mean:      0
    std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

note **Interviewer note**

```

    type: string (str741), but longest is str0
unique values: 0
              missing "": 4,237/4,237

    tabulation: Freq. Value
                  4,237 ""
    
```

age **Age of household member (year)**

```

    type: numeric (double)
    range: [.01,93.58]
unique values: 986
              units: .001
              missing .: 51/4,237

    mean:      40.5992
    std. dev:  20.9141

percentiles: 10%    25%    50%    75%    90%
              10.5  24.75  43.08  57.16  66.08
    
```

year_survey **year survey**

```

    type: numeric (float)
    range: [2018,2018]
unique values: 1
              units: 1
              missing .: 0/4,237

    tabulation: Freq. Value
                  4,237 2018
    mean:      2018
    std. dev:  0

percentiles: 10%    25%    50%    75%    90%
              2018  2018  2018  2018  2018
    
```

note_cleaner **Data cleaner note (not display)**

type: string (**str372**), but longest is str0
 unique values: 0 missing "": 4,237/4,237
 tabulation: Freq. Value
 4,237 ""

hh_change **Sample has moved so that its household structure changed**

type: numeric (**float**)
 label: **hh_change**
 range: [0,1] units: 1
 unique values: 2 missing .: 0/4,237
 tabulation: Freq. Numeric Label
 4,177 0 no
 60 1 yes

survey_name **survey round**

type: string (**str12**)
 unique values: 1 missing "": 0/4,237
 tabulation: Freq. Value
 4,237 "RESURVEY2018"

studyorwork_hr_perday
 How many hours per day do you spend on average studying or working (in the past

type: numeric (**double**)
 range: [0,18] units: .01
 unique values: 62 missing .: 5/4,237
 unique missing codes: 4 missing *: 136/4,237
 tabulation: Freq. Value
 861 0
 1 .03
 1 .07
 4 .08
 1 .13
 7 .17
 1 .2
 1 .25
 2 .33
 21 .5
 1 .83
 101 1
 48 1.5
 92 2
 53 2.5
 111 3
 51 3.5
 109 4
 40 4.5
 85 5
 1 5.07
 33 5.5
 125 6
 46 6.5

```

      1 6.67
    217 7
    134 7.5
      1 7.67
      2 7.75
      1 7.82
      1 7.92
    364 8
      2 8.17
      2 8.25
    210 8.5
      1 8.82
    558 9
      1 9.17
      2 9.25
      4 9.32
    156 9.5
      1 9.67
      3 9.75
    220 10
      1 10.1
      2 10.3
     60 10.5
      2 10.6
     91 11
     35 11.5
     60 12
     29 12.5
     48 13
     14 13.5
     29 14
     10 14.5
     11 15
     15 15.5
      5 16
      3 16.5
      1 17
      3 18
      5 .
      5 .a
    119 .c
     12 .d
  mean: 5.99066
std. dev: 4.16776

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        1.5      7.5      9        10.5

```

sleep_hr_perday
 How many hours do you spend on average sleeping each day (in the past one month)

```

type: numeric (double)
range: [2,16]
unique values: 38
unique missing codes: 4
units: .01
missing .: 19/4,237
missing *: 169/4,237

```

```

tabulation: Freq. Value
             2 2
             1 2.5
             7 3
             2 3.5
            12 4
            15 4.5
            28 5
            28 5.5
           105 6
             1 6.25
            96 6.5
             1 6.67

```



```

347 7
284 7.5
  1 7.67
  1 7.75
737 8
  1 8.02
  1 8.17
  2 8.32
452 8.5
  1 8.82
856 9
  1 9.17
  1 9.25
314 9.5
  1 9.75
472 10
  2 10.2
 98 10.5
113 11
 20 11.5
 26 12
  6 12.5
  5 13
  3 13.5
  4 14
  2 16
 19 .
  5 .a
163 .c
  1 .d
mean: 8.54608
std. dev: 1.35679

percentiles:    10%    25%    50%    75%    90%
                  7      8      8.5    9.5    10

```

relaxinga_hr_perday
In the past 1 month on school/work days, how many hours per day on average do yo

```

type: numeric (double)
range: [0,16]
unique values: 46
unique missing codes: 4

units: .01
missing .: 19/4,237
missing *: 307/4,237

```

```

tabulation:  Freq.  Value
1,019 0
  2 .05
  1 .08
  1 .13
  8 .17
  4 .25
  7 .33
190 .5
  1 .58
  5 .75
1,360 1
  1 1.01
  1 1.33
172 1.5
410 2
163 2.5
171 3
  1 3.25
 66 3.5
  1 3.67
 74 4
  1 4.32
 40 4.5
 53 5

```

```

30 5.5
1 5.57
34 6
1 6.25
17 6.5
14 7
10 7.5
28 8
1 8.07
1 8.5
2 9
2 9.5
4 10
1 11
2 11.5
2 12
2 13
1 13.3
2 13.5
1 14.5
2 15.5
1 16
19 .
5 .a
269 .c
33 .d
mean: 1.43597
std. dev: 1.71088

percentiles:    10%    25%    50%    75%    90%
                 0      0      1      2      3.5

```

relaxingb_hr_perday **Hours per day spent on recreational activities (on holidays)**

```

type: numeric (double)
range: [0,19.5]
unique values: 52
unique missing codes: 3
units: .01
missing .: 19/4,237
missing *: 218/4,237

```

```

tabulation: Freq. Value
1,623 0
1 .17
1 .25
1 .33
50 .5
1 .58
2 .75
266 1
1 1.01
1 1.04
99 1.5
275 2
145 2.5
198 3
108 3.5
2 3.67
1 3.82
82 4
1 4.07
78 4.5
87 5
43 5.5
52 6
15 6.5
22 7
12 7.5
42 8
4 8.5
6 9

```

```

      1  9.5
     21 10
      6 10.5
      7 11
     10 11.5
     32 12
     16 12.5
     77 13
     46 13.5
      1 13.7
    168 14
    103 14.5
    163 15
     35 15.5
      1 15.6
     38 16
     29 16.5
     14 17
      3 17.5
      6 18
      1 18.5
      2 19
      1 19.5
     19 .
    205 .c
     13 .d
  mean: 3.96898
std. dev: 5.39403

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         1.5         5         14

```

monthwork3_1_percent
Percentage of the number of months that you performed the paid job 1 since the p

```

type: numeric (double)
range: [0,100]
unique values: 50
unique missing codes: 3
units: .01
missing .: 2,782/4,237
missing *: 20/4,237

```

```

tabulation: Freq. Value
             1  0
             1  6.67
             6  7.13
            12  7.69
           127  8.32
             4  9.09
             1 11.1
             1 14.2
             5 15.3
            65 16.6
             1 18.1
             1 20
             1 21.4
             4 23
            53 25
             2 27.2
             1 28.5
             2 30.7
            30 33.3
             4 35.7
             2 36.3
             2 38.4
            32 41.6
             1 42.8
             1 46.6
            38 50
             2 53.8
             1 54.5

```

```

      21 58.3
      2 60
      5 61.5
      1 62.5
      1 63.6
      1 64.2
     24 66.6
      2 69.2
      1 70
      1 71.4
     30 75
      2 76.9
      3 78.5
      1 80
      1 81.8
     27 83.3
      1 84.6
      9 85.7
      2 90.9
     31 91.6
     32 92.3
    836 100
   2,782 .
     19 .c
      1 .d
    mean: 75.2694
   std. dev: 35.0822

```

```

percentiles:      10%      25%      50%      75%      90%
                  8.32      42.8      100      100      100

```

monthwork3_2_percent

Percentage of the number of months that you performed the paid job 2 since the p

```

type: numeric (double)

range: [7.69,100]
unique values: 25
unique missing codes: 2

units: .01
missing .: 4,083/4,237
missing *: 4/4,237

tabulation: Freq. Value
            1 7.69
           15 8.32
            2 9.09
            1 15.3
           11 16.6
            1 20
           21 25
            1 30
            7 33.3
            1 38.4
            1 40
            9 41.6
            1 45.4
            1 46.1
            8 50
            3 58.3
            1 61.5
            3 66.6
            5 75
            2 83.3
            1 85.7
            2 91.6
            2 92.3
            1 92.8
           49 100
    4,083 .
           4 .c
    mean: 56.8338
   std. dev: 36.093

```

main_job **Main job code (job that takes most of the time)**

```

type: numeric (float)
label: main_job

range: [1,11]
unique values: 6
unique missing codes: 2

units: 1
missing .: 0/4,237
missing *: 34/4,237
    
```

tabulation:	Freq.	Numeric	Label
	1,451	1	employee
	549	3	business
	319	5	agriculture
	43	7	livestock
	575	9	agriculture and livestock
	1,266	11	do not work
	5	.a	
	29	.d	

main_job_des **Main job description (job that takes most of the time)**

```

type: string (str156), but longest is str133

unique values: 732
unique missing codes: 3

missing "": 0/4,237
missing *: 36/4,237
    
```

```

examples: "ทำการเกษตรและปลูกสัตว์"
           "รับจ้างทอผ้าไป"
           "ไม่ทำงานเนื่องจากเป็นเด็กที่อายุต่ำกว่า 15 ปี"
           "เจ้าของธุรกิจ / ไร่ นก"
    
```

warning: variable has embedded and trailing blanks

buss_1 **Name of the first business (only for business owner) (not display)**

```

type: string (str135), but longest is str0

unique values: 0
missing "": 4,237/4,237
    
```

tabulation:	Freq.	Value
	4,237	" "

buss_code_1 **Code of the first business (only for business owner)**

```

type: numeric (byte)
label: a5_code

range: [1,99]
unique values: 11

units: 1
missing .: 3,688/4,237
    
```

tabulation:	Freq.	Numeric	Label
	127	1	Retail
	16	3	Wholesale
	16	5	Machine/electronics repair shop
	7	7	Barber/beauty salon
	35	9	Restaurant/noodle restaurant
	22	15	Rice mill
	3	17	Fishery
	37	19	Building contractors
	8	21	Woven mats
	15	23	Tailors /clothes repair
	263	99	Other
	3,688	.	

tabulation: Freq. Value
4,237 ""

buss_code_4 Code of the fourth business (only for business owner)

type: numeric (byte)
label: a5_code
range: [1,99] units: 1
unique values: 4 missing .: 4,224/4,237

tabulation: Freq. Numeric Label
6 1 Retail
2 9 Restaurant/noodle restaurant
1 19 Building contractors
4 99 Other
4,224 .

2 . log close
name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2018\a1.scml
log type: smcl
closed on: 30 May 2024, 14:30:37
