



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\a11.smcl
log type: smcl
opened on: 15 Jan 2024, 12:16:31
    
```

1 . codebookr \_all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\a11_run.dta
Last saved: 15 Jan 2024 12:16
    
```

```

Label: [none]
Number of variables: 32
Number of observations: 1,182
Size: 573,270 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                    NA
                  .c                    DK
                  .d                    MI
    
```

---

**hhid** **household id**

---

```

type: string (str15)
unique values: 1,182 missing "": 0/1,182
examples: "201591160603209"
           "201691130611055"
           "201691160104153"
           "201691161706144"
    
```

---

**iyear** **year**

---

```

type: string (str4)
unique values: 2 missing "": 0/1,182
tabulation: Freq. Value
              437 "2015"
              745 "2016"
    
```

---

**prov** **province**

---

```

type: string (str2)
unique values: 2 missing "": 0/1,182
    
```

```

tabulation: Freq. Value
             1,068 "91"
             114  "93"
    
```

---

**amp** **amphoe**

---

```

type: string (str2)
unique values: 7 missing "": 0/1,182
tabulation: Freq. Value
             114 "12"
             212 "13"
             100 "14"
             117 "15"
             436 "16"
             32  "17"
             171 "18"
    
```

---

**tam** **tambon**

---

```

type: string (str2)
unique values: 15 missing "": 0/1,182
tabulation: Freq. Value
             54 "01"
             190 "02"
             104 "04"
             45  "05"
             46  "06"
             55  "07"
             45  "08"
             79  "09"
             104 "10"
             71  "11"
             115 "13"
             38  "14"
             117 "15"
             76  "17"
             43  "19"
    
```

---

**moo** **moo**

---

```

type: string (str2)
unique values: 21 missing "": 0/1,182
tabulation: Freq. Value
             125 "01"
             53  "02"
             116 "03"
             132 "04"
             95  "05"
             128 "06"
             62  "07"
             122 "08"
             71  "09"
             58  "10"
             44  "11"
             34  "12"
             34  "13"
             8   "14"
             8   "15"
             30  "16"
             8   "17"
    
```

```

11 "18"
24 "19"
13 "22"
6  "24"

```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 182           missing "": 0/1,182
examples: "010"
           "034"
           "070"
           "146"

```

---

**ctl** **Specify Member ID of respondent**

---

```

type: string (str5), but longest is str2
unique values: 9           missing "": 1,167/1,182
unique missing codes: 3   missing *: 2/1,182

tabulation: Freq. Value
            1,167 ""
            1  "H2"
            1  "H3"
            1  "H4"
            4  "H5"
            1  "H6"
            3  "H7"
            2  "H9"
            1  "MI"
            1  "RF"

```

---

**ctlala** **4-digits number answer**

---

```

type: numeric (int)
range: [153,1523]         units: 1
unique values: 2         missing .: 1,169/1,182

tabulation: Freq. Value
            1  153
            12 1523
            1,169 .
mean:      1417.62
std. dev:  379.97

percentiles:      10%      25%      50%      75%      90%
                  1523    1523    1523    1523    1523

```

---

**ctlal** **4-digits number**

---

```

type: numeric (byte)
label: ctlal
range: [1,3]           units: 1
unique values: 2       missing .: 1,167/1,182
unique missing codes: 2 missing *: 2/1,182

```

```

tabulation:  Freq.  Numeric  Label
              12      1  Tel all the number collectly on
              1      3  the first try
            1,167      .  incorrect (skip to next section)
              2      .b
    
```

---

**ct1a2a** **5-digits number answer**

---

```

type: numeric (int)
range: [24761,24761]          units: 1
unique values: 1             missing .: 1,170/1,182

tabulation:  Freq.  Value
              12  24761
            1,170  .
mean:       24761
std. dev:   0

percentiles:  10%      25%      50%      75%      90%
              24761   24761   24761   24761   24761
    
```

---

**ct1a2** **5-digits number**

---

```

type: numeric (byte)
label: ct1a1

range: [1,1]          units: 1
unique values: 1      missing .: 1,170/1,182

tabulation:  Freq.  Numeric  Label
              12      1  Tel all the number collectly on
              1,170      .  the first try
    
```

---

**ct1a3a** **6-digits number answer**

---

```

type: numeric (long)
range: [24973,421937]      units: 1
unique values: 2          missing .: 1,170/1,182

tabulation:  Freq.  Value
              1  24973
              11 421937
            1,170  .
mean:       388857
std. dev:   114594

percentiles:  10%      25%      50%      75%      90%
              421937  421937  421937  421937  421937
    
```

---

**ct1a3** **6-digits number**

---

```

type: numeric (byte)
label: ct1a1

range: [1,3]          units: 1
unique values: 2      missing .: 1,170/1,182
    
```

```

tabulation: Freq.  Numeric  Label
              11          1  Tel all the number collectly on
              1          3  the first try
              1,170      .  incorrect (skip to next section)
    
```

**ct1a4** **7-digits number answer**

```

type: numeric (long)
range: [25,3648529]          units: 1
unique values: 6             missing .: 1,171/1,182

tabulation: Freq.  Value
              1    25
              1  364729
              1  364829
              1  824539
              1  3418529
              6  3648529
              1,171 .
mean: 2.4e+06
std. dev: 1.6e+06

percentiles:      10%      25%      50%      75%      90%
                  364729  364829  3.6e+06  3.6e+06  3.6e+06
    
```

**ct1a4** **7-digits number**

```

type: numeric (byte)
label: ct1a1
range: [1,3]          units: 1
unique values: 2       missing .: 1,171/1,182

tabulation: Freq.  Numeric  Label
              6          1  Tel all the number collectly on
              5          3  the first try
              1,171      .  incorrect (skip to next section)
    
```

**ct1a5a** **8-digits number answer**

```

type: numeric (long)
range: [7582916,85129613]  units: 1
unique values: 3           missing .: 1,176/1,182

tabulation: Freq.  Value
              1    7582916
              4    75829613
              1    85129613
              1,176 .
mean: 6.6e+07
std. dev: 2.9e+07

percentiles:      10%      25%      50%      75%      90%
                  7.6e+06  7.6e+07  7.6e+07  7.6e+07  8.5e+07
    
```

**ct1a5** **8-digits number**

```

type: numeric (byte)
label: ct1a1
    
```

range: [1,3] units: 1  
 unique values: 2 missing : 1,176/1,182

tabulation: Freq. Numeric Label  
 4 1 Tel all the number collectly on  
 the first try  
 2 3 incorrect (skip to next section)  
 1,176 .

**ct1a6a** **9-digits number answer**

type: numeric (long)

range: [5868381,5.864e+08] units: 1  
 unique values: 4 missing : 1,177/1,182

tabulation: Freq. Value  
 1 5868381  
 1 75684391  
 1 5.829e+08  
 2 5.864e+08  
 1,177 .

mean: 3.7e+08  
 std. dev: 3.0e+08

percentiles: 10% 25% 50% 75% 90%  
 5.9e+06 7.6e+07 5.8e+08 5.9e+08 5.9e+08

**ct1a6** **9-digits number**

type: numeric (byte)  
 label: ct1a1

range: [1,3] units: 1  
 unique values: 2 missing : 1,178/1,182

tabulation: Freq. Numeric Label  
 2 1 Tel all the number collectly on  
 the first try  
 2 3 incorrect (skip to next section)  
 1,178 .

**ct1a7a** **10-digits number answer**

type: numeric (long)

range: [1.744e+09,1.744e+09] units: 1  
 unique values: 1 missing : 1,180/1,182

tabulation: Freq. Value  
 2 1.744e+09  
 1,180 .

mean: 1.7e+09  
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%  
 1.7e+09 1.7e+09 1.7e+09 1.7e+09 1.7e+09

**ct1a7** **10-digits number**

type: numeric (byte)  
 label: ct1a1

range: [1,1] units: 1  
 unique values: 1 missing .: 1,180/1,182  
 tabulation: Freq. Numeric Label  
                   2           1 Tel all the number collectly on  
   the first try  
                   1,180           .

**ct1a8a** **11-digits number answer**

type: numeric (long)  
 range: [853,853679] units: 1  
 unique values: 2 missing .: 1,180/1,182  
 tabulation: Freq. Value  
                   1 853  
                   1 853679  
                   1,180 .  
 mean: 427266  
 std. dev: 603039  
 percentiles:           10%       25%       50%       75%       90%  
                           853       853       427266    853679    853679

**ct1a8** **11-digits number**

type: numeric (byte)  
 label: ct1a1  
 range: [3,3] units: 1  
 unique values: 1 missing .: 1,180/1,182  
 tabulation: Freq. Numeric Label  
                   2           3 incorrect (skip to next section)  
                   1,180           .

**ct2** **Interviewer note (unavailable)**

type: string (str122), but longest is str0  
 unique values: 0 missing "": 1,182/1,182  
 tabulation: Freq. Value  
                   1,182 ""

**ct1\_rel\_des** **Relationship description (not display)**

type: string (str90), but longest is str0  
 unique values: 0 missing "": 1,182/1,182  
 tabulation: Freq. Value  
                   1,182 ""

**ct1\_rel** **Relationship to the child code**

type: numeric (byte)  
 label: hh\_lcode

```

range: [1,19] units: 1
unique values: 3 missing .: 1,169/1,182

tabulation: Freq. Numeric Label
              8          1 father / mother
              3          5 grand parent : mother side
              2          19 relatives
            1,169          .
    
```

**fw\_adult** **Digits score**

```

type: numeric (float)

range: [3,10] units: 1
unique values: 6 missing .: 1,168/1,182

tabulation: Freq. Value
              2 3
              1 5
              5 6
              2 7
              2 8
              2 10
            1,168 .
mean: 6.5
std. dev: 2.10311

percentiles: 10% 25% 50% 75% 90%
              3 6 6 8 10
    
```

**note\_cleaner** **Data note cleaner**

```

type: string (str177)

unique values: 1 missing "": 1,165/1,182

tabulation: Freq. Value
            1,165 ""
            17 "ถามเฉพาะบ้านที่มีการเปลี่ยนแปลงองค์ประกอบ
                ของสมาชิกครัวเรือน"
    
```

**hh\_change** **household structure changed**

```

type: numeric (float)
label: hh_change

range: [0,1] units: 1
unique values: 2 missing .: 0/1,182
unique missing codes: 1 missing *: 1/1,182

tabulation: Freq. Numeric Label
            1,164 0 no
              17 1 yes
              1 .a
    
```

**survey\_name** **survey name**

```

type: string (str12)

unique values: 1 missing "": 0/1,182

tabulation: Freq. Value
            1,182 "RESURVEY2018"
    
```



---

**year\_survey**

**year\_survey**

---

type: numeric (**float**)  
range: [2018,2018] units: 1  
unique values: 1 missing .: 0/1,182

tabulation: Freq. Value  
1,182 2018  
mean: 2018  
std. dev: 0

percentiles: 10% 25% 50% 75% 90%  
2018 2018 2018 2018 2018

2 . log close  
name: <unnamed>  
log: V:\\RIECE DATA\\RIECE\_RELEASE V3-2017-2018/codebook\\2018\\a11.smcl  
log type: smcl  
closed on: 15 Jan 2024, 12:16:31

---