



name: <unnamed>  
 log: V:\RIECE DATA\RIECE\_RELEASE V3-2017-2018/codebook\2018\a14.smcl  
 log type: smcl  
 opened on: 19 Jan 2024, 16:45:50

1 . codebookr \_all,all

Dataset: V:\RIECE DATA\RIECE\_RELEASE V3-2017-2018/codebook\a14\_run.dta  
 Last saved: 19 Jan 2024 16:45  
 DATA HAVE CHANGED SINCE LAST SAVED

Label: [none]  
 Number of variables: 102  
 Number of observations: 1,183  
 Size: 358,449 bytes ignoring labels, etc.  
 Unique Values: A list of all of the possible non-missing values  
 for the variable and the description of the values.  
 Unique Missing Values: There are four types of missing values

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

---

**hhid** **household id**

---

type: string (str15)  
 unique values: 1,182                      missing "": 0/1,183  
 examples: "201591160603209"  
           "201691131001005"  
           "201691160104153"  
           "201691161708003"

---

**iyear** **year**

---

type: string (str9), but longest is str4  
 unique values: 2                              missing "": 0/1,183  
 tabulation: Freq. Value  
               437 "2015"  
               746 "2016"

---

**prov** **province**

---

type: string (str2)

unique values: 2 missing "": 0/1,183  
 tabulation: Freq. Value  
 1,069 "91"  
 114 "93"

**amp** **amphoe**

type: string (**str2**)  
 unique values: 7 missing "": 0/1,183  
 tabulation: Freq. Value  
 114 "12"  
 212 "13"  
 100 "14"  
 117 "15"  
 436 "16"  
 32 "17"  
 172 "18"

**tam** **tambon**

type: string (**str2**)  
 unique values: 15 missing "": 0/1,183  
 tabulation: Freq. Value  
 54 "01"  
 190 "02"  
 104 "04"  
 45 "05"  
 46 "06"  
 55 "07"  
 45 "08"  
 79 "09"  
 104 "10"  
 72 "11"  
 115 "13"  
 38 "14"  
 117 "15"  
 76 "17"  
 43 "19"

**moo** **moo**

type: string (**str2**)  
 unique values: 21 missing "": 0/1,183  
 tabulation: Freq. Value  
 125 "01"  
 53 "02"  
 117 "03"  
 132 "04"  
 95 "05"  
 128 "06"  
 62 "07"  
 122 "08"  
 71 "09"  
 58 "10"  
 44 "11"  
 34 "12"  
 34 "13"  
 8 "14"  
 8 "15"

```

30 "16"
8  "17"
11 "18"
24 "19"
13 "22"
6  "24"

```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 182           missing "": 0/1,183
examples: "010"
           "035"
           "070"
           "147"

```

---

**memberid** **memberID**

---

```

type: string (str5), but longest is str2
unique values: 10           missing "": 16/1,183
unique missing codes: 2     missing *: 1/1,183
tabulation:  Freq.  Value
              16   ""
              1   "H1"
             483   "H2"
             440   "H3"
             123   "H4"
              69   "H5"
              27   "H6"
              14   "H7"
               6   "H8"
               3   "H9"
               1   "RF"

```

---

**nickname** **Nickname (unavailable)**

---

```

type: string (str36), but longest is str0
unique values: 0           missing "": 1,183/1,183
tabulation:  Freq.  Value
              1,183 ""

```

---

**gender** **gender**

---

```

type: numeric (byte)
label: gender
range: [1,3]           units: 1
unique values: 2       missing .: 19/1,183
tabulation:  Freq.  Numeric  Label
              104   1        Male
             1,060  3        Female
               19   .

```

---

**age** **(unlabeled)**

---

```

type: numeric (double)
range: [16.16,88.75] units: .01
unique values: 517 missing .: 19/1,183
mean: 49.6511
std. dev: 13.0302
percentiles: 10% 25% 50% 75% 90%
              30.25 40.79 51.455 58.75 65.5
    
```

**cf1 The questioner will read 10 words, asking you to listen carefully and memorize t**

```

type: string (str1)
unique values: 3 missing "": 17/1,183
tabulation: Freq. Value
              17 ""
              428 "A"
              376 "B"
              362 "C"
    
```

**cf1a\_1 score : 428**

```

type: numeric (byte)
label: cf1a_1
range: [0,1] units: 1
unique values: 2 missing .: 756/1,183
tabulation: Freq. Numeric Label
              114 0 respondent can't remember
              313 1 Respondent can remember
              756 .
    
```

**cf1a\_2 score : 417**

```

type: numeric (byte)
label: cf1a_2
range: [0,1] units: 1
unique values: 2 missing .: 756/1,183
tabulation: Freq. Numeric Label
              178 0 respondent can't remember
              249 1 Respondent can remember
              756 .
    
```

**cf1a\_3 score : 412**

```

type: numeric (byte)
label: cf1a_3
range: [0,1] units: 1
unique values: 2 missing .: 756/1,183
tabulation: Freq. Numeric Label
              169 0 respondent can't remember
              258 1 Respondent can remember
              756 .
    
```

---

**cf1a\_4** **score : กะทิ**

---

```

type: numeric (byte)
label: cf1a_4

range: [0,1]
unique values: 2
units: 1
missing ..: 756/1,183

tabulation: Freq.  Numeric  Label
              329      0  respondent can't remember
              98       1  Respondent can remember
              756      .
    
```

---

**cf1a\_5** **score : สีม่วง**

---

```

type: numeric (byte)
label: cf1a_5

range: [0,1]
unique values: 2
units: 1
missing ..: 756/1,183

tabulation: Freq.  Numeric  Label
              259      0  respondent can't remember
              168      1  Respondent can remember
              756      .
    
```

---

**cf1a\_6** **score : ทองพี**

---

```

type: numeric (byte)
label: cf1a_6

range: [0,1]
unique values: 2
units: 1
missing ..: 756/1,183

tabulation: Freq.  Numeric  Label
              338      0  respondent can't remember
              89       1  Respondent can remember
              756      .
    
```

---

**cf1a\_7** **score : ไข่**

---

```

type: numeric (byte)
label: cf1a_7

range: [0,1]
unique values: 2
units: 1
missing ..: 756/1,183

tabulation: Freq.  Numeric  Label
              311      0  respondent can't remember
              116      1  Respondent can remember
              756      .
    
```

---

**cf1a\_8** **score : เค้ก**

---

```

type: numeric (byte)
label: cf1a_8

range: [0,1]
unique values: 2
units: 1
missing ..: 756/1,183
    
```

```

tabulation:  Freq.  Numeric  Label
              324      0  respondent can't remember
              103      1  Respondent can remember
              756      .
    
```

---

**cf1a\_9** **score : ๑๗๗**

---

```

type: numeric (byte)
label: cf1a_9

range: [0,1]          units: 1
unique values: 2      missing .: 756/1,183
    
```

```

tabulation:  Freq.  Numeric  Label
              303      0  respondent can't remember
              124      1  Respondent can remember
              756      .
    
```

---

**cf1a\_10** **score : ๑๗๗**

---

```

type: numeric (byte)
label: cf1a_10

range: [0,1]          units: 1
unique values: 2      missing .: 756/1,183
    
```

```

tabulation:  Freq.  Numeric  Label
              263      0  respondent can't remember
              164      1  Respondent can remember
              756      .
    
```

---

**cf1b\_1** **score : ๓๓๗**

---

```

type: numeric (byte)
label: cf1b_1

range: [0,1]          units: 1
unique values: 2      missing .: 807/1,183
    
```

```

tabulation:  Freq.  Numeric  Label
              45      0  respondent can't remember
              331      1  Respondent can remember
              807      .
    
```

---

**cf1b\_2** **score : ๑๕๐**

---

```

type: numeric (byte)
label: cf1b_2

range: [0,1]          units: 1
unique values: 2      missing .: 807/1,183
    
```

```

tabulation:  Freq.  Numeric  Label
              238      0  respondent can't remember
              138      1  Respondent can remember
              807      .
    
```

---

**cf1b\_3** **score : ๒๓๓**

---

```

type: numeric (byte)
label: cf1b_3
    
```

range: [0,1] units: 1  
 unique values: 2 missing .: 807/1,183

tabulation:	Freq.	Numeric	Label
	223	0	respondent can't remember
	153	1	Respondent can remember
	807	.	

**cf1b\_4** **score : โสภ**

type: numeric (byte)  
 label: **cf1b\_4**

range: [0,1] units: 1  
 unique values: 2 missing .: 807/1,183

tabulation:	Freq.	Numeric	Label
	207	0	respondent can't remember
	169	1	Respondent can remember
	807	.	

**cf1b\_5** **score : สัพ**

type: numeric (byte)  
 label: **cf1b\_5**

range: [0,1] units: 1  
 unique values: 2 missing .: 807/1,183

tabulation:	Freq.	Numeric	Label
	208	0	respondent can't remember
	168	1	Respondent can remember
	807	.	

**cf1b\_6** **score : พระจันทร์**

type: numeric (byte)  
 label: **cf1b\_6**

range: [0,1] units: 1  
 unique values: 2 missing .: 807/1,183

tabulation:	Freq.	Numeric	Label
	326	0	respondent can't remember
	50	1	Respondent can remember
	807	.	

**cf1b\_7** **score : เสาเข็ม**

type: numeric (byte)  
 label: **cf1b\_7**

range: [0,1] units: 1  
 unique values: 2 missing .: 807/1,183

tabulation:	Freq.	Numeric	Label
	229	0	respondent can't remember
	147	1	Respondent can remember
	807	.	

**cf1b\_8** **score : เหล็ก**

```

type: numeric (byte)
label: cf1b_8

range: [0,1]
unique values: 2
units: 1
missing .. 807/1,183

tabulation: Freq. Numeric Label
             228      0 respondent can't remember
             148      1 Respondent can remember
             807      .
    
```

**cf1b\_9** score : ๓๓๓

```

type: numeric (byte)
label: cf1b_9

range: [0,1]
unique values: 2
units: 1
missing .. 807/1,183

tabulation: Freq. Numeric Label
             159      0 respondent can't remember
             217      1 Respondent can remember
             807      .
    
```

**cf1b\_10** score : ๓๓๓

```

type: numeric (byte)
label: cf1b_10

range: [0,1]
unique values: 2
units: 1
missing .. 807/1,183

tabulation: Freq. Numeric Label
             221      0 respondent can't remember
             155      1 Respondent can remember
             807      .
    
```

**cf1c\_1** score : ๓๓๓

```

type: numeric (byte)
label: cf1c_1

range: [0,1]
unique values: 2
units: 1
missing .. 821/1,183

tabulation: Freq. Numeric Label
             106      0 respondent can't remember
             256      1 Respondent can remember
             821      .
    
```

**cf1c\_2** score : ๓๓๓

```

type: numeric (byte)
label: cf1c_2

range: [0,1]
unique values: 2
units: 1
missing .. 821/1,183

tabulation: Freq. Numeric Label
             165      0 respondent can't remember
             197      1 Respondent can remember
             821      .
    
```



---

**cf1c\_3** **score : 177**

---

```

type: numeric (byte)
label: cf1c_3

range: [0,1]
unique values: 2
units: 1
missing .. 821/1,183

tabulation: Freq.  Numeric  Label
              223      0  respondent can't remember
              139      1  Respondent can remember
              821      .
    
```

---

**cf1c\_4** **score : 19**

---

```

type: numeric (byte)
label: cf1c_4

range: [0,1]
unique values: 2
units: 1
missing .. 821/1,183

tabulation: Freq.  Numeric  Label
              195      0  respondent can't remember
              167      1  Respondent can remember
              821      .
    
```

---

**cf1c\_5** **score : 178**

---

```

type: numeric (byte)
label: cf1c_5

range: [0,1]
unique values: 2
units: 1
missing .. 821/1,183

tabulation: Freq.  Numeric  Label
              189      0  respondent can't remember
              173      1  Respondent can remember
              821      .
    
```

---

**cf1c\_6** **score : 108**

---

```

type: numeric (byte)
label: cf1c_6

range: [0,1]
unique values: 2
units: 1
missing .. 821/1,183

tabulation: Freq.  Numeric  Label
              255      0  respondent can't remember
              107      1  Respondent can remember
              821      .
    
```

---

**cf1c\_7** **score : 108**

---

```

type: numeric (byte)
label: cf1c_7

range: [0,1]
unique values: 2
units: 1
missing .. 821/1,183
    
```

```

tabulation:  Freq.  Numeric  Label
              231      0  respondent can't remember
              131      1  Respondent can remember
              821      .
    
```

---

**cf1c\_8** **score : อินเด็ก**

---

```

type: numeric (byte)
label: cf1c_8

range: [0,1]          units: 1
unique values: 2      missing .: 821/1,183

tabulation:  Freq.  Numeric  Label
              225      0  respondent can't remember
              137      1  Respondent can remember
              821      .
    
```

---

**cf1c\_9** **score : คั้นไม้**

---

```

type: numeric (byte)
label: cf1c_9

range: [0,1]          units: 1
unique values: 2      missing .: 821/1,183

tabulation:  Freq.  Numeric  Label
              223      0  respondent can't remember
              139      1  Respondent can remember
              821      .
    
```

---

**cf1c\_10** **score : ส้ม**

---

```

type: numeric (byte)
label: cf1c_10

range: [0,1]          units: 1
unique values: 2      missing .: 821/1,183

tabulation:  Freq.  Numeric  Label
              222      0  respondent can't remember
              140      1  Respondent can remember
              821      .
    
```

---

**cf2\_1** **score : From 100 minus 7, what is the remainder? (1st time)**

---

```

type: numeric (byte)
label: cf2_1

range: [0,1]          units: 1
unique values: 2      missing .: 19/1,183

tabulation:  Freq.  Numeric  Label
              181      0  incorrect
              983      1  correct
              19       .
    
```

---

**cf2\_2** **score : If minus 7, what is the remainder? (2nd time)**

---

```

type: numeric (byte)
label: cf2_2
    
```

range: [0,1] units: 1  
 unique values: 2 missing : 130/1,183

tabulation:	Freq.	Numeric	Label
	607	0	incorrect
	446	1	correct
	130	.	.

**cf2\_3 score : If minus 7, what is the remainder? (3rd time)**

type: numeric (byte)  
 label: cf2\_3

range: [0,1] units: 1  
 unique values: 2 missing : 370/1,183

tabulation:	Freq.	Numeric	Label
	378	0	incorrect
	435	1	correct
	370	.	.

**cf2\_4 score : If minus 7, what is the remainder? (4nd time)**

type: numeric (byte)  
 label: cf2\_4

range: [0,1] units: 1  
 unique values: 2 missing : 467/1,183

tabulation:	Freq.	Numeric	Label
	335	0	incorrect
	381	1	correct
	467	.	.

**cf2\_5 score : If minus 7, what is the remainder? (5nd time)**

type: numeric (byte)  
 label: cf2\_5

range: [0,1] units: 1  
 unique values: 2 missing : 510/1,183

tabulation:	Freq.	Numeric	Label
	279	0	incorrect
	394	1	correct
	510	.	.

**ac1 Exercise or do light physical activity, such as cleaning the house, watering the**

type: numeric (byte)  
 label: ac1

range: [2,7] units: 1  
 unique values: 6 missing : 20/1,183

tabulation:	Freq.	Numeric	Label
	4	2	Less than once a month
	12	3	1-2 times a month
	46	4	1-2 times a week
	44	5	3-4 times a week
	17	6	5-6 times a week
	1,040	7	Every day
	20	.	.

---

**ac2 serious exercise Or do strenuous work such as playing sports, gardening, doing a**

---

type: numeric (**byte**)  
 label: **ac2**  
 range: [1,7] units: 1  
 unique values: 7 missing .: 20/1,183  
 tabulation:

Freq.	Numeric	Label
138	1	Did not do
26	2	Less than once a month
70	3	1-2 times a month
187	4	1-2 times a week
112	5	3-4 times a week
40	6	5-6 times a week
590	7	Every day
20	.	

---

**ac3 Meet with friends, relatives**

---

type: numeric (**byte**)  
 label: **ac3**  
 range: [1,7] units: 1  
 unique values: 7 missing .: 20/1,183  
 tabulation:

Freq.	Numeric	Label
29	1	Did not do
24	2	Less than once a month
65	3	1-2 times a month
178	4	1-2 times a week
107	5	3-4 times a week
35	6	5-6 times a week
725	7	Every day
20	.	

---

**ac4 Go on vacations, such as going to the zoo, the sea, and the mountains.**

---

type: numeric (**byte**)  
 label: **ac4**  
 range: [1,7] units: 1  
 unique values: 6 missing .: 22/1,183  
 tabulation:

Freq.	Numeric	Label
842	1	Did not do
294	2	Less than once a month
22	3	1-2 times a month
1	4	1-2 times a week
1	5	3-4 times a week
1	7	Every day
22	.	

---

**ac5 Go to department stores such as Big C, Tesco Lotus, Sermthai Plaza.**

---

type: numeric (**byte**)  
 label: **ac5**  
 range: [1,7] units: 1  
 unique values: 7 missing .: 20/1,183

```

tabulation:  Freq.  Numeric  Label
              340      1  Did not do
              285      2  Less than once a month
              380      3  1-2 times a month
              117      4  1-2 times a week
               26      5  3-4 times a week
               4       6  5-6 times a week
              11      7  Every day
              20      .
    
```

**ac6 Volunteer work within the community**

```

type: numeric (byte)
label: ac6

range: [1,7]          units: 1
unique values: 7      missing .: 20/1,183
    
```

```

tabulation:  Freq.  Numeric  Label
              731      1  Did not do
              186      2  Less than once a month
              187      3  1-2 times a month
               44      4  1-2 times a week
               7       5  3-4 times a week
               2       6  5-6 times a week
               6       7  Every day
              20      .
    
```

**ac7 read books, attend training or study for new knowledge (not including reading sto**

```

type: numeric (byte)
label: ac7

range: [1,7]          units: 1
unique values: 6      missing .: 20/1,183
    
```

```

tabulation:  Freq.  Numeric  Label
              837      1  Did not do
              159      2  Less than once a month
              121      3  1-2 times a month
               28      4  1-2 times a week
               9       5  3-4 times a week
               9       7  Every day
              20      .
    
```

**ac8 take care of others who are sick**

```

type: numeric (byte)
label: ac8

range: [1,7]          units: 1
unique values: 7      missing .: 20/1,183
    
```

```

tabulation:  Freq.  Numeric  Label
              798      1  Did not do
               98      2  Less than once a month
               74      3  1-2 times a month
               38      4  1-2 times a week
               17      5  3-4 times a week
                4      6  5-6 times a week
              134      7  Every day
              20      .
    
```

---

**ac9 Caring for children in the family (under 15 years old)**

---

```

type: numeric (byte)
label: ac9

range: [1,7]          units: 1
unique values: 5      missing .. 20/1,183

tabulation: Freq.   Numeric  Label
              4         1  Did not do
              3         3  1-2 times a month
              1         4  1-2 times a week
              3         6  5-6 times a week
            1,152      7  Every day
              20         .
    
```

---

**ac10 work for family**

---

```

type: numeric (byte)
label: ac10

range: [1,7]          units: 1
unique values: 7      missing .. 20/1,183

tabulation: Freq.   Numeric  Label
              527      1  Did not do
              27       2  Less than once a month
              38       3  1-2 times a month
              42       4  1-2 times a week
              41       5  3-4 times a week
              39       6  5-6 times a week
             449       7  Every day
              20         .
    
```

---

**ac11 surf the Internet or use facebook social media**

---

```

type: numeric (byte)
label: ac11

range: [1,7]          units: 1
unique values: 7      missing .. 20/1,183

tabulation: Freq.   Numeric  Label
              747      1  Did not do
              2         2  Less than once a month
              11       3  1-2 times a month
              38       4  1-2 times a week
              34       5  3-4 times a week
              9         6  5-6 times a week
             322       7  Every day
              20         .
    
```

---

**ac12 doing religious activities such as praying, listening to sermons, meditating, go**

---

```

type: numeric (byte)
label: ac12

range: [1,7]          units: 1
unique values: 7      missing .. 20/1,183
    
```

```

tabulation:  Freq.  Numeric  Label
              165      1  Did not do
              160      2  Less than once a month
              260      3  1-2 times a month
              336      4  1-2 times a week
               63      5  3-4 times a week
               19      6  5-6 times a week
              160      7  Every day
               20      .
    
```

**cf4** **The questioner read 10 words, which words do you remember?**

```

type:  string (str1)
unique values:  3          missing "":  20/1,183
tabulation:  Freq.  Value
              20    ""
             428    "A"
             375    "B"
             360    "C"
    
```

**cf4a\_1** **score: 0/100**

```

type:  numeric (byte)
label:  cf4a_1
range:  [0,1]          units:  1
unique values:  2          missing .:  755/1,183
tabulation:  Freq.  Numeric  Label
              226      0  respondent can't remember
              202      1  Respondent can remember
              755      .
    
```

**cf4a\_2** **score : 4/10**

```

type:  numeric (byte)
label:  cf4a_2
range:  [0,1]          units:  1
unique values:  2          missing .:  755/1,183
tabulation:  Freq.  Numeric  Label
              262      0  respondent can't remember
              166      1  Respondent can remember
              755      .
    
```

**cf4a\_3** **score : 1/10**

```

type:  numeric (byte)
label:  cf4a_3
range:  [0,1]          units:  1
unique values:  2          missing .:  755/1,183
tabulation:  Freq.  Numeric  Label
              263      0  respondent can't remember
              165      1  Respondent can remember
              755      .
    
```

---

**cf4a\_4** **score : กะทิ**

---

```

type: numeric (byte)
label: cf4a_4

range: [0,1]
unique values: 2
units: 1
missing .. 755/1,183

tabulation: Freq.  Numeric  Label
              366      0  respondent can't remember
              62       1  Respondent can remember
              755      .
    
```

---

**cf4a\_5** **score : สีม่วง**

---

```

type: numeric (byte)
label: cf4a_5

range: [0,1]
unique values: 2
units: 1
missing .. 755/1,183

tabulation: Freq.  Numeric  Label
              306      0  respondent can't remember
              122      1  Respondent can remember
              755      .
    
```

---

**cf4a\_6** **score : ทองพี**

---

```

type: numeric (byte)
label: cf4a_6

range: [0,1]
unique values: 2
units: 1
missing .. 755/1,183

tabulation: Freq.  Numeric  Label
              359      0  respondent can't remember
              69       1  Respondent can remember
              755      .
    
```

---

**cf4a\_7** **score : ไข่**

---

```

type: numeric (byte)
label: cf4a_7

range: [0,1]
unique values: 2
units: 1
missing .. 755/1,183

tabulation: Freq.  Numeric  Label
              366      0  respondent can't remember
              62       1  Respondent can remember
              755      .
    
```

---

**cf4a\_8** **score : เค้ก**

---

```

type: numeric (byte)
label: cf4a_8

range: [0,1]
unique values: 2
units: 1
missing .. 755/1,183
    
```



```

tabulation:  Freq.  Numeric  Label
              355      0  respondent can't remember
              73       1  Respondent can remember
              755      .
    
```

---

**cf4a\_9** **score : ๓๗๗**

---

```

      type: numeric (byte)
      label: cf4a_9

      range: [0,1]                units: 1
unique values: 2                missing .: 755/1,183

      tabulation:  Freq.  Numeric  Label
                   360      0  respondent can't remember
                   68       1  Respondent can remember
                   755      .
    
```

---

**cf4a\_10** **score : ๓๖๗**

---

```

      type: numeric (byte)
      label: cf4a_10

      range: [0,1]                units: 1
unique values: 2                missing .: 755/1,183

      tabulation:  Freq.  Numeric  Label
                   346      0  respondent can't remember
                   82       1  Respondent can remember
                   755      .
    
```

---

**cf4b\_1** **score : ๘๗๗**

---

```

      type: numeric (byte)
      label: cf4b_1

      range: [0,1]                units: 1
unique values: 2                missing .: 808/1,183

      tabulation:  Freq.  Numeric  Label
                   154      0  respondent can't remember
                   221      1  Respondent can remember
                   808      .
    
```

---

**cf4b\_2** **score : ๘๕๐**

---

```

      type: numeric (byte)
      label: cf4b_2

      range: [0,1]                units: 1
unique values: 2                missing .: 808/1,183

      tabulation:  Freq.  Numeric  Label
                   280      0  respondent can't remember
                   95       1  Respondent can remember
                   808      .
    
```

---

**cf4b\_3** **score : ๖๗๗**

---

```

      type: numeric (byte)
      label: cf4b_3
    
```

range: [0,1] units: 1  
 unique values: 2 missing .: 808/1,183

tabulation:	Freq.	Numeric	Label
	259	0	respondent can't remember
	116	1	Respondent can remember
	808	.	

**cf4b\_4** **score : โง่**

type: numeric (byte)  
 label: cf4b\_4

range: [0,1] units: 1  
 unique values: 2 missing .: 808/1,183

tabulation:	Freq.	Numeric	Label
	268	0	respondent can't remember
	107	1	Respondent can remember
	808	.	

**cf4b\_5** **score : สี่ฟ้า**

type: numeric (byte)  
 label: cf4b\_5

range: [0,1] units: 1  
 unique values: 2 missing .: 808/1,183

tabulation:	Freq.	Numeric	Label
	257	0	respondent can't remember
	118	1	Respondent can remember
	808	.	

**cf4b\_6** **score : พระจันทร์**

type: numeric (byte)  
 label: cf4b\_6

range: [0,1] units: 1  
 unique values: 2 missing .: 808/1,183

tabulation:	Freq.	Numeric	Label
	338	0	respondent can't remember
	37	1	Respondent can remember
	808	.	

**cf4b\_7** **score : เสาเข็ม**

type: numeric (byte)  
 label: cf4b\_7

range: [0,1] units: 1  
 unique values: 2 missing .: 808/1,183

tabulation:	Freq.	Numeric	Label
	294	0	respondent can't remember
	81	1	Respondent can remember
	808	.	

**cf4b\_8** **score : เหล็ก**

```

type: numeric (byte)
label: cf4b_8

range: [0,1]
unique values: 2
units: 1
missing .. 808/1,183

tabulation: Freq. Numeric Label
             287      0 respondent can't remember
             88      1 Respondent can remember
             808      .
    
```

---

**cf4b\_9** **score : ๓๓๓**

---

```

type: numeric (byte)
label: cf4b_9

range: [0,1]
unique values: 2
units: 1
missing .. 808/1,183

tabulation: Freq. Numeric Label
             261      0 respondent can't remember
             114      1 Respondent can remember
             808      .
    
```

---

**cf4b\_10** **score : ๓๓๓**

---

```

type: numeric (byte)
label: cf4b_10

range: [0,1]
unique values: 2
units: 1
missing .. 808/1,183

tabulation: Freq. Numeric Label
             280      0 respondent can't remember
             95      1 Respondent can remember
             808      .
    
```

---

**cf4c\_1** **score : ๓๓๓**

---

```

type: numeric (byte)
label: cf4c_1

range: [0,1]
unique values: 2
units: 1
missing .. 823/1,183

tabulation: Freq. Numeric Label
             198      0 respondent can't remember
             162      1 Respondent can remember
             823      .
    
```

---

**cf4c\_2** **score : ๓๓๓**

---

```

type: numeric (byte)
label: cf4c_2

range: [0,1]
unique values: 2
units: 1
missing .. 823/1,183

tabulation: Freq. Numeric Label
             233      0 respondent can't remember
             127      1 Respondent can remember
             823      .
    
```

---

**cf4c\_3** **score : ไฟฟ้า**

---

```

type: numeric (byte)
label: cf4c_3

range: [0,1]                units: 1
unique values: 2            missing .. 823/1,183

tabulation: Freq.  Numeric  Label
              290      0      respondent can't remember
              70       1      Respondent can remember
              823      .
    
```

---

**cf4c\_4** **score : 10**

---

```

type: numeric (byte)
label: cf4c_4

range: [0,1]                units: 1
unique values: 2            missing .. 823/1,183

tabulation: Freq.  Numeric  Label
              248      0      respondent can't remember
              112      1      Respondent can remember
              823      .
    
```

---

**cf4c\_5** **score : 700**

---

```

type: numeric (byte)
label: cf4c_5

range: [0,1]                units: 1
unique values: 2            missing .. 823/1,183

tabulation: Freq.  Numeric  Label
              210      0      respondent can't remember
              150      1      Respondent can remember
              823      .
    
```

---

**cf4c\_6** **score : เจ็ด**

---

```

type: numeric (byte)
label: cf4c_6

range: [0,1]                units: 1
unique values: 2            missing .. 823/1,183

tabulation: Freq.  Numeric  Label
              301      0      respondent can't remember
              59       1      Respondent can remember
              823      .
    
```

---

**cf4c\_7** **score : ก้อนหิน**

---

```

type: numeric (byte)
label: cf4c_7

range: [0,1]                units: 1
unique values: 2            missing .. 823/1,183
    
```

```

tabulation:  Freq.  Numeric  Label
              267      0  respondent can't remember
              93      1  Respondent can remember
              823      .
    
```

---

**cf4c\_8**

**score : อินเดิซ**

```

type:  numeric (byte)
label:  cf4c_8

range:  [0,1]          units:  1
unique values:  2      missing  .:  823/1,183

tabulation:  Freq.  Numeric  Label
              286      0  respondent can't remember
              74      1  Respondent can remember
              823      .
    
```

---

**cf4c\_9**

**score : คั้นไม้**

```

type:  numeric (byte)
label:  cf4c_9

range:  [0,1]          units:  1
unique values:  2      missing  .:  823/1,183

tabulation:  Freq.  Numeric  Label
              264      0  respondent can't remember
              96      1  Respondent can remember
              823      .
    
```

---

**cf4c\_10**

**score : คั้น**

```

type:  numeric (byte)
label:  cf4c_10

range:  [0,1]          units:  1
unique values:  2      missing  .:  823/1,183

tabulation:  Freq.  Numeric  Label
              286      0  respondent can't remember
              74      1  Respondent can remember
              823      .
    
```

---

**cf6**

**How satisfied are you with your health? (HS)**

```

type:  numeric (byte)
label:  cf6

range:  [1,7]          units:  1
unique values:  7      missing  .:  20/1,183

tabulation:  Freq.  Numeric  Label
              14      1  Very dissatisfied
              51      2  Dissatisfied
              71      3  Quite dissatisfied
              368     4  Moderate
              106     5  Quite satisfied
              317     6  Satisfied
              236     7  Very satisfied
              20      .
    
```

---

**cf7** How satisfied are you with your financial situation? (IS)

---

```

type: numeric (byte)
label: cf7

range: [1,7]          units: 1
unique values: 7      missing .. 20/1,183

tabulation: Freq.  Numeric  Label
             28         1  Very dissatisfied
             77         2  Dissatisfied
             96         3  Quite dissatisfied
            494         4  Moderate
            106         5  Quite satisfied
            270         6  Satisfied
             92         7  Very satisfied
             20         .

```

---

**cf8** How satisfied are you with your free time? (LS)

---

```

type: numeric (byte)
label: cf8

range: [1,7]          units: 1
unique values: 7      missing .. 20/1,183

tabulation: Freq.  Numeric  Label
             10         1  Very dissatisfied
             61         2  Dissatisfied
             61         3  Quite dissatisfied
            390         4  Moderate
            103         5  Quite satisfied
            353         6  Satisfied
            185         7  Very satisfied
             20         .

```

---

**cf9** Overall, how much self satisfaction do you have? (OS)

---

```

type: numeric (byte)
label: cf9

range: [1,7]          units: 1
unique values: 7      missing .. 20/1,183

tabulation: Freq.  Numeric  Label
             8          1  Very dissatisfied
            23          2  Dissatisfied
            25          3  Quite dissatisfied
            293         4  Moderate
            114         5  Quite satisfied
            374         6  Satisfied
            326         7  Very satisfied
             20         .

```

---

**cf3** You can name as many animals as real or from fairy tales as much as you can in 1

---

```

type: numeric (byte)

range: [2,29]          units: 1
unique values: 26      missing .. 280/1,183
unique missing codes: 2  missing *: 1/1,183

```

```

tabulation:  Freq.  Value
              1    2
              3    3
              5    4
             11    5
             14    6
             16    7
             32    8
             41    9
             45   10
             59   11
             57   12
             78   13
             68   14
             81   15
             82   16
             77   17
             51   18
             54   19
             38   20
             23   21
             23   22
             10   23
             19   24
              4   25
              8   26
              2   29
            280   .
              1   .d
    mean:     14.6752
  std. dev:   4.58389
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  9        11       15       18       20
    
```

---

**cf1\_adult** **Total Score Cognitive & Aging (CF1)**

---

```

    type: numeric (float)
    range: [0,10]
  unique values: 11
                    units: 1
                    missing .: 21/1,183
    
```

```

tabulation:  Freq.  Value
              19    0
              42    1
             122    2
             201    3
             269    4
             239    5
             165    6
              80    7
              16    8
               7    9
               2   10
              21   .
    mean:     4.23494
  std. dev:   1.71854
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  2        3        4        5        6
    
```

---

**cf2\_adult** **Total Score Cognitive & Aging (CF2)**

---

```

    type: numeric (float)
    range: [0,5]
  unique values: 6
                    units: 1
                    missing .: 21/1,183
    
```

```

tabulation:  Freq.  Value
              169    0
              399    1
              107    2
              132    3
              155    4
              200    5
              21     .
mean:        2.26248
std. dev:    1.74788

percentiles: 10%    25%    50%    75%    90%
              0     1     2     4     5
    
```

**cf4\_adult** **Total Score Cognitive & Aging (CF4)**

```

type: numeric (float)
range: [0,10]
unique values: 11
units: 1
missing .: 21/1,183

tabulation:  Freq.  Value
              221    0
              102    1
              183    2
              257    3
              204    4
              114    5
              57     6
              17     7
              4      8
              1      9
              2     10
              21     .
mean:        2.70826
std. dev:    1.89294

percentiles: 10%    25%    50%    75%    90%
              0     1     3     4     5
    
```

**note\_cleaner** **Data cleaner note (not display)**

```

type: string (str102), but longest is str0
unique values: 0
missing "": 1,183/1,183

tabulation:  Freq.  Value
              1,183  ""
    
```

**hh\_change** **Sample has moved so that its household structure changed**

```

type: numeric (float)
label: hh_change
range: [0,1]
unique values: 2
units: 1
missing .: 0/1,183

tabulation:  Freq.  Numeric  Label
              1,166    0      no
              17       1      yes
    
```

**survey\_name** **survey round**



```

type: string (str12)
unique values: 1 missing "": 0/1,183
tabulation: Freq. Value
1,183 "RESURVEY2018"

```

---

**year\_survey** **year\_survey**

---

```

type: numeric (float)
range: [2018,2018] units: 1
unique values: 1 missing .: 0/1,183
tabulation: Freq. Value
1,183 2018
mean: 2018
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
2018 2018 2018 2018 2018

```

```

2 . log close
name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2018\\a14.scm1
log type: smcl
closed on: 19 Jan 2024, 16:45:58

```

---