



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\a7.scml
log type: smcl
opened on: 19 Jan 2024, 10:31:22
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\a7_run.dta
Last saved: 19 Jan 2024 10:31
            DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 62
Number of observations: 1,182
Size: 2,111,052 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
                for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

hhid **household id**

```

type: string (str15)
unique values: 1,182           missing "": 0/1,182
examples: "201591160603209"
           "201691130611055"
           "201691160104153"
           "201691161706144"
    
```

iyear **year**

```

type: string (str4)
unique values: 2           missing "": 0/1,182
tabulation: Freq. Value
             437 "2015"
             745 "2016"
    
```

prov **province**

```

type: string (str2)
    
```

unique values: 2 missing "": 0/1,182
 tabulation: Freq. Value
 1,068 "91"
 114 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/1,182
 tabulation: Freq. Value
 114 "12"
 212 "13"
 100 "14"
 117 "15"
 436 "16"
 32 "17"
 171 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,182
 tabulation: Freq. Value
 54 "01"
 190 "02"
 104 "04"
 45 "05"
 46 "06"
 55 "07"
 45 "08"
 79 "09"
 104 "10"
 71 "11"
 115 "13"
 38 "14"
 117 "15"
 76 "17"
 43 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,182
 tabulation: Freq. Value
 125 "01"
 53 "02"
 116 "03"
 132 "04"
 95 "05"
 128 "06"
 62 "07"
 122 "08"
 71 "09"
 58 "10"
 44 "11"
 34 "12"
 34 "13"
 8 "14"
 8 "15"

```

30 "16"
8  "17"
11 "18"
24 "19"
13 "22"
6  "24"

```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/1,182
examples: "010"
           "034"
           "070"
           "146"

```

hilb1 In the past 12 months, the household has received income from the following sour

```

type: numeric (byte)
label: hilb1
range: [1,3]           units: 1
unique values: 2       missing .: 0/1,182
unique missing codes: 1 missing *: 1/1,182

tabulation: Freq.  Numeric  Label
              5         1  yes
              1,176     3  no
              1         .a

```

hilc1 Other rents, e.g., vehicle rent. How much is the total income per year from the

```

type: numeric (long)
range: [300,90000]    units: 100
unique values: 5      missing .: 1,176/1,182
unique missing codes: 2 missing *: 1/1,182

tabulation: Freq.  Value
              1    300
              1   3000
              1   4000
              1   7200
              1  90000
            1,176  .
              1   .d
mean: 20900
std. dev: 38706.8

percentiles:      10%      25%      50%      75%      90%
                  300      3000     4000     7200     90000

```

hilb2a **In the past 12 months, household has received premiums for seniors**

```

type: numeric (byte)
label: hilb2a
range: [1,3]           units: 1
unique values: 2       missing .: 0/1,182
unique missing codes: 1 missing *: 1/1,182

```

```

tabulation:  Freq.  Numeric  Label
              510      1      yes
              671      3      no
              1         .a
    
```

hi1c2a **If yes, how much is the total value per year**

```

type: numeric (long)
label: hi1c2a, but label does not exist

range: [12,396000]          units: 1
unique values: 55          missing .: 672/1,182
unique missing codes: 2    missing *: 2/1,182
    
```

```

tabulation:  Freq.  Value
              1     12
              3     14
              1     22
              3     72
              2     84
              1     96
              1    1200
              1    2400
              1    3600
              2    4800
              1    5400
              1    5600
              3    6000
              1    6300
              1    6400
              9    6600
             163    7200
              2    7700
             12    7800
             71    8400
              3    8800
              1    8900
              5    9100
             24    9600
              1    9800
              2   10400
              1   10500
              1   10600
              1   11900
              1   12000
              2   12600
              9   13200
              3   13800
              3   14300
             90   14400
              2   15400
             29   15600
              1   15900
              1   16100
             25   16800
              2   16900
              3   18000
              2   18200
              2   19200
              1   19500
              1   19600
              2   21000
              2   21600
              1   21900
              2   24000
              1   24700
              1   27600
              1   28600
              1   72000
              1  396000
    
```

672 .
 2 .c
 mean: 11317.8
 std. dev: 17868.6

percentiles: 10% 25% 50% 75% 90%
 7200 7200 8400 14400 15600

hi1b2b In the past 12 months, household has received premiums for disability

type: numeric (byte)
 label: hi1b2a
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,182
 unique missing codes: 1 missing *: 1/1,182

tabulation:	Freq.	Numeric	Label
	122	1	yes
	1,059	3	no
	1	.a	

hi1c2b If yes, how much is the total value per year

type: numeric (long)
 label: hi1c2b, but label does not exist
 range: [96,174000] units: 1
 unique values: 17 missing .: 1,060/1,182
 unique missing codes: 2 missing *: 1/1,182

tabulation:	Freq.	Value
	2	96
	1	300
	1	1600
	1	2400
	1	3200
	2	4800
	1	5600
	1	6600
	2	7200
	4	8800
	88	9600
	8	10400
	3	11200
	2	12000
	1	18400
	2	19200
	1	174000
	1,060	.
	1	.c

mean: 10706.5
 std. dev: 15186.2

percentiles: 10% 25% 50% 75% 90%
 8800 9600 9600 9600 10400

hi1b2c In the past 12 months, household has received flood relief money (3,000 baht/hou

type: numeric (byte)
 label: hi1b2a

```

range: [1,3] units: 1
unique values: 2 missing .: 0/1,182
unique missing codes: 3 missing *: 7/1,182

tabulation: Freq. Numeric Label
             612      1 yes
             563      3 no
             1       .a
             4       .c
             2       .d
    
```

hi1c2c If yes, how much is the total value per year

```

type: numeric (int)
label: hi1c2c, but label does not exist

range: [30,10000] units: 10
unique values: 8 missing .: 570/1,182
unique missing codes: 2 missing *: 1/1,182

tabulation: Freq. Value
             14  30
             2  300
             2 1500
             1 2500
            588 3000
             1 4800
             2 5000
             1 10000
            570 .
             1 .c
mean: 2938.33
std. dev: 573.655

percentiles:      10%      25%      50%      75%      90%
                 3000    3000    3000    3000    3000
    
```

hi1b2d In the past 12 months, household has received compensation money for flood affec

```

type: numeric (byte)
label: hi1b2a

range: [1,3] units: 1
unique values: 2 missing .: 0/1,182
unique missing codes: 2 missing *: 5/1,182

tabulation: Freq. Numeric Label
             256      1 yes
             921      3 no
             1       .a
             4       .c
    
```

hi1c2d If yes, how much is the total value per year

```

type: numeric (long)
label: hi1c2d, but label does not exist

range: [12,33000] units: 1
unique values: 74 missing .: 926/1,182
unique missing codes: 2 missing *: 14/1,182
    
```

```

tabulation:  Freq.  Value
              1    12
              1    36
              2    40
              1    50
              1    66
              1    80
              1    90
              1   750
              1   900
              6  1000
              1  1020
              2  1100
              1  1113
              1  1200
              1  1250
              1  1500
              3  1600
              7  2000
              1  2040
              5  2200
              1  2400
              1  2500
              1  2800
             12  3000
              1  3039
              2  3200
              3  3300
              1  3339
              1  3450
              3  3600
              1  3642
              1  4000
              1  4200
              1  4400
              1  4500
              1  4800
             15  5000
              1  5200
              1  5400
              4  5500
              1  5600
              1  5665
             12  6000
              1  6120
              1  6180
              2  6600
             14  7000
              1  7425
              2  7500
              1  7700
             13  8000
              2  8400
              1  8475
              2  8800
              5  9000
              1  9900
             50 10000
              1  10120
              1  10480
              4  11000
              1  11130
             11 12000
              1  12100
              2  13000
              1  13200
              1  14000
              2  15000
              2  16000
              4  16500
              1  17600
              2  18000
    
```



```

      1 5700
      1 5900
     47 6000
      1 6400
      2 6500
      1 6600
      8 7000
     29 7200
      1 7500
      2 7700
      1 7800
     18 8000
      3 8100
     35 8400
      1 8500
      1 8800
     10 9000
     43 9600
      1 9900
     54 10000
     19 10800
      3 11000
      1 11130
    285 12000
      1 13000
      2 13200
      1 14400
      2 15000
      1 15600
      1 17000
      5 18000
      1 19200
      1 20400
      2 21600
      1 23000
      2 24000
     417 .
      17 .c
    mean: 8951.52
  std. dev: 3815.48

  percentiles:      10%      25%      50%      75%      90%
                   3600      6000     10000     12000     12000

```

hilb3 In the past 12 months, household has received aids from other non-governmental o

```

  type: numeric (byte)
  label: hilb3

  range: [1,3]
  unique values: 2
  unique missing codes: 1

  units: 1
  missing .: 0/1,182
  missing *: 1/1,182

  tabulation: Freq.  Numeric  Label
               1          1  yes
               1,180      3  no
               1          .a

```

hilc3 How much is the total income per year from non-government aids

```

  type: numeric (int)

  range: [8400,8400]
  unique values: 1

  units: 100
  missing .: 1,181/1,182

```

```

tabulation:  Freq.  Value
              1  8400
            1,181  .
      mean:    8400
    std. dev:  .

percentiles:  10%      25%      50%      75%      90%
              8400    8400    8400    8400    8400
    
```

hilb4 In the past 12 months, household received scholarship

```

      type:  numeric (byte)
      label:  hilb4

      range:  [1,3]
unique values:  2
unique missing codes:  2

                        units:  1
                        missing .:  0/1,182
                        missing *:  2/1,182

      tabulation:  Freq.  Numeric  Label
                  119      1      yes
                  1,061    3      no
                   1      .a
                   1      .c
    
```

hilc4 How much is the total income per year from scholarships

```

      type:  numeric (int)

      range:  [100,10000]
unique values:  21
unique missing codes:  2

                        units:  10
                        missing .:  1,063/1,182
                        missing *:  1/1,182

      tabulation:  Freq.  Value
                  3  100
                  7  200
                 22  300
                   3  400
                   1  450
                 33  500
                   3  600
                   1  660
                   3  700
                   1  800
                 16 1000
                   9 1500
                   6 2000
                   1 2500
                   3 3000
                   1 3400
                   1 4000
                   1 5000
                   1 6000
                   1 8000
                   1 10000
                 1,063  .
                   1  .c
      mean:    1027.2
    std. dev:  1421.45

percentiles:  10%      25%      50%      75%      90%
              300     300     500     1000    2000
    
```

hilb6 In the past 12 months, household has received interest on deposit

```

type: numeric (byte)
label: hilb7

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 0/1,182
missing *: 3/1,182

```

```

tabulation: Freq.  Numeric  Label
             68         1  yes
             1,111       3  no
              1         .a
              2         .c

```

hilc6 **How much is the total income per year from interest of deposit**

```

type: numeric (int)
label: hilc6, but label does not exist

range: [6,10000]
unique values: 13
unique missing codes: 2

units: 1
missing .: 1,114/1,182
missing *: 52/1,182

```

```

tabulation: Freq.  Value
             1      6
             2     100
             1     170
             1     200
             2     250
             1     500
             1     870
             1    1000
             1    1200
             1    1800
             2    2000
             1    3500
             1   10000
           1,114  .
             52  .c
mean:      1496.63
std. dev:  2467.29

```

```

percentiles:      10%      25%      50%      75%      90%
                  100      185      685      1900     3500

```

hilb7 **In the past 12 months, household has received dividend from investment shares,**

```

type: numeric (byte)
label: hilb7

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 0/1,182
missing *: 5/1,182

```

```

tabulation: Freq.  Numeric  Label
             156         1  yes
             1,021       3  no
              1         .a
              4         .c

```

hilc7 **How much is the total income per year from dividend of cooperative funds or comp**

```

type: numeric (long)
label: hilc7, but label does not exist

```

range: [50,80000]
 unique values: 62
 unique missing codes: 3

units: 1
 missing .: 1,026/1,182
 missing *: 33/1,182

tabulation:	Freq.	Value
	1	50
	1	55
	1	75
	3	100
	1	130
	4	150
	1	160
	3	200
	1	210
	4	250
	1	260
	1	288
	5	300
	2	350
	1	375
	5	400
	5	450
	4	500
	5	600
	1	650
	3	700
	2	750
	2	800
	2	900
	7	1000
	1	1026
	2	1200
	1	1250
	2	1300
	1	1373
	3	1400
	4	1500
	1	1600
	1	1700
	1	1900
	4	2000
	1	2100
	1	2300
	2	2500
	3	3000
	2	3800
	1	4000
	1	4010
	4	4500
	1	4900
	3	5000
	1	5500
	1	5600
	1	6000
	1	6800
	1	7000
	1	8000
	2	10000
	1	11000
	1	12000
	1	17000
	1	17500
	1	20000
	1	34000
	1	35000
	1	60000
	1	80000
	1,026	.
	1	.a
	32	.c

mean: 3898.88
 std. dev: 10157.9

percentiles:	10%	25%	50%	75%	90%
	200	400	1000	3000	7000

hilb8 In the past 12 months, household has received dividend from investment in villag

type: numeric (**byte**)
 label: **hilb8**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,182
 unique missing codes: 2 missing *: 8/1,182

tabulation:	Freq.	Numeric	Label
	581	1	yes
	593	3	no
	1	.a	
	7	.c	

hilc8 How much is the total income per year from dividend of community funds

type: numeric (**long**)
 range: [11,300000] units: 1
 unique values: 110 missing .: 600/1,182
 unique missing codes: 3 missing *: 73/1,182

mean: 1299.68
 std. dev: 13759.5

percentiles:	10%	25%	50%	75%	90%
	100	175	300	500	1040

hilb9 In the past 12 months, household has received pension fund

type: numeric (**byte**)
 label: **hilb9**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,182
 unique missing codes: 1 missing *: 1/1,182

tabulation:	Freq.	Numeric	Label
	8	1	yes
	1,173	3	no
	1	.a	

hilc9 How much is the total income per year from pension

type: numeric (**long**)
 range: [17500,216000] units: 100
 unique values: 6 missing .: 1,175/1,182
 unique missing codes: 2 missing *: 1/1,182

```

tabulation:  Freq.  Value
              1  17500
              1  25200
              1  81000
              1 180000
              1 204000
              1 216000
            1,175  .
              1  .a
      mean:    120617
    std. dev:  90425.7

percentiles:    10%      25%      50%      75%      90%
                17500   25200   130500  204000  216000
    
```

hilb10

In the past 12 months, household has received the prize in winnings from governm

```

      type:  numeric (byte)
      label:  hilb10

      range:  [1,3]
unique values:  2
unique missing codes:  1

      units:  1
missing .:  0/1,182
missing *:  1/1,182

      tabulation:  Freq.  Numeric  Label
                  60      1  yes
                  1,121  3  no
                   1      .a
    
```

hilc10

How much is the total income per year from government lottery winning

```

      type:  numeric (long)

      range:  [1440,80000]
unique values:  22
unique missing codes:  2

      units:  10
missing .:  1,122/1,182
missing *:  4/1,182

      tabulation:  Freq.  Value
                  1  1440
                  1  1500
                  9  2000
                  1  3900
                  1  3920
                 11  4000
                  1  5000
                  1  5600
                  4  6000
                  1  6500
                  1  7600
                  9  8000
                  2 10000
                  5 12000
                  1 14000
                  1 15750
                  1 18000
                  1 20000
                  1 25000
                  1 30000
                  1 45000
                  1 80000
            1,122  .
                   4  .c
      mean:    9307.32
    std. dev: 12292.1
    
```

percentiles: 10% 25% 50% 75% 90%
 2000 4000 6000 10000 18000

hilb11

In the past 12 months, household has received the prize in winnings from illegal

type: numeric (byte)
 label: **hilb11**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,182
 unique missing codes: 1 missing *: 1/1,182

tabulation:	Freq.	Numeric	Label
	202	1	yes
	979	3	no
	1	.a	

hilc11

How much is the total income per year from illegal lottery winning

type: numeric (long)
 range: [200,140000] units: 10
 unique values: 50 missing .: 980/1,182
 unique missing codes: 2 missing *: 13/1,182

tabulation:	Freq.	Value
	1	200
	1	300
	1	500
	1	650
	3	700
	1	900
	3	1000
	2	1200
	1	1300
	10	1400
	3	1500
	1	1750
	18	2000
	6	2100
	1	2250
	1	2500
	2	2800
	1	2900
	15	3000
	4	3500
	1	3750
	5	4000
	4	4200
	6	4500
	9	5000
	4	5500
	4	6000
	1	6250
	1	6300
	1	6500
	2	6750
	9	7000
	21	10000
	1	10500
	1	11000
	1	12000
	1	12800
	5	14000
	6	15000
	6	20000
	5	25000

```

          5 30000
          4 35000
          1 37000
          1 40000
          1 45500
          1 56250
          4 70000
          1 80000
          1 140000
          980 .
          13 .c
    mean: 10775.7
  std. dev: 16875.5

percentiles:    10%    25%    50%    75%    90%
                1400    2100    5000    10000    30000

```

hi1b12

In the past 12 months, household has received income from organizing various ev

```

    type: numeric (byte)
    label: hi1b12

    range: [1,3]
    unique values: 2
    unique missing codes: 1

                                units: 1
    missing .: 0/1,182
    missing *: 1/1,182

```

```

tabulation:  Freq.  Numeric  Label
              84      1  yes
              1,097  3  no
              1      .a

```

hi1c12

How much is the total income per year from organizing various events such as wed

```

    type: numeric (long)
    label: hi1c12, but label does not exist

    range: [0,200000]
    unique values: 35
    unique missing codes: 2

                                units: 100
    missing .: 1,098/1,182
    missing *: 17/1,182

```

```

tabulation:  Freq.  Value
              3      0
              2     2000
              3     2500
              1     3500
              1     4500
              1     5000
              2    10000
              1    14000
              1    14500
              5    15000
              1    17000
             10    20000
              1    23000
              1    25000
              1    27000
              4    30000
              1    40000
              2    45000
              4    50000
              2    55000
              3    60000
              1    67000
              1    80000
              1    90000
              1   97800

```



```

                2 100000
                1 101700
                1 110000
                3 120000
                1 130000
                1 135000
                1 150000
                1 180000
                1 185000
                1 200000
    1,098 .
      17 .c
    mean: 48753.7
    std. dev: 49738.7

    percentiles:    10%    25%    50%    75%    90%
                   2500   15000  27000  67000  120000
    
```

hilb13 **Other income (or not?)**

```

    type: numeric (byte)
    label: hilb13

    range: [1,1]
    unique values: 1
    units: 1
    missing .: 1,036/1,182

    tabulation: Freq.  Numeric  Label
                146      1  yes
                1,036      .
    
```

hilb13_des **Description of other income (not display)**

```

    type: string (str262), but longest is str0
    unique values: 0
    missing "": 1,182/1,182

    tabulation: Freq.  Value
                1,182  ""
    
```

hilc13 **How much is the total income per year from other sources**

```

    type: numeric (long)
    label: hilc13, but label does not exist

    range: [10,380000]
    unique values: 80
    unique missing codes: 3
    units: 1
    missing .: 1,035/1,182
    missing *: 13/1,182

    tabulation: Freq.  Value
                1  10
                1  20
                2  30
                3  50
                1  70
                1  80
                3  100
                1  120
                2  180
                1  200
                2  250
                5  300
                2  400
                1  650
                1  660
                2  720
                2  800
    
```

```

1 820
1 900
5 1000
1 1050
3 1200
2 1300
3 1500
1 1700
1 1750
1 1875
4 2000
1 2080
2 2400
1 2500
3 3000
1 3045
1 3500
2 4000
1 4800
4 5000
1 5500
3 6000
1 6700
2 7000
1 8000
8 10000
1 10400
1 10700
1 11450
1 14000
4 15000
1 16000
2 20000
1 22000
2 27000
2 30000
1 40000
3 50000
1 55000
1 75000
1 80000
2 100000
1 110000
1 123000
1 130000
1 139999
1 142500
1 160000
1 164000
1 180000
1 190000
1 194000
1 215000
1 220000
1 230000
1 250000
1 256000
1 271000
3 300000
1 304000
1 350000
1 370000
1 380000
1,035 .
1 .a
12 .c

```

```

mean: 47823.1
std. dev: 91077.2

```

```

percentiles:      10%      25%      50%      75%      90%
                  180      1000     5000     30000    194000

```

hilb13a **Other income**

```

type: numeric (byte)
label: hilb13a

range: [1,1]
unique values: 1
units: 1
missing ..: 1,176/1,182

tabulation: Freq.  Numeric  Label
              6         1  yes
              1,176      .
    
```

hilb13a_des **Description of other income (not display)**

```

type: string (str97), but longest is str0
unique values: 0
missing "": 1,182/1,182

tabulation: Freq.  Value
              1,182  ""
    
```

hilc13a **If yes, how much is the total value**

```

type: numeric (long)
range: [180,365000]
unique values: 6
units: 10
missing ..: 1,176/1,182

tabulation: Freq.  Value
              1  180
              1  930
              1 1200
              1 3000
              1 150000
              1 365000
              1,176 .
mean: 86718.3
std. dev: 148739

percentiles:      10%      25%      50%      75%      90%
                  180      930      2100     150000    365000
    
```

hilb13b **Other income**

```

type: numeric (byte)
label: hilb13b, but label does not exist

range: [.,.]
unique values: 0
units: .
missing ..: 1,182/1,182

tabulation: Freq.  Value
              1,182  .
mean: .
std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

hilb13b_des **Description of other income**

```

type: string (str1), but longest is str0
    
```

unique values: 0 missing "": 1,182/1,182
 tabulation: Freq. Value
 1,182 ""

hi1c13b **If yes, how much is the total value**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,182/1,182
 tabulation: Freq. Value
 1,182 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

hi2a **In the past 12 months, how much is the total income from selling rice which had**

type: numeric (**int**)
 range: [0,4200] units: 1
 unique values: 40 missing .: 0/1,182
 unique missing codes: 3 missing *: 46/1,182
 tabulation: Freq. Value
 1,065 0
 1 2
 1 60
 1 95
 1 100
 4 125
 2 150
 1 192
 1 200
 7 250
 1 275
 1 288
 7 300
 3 375
 1 420
 3 450
 1 480
 1 525
 2 600
 2 625
 1 650
 1 660
 1 714
 5 750
 1 875
 1 1000
 2 1125
 3 1200
 1 1238
 1 1250
 1 1500
 1 1667
 1 1800
 1 1818
 1 2000
 3 2100
 1 2250
 2 3000
 1 3250

```

          1 4200
          2 .a
          2 .b
          42 .c
    mean: 51.9225
  std. dev: 293.16

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hi2b Please specify the production unit

```

    type: numeric (byte)
    label: hi2b

    range: [1,3]
unique values: 2
                units: 1
                missing .: 1,111/1,182

    tabulation: Freq.  Numeric  Label
                 70         1  kilogram
                 1         3   ton
                1,111         .
    
```

hi2c Value in Baht

```

    type: numeric (long)

    range: [660,55000]
unique values: 61
unique missing codes: 3
                units: 1
                missing .: 1,068/1,182
                missing *: 7/1,182

    tabulation: Freq.  Value
                 1  660
                 1  875
                 1  900
                 2 1000
                 1 1125
                 1 1250
                 1 1350
                 3 1500
                 2 2000
                 1 2125
                 2 2250
                 2 2300
                 1 2400
                 3 2500
                 1 2550
                 6 3000
                 2 3200
                 2 3375
                 2 3500
                 1 3700
                 8 4000
                 1 4050
                 1 4100
                 1 4200
                 1 4350
                 2 4500
                 1 4800
                 2 5000
                 2 5500
                 1 5625
                 6 6000
                 1 6125
                 1 6250
                 1 6750
                 3 7000
                 1 7400
    
```

```

1 7500
1 7600
1 8580
1 8663
1 9000
7 10000
1 10800
1 12000
1 12375
4 15000
1 15600
1 16800
1 17000
3 18000
2 20000
1 20600
1 23100
1 24750
2 25000
1 26000
1 30000
1 33000
1 34000
1 42000
1 55000
1,068 .
1 .a
6 .c
mean: 8814.98
std. dev: 9325.72

percentiles:    10%    25%    50%    75%    90%
                1500   3000   5500   10000  20600

```

hi3a **In the past 12 months, has the household received subsidy for a newborn baby**

```

type: numeric (byte)
label: hi3a

range: [1,3]
unique values: 2

units: 1
missing ..: 0/1,182

tabulation: Freq.  Numeric  Label
             52       1  yes
             1,130   3  no

```

hi3aa **Since month (unavailable)**

```

type: numeric (byte)
label: hi3aa, but label does not exist

range: [.,.]
unique values: 0

units: .
missing ..: 1,182/1,182

tabulation: Freq.  Value
             1,182  .
mean: .
std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

hi3ab **year (unavailable)**

```

type: numeric (int)

```

```

range: [,.]
unique values: 0
units: .
missing ..: 1,182/1,182

tabulation: Freq. Value
1,182 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

hi3ac **Total value (THB)**

```

type: numeric (int)
range: [2057,21600]
unique values: 11
unique missing codes: 2
units: 1
missing ..: 1,130/1,182
missing *: 6/1,182

tabulation: Freq. Value
1 2057
1 4200
1 4500
6 4800
1 5400
2 6000
9 6600
22 7200
1 8400
1 9600
1 21600
1,130 .
6 .c
mean: 6833.85
std. dev: 2560.61

percentiles: 10% 25% 50% 75% 90%
4800 6000 7200 7200 7200

```

hi3ad **Please specify the reason why you have not received this (unavailable)**

```

type: string (str303), but longest is str0
unique values: 0
missing "": 1,182/1,182

tabulation: Freq. Value
1,182 ""

```

hi4 **Do you know of the low-income registration program?**

```

type: numeric (byte)
label: hi4
range: [1,3]
unique values: 2
unique missing codes: 1
units: 1
missing ..: 0/1,182
missing *: 1/1,182

tabulation: Freq. Numeric Label
1,178 1 yes
3 3 no
1 .a

```

note **Interviewer note (unavailable)**

```

type: string (str670), but longest is str0
unique values: 0 missing "": 1,182/1,182
tabulation: Freq. Value
             1,182 ""
    
```

note_cleaner **Data cleaner note (not display)**

```

type: string (str304), but longest is str0
unique values: 0 missing "": 1,182/1,182
tabulation: Freq. Value
             1,182 ""
    
```

hi2a_kg
In the past 12 months, how much has the household sold rice which had been produ

```

type: numeric (float)
range: [60,4200] units: 1
unique values: 38 missing .: 1,107/1,182
unique missing codes: 3 missing *: 4/1,182
    
```

```

tabulation: Freq. Value
             1 60
             1 95
             1 100
             4 125
             2 150
             1 192
             1 200
             7 250
             1 275
             1 288
             7 300
             3 375
             1 420
             3 450
             1 480
             1 525
             2 600
             2 625
             1 650
             1 660
             1 714
             5 750
             1 875
             1 1000
             2 1125
             3 1200
             1 1238
             1 1250
             1 1500
             1 1667
             1 1800
             1 1818
             2 2000
             3 2100
             1 2250
             2 3000
             1 3250
             1 4200
1,107 .
             2 .a
             2 .d
mean: 858.901
    
```


std. dev: **863.796**
 percentiles: 10% 25% 50% 75% 90%
 150 250 525 1200 2100

other_income **Total other income (THB)**

type: numeric (**float**)
 range: [0,475450] units: 1
 unique values: 339 missing .: 0/1,182
 mean: 12585.2
 std. dev: 47107.9
 percentiles: 10% 25% 50% 75% 90%
 0 0 333 3060 20000

hh_change **Sample has moved so that its household structure changed**

type: numeric (**float**)
 label: **hh_change**
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,182
 tabulation: Freq. Numeric Label
 1,165 0 no
 17 1 yes

survey_name **survey round**

type: string (**str12**)
 unique values: 1 missing "": 0/1,182
 tabulation: Freq. Value
 1,182 "RESURVEY2018"

year_survey **year_survey**

type: numeric (**float**)
 range: [2018,2018] units: 1
 unique values: 1 missing .: 0/1,182
 tabulation: Freq. Value
 1,182 2018
 mean: 2018
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 2018 2018 2018 2018 2018

2 . log close
 name: <unnamed>
 log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2018\\a7.scml
 log type: smcl
 closed on: 19 Jan 2024, 10:31:25
