



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\b11.smcl
log type: smcl
opened on: 22 Jan 2024, 18:12:24
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b11_run.dta
Last saved: 22 Jan 2024 17:55
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 755
Number of observations: 1,397
Size: 14,341,602 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,397 missing "": 0/1,397
examples: "201591160604207H1"
           "201691131001062H1"
           "201691160105024H1"
           "201691161708105H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,397
tabulation: Freq. Value
             517 "2015"
             880 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,197 missing "": 0/1,397
 examples: "201591160604207"
 "201691131001041"
 "201691160105024"
 "201691161708105"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,397
 tabulation: Freq. Value
 1,259 "91"
 138 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/1,397
 tabulation: Freq. Value
 138 "12"
 241 "13"
 116 "14"
 136 "15"
 514 "16"
 41 "17"
 211 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,397
 tabulation: Freq. Value
 63 "01"
 214 "02"
 122 "04"
 53 "05"
 53 "06"
 63 "07"
 56 "08"
 92 "09"
 122 "10"
 89 "11"
 141 "13"
 42 "14"
 137 "15"
 96 "17"
 54 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,397

```

tabulation:  Freq.  Value
              153  "01"
              62  "02"
              141  "03"
              148  "04"
              116  "05"
              145  "06"
              76  "07"
              143  "08"
              87  "09"
              70  "10"
              50  "11"
              39  "12"
              38  "13"
              10  "14"
              12  "15"
              36  "16"
              8   "17"
              12  "18"
              26  "19"
              18  "22"
              7   "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/1,397
examples:  "011"
           "035"
           "070"
           "147"
    
```

td1_times **At night, the child sleeps : from (hour:minute)**

```

type: string (str6), but longest is str5
unique values: 15           missing "": 0/1,397
tabulation:  Freq.  Value
              1  "00.00"
              1  "06.00"
              2  "18.00"
              3  "18.30"
             45  "19.00"
             84  "19.30"
              1  "19.45"
            489  "20.00"
            300  "20.30"
            303  "21.00"
              1  "21.15"
             76  "21.30"
             70  "22.00"
             17  "22.30"
              4  "23.00"
    
```

td1_timee **At night, the child sleeps : until (hour:minute)**

```

type: string (str6), but longest is str5
unique values: 26           missing "": 0/1,397
    
```

```

tabulation:  Freq.  Value
              2  "03.00"
              1  "03.30"
              8  "04.00"
              9  "04.30"
             102  "05.00"
             127  "05.30"
              4  "05.40"
              2  "05.45"
              1  "05.50"
             614  "06.00"
              2  "06.10"
              2  "06.15"
              2  "06.20"
             274  "06.30"
              5  "06.40"
              1  "06.45"
              1  "06.50"
             181  "07.00"
              2  "07.10"
              1  "07.20"
             41  "07.30"
              1  "07.31"
              1  "07.45"
              9  "08.00"
              3  "08.30"
              1  "20.30"
    
```

td1_hr

At night, the child sleeps for hours

```

type: numeric (byte)
range: [6,13]
unique values: 8
units: 1
missing .: 0/1,397
    
```

```

tabulation:  Freq.  Value
              3  6
             20  7
            144  8
            542  9
            558 10
            118 11
             11 12
              1 13
    
```

```

mean: 9.45669
std. dev: .88954
    
```

```

percentiles:  10%  25%  50%  75%  90%
              8    9    9    10   10
    
```

td1_mi

At night, the child sleeps for minutes

```

type: numeric (byte)
range: [0,50]
unique values: 9
units: 1
missing .: 0/1,397
    
```

```

tabulation:  Freq.  Value
              781    0
              1     5
              5    10
              5    15
              3    20
             589    30
              8    40
              3    45
              2    50
    mean:     13.1818
    std. dev: 14.9996

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

td2_times The child goes to school/child development center : from (hour:minute)

```

type: string (str17), but longest is str5
unique values: 25
unique missing codes: 2
missing "": 0/1,397
missing *: 21/1,397
    
```

```

tabulation:  Freq.  Value
              18  "06.00"
              1  "06.10"
              4  "06.20"
             66  "06.30"
              9  "06.40"
              2  "06.45"
              5  "06.50"
            297  "07.00"
              9  "07.10"
             13  "07.15"
             10  "07.20"
              1  "07.25"
            570  "07.30"
             11  "07.40"
             10  "07.45"
              7  "07.50"
            264  "08.00"
              1  "08.10"
              2  "08.15"
              1  "08.20"
             65  "08.30"
              8  "09.00"
              2  "14.30"
              1  "DK"
             20  "NA"
    
```

td2_timee The child goes to school/child development center : until (hour:minute)

```

type: string (str6), but longest is str5
unique values: 33
unique missing codes: 2
missing "": 0/1,397
missing *: 21/1,397
    
```


range: [0,55] units: 1
 unique values: 12 missing .: 0/1,397
 unique missing codes: 2 missing *: 21/1,397

tabulation: Freq. Value
 657 0
 4 5
 14 10
 10 15
 1 16
 22 20
 609 30
 1 35
 20 40
 21 45
 15 50
 2 55
 20 .b
 1 .c
 mean: 15.7529
 std. dev: 15.6959

percentiles: 10% 25% 50% 75% 90%
 0 0 20 30 30

td3_times The child takes a nap during the day (weekdays) : from (hour:minute)

type: string (str11)
 unique values: 9 missing "": 0/1,397
 unique missing codes: 1 missing *: 1,047/1,397

tabulation: Freq. Value
 330 "0"
 1 "08.00-10.00"
 5 "10.00"
 1 "10.00-11.00"
 2 "11.00"
 1 "11.30"
 7 "12.00"
 3 "13.00"
 1,047 "NA"

td3_timee The child takes a nap during the day (weekdays) : until (hour:minute)

type: string (str11)
 unique values: 11 missing "": 0/1,397
 unique missing codes: 1 missing *: 1,047/1,397

tabulation: Freq. Value
 330 "0"
 3 "12.00"
 1 "12.30"
 3 "13.00"
 1 "13.30"
 4 "14.00"
 4 "14.30"
 1 "15.00"
 2 "16.00"
 1 "16.00-18.00"
 1,047 "NA"

td3_hr The child takes a nap during the day (weekdays) for hours


```

tabulation:  Freq.  Value
              1,249  0
              1    15
              144  30
              2    .b
              1    .c
    mean:    3.10976
    std. dev: 9.13896

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30
    
```

td5d **Does the child do other activities while they are watching TV?**

```

    type: numeric (byte)
    label: td5d

    range: [1,3]
    unique values: 2
    unique missing codes: 2

    units: 1
    missing .: 117/1,397
    missing *: 4/1,397

    tabulation:  Freq.  Numeric  Label
                  272      1  do not
                  1,004    3  do
                   117      .
                   4       .d
    
```

td5d_des **Activities to do while children watch TV**

```

    type: string (str168), but longest is str133
    unique values: 269
    missing "": 390/1,397

    warning: variable has embedded and trailing blanks
    
```

activity_A **Listening to a story book that adult reads (use a book while reading) (not displ**

```

    type: string (str147), but longest is str0
    unique values: 0
    missing "": 1,397/1,397

    tabulation:  Freq.  Value
                  1,397  ""
    
```

detail_A **A : Identify the books**

```

    type: string (str238), but longest is str0
    unique values: 0
    missing "": 1,397/1,397

    tabulation:  Freq.  Value
                  1,397  ""
    
```

c1_code_A **A : Frequency (Monday - Friday)**

```

    type: numeric (byte)
    label: c1_code
    
```

range: [0,9] units: 1
 unique values: 4 missing .: 0/1,397
 unique missing codes: 1 missing *: 420/1,397

tabulation:	Freq.	Numeric	Label
	867	0	never
	2	5	at least once a week
	101	7	once a day
	7	9	more than once a day
	420	.c	

c1_hr_A **A : Hours per week (Monday - Friday)**

type: numeric (float)

range: [0,12] units: 1
 unique values: 5 missing .: 1,287/1,397

tabulation:	Freq.	Value
	55	0
	16	1
	29	2
	9	5
	1	12
	1,287	.

mean: 1.19091
 std. dev: 1.77906

percentiles:	10%	25%	50%	75%	90%
	0	0	.5	2	2

c1_min_A **A : Minutes per week (Monday - Friday)**

type: numeric (float)

range: [0,55] units: 1
 unique values: 18 missing .: 1,287/1,397

tabulation:	Freq.	Value
	9	0
	1	3
	1	5
	1	8
	1	10
	4	13
	7	15
	1	18
	1	20
	7	23
	12	25
	3	28
	28	30
	1	31
	2	38
	10	40
	19	50
	2	55
	1,287	.

mean: 28.8455
 std. dev: 14.7767

percentiles:	10%	25%	50%	75%	90%
	6.5	23	30	40	50

c1_aa_A **A : Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str3
unique values: 4 missing "": 1,287/1,397
tabulation: Freq. Value
             1,287 ""
              101 "1"
               5  "2"
               3  "2.5"
               1  "4"
    
```

c1_ab_A A :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,287/1,397
tabulation: Freq. Value
             1,287 ""
              108 "day"
               2  "week"
    
```

c1_ac_A A :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,287/1,397
tabulation: Freq. Value
             100 0
              10 1
             1,287 .
mean: .090909
std. dev: .288795
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c1_ad_A A :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (double)
range: [0,35] units: .1
unique values: 18 missing .: 1,287/1,397
tabulation: Freq. Value
             10 0
               1 1
               1 2
               6 2.5
               3 3
               1 3.5
               1 4
               7 4.5
              11 5
               2 5.5
               1 7
               2 7.5
              23 10
               1 13
               5 15
               7 20
              26 30
               2 35
             1,287 .
    
```

mean: 13.2909
 std. dev: 11.1492
 percentiles: 10% 25% 50% 75% 90%
 1.5 4.5 10 30 30

c1_ba_A A : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c1_ba
 range: [1,13] units: 1
 unique values: 7 missing : 1,287/1,397

tabulation:	Freq.	Numeric	Label
	12	1	father
	32	3	mother
	44	5	grandparents
	8	7	uncle/aunt
	9	9	brother/sister/cousin
	1	11	outside-household-person
	4	13	other household member
	1,287	.	.

c1_bb_A A : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c2_bb
 range: [3,13] units: 1
 unique values: 5 missing : 1,336/1,397

tabulation:	Freq.	Numeric	Label
	10	3	mother
	11	5	grandparents
	3	7	uncle/aunt
	36	9	brother/sister/cousin
	1	13	other household member
	1,336	.	.

c1_bc_A A : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
 label: c1_bc
 range: [3,9] units: 1
 unique values: 3 missing : 1,377/1,397

tabulation:	Freq.	Numeric	Label
	1	3	mother
	1	5	grandparents
	18	9	brother/sister/cousin
	1,377	.	.

c1_ba_gen_A Gender code (person 1)

type: numeric (byte)
 label: c1_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing : 1,287/1,397

```

tabulation:  Freq.  Numeric  Label
              27      1  male
              83      3  female
            1,287      .
    
```

c1_bb_gen_A **Gender code (person 2)**

```

type:  numeric (byte)
label:  c1_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,336/1,397

tabulation:  Freq.  Numeric  Label
              13      1  male
              48      3  female
            1,336      .
    
```

c1_bc_gen_A **Gender code (person 3)**

```

type:  numeric (byte)
label:  c1_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,377/1,397

tabulation:  Freq.  Numeric  Label
              10      1  male
              10      3  female
            1,377      .
    
```

c2_code_A **A : Frequency (Saturday - Sunday)**

```

type:  numeric (byte)
label:  c2_code

range:  [0,9]
unique values:  4
unique missing codes:  1

units:  1
missing .:  0/1,397
missing *:  420/1,397

tabulation:  Freq.  Numeric  Label
              874      0  never
               3      5  at least once a week
              93      7  once a day
               7      9  more than once a day
              420      .c
    
```

c2_hr_A **A : Hours per week (Saturday - Sunday)**

```

type:  numeric (float)

range:  [0,5]
unique values:  4

units:  1
missing .:  1,294/1,397

tabulation:  Freq.  Value
              65      0
              24      1
              11      2
               3      5
            1,294      .
mean:  .592233
std. dev:  1.02361
    
```

percentiles: 10% 25% 50% 75% 90%
0 0 0 1 2

c2_min_A **A : Minutes per week (Saturday - Sunday)**

type: numeric (float)
range: [0,40] units: 1
unique values: 15 missing .: 1,294/1,397

tabulation: Freq. Value
35 0
1 2
4 5
3 6
1 7
1 8
8 9
11 10
2 11
1 13
3 15
18 20
1 25
2 30
12 40
1,294 .
mean: 12.0583
std. dev: 12.9128

percentiles: 10% 25% 50% 75% 90%
0 0 9 20 40

c2_aa_A **A :Monday-Friday How many times (Saturday - Sunday)**

type: string (str30), but longest is str3
unique values: 3 missing "": 1,294/1,397

tabulation: Freq. Value
1,294 ""
96 "1"
5 "2"
2 "2.5"

c2_ab_A **A :Monday-Friday How many times per units (Saturday - Sunday)**

type: string (str21), but longest is str4
unique values: 2 missing "": 1,294/1,397

tabulation: Freq. Value
1,294 ""
100 "day"
3 "week"

c2_ac_A **A :Monday-Friday How many times per hours (Saturday - Sunday)**

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,294/1,397

```

tabulation:  Freq.  Value
              89    0
              14    1
              1,294 .
  mean:      .135922
  std. dev:  .344382

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c2_ad_A A : Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,35]                    units: .1
unique values: 16                missing .: 1,294/1,397

tabulation:  Freq.  Value
              14    0
               1    1
               4    2.5
               3    3
               1    3.5
               1    4
               8    4.5
               9    5
               2    5.5
               3    7.5
              22    10
               4    15
               8    20
               1    25
              20    30
               2    35
              1,294 .
  mean:      12.3981
  std. dev:  10.9545

percentiles:    10%    25%    50%    75%    90%
                0      4.5    10     20     30
    
```

c2_ba_A A : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c2_ba
range: [1,13]                    units: 1
unique values: 7                missing .: 1,294/1,397

tabulation:  Freq.  Numeric  Label
              12     1  father
              31     3  mother
              38     5  grandparents
               8     7  uncle/aunt
              11     9  brother/sister/cousin
               1    11  outside-household-person
               2    13  other household member
              1,294 .
    
```

c2_bb_A A : Relationship-with-the-child doing activity (person 2)

```

type: numeric (byte)
label: c2_bb
    
```


range: [3,13] units: 1
 unique values: 5 missing : 1,339/1,397

tabulation:	Freq.	Numeric	Label
	11	3	mother
	10	5	grandparents
	4	7	uncle/aunt
	32	9	brother/sister/cousin
	1	13	other household member
	1,339	.	

c2_bc_A **A : Relationship-with-the-child doing activity (person 3)**

type: numeric (byte)
 label: c2_bc

range: [3,9] units: 1
 unique values: 3 missing : 1,381/1,397

tabulation:	Freq.	Numeric	Label
	1	3	mother
	1	5	grandparents
	14	9	brother/sister/cousin
	1,381	.	

c2_ba_gen_A **Gender code (person 1)**

type: numeric (byte)
 label: c2_ba_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,294/1,397

tabulation:	Freq.	Numeric	Label
	26	1	male
	77	3	female
	1,294	.	

c2_bb_gen_A **Gender code (person 2)**

type: numeric (byte)
 label: c2_bb_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,339/1,397

tabulation:	Freq.	Numeric	Label
	13	1	male
	45	3	female
	1,339	.	

c2_bc_gen_A **Gender code (person 3)**

type: numeric (byte)
 label: c2_bc_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,381/1,397

tabulation:	Freq.	Numeric	Label
	8	1	male
	8	3	female
	1,381	.	

c3_code_A **A : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 1

units: 1
missing .: 0/1,397
missing *: 976/1,397

tabulation: Freq. Numeric Label
              1          1 less than once a month
              79          3 at least once a month
              341         5 at least once a week
              976          .b
    
```

c3_hr_A **A : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,4]
unique values: 5
unique missing codes: 2

units: 1
missing .: 1,056/1,397
missing *: 1/1,397

tabulation: Freq. Value
              263  0
              62  1
              8   2
              5   3
              2   4
            1,056 .
              1  .c
mean:       .297059
std. dev:   .644919

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

c3_min_A **A : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,50]
unique values: 29
unique missing codes: 2

units: 1
missing .: 1,056/1,397
missing *: 1/1,397

tabulation: Freq. Value
              39  0
              3  1
              4  2
              8  3
             11  4
             24  5
              6  6
              4  7
             15  8
              4  9
             39 10
              9 11
              2 12
             10 13
              1 14
             25 15
              1 18
              6 19
             25 20
              9 23
    
```

```

    15 25
    1 26
    46 30
    1 31
    4 35
    7 38
    5 40
    15 45
    1 50
    1,056 .
    1 .c
    mean: 15.9794
    std. dev: 12.6305

percentiles:    10%    25%    50%    75%    90%
                0      5      13     25     30
    
```

c3_aa_A **A :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str3
    unique values: 10          missing "": 1,054/1,397

    tabulation: Freq. Value
                1,054 ""
                106 "1"
                40 "1.5"
                70 "2"
                46 "2.5"
                44 "3"
                16 "3.5"
                10 "4"
                5 "4.5"
                5 "5"
                1 "5.5"
    
```

c3_ab_A **A :Monday-Friday How many times per units (Monday - Sunday)**

```

    type: string (str22), but longest is str5
    unique values: 2          missing "": 1,054/1,397

    tabulation: Freq. Value
                1,054 ""
                2 "month"
                341 "week"
    
```

c3_ac_A **A :Monday-Friday How many times per hours (Monday - Sunday)**

```

    type: numeric (double)
    range: [0,2]
    unique values: 4          units: .1
    unique missing codes: 2   missing .: 1,056/1,397
                                missing *: 1/1,397

    tabulation: Freq. Value
                320 0
                18 1
                1 1.5
                1 2
                1,056 .
                1 .c
    mean: .063235
    std. dev: .259853
    
```


range: [1,13] units: 1
 unique values: 6 missing : 1,244/1,397

tabulation:	Freq.	Numeric	Label
	3	1	father
	25	3	mother
	26	5	grandparents
	6	7	uncle/aunt
	88	9	brother/sister/cousin
	5	13	other household member
	1,244	.	.

c3_bc_A **A : Relationship-with-the-child doing activity (person 3)**

type: numeric (byte)
 label: c3_bc

range: [1,9] units: 1
 unique values: 3 missing : 1,367/1,397

tabulation:	Freq.	Numeric	Label
	1	1	father
	1	7	uncle/aunt
	28	9	brother/sister/cousin
	1,367	.	.

c3_ba_gen_A **Gender code (person 1)**

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing : 976/1,397

tabulation:	Freq.	Numeric	Label
	99	1	male
	322	3	female
	976	.	.

c3_bb_gen_A **Gender code (person 2)**

type: numeric (byte)
 label: c3_bb_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,244/1,397

tabulation:	Freq.	Numeric	Label
	54	1	male
	99	3	female
	1,244	.	.

c3_bc_gen_A **Gender code (person 3)**

type: numeric (byte)
 label: c3_bc_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,367/1,397

```

tabulation:  Freq.  Numeric  Label
              18      1  male
              12      3  female
            1,367      .
    
```

activity_B

Listening to a story that adult tells (no book used while reading) (not display)

```

type:  string (str147), but longest is str0
unique values:  0          missing "":  1,397/1,397
tabulation:  Freq.  Value
            1,397  ""
    
```

detail_B

B : Identify the stories

```

type:  string (str238), but longest is str0
unique values:  0          missing "":  1,397/1,397
tabulation:  Freq.  Value
            1,397  ""
    
```

c1_code_B

B : Frequency (Monday - Friday)

```

type:  numeric (byte)
label:  c1_code
range:  [0,9]          units:  1
unique values:  3      missing .:  0/1,397
unique missing codes:  1      missing *:  572/1,397
tabulation:  Freq.  Numeric  Label
            742      0  never
             72      7  once a day
             11      9  more than once a day
             572      .c
    
```

c1_hr_B

B : Hours per week (Monday - Friday)

```

type:  numeric (float)
range:  [0,5]          units:  1
unique values:  6      missing .:  1,314/1,397
tabulation:  Freq.  Value
            50      0
            17      1
            12      2
             1      3
             1      4
             2      5
          1,314      .
mean:      .698795
std. dev:  1.10138
percentiles:  10%      25%      50%      75%      90%
              0        0        0        1        2
    
```

c1_min_B

B : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,53]
unique values: 19
units: 1
missing .: 1,314/1,397

```

```

tabulation: Freq. Value
             2  0
             1  3
             1  5
             2 10
             5 13
             7 15
             1 18
             1 20
             5 23
            14 25
             2 28
            12 30
             1 31
             1 34
             5 38
             5 40
             1 45
            16 50
             1 53
            1,314 .
mean:       29.759
std. dev:  13.8842

```

```

percentiles:      10%      25%      50%      75%      90%
                  13       23       30       40       50

```

cl_aa_B **B :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 7
missing "": 1,314/1,397

```

```

tabulation: Freq. Value
            1,314 ""
             72  "1"
              1  "1.5"
              4  "2"
              3  "2.5"
              1  "3"
              1  "4"
              1  "many times"

```

warning: variable has embedded blanks

cl_ab_B **B :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str3
unique values: 1
missing "": 1,314/1,397

```

```

tabulation: Freq. Value
            1,314 ""
             83  "day"

```

cl_ac_B **B :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)

```

```

range: [0,1] units: 1
unique values: 2 missing .: 1,314/1,397

tabulation: Freq. Value
             82 0
             1 1
             1,314 .
mean: .012048
std. dev: .109764

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c1_ad_B B : Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (double)

range: [0,45] units: .1
unique values: 19 missing .: 1,314/1,397

tabulation: Freq. Value
             1 0
             1 1
             1 2
             5 2.5
             3 3
             1 3.5
             1 4
             5 4.5
            16 5
             5 7.5
            15 10
             1 13
             2 14.5
             4 15
             2 17.5
             6 20
             1 23
            12 30
             1 45
            1,314 .
mean: 12.1325
std. dev: 9.88504

percentiles: 10% 25% 50% 75% 90%
              3 5 10 17.5 30
    
```

c1_ba_B B : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c1_ba

range: [1,13] units: 1
unique values: 7 missing .: 1,314/1,397

tabulation: Freq. Numeric Label
             10 1 father
             16 3 mother
             48 5 grandparents
             2 7 uncle/aunt
             2 9 brother/sister/cousin
             1 11 outside-household-person
             4 13 other household member
            1,314 .
    
```

c1_bb_B **B : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb

range: [3,9]                units: 1
unique values: 4            missing .: 1,358/1,397

tabulation: Freq.  Numeric  Label
              4         3  mother
              8         5  grandparents
              2         7  uncle/aunt
              25        9  brother/sister/cousin
            1,358        .
    
```

c1_bc_B **B : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c1_bc

range: [5,9]                units: 1
unique values: 2            missing .: 1,385/1,397

tabulation: Freq.  Numeric  Label
              3         5  grandparents
              9         9  brother/sister/cousin
            1,385        .
    
```

c1_ba_gen_B **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]                units: 1
unique values: 2            missing .: 1,314/1,397

tabulation: Freq.  Numeric  Label
              33        1  male
              50        3  female
            1,314        .
    
```

c1_bb_gen_B **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]                units: 1
unique values: 2            missing .: 1,358/1,397

tabulation: Freq.  Numeric  Label
              11        1  male
              28        3  female
            1,358        .
    
```

c1_bc_gen_B **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]                units: 1
unique values: 2            missing .: 1,385/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              4        1  male
              8        3  female
            1,385      .
    
```

c2_code_B **B : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 3      missing .: 0/1,397
unique missing codes: 1  missing *: 572/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              737      0  never
              77       7  once a day
              11       9  more than once a day
            572      .c
    
```

c2_hr_B **B : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,2]          units: 1
unique values: 3      missing .: 1,309/1,397
unique missing codes: 2  missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              69     0
              14     1
               4     2
            1,309    .
               1    .c
mean:        .252874
std. dev:    .533056
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c2_min_B **B : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,45]        units: 1
unique values: 19    missing .: 1,309/1,397
unique missing codes: 2  missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              16     0
               1     2
               1     4
               4     5
               3     6
               1     7
               5     9
              12    10
               1    13
               6    15
              17    20
               1    25
               2    29
               6    30
               1    32
               2    35
               1    38
    
```

```

        6 40
        1 45
    1,309 .
        1 .c
    mean: 15.4828
    std. dev: 12.5734

    percentiles:      10%      25%      50%      75%      90%
                     0        5        13        20        35
    
```

c2_aa_B **B :Monday-Friday How many times (Saturday - Sunday)**

```

    type: string (str30), but longest is str10
    unique values: 7 missing "": 1,309/1,397

    tabulation: Freq. Value
                1,309 ""
                 77 "1"
                  1 "1.5"
                   3 "2"
                   3 "2.5"
                   1 "3"
                   1 "4"
                   2 "many times"

    warning: variable has embedded blanks
    
```

c2_ab_B **B :Monday-Friday How many times per units (Saturday - Sunday)**

```

    type: string (str21), but longest is str3
    unique values: 1 missing "": 1,309/1,397

    tabulation: Freq. Value
                1,309 ""
                 88 "day"
    
```

c2_ac_B **B :Monday-Friday How many times per hours (Saturday - Sunday)**

```

    type: numeric (double)
    range: [0,1] units: 1
    unique values: 2 missing .: 1,309/1,397
    unique missing codes: 2 missing *: 1/1,397

    tabulation: Freq. Value
                85 0
                  2 1
                1,309 .
                  1 .c
    mean: .022989
    std. dev: .150736

    percentiles:      10%      25%      50%      75%      90%
                     0        0        0        0        0
    
```

c2_ad_B **B :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

    type: numeric (double)
    
```

range: [0,45] units: .1
 unique values: 18 missing .: 1,309/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 2 0
 1 1
 1 2
 5 2.5
 3 3
 1 3.5
 1 4
 5 4.5
 15 5
 7 7.5
 16 10
 2 14.5
 5 15
 2 17.5
 6 20
 1 23.5
 13 30
 1 45
 1,309 .
 1 .c
 mean: 12.1782
 std. dev: 9.93817

percentiles: 10% 25% 50% 75% 90%
 2.5 5 10 17.5 30

c2_ba_B B : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c2_ba
 range: [1,13] units: 1
 unique values: 7 missing .: 1,309/1,397

tabulation: Freq. Numeric Label
 10 1 father
 17 3 mother
 50 5 grandparents
 2 7 uncle/aunt
 4 9 brother/sister/cousin
 1 11 outside-household-person
 4 13 other household member
 1,309 .

c2_bb_B B : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c2_bb
 range: [3,9] units: 1
 unique values: 4 missing .: 1,357/1,397

tabulation: Freq. Numeric Label
 4 3 mother
 8 5 grandparents
 2 7 uncle/aunt
 26 9 brother/sister/cousin
 1,357 .

c2_bc_B B : Relationship-with-the-child doing activity (person 3)

```

type: numeric (byte)
label: c2_bc

range: [5,9]
unique values: 2
units: 1
missing ..: 1,385/1,397

tabulation: Freq.   Numeric   Label
              3           5   grandparents
              9           9   brother/sister/cousin
            1,385           .
    
```

c2_ba_gen_B **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,309/1,397

tabulation: Freq.   Numeric   Label
              36           1   male
              52           3   female
            1,309           .
    
```

c2_bb_gen_B **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,357/1,397

tabulation: Freq.   Numeric   Label
              11           1   male
              29           3   female
            1,357           .
    
```

c2_bc_gen_B **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,385/1,397

tabulation: Freq.   Numeric   Label
              4           1   male
              8           3   female
            1,385           .
    
```

c3_code_B **B : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 1
units: 1
missing ..: 0/1,397
missing *: 825/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              5       1  less than once a month
             127     3  at least once a month
             440     5  at least once a week
             825     .b
    
```

c3_hr_B **B : Hours per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,4] units: 1
unique values: 5 missing .: 957/1,397
    
```

```

tabulation:  Freq.  Value
              383    0
               48    1
                5    2
                2    3
                2    4
              957    .
    
```

```

mean: .163636
std. dev: .491889
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

c3_min_B **B : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,53] units: 1
unique values: 29 missing .: 957/1,397
    
```

```

tabulation:  Freq.  Value
              28    0
               1    1
              11    2
              17    3
              19    4
              44    5
               3    6
               6    7
              19    8
              12    9
              57   10
              11   11
              11   13
               5   14
              46   15
               3   18
               6   19
              23   20
               8   23
              16   25
              46   30
               3   31
               1   34
               2   35
               6   38
              13   40
              16   45
               2   50
               5   53
    
```

```

mean: 15.6955
std. dev: 12.752
    
```

```
percentiles:       10%       25%       50%       75%       90%
                   3         5        11        24        34.5
```

c3_aa_B **B :Monday-Friday How many times (Monday - Sunday)**

```
type: string (str6), but longest is str3
unique values: 9                               missing "": 954/1,397
```

tabulation:

Freq.	Value
954	" "
140	"1"
61	"1.5"
94	"2"
69	"2.5"
48	"3"
17	"3.5"
7	"4"
5	"4.5"
2	"5"

c3_ab_B **B :Monday-Friday How many times per units (Monday - Sunday)**

```
type: string (str22), but longest is str5
unique values: 2                               missing "": 954/1,397
```

tabulation:

Freq.	Value
954	" "
3	"month"
440	"week"

c3_ac_B **B :Monday-Friday How many times per hours (Monday - Sunday)**

```
type: numeric (double)
range: [0,1]                                 units: 1
unique values: 2                             missing .: 957/1,397
tabulation:
Freq. Value
427 0
13 1
957 .
mean: .029545
std. dev: .169522
```

```
percentiles:       10%       25%       50%       75%       90%
                   0         0         0         0         0
```

c3_ad_B **B :Monday-Friday How many times per minutes (Monday - Sunday)**

```
type: numeric (double)
range: [0,45]                                 units: .1
unique values: 23                             missing .: 967/1,397
```

```

tabulation:  Freq.  Value
              2   0
              1   1
              4  1.5
             17   2
             29  2.5
             17   3
             20  3.5
              5   4
             17  4.5
             68   5
              3  5.5
             21  7.5
              1  9.5
             97  10
              6 12.5
             33  15
              1 17.5
             29  20
              1 22.5
              1  25
             54  30
              2  35
              1  45
             967  .
      mean:    11.1035
   std. dev:   9.07173

percentiles:      10%      25%      50%      75%      90%
                  2.5      4.5      10      15      30
  
```

c3_ba_B **B : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c3_ba

range: [1,13]          units: 1
unique values: 7      missing .: 825/1,397
  
```

```

tabulation:  Freq.  Numeric  Label
              48     1  father
              91     3  mother
             331     5  grandparents
              19     7  uncle/aunt
              41     9  brother/sister/cousin
               9    11  outside-household-person
              33    13  other household member
             825     .
  
```

c3_bb_B **B : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c3_bb

range: [1,13]          units: 1
unique values: 7      missing .: 1,188/1,397
  
```

```

tabulation:  Freq.  Numeric  Label
              6     1  father
             20     3  mother
             37     5  grandparents
               3     7  uncle/aunt
             132     9  brother/sister/cousin
               2    11  outside-household-person
               9    13  other household member
            1,188     .
  
```

c3_bc_B **B : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c3_bc

range: [1,13]          units: 1
unique values: 6      missing .. 1,348/1,397

tabulation: Freq.   Numeric  Label
              1         1  father
              6         5  grandparents
              4         7  uncle/aunt
              34        9  brother/sister/cousin
              1        11  outside-household-person
              3        13  other household member
            1,348      .
    
```

c3_ba_gen_B **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .. 826/1,397

tabulation: Freq.   Numeric  Label
              173      1  male
              398      3  female
              826      .
    
```

c3_bb_gen_B **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,188/1,397

tabulation: Freq.   Numeric  Label
              79       1  male
              130      3  female
              1,188    .
    
```

c3_bc_gen_B **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,348/1,397

tabulation: Freq.   Numeric  Label
              24       1  male
              25       3  female
            1,348      .
    
```

activity_C **Running outside the house (not display)**

```

type: string (str147), but longest is str0
unique values: 0      missing "": 1,397/1,397
    
```

tabulation: Freq. Value
 1,397 ""

detail_C **C: detail**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c1_code_C **C : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [.,.] units: .
 unique values: 1 missing .: 1,396/1,397
 tabulation: Freq. Numeric Label
 1 0 never
 1,396 .

c1_hr_C **C : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_min_C **C : Minutes per week (Monday - Friday)**

type: numeric (**float**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_aa_C **C :Monday-Friday How many times (Monday - Friday)**

type: string (**str27**), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

c1_ab_C C :Monday-Friday How many times per units (Monday - Friday)

type: string (**str21**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c1_ac_C C :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_ad_C C :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_ba_C C : Relationship-with-the-child doing activity (person 1)

type: numeric (**byte**)
 label: **c1_ba**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c1_bb_C C : Relationship-with-the-child doing activity (person 2)

type: numeric (**byte**)
 label: **c2_bb**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
 1,397 .

c1_bc_C **C : Relationship-with-the-child doing activity (person 3)**

type: numeric (byte)
 label: **c1_bc**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c1_ba_gen_C **Gender code (person 1)**

type: numeric (byte)
 label: **c1_ba_gen**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c1_bb_gen_C **Gender code (person 2)**

type: numeric (byte)
 label: **c1_bb_gen**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c1_bc_gen_C **Gender code (person 3)**

type: numeric (byte)
 label: **c1_bc_gen**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c2_code_C **C : Frequency (Saturday - Sunday)**

type: numeric (byte)
 label: **c2_code**
 range: [..]
 unique values: 1 units: .
 missing ..: 1,396/1,397
 tabulation: Freq. Numeric Label
 1 0 never
 1,396 .

c2_hr_C **C : Hours per week (Saturday - Sunday)**

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c2_min_C **C : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c2_aa_C **C :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""
    
```

c2_ab_C **C :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""
    
```

c2_ac_C **C :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .
    
```

percentiles: 10% 25% 50% 75% 90%

c2_ad_C C :Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)
 range: [...]
 unique values: 0 units: .
 missing : 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c2_ba_C C : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: **c2_ba**
 range: [...]
 unique values: 0 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c2_bb_C C : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: **c2_bb**
 range: [...]
 unique values: 0 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c2_bc_C C : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
 label: **c2_bc**
 range: [...]
 unique values: 0 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c2_ba_gen_C Gender code (person 1)

type: numeric (byte)
 label: **c2_ba_gen**
 range: [...]
 unique values: 0 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c2_bb_gen_C **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Numeric  Label
             1,397      .
    
```

c2_bc_gen_C **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Numeric  Label
             1,397      .
    
```

c3_code_C **C : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [...]
unique values: 0
unique missing codes: 2
units: .
missing ..: 1,396/1,397
missing *: 1/1,397

tabulation: Freq.  Numeric  Label
             1,396      .
             1          .b
    
```

c3_hr_C **C : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Value
             1,397  .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

c3_min_C **C : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Value
             1,397  .
mean:      .
std. dev:  .
    
```

percentiles: 10% 25% 50% 75% 90%

c3_aa_C C :Monday-Friday How many times (Monday - Sunday)

type: string (**str6**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c3_ab_C C :Monday-Friday How many times per units (Monday - Sunday)

type: string (**str22**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c3_ac_C C :Monday-Friday How many times per hours (Monday - Sunday)

type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c3_ad_C C :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c3_ba_C C : Relationship-with-the-child doing activity (person 1)

type: numeric (**byte**)
 label: **c3_ba**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c3_bb_C **C : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c3_bb

range: [...]
unique values: 0
units: .
missing .. 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c3_bc_C **C : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c3_bc

range: [...]
unique values: 0
units: .
missing .. 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c3_ba_gen_C **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [...]
unique values: 0
units: .
missing .. 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c3_bb_gen_C **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [...]
unique values: 0
units: .
missing .. 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c3_bc_gen_C **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [...]
unique values: 0
units: .
missing .. 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

activity_D **Playing sport, singing and dancing (not display)**

```

type: string (str147), but longest is str0
    
```

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

detail_D

D: detail

type: string (str238), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

c1_code_D

D : Frequency (Monday - Friday)

type: numeric (byte)
label: c1_code

range: [0,9] units: 1
unique values: 3 missing .: 0/1,397
unique missing codes: 1 missing *: 516/1,397

tabulation:	Freq.	Numeric	Label
	156	0	never
	454	7	once a day
	271	9	more than once a day
	516	.c	

c1_hr_D

D : Hours per week (Monday - Friday)

type: numeric (float)

range: [0,33] units: 1
unique values: 17 missing .: 672/1,397
unique missing codes: 2 missing *: 2/1,397

tabulation:	Freq.	Value
	247	0
	73	1
	138	2
	10	3
	3	4
	157	5
	2	6
	24	7
	2	8
	28	10
	18	12
	1	13
	11	15
	3	17
	3	18
	2	20
	1	33
	672	.
	2	.c

mean: 3.07607
std. dev: 3.90092

percentiles: 10% 25% 50% 75% 90%
0 0 2 5 7

c1_min_D **D : Minutes per week (Monday - Friday)**

type: numeric (**float**)

range: [0,56] units: 1
 unique values: 31 missing .: 672/1,397
 unique missing codes: 2 missing *: 2/1,397

tabulation:

Freq.	Value
196	0
1	2
5	3
20	5
9	8
9	10
3	11
29	13
41	15
5	18
6	19
12	20
11	23
38	25
7	28
162	30
5	31
1	33
4	34
2	36
34	38
30	40
3	41
2	44
11	45
1	46
62	50
1	52
2	53
3	55
8	56
672	.
2	.c

mean: 21.4633
 std. dev: 17.2116

percentiles:

10%	25%	50%	75%	90%
0	0	25	30	50

c1_aa_D **D :Monday-Friday How many times (Monday - Friday)**

type: string (**str27**), but longest is str10

unique values: 12 missing "": 672/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation:

Freq.	Value
672	" "
454	"1"
45	"1.5"
1	"10"
64	"2"
44	"2.5"
2	"3"
13	"3.5"
5	"4.5"
2	"5"
2	"5.5"
1	"DK"

92 "many times"

warning: variable has embedded blanks

c1_ab_D D :Monday-Friday How many times per units (Monday - Friday)

type: string (str21), but longest is str4
 unique values: 2 missing "": 673/1,397
 tabulation: Freq. Value
 673 ""
 723 "day"
 1 "time"

c1_ac_D D :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)
 range: [0,3.5] units: .1
 unique values: 7 missing .: 672/1,397
 unique missing codes: 2 missing *: 2/1,397
 tabulation: Freq. Value
 498 0
 178 1
 4 1.5
 31 2
 2 2.5
 8 3
 2 3.5
 672 .
 2 .c
 mean: .390041
 std. dev: .655267
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

c1_ad_D D :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (double)
 range: [0,40] units: .1
 unique values: 25 missing .: 672/1,397
 unique missing codes: 2 missing *: 2/1,397
 tabulation: Freq. Value
 193 0
 3 1
 13 1.5
 8 2
 38 2.5
 20 3
 8 3.5
 6 4
 23 4.5
 64 5
 4 5.5
 2 6
 1 6.5
 26 7.5
 1 8
 77 10
 2 13
 17 15

```

           1  17.5
          30  20
          13  25
         168  30
           1  32.5
           1  35
           3  40
          672  .
           2  .c
    mean:    11.2497
  std. dev:  11.9776

percentiles:    10%    25%    50%    75%    90%
                0      0      5      25      30
    
```

c1_ba_D D : Relationship-with-the-child doing activity (person 1)

```

    type: numeric (byte)
    label: c1_ba

    range: [1,13]
  unique values: 7
unique missing codes: 2

                        units: 1
                missing .: 672/1,397
                missing *: 224/1,397
    
```

```

tabulation: Freq.   Numeric   Label
            21        1   father
            15        3   mother
            33        5   grandparents
            17        7   uncle/aunt
            252       9   brother/sister/cousin
            156      11   outside-household-person
             7       13   other household member
            672      .
            224     .b
    
```

c1_bb_D D : Relationship-with-the-child doing activity (person 2)

```

    type: numeric (byte)
    label: c2_bb

    range: [1,13]
  unique values: 7
unique missing codes: 2

                        units: 1
                missing .: 1,051/1,397
                missing *: 9/1,397
    
```

```

tabulation: Freq.   Numeric   Label
            8         1   father
            9         3   mother
            19        5   grandparents
             4         7   uncle/aunt
            116       9   brother/sister/cousin
            177      11   outside-household-person
             4       13   other household member
          1,051      .
             9       .b
    
```

c1_bc_D D : Relationship-with-the-child doing activity (person 3)

```

    type: numeric (byte)
    label: c1_bc

    range: [1,13]
  unique values: 6
unique missing codes: 2

                        units: 1
                missing .: 1,235/1,397
                missing *: 1/1,397
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	1	3	mother
	3	5	grandparents
	37	9	brother/sister/cousin
	117	11	outside-household-person
	1	13	other household member
	1,235	.	
	1	.b	

c1_ba_gen_D **Gender code (person 1)**

type: numeric (**byte**)
 label: **c1_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 896/1,397

tabulation:	Freq.	Numeric	Label
	236	1	male
	265	3	female
	896	.	

c1_bb_gen_D **Gender code (person 2)**

type: numeric (**byte**)
 label: **c1_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,060/1,397

tabulation:	Freq.	Numeric	Label
	164	1	male
	173	3	female
	1,060	.	

c1_bc_gen_D **Gender code (person 3)**

type: numeric (**byte**)
 label: **c1_bc_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,236/1,397

tabulation:	Freq.	Numeric	Label
	79	1	male
	82	3	female
	1,236	.	

c2_code_D **D : Frequency (Saturday - Sunday)**

type: numeric (**byte**)
 label: **c2_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,397
 unique missing codes: 1 missing *: 516/1,397

```

tabulation:  Freq.  Numeric  Label
              150      0      never
              1       5      at least once a week
              434      7      once a day
              296      9      more than once a day
              516      .c
    
```

c2_hr_D

D : Hours per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,18]
unique values: 13
unique missing codes: 2
units: 1
missing .: 666/1,397
missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              339      0
              134      1
              156      2
               24      3
               27      4
               18      5
               13      6
                8      7
                5      8
                1     10
                2     13
                1     16
                1     18
              666      .
                2     .c
mean: 1.31687
std. dev: 1.95759
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        4
    
```

c2_min_D

D : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,50]
unique values: 31
unique missing codes: 2
units: 1
missing .: 666/1,397
missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              361      0
                8      3
                6      4
               33      5
               15      6
                5      7
                8      8
               12      9
               40     10
                3     12
                6     13
                3     14
               34     15
                1     16
                1     17
                5     18
               70     20
                1     21
                2     22
                8     23
                6     25
               35     30
    
```

```

                2 32
                5 35
                1 38
                2 39
               32 40
                2 41
                1 42
                2 45
               19 50
              666 .
                2 .c
    mean:      10.0782
  std. dev:   13.592

percentiles:   10%      25%      50%      75%      90%
                0         0         3         20         30
    
```

c2_aa_D **D :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10

unique values: 12           missing "": 666/1,397
unique missing codes: 2     missing *: 1/1,397

tabulation:  Freq.  Value
              666   ""
              435   "1"
               43   "1.5"
                1   "10"
               74   "2"
               45   "2.5"
                6   "3"
               17   "3.5"
                5   "4.5"
                2   "5"
                2   "5.5"
                1   "DK"
              100   "many times"

warning: variable has embedded blanks
    
```

c2_ab_D **D :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4

unique values: 2           missing "": 667/1,397

tabulation:  Freq.  Value
              667   ""
              729   "day"
                1   "time"
    
```

c2_ac_D **D :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)

range: [0,9]           units: .1
unique values: 9       missing .: 666/1,397
unique missing codes: 2  missing *: 2/1,397
    
```



```

tabulation:  Freq.  Value
              502    0
              176    1
               4    1.5
              31    2
               1    2.5
              10    3
               2    3.5
               2    4
               1    9
              666    .
               2    .c
    mean:     .412209
    std. dev: .758542

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        1
    
```

c2_ad_D **D :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,40]
unique values: 24
unique missing codes: 2

units: .1
missing .: 666/1,397
missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              193    0
               3    1
              11    1.5
               8    2
              39    2.5
              23    3
               8    3.5
               6    4
              23    4.5
              64    5
               4    5.5
               2    6
               1    6.5
              28    7.5
               1    8
              78    10
               1    12
              18    15
               1    17.5
              29    20
              13    25
             171    30
               1    35
               3    40
             666    .
               2    .c
    mean:     11.2558
    std. dev: 11.9658

percentiles:      10%      25%      50%      75%      90%
                  0        0        5       25       30
    
```

c2_ba_D **D : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c2_ba

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 666/1,397
missing *: 225/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              20      1  father
              17      3  mother
              33      5  grandparents
              17      7  uncle/aunt
             256      9  brother/sister/cousin
             156     11  outside-household-person
              7     13  other household member
             666      .
             225     .b
    
```

c2_bb_D **D : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,047/1,397
missing *: 9/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              8      1  father
              9      3  mother
             19      5  grandparents
              4      7  uncle/aunt
             118      9  brother/sister/cousin
             179     11  outside-household-person
              4     13  other household member
           1,047      .
              9     .b
    
```

c2_bc_D **D : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c2_bc

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,232/1,397
missing *: 1/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              2      1  father
              1      3  mother
              3      5  grandparents
             37      9  brother/sister/cousin
             120     11  outside-household-person
              1     13  other household member
           1,232      .
              1     .b
    
```

c2_ba_gen_D **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 891/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
             239      1  male
             267      3  female
             891      .
    
```

c2_bb_gen_D **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,056/1,397

tabulation: Freq.  Numeric  Label
              166      1  male
              175      3  female
              1,056      .
    
```

c2_bc_gen_D **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,233/1,397

tabulation: Freq.  Numeric  Label
              82      1  male
              82      3  female
              1,233      .
    
```

c3_code_D **D : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 1
units: 1
missing ..: 0/1,397
missing *: 880/1,397

tabulation: Freq.  Numeric  Label
              15      3  at least once a month
              502     5  at least once a week
              880     .b
    
```

c3_hr_D **D : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,7]
unique values: 8
unique missing codes: 2
units: 1
missing ..: 895/1,397
missing *: 1/1,397

tabulation: Freq.  Value
              323  0
              88  1
              45  2
              21  3
               9  4
               9  5
               3  6
               3  7
              895 .
               1  .c
mean: .720559
std. dev: 1.28131
    
```

percentiles: 10% 25% 50% 75% 90%
0 0 0 1 2

c3_min_D

D : Minutes per week (Monday - Sunday)

type: numeric (float)
range: [0,55] units: 1
unique values: 38 missing .: 895/1,397
unique missing codes: 2 missing *: 1/1,397

tabulation:	Freq.	Value
	77	0
	2	1
	1	2
	12	3
	9	4
	19	5
	26	6
	6	7
	21	8
	11	9
	22	10
	6	11
	3	12
	9	13
	2	14
	39	15
	4	16
	1	17
	5	18
	6	19
	28	20
	5	23
	17	25
	1	26
	1	28
	1	29
	81	30
	2	31
	1	32
	1	34
	17	35
	5	38
	17	40
	1	44
	29	45
	9	50
	3	53
	1	55
	895	.
	1	.c

mean: 18.3473
std. dev: 14.7191

percentiles: 10% 25% 50% 75% 90%
0 6 15 30 40

c3_aa_D

D :Monday-Friday How many times (Monday - Sunday)

type: string (str6), but longest is str3
unique values: 11 missing "": 894/1,397

```

tabulation: Freq. Value
            894 ""
            55 "1"
            64 "1.5"
            90 "2"
            111 "2.5"
            63 "3"
            66 "3.5"
            28 "4"
            10 "4.5"
            12 "5"
            3 "5.5"
            1 "6"

```

c3_ab_D D :Monday-Friday How many times per units (Monday - Sunday)

```

type: string (str22), but longest is str5
unique values: 2 missing "": 894/1,397

```

```

tabulation: Freq. Value
            894 ""
            1 "month"
            502 "week"

```

c3_ac_D D :Monday-Friday How many times per hours (Monday - Sunday)

```

type: numeric (double)
range: [0,7.5] units: .1
unique values: 5 missing .: 895/1,397
unique missing codes: 2 missing *: 1/1,397

```

```

tabulation: Freq. Value
            408 0
            77 1
            3 1.5
            12 2
            1 7.5
            895 .
            1 .c

```

```

mean: .225549
std. dev: .57011

```

```

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1

```

c3_ad_D D :Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [0,45] units: .1
unique values: 23 missing .: 973/1,397
unique missing codes: 2 missing *: 1/1,397

```

tabulation: Freq. Value
 3 0
 4 1
 5 1.5
 11 2
 37 2.5
 16 3
 12 3.5
 4 4
 10 4.5
 56 5
 6 5.5
 1 6.5
 16 7.5
 1 9
 74 10
 5 12.5
 14 15
 28 20
 7 25
 107 30
 2 35
 3 40
 1 45
 973 .
 1 .c
 mean: 13.9905
 std. dev: 11.2214

percentiles: 10% 25% 50% 75% 90%
 2.5 5 10 30 30

c3_ba_D D : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c3_ba
 range: [1,13] units: 1
 unique values: 7 missing .: 880/1,397
 unique missing codes: 2 missing *: 124/1,397

tabulation: Freq.	Numeric	Label
10	1	father
16	3	mother
31	5	grandparents
11	7	uncle/aunt
204	9	brother/sister/cousin
117	11	outside-household-person
4	13	other household member
880	.	.
124	.b	.b

c3_bb_D D : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c3_bb
 range: [1,13] units: 1
 unique values: 7 missing .: 1,171/1,397
 unique missing codes: 2 missing *: 6/1,397

tabulation:	Freq.	Numeric	Label
	4	1	father
	11	3	mother
	13	5	grandparents
	5	7	uncle/aunt
	79	9	brother/sister/cousin
	106	11	outside-household-person
	2	13	other household member
	1,171	.	.
	6	.b	.b

c3_bc_D **D : Relationship-with-the-child doing activity (person 3)**

type: numeric (byte)
 label: **c3_bc**
 range: [1,11] units: 1
 unique values: 6 missing .: 1,283/1,397
 unique missing codes: 2 missing *: 2/1,397

tabulation:	Freq.	Numeric	Label
	1	1	father
	1	3	mother
	7	5	grandparents
	1	7	uncle/aunt
	36	9	brother/sister/cousin
	66	11	outside-household-person
	1,283	.	.
	2	.b	.b

c3_ba_gen_D **Gender code (person 1)**

type: numeric (byte)
 label: **c3_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,004/1,397

tabulation:	Freq.	Numeric	Label
	178	1	male
	215	3	female
	1,004	.	.

c3_bb_gen_D **Gender code (person 2)**

type: numeric (byte)
 label: **c3_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,177/1,397

tabulation:	Freq.	Numeric	Label
	98	1	male
	122	3	female
	1,177	.	.

c3_bc_gen_D **Gender code (person 3)**

type: numeric (byte)
 label: **c3_bc_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,285/1,397

```

tabulation:  Freq.  Numeric  Label
              51      1  male
              61      3  female
            1,285      .
    
```

activity_E **Playing a role play, selling things, playing Robot and car (not display)**

```

type:  string (str147), but longest is str0
unique values:  0                               missing "":  1,397/1,397
tabulation:  Freq.  Value
            1,397  ""
    
```

detail_E **E: detail**

```

type:  string (str238), but longest is str0
unique values:  0                               missing "":  1,397/1,397
tabulation:  Freq.  Value
            1,397  ""
    
```

c1_code_E **E : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  c1_code

range:  [0,9]                               units:  1
unique values:  4                           missing .:  0/1,397
unique missing codes:  1                     missing *:  376/1,397

tabulation:  Freq.  Numeric  Label
              177      0  never
               1      5  at least once a week
              557      7  once a day
              286      9  more than once a day
              376      .c
    
```

c1_hr_E **E : Hours per week (Monday - Friday)**

```

type:  numeric (float)

range:  [0,30]                               units:  1
unique values:  22                           missing .:  553/1,397
unique missing codes:  2                     missing *:  2/1,397

tabulation:  Freq.  Value
              97      0
             104      1
             161      2
              24      3
               8      4
             256      5
               8      6
              41      7
               2      8
               1      9
             65     10
               1     11
             34     12
               1     13
             18     15
               6     17
    
```



```

          3 18
          3 20
          3 22
          3 25
          2 27
          1 30
        553 .
          2 .c
    mean:  4.70665
  std. dev: 4.45249

percentiles:    10%    25%    50%    75%    90%
                0      2      5      5     10

```

cl_min_E **E : Minutes per week (Monday - Friday)**

```

    type: numeric (float)
    range: [0,56]
  unique values: 31
unique missing codes: 2
                    units: 1
                    missing .: 553/1,397
                    missing *: 2/1,397

```

```

tabulation: Freq. Value
            343  0
             1  1
             1  3
            11  5
             1  6
             5  8
            11 10
             1 11
             9 13
            56 15
             4 18
             1 19
             5 20
             3 23
            11 25
             1 26
             5 28
           233 30
             3 31
             2 34
             1 35
             1 36
             7 38
            48 40
             1 41
             2 44
            22 45
            34 50
             5 53
            10 55
             4 56
           553 .
             2 .c

```

```

    mean: 17.9929
  std. dev: 17.4597

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      15     30     40

```

cl_aa_E **E :Monday-Friday How many times (Monday - Friday)**

```

    type: string (str27), but longest is str10
  unique values: 10
                    missing "": 553/1,397

```

```

tabulation:  Freq.  Value
              553  ""
              553  "1"
               38  "1.5"
              103  "2"
               42  "2.5"
                6  "3"
               15  "3.5"
                2  "4"
                4  "4.5"
                1  "5"
              80  "many times"
    
```

warning: variable has embedded blanks

c1_ab_E **E :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 553/1,397
tabulation:  Freq.  Value
              553  ""
              843  "day"
                1  "week"
    
```

c1_ac_E **E :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,5.5] units: .1
unique values: 9 missing .: 553/1,397
unique missing codes: 2 missing *: 2/1,397
tabulation:  Freq.  Value
              431  0
              311  1
               13  1.5
               59  2
                9  2.5
               15  3
                2  4
                1  5
                1  5.5
              553  .
                2  .c
mean: .634798
std. dev: .78288
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 2
    
```

c1_ad_E **E :Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45] units: .01
unique values: 23 missing .: 553/1,397
unique missing codes: 2 missing *: 2/1,397
    
```


tabulation:	Freq.	Numeric	Label
	2	1	father
	5	3	mother
	6	5	grandparents
	2	7	uncle/aunt
	132	9	brother/sister/cousin
	254	11	outside-household-person
	7	13	other household member
	960	.	
	29	.b	

c1_bc_E **E : Relationship-with-the-child doing activity (person 3)**

type: numeric (byte)
 label: **c1_bc**
 range: [1,11] units: 1
 unique values: 3 missing .: 1,192/1,397
 unique missing codes: 2 missing *: 10/1,397

tabulation:	Freq.	Numeric	Label
	1	1	father
	43	9	brother/sister/cousin
	151	11	outside-household-person
	1,192	.	
	10	.b	

c1_ba_gen_E **Gender code (person 1)**

type: numeric (byte)
 label: **c1_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 788/1,397

tabulation:	Freq.	Numeric	Label
	276	1	male
	333	3	female
	788	.	

c1_bb_gen_E **Gender code (person 2)**

type: numeric (byte)
 label: **c1_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 989/1,397

tabulation:	Freq.	Numeric	Label
	186	1	male
	222	3	female
	989	.	

c1_bc_gen_E **Gender code (person 3)**

type: numeric (byte)
 label: **c1_bc_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,202/1,397

```

tabulation:  Freq.  Numeric  Label
              91      1      male
              104     3      female
              1,202   .
    
```

c2_code_E **E : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,397
unique missing codes: 1  missing *: 376/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              94      0      never
              4       5      at least once a week
              536     7      once a day
              387     9      more than once a day
              376     .c
    
```

c2_hr_E **E : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,15]        units: 1
unique values: 15    missing .: 470/1,397
unique missing codes: 2  missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              210   0
              189   1
              264   2
              49    3
              83    4
              54    5
              28    6
              14    7
              12    8
               6    9
               6   10
               2   11
               4   12
               2   13
               2   15
              470   .
               2   .c
    
```

```

mean: 2.23568
std. dev: 2.30157
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        1        2        3        5
    
```

c2_min_E **E : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,55]        units: 1
unique values: 32    missing .: 470/1,397
unique missing codes: 2  missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              640    0
              1     2
              1     3
              5     4
              9     5
              5     6
              3     7
              1     8
             10    10
              4    11
              2    12
              3    13
              3    14
             16    15
              1    17
              2    18
              1    19
             38    20
              5    22
              2    23
              1    25
              1    27
              1    28
             87    30
              2    35
              2    38
              1    39
             51    40
              1    44
             10    45
             15    50
              1    55
             470    .
              2    .c
    mean:      8.45405
  std. dev:   14.4394

percentiles:  10%    25%    50%    75%    90%
              0      0      0      15     30
  
```

c2_aa_E **E :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 12          missing "": 470/1,397
unique missing codes: 2   missing *: 2/1,397
  
```

```

tabulation:  Freq.  Value
              470    ""
             535    "1"
              48    "1.5"
               1    "10"
             116    "2"
              64    "2.5"
              21    "3"
              15    "3.5"
               3    "4"
               6    "4.5"
               1    "5"
               2    "DK"
             115    "many times"
  
```

warning: variable has embedded blanks

c2_ab_E **E :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 3 missing "": 471/1,397
tabulation: Freq. Value
              471 ""
              921 "day"
                1 "time"
                4 "week"
    
```

c2_ac_E E :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,7] units: .1
unique values: 13 missing .: 470/1,397
unique missing codes: 2 missing *: 2/1,397
tabulation: Freq. Value
              443 0
              332 1
                16 1.5
                85 2
                15 2.5
                21 3
                 1 3.5
                 5 4
                 1 4.5
                 2 5
                 1 5.5
                 2 6
                 1 7
              470 .
                 2 .c
mean: .744865
std. dev: .925404
percentiles: 10% 25% 50% 75% 90%
              0 0 1 1 2
    
```

c2_ad_E E :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,45] units: .01
unique values: 21 missing .: 470/1,397
unique missing codes: 2 missing *: 2/1,397
tabulation: Freq. Value
              411 0
                 2 1.5
                 6 2
                13 2.5
                 7 3
                 4 3.5
                 3 4.5
                17 5
                13 5.5
                 2 7
                12 7.5
                60 10
                 1 13.75
                53 15
                 1 17.5
                42 20
                14 25
               253 30
                 2 35
    
```

```

      1  40
      8  45
     470 .
      2  .c
    mean: 11.9273
    std. dev: 13.2493

    percentiles:    10%    25%    50%    75%    90%
                   0      0      5      30     30
    
```

c2_ba_E E : Relationship-with-the-child doing activity (person 1)

```

    type: numeric (byte)
    label: c2_ba

    range: [1,13]                units: 1
    unique values: 7              missing .: 470/1,397
    unique missing codes: 2      missing *: 256/1,397
    
```

tabulation:	Freq.	Numeric	Label
	3	1	father
	5	3	mother
	13	5	grandparents
	5	7	uncle/aunt
	381	9	brother/sister/cousin
	256	11	outside-household-person
	8	13	other household member
	470	.	
	256	.b	

c2_bb_E E : Relationship-with-the-child doing activity (person 2)

```

    type: numeric (byte)
    label: c2_bb

    range: [1,13]                units: 1
    unique values: 7              missing .: 907/1,397
    unique missing codes: 2      missing *: 31/1,397
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	5	3	mother
	6	5	grandparents
	2	7	uncle/aunt
	147	9	brother/sister/cousin
	290	11	outside-household-person
	7	13	other household member
	907	.	
	31	.b	

c2_bc_E E : Relationship-with-the-child doing activity (person 3)

```

    type: numeric (byte)
    label: c2_bc

    range: [1,11]                units: 1
    unique values: 3              missing .: 1,162/1,397
    unique missing codes: 2      missing *: 10/1,397
    
```

tabulation:	Freq.	Numeric	Label
	1	1	father
	52	9	brother/sister/cousin
	172	11	outside-household-person
	1,162	.	
	10	.b	

c2_ba_gen_E **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 726/1,397

tabulation: Freq.   Numeric   Label
              302         1   male
              369         3   female
              726         .
    
```

c2_bb_gen_E **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 938/1,397

tabulation: Freq.   Numeric   Label
              202         1   male
              257         3   female
              938         .
    
```

c2_bc_gen_E **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,172/1,397

tabulation: Freq.   Numeric   Label
              107         1   male
              118         3   female
              1,172       .
    
```

c3_code_E **E : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 1
units: 1
missing ..: 0/1,397
missing *: 1,021/1,397

tabulation: Freq.   Numeric   Label
              8         3   at least once a month
              368        5   at least once a week
              1,021      .b
    
```

c3_hr_E **E : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,15]
unique values: 12
units: 1
missing ..: 1,029/1,397
    
```

```

tabulation:  Freq.  Value
              144    0
              103    1
              58     2
              31     3
              12     4
               8     5
               2     6
               3     8
               2     9
               3    10
               1    12
               1    15
              1,029  .
    mean:     1.38859
    std. dev: 1.94714

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      3
    
```

c3_min_E **E : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,53]
unique values: 25
units: 1
missing .: 1,029/1,397
    
```

```

tabulation:  Freq.  Value
              86    0
               1    2
               4    3
               8    5
               3    6
               2    7
               9    8
               1    9
              17   10
               5   13
              28   15
               3   16
               3   19
              17   20
               7   23
               7   25
               1   28
              99   30
               1   31
               2   35
               6   38
               4   40
              36   45
              13   50
               5   53
              1,029  .
    mean:     20.7201
    std. dev: 16.2147

percentiles:    10%    25%    50%    75%    90%
                0      5     20     30     45
    
```

c3_aa_E **E :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str4
unique values: 11
missing "": 1,029/1,397
    
```

```

tabulation: Freq. Value
            1,029 ""
            43  "1"
            48  "1.5"
            65  "2"
            84  "2.5"
            45  "3"
            39  "3.5"
            22  "4"
             6  "4.5"
            13  "5"
             1  "5.25"
             2  "5.5"
    
```

c3_ab_E **E :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1 missing "": 1,029/1,397
tabulation: Freq. Value
            1,029 ""
            368 "week"
    
```

c3_ac_E **E :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,5] units: .1
unique values: 9 missing .: 1,029/1,397
tabulation: Freq. Value
            246 0
            100 1
             3 1.5
            10 2
             2 2.5
             2 3
             2 3.5
             2 4
             1 5
            1,029 .
mean: .422554
std. dev: .72526
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1
    
```

c3_ad_E **E :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [0,50] units: .1
unique values: 18 missing .: 1,136/1,397
    
```

```

tabulation:  Freq.  Value
              3  0
              5  2
              3  2.5
              3  3
              2  3.5
              1  4
              6  4.5
            22  5
              5  7.5
              1  8
            31  10
              3  12.5
            24  15
            30  20
              3  25
           113  30
              5  45
              1  50
          mean: 1,136  .
          std. dev: 20.182
                    11.0911

percentiles:      10%      25%      50%      75%      90%
                  5        10        20        30        30

```

c3_ba_E E : Relationship-with-the-child doing activity (person 1)

```

      type: numeric (byte)
      label: c3_ba

      range: [1,13]
unique values: 7
unique missing codes: 2

                           units: 1
                           missing .: 1,021/1,397
                           missing *: 103/1,397

```

```

tabulation:  Freq.  Numeric  Label
              2       1  father
              2       3  mother
              7       5  grandparents
              2       7  uncle/aunt
            128       9  brother/sister/cousin
            129      11  outside-household-person
              3      13  other household member
          1,021      .
            103     .b

```

c3_bb_E E : Relationship-with-the-child doing activity (person 2)

```

      type: numeric (byte)
      label: c3_bb

      range: [3,11]
unique values: 5
unique missing codes: 2

                           units: 1
                           missing .: 1,194/1,397
                           missing *: 7/1,397

```

```

tabulation:  Freq.  Numeric  Label
              2       3  mother
              1       5  grandparents
              1       7  uncle/aunt
              52       9  brother/sister/cousin
            140      11  outside-household-person
          1,194      .
              7     .b

```

c3_bc_E E : Relationship-with-the-child doing activity (person 3)

```

type: numeric (byte)
label: c3_bc

range: [9,11]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,291/1,397
missing *: 5/1,397

```

```

tabulation: Freq.  Numeric  Label
              8          9  brother/sister/cousin
              93         11  outside-household-person
            1,291         .
              5          .b

```

c3_ba_gen_E **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,124/1,397

```

```

tabulation: Freq.  Numeric  Label
              113         1  male
              160         3  female
            1,124         .

```

c3_bb_gen_E **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,201/1,397

```

```

tabulation: Freq.  Numeric  Label
              84         1  male
              112         3  female
            1,201         .

```

c3_bc_gen_E **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,295/1,397

```

```

tabulation: Freq.  Numeric  Label
              42         1  male
              60         3  female
            1,295         .

```

activity_F **Practice reading-writing numerals, ABC and counting number (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,397/1,397

```

```

tabulation: Freq.  Value
            1,397  ""

```

detail_F **F: detail**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c1_code_F **F : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,397
 unique missing codes: 2 missing *: 569/1,397
 tabulation: Freq. Numeric Label
 426 0 never
 3 5 at least once a week
 350 7 once a day
 49 9 more than once a day
 2 .a
 567 .c

c1_hr_F **F : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,12] units: 1
 unique values: 8 missing .: 995/1,397
 unique missing codes: 2 missing *: 1/1,397
 tabulation: Freq. Value
 153 0
 65 1
 117 2
 6 3
 50 5
 6 7
 3 10
 1 12
 995 .
 1 .c
 mean: 1.62344
 std. dev: 1.94817
 percentiles: 10% 25% 50% 75% 90%
 0 0 1 2 5

c1_min_F **F : Minutes per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,56] units: 1
 unique values: 24 missing .: 995/1,397
 unique missing codes: 2 missing *: 1/1,397

```

tabulation:  Freq.  Value
              51    0
              3    3
              8    5
              2    8
              5   10
              2   11
              9   13
             25   15
              4   18
              2   20
              8   23
             33   25
              1   26
              3   28
             115   30
              1   34
              1   35
             10   38
             37   40
              5   45
             67   50
              2   53
              5   55
              2   56
             995  .
              1  .c
    mean:     28.197
  std. dev:  16.0905

percentiles:      10%      25%      50%      75%      90%
                  0         15         30         40         50
  
```

c1_aa_F **F :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 8 missing "": 995/1,397

tabulation:  Freq.  Value
             995  ""
            351  "1"
             12  "1.5"
             24  "2"
              7  "2.5"
              2  "3"
              1  "4"
              1  "7"
              4  "many times"

warning: variable has embedded blanks
  
```

c1_ab_F **F :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 995/1,397

tabulation:  Freq.  Value
             995  ""
            400  "day"
              2  "week"
  
```

c1_ac_F **F :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,2]
unique values: 4
unique missing codes: 2
units: .1
missing .: 995/1,397
missing *: 1/1,397

tabulation: Freq. Value
             347 0
             50 1
              1 1.5
              3 2
             995 .
              1 .c
mean: .143392
std. dev: .374182

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c1_ad_F F : Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (double)
range: [0,310]
unique values: 21
unique missing codes: 2
units: .1
missing .: 995/1,397
missing *: 1/1,397

tabulation: Freq. Value
             50 0
              2 1
              3 1.5
              4 2
             11 2.5
              6 3
              6 3.5
             11 4.5
             34 5
              2 5.5
              9 7.5
             72 10
              4 13
             25 15
              2 17.5
             34 20
              4 25
            114 30
              4 35
              3 45
              1 310
             995 .
              1 .c
mean: 15.8254
std. dev: 18.7963

percentiles: 10% 25% 50% 75% 90%
              0 5 10 30 30
    
```

c1_ba_F F : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c1_ba
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 995/1,397
missing *: 62/1,397
    
```


tabulation:	Freq.	Numeric	Label
	35	1	father
	121	3	mother
	120	5	grandparents
	15	7	uncle/aunt
	29	9	brother/sister/cousin
	9	11	outside-household-person
	11	13	other household member
	995	.	
	62	.b	

c1_bb_F **F : Relationship-with-the-child doing activity (person 2)**

type: numeric (byte)
 label: **c2_bb**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,220/1,397
 unique missing codes: 2 missing *: 5/1,397

tabulation:	Freq.	Numeric	Label
	13	1	father
	32	3	mother
	45	5	grandparents
	8	7	uncle/aunt
	64	9	brother/sister/cousin
	6	11	outside-household-person
	4	13	other household member
	1,220	.	
	5	.b	

c1_bc_F **F : Relationship-with-the-child doing activity (person 3)**

type: numeric (byte)
 label: **c1_bc**
 range: [3,11] units: 1
 unique values: 4 missing .: 1,364/1,397

tabulation:	Freq.	Numeric	Label
	5	3	mother
	6	5	grandparents
	21	9	brother/sister/cousin
	1	11	outside-household-person
	1,364	.	

c1_ba_gen_F **Gender code (person 1)**

type: numeric (byte)
 label: **c1_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,057/1,397

tabulation:	Freq.	Numeric	Label
	84	1	male
	256	3	female
	1,057	.	

c1_bb_gen_F **Gender code (person 2)**

type: numeric (byte)
 label: **c1_bb_gen**

```

range: [1,3] units: 1
unique values: 2 missing .: 1,225/1,397

tabulation: Freq. Numeric Label
             51      1  male
             121     3  female
             1,225    .
    
```

c1_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,364/1,397

tabulation: Freq. Numeric Label
             12      1  male
             21     3  female
             1,364    .
    
```

c2_code_F **F : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9] units: 1
unique values: 4 missing .: 0/1,397
unique missing codes: 2 missing *: 569/1,397

tabulation: Freq. Numeric Label
             426     0  never
              3     5  at least once a week
             342     7  once a day
              57     9  more than once a day
              2     .a
             567     .c
    
```

c2_hr_F **F : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,5] units: 1
unique values: 6 missing .: 995/1,397
unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
             223  0
             115  1
              50  2
               7  3
               4  4
               2  5
             995  .
              1  .c
mean:       .653367
std. dev:   .89557

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

c2_min_F **F : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)
range: [0,50]
unique values: 24
unique missing codes: 2
units: 1
missing .: 995/1,397
missing *: 1/1,397

```

```

tabulation: Freq. Value
             164  0
              2  2
              1  3
              4  4
             11  5
              3  6
              5  7
              8  9
             35 10
              2 11
              1 12
              2 14
             12 15
              1 18
              1 19
             65 20
              1 22
              2 23
              2 25
             28 30
              2 35
             40 40
              3 45
              6 50
             995 .
              1 .c
mean:      12.9551
std. dev:  14.4253

percentiles:      10%      25%      50%      75%      90%
                  0         0         10         20         40

```

c2_aa_F **F :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 7
missing "": 995/1,397

```

```

tabulation: Freq. Value
             995 ""
            345 "1"
             14 "1.5"
             26 "2"
              7 "2.5"
              3 "3"
              2 "5"
              5 "many times"

```

warning: variable has embedded blanks

c2_ab_F **F :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 2
missing "": 995/1,397

```

```

tabulation: Freq. Value
             995 ""
            399 "day"
              3 "week"

```

c2_ac_F **F :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,2]
unique values: 4
unique missing codes: 2
units: .1
missing .: 995/1,397
missing *: 1/1,397

tabulation: Freq. Value
             346  0
             50  1
              1  1.5
              4  2
             995  .
              1  .c
mean:       .148379
std. dev:   .385427

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c2_ad_F **F :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45]
unique values: 20
unique missing codes: 2
units: .1
missing .: 995/1,397
missing *: 1/1,397

tabulation: Freq. Value
             51  0
              2  1
              3  1.5
              4  2
             11  2.5
              5  3
              7  3.5
             11  4.5
             31  5
              2  5.5
             13  7.5
              1  9.5
             72  10
             27  15
              2  17.5
             35  20
              4  25
            114  30
              3  35
              3  45
             995  .
              1  .c
mean:       15.0224
std. dev:   11.6561

percentiles:    10%    25%    50%    75%    90%
                0      5      10     30     30
    
```

c2_ba_F **F : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c2_ba
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 995/1,397
 unique missing codes: 2 missing *: 62/1,397

tabulation:	Freq.	Numeric	Label
	35	1	father
	121	3	mother
	118	5	grandparents
	16	7	uncle/aunt
	31	9	brother/sister/cousin
	8	11	outside-household-person
	11	13	other household member
	995	.	
	62	.b	

c2_bb_F F : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c2_bb

range: [1,13] units: 1
 unique values: 7 missing .: 1,227/1,397
 unique missing codes: 2 missing *: 5/1,397

tabulation:	Freq.	Numeric	Label
	12	1	father
	31	3	mother
	44	5	grandparents
	8	7	uncle/aunt
	60	9	brother/sister/cousin
	6	11	outside-household-person
	4	13	other household member
	1,227	.	
	5	.b	

c2_bc_F F : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
 label: c2_bc

range: [3,11] units: 1
 unique values: 4 missing .: 1,364/1,397

tabulation:	Freq.	Numeric	Label
	5	3	mother
	6	5	grandparents
	21	9	brother/sister/cousin
	1	11	outside-household-person
	1,364	.	

c2_ba_gen_F Gender code (person 1)

type: numeric (byte)
 label: c2_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,057/1,397

tabulation:	Freq.	Numeric	Label
	84	1	male
	256	3	female
	1,057	.	

c2_bb_gen_F **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,232/1,397

tabulation: Freq.  Numeric  Label
              49         1  male
              116        3  female
              1,232        .
    
```

c2_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,364/1,397

tabulation: Freq.  Numeric  Label
              12         1  male
              21         3  female
              1,364        .
    
```

c3_code_F **F : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 0/1,397
missing *: 830/1,397

tabulation: Freq.  Numeric  Label
              12         3  at least once a month
              555        5  at least once a week
               2         .a
              828        .b
    
```

c3_hr_F **F : Hours per week (Monday - Sunday)**

```

type: numeric(float)

range: [0,12]
unique values: 8
unique missing codes: 2
units: 1
missing ..: 842/1,397
missing *: 2/1,397

tabulation: Freq.  Value
              365    0
              128    1
               39    2
                8    3
                 3    4
                 5    5
                 4    6
                 1   12
              842    .
                 2   .c
mean:         .54792
std. dev:     1.08596
    
```

percentiles: 10% 25% 50% 75% 90%
0 0 0 1 2

c3_min_F **F : Minutes per week (Monday - Sunday)**

type: numeric (float)
range: [0,55] units: 1
unique values: 35 missing .: 842/1,397
unique missing codes: 2 missing *: 2/1,397

tabulation:	Freq.	Value
	78	0
	3	1
	10	2
	14	3
	8	4
	13	5
	20	6
	11	7
	18	8
	6	9
	38	10
	9	11
	4	12
	13	13
	50	15
	3	16
	1	17
	4	18
	4	19
	36	20
	7	23
	17	25
	3	26
	1	28
	101	30
	1	31
	3	33
	4	35
	9	38
	8	40
	1	41
	35	45
	11	50
	8	53
	1	55
	842	.
	2	.c
mean:	18.5081	
std. dev:	14.7266	

percentiles: 10% 25% 50% 75% 90%
0 6 15 30 41

c3_aa_F **F :Monday-Friday How many times (Monday - Sunday)**

type: string (str6), but longest is str3
unique values: 11 missing "": 842/1,397

```

tabulation:  Freq.  Value
              842   ""
              70   "1"
              65   "1.5"
             124   "2"
              93   "2.5"
              96   "3"
              55   "3.5"
              15   "4"
              16   "4.5"
              17   "5"
               2   "5.5"
               2   "6"

```

c3_ab_F **F :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 2          missing "": 843/1,397
tabulation:  Freq.  Value
              843   ""
               2   "day"
             552   "week"

```

c3_ac_F **F :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,2]          units: 1
unique values: 3      missing .: 842/1,397
unique missing codes: 2    missing *: 2/1,397
tabulation:  Freq.  Value
              500   0
               46   1
                7   2
             842   .
                2   .c
mean:        .108499
std. dev:    .349664
percentiles: 10%    25%    50%    75%    90%
               0      0      0      0      0

```

c3_ad_F **F :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [1,45]        units: .1
unique values: 21    missing .: 893/1,397
unique missing codes: 2    missing *: 2/1,397
tabulation:  Freq.  Value
              5     1
              7    1.5
             11     2
             28    2.5
             12     3
             15    3.5
               5     4
               9    4.5
             59     5
               7    5.5
               2    6.5
             16    7.5

```



```

          1  8.5
          95 10
           2 12.5
          35 15
          50 20
           5 25
          133 30
           3 35
           2 45
          893 .
           2 .c
    mean: 15.0229
  std. dev: 10.804

percentiles:    10%    25%    50%    75%    90%
                2.5     5      10     30     30

```

c3_ba_F **F : Relationship-with-the-child doing activity (person 1)**

```

    type: numeric (byte)
    label: c3_ba

    range: [1,13]           units: 1
  unique values: 7         missing .: 830/1,397
  unique missing codes: 2  missing *: 69/1,397

  tabulation:  Freq.   Numeric  Label
                41       1  father
                152      3  mother
                164      5  grandparents
                 23      7  uncle/aunt
                 91      9  brother/sister/cousin
                 11     11  outside-household-person
                 16     13  other household member
                830      .
                 69     .b

```

c3_bb_F **F : Relationship-with-the-child doing activity (person 2)**

```

    type: numeric (byte)
    label: c3_bb

    range: [1,13]           units: 1
  unique values: 7         missing .: 1,173/1,397
  unique missing codes: 2  missing *: 9/1,397

  tabulation:  Freq.   Numeric  Label
                14       1  father
                 49      3  mother
                 27      5  grandparents
                   6      7  uncle/aunt
                102      9  brother/sister/cousin
                 13     11  outside-household-person
                   4     13  other household member
            1,173      .
                   9     .b

```

c3_bc_F **F : Relationship-with-the-child doing activity (person 3)**

```

    type: numeric (byte)
    label: c3_bc

    range: [1,13]           units: 1
  unique values: 7         missing .: 1,351/1,397
  unique missing codes: 2  missing *: 1/1,397

```

```

tabulation:  Freq.  Numeric  Label
              2       1  father
              3       3  mother
              10      5  grandparents
              1       7  uncle/aunt
              18      9  brother/sister/cousin
              5       11 outside-household-person
              6       13 other household member
1,351        .
              1       .b
    
```

c3_ba_gen_F **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 899/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              108    1  male
              390    3  female
              899    .
    
```

c3_bb_gen_F **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,182/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              74     1  male
              141    3  female
              1,182  .
    
```

c3_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,352/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              14     1  male
              31     3  female
              1,352  .
    
```

activity_G **Playing blocks or plasticine, drawing and painting (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,397/1,397
    
```

```

tabulation:  Freq.  Value
1,397      ""
    
```

detail_G **G: detail**

```

type: string (str238), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

c1_code_G **G : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9] units: 1
unique values: 4 missing .: 0/1,397
unique missing codes: 2 missing *: 713/1,397

tabulation: Freq. Numeric Label
             297 0 never
             1 5 at least once a week
             279 7 once a day
             107 9 more than once a day
             2 .a
             711 .c
    
```

c1_hr_G **G : Hours per week (Monday - Friday)**

```

type: numeric (float)

range: [0,20] units: 1
unique values: 15 missing .: 1,010/1,397
unique missing codes: 2 missing *: 2/1,397

tabulation: Freq. Value
             110 0
             66 1
             85 2
              5 3
              1 4
             76 5
              7 6
             13 7
              1 8
              2 9
              9 10
              2 11
              6 12
              1 15
              1 20
            1,010 .
              2 .c
mean: 2.63117
std. dev: 2.99636

percentiles: 10% 25% 50% 75% 90%
              0 0 2 5 6
    
```

c1_min_G **G : Minutes per week (Monday - Friday)**

```

type: numeric (float)

range: [0,55] units: 1
unique values: 26 missing .: 1,010/1,397
unique missing codes: 2 missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              86    0
               4    3
               8    5
               1    6
               2    8
               5   10
               3   11
               9   13
              28   15
               2   18
               1   19
               5   20
              10   23
              20   25
               1   28
              92   30
               1   33
               1   34
               2   36
               7   38
              39   40
               1   44
               4   45
              50   50
               2   53
               1   55
            1,010  .
               2   .c
    mean:     23.9403
    std. dev: 17.2175

percentiles:    10%    25%    50%    75%    90%
                0      5      30     40     50
    
```

c1_aa_G **G :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 8 missing "": 1,010/1,397

tabulation:  Freq.  Value
            1,010  ""
             279  "1"
              17  "1.5"
              36  "2"
              25  "2.5"
               4  "3"
               5  "3.5"
               1  "4.5"
              20  "many times"

warning: variable has embedded blanks
    
```

c1_ab_G **G :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 3 missing "": 1,010/1,397

tabulation:  Freq.  Value
            1,010  ""
             384  "day"
               2  "time"
               1  "week"
    
```

cl_ac_G **G : Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,4]
unique values: 5
unique missing codes: 2
units: .1
missing .: 1,010/1,397
missing *: 2/1,397

tabulation: Freq. Value
             289  0
             86  1
              3  1.5
              6  2
              1  4
            1,010 .
              2  .c
mean:       .276623
std. dev:   .518636

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

cl_ad_G **G : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45]
unique values: 23
unique missing codes: 2
units: .1
missing .: 1,010/1,397
missing *: 2/1,397

tabulation: Freq. Value
             89  0
              1  1
              1  1.5
              7  2
             10  2.5
              3  3
              3  3.5
              9  4.5
             29  5
              2  5.5
              1  6.5
              7  7.5
              2  9.5
             57  10
              2  13
             21  15
              1  17.5
             34  20
              1  22.5
              5  25
             95  30
              3  40
              2  45
            1,010 .
              2  .c
mean:       13.3805
std. dev:   12.0181

percentiles:    10%    25%    50%    75%    90%
                0      2     10     30     30
    
```

cl_ba_G **G : Relationship-with-the-child doing activity (person 1)**

type: numeric (**byte**)
 label: **c1_ba**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,010/1,397
 unique missing codes: 2 missing *: 171/1,397

tabulation:	Freq.	Numeric	Label
	6	1	father
	24	3	mother
	16	5	grandparents
	4	7	uncle/aunt
	125	9	brother/sister/cousin
	38	11	outside-household-person
	3	13	other household member
	1,010	.	
	171	.b	

c1_bb_G G : Relationship-with-the-child doing activity (person 2)

type: numeric (**byte**)
 label: **c2_bb**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,264/1,397
 unique missing codes: 2 missing *: 8/1,397

tabulation:	Freq.	Numeric	Label
	1	1	father
	5	3	mother
	12	5	grandparents
	2	7	uncle/aunt
	63	9	brother/sister/cousin
	36	11	outside-household-person
	6	13	other household member
	1,264	.	
	8	.b	

c1_bc_G G : Relationship-with-the-child doing activity (person 3)

type: numeric (**byte**)
 label: **c1_bc**
 range: [3,13] units: 1
 unique values: 5 missing .: 1,365/1,397
 unique missing codes: 2 missing *: 2/1,397

tabulation:	Freq.	Numeric	Label
	1	3	mother
	1	7	uncle/aunt
	9	9	brother/sister/cousin
	18	11	outside-household-person
	1	13	other household member
	1,365	.	
	2	.b	

c1_ba_gen_G Gender code (person 1)

type: numeric (**byte**)
 label: **c1_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,181/1,397

```

tabulation:  Freq.  Numeric  Label
              85      1      male
              131     3      female
              1,181   .
    
```

c1_bb_gen_G **Gender code (person 2)**

```

type:  numeric (byte)
label:  c1_bb_gen

range:  [1,3]          units:  1
unique values:  2      missing .:  1,273/1,397

tabulation:  Freq.  Numeric  Label
              49      1      male
              75      3      female
              1,273   .
    
```

c1_bc_gen_G **Gender code (person 3)**

```

type:  numeric (byte)
label:  c1_bc_gen

range:  [1,3]          units:  1
unique values:  2      missing .:  1,367/1,397

tabulation:  Freq.  Numeric  Label
              14      1      male
              16      3      female
              1,367   .
    
```

c2_code_G **G : Frequency (Saturday - Sunday)**

```

type:  numeric (byte)
label:  c2_code

range:  [0,9]          units:  1
unique values:  4      missing .:  0/1,397
unique missing codes:  2      missing *:  712/1,397

tabulation:  Freq.  Numeric  Label
              277     0      never
              3       5      at least once a week
              274     7      once a day
              131     9      more than once a day
              2       .a
              710     .c
    
```

c2_hr_G **G : Hours per week (Saturday - Sunday)**

```

type:  numeric (float)

range:  [0,15]         units:  1
unique values:  10     missing .:  989/1,397
unique missing codes:  2      missing *:  2/1,397
    
```

```

tabulation:  Freq.  Value
              176    0
              89    1
              84    2
              21    3
              19    4
               9    5
               1    6
               1    7
               5    8
               1   15
             989    .
               2    .c
    mean:     1.25369
    std. dev: 1.67396

percentiles:      10%      25%      50%      75%      90%
                  0         0         1         2         3
    
```

c2_min_G **G : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)
range: [0,53]
unique values: 24
unique missing codes: 2

units: 1
missing .: 989/1,397
missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              201    0
               3    3
               4    4
              10    5
               3    6
               3    7
               3    8
               8    9
              20   10
               1   11
               1   13
               8   15
               1   18
              50   20
               4   25
               1   27
               2   29
              30   30
               1   38
               1   39
              37   40
               4   45
               9   50
               1   53
             989    .
               2    .c
    mean:     12.0616
    std. dev: 15.2566

percentiles:      10%      25%      50%      75%      90%
                  0         0         3        20        40
    
```

c2_aa_G **G :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 8
missing "": 989/1,397
    
```



```

tabulation: Freq. Value
             989 ""
             275 "1"
              18 "1.5"
              46 "2"
              27 "2.5"
               4 "3"
               7 "3.5"
               1 "5.5"
             30 "many times"
    
```

warning: variable has embedded blanks

c2_ab_G **G :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 3 missing "": 989/1,397
    
```

```

tabulation: Freq. Value
             989 ""
             403 "day"
               2 "time"
               3 "week"
    
```

c2_ac_G **G :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,4] units: .1
unique values: 6 missing .: 989/1,397
unique missing codes: 2 missing *: 2/1,397
    
```

```

tabulation: Freq. Value
             294 0
              96 1
               2 1.5
               9 2
               1 3
               4 4
             989 .
               2 .c
    
```

```

mean: .334975
std. dev: .636238
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         1         1
    
```

c2_ad_G **G :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 21 missing .: 989/1,397
unique missing codes: 2 missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              98  0
              1  1
              1  1.5
              7  2
              8  2.5
              3  3
              4  3.5
              9  4.5
             31  5
              2  5.5
             11  7.5
              2  9.5
             56 10
             21 15
              1 17.5
             31 20
              1 22.5
              5 25
            108 30
              3 40
              3 45
            989 .
              2  .c
mean:       13.6022
std. dev:   12.3322

percentiles:    10%    25%    50%    75%    90%
                0      2      10     30     30
    
```

c2_ba_G G : Relationship-with-the-child doing activity (person 1)

```

type:  numeric (byte)
label:  c2_ba
range:  [1,13]
unique values: 7
unique missing codes: 2
units:  1
missing .: 989/1,397
missing *: 177/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              6         1  father
             24         3  mother
             17         5  grandparents
              5         7  uncle/aunt
             134         9  brother/sister/cousin
             41         11  outside-household-person
              4         13  other household member
            989         .
            177         .b
    
```

c2_bb_G G : Relationship-with-the-child doing activity (person 2)

```

type:  numeric (byte)
label:  c2_bb
range:  [1,13]
unique values: 7
unique missing codes: 2
units:  1
missing .: 1,259/1,397
missing *: 10/1,397
    
```

tabulation:	Freq.	Numeric	Label
	1	1	father
	5	3	mother
	12	5	grandparents
	2	7	uncle/aunt
	64	9	brother/sister/cousin
	38	11	outside-household-person
	6	13	other household member
	1,259	.	
	10	.b	

c2_bc_G **G : Relationship-with-the-child doing activity (person 3)**

type: numeric (byte)
 label: **c2_bc**
 range: [3,13] units: 1
 unique values: 5 missing .: 1,363/1,397
 unique missing codes: 2 missing *: 2/1,397

tabulation:	Freq.	Numeric	Label
	2	3	mother
	1	7	uncle/aunt
	9	9	brother/sister/cousin
	19	11	outside-household-person
	1	13	other household member
	1,363	.	
	2	.b	

c2_ba_gen_G **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,166/1,397

tabulation:	Freq.	Numeric	Label
	92	1	male
	139	3	female
	1,166	.	

c2_bb_gen_G **Gender code (person 2)**

type: numeric (byte)
 label: **c2_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,269/1,397

tabulation:	Freq.	Numeric	Label
	50	1	male
	78	3	female
	1,269	.	

c2_bc_gen_G **Gender code (person 3)**

type: numeric (byte)
 label: **c2_bc_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,365/1,397

```

tabulation:  Freq.  Numeric  Label
              14      1  male
              18      3  female
              1,365    .
    
```

c3_code_G **G : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]          units: 1
unique values: 2      missing .: 0/1,397
unique missing codes: 2  missing *: 686/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              36      3  at least once a month
              675     5  at least once a week
               2      .a
              684     .b
    
```

c3_hr_G **G : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,20]        units: 1
unique values: 9      missing .: 722/1,397
unique missing codes: 2  missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              419    0
              170    1
               43    2
               30    3
                4    4
                3    5
                2    6
                2    8
                1   20
              722    .
                1   .c
mean:        .630564
std. dev:    1.26855
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
    
```

c3_min_G **G : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,53]        units: 1
unique values: 33     missing .: 722/1,397
unique missing codes: 2  missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              114    0
                3    1
                9    2
               12    3
               21    4
               29    5
               11    6
                3    7
               19    8
               10    9
               42   10
    
```

```

        6 11
        2 12
        8 13
        8 14
       83 15
        4 16
        1 17
        4 18
        9 19
       36 20
        3 23
       28 25
      126 30
        1 31
        1 34
        7 35
       11 38
       13 40
        1 44
       29 45
       12 50
        8 53
       722 .
        1 .c
    mean: 17.5074
  std. dev: 14.2808

percentiles:      10%      25%      50%      75%      90%
                  0         5        15        30        38

```

c3_aa_G **G :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str3
unique values: 11           missing "": 721/1,397
  tabulation: Freq. Value
              721 ""
              140 "1"
               70 "1.5"
              153 "2"
              122 "2.5"
              112 "3"
               37 "3.5"
               20 "4"
               10 "4.5"
                9 "5"
                2 "5.5"
                1 "6"

```

c3_ab_G **G :Monday-Friday How many times per units (Monday - Sunday)**

```

    type: string (str22), but longest is str5
unique values: 3           missing "": 721/1,397
  tabulation: Freq. Value
              721 ""
                1 "day"
                1 "month"
              674 "week"

```

c3_ac_G **G :Monday-Friday How many times per hours (Monday - Sunday)**

```

    type: numeric (double)

```

range: [0,3] units: .1
 unique values: 5 missing .: 723/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 571 0
 94 1
 1 1.5
 5 2
 2 3
 723 .
 1 .c
 mean: .165676
 std. dev: .415075

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c3_ad_G G :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)
 range: [0,45] units: .1
 unique values: 24 missing .: 816/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 1 0
 4 1
 6 1.5
 16 2
 25 2.5
 12 3
 13 3.5
 4 4
 17 4.5
 50 5
 8 5.5
 21 7.5
 102 10
 9 12.5
 60 15
 2 15.5
 1 17.5
 58 20
 1 23
 10 25
 150 30
 1 35
 1 40
 8 45
 816 .
 1 .c
 mean: 15.831
 std. dev: 10.8469

percentiles: 10% 25% 50% 75% 90%
 3 5 15 30 30

c3_ba_G G : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c3_ba
 range: [1,13] units: 1
 unique values: 7 missing .: 686/1,397
 unique missing codes: 2 missing *: 268/1,397

tabulation:	Freq.	Numeric	Label
	13	1	father
	29	3	mother
	35	5	grandparents
	12	7	uncle/aunt
	254	9	brother/sister/cousin
	87	11	outside-household-person
	13	13	other household member
	686	.	
	268	.b	

c3_bb_G **G : Relationship-with-the-child doing activity (person 2)**

type: numeric (byte)
 label: **c3_bb**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,179/1,397
 unique missing codes: 2 missing *: 10/1,397

tabulation:	Freq.	Numeric	Label
	4	1	father
	16	3	mother
	7	5	grandparents
	2	7	uncle/aunt
	85	9	brother/sister/cousin
	93	11	outside-household-person
	1	13	other household member
	1,179	.	
	10	.b	

c3_bc_G **G : Relationship-with-the-child doing activity (person 3)**

type: numeric (byte)
 label: **c3_bc**
 range: [3,11] units: 1
 unique values: 4 missing .: 1,311/1,397
 unique missing codes: 2 missing *: 6/1,397

tabulation:	Freq.	Numeric	Label
	1	3	mother
	1	5	grandparents
	24	9	brother/sister/cousin
	54	11	outside-household-person
	1,311	.	
	6	.b	

c3_ba_gen_G **Gender code (person 1)**

type: numeric (byte)
 label: **c3_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 952/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation:	Freq.	Numeric	Label
	193	1	male
	251	3	female
	952	.	
	1	.b	

c3_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,189/1,397

tabulation: Freq.  Numeric  Label
              89      1      male
              119     3      female
              1,189    .
    
```

c3_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,317/1,397

tabulation: Freq.  Numeric  Label
              32      1      male
              48      3      female
              1,317    .
    
```

activity_J
Go to work with the household members e.g. go to field,farm, sell goods (not dis

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
              1,397  ""
    
```

detail_J **_J detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
              1,397  ""
    
```

c1_code_J **J : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [.,.]
unique values: 1
units: .
missing .: 1,396/1,397

tabulation: Freq.  Numeric  Label
              1      0      never
              1,396    .
    
```

c1_hr_J **J : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c1_min_J **J : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c1_aa_J **J :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""
    
```

c1_ab_J **J :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""
    
```

c1_ac_J **J :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c1_ad_J **J : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c1_ba_J **J : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c1_ba
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c1_bb_J **J : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c2_bb
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c1_bc_J **J : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c1_bc
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c1_ba_gen_J **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c1_bb_gen_J **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [...] units: .
unique values: 0 missing .. 1,397/1,397

tabulation: Freq. Numeric Label
             1,397 .
    
```

c1_bc_gen_J **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [...] units: .
unique values: 0 missing .. 1,397/1,397

tabulation: Freq. Numeric Label
             1,397 .
    
```

c2_code_J **J : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [...] units: .
unique values: 1 missing .. 1,396/1,397

tabulation: Freq. Numeric Label
             1 0 never
             1,396 .
    
```

c2_hr_J **J : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [...] units: .
unique values: 0 missing .. 1,397/1,397

tabulation: Freq. Value
             1,397 .
             mean: .
             std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

c2_min_J **J : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [...] units: .
unique values: 0 missing .. 1,397/1,397

tabulation: Freq. Value
             1,397 .
             mean: .
             std. dev: .
    
```

percentiles: 10% 25% 50% 75% 90%
.

c2_aa_J J :Monday-Friday How many times (Saturday - Sunday)

type: string (**str30**), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

c2_ab_J J :Monday-Friday How many times per units (Saturday - Sunday)

type: string (**str21**), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

c2_ac_J J :Monday-Friday How many times per hours (Saturday - Sunday)

type: numeric (**double**)
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
tabulation: Freq. Value
1,397 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
.

c2_ad_J J :Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (**double**)
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
tabulation: Freq. Value
1,397 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
.

c2_ba_J J : Relationship-with-the-child doing activity (person 1)

type: numeric (**byte**)
label: **c2_ba**
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
tabulation: Freq. Numeric Label
1,397 .

c2_bb_J **J : Relationship-with-the-child doing activity (person 2)**

```

      type: numeric (byte)
      label: c2_bb

      range: [..]
unique values: 0
                    units: .
                    missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c2_bc_J **J : Relationship-with-the-child doing activity (person 3)**

```

      type: numeric (byte)
      label: c2_bc

      range: [..]
unique values: 0
                    units: .
                    missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c2_ba_gen_J **Gender code (person 1)**

```

      type: numeric (byte)
      label: c2_ba_gen

      range: [..]
unique values: 0
                    units: .
                    missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c2_bb_gen_J **Gender code (person 2)**

```

      type: numeric (byte)
      label: c2_bb_gen

      range: [..]
unique values: 0
                    units: .
                    missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c2_bc_gen_J **Gender code (person 3)**

```

      type: numeric (byte)
      label: c2_bc_gen

      range: [..]
unique values: 0
                    units: .
                    missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c3_code_J **J : Frequency (Monday - Sunday)**

```

      type: numeric (byte)
      label: c3_code
    
```

```

range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,396/1,397
missing *: 1/1,397

tabulation: Freq. Numeric Label
             1,396      .
             1         .b
    
```

c3_hr_J **J : Hours per week (Monday - Sunday)**

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
             1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

c3_min_J **J : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
             1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

c3_aa_J **J :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

c3_ab_J **J :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

c3_ac_J **J :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
    
```

```

            range: [.,.]
unique values: 0
            units: .
            missing .: 1,397/1,397

    tabulation: Freq. Value
                1,397 .
            mean: .
            std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

c3_ad_J J : Monday-Friday How many times per minutes (Monday - Sunday)

```

            type: numeric (double)

            range: [.,.]
unique values: 0
            units: .
            missing .: 1,397/1,397

    tabulation: Freq. Value
                1,397 .
            mean: .
            std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

c3_ba_J J : Relationship-with-the-child doing activity (person 1)

```

            type: numeric (byte)
            label: c3_ba

            range: [.,.]
unique values: 0
            units: .
            missing .: 1,397/1,397

    tabulation: Freq. Numeric Label
                1,397 .
    
```

c3_bb_J J : Relationship-with-the-child doing activity (person 2)

```

            type: numeric (byte)
            label: c3_bb

            range: [.,.]
unique values: 0
            units: .
            missing .: 1,397/1,397

    tabulation: Freq. Numeric Label
                1,397 .
    
```

c3_bc_J J : Relationship-with-the-child doing activity (person 3)

```

            type: numeric (byte)
            label: c3_bc

            range: [.,.]
unique values: 0
            units: .
            missing .: 1,397/1,397

    tabulation: Freq. Numeric Label
                1,397 .
    
```

c3_ba_gen_J Gender code (person 1)

```

        type: numeric (byte)
        label: c3_ba_gen
        range: [.,.]
        unique values: 0
        units: .
        missing ..: 1,397/1,397
        tabulation: Freq.  Numeric  Label
                   1,397      .
    
```

c3_bb_gen_J **Gender code (person 2)**

```

        type: numeric (byte)
        label: c3_bb_gen
        range: [.,.]
        unique values: 0
        units: .
        missing ..: 1,397/1,397
        tabulation: Freq.  Numeric  Label
                   1,397      .
    
```

c3_bc_gen_J **Gender code (person 3)**

```

        type: numeric (byte)
        label: c3_bc_gen
        range: [.,.]
        unique values: 0
        units: .
        missing ..: 1,397/1,397
        tabulation: Freq.  Numeric  Label
                   1,397      .
    
```

activity_K **Do housework (not display)**

```

        type: string (str147), but longest is str0
        unique values: 0
        missing "": 1,397/1,397
        tabulation: Freq.  Value
                   1,397  ""
    
```

detail_K **K: detail**

```

        type: string (str238), but longest is str0
        unique values: 0
        missing "": 1,397/1,397
        tabulation: Freq.  Value
                   1,397  ""
    
```

c1_code_K **K : Frequency (Monday - Friday)**

```

        type: numeric (byte)
        label: c1_code
        range: [0,9]
        unique values: 3
        unique missing codes: 2
        units: 1
        missing ..: 0/1,397
        missing *: 464/1,397
    
```



```

tabulation:  Freq.  Numeric  Label
              792      0      never
              110      7      once a day
              31       9      more than once a day
              2       .a
              462      .c
    
```

c1_hr_K

K : Hours per week (Monday - Friday)

```

type: numeric (float)
range: [0,12]
unique values: 9
unique missing codes: 2
units: 1
missing .: 1,256/1,397
missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              91      0
              19      1
              16      2
               1      3
               1      4
               6      5
               2      7
               3     10
               1     12
            1,256      .
               1     .c
mean:        1.02857
std. dev:    2.1656
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         1         2.5
    
```

c1_min_K

K : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,50]
unique values: 20
unique missing codes: 2
units: 1
missing .: 1,256/1,397
missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              10      0
               1      2
               3      3
               1      5
               8      8
               9     10
               3     11
               8     13
               5     15
               5     18
               2     19
               1     20
               2     23
              20     25
               2     28
              17     30
               5     38
               8     40
               2     45
              28     50
            1,256      .
               1     .c
mean:        26.0143
std. dev:    16.2715
    
```

percentiles: 10% 25% 50% 75% 90%
 4 12 25 40 50

c1_aa_K K :Monday-Friday How many times (Monday - Friday)

type: string (**str27**), but longest is str10
 unique values: 6 missing "": 1,256/1,397
 tabulation: Freq. Value
 1,256 ""
 110 "1"
 9 "1.5"
 13 "2"
 1 "3.5"
 1 "5.5"
 7 "many times"
 warning: variable has embedded blanks

c1_ab_K K :Monday-Friday How many times per units (Monday - Friday)

type: string (**str21**), but longest is str3
 unique values: 1 missing "": 1,256/1,397
 tabulation: Freq. Value
 1,256 ""
 141 "day"

c1_ac_K K :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (**double**)
 range: [0,2.5] units: .1
 unique values: 4 missing .: 1,256/1,397
 unique missing codes: 2 missing *: 1/1,397
 tabulation: Freq. Value
 128 0
 8 1
 3 2
 1 2.5
 1,256 .
 1 .c
 mean: .117857
 std. dev: .418161
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c1_ad_K K :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (**double**)
 range: [0,45] units: .1
 unique values: 21 missing .: 1,256/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 12 0
 1 1
 11 1.5
 9 2
 9 2.5
 2 3
 4 3.5
 1 4
 2 4.5
 29 5
 1 5.5
 1 6
 5 7.5
 24 10
 4 13
 3 15
 1 17.5
 5 20
 14 30
 1 35
 1 45
 1,256 .
 1 .c
 mean: 8.85357
 std. dev: 9.38668

 percentiles: 10% 25% 50% 75% 90%
 1.5 2.5 5 10 30

c1_ba_K K : Relationship-with-the-child doing activity (person 1)

type: numeric (**byte**)
 label: **c1_ba**

 range: [1,13] units: 1
 unique values: 6 missing.: 1,256/1,397
 unique missing codes: 2 missing*: 22/1,397

tabulation: Freq. Numeric Label
 2 1 father
 31 3 mother
 55 5 grandparents
 2 7 uncle/aunt
 24 9 brother/sister/cousin
 5 13 other household member
 1,256 .
 22 .b

c1_bb_K K : Relationship-with-the-child doing activity (person 2)

type: numeric (**byte**)
 label: **c2_bb**

 range: [1,13] units: 1
 unique values: 6 missing.: 1,354/1,397
 unique missing codes: 2 missing*: 2/1,397

tabulation: Freq. Numeric Label
 1 1 father
 7 3 mother
 13 5 grandparents
 1 7 uncle/aunt
 17 9 brother/sister/cousin
 2 13 other household member
 1,354 .
 2 .b

c1_bc_K **K : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c1_bc

range: [3,9]
unique values: 4
units: 1
missing .. 1,388/1,397

tabulation: Freq.  Numeric  Label
              5          3  mother
              1          5  grandparents
              1          7  uncle/aunt
              2          9  brother/sister/cousin
            1,388          .
    
```

c1_ba_gen_K **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,278/1,397

tabulation: Freq.  Numeric  Label
              16          1  male
              103         3  female
            1,278          .
    
```

c1_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,356/1,397

tabulation: Freq.  Numeric  Label
              11          1  male
              30          3  female
            1,356          .
    
```

c1_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [3,3]
unique values: 1
units: 1
missing .. 1,387/1,397

tabulation: Freq.  Numeric  Label
              10          3  female
            1,387          .
    
```

c2_code_K **K : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 2
units: 1
missing .. 0/1,397
missing *: 464/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              787      0      never
              1       5      at least once a week
             113      7      once a day
              32      9      more than once a day
              2       .a
             462      .c
    
```

c2_hr_K

K : Hours per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,5]
unique values: 6
unique missing codes: 2
units: 1
missing .: 1,251/1,397
missing *: 1/1,397

tabulation:  Freq.  Value
              116  0
              16  1
               7  2
               2  3
               3  4
               1  5
            1,251 .
               1  .c
mean:       .365517
std. dev:   .896086

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

c2_min_K

K : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,55]
unique values: 23
unique missing codes: 2
units: 1
missing .: 1,251/1,397
missing *: 1/1,397

tabulation:  Freq.  Value
              27  0
               1  2
               8  3
               9  4
              11  5
               1  6
               4  7
               2  8
              21 10
               1 11
               5 15
               1 18
              31 20
               1 24
               4 25
               4 30
               1 32
               1 33
               1 35
               8 40
               1 45
               1 50
               1 55
            1,251 .
               1  .c
mean:       13.2069
std. dev:   12.3597
    
```



```

tabulation:  Freq. Value
              13  0
              1  1
              11 1.5
              9  2
              9 2.5
              1  3
              4 3.5
              1  4
              2 4.5
              31 5
              2 5.5
              1  6
              8 7.5
              26 10
              3 15
              1 17.5
              5 20
              1 25
              14 30
              1 35
              1 45
1,251        .
              1  .c
  mean:      8.74138
  std. dev:  9.32833

percentiles:  10%    25%    50%    75%    90%
              1.5    2.5     5     10    30

```

c2_ba_K K : Relationship-with-the-child doing activity (person 1)

```

      type: numeric (byte)
      label: c2_ba
      range: [1,13]
unique values: 6
unique missing codes: 2
                        units: 1
                        missing .: 1,251/1,397
                        missing *: 23/1,397

```

```

tabulation:  Freq.  Numeric  Label
              3       1  father
              33      3  mother
              57      5  grandparents
              2       7  uncle/aunt
              23      9  brother/sister/cousin
              5      13  other household member
1,251        .
              23      .b

```

c2_bb_K K : Relationship-with-the-child doing activity (person 2)

```

      type: numeric (byte)
      label: c2_bb
      range: [1,13]
unique values: 6
unique missing codes: 2
                        units: 1
                        missing .: 1,354/1,397
                        missing *: 2/1,397

```

```

tabulation:  Freq.  Numeric  Label
              1       1  father
              7       3  mother
              13      5  grandparents
              1       7  uncle/aunt
              17      9  brother/sister/cousin
              2      13  other household member
1,354        .
              2       .b

```

c2_bc_K **K : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c2_bc

range: [3,9]
unique values: 4
units: 1
missing .. 1,388/1,397

tabulation: Freq.  Numeric  Label
              5          3  mother
              1          5  grandparents
              1          7  uncle/aunt
              2          9  brother/sister/cousin
            1,388          .
    
```

c2_ba_gen_K **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,274/1,397

tabulation: Freq.  Numeric  Label
              17         1  male
              106        3  female
            1,274          .
    
```

c2_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,356/1,397

tabulation: Freq.  Numeric  Label
              11         1  male
              30         3  female
            1,356          .
    
```

c2_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [3,3]
unique values: 1
units: 1
missing .. 1,388/1,397

tabulation: Freq.  Numeric  Label
              9          3  female
            1,388          .
    
```

c3_code_K **K : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 2
units: 1
missing .. 0/1,397
missing *: 935/1,397
    
```



```

tabulation:  Freq.  Numeric  Label
              50      3      at least once a month
              412     5      at least once a week
              2       .a
              933     .b
    
```

c3_hr_K **K : Hours per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,5] units: 1
unique values: 6 missing .: 985/1,397

tabulation:  Freq.  Value
              369    0
              32    1
               8    2
               1    3
               1    4
               1    5
              985    .
mean:       .145631
std. dev:   .506075

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     1
    
```

c3_min_K **K : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,55] units: 1
unique values: 31 missing .: 985/1,397

tabulation:  Freq.  Value
              29    0
               3    1
              16    2
              21    3
              22    4
              52    5
              15    6
               7    7
              24    8
               8    9
              39   10
               9   11
               5   12
               9   13
               4   14
              38   15
               4   18
               7   19
              26  20
               1  23
               8  25
               1  28
              28  30
               1  31
               3  35
               5  38
               6  40
               7  45
               9  50
               3  53
               2  55
              985    .
mean:       13.4879
    
```

std. dev: 12.5691
 percentiles: 10% 25% 50% 75% 90%
 2 5 10 19 30

c3_aa_K **K :Monday-Friday How many times (Monday - Sunday)**

type: string (**str6**), but longest is str3
 unique values: 10 missing "": 978/1,397
 tabulation: Freq. Value
 978 ""
 108 "1"
 77 "1.5"
 95 "2"
 53 "2.5"
 57 "3"
 15 "3.5"
 7 "4"
 1 "4.5"
 4 "5"
 2 "5.5"

c3_ab_K **K :Monday-Friday How many times per units (Monday - Sunday)**

type: string (**str22**), but longest is str5
 unique values: 3 missing "": 977/1,397
 tabulation: Freq. Value
 977 ""
 1 "day"
 8 "month"
 411 "week"

c3_ac_K **K :Monday-Friday How many times per hours (Monday - Sunday)**

type: numeric (**double**)
 range: [0,2] units: 1
 unique values: 3 missing .: 985/1,397
 tabulation: Freq. Value
 395 0
 15 1
 2 2
 985 .
 mean: .046117
 std. dev: .232011
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c3_ad_K **K :Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (**double**)
 range: [1,45] units: .1
 unique values: 21 missing .: 1,001/1,397


```

tabulation:  Freq.  Numeric  Label
              2       1  father
              13      3  mother
              32      5  grandparents
               3       7  uncle/aunt
              36      9  brother/sister/cousin
               1      11  outside-household-person
               9      13  other household member
            1,294      .
               7       .b
    
```

c3_bc_K **K : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c3_bc

range: [1,13]
unique values: 6
units: 1
missing .: 1,382/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              1       1  father
              2       5  grandparents
              2       7  uncle/aunt
              6       9  brother/sister/cousin
              1      11  outside-household-person
              3      13  other household member
            1,382      .
    
```

c3_ba_gen_K **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,015/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              34       1  male
              348      3  female
            1,015      .
    
```

c3_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,301/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              24       1  male
              72       3  female
            1,301      .
    
```

c3_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,382/1,397
    
```

```

tabulation: Freq.  Numeric  Label
              6          1  male
              9          3  female
            1,382          .
    
```

activity_L **Do homework (not display)**

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq.  Value
            1,397  ""
    
```

detail_L **L: detail**

```

type: string (str238), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq.  Value
            1,397  ""
    
```

c1_code_L **L : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9] units: 1
unique values: 5 missing .: 0/1,397
unique missing codes: 2 missing *: 241/1,397

tabulation: Freq.  Numeric  Label
              326          0  never
               2          3  at least once a month
              103          5  at least once a week
              718          7  once a day
               7          9  more than once a day
               2           .a
              239           .c
    
```

c1_hr_L **L : Hours per week (Monday - Friday)**

```

type: numeric(float)

range: [0,15] units: 1
unique values: 9 missing .: 569/1,397
unique missing codes: 2 missing *: 1/1,397

tabulation: Freq.  Value
              306          0
              140          1
              253          2
               17          3
               4          4
              96          5
               6          7
               4         10
               1         15
              569          .
               1         .c
mean: 1.55985
std. dev: 1.79985
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 1 2 5

c1_min_L **L : Minutes per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,59] units: 1
 unique values: 39 missing .: 569/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation:	Freq.	Value
	114	0
	2	1
	1	2
	5	3
	15	5
	4	6
	1	7
	5	8
	17	10
	1	11
	18	13
	65	15
	3	17
	3	18
	3	19
	9	20
	11	23
	6	24
	51	25
	2	26
	11	28
	1	29
	234	30
	6	33
	1	35
	1	37
	15	38
	73	40
	2	42
	1	44
	17	45
	1	47
	1	49
	116	50
	2	51
	2	52
	1	55
	4	56
	2	59
	569	.
	1	.c

mean: 26.7594
 std. dev: 16.0417

percentiles: 10% 25% 50% 75% 90%
 0 15 30 40 50

c1_aa_L **L :Monday-Friday How many times (Monday - Friday)**

type: string (**str27**), but longest is str4
 unique values: 37 missing "": 569/1,397

```

tabulation: Freq. Value
            569 ""
            1  ".23"
            1  ".69"
           719 "1"
            2  "1.16"
            2  "1.39"
            1  "1.4"
            1  "1.5"
            1  "1.63"
            1  "1.8"
           12 "2"
            1  "2.09"
            1  "2.1"
            4  "2.5"
            1  "2.55"
            5  "2.56"
            2  "2.79"
            1  "2.8"
            8  "3"
            6  "3.02"
            1  "3.2"
            2  "3.26"
            1  "3.48"
            6  "3.49"
            2  "3.5"
            3  "3.72"
            5  "3.95"
           13 "4"
            6  "4.18"
            3  "4.19"
            1  "4.41"
            3  "4.42"
            4  "4.65"
            4  "4.88"
            1  "5"
            1  "5.11"
            1  "5.12"
            1  "7"
    
```

cl_ab_L L :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str21), but longest is str4
unique values: 3 missing "": 569/1,397
tabulation: Freq. Value
            569 ""
           719 "day"
            1  "time"
           108 "week"
    
```

cl_ac_L L :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,3] units: .1
unique values: 5 missing .: 569/1,397
unique missing codes: 2 missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              707  0
              113  1
               2  1.5
               4  2
               1  3
              569  .
               1  .c
    mean:    .153567
    std. dev: .385884

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c1_ad_L **L : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45]
unique values: 24
unique missing codes: 2

units: .1
missing .: 569/1,397
missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              115  0
               1  1
               6  1.5
              10  2
              18  2.5
              18  3
               4  3.5
               1  4
               9  4.5
              57  5
               7  5.5
               2  6
               3  6.5
              16  7.5
             137  10
               3  13
              53  15
               6  17.5
              77  20
              13  25
             256  30
               2  35
               1  40
              12  45
             569  .
               1  .c
    mean:    15.9208
    std. dev: 12.0197

percentiles:    10%    25%    50%    75%    90%
                0      5     15     30     30
    
```

c1_ba_L **L : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c1_ba

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 567/1,397
missing *: 206/1,397
    
```


tabulation:	Freq.	Numeric	Label
	49	1	father
	210	3	mother
	244	5	grandparents
	26	7	uncle/aunt
	64	9	brother/sister/cousin
	7	11	outside-household-person
	24	13	other household member
	567	.	
	206	.b	

c1_bb_L L : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c2_bb
 range: [1,13] units: 1
 unique values: 7 missing .: 1,063/1,397
 unique missing codes: 2 missing *: 30/1,397

tabulation:	Freq.	Numeric	Label
	33	1	father
	66	3	mother
	99	5	grandparents
	15	7	uncle/aunt
	74	9	brother/sister/cousin
	9	11	outside-household-person
	8	13	other household member
	1,063	.	
	30	.b	

c1_bc_L L : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
 label: c1_bc
 range: [1,13] units: 1
 unique values: 7 missing .: 1,334/1,397
 unique missing codes: 2 missing *: 5/1,397

tabulation:	Freq.	Numeric	Label
	2	1	father
	5	3	mother
	10	5	grandparents
	5	7	uncle/aunt
	30	9	brother/sister/cousin
	4	11	outside-household-person
	2	13	other household member
	1,334	.	
	5	.b	

c1_ba_gen_L Gender code (person 1)

type: numeric (byte)
 label: c1_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 773/1,397

tabulation:	Freq.	Numeric	Label
	134	1	male
	490	3	female
	773	.	

c1_bb_gen_L **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,093/1,397

tabulation: Freq.  Numeric  Label
              88      1  male
              216     3  female
              1,093    .
    
```

c1_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,339/1,397

tabulation: Freq.  Numeric  Label
              19      1  male
              39      3  female
              1,339    .
    
```

c2_code_L **L : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 2
units: 1
missing ..: 0/1,397
missing *: 248/1,397

tabulation: Freq.  Numeric  Label
              853     0  never
              32      5  at least once a week
              259     7  once a day
              5       9  more than once a day
              2       .a
              246     .c
    
```

c2_hr_L **L : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,6]
unique values: 6
unique missing codes: 2
units: 1
missing ..: 1,101/1,397
missing *: 1/1,397

tabulation: Freq.  Value
              146    0
              95     1
              49     2
              2      3
              2      4
              1      6
              1,101  .
              1      .c
mean: .722034
std. dev: .871325
    
```


unique values: 2 missing "": 1,101/1,397
 tabulation: Freq. Value
 1,101 ""
 265 "day"
 31 "week"

c2_ac_L L :Monday-Friday How many times per hours (Saturday - Sunday)

type: numeric (double)
 range: [0,3] units: 1
 unique values: 4 missing .: 1,101/1,397
 unique missing codes: 2 missing *: 1/1,397
 tabulation: Freq. Value
 234 0
 58 1
 2 2
 1 3
 1,101 .
 1 .c
 mean: .220339
 std. dev: .454299
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c2_ad_L L :Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)
 range: [0,45] units: .1
 unique values: 18 missing .: 1,101/1,397
 unique missing codes: 2 missing *: 1/1,397
 tabulation: Freq. Value
 58 0
 1 1.5
 6 2
 4 2.5
 6 3
 3 3.5
 3 4.5
 16 5
 1 5.5
 8 7.5
 44 10
 11 15
 2 17.5
 33 20
 2 25
 91 30
 1 35
 5 45
 1,101 .
 1 .c
 mean: 15.4271
 std. dev: 12.5169
 percentiles: 10% 25% 50% 75% 90%
 0 3 10 30 30

c2_ba_L L : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c2_ba

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,101/1,397
missing *: 57/1,397

```

tabulation:	Freq.	Numeric	Label
	19	1	father
	91	3	mother
	85	5	grandparents
	10	7	uncle/aunt
	23	9	brother/sister/cousin
	2	11	outside-household-person
	9	13	other household member
	1,101	.	
	57	.b	

c2_bb_L I : Relationship-with-the-child doing activity (person 2)

```

type: numeric (byte)
label: c2_bb

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,262/1,397
missing *: 18/1,397

```

tabulation:	Freq.	Numeric	Label
	17	1	father
	29	3	mother
	32	5	grandparents
	9	7	uncle/aunt
	24	9	brother/sister/cousin
	4	11	outside-household-person
	2	13	other household member
	1,262	.	
	18	.b	

c2_bc_L I : Relationship-with-the-child doing activity (person 3)

```

type: numeric (byte)
label: c2_bc

range: [1,11]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,371/1,397
missing *: 1/1,397

```

tabulation:	Freq.	Numeric	Label
	1	1	father
	3	3	mother
	2	5	grandparents
	2	7	uncle/aunt
	14	9	brother/sister/cousin
	3	11	outside-household-person
	1,371	.	
	1	.b	

c2_ba_gen_L Gender code (person 1)

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,158/1,397

```

```

tabulation:  Freq.  Numeric  Label
              57      1      male
              182     3      female
              1,158   .
    
```

c2_bb_gen_L **Gender code (person 2)**

```

type:  numeric (byte)
label:  c2_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,280/1,397

tabulation:  Freq.  Numeric  Label
              30      1      male
              87      3      female
              1,280   .
    
```

c2_bc_gen_L **Gender code (person 3)**

```

type:  numeric (byte)
label:  c2_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,372/1,397

tabulation:  Freq.  Numeric  Label
              8      1      male
              17     3      female
              1,372   .
    
```

c3_code_L **L : Frequency (Monday - Sunday)**

```

type:  numeric (byte)
label:  c3_code

range:  [3,5]
unique values:  2
unique missing codes:  2

units:  1
missing .:  0/1,397
missing *:  1,158/1,397

tabulation:  Freq.  Numeric  Label
              17     3      at least once a month
              222    5      at least once a week
              2      .a
              1,156  .b
    
```

c3_hr_L **L : Hours per week (Monday - Sunday)**

```

type:  numeric (float)

range:  [0,6]
unique values:  7
unique missing codes:  2

units:  1
missing .:  1,175/1,397
missing *:  1/1,397
    
```

```

tabulation:  Freq.  Value
              125  0
              56  1
              27  2
               6  3
               4  4
               1  5
               2  6
            1,175  .
              1  .c
    mean:     .728507
    std. dev: 1.09068

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

c3_min_L **L : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,56]
unique values: 33
unique missing codes: 2

units: 1
missing .: 1,175/1,397
missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              46  0
               1  1
               1  2
               5  4
               7  5
               3  6
               2  7
               8  8
               1  9
               6 10
               3 11
               1 13
               4 14
              22 15
               1 16
               4 18
               1 19
               6 20
               2 23
               8 25
               1 26
               1 27
              45 30
               1 31
               4 35
               9 38
               1 39
               6 40
               5 45
               6 50
               1 52
               7 53
               2 56
            1,175  .
              1  .c
    mean:     19.8326
    std. dev: 16.0987

percentiles:    10%    25%    50%    75%    90%
                0      5      16     30     40
    
```

c3_aa_L **L : Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str4
unique values: 24 missing "": 1,175/1,397
tabulation: Freq. Value
1,175 ""
18 "1"
7 "1.5"
29 "2"
1 "2.09"
40 "2.5"
1 "2.55"
1 "2.79"
58 "3"
1 "3.02"
1 "3.26"
25 "3.5"
1 "3.7"
24 "4"
1 "4.42"
1 "4.5"
1 "4.65"
3 "4.88"
3 "5"
1 "5.3"
1 "5.34"
1 "5.5"
1 "6"
1 "6.05"
1 "6.74"

```

c3_ab_L L :Monday-Friday How many times per units (Monday - Sunday)

```

type: string (str22), but longest is str4
unique values: 1 missing "": 1,176/1,397
tabulation: Freq. Value
1,176 ""
221 "week"

```

c3_ac_L L :Monday-Friday How many times per hours (Monday - Sunday)

```

type: numeric (double)
range: [0,2] units: 1
unique values: 3 missing .: 1,175/1,397
unique missing codes: 2 missing *: 1/1,397
tabulation: Freq. Value
193 0
27 1
1 2
1,175 .
1 .c
mean: .131222
std. dev: .351585
percentiles: 10% 25% 50% 75% 90%
0 0 0 0 1

```

c3_ad_L L :Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)

```


range: [0,45] units: .1
 unique values: 20 missing .: 1,201/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 1 0
 2 1
 4 1.5
 1 2
 6 2.5
 6 3
 5 3.5
 4 4.5
 23 5
 1 5.5
 3 7.5
 34 10
 3 12.5
 20 15
 2 17.5
 21 20
 2 25
 52 30
 1 40
 4 45
 1,201 .
 1 .c
 mean: 16.3282
 std. dev: 11.1607

percentiles: 10% 25% 50% 75% 90%
 3 5 15 30 30

c3_ba_L L : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c3_ba
 range: [1,13] units: 1
 unique values: 7 missing .: 1,158/1,397
 unique missing codes: 2 missing *: 50/1,397

tabulation: Freq. Numeric Label
 15 1 father
 67 3 mother
 75 5 grandparents
 4 7 uncle/aunt
 20 9 brother/sister/cousin
 2 11 outside-household-person
 6 13 other household member
 1,158 .
 50 .b

c3_bb_L L : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c3_bb
 range: [1,13] units: 1
 unique values: 7 missing .: 1,300/1,397
 unique missing codes: 2 missing *: 13/1,397

```

tabulation:  Freq.  Numeric  Label
              10      1  father
              22      3  mother
              18      5  grandparents
               4      7  uncle/aunt
              21      9  brother/sister/cousin
               6     11  outside-household-person
               3     13  other household member
            1,300      .
              13      .b
    
```

c3_bc_L **L : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c3_bc

range: [1,13]
unique values: 7
units: 1
missing .: 1,374/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              4      1  father
              1      3  mother
              7      5  grandparents
              1      7  uncle/aunt
              8      9  brother/sister/cousin
              1     11  outside-household-person
              1     13  other household member
            1,374      .
    
```

c3_ba_gen_L **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,208/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              39      1  male
             150      3  female
            1,208      .
    
```

c3_bb_gen_L **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,313/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              27      1  male
              57      3  female
            1,313      .
    
```

c3_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,374/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              9      1      male
              14     3      female
              1,374   .
    
```

activity_M **Child reads a book byself (not display)**

```

type:  string (str147), but longest is str0
unique values:  0          missing "":  1,397/1,397
tabulation:  Freq.  Value
              1,397  ""
    
```

detail_M **M: detail**

```

type:  string (str238), but longest is str0
unique values:  0          missing "":  1,397/1,397
tabulation:  Freq.  Value
              1,397  ""
    
```

c1_code_M **M : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  c1_code

range:  [0,9]          units:  1
unique values:  3      missing .:  0/1,397
unique missing codes:  2      missing *:  94/1,397

tabulation:  Freq.  Numeric  Label
              1,178   0      never
              115     7      once a day
              10      9      more than once a day
              2       .a
              92      .c
    
```

c1_hr_M **M : Hours per week (Monday - Friday)**

```

type:  numeric (float)

range:  [0,10]          units:  1
unique values:  6      missing .:  1,272/1,397

tabulation:  Freq.  Value
              55     0
              26     1
              31     2
              1      3
              11     5
              1     10
              1,272  .
mean:  1.248
std. dev:  1.6542

percentiles:  10%      25%      50%      75%      90%
              0        0        1        2        3
    
```

c1_min_M **M : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,55]
unique values: 17
units: 1
missing .: 1,272/1,397

```

```

tabulation: Freq. Value
             12  0
              5  5
              3 10
              4 13
             11 15
              3 18
              2 20
              1 23
              7 25
              1 28
             30 30
              1 33
              4 38
             13 40
             26 50
              1 53
              1 55
             1,272 .
mean:       28.84
std. dev:   16.206

```

```

percentiles:      10%      25%      50%      75%      90%
                  5        15        30        40        50

```

c1_aa_M **M :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 4
missing "": 1,272/1,397

```

```

tabulation: Freq. Value
             1,272 ""
             116  "1"
               1  "1.5"
               5  "2"
               3  "many times"

```

warning: variable has embedded blanks

c1_ab_M **M :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str3
unique values: 1
missing "": 1,272/1,397

```

```

tabulation: Freq. Value
             1,272 ""
             125  "day"

```

c1_ac_M **M :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,1]
unique values: 2
units: 1
missing .: 1,272/1,397

```

```

tabulation:  Freq.  Value
              113    0
              12    1
              1,272  .
mean:        .096
std. dev:    .295777

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

c1_ad_M M :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (double)
range: [0,40] units: .1
unique values: 19 missing .: 1,272/1,397

tabulation:  Freq.  Value
              12    0
              4    1
              2    2
              4    2.5
              2    3
              3    3.5
              1    4
              1    4.5
              8    5
              1    6.5
              4    7.5
              25   10
              12   15
              1   17.5
              13   20
              2   25
              28   30
              1   35
              1   40
              1,272 .
mean:        14.336
std. dev:    10.9568

percentiles: 10%    25%    50%    75%    90%
              1      5      10     25     30
    
```

c1_ba_M M : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c1_ba
range: [.,.] units: .
unique values: 0 missing .: 1,272/1,397
unique missing codes: 2 missing *: 125/1,397

tabulation:  Freq.  Numeric  Label
              1,272  .
              125    .b
    
```

c1_bb_M M : Relationship-with-the-child doing activity (person 2)

```

type: numeric (byte)
label: c2_bb
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
    
```

tabulation: Freq. Numeric Label
 1,397 .

c1_bc_M **M : Relationship-with-the-child doing activity (person 3)**

type: numeric (byte)
 label: **c1_bc**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c1_ba_gen_M **Gender code (person 1)**

type: numeric (byte)
 label: **c1_ba_gen**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c1_bb_gen_M **Gender code (person 2)**

type: numeric (byte)
 label: **c1_bb_gen**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c1_bc_gen_M **Gender code (person 3)**

type: numeric (byte)
 label: **c1_bc_gen**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c2_code_M **M : Frequency (Saturday - Sunday)**

type: numeric (byte)
 label: **c2_code**
 range: [0,9]
 unique values: 3 units: 1
 unique missing codes: 2 missing ..: 0/1,397
 missing *: 94/1,397

```

tabulation: Freq.  Numeric  Label
            1,192      0      never
            102       7      once a day
             9       9      more than once a day
             2       .a
            92       .c
    
```

c2_hr_M **M : Hours per week (Saturday - Sunday)**

```

type: numeric (float)
range: [0,4]
unique values: 4
units: 1
missing .: 1,286/1,397

tabulation: Freq.  Value
            71      0
            28      1
            11      2
             1      4
           1,286      .
mean:      .486486
std. dev:  .749119

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
    
```

c2_min_M **M : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)
range: [0,50]
unique values: 16
units: 1
missing .: 1,287/1,397

tabulation: Freq.  Value
            38      0
             3      2
             3      4
             3      5
             1      6
             3      7
             1      8
             1      9
             8     10
             1     13
             4     15
            21     20
             9     30
            10     40
             1     45
             3     50
           1,287      .
mean:      13.7727
std. dev:  14.6805

percentiles:      10%      25%      50%      75%      90%
                  0        0        10       20       40
    
```

c2_aa_M **M :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 4
missing "": 1,286/1,397
    
```

```

tabulation: Freq. Value
            1,286 ""
             103 "1"
              1 "1.5"
              4 "2"
              3 "many times"
    
```

warning: variable has embedded blanks

c2_ab_M **M :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str3
unique values: 1 missing "": 1,286/1,397
tabulation: Freq. Value
            1,286 ""
             111 "day"
    
```

c2_ac_M **M :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,286/1,397
tabulation: Freq. Value
            99 0
             12 1
            1,286 .
mean: .108108
std. dev: .311925
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c2_ad_M **M :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,40] units: .1
unique values: 17 missing .: 1,286/1,397
tabulation: Freq. Value
            12 0
              4 1
              2 2
              3 2.5
              1 3
              3 3.5
              1 4
              1 4.5
              8 5
              5 7.5
             20 10
             12 15
             10 20
              2 25
             25 30
              1 35
              1 40
            1,286 .
mean: 14.1441
std. dev: 11.1448
    
```


percentiles: 10% 25% 50% 75% 90%
 0 5 10 25 30

c2_ba_M **M : Relationship-with-the-child doing activity (person 1)**

```
      type: numeric (byte)
      label: c2_ba

      range: [...].           units: .
unique values: 0             missing .: 1,286/1,397
unique missing codes: 2     missing *: 111/1,397

      tabulation: Freq.   Numeric  Label
                  1,286   .
                  111     .b
```

c2_bb_M **M : Relationship-with-the-child doing activity (person 2)**

```
      type: numeric (byte)
      label: c2_bb

      range: [...].           units: .
unique values: 0             missing .: 1,397/1,397

      tabulation: Freq.   Numeric  Label
                  1,397   .
```

c2_bc_M **M : Relationship-with-the-child doing activity (person 3)**

```
      type: numeric (byte)
      label: c2_bc

      range: [...].           units: .
unique values: 0             missing .: 1,397/1,397

      tabulation: Freq.   Numeric  Label
                  1,397   .
```

c2_ba_gen_M **Gender code (person 1)**

```
      type: numeric (byte)
      label: c2_ba_gen

      range: [...].           units: .
unique values: 0             missing .: 1,397/1,397

      tabulation: Freq.   Numeric  Label
                  1,397   .
```

c2_bb_gen_M **Gender code (person 2)**

```
      type: numeric (byte)
      label: c2_bb_gen

      range: [...].           units: .
unique values: 0             missing .: 1,397/1,397

      tabulation: Freq.   Numeric  Label
                  1,397   .
```

c2_bc_gen_M **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq.   Numeric   Label
              1,397           .
    
```

c3_code_M **M : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 2
units: 1
missing .: 0/1,397
missing *: 1,304/1,397

tabulation: Freq.   Numeric   Label
              3           3 at least once a month
              90          5 at least once a week
              2           .a
            1,302         .b
    
```

c3_hr_M **M : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,3]
unique values: 4
units: 1
missing .: 1,307/1,397

tabulation: Freq.   Value
              65     0
              20     1
               4     2
               1     3
            1,307   .
mean:       .344444
std. dev:   .621002

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

c3_min_M **M : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,53]
unique values: 28
units: 1
missing .: 1,307/1,397

tabulation: Freq.   Value
              11     0
               2     1
               1     2
               1     4
               6     5
               1     6
               7     8
               1     9
               1    10
               4    11
               1    12
    
```

```

      1 13
      2 14
      9 15
      1 16
      2 18
      4 20
      4 25
      1 26
      2 28
     11 30
      1 31
      3 35
      2 38
      5 40
      1 45
      4 50
      1 53
     1,307 .
    mean: 18.9444
   std. dev: 14.7094

percentiles:      10%      25%      50%      75%      90%
                  0         8        15        30        40

```

c3_aa_M **M :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str4
unique values: 11 missing "": 1,307/1,397
tabulation:
  Freq. Value
  1,307 ""
    10 "1"
     1 "1.05"
    10 "1.5"
    16 "2"
    18 "2.5"
    14 "3"
     9 "3.5"
     6 "4"
     1 "4.5"
     4 "5"
     1 "5.5"

```

c3_ab_M **M :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 2 missing "": 1,307/1,397
tabulation:
  Freq. Value
  1,307 ""
     1 "day"
    89 "week"

```

c3_ac_M **M :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,307/1,397

```

tabulation: Freq. Value
 88 0
 2 1
 1,307 .
 mean: .022222
 std. dev: .148231

 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c3_ad_M M :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (**double**)

 range: [1,30] units: .1
 unique values: 17 missing .: 1,309/1,397

tabulation: Freq. Value
 2 1
 2 1.5
 2 2.5
 4 3
 3 3.5
 1 4
 3 4.5
 15 5
 1 5.5
 1 7
 2 7.5
 16 10
 4 15
 1 17.5
 8 20
 1 25
 22 30
 1,309 .
 mean: 14.0341
 std. dev: 10.632

 percentiles: 10% 25% 50% 75% 90%
 3 5 10 27.5 30

c3_ba_M M : Relationship-with-the-child doing activity (person 1)

type: numeric (**byte**)
 label: **c3_ba**

 range: [.,.] units: .
 unique values: 0 missing .: 1,304/1,397
 unique missing codes: 2 missing *: 93/1,397

tabulation: Freq. Numeric Label
 1,304 . .
 93 .b

c3_bb_M M : Relationship-with-the-child doing activity (person 2)

type: numeric (**byte**)
 label: **c3_bb**

 range: [.,.] units: .
 unique values: 0 missing .: 1,312/1,397
 unique missing codes: 2 missing *: 85/1,397

```

tabulation: Freq.  Numeric  Label
             1,312      .
             85         .b
    
```

c3_bc_M **M : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c3_bc

range: [..]
unique values: 0
unique missing codes: 2

units: .
missing ..: 1,312/1,397
missing *: 85/1,397

tabulation: Freq.  Numeric  Label
             1,312      .
             85         .b
    
```

c3_ba_gen_M **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [..]
unique values: 0
unique missing codes: 2

units: .
missing ..: 1,396/1,397
missing *: 1/1,397

tabulation: Freq.  Numeric  Label
             1,396      .
             1         .b
    
```

c3_bb_gen_M **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [..]
unique values: 0

units: .
missing ..: 1,397/1,397

tabulation: Freq.  Numeric  Label
             1,397      .
    
```

c3_bc_gen_M **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [..]
unique values: 0

units: .
missing ..: 1,397/1,397

tabulation: Freq.  Numeric  Label
             1,397      .
    
```

activity_N **Others (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
             1,397  ""
    
```

detail_N **Identify frequent activities (not display)**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c1_code_N **N : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c1_hr_N **N : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_min_N **N : Minutes per week (Monday - Friday)**

type: numeric (**float**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_aa_N **N :Monday-Friday How many times (Monday - Friday)**

type: string (**str27**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c1_ab_N N :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str21), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

c1_ac_N N :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
tabulation: Freq. Value
            1,397 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

c1_ad_N N :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (double)
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
tabulation: Freq. Value
            1,397 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

c1_ba_N N : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c1_ba
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
tabulation: Freq. Numeric Label
            1,397 .
    
```

c1_bb_N N : Relationship-with-the-child doing activity (person 2)

```

type: numeric (byte)
label: c2_bb
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
tabulation: Freq. Numeric Label
            1,397 .
    
```

c1_bc_N **N : Relationship-with-the-child doing activity (person 3)**

```

    type: numeric (byte)
    label: c1_bc

    range: [...]
    unique values: 0
    units: .
    missing ..: 1,397/1,397

    tabulation: Freq.  Numeric  Label
                1,397      .
    
```

c1_ba_gen_N **Gender code (person 1)**

```

    type: numeric (byte)
    label: c1_ba_gen

    range: [...]
    unique values: 0
    units: .
    missing ..: 1,397/1,397

    tabulation: Freq.  Numeric  Label
                1,397      .
    
```

c1_bb_gen_N **Gender code (person 2)**

```

    type: numeric (byte)
    label: c1_bb_gen

    range: [...]
    unique values: 0
    units: .
    missing ..: 1,397/1,397

    tabulation: Freq.  Numeric  Label
                1,397      .
    
```

c1_bc_gen_N **Gender code (person 3)**

```

    type: numeric (byte)
    label: c1_bc_gen

    range: [...]
    unique values: 0
    units: .
    missing ..: 1,397/1,397

    tabulation: Freq.  Numeric  Label
                1,397      .
    
```

c2_code_N **N : Frequency (Saturday - Sunday)**

```

    type: numeric (byte)
    label: c2_code

    range: [...]
    unique values: 0
    units: .
    missing ..: 1,397/1,397

    tabulation: Freq.  Numeric  Label
                1,397      .
    
```

c2_hr_N **N : Hours per week (Saturday - Sunday)**

```

    type: numeric (float)
    
```



```

range: [.,.]          units: .
unique values: 0      missing .: 1,397/1,397

  tabulation: Freq.  Value
              1,397  .
    mean:      .
    std. dev:  .

percentiles:   10%    25%    50%    75%    90%
               .      .      .      .      .
    
```

c2_min_N **N : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [.,.]          units: .
unique values: 0      missing .: 1,397/1,397

  tabulation: Freq.  Value
              1,397  .
    mean:      .
    std. dev:  .

percentiles:   10%    25%    50%    75%    90%
               .      .      .      .      .
    
```

c2_aa_N **N :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str0

unique values: 0      missing "": 1,397/1,397

  tabulation: Freq.  Value
              1,397  ""
    
```

c2_ab_N **N :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str0

unique values: 0      missing "": 1,397/1,397

  tabulation: Freq.  Value
              1,397  ""
    
```

c2_ac_N **N :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)

range: [.,.]          units: .
unique values: 0      missing .: 1,397/1,397

  tabulation: Freq.  Value
              1,397  .
    mean:      .
    std. dev:  .

percentiles:   10%    25%    50%    75%    90%
               .      .      .      .      .
    
```

c2_ad_N **N :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

c2_ba_N N : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c2_ba
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .

```

c2_bb_N N : Relationship-with-the-child doing activity (person 2)

```

type: numeric (byte)
label: c2_bb
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .

```

c2_bc_N N : Relationship-with-the-child doing activity (person 3)

```

type: numeric (byte)
label: c2_bc
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .

```

c2_ba_gen_N Gender code (person 1)

```

type: numeric (byte)
label: c2_ba_gen
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .

```

c2_bb_gen_N Gender code (person 2)

```

type: numeric (byte)
label: c2_bb_gen

```

```

    range: [.,.]          units: .
unique values: 0          missing .: 1,397/1,397

    tabulation: Freq.   Numeric   Label
                1,397           .
    
```

c2_bc_gen_N **Gender code (person 3)**

```

    type: numeric (byte)
    label: c2_bc_gen

    range: [.,.]          units: .
unique values: 0          missing .: 1,397/1,397

    tabulation: Freq.   Numeric   Label
                1,397           .
    
```

c3_code_N **N : Frequency (Monday - Sunday)**

```

    type: numeric (byte)
    label: c3_code

    range: [.,.]          units: .
unique values: 0          missing .: 1,397/1,397

    tabulation: Freq.   Numeric   Label
                1,397           .
    
```

c3_hr_N **N : Hours per week (Monday - Sunday)**

```

    type: numeric (float)

    range: [.,.]          units: .
unique values: 0          missing .: 1,397/1,397

    tabulation: Freq.   Value
                1,397   .
    mean:      .
    std. dev:  .

    percentiles: 10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

c3_min_N **N : Minutes per week (Monday - Sunday)**

```

    type: numeric (float)

    range: [.,.]          units: .
unique values: 0          missing .: 1,397/1,397

    tabulation: Freq.   Value
                1,397   .
    mean:      .
    std. dev:  .

    percentiles: 10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

c3_aa_N **N : Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str0
    
```

unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c3_ab_N N : Monday-Friday How many times per units (Monday - Sunday)

type: string (str22), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c3_ac_N N : Monday-Friday How many times per hours (Monday - Sunday)

type: numeric (double)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c3_ad_N N : Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c3_ba_N N : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c3_ba
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c3_bb_N N : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c3_bb

```

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,397/1,397

        tabulation: Freq.  Numeric  Label
                    1,397      .
    
```

c3_bc_N **N : Relationship-with-the-child doing activity (person 3)**

```

        type: numeric (byte)
        label: c3_bc

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,397/1,397

        tabulation: Freq.  Numeric  Label
                    1,397      .
    
```

c3_ba_gen_N **Gender code (person 1)**

```

        type: numeric (byte)
        label: c3_ba_gen

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,397/1,397

        tabulation: Freq.  Numeric  Label
                    1,397      .
    
```

c3_bb_gen_N **Gender code (person 2)**

```

        type: numeric (byte)
        label: c3_bb_gen

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,397/1,397

        tabulation: Freq.  Numeric  Label
                    1,397      .
    
```

c3_bc_gen_N **Gender code (person 3)**

```

        type: numeric (byte)
        label: c3_bc_gen

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,397/1,397

        tabulation: Freq.  Numeric  Label
                    1,397      .
    
```

activity_0 **Child plays computer, tablet, ipad, mobile phone (not display)**

```

        type: string (str147), but longest is str0
unique values: 0
        missing "": 1,397/1,397

        tabulation: Freq.  Value
                    1,397  ""
    
```

detail_0 **O: detail**

type: string (**str238**), but longest is str0
 unique values: **0** missing "": **1,397/1,397**
 tabulation: Freq. Value
 1,397 ""

c1_code_0 **O : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: **1**
 unique values: **4** missing .: **1/1,397**
 unique missing codes: **3** missing *: **304/1,397**
 tabulation: Freq. Numeric Label
 354 **0** never
 3 **5** at least once a week
 453 **7** once a day
 282 **9** more than once a day
 1 **.**
 2 **.a**
 302 **.c**

c1_hr_0 **O : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,60] units: **1**
 unique values: **25** missing .: **659/1,397**
 unique missing codes: **2** missing *: **4/1,397**
 tabulation: Freq. Value
 50 **0**
 46 **1**
 120 **2**
 29 **3**
 4 **4**
 239 **5**
 12 **6**
 54 **7**
 1 **8**
 3 **9**
 83 **10**
 1 **11**
 30 **12**
 20 **15**
 1 **16**
 7 **17**
 3 **18**
 15 **20**
 4 **22**
 2 **25**
 1 **27**
 6 **30**
 1 **31**
 1 **33**
 1 **60**
 659 **.**
 4 **.c**
 mean: **6.16894**
 std. dev: **5.6904**

c1_ab_0 O :Monday-Friday How many times per units (Monday - Friday)

type: string (str21), but longest is str4
 unique values: 3 missing "": 659/1,397
 tabulation: Freq. Value
 659 ""
 733 "day"
 2 "time"
 3 "week"

c1_ac_0 O :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)
 range: [0,6] units: .1
 unique values: 11 missing .: 659/1,397
 unique missing codes: 2 missing *: 4/1,397
 tabulation: Freq. Value
 309 0
 311 1
 14 1.5
 65 2
 7 2.5
 15 3
 3 3.5
 6 4
 2 4.5
 1 5
 1 6
 659 .
 4 .c
 mean: .788828
 std. dev: .8731
 percentiles: 10% 25% 50% 75% 90%
 0 0 1 1 2

c1_ad_0 O :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (double)
 range: [0,48] units: .1
 unique values: 23 missing .: 659/1,397
 unique missing codes: 2 missing *: 4/1,397
 tabulation: Freq. Value
 371 0
 1 1
 2 1.5
 2 2
 4 2.5
 1 3
 4 3.5
 4 4.5
 15 5
 6 7.5
 18 10
 6 13
 19 15
 1 17.5
 36 20
 7 25
 208 30


```

          5 35
          1 36.5
          1 37.5
          3 40
          18 45
          1 48
          659 .
          4 .c
    mean: 12.3917
    std. dev: 14.4932

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      30     30
    
```

c1_ba_0 **0 : Relationship-with-the-child doing activity (person 1)**

```

    type: numeric (byte)
    label: c1_ba

    range: [1,13]
    unique values: 7
    unique missing codes: 2

    units: 1
    missing .: 659/1,397
    missing *: 440/1,397
    
```

```

    tabulation:  Freq.  Numeric  Label
                 26      1  father
                 39      3  mother
                 24      5  grandparents
                 11      7  uncle/aunt
                 170     9  brother/sister/cousin
                 23     11  outside-household-person
                 5      13  other household member
                 659     .
                 440     .b
    
```

c1_bb_0 **0 : Relationship-with-the-child doing activity (person 2)**

```

    type: numeric (byte)
    label: c2_bb

    range: [1,13]
    unique values: 7
    unique missing codes: 2

    units: 1
    missing .: 1,214/1,397
    missing *: 20/1,397
    
```

```

    tabulation:  Freq.  Numeric  Label
                 11      1  father
                 32      3  mother
                 14      5  grandparents
                 4      7  uncle/aunt
                 73      9  brother/sister/cousin
                 27     11  outside-household-person
                 2      13  other household member
                 1,214   .
                 20     .b
    
```

c1_bc_0 **0 : Relationship-with-the-child doing activity (person 3)**

```

    type: numeric (byte)
    label: c1_bc

    range: [1,13]
    unique values: 6
    unique missing codes: 2

    units: 1
    missing .: 1,344/1,397
    missing *: 4/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              1         1  father
              5         3  mother
              1         5  grandparents
             20         9  brother/sister/cousin
             19        11  outside-household-person
              3         13  other household member
            1,344         .
              4         .b
    
```

c1_ba_gen_0 **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,098/1,397
missing *: 1/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              139         1  male
              159         3  female
            1,098         .
              1         .b
    
```

c1_bb_gen_0 **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,234/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              73         1  male
              90         3  female
            1,234         .
    
```

c1_bc_gen_0 **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,348/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              22         1  male
              27         3  female
            1,348         .
    
```

c2_code_0 **0 : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 3

units: 1
missing .: 1/1,397
missing *: 303/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              313      0  never
              7       5  at least once a week
             394      7  once a day
             379      9  more than once a day
              1       .
              2       .a
             301      .c
    
```

c2_hr_0

0 : Hours per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,29]
unique values: 19
unique missing codes: 2
units: 1
missing .: 617/1,397
missing *: 10/1,397
    
```

```

tabulation:  Freq.  Value
              99      0
             143      1
             226      2
              54      3
              91      4
              38      5
              34      6
              19      7
              17      8
              11      9
               6     10
               5     11
              15     12
               4     13
               1     14
               2     16
               1     21
               3     24
               1     29
             617      .
              10     .c
mean: 3.11429
std. dev: 3.29794
    
```

```

percentiles: 10% 25% 50% 75% 90%
              0  1  2  4  7
    
```

c2_min_0

0 : Minutes per week (Saturday - Sunday)

```

type: numeric(float)
range: [0,55]
unique values: 22
unique missing codes: 2
units: 1
missing .: 617/1,397
missing *: 10/1,397
    
```

```

tabulation:  Freq.  Value
             594      0
               1      2
               2      3
               3      5
               1      6
               4      7
               4      9
              10     10
               2     12
               1     13
               9     15
              27     20
               1     23
               7     25
    
```

```

      1 28
      1 29
     61 30
     27 40
      4 45
      8 50
      1 53
      1 55
     617 .
     10 .c
mean:    6.17922
std. dev: 12.7033

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30

```

c2_aa_0 O :Monday-Friday How many times (Saturday - Sunday)

```

type: string (str30), but longest is str10
unique values: 12
unique missing codes: 2
missing "": 617/1,397
missing *: 1/1,397

tabulation:  Freq.  Value
            617    ""
            397    "1"
            29    "1.5"
            139    "2"
            56    "2.5"
            30    "3"
            7    "3.5"
            4    "4"
            6    "4.5"
            1    "5"
            1    "5.5"
            1    "DK"
            109   "many times"

warning: variable has embedded blanks

```

c2_ab_0 O :Monday-Friday How many times per units (Saturday - Sunday)

```

type: string (str21), but longest is str4
unique values: 3
missing "": 617/1,397

tabulation:  Freq.  Value
            617    ""
            771   "day"
            2    "time"
            7    "week"

```

c2_ac_0 O :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,14]
unique values: 13
unique missing codes: 2
units: .1
missing .: 617/1,397
missing *: 10/1,397

```

```

tabulation:  Freq.  Value
              309  0
              308  1
              16  1.5
              68  2
              7  2.5
              33  3
              5  3.5
              11  4
              2  4.5
              7  5
              1  6
              2  12
              1  14
              617 .
              10 .c
mean:        .953247
std. dev:    1.26461

percentiles:    10%    25%    50%    75%    90%
                  0      0      1      1      2
    
```

c2_ad_0 **0 :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,48]
unique values: 21
unique missing codes: 2
units: .1
missing : 617/1,397
missing *: 10/1,397
    
```

```

tabulation:  Freq.  Value
              396  0
              1  1
              2  1.5
              2  2
              4  2.5
              1  3
              4  3.5
              4  4.5
              12  5
              13  7.5
              1  9.5
              16  10
              22  15
              1  17.5
              41  20
              7  25
              215 30
              5  35
              2  40
              20  45
              1  48
              617 .
              10 .c
mean:        12.176
std. dev:    14.4425

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      30    30
    
```

c2_ba_0 **0 : Relationship-with-the-child doing activity (person 1)**

```

type: numeric (byte)
label: c2_ba
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 617/1,397
 unique missing codes: 2 missing *: 457/1,397

tabulation:	Freq.	Numeric	Label
	30	1	father
	38	3	mother
	24	5	grandparents
	13	7	uncle/aunt
	188	9	brother/sister/cousin
	25	11	outside-household-person
	5	13	other household member
	617	.	
	457	.b	

c2_bb_0 O : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c2_bb

range: [1,13] units: 1
 unique values: 7 missing .: 1,203/1,397
 unique missing codes: 2 missing *: 21/1,397

tabulation:	Freq.	Numeric	Label
	12	1	father
	34	3	mother
	14	5	grandparents
	4	7	uncle/aunt
	77	9	brother/sister/cousin
	30	11	outside-household-person
	2	13	other household member
	1,203	.	
	21	.b	

c2_bc_0 O : Relationship-with-the-child doing activity (person 3)

type: numeric (byte)
 label: c2_bc

range: [1,13] units: 1
 unique values: 6 missing .: 1,338/1,397
 unique missing codes: 2 missing *: 4/1,397

tabulation:	Freq.	Numeric	Label
	1	1	father
	6	3	mother
	1	5	grandparents
	25	9	brother/sister/cousin
	19	11	outside-household-person
	3	13	other household member
	1,338	.	
	4	.b	

c2_ba_gen_0 Gender code (person 1)

type: numeric (byte)
 label: c2_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,073/1,397
 unique missing codes: 2 missing *: 1/1,397

```

tabulation:  Freq.  Numeric  Label
              153      1  male
              170      3  female
            1,073      .
              1       .b
    
```

c2_bb_gen_0 **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,224/1,397

tabulation:  Freq.  Numeric  Label
              77      1  male
              96      3  female
            1,224      .
    
```

c2_bc_gen_0 **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,342/1,397

tabulation:  Freq.  Numeric  Label
              25      1  male
              30      3  female
            1,342      .
    
```

c3_code_0 **0 : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 3

units: 1
missing ..: 1/1,397
missing *: 1,094/1,397

tabulation:  Freq.  Numeric  Label
              31      3  at least once a month
              271     5  at least once a week
              1       .
              2       .a
            1,092     .b
    
```

c3_hr_0 **0 : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,12]
unique values: 11

units: 1
missing ..: 1,126/1,397
    
```

```

tabulation:  Freq.  Value
              110    0
              68    1
              32    2
              28    3
              13    4
               8    5
               2    6
               3    7
               5    8
               1   11
               1   12
            1,126  .
    mean:     1.49077
    std. dev: 1.97927

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      4
    
```

c3_min_0 **0 : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,59]
unique values: 26
units: 1
missing .: 1,126/1,397

tabulation:  Freq.  Value
              79    0
               3    2
               4    3
               3    4
               2    5
               4    6
               5    8
               2    9
              12   10
               3   11
               7   13
              19   15
               1   18
               1   19
              19   20
               4   23
               2   25
               2   26
              72   30
               2   35
               2   38
               5   40
              11   45
               3   50
               3   53
               1   59
            1,126  .
    mean:     17.0886
    std. dev: 15.0898

percentiles:    10%    25%    50%    75%    90%
                0      0     15     30     30
    
```

c3_aa_0 **0 :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 9
missing "": 1,124/1,397
    
```



```

tabulation: Freq. Value
            1,124 ""
             40 "1"
             20 "1.5"
             57 "2"
             49 "2.5"
             46 "3"
             23 "3.5"
             21 "4"
              7 "4.5"
             10 "5"
    
```

c3_ab_0 O :Monday-Friday How many times per units (Monday - Sunday)

```

type: string (str22), but longest is str5
unique values: 3 missing "": 1,124/1,397
tabulation: Freq. Value
            1,124 ""
              1 "day"
              2 "month"
            270 "week"
    
```

c3_ac_0 O :Monday-Friday How many times per hours (Monday - Sunday)

```

type: numeric (double)
range: [0,4] units: .1
unique values: 6 missing .: 1,126/1,397
tabulation: Freq. Value
            176 0
             72 1
              2 1.5
             18 2
              1 3
              2 4
            1,126 .
mean: .450185
std. dev: .705999
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1
    
```

c3_ad_0 O :Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [0,47.5] units: .1
unique values: 18 missing .: 1,210/1,397
tabulation: Freq. Value
             1 0
             2 1.5
             4 2
             7 2.5
             2 3
             1 3.5
             3 4.5
            15 5
             6 7.5
            31 10
             1 12.5
            10 15
             3 17.5
    
```



```

tabulation:  Freq.  Numeric  Label
              1       3  mother
              2       7  uncle/aunt
              8       9  brother/sister/cousin
              3      11  outside-household-person
            1,382      .
              1       .b
    
```

c3_ba_gen_0 **Gender code (person 1)**

```

type:  numeric (byte)
label:  c3_ba_gen

range:  [1,3]
unique values:  2
unique missing codes:  2

units:  1
missing .:  1,237/1,397
missing *:  2/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              68       1  male
              90       3  female
            1,237      .
              2       .b
    
```

c3_bb_gen_0 **Gender code (person 2)**

```

type:  numeric (byte)
label:  c3_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,333/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              27       1  male
              37       3  female
            1,333      .
    
```

c3_bc_gen_0 **Gender code (person 3)**

```

type:  numeric (byte)
label:  c3_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,383/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              4       1  male
              10      3  female
            1,383      .
    
```

activity_P **Child watches TV (not display)**

```

type:  string (str147), but longest is str0

unique values:  0
missing "":  1,397/1,397

tabulation:  Freq.  Value
            1,397  ""
    
```

detail_P **Identify frequent activities (not display)**

```

type:  string (str238), but longest is str0
    
```

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

c1_code_P **P : Frequency (Monday - Friday)**

type: numeric (byte)
label: c1_code
range: [0,9] units: 1
unique values: 4 missing .: 1/1,397
unique missing codes: 3 missing *: 124/1,397

tabulation:	Freq.	Numeric	Label
	150	0	never
	7	5	at least once a week
	806	7	once a day
	309	9	more than once a day
	1	.	.
	2	.a	.a
	122	.c	.c

c1_hr_P **P : Hours per week (Monday - Friday)**

type: numeric (double)
range: [0,65] units: 1
unique values: 24 missing .: 0/1,397

tabulation:	Freq.	Value
	361	0
	48	1
	187	2
	46	3
	2	4
	426	5
	4	6
	67	7
	3	9
	144	10
	2	11
	24	12
	39	15
	8	17
	3	18
	18	20
	3	22
	5	25
	1	27
	2	30
	1	31
	1	40
	1	42
	1	65

mean: 4.69506
std. dev: 5.20222

percentiles:	10%	25%	50%	75%	90%
	0	0	5	5	10

c1_min_P **P : Minutes per week (Monday - Friday)**

type: numeric (double)

range: [0,55] units: 1
 unique values: 20 missing .: 0/1,397

tabulation: Freq. Value
 911 0
 1 3
 6 5
 2 8
 7 10
 6 13
 23 15
 3 18
 9 20
 5 23
 21 25
 283 30
 2 34
 5 35
 6 38
 28 40
 35 45
 34 50
 4 53
 6 55

mean: 10.9621
 std. dev: 16.0922

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c1_aa_P P :Monday-Friday How many times (Monday - Friday)

type: string (str27), but longest is str10

unique values: 8 missing "": 275/1,397

tabulation: Freq. Value
 275 ""
 806 "1"
 38 "1.5"
 229 "2"
 18 "2.5"
 12 "3"
 3 "3.5"
 1 "4.5"
 15 "many times"

warning: variable has embedded blanks

c1_ab_P P :Monday-Friday How many times per units (Monday - Friday)

type: string (str21), but longest is str4

unique values: 3 missing "": 275/1,397

tabulation: Freq. Value
 275 ""
 1,111 "day"
 2 "time"
 9 "week"

c1_ac_P P :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)

range: [0,6] units: .1
 unique values: 10 missing .: 276/1,397
 unique missing codes: 2 missing *: 2/1,397

tabulation: Freq. Value
 453 0
 497 1
 15 1.5
 115 2
 4 2.5
 25 3
 1 3.5
 6 4
 2 5
 1 6
 276 .
 2 .c
 mean: .784629
 std. dev: .816914

percentiles: 10% 25% 50% 75% 90%
 0 0 1 1 2

c1_ad_P P :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (double)

range: [0,55] units: .01
 unique values: 29 missing .: 276/1,397
 unique missing codes: 2 missing *: 2/1,397

tabulation: Freq. Value
 586 0
 2 1
 5 1.5
 2 2
 7 2.5
 2 3
 7 3.5
 4 4.5
 22 5
 1 5.5
 1 6.5
 7 7.5
 38 10
 1 13
 26 15
 1 17.5
 1 18.5
 34 20
 2 22.5
 3 25
 322 30
 1 32.25
 1 32.5
 5 35
 4 40
 1 42.5
 30 45
 1 50
 2 55
 276 .
 2 .c
 mean: 12.0512
 std. dev: 14.6893

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c1_ba_P **P : Relationship-with-the-child doing activity (person 1)**

type: numeric (**byte**)
 label: **c1_ba**
 range: [1,13] units: 1
 unique values: 7 missing .: 275/1,397
 unique missing codes: 2 missing *: 95/1,397

tabulation:	Freq.	Numeric	Label
	150	1	father
	119	3	mother
	457	5	grandparents
	23	7	uncle/aunt
	223	9	brother/sister/cousin
	7	11	outside-household-person
	48	13	other household member
	275	.	
	95	.b	

c1_bb_P **P : Relationship-with-the-child doing activity (person 2)**

type: numeric (**byte**)
 label: **c2_bb**
 range: [1,13] units: 1
 unique values: 7 missing .: 473/1,397
 unique missing codes: 2 missing *: 15/1,397

tabulation:	Freq.	Numeric	Label
	51	1	father
	189	3	mother
	400	5	grandparents
	18	7	uncle/aunt
	199	9	brother/sister/cousin
	8	11	outside-household-person
	44	13	other household member
	473	.	
	15	.b	

c1_bc_P **P : Relationship-with-the-child doing activity (person 3)**

type: numeric (**byte**)
 label: **c1_bc**
 range: [1,13] units: 1
 unique values: 7 missing .: 873/1,397
 unique missing codes: 2 missing *: 12/1,397

tabulation:	Freq.	Numeric	Label
	21	1	father
	48	3	mother
	130	5	grandparents
	29	7	uncle/aunt
	242	9	brother/sister/cousin
	9	11	outside-household-person
	33	13	other household member
	873	.	
	12	.b	

c1_ba_gen_P **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 370/1,397

tabulation: Freq.   Numeric   Label
             490         1   male
             537         3   female
             370         .
    
```

c1_bb_gen_P **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 488/1,397

tabulation: Freq.   Numeric   Label
             296         1   male
             613         3   female
             488         .
    
```

c1_bc_gen_P **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 885/1,397

tabulation: Freq.   Numeric   Label
             195         1   male
             317         3   female
             885         .
    
```

c2_code_P **P : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 3
units: 1
missing .. 1/1,397
missing *: 122/1,397

tabulation: Freq.   Numeric   Label
             131         0   never
             2          5   at least once a week
             672         7   once a day
             469         9   more than once a day
             1          .
             2          .a
             120         .c
    
```

c2_hr_P **P : Hours per week (Saturday - Sunday)**

```

type: numeric (double)

range: [0,36]
unique values: 21
units: 1
missing .. 0/1,397
    
```



```

tabulation:  Freq.  Value
              376    0
              192    1
              383    2
               68    3
              167    4
               30    5
               45    6
               20    7
               44    8
                7    9
               21   10
                6   11
               16   12
                1   13
                7   14
                3   15
                4   16
                2   20
                2   21
                2   26
                1   36
    mean:     2.62205
    std. dev: 3.26003

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      2      4      6

```

c2_min_P **P : Minutes per week (Saturday - Sunday)**

```

type: numeric (byte)
range: [0,55]
unique values: 19
units: 1
missing .: 0/1,397

```

```

tabulation:  Freq.  Value
              1,210  0
                2    3
                3    4
                5    5
                2    6
                2    7
                3    9
               19   10
                1   12
                5   14
                6   15
               39   20
                1   26
               60   30
                1   38
               30   40
                5   45
                2   50
                1   55
    mean:     3.35147
    std. dev: 9.54391

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0     15

```

c2_aa_P **P :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 8
missing "": 254/1,397

```

```

tabulation:  Freq.  Value
              254  ""
              669  "1"
              37  "1.5"
              326  "2"
              30  "2.5"
              22  "3"
               6  "3.5"
               1  "4.5"
              52  "many times"
    
```

warning: variable has embedded blanks

c2_ab_P P :Monday-Friday How many times per units (Saturday - Sunday)

```

type: string (str21), but longest is str4
unique values: 3 missing "": 254/1,397
tabulation:  Freq.  Value
              254  ""
            1,136  "day"
               2  "time"
               5  "week"
    
```

c2_ac_P P :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,10] units: .1
unique values: 13 missing .: 254/1,397
unique missing codes: 2 missing *: 5/1,397
tabulation:  Freq.  Value
            407  0
            493  1
             16  1.5
            152  2
              5  2.5
             32  3
              3  3.5
             12  4
             11  5
              3  6
              2  7
              1  9
              1  10
            254  .
              5  .c
mean: .961336
std. dev: 1.06734
percentiles: 10% 25% 50% 75% 90%
              0  0  1  1  2
    
```

c2_ad_P P :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,45] units: .1
unique values: 21 missing .: 254/1,397
unique missing codes: 2 missing *: 5/1,397
    
```



```

tabulation:  Freq.  Numeric  Label
              53      1  father
              197     3  mother
              402     5  grandparents
              19      7  uncle/aunt
              192     9  brother/sister/cousin
              9       11  outside-household-person
              45      13  other household member
              465     .
              15     .b
    
```

c2_bc_P **P : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c2_bc

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 863/1,397
missing *: 13/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              22      1  father
              51      3  mother
              130     5  grandparents
              28      7  uncle/aunt
              247     9  brother/sister/cousin
              9       11  outside-household-person
              34      13  other household member
              863     .
              13     .b
    
```

c2_ba_gen_P **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 354/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              505     1  male
              538     3  female
              354     .
    
```

c2_bb_gen_P **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 480/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              293     1  male
              624     3  female
              480     .
    
```

c2_bc_gen_P **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen
    
```

range: [1,3] units: 1
 unique values: 2 missing : 875/1,397

tabulation:	Freq.	Numeric	Label
	199	1	male
	323	3	female
	875	.	.

c3_code_P P : Frequency (Monday - Sunday)

type: numeric (byte)
 label: c3_code

range: [3,5] units: 1
 unique values: 2 missing : 1/1,397
 unique missing codes: 3 missing *: 1,276/1,397

tabulation:	Freq.	Numeric	Label
	8	3	at least once a month
	112	5	at least once a week
	1	.	.
	2	.a	.a
	1,274	.b	.b

c3_hr_P P : Hours per week (Monday - Sunday)

type: numeric (double)

range: [0,9] units: 1
 unique values: 9 missing : 0/1,397

tabulation:	Freq.	Value
	1,336	0
	31	1
	10	2
	11	3
	3	4
	1	6
	1	7
	1	8
	3	9

mean: .103078
 std. dev: .65294

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

c3_min_P P : Minutes per week (Monday - Sunday)

type: numeric (byte)

range: [0,53] units: 1
 unique values: 24 missing : 0/1,397

tabulation:	Freq.	Value
	1,309	0
	1	3
	1	4
	1	5
	1	6
	1	7
	2	8
	4	10
	1	12
	1	13
	1	14

```

13 15
 2 19
 1 20
 1 22
 2 25
 1 28
29 30
 1 35
 1 38
 6 40
15 45
 1 50
 1 53
    mean: 1.7423
    std. dev: 7.45326
percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

c3_aa_P **P :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 10          missing "": 1,285/1,397
tabulation:
  Freq.  Value
1,285   ""
  10    "1"
  20    "1.5"
  17    "2"
  18    "2.5"
  23    "3"
  10    "3.5"
   5    "4"
   6    "4.5"
   2    "5"
   1    "5.5"

```

c3_ab_P **P :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1          missing "": 1,285/1,397
tabulation:
  Freq.  Value
1,285   ""
  112   "week"

```

c3_ac_P **P :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,3]          units: .1
unique values: 5      missing .: 1,285/1,397
tabulation:
  Freq.  Value
   82   0
   25   1
    1  1.5
    2   2
    2   3
1,285  .
    mean: .325893
    std. dev: .610382

```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

c3_ad_P P : Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)
 range: [0,45] units: .1
 unique values: 14 missing .: 1,312/1,397

tabulation: Freq. Value
 1 0
 2 2
 1 3.5
 1 4
 7 5
 2 5.5
 2 7.5
 13 10
 3 15
 9 20
 2 25
 40 30
 1 40
 1 45
 1,312 .
 mean: 20.7353
 std. dev: 11.0671

percentiles: 10% 25% 50% 75% 90%
 5 10 25 30 30

c3_ba_P P : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c3_ba
 range: [1,13] units: 1
 unique values: 7 missing .: 1,277/1,397
 unique missing codes: 2 missing *: 17/1,397

tabulation: Freq. Numeric Label
 13 1 father
 11 3 mother
 40 5 grandparents
 5 7 uncle/aunt
 25 9 brother/sister/cousin
 2 11 outside-household-person
 7 13 other household member
 1,277 .
 17 .b

c3_bb_P P : Relationship-with-the-child doing activity (person 2)

type: numeric (byte)
 label: c3_bb
 range: [1,13] units: 1
 unique values: 7 missing .: 1,322/1,397
 unique missing codes: 2 missing *: 1/1,397

```

tabulation:  Freq.  Numeric  Label
              6       1  father
              17      3  mother
              31      5  grandparents
               1       7  uncle/aunt
              14      9  brother/sister/cousin
               3      11  outside-household-person
               2      13  other household member
            1,322      .
               1       .b
    
```

c3_bc_P **P : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c3_bc

range: [1,13]
unique values: 7
units: 1
missing .: 1,360/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              3       1  father
              4       3  mother
              6       5  grandparents
              5       7  uncle/aunt
              17      9  brother/sister/cousin
               1      11  outside-household-person
               1      13  other household member
            1,360      .
    
```

c3_ba_gen_P **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,294/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              44      1  male
              59      3  female
            1,294      .
    
```

c3_bb_gen_P **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,323/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              22      1  male
              52      3  female
            1,323      .
    
```

c3_bc_gen_P **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,360/1,397
    
```



```

tabulation:  Freq.  Numeric  Label
              16      1  male
              21      3  female
            1,360      .
    
```

activity_H **Go to temple, library, zoo and museum (not display)**

```

type:  string (str97), but longest is str0
unique values:  0          missing "":  1,397/1,397
tabulation:  Freq.  Value
            1,397  ""
    
```

detail_H **H: detail**

```

type:  string (str1), but longest is str0
unique values:  0          missing "":  1,397/1,397
tabulation:  Freq.  Value
            1,397  ""
    
```

clb_code_H **H : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  clb_code

range:  [0,9]          units:  1
unique values:  3      missing .:  0/1,397
unique missing codes:  2      missing *:  994/1,397

tabulation:  Freq.  Numeric  Label
              394      0  never
               8      7  once a day
               1      9  more than once a day
               2      .a
              992      .c
    
```

clb_hr_H **H : Hours per week (Monday - Friday)**

```

type:  numeric (float)

range:  [2,12]          units:  1
unique values:  3      missing .:  1,388/1,397

tabulation:  Freq.  Value
              3      2
              5      5
              1     12
            1,388      .
mean:  4.77778
std. dev:  3.07318

percentiles:  10%      25%      50%      75%      90%
              2         2         5         5         12
    
```

clb_min_H **H : Minutes per week (Monday - Friday)**

```

type:  numeric (float)
    
```

```

range: [0,30] units: 10
unique values: 2 missing .: 1,388/1,397

tabulation: Freq. Value
             5 0
             4 30
             1,388 .
mean: 13.3333
std. dev: 15.8114

percentiles: 10% 25% 50% 75% 90%
              0 0 0 30 30
    
```

clb_aa_H H :Monday-Friday How many times (Monday - Friday)

```

type: string (str1)
unique values: 2 missing "": 1,388/1,397

tabulation: Freq. Value
             1,388 ""
             8 "1"
             1 "2"
    
```

clb_ab_H H :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str9), but longest is str3
unique values: 1 missing "": 1,388/1,397

tabulation: Freq. Value
             1,388 ""
             9 "day"
    
```

clb_ac_H H :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,388/1,397

tabulation: Freq. Value
             3 0
             6 1
             1,388 .
mean: .666667
std. dev: .5

percentiles: 10% 25% 50% 75% 90%
              0 0 1 1 1
    
```

clb_ad_H H :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (byte)
range: [0,30] units: 1
unique values: 3 missing .: 1,388/1,397
    
```

```

tabulation:  Freq.  Value
              5     0
              1    15
              3    30
            1,388 .
          mean: 11.6667
          std. dev: 14.5774

percentiles:    10%    25%    50%    75%    90%
                0      0      0     30     30
    
```

clb_ba_H H : Relationship-with-the-child doing activity (person 1)

```

          type: numeric (byte)
          label: clb_ba

          range: [1,13]
unique values: 4
          units: 1
          missing : 1,389/1,397

          tabulation:  Freq.  Numeric  Label
                       1      1  father
                       3      5  grandparents
                       2      9  brother/sister/cousin
                       2     13  other household member
            1,389      .
    
```

clb_bb_H H : Relationship-with-the-child doing activity (person 2)

```

          type: numeric (byte)
          label: c2b_bb

          range: [.,.]
unique values: 0
          units: .
          missing : 1,397/1,397

          tabulation:  Freq.  Numeric  Label
                       1,397      .
    
```

clb_bc_H H : Relationship-with-the-child doing activity (person 3)

```

          type: numeric (byte)
          label: clb_bc

          range: [.,.]
unique values: 0
          units: .
          missing : 1,397/1,397

          tabulation:  Freq.  Numeric  Label
                       1,397      .
    
```

clb_ba_gen_H Gender code (person 1)

```

          type: numeric (byte)
          label: clb_ba_gen

          range: [1,3]
unique values: 2
          units: 1
          missing : 1,388/1,397

          tabulation:  Freq.  Numeric  Label
                       2      1  male
                       7      3  female
            1,388      .
    
```

c1b_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: c1b_bb_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Numeric  Label
             1,397      .
    
```

c1b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c1b_bc_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Numeric  Label
             1,397      .
    
```

c2b_code_H **H : Frequency (Saturday - Sunday)**

```

type: numeric (byte)

range: [0,9]
unique values: 5
unique missing codes: 2
units: 1
missing ..: 0/1,397
missing *: 994/1,397

tabulation: Freq.  Value
             382  0
              1  3
              3  5
             16  7
              1  9
              2  .a
             992  .c
mean:       .344913
std. dev:   1.49714

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

c2b_hr_H **H : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [1,22]
unique values: 5
unique missing codes: 2
units: 1
missing ..: 1,377/1,397
missing *: 1/1,397

tabulation: Freq.  Value
             6  1
             9  2
              1  3
              2  4
              1 22
            1,377 .
              1  .c
mean:       3
std. dev:   4.69042
    
```

percentiles: 10% 25% 50% 75% 90%
 1 1 2 2 4

c2b_min_H **H : Minutes per week (Saturday - Sunday)**

type: numeric (**float**)
 range: [0,30] units: 10
 unique values: 2 missing .: 1,377/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 18 0
 1 30
 1,377 .
 1 .c
 mean: 1.57895
 std. dev: 6.88247

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c2b_aa_H **H :Monday-Friday How many times (Saturday - Sunday)**

type: string (**str6**), but longest is str5
 unique values: 3 missing "": 1,377/1,397

tabulation: Freq. Value
 1,377 ""
 17 "1"
 2 "2"
 1 "2-Jan"

c2b_ab_H **H :Monday-Friday How many times per units (Saturday - Sunday)**

type: string (**str21**), but longest is str4
 unique values: 2 missing "": 1,377/1,397

tabulation: Freq. Value
 1,377 ""
 18 "day"
 2 "week"

c2b_ac_H **H :Monday-Friday How many times per hours (Saturday - Sunday)**

type: numeric (**double**)
 range: [0,5] units: 1
 unique values: 4 missing .: 1,377/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 5 0
 11 1
 2 2
 1 5
 1,377 .
 1 .c
 mean: 1.05263
 std. dev: 1.12909

percentiles: 10% 25% 50% 75% 90%
 0 0 1 1 2

c2b_ad_H H :Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (**double**)
 range: [0,30] units: 10
 unique values: 2 missing .: 1,377/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 12 0
 7 30
 1,377 .
 1 .c
 mean: 11.0526
 std. dev: 14.8678

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c2b_ba_H H : Relationship-with-the-child doing activity (person 1)

type: numeric (**byte**)
 label: **c2b_ba**
 range: [1,13] units: 1
 unique values: 5 missing .: 1,377/1,397

tabulation: Freq. Numeric Label
 1 1 father
 11 5 grandparents
 4 9 brother/sister/cousin
 1 11 outside-household-person
 3 13 other household member
 1,377 .

c2b_bb_H H : Relationship-with-the-child doing activity (person 2)

type: numeric (**byte**)
 label: **c2b_bb**
 range: [5,11] units: 1
 unique values: 3 missing .: 1,394/1,397

tabulation: Freq. Numeric Label
 1 5 grandparents
 1 7 uncle/aunt
 1 11 outside-household-person
 1,394 .

c2b_bc_H H : Relationship-with-the-child doing activity (person 3)

type: numeric (**byte**)
 label: **c2b_bc**
 range: [11,11] units: 1
 unique values: 1 missing .: 1,396/1,397

tabulation: Freq. Numeric Label
 1 11 outside-household-person
 1,396 .

c2b_ba_gen_H **Gender code (person 1)**

```

type: numeric (byte)
label: c2b_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,376/1,397

tabulation: Freq.  Numeric  Label
              3         1  male
              18        3  female
              1,376      .
    
```

c2b_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: c2b_bb_gen

range: [3,3]
unique values: 1
units: 1
missing ..: 1,394/1,397

tabulation: Freq.  Numeric  Label
              3         3  female
              1,394      .
    
```

c2b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c2b_bc_gen

range: [3,3]
unique values: 1
units: 1
missing ..: 1,396/1,397

tabulation: Freq.  Numeric  Label
              1         3  female
              1,396      .
    
```

c3b_code_H **H : Frequency (Monday - Sunday)**

```

type: numeric (byte)

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,397
missing *: 404/1,397

tabulation: Freq.  Value
              473  1
              364  3
              156  5
               2  .a
              402  .b
mean: 2.36153
std. dev: 1.45885

percentiles: 10%  25%  50%  75%  90%
              1    1    3    3    5
    
```

c3b_hr_H **H : Hours per week (Monday - Sunday)**

```

type: numeric (float)
    
```

range: [0,8] units: 1
 unique values: 6 missing .: 1,241/1,397
 unique missing codes: 2 missing *: 3/1,397

tabulation:	Freq.	Value			
	38	0			
	80	1			
	28	2			
	3	3			
	3	5			
	1	8			
	1,241	.			
	3	.c			
mean:	1.09804				
std. dev:	1.06848				
percentiles:	10%	25%	50%	75%	90%
	0	1	1	1	2

c3b_min_H H : Minutes per week (Monday - Sunday)

type: numeric (float)
 range: [0,45] units: 1
 unique values: 9 missing .: 1,241/1,397
 unique missing codes: 2 missing *: 3/1,397

tabulation:	Freq.	Value			
	92	0			
	4	5			
	1	8			
	2	10			
	4	15			
	1	20			
	46	30			
	1	40			
	2	45			
	1,241	.			
	3	.c			
mean:	10.7059				
std. dev:	14.3219				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	30	30

c3b_aa_H H :Monday-Friday How many times (Monday - Sunday)

type: string (str6), but longest is str3
 unique values: 7 missing "": 1,241/1,397

tabulation:	Freq.	Value
	1,241	" "
	106	"1"
	9	"1.5"
	23	"2"
	8	"2.5"
	5	"3"
	2	"4"
	3	"5"

c3b_ab_H H :Monday-Friday How many times per units (Monday - Sunday)

type: string (str21), but longest is str4

unique values: 1 missing "": 1,241/1,397
 tabulation: Freq. Value
 1,241 ""
 156 "week"

c3b_ac_H H :Monday-Friday How many times per hours (Monday - Sunday)

type: numeric (double)
 range: [0,3] units: .1
 unique values: 6 missing .: 1,241/1,397
 unique missing codes: 2 missing *: 3/1,397
 tabulation: Freq. Value
 54 0
 88 1
 1 1.5
 8 2
 1 2.5
 1 3
 1,241 .
 3 .c
 mean: .72549
 std. dev: .612214
 percentiles: 10% 25% 50% 75% 90%
 0 0 1 1 1

c3b_ad_H H :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)
 range: [0,40] units: .1
 unique values: 9 missing .: 1,241/1,397
 unique missing codes: 2 missing *: 3/1,397
 tabulation: Freq. Value
 93 0
 2 4.5
 2 5
 1 7.5
 2 10
 1 15
 1 20
 50 30
 1 40
 1,241 .
 3 .c
 mean: 10.598
 std. dev: 14.1391
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c3b_ba_H H : Relationship-with-the-child doing activity (person 1)

type: numeric (byte)
 label: c3b_ba
 range: [1,13] units: 1
 unique values: 7 missing .: 404/1,397
 unique missing codes: 2 missing *: 2/1,397

```

tabulation:  Freq.  Numeric  Label
              182     1  father
              253     3  mother
              427     5  grandparents
               42     7  uncle/aunt
               38     9  brother/sister/cousin
               11    11  outside-household-person
               38    13  other household member
             404     .
               2     .b
    
```

c3b_bb_H **H : Relationship-with-the-child doing activity (person 2)**

```

      type: numeric (byte)
      label: c3b_bb

      range: [1,13]           units: 1
unique values: 7             missing .: 780/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              54     1  father
              206     3  mother
              127     5  grandparents
               29     7  uncle/aunt
              169     9  brother/sister/cousin
               16    11  outside-household-person
               16    13  other household member
             780     .
    
```

c3b_bc_H **H : Relationship-with-the-child doing activity (person 3)**

```

      type: numeric (byte)
      label: c3b_bc

      range: [1,13]           units: 1
unique values: 7             missing .: 1,155/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              12     1  father
              23     3  mother
              35     5  grandparents
              10     7  uncle/aunt
              150     9  brother/sister/cousin
               6    11  outside-household-person
               6    13  other household member
            1,155     .
    
```

c3b_ba_gen_H **Gender code (person 1)**

```

      type: numeric (byte)
      label: c3b_ba_gen

      range: [1,3]           units: 1
unique values: 2             missing .: 406/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              268     1  male
              723     3  female
             406     .
    
```

c3b_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: c3b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 780/1,397

tabulation: Freq.  Numeric  Label
              173      1    male
              444      3    female
              780      .
    
```

c3b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c3b_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,155/1,397

tabulation: Freq.  Numeric  Label
              90      1    male
              152      3    female
             1,155      .
    
```

activity_I **Go to department store (not display)**

```

type: string (str97), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
              1,397  ""
    
```

detail_I **I: detail**

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
              1,397  ""
    
```

clb_code_I **I : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: clb_code

range: [0,7]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 0/1,397
missing *: 1,171/1,397

tabulation: Freq.  Numeric  Label
              215      0    never
              11      7    once a day
              2       .a
             1,169      .c
    
```

clb_hr_I **I : Hours per week (Monday - Friday)**

```

type: numeric (float)
    
```

range: [1,7] units: 1
 unique values: 5 missing .: 1,386/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 2 1
 2 2
 2 3
 2 5
 2 7
 1,386 .
 1 .c
 mean: 3.6
 std. dev: 2.27058

percentiles: 10% 25% 50% 75% 90%
 1 2 3 5 7

clb_min_I I : Minutes per week (Monday - Friday)

type: numeric (float)
 range: [0,45] units: 1
 unique values: 4 missing .: 1,386/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 2 0
 2 15
 4 30
 2 45
 1,386 .
 1 .c
 mean: 24
 std. dev: 16.1245

percentiles: 10% 25% 50% 75% 90%
 0 15 30 30 45

clb_aa_I I :Monday-Friday How many times (Monday - Friday)

type: string (str1)
 unique values: 1 missing "": 1,386/1,397

tabulation: Freq. Value
 1,386 ""
 11 "1"

clb_ab_I I :Monday-Friday How many times per units (Monday - Friday)

type: string (str9), but longest is str3
 unique values: 1 missing "": 1,386/1,397

tabulation: Freq. Value
 1,386 ""
 11 "day"

clb_ac_I I :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)

```

range: [0,1.5] units: .1
unique values: 3 missing .: 1,386/1,397
unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
             6 0
             3 1
             1 1.5
            1,386 .
             1 .c
mean: .45
std. dev: .598609

percentiles: 10% 25% 50% 75% 90%
             0 0 0 1 1.25
    
```

clb_ad_I I : Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (byte)

range: [0,45] units: 1
unique values: 4 missing .: 1,386/1,397
unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
             3 0
             2 15
             3 30
             2 45
            1,386 .
             1 .c
mean: 21
std. dev: 17.6068

percentiles: 10% 25% 50% 75% 90%
             0 0 22.5 30 45
    
```

clb_ba_I I : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: clb_ba

range: [1,11] units: 1
unique values: 6 missing .: 1,386/1,397

tabulation: Freq. Numeric Label
             3 1 father
             2 3 mother
             2 5 grandparents
             2 7 uncle/aunt
             1 9 brother/sister/cousin
             1 11 outside-household-person
            1,386 .
    
```

clb_bb_I I : Relationship-with-the-child doing activity (person 2)

```

type: numeric (byte)
label: c2b_bb

range: [1,11] units: 1
unique values: 5 missing .: 1,387/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  father
              4      3  mother
              1      5  grandparents
              3      9  brother/sister/cousin
              1     11  outside-household-person
            1,387      .
    
```

clb_bc_I **I : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: clb_bc

range: [3,11]          units: 1
unique values: 3      missing .. 1,394/1,397

tabulation:  Freq.  Numeric  Label
              1      3  mother
              1      7  uncle/aunt
              1     11  outside-household-person
            1,394      .
    
```

clb_ba_gen_I **Gender code (person 1)**

```

type: numeric (byte)
label: clb_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,386/1,397

tabulation:  Freq.  Numeric  Label
              5      1  male
              6      3  female
            1,386      .
    
```

clb_bb_gen_I **Gender code (person 2)**

```

type: numeric (byte)
label: clb_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,387/1,397

tabulation:  Freq.  Numeric  Label
              4      1  male
              6      3  female
            1,387      .
    
```

clb_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: clb_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,394/1,397

tabulation:  Freq.  Numeric  Label
              1      1  male
              2      3  female
            1,394      .
    
```

c2b_code_I **I : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
range: [0,7]
unique values: 4
unique missing codes: 2
units: 1
missing .: 0/1,397
missing *: 1,171/1,397

tabulation: Freq. Value
             210  0
              1  3
              3  5
             12  7
              2  .a
            1,169 .c
mean:       .451327
std. dev:   1.66795

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

c2b_hr_I **I : Hours per week (Saturday - Sunday)**

```

type: numeric (float)
range: [1,12]
unique values: 6
unique missing codes: 2
units: 1
missing .: 1,382/1,397
missing *: 1/1,397

tabulation: Freq. Value
             4  1
             3  2
             4  3
             1  4
             1  5
             1 12
            1,382 .
              1  .c
mean:       3.07143
std. dev:   2.84103

percentiles:    10%    25%    50%    75%    90%
                1      1      2.5    3      5
    
```

c2b_min_I **I : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)
range: [0,30]
unique values: 2
unique missing codes: 2
units: 10
missing .: 1,382/1,397
missing *: 1/1,397

tabulation: Freq. Value
             10  0
              4 30
            1,382 .
              1  .c
mean:       8.57143
std. dev:   14.0642

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30    30
    
```

c2b_aa_I **I :Monday-Friday How many times (Saturday - Sunday)**

type: string (**str6**), but longest is str1
 unique values: 1 missing "": 1,382/1,397
 tabulation: Freq. Value
 1,382 ""
 15 "1"

c2b_ab_I **I :Monday-Friday How many times per units (Saturday - Sunday)**

type: string (**str21**), but longest is str4
 unique values: 2 missing "": 1,382/1,397
 tabulation: Freq. Value
 1,382 ""
 12 "day"
 3 "week"

c2b_ac_I **I :Monday-Friday How many times per hours (Saturday - Sunday)**

type: numeric (**double**)
 range: [0,6] units: .1
 unique values: 8 missing .: 1,382/1,397
 unique missing codes: 2 missing *: 1/1,397
 tabulation: Freq. Value
 4 0
 3 1
 1 1.5
 2 2
 1 2.5
 1 3
 1 3.5
 1 6
 1,382 .
 1 .c
 mean: 1.67857
 std. dev: 1.69396
 percentiles: 10% 25% 50% 75% 90%
 0 0 1.25 2.5 3.5

c2b_ad_I **I :Monday-Friday How many times per minutes (Saturday - Sunday)**

type: numeric (**double**)
 range: [0,45] units: 1
 unique values: 3 missing .: 1,382/1,397
 unique missing codes: 2 missing *: 1/1,397
 tabulation: Freq. Value
 8 0
 4 30
 2 45
 1,382 .
 1 .c
 mean: 15
 std. dev: 18.6052

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 45

c2b_ba_I I : Relationship-with-the-child doing activity (person 1)

```

    type: numeric (byte)
    label: c2b_ba

    range: [1,11]                           units: 1
    unique values: 6                        missing .: 1,381/1,397

    tabulation:  Freq.   Numeric   Label
                 6            1   father
                 4            3   mother
                 2            5   grandparents
                 2            7   uncle/aunt
                 1            9   brother/sister/cousin
                 1           11   outside-household-person
    1,381                                   .

```

c2b_bb_I I : Relationship-with-the-child doing activity (person 2)

```

    type: numeric (byte)
    label: c2b_bb

    range: [1,11]                           units: 1
    unique values: 5                        missing .: 1,383/1,397

    tabulation:  Freq.   Numeric   Label
                 1            1   father
                 7            3   mother
                 1            5   grandparents
                 4            9   brother/sister/cousin
                 1           11   outside-household-person
    1,383                                   .

```

c2b_bc_I I : Relationship-with-the-child doing activity (person 3)

```

    type: numeric (byte)
    label: c2b_bc

    range: [3,11]                           units: 1
    unique values: 4                        missing .: 1,390/1,397

    tabulation:  Freq.   Numeric   Label
                 1            3   mother
                 2            7   uncle/aunt
                 3            9   brother/sister/cousin
                 1           11   outside-household-person
    1,390                                   .

```

c2b_ba_gen_I Gender code (person 1)

```

    type: numeric (byte)
    label: c2b_ba_gen

    range: [1,3]                            units: 1
    unique values: 2                        missing .: 1,381/1,397

    tabulation:  Freq.   Numeric   Label
                 8            1   male
                 8            3   female
    1,381                                   .

```

c2b_bb_gen_I **Gender code (person 2)**

```

type: numeric (byte)
label: c2b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,383/1,397

tabulation: Freq.  Numeric  Label
              4          1  male
              10         3  female
              1,383      .
    
```

c2b_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: c2b_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,390/1,397

tabulation: Freq.  Numeric  Label
              3          1  male
              4          3  female
              1,390      .
    
```

c3b_code_I **I : Frequency (Monday - Sunday)**

```

type: numeric (byte)

range: [1,5]
unique values: 3
unique missing codes: 3
units: 1
missing ..: 0/1,397
missing *: 225/1,397

tabulation: Freq.  Value
              403    1
              566    3
              203    5
               2    .a
              222    .b
               1    .c
mean:        2.6587
std. dev:    1.39766

percentiles: 10%    25%    50%    75%    90%
              1     1     3     3     5
    
```

c3b_hr_I **I : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,13]
unique values: 14
unique missing codes: 2
units: 1
missing ..: 1,193/1,397
missing *: 3/1,397
    
```

```

tabulation:  Freq.  Value
              12    0
              68    1
              38    2
              30    3
              14    4
              10    5
              12    6
               1    7
               4    8
               2    9
               3   10
               2   11
               4   12
               1   13
            1,193  .
               3  .c
    mean:      2.89552
    std. dev:  2.70629

percentiles:      10%      25%      50%      75%      90%
                  1         1         2         4         6
    
```

c3b_min_I **I : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,45]
unique values: 9
unique missing codes: 2
units: 1
missing .: 1,193/1,397
missing *: 3/1,397
    
```

```

tabulation:  Freq.  Value
              118    0
               1    8
               1   14
              11   15
               1   25
              62   30
               1   34
               1   35
               5   45
            1,193  .
               3  .c
    mean:      11.7711
    std. dev:  14.8013

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        30        30
    
```

c3b_aa_I **I :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 10
missing "": 1,194/1,397
    
```

```

tabulation:  Freq.  Value
            1,194  ""
             120  "1"
               4  "1.5"
              25  "2"
              19  "2.5"
              14  "3"
               6  "3.5"
               6  "4"
               5  "4.5"
               1  "5"
               3  "5.5"
    
```

c3b_ab_I I :Monday-Friday How many times per units (Monday - Sunday)

type: string (**str21**), but longest is str5
 unique values: 3 missing "": 1,194/1,397
 tabulation: Freq. Value
 1,194 ""
 1 "day"
 1 "month"
 201 "week"

c3b_ac_I I :Monday-Friday How many times per hours (Monday - Sunday)

type: numeric (**double**)
 range: [0,5.5] units: .1
 unique values: 11 missing .: 1,194/1,397
 unique missing codes: 2 missing *: 3/1,397
 tabulation: Freq. Value
 20 0
 85 1
 6 1.5
 40 2
 13 2.5
 19 3
 7 3.5
 5 4
 1 4.5
 3 5
 1 5.5
 1,194 .
 3 .c
 mean: 1.665
 std. dev: 1.11535
 percentiles: 10% 25% 50% 75% 90%
 .5 1 1 2 3

c3b_ad_I I :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (**double**)
 range: [0,35] units: .1
 unique values: 5 missing .: 1,194/1,397
 unique missing codes: 2 missing *: 3/1,397
 tabulation: Freq. Value
 147 0
 1 4.5
 1 7.5
 50 30
 1 35
 1,194 .
 3 .c
 mean: 7.735
 std. dev: 13.1354
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c3b_ba_I I : Relationship-with-the-child doing activity (person 1)

```

type: numeric (byte)
label: c3b_ba

range: [1,13]          units: 1
unique values: 7      missing .. 225/1,397

tabulation: Freq.  Numeric  Label
             411      1  father
             290      3  mother
             278      5  grandparents
              87      7  uncle/aunt
              46      9  brother/sister/cousin
              31     11  outside-household-person
              29     13  other household member
             225      .
    
```

c3b_bb_I **I : Relationship-with-the-child doing activity (person 2)**

```

type: numeric (byte)
label: c3b_bb

range: [1,13]          units: 1
unique values: 7      missing .. 427/1,397

tabulation: Freq.  Numeric  Label
             96      1  father
            425      3  mother
            179      5  grandparents
             52      7  uncle/aunt
            159      9  brother/sister/cousin
             26     11  outside-household-person
             33     13  other household member
            427      .
    
```

c3b_bc_I **I : Relationship-with-the-child doing activity (person 3)**

```

type: numeric (byte)
label: c3b_bc

range: [1,13]          units: 1
unique values: 7      missing .. 880/1,397

tabulation: Freq.  Numeric  Label
             14      1  father
             27      3  mother
             60      5  grandparents
             24      7  uncle/aunt
            360      9  brother/sister/cousin
             16     11  outside-household-person
             16     13  other household member
            880      .
    
```

c3b_ba_gen_I **Gender code (person 1)**

```

type: numeric (byte)
label: c3b_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .. 225/1,397

tabulation: Freq.  Numeric  Label
             554      1  male
             618      3  female
             225      .
    
```

c3b_bb_gen_I **Gender code (person 2)**

```

type: numeric (byte)
label: c3b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 428/1,397

tabulation: Freq.  Numeric  Label
              257      1  male
              712      3  female
              428      .
    
```

c3b_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: c3b_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 879/1,397

tabulation: Freq.  Numeric  Label
              209      1  male
              309      3  female
              879      .
    
```

note **Interviewer note (unavailable)**

```

type: string (str517), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
              1,397  ""
    
```

sleeptime_perday **Hours per day of a child's nighttime sleep**

```

type: numeric (float)
range: [6,13.5]
unique values: 33
units: 1.000e-06
missing ..: 0/1,397

tabulation: Freq.  Value
              1      6
              2      6.5
              7      7
             13      7.5
             56      8
             86      8.5
              1  8.666667
              1  8.75
            249      9
              2  9.166667
              1  9.25
              2  9.333333
            281      9.5
              5  9.666667
              1  9.75
              1  9.833333
            365      10
              1 10.083333
              2 10.166667
              3 10.25
              1 10.333333
    
```

```

183 10.5
  1 10.666667
  1 10.75
  1 10.833333
94 11
  1 11.166667
  1 11.25
21 11.5
  1 11.666667
  9 12
  2 12.5
  1 13.5
mean: 9.67639
std. dev: .862105

percentiles:      10%      25%      50%      75%      90%
                  8.5       9       9.5      10      10.5
    
```

sleeptime_perweek **Hours per week of a child's nighttime sleep**

```

type: numeric (float)
range: [42,94.5]          units: 1.000e-06
unique values: 33        missing .: 0/1,397
    
```

```

tabulation: Freq. Value
             1 42
             2 45.5
             7 49
            13 52.5
            56 56
            86 59.5
             1 60.666668
             1 61.25
           249 63
             2 64.166664
             1 64.75
             2 65.333336
           281 66.5
             5 67.666664
             1 68.25
             1 68.833336
           365 70
             1 70.583336
             2 71.166664
             3 71.75
             1 72.333336
           183 73.5
             1 74.666664
             1 75.25
             1 75.833336
           94 77
             1 78.166664
             1 78.75
           21 80.5
             1 81.666664
             9 84
             2 87.5
             1 94.5
    
```

```

mean: 67.7347
std. dev: 6.03473

percentiles:      10%      25%      50%      75%      90%
                  59.5     63     66.5     70     73.5
    
```

schooltime_perweek **Hours per week of a child's going to school**

```

type: numeric (float)
range: [0,65]
unique values: 54
units: 1.000e-06
missing .: 1/1,397

```

```

tabulation: Freq. Value
20 0
2 20
2 25
1 26.666666
18 27.5
1 28.333334
67 30
1 30.416666
3 30.833334
1 31.25
1 31.666666
144 32.5
5 33.333332
10 33.75
5 34.166668
226 35
3 35.833332
5 36.25
7 36.666668
259 37.5
1 37.916668
8 38.333332
9 38.75
5 39.166668
1 39.583332
237 40
2 40.416668
2 40.833332
1 41.25
1 41.333332
5 41.666668
121 42.5
3 43.333332
1 43.75
4 44.166668
77 45
2 45.833332
3 46.25
3 46.666668
40 47.5
3 48.333332
1 48.75
1 49.166668
1 49.583332
36 50
1 50.416668
4 50.833332
4 51.666668
26 52.5
8 55
1 56.666668
1 60
1 62.5
1 65
1 .

```

```

mean: 38.0024
std. dev: 7.21568

```

```

percentiles:      10%      25%      50%      75%      90%
                  32.5      35       37.5    41.2917  45

```

naptime_athome_perweek

Hours per week of a child's nap time at home

type: numeric (**float**)
 range: [0,20.133333] units: 1.000e-09
 unique values: 21 missing .: 0/1,397

tabulation: Freq. Value
 637 0
 8 .01666667
 234 .03333334
 75 .05
 250 .06666667
 1 .075
 45 .08333334
 97 .1
 10 .11666667
 14 .13333334
 1 .15000001
 4 .16666667
 1 .2
 2 5.0333333
 1 7.5500002
 5 10.066667
 3 12.583333
 1 15
 6 15.1
 1 17.616667
 1 20.133333

mean: .211149
 std. dev: 1.54662

percentiles: 10% 25% 50% 75% 90%
 0 0 .033333 .066667 .1

atctivity_tv_dum While a child watch TV, did the child participate in any activities

type: numeric (**float**)
 label: **atctivity_tv_dum**
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,397

tabulation: Freq. Numeric Label
 390 0 do not
 1,007 1 do

atctivity_tv_des While a child watch TV, what activities did the child do

type: string (**str168**), but longest is str133
 unique values: 269 missing "": 390/1,397

warning: variable has embedded and trailing blanks

reading_time_cl Monday-Fiday:Hours per week of reading to child

type: numeric (**float**)
 range: [0,12.5] units: 1.000e-09
 unique values: 22 missing .: 0/1,397

```

tabulation:  Freq.  Value
              1,287  0
              1   .08333334
              1   .13333334
              1   .16666667
              4   .21666667
              3   .25
              1   .30000001
              1   .33333334
              7   .38333333
             12   .41666666
              2   .46666667
              1   .51666665
              2   .63333333
             19   .83333331
              1  1.05
              4  1.25
              1  1.4666667
             10  1.6666666
             27  2.5
              2  2.9166667
              9  5
              1 12.5
    mean:     .131627
  std. dev:   .654788

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

reading_time_c2 **Saturday-Sunday:Hours per week of reading to child**

```

    type:  numeric (float)

    range:  [0,5]
unique values:  20
                units:  1.000e-09
                missing .:  0/1,397

    tabulation:  Freq.  Value
                  1,294  0
                  1   .03333334
                  4   .08333334
                  3   .1
                  1   .11666667
                  1   .13333334
                  8   .15000001
                  9   .16666667
                  2   .18333334
                  1   .21666667
                  3   .25
                  18  .33333334
                  1   .41666666
                  2   .5
                  11  .66666669
                  21  1
                  2  1.1666666
                  1  1.6666666
                  11  2
                  3  5
    mean:     .058482
  std. dev:   .326818

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

reading_time_c3 **Monday-Sunday:Hours per week of reading to child**

```

    type:  numeric (float)
    
```

range: [0,4.5] units: 1.000e-09
 unique values: 43 missing .: 0/1,397

tabulation: Freq. Value
 1,057 0
 3 .01666667
 4 .03333334
 7 .05
 11 .06666667
 24 .08333334
 6 .1
 4 .11666667
 15 .13333334
 4 .15000001
 37 .16666667
 9 .18333334
 2 .2
 10 .21666667
 1 .23333333
 17 .25
 1 .30000001
 6 .31666666
 24 .33333334
 8 .38333333
 15 .41666666
 1 .43333334
 27 .5
 1 .51666665
 4 .58333331
 7 .63333333
 5 .66666669
 9 .75
 1 .83333331
 30 1
 1 1.05
 2 1.1666666
 8 1.25
 1 1.3333334
 1 1.3833333
 13 1.5
 6 1.75
 6 2
 2 2.5
 2 3
 3 3.5
 1 4
 1 4.5

mean: .137115
 std. dev: .405084

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 .416667

reading_time

Hours per week of reading to children

type: numeric (float)

range: [0,17.5] units: 1.000e-09
 unique values: 59 missing .: 0/1,397

```

tabulation:  Freq.  Value
              939    0
                3   .01666667
                4   .03333334
                7   .05
               11   .06666667
               24   .08333334
                6   .1
                4   .11666667
                1   .11666667
               16   .13333334
                5   .15000001
               37   .16666667
                9   .18333334
                2   .2
               11   .21666667
                1   .23333333
               17   .25
                4   .30000001
                6   .31666666
               26   .33333334
                3   .34999999
                8   .38333333
               18   .41666666
                1   .41666669
                1   .43333334
                1   .46666667
               28   .5
                1   .51666665
                7   .53333333
               12   .58333331
                7   .63333333
                2   .64999998
                7   .66666669
                1   .73333335
                9   .75
                3   .83333331
                2   .88333333
               30   1
                1   1.05
               19   1.16666666
                9   1.25
                1   1.33333334
                1   1.38333333
                1   1.46666666
                1   1.46666667
               14   1.5
                2   1.66666666
                8   1.75
                9   2
                9   2.33333333
                7   2.5
                2   3
               24   3.5
                1   4
                2   4.08333335
                2   4.5
                7   7
                2   10
                1   17.5
    mean:      .327225
  std. dev:   1.0061

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0      .166667      1

```

storytelling_time_c1 Monday-Fiday:Hours per week of storytelling to child

type: numeric (float)

range: [0,5] units: 1.000e-09
 unique values: 23 missing .: 0/1,397

tabulation: Freq. Value
 1,314 0
 1 .08333334
 1 .16666667
 3 .21666667
 3 .25
 1 .30000001
 5 .38333333
 14 .41666666
 1 .51666665
 5 .63333333
 16 .83333331
 1 1.05
 2 1.2166667
 4 1.25
 1 1.3333334
 2 1.4666667
 1 1.5666667
 5 1.6666666
 1 1.8833333
 12 2.5
 1 3.75
 1 4.1666665
 2 5

mean: .070985
 std. dev: .381023

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

storytelling_time_c2 Saturday-Sunday:Hours per week of storytelling to child

type: numeric (float)

range: [0,2] units: 1.000e-09
 unique values: 23 missing .: 0/1,397

tabulation: Freq. Value
 1,310 0
 1 .03333334
 1 .06666667
 4 .08333334
 3 .1
 1 .11666667
 5 .15000001
 12 .16666667
 1 .21666667
 6 .25
 17 .33333334
 1 .41666666
 2 .48333332
 5 .5
 1 .53333336
 2 .58333331
 1 .63333333
 5 .66666669
 1 .75
 12 1
 1 1.5
 1 1.6666666
 4 2

mean: .031818
 std. dev: .170304

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

storytelling_time_c3 **Monday-Sunday:Hours per week of storytelling to child**

type: numeric (float)
 range: [0,4.5] units: 1.000e-09
 unique values: 41 missing .: 0/1,397

tabulation:

Freq.	Value
957	0
1	.01666667
11	.03333334
17	.05
19	.06666667
44	.08333334
3	.1
6	.11666667
19	.13333334
12	.15000001
54	.16666667
11	.18333334
11	.21666667
5	.23333333
35	.25
3	.30000001
6	.31666666
23	.33333334
8	.38333333
16	.41666666
38	.5
3	.51666665
1	.56666666
2	.58333331
6	.63333333
13	.66666669
10	.75
2	.83333331
4	.88333333
22	1
3	1.1666666
11	1.25
6	1.5
5	1.75
1	1.8833333
4	2
1	2.5
1	3
1	3.75
1	4
1	4.5

mean: .13393
 std. dev: .354209

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .083333 .416667

storytelling_time **Hours per week of storytelling to children**

type: numeric (float)
 range: [0,7] units: 1.000e-09
 unique values: 58 missing .: 0/1,397

```

tabulation:  Freq.  Value
              869    0
                1  .01666667
               11  .03333334
               17  .05
               19  .06666667
               44  .08333334
                3  .1
                6  .11666667
                1  .11666667
               19  .13333334
               12  .15000001
               54  .16666667
               11  .18333334
               11  .21666667
                5  .23333333
                1  .23333335
               36  .25
                6  .30000001
                6  .31666666
               24  .33333334
                3  .34999999
                8  .38333333
               17  .41666666
                1  .41666669
               40  .5
                3  .51666665
                5  .53333333
                1  .56666666
               14  .58333331
                6  .63333333
               13  .66666669
                1  .73333335
               10  .75
                2  .83333331
                9  .88333333
               22  1
               19  1.1666666
               11  1.25
                1  1.4666666
                6  1.5
                2  1.7
                9  1.75
                1  1.8666668
                1  1.8833333
                6  2
                2  2.05
                1  2.2
                5  2.3333333
                1  2.5
                1  2.6333332
                1  3
               12  3.5
                1  3.75
                1  4
                1  4.5
                1  5.25
                1  5.833333
                2  7

```

```

mean: .236733
std. dev: .622535

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0      .166667  .666667

```

outdoorplaying_time_c1 Monday-Friday:Hours per week of child's outdoor play

type: numeric (float)

```

    range: [0,0]                units: 1
unique values: 1                missing .: 0/1,397

  tabulation: Freq. Value
              1,397  0
    mean:      0
  std. dev:    0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

outdoorplaying_time_c2 **Saturday-Sunday:Hours per week of child's outdoor play**

```

    type: numeric (float)

    range: [0,0]                units: 1
unique values: 1                missing .: 0/1,397

  tabulation: Freq. Value
              1,397  0
    mean:      0
  std. dev:    0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

outdoorplaying_time_c3 **Monday-Sunday:Hours per week of child's outdoor play**

```

    type: numeric (float)

    range: [0,0]                units: 1
unique values: 1                missing .: 0/1,397

  tabulation: Freq. Value
              1,397  0
    mean:      0
  std. dev:    0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

outdoorplaying_time **Hours per week of child's outdoor play**

```

    type: numeric (float)

    range: [0,0]                units: 1
unique values: 1                missing .: 0/1,397

  tabulation: Freq. Value
              1,397  0
    mean:      0
  std. dev:    0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

sport_time_c1 **Monday-Fiday:Hours per week of child's playing sport, singing, dancing**

```

    type: numeric (float)

    range: [0,33.75]           units: 1.000e-08
unique values: 58             missing .: 0/1,397
    
```



```

tabulation:  Freq.  Value
              674    0
               9   .13333334
               6   .16666667
               3   .18333334
              28   .21666667
              15   .25
               5   .30000001
               5   .31666666
               3   .33333334
              11   .38333333
              38   .41666666
               3   .46666667
               2   .5
               5   .51666665
               1   .55000001
               3   .56666666
              34   .63333333
               1   .66666669
               1   .68333334
               2   .73333335
               3   .75
              60   .83333331
               1   .88333333
               8   .93333334
               1   1.03333333
               5   1.05
              25   1.25
               1   1.31666667
               4   1.46666667
               1   1.56666667
               2   1.6
              29   1.66666666
               2   1.68333333
               1   1.75
               1   1.86666667
               1   1.88333333
              19   2.08333333
             116   2.5
               3   2.91666667
               1   3
               9   3.33333333
               3   4.16666665
             154   5
               1   5.21666667
               2   5.83333335
               1   6.25
               1   6.76666669
              24   7.5
               2   8.75
              28   10
              18   12.5
               1   13.75
              11   15
               1   17.083334
               2   17.5
               3   18.75
               2   20
               1   33.75

```

```

mean: 1.77712
std. dev: 3.22648

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      .216667  2.5    5

```

sport_time_c2

Saturday-Sunday:Hours per week of child's playing sport, singing, dancing

type: numeric (float)

range: [0,18] units: 1.000e-09
 unique values: 54 missing .: 0/1,397

```

tabulation: Freq. Value
668 0
8 .05
6 .06666667
32 .08333334
15 .1
5 .11666667
8 .13333334
12 .15000001
37 .16666667
2 .2
6 .21666667
3 .23333333
34 .25
1 .26666668
1 .28333333
5 .30000001
59 .33333334
1 .34999999
2 .36666667
8 .38333333
6 .41666666
25 .5
2 .53333336
5 .58333331
1 .63333333
2 .64999998
29 .66666669
2 .68333334
1 .69999999
2 .75
19 .83333331
118 1
3 1.16666666
1 1.2
9 1.33333334
3 1.66666666
151 2
1 2.08333333
2 2.33333333
2 2.5
22 3
2 3.5
27 4
17 5
1 5.5
13 6
5 7
3 7.5
5 8
1 10.5
1 13
1 13.5
1 16
1 18
    
```

mean: .774839
 std. dev: 1.54832

percentiles: 10% 25% 50% 75% 90%
 0 0 .083333 1 2

sport_time_c3 Monday-Sunday:Hours per week of child's playing sport, singing, dancing

type: numeric (float)

range: [0,7.5] units: 1.000e-09
 unique values: 64 missing .: 0/1,397

tabulation:	Freq.	Value
	896	0
	2	.01666667
	1	.03333334
	9	.05
	9	.06666667
	19	.08333334
	26	.1
	6	.11666667
	18	.13333334
	11	.15000001
	21	.16666667
	6	.18333334
	3	.2
	9	.21666667
	2	.23333333
	21	.25
	4	.26666668
	1	.28333333
	5	.30000001
	6	.31666666
	24	.33333334
	5	.38333333
	17	.41666666
	1	.43333334
	1	.46666667
	1	.48333332
	27	.5
	2	.51666665
	1	.53333336
	1	.56666666
	17	.58333331
	5	.63333333
	12	.66666669
	1	.73333335
	17	.75
	9	.83333331
	2	.88333333
	1	.91666669
	34	1
	1	1.05
	3	1.13333333
	1	1.16666666
	11	1.25
	2	1.33333334
	22	1.5
	5	1.66666666
	8	1.75
	1	1.88333333
	18	2
	2	2.05
	3	2.25
	2	2.33333333
	19	2.5
	1	2.75
	10	3
	8	3.5
	3	3.75
	6	4
	3	4.5
	5	5
	4	5.25
	3	6
	1	7
	2	7.5

mean: .368074
 std. dev: .903567

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .25 1.16667

sport_time **Hours per week of child's playing sport, singing, dancing**

type: numeric (float)
 range: [0,47.25] units: 1.000e-09
 unique values: 125 missing .: 0/1,397
 mean: 2.92003
 std. dev: 4.53217
 percentiles: 10% 25% 50% 75% 90%
 0 .266667 1.03333 3.5 7

roleplay_time_c1
Monday-Friday:Hours per week of child's role play, selling play, playing with rob

type: numeric (float)
 range: [0,30] units: 1.000e-09
 unique values: 61 missing .: 0/1,397

tabulation: Freq. Value

	555	0
	1	.08333334
	5	.16666667
	1	.18333334
	6	.21666667
	5	.25
	3	.30000001
	1	.31666666
	1	.33333334
	11	.41666666
	1	.43333334
	3	.46666667
	1	.5
	3	.51666665
	1	.56666666
	1	.58333331
	7	.63333333
	1	.68333334
	2	.73333335
	33	.83333331
	6	.91666669
	4	.93333334
	1	1.0166667
	1	1.05
	1	1.1333333
	42	1.25
	1	1.3333334
	2	1.4666667
	1	1.5666667
	1	1.6
	48	1.6666666
	1	1.8333334
	5	1.8833333
	10	2.0833333
	1	2.3
	146	2.5
	4	2.9166667
	4	3.1333334
	3	3.3333333
	17	3.75
	6	4.1666665
	2	4.3833332
	252	5

```

      1  5.0999999
      3  5.2166667
      8  6.25
     41  7.5
      2  8.75
      1  9.3833332
     65  10
      1  11.25
     34  12.5
      1  13
     18  15
      6  17.5
      3  18.75
      3  20
      3  22.5
      3  25
      2  27.5
      1  30
    mean: 3.01754
   std. dev: 4.17466

percentiles:      10%      25%      50%      75%      90%
                  0        0      1.46667      5        10
    
```

roleplay_time_c2
Saturday-Sunday:Hours per week of child's role play, selling play, playing with

```

    type: numeric (float)
    range: [0,15]
unique values: 60
    units: 1.000e-09
missing .: 0/1,397
    
```

```

tabulation: Freq. Value
            472  0
              1  .05
              5  .06666667
              6  .083333334
              5  .1
              3  .11666667
              1  .133333334
              6  .16666667
              4  .183333334
              2  .2
              3  .21666667
              3  .233333333
              9  .25
              1  .283333333
              2  .30000001
              1  .31666666
             34  .333333334
              5  .36666667
              2  .383333333
              1  .41666666
              1  .44999999
              1  .46666667
             41  .5
              2  .58333331
              2  .63333333
              1  .64999998
             45  .66666669
              1  .73333335
              7  .75
             14  .83333331
              1  .91666669
            145  1
              4  1.1666666
              7  1.25
              4  1.3333334
             20  1.5
              6  1.6666666
    
```

```

      2 1.75
      1 1.8333334
    246 2
      1 2.0333333
      3 2.0833333
     14 2.5
     46 3
      2 3.5
      1 3.75
     80 4
      3 4.5
     54 5
     28 6
      8 7
      6 7.5
     12 8
      6 9
      5 10
      1 10.5
      2 11
      4 12
      2 13
      2 15
    mean: 1.57361
  std. dev: 2.12003

percentiles:      10%      25%      50%      75%      90%
                  0         0         1         2         4

```

roleplay_time_c3
Monday-Sunday:Hours per week of child's role play, selling play, playing with ro

```

type: numeric (float)
range: [0,15]
unique values: 54
units: 1.000e-09
missing .: 0/1,397

```

```

tabulation: Freq. Value
1,029 0
      1 .03333334
      4 .05
      8 .08333334
      3 .1
      2 .11666667
      6 .13333334
      1 .15000001
     13 .16666667
      5 .21666667
      5 .25
      3 .26666668
      3 .31666666
     13 .33333334
      6 .38333333
      7 .41666666
     20 .5
      1 .51666665
      2 .58333331
      5 .63333333
      3 .66666669
     16 .75
     13 .83333331
      4 .88333333
     27 1
      3 1.1333333
      4 1.1666666
     18 1.25
      4 1.3333334
      1 1.4666667
     33 1.5
      1 1.6666666

```

```

11 1.75
1 1.8833333
26 2
3 2.25
27 2.5
1 2.6333334
1 2.75
15 3
11 3.5
5 3.75
7 4
1 4.3833332
4 4.5
7 5
1 5.5
2 6.25
3 8.75
2 9
1 10
2 10.5
1 12.5
1 15
mean: .456753
std. dev: 1.24495

percentiles:      10%      25%      50%      75%      90%
                  0        0        0      .133333  1.5

```

roleplay_time
Hours per week of child's role play, selling play, playing with robot or car

```

type: numeric (float)
range: [0,42] units: 1.000e-09
unique values: 134 missing.: 0/1,397

mean: 5.0479
std. dev: 5.72074

percentiles:      10%      25%      50%      75%      90%
                  .216667  1.03333  3.5      7      13.5

```

learning_time_c1
Monday-Friday:Hours per week of child's practice reading, writing alphabet, count

```

type: numeric (float)
range: [0,12.5] units: 1.000e-09
unique values: 38 missing.: 0/1,397

tabulation: Freq. Value
            996 0
              2 .08333334
              1 .13333334
              5 .16666667
              2 .18333334
              8 .21666667
              4 .25
              4 .30000001
              1 .33333334
              8 .38333333
             33 .41666666
              1 .43333334
              1 .46666667
              1 .5
              1 .56666666
              1 .58333331
              9 .63333333

```

```

      1 .75
     67 .83333331
      1 .91666669
      2 .93333334
      3 1.05
     21 1.25
      2 1.4666667
     37 1.6666666
      2 1.8833333
      6 2.0833333
    107 2.5
      4 2.9166667
      1 3.1333334
      1 3.3333333
      4 3.75
     48 5
      1 5.2166667
      1 5.6333332
      6 7.5
      3 10
      1 12.5
    mean: .600895
  std. dev: 1.35614

percentiles:      10%      25%      50%      75%      90%
                  0         0         0      .416667      2.5

```

learning_time_c2
Saturday-Sunday:Hours per week of child's practice reading, writing alphabet, co

```

type: numeric (float)
range: [0,5]
unique values: 36
units: 1.000e-09
missing .: 0/1,397

```

```

tabulation: Freq. Value
            996 0
              2 .03333334
              1 .05
              4 .06666667
             10 .08333334
              3 .1
              5 .11666667
              8 .15000001
             32 .16666667
              2 .18333334
              1 .2
              2 .23333333
             10 .25
              1 .30000001
              1 .31666666
             63 .33333334
              1 .36666667
              2 .38333333
              2 .41666666
             24 .5
              2 .58333331
             38 .66666669
              3 .75
              6 .83333331
            103 1
              3 1.1666666
              1 1.25
              2 1.3333334
              4 1.5
              2 1.6666666
             48 2
              1 2.0833333
              1 2.25
              7 3

```



```

      4 4
      2 5
mean:  .249523
std. dev: .572576

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      .166667  1

```

learning_time_c3
Monday-Sunday:Hours per week of child's practice reading, writing alphabet, coun

```

type: numeric (float)
range: [0,12.5]          units: 1.000e-09
unique values: 59       missing .: 0/1,397

```

```

tabulation:  Freq.  Value
              844    0
                3   .01666667
               10   .03333334
                11   .05
                8   .06666667
               12   .08333334
               20   .1
               11   .11666667
               15   .13333334
                6   .15000001
               28   .16666667
                9   .18333334
                4   .2
               13   .21666667
               24   .25
                3   .26666668
                1   .28333333
                4   .30000001
                4   .31666666
               33   .33333334
                7   .38333333
               17   .41666666
                3   .43333334
               54   .5
                1   .51666665
                3   .55000001
                4   .58333331
                8   .63333333
                6   .66666669
                1   .68333334
               22   .75
               11   .83333331
                8   .88333333
                1   .91666669
               45   1
                1   1.05
                3   1.13333333
               10   1.16666666
               21   1.25
                3   1.33333334
                1   1.46666667
               30   1.5
                2   1.66666666
               12   1.75
               21   2
                2   2.05
                1   2.08333333
                4   2.25
               10   2.5
                1   2.63333334
                4   3
                4   3.5
                1   4

```

```

                2  4.5
                5  5
                2  6
                1  6.25
                1  6.75
                1  12.5
    mean:      .339
    std. dev:  .79483

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     .333333  1.13333

```

learning_time
Hours per week of child's practice reading, writing alphabet, counting numbers

```

    type: numeric (float)
    range: [0,17.5]
    unique values: 89
    units: 1.000e-09
    missing .: 0/1,397

```

```

    tabulation:  Freq.  Value
                 428    0
                   3  .01666667
                  10  .03333334
                   11  .05
                    8  .06666667
                   12  .08333334
                   20  .1
                   12  .11666667
                    2  .11666667
                   15  .13333334
                    6  .15000001
                   28  .16666667
                   10  .18333334
                    4  .2
                   13  .21666667
                    4  .23333335
                   26  .25
                    5  .26666668
                    1  .28333333
                   12  .30000001
                    5  .31666666
                   35  .33333334
                    3  .34999999
                    7  .38333333
                   19  .41666666
                    4  .41666669
                    3  .43333334
                   56  .5
                    1  .51666665
                    8  .53333333
                    3  .55000001
                   35  .58333331
                    1  .61666667
                    8  .63333333
                    1  .64999998
                    8  .66666669
                    1  .68333334
                    1  .69999999
                   23  .75
                    1  .80000001
                    1  .81666666
                   12  .83333331
                   17  .88333333
                    1  .91666669
                   48  1
                    3  1.05
                    3  1.13333333
                   72  1.16666666
                   21  1.25

```

```

1 1.2833333
2 1.3166666
1 1.3333333
4 1.3333334
2 1.4666666
1 1.4666667
31 1.5
3 1.6666666
33 1.75
23 2
4 2.05
1 2.0833333
4 2.25
35 2.3333333
18 2.5
2 2.6333332
1 2.6333334
6 2.9166665
1 2.9166667
5 3
104 3.5
1 3.6666665
1 4
3 4.0833335
1 4.3833332
2 4.5
7 5
4 5.25
1 5.5
2 6
1 6.25
1 6.75
46 7
1 7.3000002
1 7.8833332
1 9
6 10.5
1 12.5
3 14
1 17.5
mean: 1.18942
std. dev: 1.91321

percentiles:    10%    25%    50%    75%    90%
                 0      0    .416667    1.5    3.5

```

drawing_time_cl
Monday-Friday:Hours per week of child's palying blocks, plasticine, drawing, colo

```

type: numeric(float)
range: [0,20]
unique values: 45
units: 1.000e-08
missing .: 0/1,397

```

```

tabulation: Freq. Value
1,012 0
1 .13333334
4 .16666667
9 .21666667
3 .25
2 .30000001
1 .31666666
2 .33333334
8 .38333333
20 .41666666
1 .46666667
1 .55000001
7 .63333333
1 .73333335
50 .83333331

```

```

      4 1.05
      1 1.1333333
      2 1.1833333
     16 1.25
      1 1.5666667
      1 1.6
     38 1.6666666
      1 1.75
      2 1.8833333
      8 2.0833333
      1 2.1833334
      1 2.25
     73 2.5
      1 2.5999999
      1 2.9166667
      3 3.3333333
      2 3.75
      1 4.1666665
     75 5
      1 5.0999999
      6 6.25
      1 6.6666665
     13 7.5
      1 8.75
      2 9.3833332
      9 10
      2 11.25
      6 12.5
      1 15
      1 20
    mean: .835087
  std. dev: 2.02044

percentiles:      10%      25%      50%      75%      90%
                  0         0         0      .416667      2.5

```

drawing_time_c2
Saturday-Sunday:Hours per week of child's palying blocks, plasticine, drawing, c

```

type: numeric (float)
range: [0,15]
unique values: 46
units: 1.000e-09
missing .: 0/1,397

```

```

tabulation: Freq. Value
            991 0
              1 .05
              4 .06666667
             10 .08333334
              3 .1
              3 .11666667
              3 .13333334
              8 .15000001
             19 .16666667
              1 .18333334
              1 .21666667
              7 .25
              1 .30000001
             46 .33333334
              4 .41666666
              1 .44999999
              2 .48333332
             14 .5
              1 .63333333
              1 .64999998
             35 .66666669
              2 .75
              8 .83333331
              1 .88333333
             77 1

```

```

1 1.05
1 1.1666666
1 1.25
4 1.3333334
3 1.5
1 1.6666666
1 1.8333334
75 2
1 2.05
7 2.5
1 2.6666667
15 3
4 3.5
2 3.75
17 4
2 4.5
9 5
1 6
1 7
5 8
1 15
mean: .422775
std. dev: 1.0777

percentiles:    10%    25%    50%    75%    90%
                 0      0      0     .25     2

```

drawing_time_c3
Monday-Sunday:Hours per week of child's palying blocks, plasticine, drawing, col

```

type: numeric (float)
range: [0,20]
unique values: 59
units: 1.000e-09
missing .: 0/1,397

```

```

tabulation: Freq. Value
723 0
2 .01666667
8 .03333334
10 .05
21 .06666667
29 .08333334
11 .1
3 .11666667
17 .13333334
10 .15000001
35 .16666667
6 .18333334
2 .2
8 .21666667
8 .23333333
40 .25
4 .26666668
1 .28333333
4 .30000001
9 .31666666
32 .33333334
3 .38333333
28 .41666666
54 .5
1 .51666665
1 .56666666
7 .58333331
11 .63333333
12 .66666669
1 .73333335
24 .75
11 .83333331
6 .88333333
66 1

```

```

1 1.0333333
2 1.05
2 1.1333333
7 1.1666666
37 1.25
4 1.3333334
45 1.5
1 1.6666666
2 1.75
1 1.8333334
2 1.8833333
24 2
1 2.0166667
4 2.25
14 2.5
19 3
10 3.5
1 3.75
2 4
2 4.5
2 5
1 5.5
2 6.25
2 8.75
1 20
mean: .445001
std. dev: .986393
percentiles: 10% 25% 50% 75% 90%
              0 0 0 .5 1.33333

```

drawing_time Hours per week of child's palying blocks, plasticine, drawing, coloring

```

type: numeric (float)
range: [0,30] units: 1.000e-09
unique values: 102 missing .: 0/1,397
mean: 1.70286
std. dev: 2.95104
percentiles: 10% 25% 50% 75% 90%
              0 .066667 .583333 2 4.5

```

fieldtrip_time_c1 Monday-Fiday:Hours per week of child's going to temple, library, zoo, museum

```

type: numeric(float)
range: [0,12.5] units: .1
unique values: 4 missing .: 0/1,397
tabulation: Freq. Value
             1,388 0
              3 2.5
              5 5
              1 12.5
mean: .032212
std. dev: .462451
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0

```

fieldtrip_time_c2 Saturday-Sunday:Hours per week of child's going to temples, libraries, zoo, muse

```

type: numeric (float)
range: [0,22] units: .1
unique values: 7 missing .: 0/1,397

tabulation: Freq. Value
1,378 0
5 1
1 1.5
9 2
1 3
2 4
1 22
mean: .04116
std. dev: .636679

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

fieldtrip_time_c3
Monday-Sunday:Hours per week of child's going to temples, libraries, zoo, museum

```

type: numeric (float)
range: [0,8] units: 1.000e-09
unique values: 17 missing .: 0/1,397

tabulation: Freq. Value
1,244 0
4 .08333334
1 .13333334
2 .16666667
1 .33333334
27 .5
1 .66666669
2 .75
64 1
3 1.25
13 1.5
21 2
1 2.25
6 2.5
3 3
3 5
1 8
mean: .1398
std. dev: .516025

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 .5
    
```

fieldtrip_time **Hours per week of child's going to temples, libraries, zoo, museums**

```

type: numeric (float)
range: [0,34.5] units: 1.000e-09
unique values: 21 missing .: 0/1,397
    
```

```

tabulation:  Freq.  Value
              1,225  0
              4    .08333334
              1    .13333334
              2    .16666667
              1    .33333334
              27    .5
              1    .66666669
              2    .75
              66    1
              3    1.25
              14    1.5
              25    2
              1    2.25
              6    2.5
              4    3
              3    3.5
              2    4
              3    5
              5    7
              1    8
              1    34.5
mean:        .213171
std. dev:    1.15701

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      .5
    
```

shopping_time_c1 Monday-Friday:Hours per week of child's going to department store

```

type: numeric (float)
range: [0,7.5]
unique values: 6
units: .01
missing .: 0/1,397

tabulation:  Freq.  Value
              1,387  0
              2    1.25
              2    2.5
              2    3.75
              2    5
              2    7.5
mean:        .028633
std. dev:    .383306

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

shopping_time_c2 Saturday-Sunday:Hours per week of child's going to department store

```

type: numeric (float)
range: [0,12]
unique values: 9
units: .1
missing .: 0/1,397

tabulation:  Freq.  Value
              1,383  0
              2    1
              2    1.5
              3    2
              2    3
              2    3.5
              1    4
              1    5
              1    12
mean:        .032212
std. dev:    .418544
    
```


percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

shopping_time_c3 Monday-Sunday:Hours per week of child's going to department store

type: numeric (float)
 range: [0,13.75] units: 1.000e-08
 unique values: 34 missing .: 0/1,397

tabulation: Freq. Value
 1,196 0
 1 .13333334
 1 .23333333
 9 .5
 1 .58333331
 42 1
 3 1.25
 21 1.5
 1 1.5666667
 1 1.75
 25 2
 13 2.5
 17 3
 11 3.5
 2 3.75
 9 4
 5 4.5
 10 5
 7 6
 4 6.25
 1 6.4166665
 1 7.5
 1 8
 2 8.25
 1 8.75
 2 9
 2 10
 1 10.5
 1 11
 1 11.25
 2 12
 1 12.25
 1 12.5
 1 13.75

mean: .444834
 std. dev: 1.49104

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1.5

shopping_time Hours per week of child's going to department store

type: numeric (float)
 range: [0,13.75] units: 1.000e-08
 unique values: 37 missing .: 0/1,397

```

tabulation:  Freq.  Value
              1,182  0
                1  .13333334
                1  .23333333
                9  .5
                1  .58333331
               42  1
                3  1.25
               21  1.5
                1  1.5666667
                1  1.75
               26  2
               13  2.5
               17  3
               13  3.5
                2  3.75
               10  4
                5  4.5
                2  4.75
               11  5
                2  5.25
                7  6
                4  6.25
                1  6.4166665
                2  7
                1  7.5
                1  8
                2  8.25
                1  8.75
                2  9
                2  10
                3  10.5
                1  11
                1  11.25
                3  12
                1  12.25
                1  12.5
                1  13.75
    mean:      .505679
    std. dev:  1.6181

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1.5
    
```

working_time_c1
Monday-Friday:Hours per week of child's going to work with household members

```

    type:  numeric (float)
    range:  [0,0]
    unique values:  1
    units:  1
    missing .:  0/1,397

    tabulation:  Freq.  Value
                  1,397  0
    mean:      0
    std. dev:  0

    percentiles:      10%      25%      50%      75%      90%
                      0        0        0        0        0
    
```

working_time_c2
Saturday-Sunday:Hours per week of child's going to work with household members

```

    type:  numeric (float)
    range:  [0,0]
    unique values:  1
    units:  1
    missing .:  0/1,397
    
```

```

tabulation:  Freq.  Value
              1,397  0
    mean:    0
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

working_time_c3
Monday-Sunday:Hours per week of child's going to work with household members

```

type: numeric (float)

range: [0,0]          units: 1
unique values: 1      missing .: 0/1,397

tabulation:  Freq.  Value
              1,397  0
    mean:    0
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

working_time **Hours per week of child's going to work with household members**

```

type: numeric (float)

range: [0,0]          units: 1
unique values: 1      missing .: 0/1,397

tabulation:  Freq.  Value
              1,397  0
    mean:    0
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

housework_time_c1 **Monday-Fiday:Hours per week of child's doing housework**

```

type: numeric (float)

range: [0,12.5]      units: 1.000e-09
unique values: 32    missing .: 0/1,397

tabulation:  Freq.  Value
              1,257  0
              1  .08333334
              8  .13333334
              9  .16666667
              3  .18333334
              8  .21666667
              1  .25
              4  .30000001
              1  .31666666
              1  .33333334
              1  .38333333
              20 .41666666
              1  .46666667
              5  .63333333
              1  .75
              27 .83333331
              1  1
              1  1.0333333
              3  1.05
    
```

```

      4 1.25
      1 1.3166667
      1 1.4666667
      8 1.6666666
      1 2.3
     14 2.5
      1 2.8333333
      1 3.75
      1 4.3833332
      6 5
      2 7.5
      3 10
      1 12.5
    mean: .146528
  std. dev: .797222

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0      .083333

```

housework_time_c2 **Saturday-Sunday:Hours per week of child's doing housework**

```

      type: numeric (float)
      range: [0,5]
unique values: 29
      units: 1.000e-09
      missing .: 0/1,397

tabulation: Freq. Value
            1,252 0
              1 .03333334
              8 .05
              9 .06666667
             11 .08333334
              1 .1
              4 .11666667
              2 .13333334
             21 .16666667
              1 .18333334
              5 .25
              1 .30000001
             31 .33333334
              1 .40000001
              4 .41666666
              3 .5
              1 .53333336
              1 .55000001
              1 .58333331
              8 .66666669
              1 .83333331
              1 .91666669
             14 1
              1 1.5
              1 1.75
              7 2
              2 3
              3 4
              1 5
    mean: .060785
  std. dev: .322812

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0      .05

```

housework_time_c3 **Monday-Sunday:Hours per week of child's doing housework**

```

      type: numeric (float)

```

range: [0,5] units: 1.000e-09
 unique values: 43 missing .: 0/1,397

tabulation: Freq. Value
 985 0
 3 .01666667
 16 .03333334
 20 .05
 22 .06666667
 52 .08333334
 15 .1
 7 .11666667
 23 .13333334
 8 .15000001
 38 .16666667
 9 .18333334
 5 .2
 9 .21666667
 4 .23333333
 37 .25
 4 .30000001
 7 .31666666
 25 .33333334
 1 .38333333
 8 .41666666
 22 .5
 1 .51666665
 3 .58333331
 5 .63333333
 6 .66666669
 5 .75
 9 .83333331
 3 .88333333
 2 .91666669
 18 1
 1 1.05
 1 1.13333333
 1 1.16666666
 1 1.25
 1 1.33333334
 1 1.46666667
 6 1.5
 2 1.75
 8 2
 1 3
 1 4
 1 5

mean: .109246
 std. dev: .325585

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .083333 .316667

housework_time

Hours per week of child's doing housework

type: numeric (float)

range: [0,17.5] units: 1.000e-09
 unique values: 67 missing .: 0/1,397

```

tabulation:  Freq.  Value
              839    0
                3   .01666667
               16   .03333334
               20   .05
               22   .06666667
               52   .08333334
               15   .1
                7   .11666667
                1   .11666667
               23   .13333334
                8   .15000001
               39   .16666667
               17   .18333334
                5   .2
                9   .21666667
                4   .23333333
                9   .23333335
               37   .25
                3   .26666668
               12   .30000001
                7   .31666666
               28   .33333334
                1   .34999999
                1   .38333333
                9   .41666666
                4   .41666669
                1   .44999999
                1   .46666667
               22   .5
                1   .51666665
               23   .58333331
                5   .63333333
                1   .64999998
                6   .66666669
                5   .75
                9   .83333331
                8   .88333333
                2   .91666669
                1   .93333334
               18   1
                2   1.05
                1   1.1333333
               28   1.1666666
                2   1.25
                1   1.3333334
                1   1.4
                3   1.4666666
                1   1.4666667
                6   1.5
                5   1.75
                1   1.8500001
                1   1.8666666
                9   2
                1   2.05
                8   2.3333333
                1   3
                1   3.1666665
                1   3.2166667
               14   3.5
                1   4
                1   5
                1   5.25
                1   6.1333332
                6   7
                2   10.5
                3   14
                1   17.5
    mean:      .316559
    std. dev:  1.14232

```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .183333 .833333

homework_time_c1 Monday-Friday:Hours per week of child's doing homework

type: numeric (float)
 range: [0,15] units: 1.000e-09
 unique values: 72 missing .: 0/1,397

tabulation: Freq. Value

570	0
1	.01666667
1	.03333334
1	.05
1	.1
5	.13333334
14	.16666667
16	.21666667
21	.25
2	.28333333
3	.30000001
2	.31666666
4	.33333334
11	.38333333
3	.40000001
51	.41666666
1	.43333334
6	.46666667
1	.48333332
5	.5
5	.55000001
1	.58333331
1	.61666667
14	.63333333
7	.66666669
2	.69999999
2	.75
1	.81666666
116	.83333331
2	.85000002
2	.86666667
3	.93333334
1	.98333335
6	1
4	1.05
1	1.0833334
3	1.1666666
43	1.25
1	1.2833333
2	1.3333334
3	1.4
5	1.4666667
1	1.5
1	1.6333333
66	1.6666666
1	1.7333333
2	1.75
1	1.9833333
5	2
14	2.0833333
3	2.0999999
2	2.2166667
3	2.3333333
1	2.4333334
221	2.5
1	2.55
1	2.7833333
1	2.9166667
1	2.9333334

```

1 3
1 3.0166667
1 3.25
1 3.5
13 3.75
2 4
1 4.1833334
1 4.3166666
95 5
1 5.1166668
6 7.5
4 10
1 15
mean: 1.18743
std. dev: 1.61673
percentiles: 10% 25% 50% 75% 90%
              0 0 .416667 2.5 2.5

```

homework_time_c2 **Saturday-Sunday:Hours per week of child's doing homework**

```

type: numeric (float)
range: [0,6] units: 1.000e-09
unique values: 31 missing .: 0/1,397
tabulation: Freq. Value
1,102 0
1 .03333334
1 .05
4 .06666667
5 .08333334
7 .1
3 .11666667
1 .13333334
3 .15000001
21 .16666667
1 .21666667
8 .25
42 .33333334
1 .41666666
2 .46666667
14 .5
2 .58333331
1 .61666667
26 .66666669
1 .69999999
2 .83333331
85 1
1 1.0333333
1 1.1666666
1 1.4
6 1.5
1 1.8666667
49 2
2 3
2 4
1 6
mean: .192854
std. dev: .508572
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1

```

homework_time_c3 **Monday-Sunday:Hours per week of child's doing homework**

```

type: numeric (float)

```


range: [0,6] units: 1.000e-09
 unique values: 52 missing .: 0/1,397

tabulation: Freq. Value
 1,176 0
 1 .01666667
 1 .03333334
 4 .06666667
 7 .08333334
 2 .1
 1 .11666667
 8 .13333334
 1 .15000001
 3 .16666667
 3 .18333334
 1 .21666667
 4 .23333333
 11 .25
 1 .26666668
 4 .30000001
 1 .31666666
 6 .33333334
 2 .38333333
 7 .41666666
 1 .43333334
 22 .5
 1 .51666665
 4 .58333331
 6 .63333333
 6 .66666669
 2 .75
 6 .83333331
 7 .88333333
 2 .93333334
 19 1
 1 1.0666667
 1 1.1166667
 3 1.1666666
 10 1.25
 15 1.5
 3 1.6333333
 3 1.75
 1 1.8666667
 18 2
 1 2.0999999
 1 2.25
 1 2.45
 5 2.5
 1 2.6500001
 4 3
 2 3.5
 2 4
 1 4.4166665
 1 4.5
 1 5
 2 6

mean: .167538
 std. dev: .561609

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 .5

homework_time **Hours per week of child's doing homework**

type: numeric (float)
 range: [0,21] units: 1.000e-09
 unique values: 111 missing .: 0/1,397

mean: 1.54782
 std. dev: 1.93804
 percentiles: 10% 25% 50% 75% 90%
 0 .033333 .833333 2.5 3.5

selfreading_c1 **Monday-Friday:Hours per week of child's reading**

type: numeric (float)
 range: [0,10] units: 1.000e-09
 unique values: 24 missing .: 0/1,397

tabulation: Freq. Value
 1,272 0
 3 .08333334
 3 .16666667
 4 .21666667
 1 .25
 3 .30000001
 1 .33333334
 1 .38333333
 7 .41666666
 1 .5
 1 .55000001
 4 .63333333
 26 .83333331
 10 1.25
 1 1.4666667
 1 1.5
 13 1.6666666
 1 1.8833333
 2 2.0833333
 28 2.5
 1 2.9166667
 1 3.3333333
 11 5
 1 10

mean: .154677
 std. dev: .67011

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

selfreading_c2 **Saturday-Sunday:Hours per week of child's reading**

type: numeric (float)
 range: [0,4] units: 1.000e-09
 unique values: 21 missing .: 0/1,397

tabulation: Freq. Value
 1,287 0
 3 .03333334
 3 .06666667
 3 .08333334
 1 .1
 3 .11666667
 1 .13333334
 1 .15000001
 7 .16666667
 1 .21666667
 4 .25
 20 .33333334
 9 .5
 10 .66666669
 1 .75
 3 .83333331

```

                26 1
                1 1.1666666
                1 1.3333334
                11 2
                 1 4
    mean:       .056729
    std. dev:   .263362

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

selfreading_c3 **Monday-Sunday:Hours per week of child's reading**

```

    type: numeric (float)
    range: [0,3]
    unique values: 37
    units: 1.000e-09
    missing .: 0/1,397
    
```

```

    tabulation: Freq. Value
                1,307 0
                 2 .01666667
                 1 .03333334
                 1 .06666667
                 6 .08333334
                 1 .1
                 7 .13333334
                 1 .15000001
                 1 .16666667
                 4 .18333334
                 1 .2
                 1 .21666667
                 2 .23333333
                 5 .25
                 1 .26666668
                 2 .30000001
                 4 .33333334
                 4 .41666666
                 1 .43333334
                 1 .46666667
                 4 .5
                 1 .51666665
                 3 .58333331
                 2 .63333333
                 4 .66666669
                 4 .83333331
                 1 .88333333
                 8 1
                 3 1.25
                 1 1.4666667
                 6 1.5
                 1 1.6666666
                 1 1.75
                 2 2
                 1 2.25
                 1 2.5
                 1 3
    
```

```

    mean:       .042532
    std. dev:   .225618
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

selfreading_time **Hours per week of child's reading**

```

    type: numeric (float)
    
```

range: [0,14] units: 1.000e-09
 unique values: 54 missing .: 0/1,397

```

tabulation: Freq. Value
1,180 0
2 .01666667
1 .03333334
1 .06666667
6 .08333334
1 .1
3 .11666667
7 .13333334
1 .15000001
2 .16666667
4 .18333334
1 .2
2 .21666667
2 .23333333
3 .23333335
5 .25
1 .26666668
5 .30000001
4 .33333334
1 .34999999
5 .41666666
3 .41666669
1 .43333334
1 .46666667
1 .46666667
5 .5
1 .51666665
1 .53333333
9 .58333331
2 .63333333
4 .66666669
1 .76666665
9 .83333331
5 .88333333
8 1
20 1.1666666
4 1.25
2 1.4666667
6 1.5
5 1.6666666
10 1.75
3 2
1 2.25
10 2.3333333
5 2.5
1 2.6333332
2 2.9166665
1 3
25 3.5
1 4.0833335
1 4.6666665
1 5
10 7
1 14
    
```

mean: .253937
 std. dev: .937727

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 .583333

screen_time_c1
 Monday-Friday:Hours per week of child's playing computer ,tablet, ipad and smart

type: numeric (float)

range: [0, 60] units: 1.000e-09
 unique values: 59 missing .: 0/1,397

tabulation:	Freq.	Value
	663	0
	1	.08333334
	1	.13333334
	1	.16666667
	1	.18333334
	2	.21666667
	1	.25
	4	.30000001
	4	.38333333
	9	.41666666
	2	.5
	1	.51666665
	4	.63333333
	1	.75
	17	.83333331
	1	.93333334
	2	1
	4	1.05
	15	1.25
	2	1.4666667
	22	1.6666666
	1	1.8833333
	1	2
	6	2.0833333
	1	2.1833334
	109	2.5
	1	2.5999999
	2	2.9166667
	1	3.1333334
	9	3.3333333
	1	3.6500001
	18	3.75
	2	4.1666665
	1	4.3833332
	1	4.5833335
	233	5
	2	5.4166665
	4	5.8333335
	1	6.0500002
	11	6.25
	1	7.3000002
	53	7.5
	1	8.75
	3	9.3833332
	83	10
	1	11.25
	30	12.5
	20	15
	1	16.666666
	7	17.5
	3	18.75
	15	20
	4	22.5
	2	25
	1	27.5
	6	30
	1	31.25
	1	33.75
	1	60

mean: 3.37373
 std. dev: 5.18331

percentiles: 10% 25% 50% 75% 90%
 0 0 .833333 5 10

screen_time_c2
 Saturday-Sunday:Hours per week of child's playing computer ,tablet, ipad and sma

type: numeric (float)
 range: [0,29] units: 1.000e-09
 unique values: 57 missing .: 0/1,397

tabulation:	Freq.	Value
	627	0
	1	.03333334
	1	.05
	3	.08333334
	1	.1
	4	.11666667
	4	.15000001
	8	.16666667
	2	.2
	1	.21666667
	6	.25
	14	.33333334
	1	.38333333
	7	.41666666
	1	.48333332
	14	.5
	22	.66666669
	1	.75
	7	.83333331
	1	.88333333
	101	1
	1	1.05
	2	1.16666666
	2	1.25
	9	1.33333334
	1	1.46666667
	20	1.5
	5	1.66666666
	1	1.75
	1	1.83333334
	208	2
	1	2.25
	4	2.33333333
	12	2.5
	1	2.91666667
	51	3
	1	3.5
	2	3.75
	88	4
	3	4.5
	38	5
	34	6
	13	7
	6	7.5
	17	8
	11	9
	6	10
	5	11
	13	12
	2	12.5
	1	13
	3	13.5
	1	14
	2	16
	1	21
	3	24
	1	29

mean: 1.7733
 std. dev: 2.89293

percentiles: 10% 25% 50% 75% 90%
 0 0 .666667 2 5

screen_time_c3

Monday-Sunday:Hours per week of child's playing computer ,tablet, ipad and smart

type: numeric (float)
 range: [0,12] units: 1.000e-09
 unique values: 51 missing .: 0/1,397

tabulation:	Freq.	Value
	1,126	0
	3	.03333334
	3	.05
	3	.06666667
	2	.08333334
	4	.1
	3	.13333334
	2	.15000001
	10	.16666667
	3	.18333334
	7	.21666667
	3	.25
	1	.30000001
	1	.31666666
	16	.33333334
	4	.38333333
	2	.41666666
	2	.43333334
	24	.5
	2	.58333331
	2	.63333333
	5	.66666669
	4	.75
	3	.83333331
	1	.88333333
	24	1
	1	1.05
	2	1.1333333
	2	1.1666666
	11	1.25
	3	1.3333334
	17	1.5
	5	1.75
	2	1.8833333
	1	1.9833333
	12	2
	3	2.25
	17	2.5
	16	3
	10	3.5
	2	3.75
	10	4
	3	4.5
	7	5
	1	5.25
	2	6
	2	7
	1	7.5
	5	8
	1	11.25
	1	12

mean: .34444
 std. dev: 1.09542

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

screen_time Hours per week of child's playing computer ,tablet, ipad and smart phone

```

type: numeric (float)
range: [0,84] units: 1.000e-09
unique values: 146 missing .: 0/1,397
mean: 5.49147
std. dev: 7.45321
percentiles: 10% 25% 50% 75% 90%
              0 .033333 3.06667 7 14
    
```

tv_time_c1 Hours per week of child's watching tv

```

type: numeric (float)
range: [0,65] units: 1.000e-08
unique values: 57 missing .: 0/1,397
    
```

```

tabulation: Freq. Value
            277 0
              2 .13333334
              3 .16666667
              5 .21666667
              2 .25
              3 .30000001
              3 .38333333
             20 .41666666
              1 .5
              1 .56666666
              5 .58333331
              5 .63333333
             33 .83333331
              1 .91666669
              1 1
              1 1.05
              1 1.0833334
             13 1.25
              1 1.5666667
             27 1.6666666
              4 1.8833333
              2 2.0833333
             180 2.5
              5 2.9166667
              4 3
              1 3.0833333
              9 3.3333333
             32 3.75
              2 4.1666665
             422 5
              1 5.2166667
              1 5.3833332
              1 5.4166665
              1 5.6333332
              3 6.25
              1 6.6666665
              2 7.0833335
             65 7.5
              2 9.1666667
              1 9.3833332
            144 10
              2 11.25
             24 12.5
             38 15
              1 15.833333
              8 17.5
              3 18.75
    
```



```

                16 20
                2 20.25
                3 22.5
                5 25
                1 27.5
                2 30
                1 31.25
                1 40
                1 42.5
                1 65
    mean:      4.87776
    std. dev:  5.16866

    percentiles:    10%    25%    50%    75%    90%
                   0     .833333  5     5     10
    
```

tv_time_c2 **Hours per week of child's watching tv**

```

    type: numeric (float)
    range: [0,36]
    unique values: 56
    units: 1.000e-09
    missing .: 0/1,397
    
```

```

    tabulation:
    Freq. Value
    260 0
    2 .05
    3 .06666667
    4 .08333334
    2 .1
    2 .11666667
    3 .15000001
    15 .16666667
    1 .2
    5 .23333333
    4 .25
    31 .33333334
    1 .43333334
    10 .5
    1 .63333333
    26 .66666669
    4 .75
    2 .83333331
    151 1
    3 1.1666666
    7 1.3333334
    28 1.5
    3 1.6666666
    372 2
    1 2.0833333
    1 2.25
    1 2.3333333
    6 2.5
    1 2.6666667
    1 2.9166667
    63 3
    4 3.5
    1 3.75
    164 4
    3 4.5
    27 5
    1 5.1666665
    2 5.5
    44 6
    1 6.25
    16 7
    4 7.5
    44 8
    7 9
    21 10
    6 11
    
```

```

13 12
3 12.5
1 13
7 14
3 15
4 16
2 20
2 21
2 26
1 36
mean: 2.67791
std. dev: 3.23709

percentiles:      10%      25%      50%      75%      90%
                  0      .666667      2      4      6
    
```

tv_time_c3 **Hours per week of child's watching tv**

```

type: numeric (float)
range: [0,9]
unique values: 39
units: 1.000e-09
missing .: 0/1,397
    
```

```

tabulation: Freq. Value
1,285 0
1 .06666667
1 .08333334
1 .1
1 .11666667
2 .13333334
4 .16666667
1 .2
1 .21666667
1 .23333333
6 .25
2 .31666666
1 .33333334
1 .36666667
2 .41666666
7 .5
1 .58333331
1 .63333333
6 .66666669
10 .75
1 .83333331
9 1
1 1.05
5 1.25
1 1.46666667
10 1.5
4 1.75
1 1.8833333
4 2
1 2.25
5 2.5
7 3
4 3.5
1 4
2 4.5
1 6.75
1 7.5
1 8.25
3 9
mean: .132116
std. dev: .698256
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0      0      0      0      0
    
```

tv_time **Hours per week of child's watching tv**

```

type: numeric (float)
range: [0,91]
unique values: 152
mean: 7.68778
std. dev: 7.75583
units: 1.000e-09
missing .: 0/1,397

percentiles:      10%      25%      50%      75%      90%
                  .166667  2.33333  7        10.5     17
    
```

other_c1 **Monday-Friday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,0]
unique values: 1
mean: 0
std. dev: 0
units: 1
missing .: 0/1,397

tabulation: Freq. Value
             1,397  0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

other_c2 **Saturday-Sunday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,0]
unique values: 1
mean: 0
std. dev: 0
units: 1
missing .: 0/1,397

tabulation: Freq. Value
             1,397  0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

other_c3 **Monday-Sunday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,0]
unique values: 1
mean: 0
std. dev: 0
units: 1
missing .: 0/1,397

tabulation: Freq. Value
             1,397  0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

other_time **Hours per week of child's doing other activity**

```

type: numeric (float)
    
```

```

    range: [0,0]                units: 1
unique values: 1                missing .: 0/1,397

  tabulation: Freq.  Value
              1,397  0
    mean:      0
  std. dev:    0

percentiles:   10%    25%    50%    75%    90%
               0      0      0      0      0
    
```

year_survey **year survey**

```

    type: numeric (float)

    range: [2018,2018]          units: 1
unique values: 1                missing .: 0/1,397

  tabulation: Freq.  Value
              1,397  2018
    mean:      2018
  std. dev:    0

percentiles:   10%    25%    50%    75%    90%
               2018   2018   2018   2018   2018
    
```

survey_name **survey round**

```

    type: string (str12)

unique values: 1                missing "": 0/1,397

  tabulation: Freq.  Value
              1,397  "RESURVEY2018"
    
```

```

2 . log close
   name: <unnamed>
   log:  V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2018\b11.smcl
   log type: smcl
   closed on: 22 Jan 2024, 18:18:42
    
```
