



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\b2.smcl
log type: smcl
opened on: 22 Jan 2024, 14:56:09
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b2_run.dta
Last saved: 22 Jan 2024 14:54
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 245
Number of observations: 1,397
Size: 7,454,392 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,397 missing "": 0/1,397
examples: "201591160604207H1"
           "201691131001062H1"
           "201691160105024H1"
           "201691161708105H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,397
tabulation: Freq. Value
             517 "2015"
             880 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,197 missing "": 0/1,397
 examples: "201591160604207"
 "201691131001041"
 "201691160105024"
 "201691161708105"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,397
 tabulation: Freq. Value
 1,259 "91"
 138 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/1,397
 tabulation: Freq. Value
 138 "12"
 241 "13"
 116 "14"
 136 "15"
 514 "16"
 41 "17"
 211 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,397
 tabulation: Freq. Value
 63 "01"
 214 "02"
 122 "04"
 53 "05"
 53 "06"
 63 "07"
 56 "08"
 92 "09"
 122 "10"
 89 "11"
 141 "13"
 42 "14"
 137 "15"
 96 "17"
 54 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,397

```

tabulation:  Freq.  Value
              153  "01"
              62  "02"
              141  "03"
              148  "04"
              116  "05"
              145  "06"
              76  "07"
              143  "08"
              87  "09"
              70  "10"
              50  "11"
              39  "12"
              38  "13"
              10  "14"
              12  "15"
              36  "16"
              8   "17"
              12  "18"
              26  "19"
              18  "22"
              7   "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 182          missing "": 0/1,397
examples: "011"
           "035"
           "070"
           "147"
    
```

ccla **Breastfeeding for the child in the past 30 days**

```

type: numeric (byte)
label: ccla
range: [1,3]          units: 1
unique values: 2      missing .: 841/1,397
unique missing codes: 2  missing *: 19/1,397

tabulation:  Freq.  Numeric  Label
              31     1  yes
              506     3  no
              841     .
              19     .d
    
```

cclal **Stop breastfeeding ; Child's age in months**

```

type: numeric (byte)
range: [0,47]        units: 1
unique values: 30    missing .: 891/1,397
unique missing codes: 3  missing *: 23/1,397
    
```



```

tabulation:  Freq.  Value
              85    1
              61    2
              69    3
              65    4
              20    5
              34    6
              38    7
              21    8
              23    9
              14   10
               5   11
              25   12
              10   13
               7   14
               4   15
               4   16
               5   17
              11   18
               8   19
               4   20
               2   21
               1   22
               1   23
               8   24
               3   25
               2   26
               2   29
            842   .
               1   .c
              22   .d
    mean:     6.47556
  std. dev:  5.81813

percentiles:      10%      25%      50%      75%      90%
                  1         2         4         9        15
    
```

cc3 Since previous interview, have child eaten vitamin or supplementary food?

```

    type: numeric (byte)
    label: cc3

    range: [1,3]          units: 1
  unique values: 2        missing .: 0/1,397

  tabulation:  Freq.  Numeric  Label
                616    1    yes
                781    3    no
    
```

cc3b Since the last interview , What vitamins did the child eat? (not display)

```

    type: string (str120), but longest is str0
  unique values: 0          missing "": 1,397/1,397

  tabulation:  Freq.  Value
                1,397  ""
    
```

cc3ca Since the last interview , How many times did the child eat supplements such as

```

    type: numeric (int)

    range: [0,60]          units: 1
  unique values: 17        missing .: 781/1,397
  unique missing codes: 2  missing *: 6/1,397
    
```

```

tabulation:  Freq.  Value
              478  0
              84  1
              15  2
              11  3
               3  4
               3  5
               4  6
               1  7
               1  9
               1 11
               1 12
               2 14
               2 15
               1 20
               1 29
               1 30
               1 60
              781  .
               6  .c
    mean:     .711475
    std. dev: 3.43344

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      1
    
```

cc3cb How often do children have to consume food supplements such as instant real bird

```

type: string (str30), but longest is str16

unique values: 6             missing "": 1,259/1,397
unique missing codes: 2     missing *: 6/1,397

tabulation:  Freq.  Value
              1,259 ""
               6  "DK"
               40  "daily"
               24  "monthly"
                1  "two times a year"
               31  "weekly"
               36  "yearly"

warning: variable has embedded blanks
    
```

cc3cc The frequency code of the child has taken supplements

```

type: numeric (byte)
label: cc3cc

range: [1,9]             units: 1
unique values: 5         missing .: 1,259/1,397
unique missing codes: 2  missing *: 6/1,397

tabulation:  Freq.  Numeric  Label
              40      1  daily
              31      3  weekly
              24      5  monthly
                1      7  two times a year
              36      9  yearly
             1,259      .
                6      .c
    
```

cc4b Since previous interview, does child regularly drank water being boiled, filte

```

type: numeric (byte)
label: cc4b

range: [1,3]
unique values: 2

units: 1
missing ..: 0/1,397

tabulation: Freq.  Numeric  Label
              1,237    1    yes
              160     3    no
    
```

cc5a4 Since previous interview, has the child had soft vegetables (including cooked an

```

type: numeric (byte)
label: cc5a4

range: [1,3]
unique values: 2

units: 1
missing ..: 0/1,397

tabulation: Freq.  Numeric  Label
              1,062    1    yes
              335     3    no
    
```

cc5b4 Vegetables ; Frequency(days/month)

```

type: numeric (byte)

range: [1,30]
unique values: 20
unique missing codes: 2

units: 1
missing ..: 335/1,397
missing *: 1/1,397

tabulation: Freq.  Value
              4    1
             13    2
             16    3
             96    4
              9    5
             60    6
              3    7
            122    9
              7   10
             93   11
             90   13
             49   15
             16   17
              1   18
              7   19
              2   20
             14   22
              4   24
              3   26
            452   30
            335  .
              1  .c
mean:      18.3685
std. dev:  10.6637

percentiles:      10%      25%      50%      75%      90%
                  4        9       15       30       30
    
```

cc5a6 Since previous interview : Did the child eat eggs, meat and meat products

```

type: numeric (byte)
label: cc5a6
    
```

```

range: [1,1] units: 1
unique values: 1 missing .: 0/1,397

tabulation: Freq. Numeric Label
1,397 1 yes
    
```

cc5b6 Frequency (days/month): eating eggs,meat and meat products

```

type: numeric (byte)
range: [4,30] units: 1
unique values: 13 missing .: 0/1,397

tabulation: Freq. Value
6 4
4 6
3 9
10 11
1 12
8 13
6 15
8 17
3 19
4 22
1 24
1 26
1,342 30
mean: 29.3357
std. dev: 3.45722

percentiles: 10% 25% 50% 75% 90%
30 30 30 30 30
    
```

cc5a7 Have children ever eating seafood such as mackerel, squid

```

type: numeric (byte)
label: cc5a7
range: [1,3] units: 1
unique values: 2 missing .: 0/1,397

tabulation: Freq. Numeric Label
1,194 1 yes
203 3 no
    
```

cc5b7 Seafood/mackerel/squid ; Frequency (days/month)

```

type: numeric (int)
range: [1,30] units: 1
unique values: 23 missing .: 203/1,397

tabulation: Freq. Value
35 1
63 2
61 3
243 4
13 5
100 6
4 7
1 8
199 9
4 10
145 11
1 12
118 13
    
```



```

                2 14
                57 15
                24 17
                15 19
                 1 20
                 8 22
                 1 24
                 1 26
                 1 28
                97 30
                203 .
    mean:      9.84003
    std. dev:  7.47303

    percentiles:    10%    25%    50%    75%    90%
                   3      4      9     13     19
    
```

cc5a8 **Since previous interview : Did the child drink soft drink**

```

    type: numeric (byte)
    label: cc5a8

    range: [1,3]
    unique values: 2

    units: 1
    missing .: 0/1,397

    tabulation:  Freq.  Numeric  Label
                 1,126    1      yes
                 271      3      no
    
```

cc5b8 **Soft drinks ; Frequency(days/month)**

```

    type: numeric (byte)

    range: [1,30]
    unique values: 22
    unique missing codes: 2

    units: 1
    missing .: 271/1,397
    missing *: 3/1,397

    tabulation:  Freq.  Value
                 40    1
                 57    2
                 43    3
                189    4
                 12    5
                 73    6
                   3    7
                145    9
                   3   10
                 70   11
                   1   12
                 66   13
                 26   15
                 17   17
                   1   18
                 14   19
                   4   20
                 24   22
                   3   24
                   1   25
                   1   26
                330   30
                271  .
                   3  .c

    mean:      14.3606
    std. dev:  11.0242

    percentiles:    10%    25%    50%    75%    90%
                   3      4      9     30     30
    
```

cc10a1 Rank of reponsive freq : using praise to the child for satisfying behavior

```

type: numeric (byte)
label: cc10a1

range: [..]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10a2 Rank of reponsive freq : hug, kiss, head pad or applaud to the child for satisfy

```

type: numeric (byte)
label: cc10a2

range: [..]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10a3 Rank of reponsive freq : give reward to the child for satisfying behavior

```

type: numeric (byte)
label: cc10a3

range: [..]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10a4 Rank of reponsive freq : respond to the child with the other reponsive types

```

type: numeric (byte)
label: cc10a4

range: [..]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10a4_des Description of other reponsive types (not display)

```

type: string (str114), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""
    
```

cc10b1 Rank of reponsive freq : assign time out to the child for unsatisfying behavior

```

type: numeric (byte)
label: cc10b1
    
```

```

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,397/1,397

        tabulation: Freq.  Numeric  Label
                    1,397      .
    
```

cc10b2 Rank of reponsive freq : show offensive facial expression to the child for unsa

```

        type: numeric (byte)
        label: cc10b2

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,397/1,397

        tabulation: Freq.  Numeric  Label
                    1,397      .
    
```

cc10b3 Rank of reponsive freq : use fierceful words, loud voice or shout to the child f

```

        type: numeric (byte)
        label: cc10b3

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,397/1,397

        tabulation: Freq.  Numeric  Label
                    1,397      .
    
```

cc10b4 Rank of reponsive freq : give warning to the child for unsatisfying behavior

```

        type: numeric (byte)
        label: cc10b4

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,397/1,397

        tabulation: Freq.  Numeric  Label
                    1,397      .
    
```

cc10b5 Rank of reponsive freq : hit or spank the child for unsatisfying behavior

```

        type: numeric (byte)
        label: cc10b5

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,397/1,397

        tabulation: Freq.  Numeric  Label
                    1,397      .
    
```

cc10b6 Rank of reponsive freq : threaten to not love or leave the child for unsatisfyin

```

        type: numeric (byte)
        label: cc10b6

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,397/1,397
    
```

tabulation: Freq. Numeric Label
 1,397 .

cc10b7

Rank of reponsive freq : negotiate with the child that if he/she stop unsatisfyi

type: numeric (**byte**)
 label: **cc10b7**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10b8

Rank of reponsive freq : responding to the child with the other responsive types

type: numeric (**byte**)
 label: **cc10b8**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10b8_des

Description of the other reponsive types (not display)

type: string (**str106**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc10c

Since previous interview, have child ever wetting

type: numeric (**byte**)
 label: **cc10c**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10c1

Rank of reponsive freq reponsive for the bedwetting:punishing of the child(chil

type: numeric (**byte**)
 label: **cc10c1**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10c2
Rank of reponsive freq for the bedwetting : training the child to urinate before

```

type: numeric (byte)
label: cc10c2

range: [...]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10c3
Rank of reponsive freq for the bedwetting : avoid giving milk and water to the c

```

type: numeric (byte)
label: cc10c3

range: [...]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10c4
Rank of reponsive freq reponsive for the bedwetting:waking the child up at night

```

type: numeric (byte)
label: cc10c4

range: [...]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10c6 **Rank of reponsive freq for the bedwetting : do nothing**

```

type: numeric (byte)
label: cc10c6

range: [...]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10c5
Rank of reponsive freq reponsive for the bedwetting:the child : other rection ty

```

type: numeric (byte)
label: cc10c5

range: [...]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10c5_des Description of other reaction types to the child for bedwetting (not display)

type: string (**str78**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc10d Since previous interview, has child ever get constipation

type: numeric (**byte**)
 label: **cc10d**
 range: [..]
 unique values: 0 units: . missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10d1 Constipation problem solution : anus's been tucked by soap

type: numeric (**byte**)
 label: **cc10d1**
 range: [..]
 unique values: 0 units: . missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10d2 Use enema (for bottom injection)

type: numeric (**byte**)
 label: **cc10d2**
 range: [..]
 unique values: 0 units: . missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10d3 Training for scheduled defecation

type: numeric (**byte**)
 label: **cc10d3**
 range: [..]
 unique values: 0 units: . missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10d4 Use laxative (for eating)

type: numeric (**byte**)
 label: **cc10d4**

range: [..]
 unique values: 0
 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10e1 Take the child to restroom or manage child to sit on toilet or pot

type: numeric (byte)
 label: cc10e1
 range: [..]
 unique values: 0
 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10e2 Child go to restroom by himself

type: numeric (byte)
 label: cc10e2
 range: [..]
 unique values: 0
 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10e3 Take child to defecate under house or around the house, not in the toilet

type: numeric (byte)
 label: cc10e3
 range: [..]
 unique values: 0
 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10e4 Help child to clean after defecation

type: numeric (byte)
 label: cc10e4
 range: [..]
 unique values: 0
 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10e5 Let child manage him self after defecation

type: numeric (byte)
 label: cc10e5
 range: [..]
 unique values: 0
 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10f1 **Electric plug installed with cover**

```

      type: numeric (byte)
      label: cc10f1

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .

```

cc10f2 **Electric plug installed at high position (over child hight)**

```

      type: numeric (byte)
      label: cc10f2

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .

```

cc10f3 **Keep sharp objects away from children**

```

      type: numeric (byte)
      label: cc10f3

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .

```

cc10f4 **Keep medicine away from children**

```

      type: numeric (byte)
      label: cc10f4

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .

```

cc10f5 **Keep chemical substance away from children**

```

      type: numeric (byte)
      label: cc10f5

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .

```

cc10g **In the child's eating, Do you need to feed the baby now?**

```

      type: numeric (byte)
      label: cc10g

```


range: [1,3] units: 1
 unique values: 2 missing : 841/1,397

tabulation:	Freq.	Numeric	Label
	124	1	yes
	432	3	no
	841	.	.

cc11i How often the child watching television while eating?

type: numeric (byte)
 label: cc11i

range: [1,5] units: 1
 unique values: 3 missing : 0/1,397

tabulation:	Freq.	Numeric	Label
	558	1	never
	565	3	sometime
	274	5	often

cc11c Have you restricted the television program that child watch?

type: numeric (byte)
 label: cc11c

range: [1,5] units: 1
 unique values: 3 missing : 0/1,397
 unique missing codes: 1 missing *: 1/1,397

tabulation:	Freq.	Numeric	Label
	114	1	yes (restricted)
	1,169	3	no (the child can watch any program.)
	113	5	the child did not watch television.
	1	.d	.

cc11e Does your household connect to the internet via computer/Ipad/teblet/mobile phon

type: numeric (byte)
 label: cc11e

range: [1,3] units: 1
 unique values: 2 missing : 0/1,397
 unique missing codes: 1 missing *: 1/1,397

tabulation:	Freq.	Numeric	Label
	1,024	1	yes
	372	3	no
	1	.c	.

cc12 Since previous interview, have your household member wathching political news in

type: numeric (byte)
 label: cc12

range: [.,.] units: .
 unique values: 0 missing : 1,397/1,397

tabulation:	Freq.	Numeric	Label
	1,397	.	.

cc12a **The child join when watching political news (yes/no)**

```

type: numeric (byte)
label: cc12a

range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq.  Numeric  Label
              1,397      .
    
```

cc13a **The response of parents to the child : the participation of father for child rea**

```

type: numeric (byte)
label: cc13a

range: [1,5]
unique values: 3
unique missing codes: 1
units: 1
missing .: 0/1,397
missing *: 1/1,397

tabulation: Freq.  Numeric  Label
              449      1  never (skip to cc13b)
              484      3  sometimes
              463      5  often
               1      .c
    
```

cc13a_des **How to get involved in parenting**

```

type: string (str236)

unique values: 631
unique missing codes: 2
missing "": 450/1,397
missing *: 2/1,397

warning: variable has embedded and trailing blanks
    
```

cc13b **The response of parents to the child : talking together about child rearing amon**

```

type: numeric (byte)
label: cc13b

range: [1,5]
unique values: 3
unique missing codes: 1
units: 1
missing .: 0/1,397
missing *: 99/1,397

tabulation: Freq.  Numeric  Label
              713      1  never (skip to cc13h)
              427      3  sometimes
              158      5  often
               99      .b
    
```

cc13b_des **How to get planed and making an agreement in parenting**

```

type: string (str356), but longest is str228

unique values: 405
missing "": 803/1,397

warning: variable has embedded and trailing blanks
    
```

cc13h **Number of learning centers for children in the community**

```

type: numeric (byte)
label: cc13h

range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq.   Numeric   Label
              1,397           .
    
```

cc13i **How dangerous is this community to the child**

```

type: numeric (byte)
label: cc13i

range: [1,5]
unique values: 3
units: 1
missing .: 0/1,397

tabulation: Freq.   Numeric   Label
              1,052           1 not at all
              243            3 somewhat
              102            5 much
    
```

cc14 **Interviewer note (unavailable)**

```

type: string (str693), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.   Value
              1,397 ""
    
```

cc2_1 **Powdered milk (not display)**

```

type: string (str84), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.   Value
              1,397 ""
    
```

cc2_1:
 1. subjected to a carryforward operation

cc2a_1 **Powdered milk: Eat or not?**

```

type: numeric (byte)
label: cc2a_1

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing .: 1/1,397
missing *: 841/1,397

tabulation: Freq.   Numeric   Label
              63            1 yes
              492           3 no
              1             .
              841           .b
    
```

cc2b_1

Powdered milk: Average quantity per week

```

type: numeric (int)
range: [3,1600]
unique values: 32
unique missing codes: 2
units: 1
missing .: 493/1,397
missing *: 841/1,397
    
```

```

tabulation: Freq. Value
             1 3
             1 9
             2 12
             1 14
             3 21
             5 28
             2 42
             1 49
             6 56
             1 63
             1 70
             3 84
             2 98
             1 105
             4 112
             1 136
             1 142
             3 147
             1 154
             7 168
             1 173
             1 196
             1 200
             1 210
             1 214
             2 224
             2 280
             2 308
             2 336
             1 448
             1 508
             1 1600
             493 .
             841 .b
mean: 154.762
std. dev: 214.27
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  21       49       112      173      308
    
```

cc2c_1

Powdered milk: Unit

```

type: string (str35), but longest is str15
unique values: 1
missing "": 1/1,397
    
```

```

tabulation: Freq. Value
             1 ""
             1,396 "๑๑๑"
    
```

cc2_2

Bag milk/Pasteurized milk (not display)

```

type: string (str84), but longest is str0
unique values: 0
missing "": 1,397/1,397
    
```

tabulation: Freq. Value
 1,397 ""

cc2_2:

1. subjected to a carryforward operation

cc2a_2

Bag milk/Pasteurized milk: Eat or not?

type: numeric (byte)
 label: cc2a_2
 range: [1,3] units: 1
 unique values: 2 missing .: 1/1,397
 unique missing codes: 2 missing *: 3/1,397

tabulation:	Freq.	Numeric	Label
	1,110	1	yes
	283	3	no
	1	.	
	3	.c	

cc2b_2

Bag milk/Pasteurized milk: Average quantity per week

type: numeric (int)
 range: [1,78] units: 1
 unique values: 37 missing .: 287/1,397
 unique missing codes: 2 missing *: 4/1,397

tabulation:	Freq.	Value
	10	1
	13	2
	26	3
	16	4
	672	5
	7	6
	59	7
	48	8
	6	9
	101	10
	9	11
	34	12
	10	13
	29	14
	7	15
	2	16
	6	17
	6	18
	9	19
	1	20
	2	21
	1	22
	3	23
	1	24
	7	26
	7	28
	1	30
	4	32
	1	33
	1	35
	1	37
	1	40
	1	44
	1	50
	1	54
	1	61
	1	78
	287	.


```

      5 13
    150 14
      2 15
      4 16
      1 17
     40 18
     12 19
      1 20
     71 21
      2 22
      1 24
     24 25
      9 26
     37 28
      9 32
      2 33
     13 35
      1 37
      9 39
     19 42
      2 46
      1 47
      5 49
      1 53
     10 56
      2 70
      1 72
      4 84
      1 89
      1 112
      1 168
    397 .
  mean: 13.689
std. dev: 13.6942

percentiles:      10%      25%      50%      75%      90%
                  3         5         9        18        28

```

cc2c_3 **UHT milk (sterilize): Unit**

```

      type: string (str35), but longest is str15
unique values: 1          missing "": 1/1,397
  tabulation: Freq. Value
               1  ""
               1,396 "na"

```

cc2_4 **Soy milk (not display)**

```

      type: string (str84), but longest is str0
unique values: 0          missing "": 1,397/1,397
  tabulation: Freq. Value
               1,397 ""

```

cc2_4:
 1. subjected to a carryforward operation

cc2a_4 **Soy milk: Eat or not?**

```

      type: numeric (byte)
label: cc2a_4

```

```

range: [1,3] units: 1
unique values: 2 missing .: 1/1,397
unique missing codes: 2 missing *: 2/1,397

tabulation: Freq. Numeric Label
              607      1 yes
              787      3 no
              1       .
              2       .c
    
```

cc2b_4

Soy milk: Average quantity per week

```

type: numeric (int)
range: [1,84] units: 1
unique values: 18 missing .: 790/1,397
unique missing codes: 2 missing *: 6/1,397
    
```

```

tabulation: Freq. Value
              111  1
              136  2
              103  3
               32  4
               12  5
               16  6
              119  7
               11 11
                1 12
               28 14
                9 18
                7 21
                3 25
                7 28
                1 32
                1 35
                3 42
                1 84
              790 .
                6 .c
mean: 5.30948
std. dev: 6.68137

percentiles: 10% 25% 50% 75% 90%
              1   2   3   7  12
    
```

cc2c_4

Soy milk: Unit

```

type: string (str35)
unique values: 1 missing "": 1/1,397

tabulation: Freq. Value
              1 ""
              1,396 "ร.ง./ขวด/กล่อง"
    
```

cc2_5

Curd/Yacult (not display)

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
              1,397 ""
    
```


cc2_5:

1. subjected to a carryforward operation

cc2a_5

Curd/Yacult: Eat or not?

type: numeric (byte)
 label: cc2a_5
 range: [1,3] units: 1
 unique values: 2 missing .: 1/1,397

tabulation:	Freq.	Numeric	Label
	1,155	1	yes
	241	3	no
	1	.	.

cc2b_5

Curd/Yacult: Average quantity per week

type: numeric (int)
 range: [1,81] units: 1
 unique values: 31 missing .: 242/1,397
 unique missing codes: 2 missing *: 4/1,397

tabulation:	Freq.	Value
	89	1
	164	2
	194	3
	86	4
	35	5
	21	6
	279	7
	1	8
	1	10
	42	11
	9	12
	2	13
	95	14
	1	15
	2	16
	2	17
	27	18
	43	21
	1	22
	4	24
	16	25
	1	26
	19	28
	4	32
	1	35
	2	39
	5	42
	1	44
	2	46
	1	56
	1	81
	242	.
	4	.c
mean:	7.65508	
std. dev:	7.67005	

percentiles:	10%	25%	50%	75%	90%
	2	3	6	7	18

cc2c_5

Curd/Yacult: Unit

```

type: string (str35), but longest is str25
unique values: 1 missing "": 1/1,397
tabulation: Freq. Value
              1 ""
              1,396 "นมข้น/หวาน"
    
```

cc2_6 **Sweet condensed milk (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
              1,397 ""
    
```

cc2_6:
1. subjected to a carryforward operation

cc2a_6 **Sweet condensed milk: Eat or not?**

```

type: numeric (byte)
label: cc2a_6
range: [1,3] units: 1
unique values: 2 missing .: 1/1,397
unique missing codes: 2 missing *: 841/1,397
tabulation: Freq. Numeric Label
              6 1 yes
              549 3 no
              1 .
              841 .b
    
```

cc2b_6 **Sweet condensed milk: Average quantity per week**

```

type: numeric (int)
range: [1,5] units: 1
unique values: 4 missing .: 550/1,397
unique missing codes: 2 missing *: 841/1,397
tabulation: Freq. Value
              2 1
              2 2
              1 3
              1 5
              550 .
              841 .b
mean: 2.33333
std. dev: 1.50555
percentiles: 10% 25% 50% 75% 90%
              1 1 2 3 5
    
```

cc2c_6 **Sweet condensed milk: Unit**

```

type: string (str35), but longest is str21
unique values: 1 missing "": 1/1,397
    
```

```

tabulation: Freq. Value
              1 ""
              1,396 "กระป๋อง"
    
```

cc2_7 **Condensed milk (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
              1,397 ""
    
```

cc2_7:
1. subjected to a carryforward operation

cc2a_7 **Condensed milk: Eat or not?**

```

type: numeric (byte)
label: cc2a_7
range: [1,3] units: 1
unique values: 2 missing .: 1/1,397
unique missing codes: 2 missing *: 841/1,397
    
```

```

tabulation: Freq. Numeric Label
              4          1 yes
              551         3 no
              1           .
              841         .b
    
```

cc2b_7 **Condensed milk: Average quantity per week**

```

type: numeric (int)
range: [1,25] units: 1
unique values: 3 missing .: 552/1,397
unique missing codes: 2 missing *: 841/1,397
    
```

```

tabulation: Freq. Value
              1 1
              2 3
              1 25
              552 .
              841 .b
    
```

```

mean: 8
std. dev: 11.3725
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1         2         3         14         25
    
```

cc2c_7 **Condensed milk: Unit**

```

type: string (str35), but longest is str21
unique values: 1 missing "": 1/1,397
tabulation: Freq. Value
              1 ""
              1,396 "กระป๋อง"
    
```

cc2_8 **Yogurt (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

cc2_8:
 1. subjected to a carryforward operation

cc2a_8 **Yogurt: Eat or not?**

```

type: numeric (byte)
label: cc2a_8
range: [1,3] units: 1
unique values: 2 missing .: 1/1,397
unique missing codes: 2 missing *: 2/1,397
tabulation: Freq. Numeric Label
             719      1 yes
             675      3 no
              1       .
              2       .c
    
```

cc2b_8 **Yogurt: Average quantity per week**

```

type: numeric (int)
range: [1,21] units: 1
unique values: 12 missing .: 678/1,397
unique missing codes: 2 missing *: 6/1,397
tabulation: Freq. Value
             248  1
             189  2
             114  3
              40  4
              18  5
               9  6
              73  7
               5 11
               2 12
               9 14
               4 18
               2 21
             678 .
               6 .c
mean: 2.94811
std. dev: 2.81925
percentiles: 10% 25% 50% 75% 90%
              1  1  2  3  7
    
```

cc2c_8 **Yogurt: Unit**

```

type: string (str35), but longest is str12
unique values: 1 missing "": 1/1,397
    
```

```

tabulation: Freq. Value
              1 ""
              1,396 "อื่น"
    
```

cc2_9 **Other (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
              1,397 ""
    
```

cc2a_9 **Other: Eat or not?**

```

type: numeric (byte)
label: cc2a
range: [1,1] units: 1
unique values: 1 missing .: 1,381/1,397
tabulation: Freq. Numeric Label
              16          1 yes
              1,381      .
    
```

cc2b_9 **Other: Average quantity per week**

```

type: numeric (int)
range: [2,168] units: 1
unique values: 6 missing .: 1,381/1,397
tabulation: Freq. Value
              1 2
              2 5
              8 7
              1 18
              1 84
              3 168
              1,381 .
mean: 42.125
std. dev: 65.3737
percentiles: 10% 5 25% 7 50% 7 75% 51 90% 168
    
```

cc2c_9 **Other: Unit**

```

type: string (str35), but longest is str15
unique values: 3 missing "": 1,381/1,397
tabulation: Freq. Value
              1,381 ""
              5 "ของ"
              4 "ของ"
              7 "แก้ว"
    
```

cc7_1 **Childcare center (not display)**

```

type: string (str127), but longest is str0
    
```

unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc7a_1 Childcare center: Is child receiving care from following person

type: numeric (byte)
 label: cc7a_1
 range: [3,3] units: 1
 unique values: 1 missing .: 841/1,397
 tabulation: Freq. Numeric Label
 556 3 no
 841 .

cc7b_1 Childcare center: member id

type: string (str11), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc7c_1 Childcare center: relationship with child (not display)

type: string (str68), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc7c_code_1 Childcare center: relationship code

type: numeric (byte)
 label: cc7c_code_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc7da_1 Childcare center: when did child started to receive care from that person (mont

type: numeric (byte)
 label: cc7da
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc7db_1 Childcare center: when did child started to receive care from that person (year)

```

type: numeric (int)
range: [..]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

cc7e_1 Childcare center: how many hour per week that child receive care from that perso

```

type: numeric (int)
range: [..]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

cc7f_1 Childcare center: how much average expense per month of money that household mem

```

type: numeric (int)
range: [..]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

cc7g_1 Childcare center: is that expense include lunch meal

```

type: numeric (byte)
label: cc7g_1
range: [..]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc7ha_1 Childcare center: indentify total number of child in classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cc7hb_1 Childcare center: identify number of teacher/caregiver in classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cc7_2 Babysitter (not display)

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

```

cc7a_2 Babysitter: Is child receiving care from following person

```

type: numeric (byte)
label: cc7a_2
range: [3,3]
unique values: 1
units: 1
missing .: 841/1,397

tabulation: Freq. Numeric Label
556 3 no
841 .

```

cc7b_2 Babysitter: member id

```

type: string (str11), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

```

cc7c_2 Babysitter: relationship with child (not display)

```

type: string (str68), but longest is str0

```


unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc7c_code_2 **Babysitter: relationship code**

type: numeric (byte)
 label: cc7c_code_2
 range: [..] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc7da_2 **Babysitter: when did child started to receive care from that person (month)**

type: numeric (byte)
 label: cc7da
 range: [..] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc7db_2 **Babysitter: when did child started to receive care from that person (year)**

type: numeric (int)
 range: [..] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cc7e_2 **Babysitter: how many hour per week that child receive care from that person**

type: numeric (int)
 range: [..] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cc7f_2 **Babysitter: how much average expense per month of money that household member pa**

type: numeric (int)

```

    range: [.,.]          units: .
unique values: 0          missing .: 1,397/1,397

    tabulation: Freq. Value
                1,397 .
    mean:      .
    std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

cc7g_2 **Babysitter: is that expense include lunch meal**

```

    type: numeric (byte)
    label: cc7g_2

    range: [.,.]          units: .
unique values: 0          missing .: 1,397/1,397

    tabulation: Freq. Numeric Label
                1,397      .

```

cc7ha_2 **Babysitter: indentify total number of child in classroom**

```

    type: numeric (byte)

    range: [.,.]          units: .
unique values: 0          missing .: 1,397/1,397

    tabulation: Freq. Value
                1,397 .
    mean:      .
    std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

cc7hb_2 **Babysitter: identify number of teacher/caregiver in classroom**

```

    type: numeric (byte)

    range: [.,.]          units: .
unique values: 0          missing .: 1,397/1,397

    tabulation: Freq. Value
                1,397 .
    mean:      .
    std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

cc7_3 **Relatives outside household (not display)**

```

    type: string (str127), but longest is str0
unique values: 0          missing "": 1,397/1,397

    tabulation: Freq. Value
                1,397 ""

```

cc7a_3 **Relatives outside household: Is child receiving care from following person**

```

      type: numeric (byte)
      label: cc7a_3

      range: [1,3]
unique values: 2
                        units: 1
                        missing .: 841/1,397

      tabulation: Freq.  Numeric  Label
                  120      1      yes
                  436      3      no
                  841      .

```

cc7b_3 **Relatives outside household: member id**

```

      type: string (str11), but longest is str2

      unique values: 1
unique missing codes: 2
                        missing "": 1,277/1,397
                        missing *: 120/1,397

      tabulation: Freq.  Value
                  1,277  ""
                  120   "NA"

```

cc7c_3 **Relatives outside household: relationship with child (not display)**

```

      type: string (str68), but longest is str0

      unique values: 0
                        missing "": 1,397/1,397

      tabulation: Freq.  Value
                  1,397  ""

```

cc7c_code_3 **Relatives outside household: relationship code**

```

      type: numeric (byte)
      label: cc7c_code_3

      range: [5,37]
unique values: 9
                        units: 1
                        missing .: 1,277/1,397

      tabulation: Freq.  Numeric  Label
                  2       5      father / mother
                  2       13      cousin
                  3       15      uncle, aunt of male head
                  16      17      uncle, aunt of female head
                  18      19      grand parent (father side)
                  15      21      grand parent (mother side)
                  1       29      sister-in-law / brother-in-law
                  61      35      relatives
                  2       37      non relatives
                  1,277  .

```

cc7da_3 **Relatives outside household: when did child started to receive care from that p**

```

      type: numeric (byte)
      label: cc7da

```

range: [1,12] units: 1
 unique values: 12 missing .: 1,277/1,397
 unique missing codes: 2 missing *: 4/1,397

tabulation:	Freq.	Numeric	Label
	10	1	january
	13	2	february
	13	3	march
	8	4	april
	12	5	may
	8	6	june
	12	7	july
	14	8	august
	2	9	september
	8	10	october
	8	11	november
	8	12	december
	1,277	.	
	4	.c	

cc7db_3

Relatives outside household: when did child started to receive care from that p

type: numeric (int)

range: [2013,2018] units: 1
 unique values: 6 missing .: 1,277/1,397

tabulation:	Freq.	Value
	18	2013
	50	2014
	26	2015
	10	2016
	6	2017
	10	2018
	1,277	.

mean: 2014.72
 std. dev: 1.40935

percentiles:	10%	25%	50%	75%	90%
	2013	2014	2014	2015	2017

cc7e_3

Relatives outside household: how many hour per week that child receive care from

type: numeric (int)

range: [1,105] units: 1
 unique values: 38 missing .: 1,277/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation:	Freq.	Value
	1	1
	2	2
	2	3
	6	4
	1	5
	5	6
	8	7
	1	8
	1	9
	2	10
	13	11
	1	12
	1	13
	13	14
	2	15
	15	18

```

      1 20
      8 21
      1 23
      1 24
      3 25
      2 27
      4 28
      1 29
      2 32
      1 34
      4 35
      1 38
      5 39
      2 42
      1 47
      1 59
      1 61
      1 64
      1 70
      1 84
      1 98
      2 105
1,277 .
      1 .c
mean: 21.563
std. dev: 19.6622

percentiles:      10%      25%      50%      75%      90%
                  5        11        18        27        39

```

cc7f_3 **Relatives outside household: how much average expense per month of money that ho**

```

type: numeric (int)
range: [0,500]
unique values: 2
unique missing codes: 2
units: 100
missing .: 1,277/1,397
missing *: 11/1,397

tabulation: Freq. Value
             108 0
              1 500
            1,277 .
              11 .d
mean: 4.58716
std. dev: 47.8913

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

cc7g_3 **Relatives outside household: is that expense include lunch meal**

```

type: numeric (byte)
label: cc7g_3
range: [3,3]
unique values: 1
unique missing codes: 2
units: 1
missing .: 1,385/1,397
missing *: 11/1,397

tabulation: Freq. Numeric Label
             1         3 no
            1,385 .
              11 .d

```

cc7ha_3 **Relatives outside household: indentify total number of child in classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,277/1,397
missing *: 120/1,397

tabulation: Freq. Value
             1,277 .
             120  .b
mean:      .
std. dev:  .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc7hb_3 Relatives outside household: identify number of teacher/caregiver in classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,277/1,397
missing *: 120/1,397

tabulation: Freq. Value
             1,277 .
             120  .b
mean:      .
std. dev:  .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc7_4 Relatives inside household (not display)

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cc7a_4 Relatives inside household: Is child receiving care from following person

```

type: numeric (byte)
label: cc7a_4
range: [1,3]
unique values: 2
units: 1
missing .: 841/1,397

tabulation: Freq. Numeric Label
             420      1  yes
             136      3  no
             841      .
    
```

cc7b_4 Relatives inside household: member id

```

type: string (str11), but longest is str3
unique values: 9
missing "": 977/1,397
    
```

```

tabulation:  Freq.  Value
              977  ""
              1   "H10"
              222  "H2"
              125  "H3"
              42   "H4"
              15   "H5"
              10   "H6"
              2    "H7"
              1    "H8"
              2    "H9"
    
```

cc7c_4 **Relatives inside household: relationship with child (not display)**

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation:  Freq.  Value
              1,397 ""
    
```

cc7c_code_4 **Relatives inside household: relationship code**

```

type: numeric (byte)
label: cc7c_code_4
range: [9,35] units: 1
unique values: 7 missing .: 977/1,397
tabulation:  Freq.  Numeric  Label
              10     9  brother / sister / younger
              9     15  brother / younger sister
              13     15  uncle, aunt of male head
              17     17  uncle, aunt of female head
              75     19  grand parent (father side)
              257    21  grand parent (mother side)
              1     29  sister-in-law / brother-in-law
              55     35  relatives
              977    .
    
```

cc7da_4 **Relatives inside household: when did child started to receive care from that pe**

```

type: numeric (byte)
label: cc7da
range: [1,12] units: 1
unique values: 12 missing .: 977/1,397
unique missing codes: 2 missing *: 3/1,397
tabulation:  Freq.  Numeric  Label
              28     1  january
              33     2  february
              36     3  march
              40     4  april
              30     5  may
              23     6  june
              37     7  july
              53     8  august
              36     9  september
              39    10  october
              34    11  november
              28    12  december
              977    .
              3     .c
    
```

cc7db_4

Relatives inside household: when did child started to receive care from that pe

```

type: numeric (int)
range: [2013,2017]           units: 1
unique values: 5             missing .: 977/1,397

tabulation: Freq. Value
              93 2013
              201 2014
              105 2015
               12 2016
               9 2017
              977 .
mean: 2014.15
std. dev: .870561

percentiles:    10%    25%    50%    75%    90%
                2013    2014    2014    2015    2015
    
```

cc7e_4

Relatives inside household: how many hour per week that child receive care from

```

type: numeric (int)
range: [1,109]           units: 1
unique values: 61       missing .: 977/1,397
unique missing codes: 2  missing *: 2/1,397

tabulation: Freq. Value
              3 1
              1 2
              2 3
             13 4
              2 5
              3 6
             40 7
              1 10
             24 11
              1 13
             55 14
              2 15
              2 16
             53 18
              1 19
             33 21
              1 23
             18 25
             20 28
              2 29
              1 30
             14 32
              3 33
              2 34
             20 35
              1 37
              9 39
              1 40
              8 42
              1 43
              1 44
              4 46
              1 47
              1 49
              1 53
              2 54
              3 55
    
```



```

        6 56
        3 57
        4 58
        1 59
        5 61
        7 62
        7 63
        4 64
        1 65
        4 66
        2 67
        2 68
        1 69
        6 70
        1 71
        1 74
        3 75
        2 79
        1 80
        2 82
        1 84
        1 95
        2 98
        1 109
    977 .
        2 .c
    mean: 27.8158
    std. dev: 20.8826

    percentiles:      10%      25%      50%      75%      90%
                       7         14         21         35         63
    
```

cc7f_4 **Relatives inside household: how much average expense per month of money that hou**

```

    type: numeric (int)
    range: [.,.]
    unique values: 0
    unique missing codes: 2
    units: .
    missing .: 977/1,397
    missing *: 420/1,397

    tabulation:  Freq.  Value
                 977   .
                 420   .b
    mean: .
    std. dev: .

    percentiles:      10%      25%      50%      75%      90%
                       .         .         .         .         .
    
```

cc7g_4 **Relatives inside household: is that expense include lunch meal**

```

    type: numeric (byte)
    label: cc7g_4
    range: [.,.]
    unique values: 0
    unique missing codes: 2
    units: .
    missing .: 977/1,397
    missing *: 420/1,397

    tabulation:  Freq.  Numeric  Label
                 977   .
                 420   .b
    
```

cc7ha_4 **Relatives inside household: indentify total number of child in classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 977/1,397
missing *: 420/1,397

tabulation: Freq. Value
             977 .
             420 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc7hb_4 Relatives inside household: identify number of teacher/caregiver in classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 977/1,397
missing *: 420/1,397

tabulation: Freq. Value
             977 .
             420 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc7_5 Other (not display)

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cc7a_5 Other: Is child receiving care from following person

```

type: numeric (byte)
label: cc7a_5
range: [1,1]
unique values: 1
units: 1
missing .: 1,242/1,397

tabulation: Freq. Numeric Label
             155      1 yes
             1,242      .
    
```

cc7b_5 Other: member id

```

type: string (str11), but longest is str2
unique values: 8
unique missing codes: 2
missing "": 1,242/1,397
missing *: 22/1,397
    
```

```

tabulation:  Freq.  Value
              1,242  ""
              9    "H2"
              43    "H3"
              43    "H4"
              19    "H5"
              13    "H6"
              5    "H7"
              1    "H9"
              22    "NA"
    
```

cc7c_5 **Other: relationship with child (not display)**

```

type:  string (str68), but longest is str0
unique values:  0                               missing "":  1,397/1,397
tabulation:  Freq.  Value
              1,397  ""
    
```

cc7c_code_5 **Other: relationship code**

```

type:  numeric (byte)
label:  cc7c_code_5
range:  [5,35]                               units:  1
unique values:  8                             missing .:  1,242/1,397
tabulation:  Freq.  Numeric  Label
              3      5    father / mother
              9      9    brother / sister / younger
                   brother / younger sister
              7     13    cousin
              5     15    uncle, aunt of male head
              26    17    uncle, aunt of female head
              25    19    grand parent (father side)
              55    21    grand parent (mother side)
              25    35    relatives
            1,242    .
    
```

cc7da_5 **Other: when did child started to receive care from that person (month)**

```

type:  numeric (byte)
label:  cc7da
range:  [1,12]                               units:  1
unique values:  12                           missing .:  1,242/1,397
unique missing codes:  2                     missing *:  1/1,397
tabulation:  Freq.  Numeric  Label
              7      1    january
              16     2    february
              19     3    march
              13     4    april
              14     5    may
              10     6    june
              14     7    july
              19     8    august
              6      9    september
              10    10    october
              13    11    november
              13    12    december
            1,242    .
              1      .c
    
```

cc7db_5 Other: when did child started to receive care from that person (year)

```

type: numeric (int)
range: [2013,2018]           units: 1
unique values: 6             missing .: 1,242/1,397

tabulation:  Freq.  Value
              29   2013
              64   2014
              44   2015
               7   2016
               4   2017
               7   2018
            1,242 .
mean:        2014.45
std. dev:    1.19056

percentiles:    10%    25%    50%    75%    90%
                2013    2014    2014    2015    2016

```

cc7e_5 Other: how many hour per week that child receive care from that person

```

type: numeric (int)
range: [2,98]               units: 1
unique values: 39          missing .: 1,242/1,397
unique missing codes: 2    missing *: 1/1,397

tabulation:  Freq.  Value
              1     2
              1     3
              3     4
              1     5
              2     6
             21     7
              2    10
             12    11
             13    14
             20    18
              1    19
             14    21
              9    25
              2    26
              2    27
              7    28
              2    32
              1    33
              1    34
              9    35
              5    39
              2    42
              1    45
              3    46
              2    49
              1    53
              1    54
              1    56
              1    58
              1    61
              1    64
              2    65
              1    67
              2    68
              2    69
              1    71
              1    73
              1    84

```

```

          1 98
        1,242 .
          1 .c
    mean: 25.0909
  std. dev: 18.7485

percentiles:      10%      25%      50%      75%      90%
                  7        11        20        35        54
    
```

cc7f_5 Other: how much average expense per month of money that household member pay

```

    type: numeric (int)
    range: [0,0]
  unique values: 1
unique missing codes: 3

    units: 1
  missing .: 1,242/1,397
  missing *: 136/1,397

  tabulation: Freq. Value
              19 0
            1,242 .
             133 .b
               3 .d
    mean: 0
  std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

cc7g_5 Other: is that expense include lunch meal

```

    type: numeric (byte)
  label: cc7g_5
    range: [.,.]
  unique values: 0
unique missing codes: 3

    units: .
  missing .: 1,261/1,397
  missing *: 136/1,397

  tabulation: Freq. Numeric Label
              1,261 .
             133 .b
               3 .d
    
```

cc7ha_5 Other: indentify total number of child in classroom

```

    type: numeric (byte)
    range: [.,.]
  unique values: 0
unique missing codes: 2

    units: .
  missing .: 1,242/1,397
  missing *: 155/1,397

  tabulation: Freq. Value
              1,242 .
             155 .b
    mean: .
  std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

cc7hb_5 Other: identify number of teacher/caregiver in classroom

```

    type: numeric (byte)
    
```

range: [.,.] units: .
 unique values: 0 missing .: 1,242/1,397
 unique missing codes: 2 missing *: 155/1,397

tabulation: Freq. Value
 1,242 .
 155 .b
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cc7_6 **Other (not display)**

type: string (**str127**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc7a_6 **Other: Is child receiving care from following person**

type: numeric (**byte**)
 label: **cc7a_6**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,369/1,397
 tabulation: Freq. Numeric Label
 28 1 yes
 1,369 .

cc7b_6 **Other: member id**

type: string (**str11**), but longest is str2
 unique values: 7 missing "": 1,369/1,397
 unique missing codes: 2 missing *: 2/1,397
 tabulation: Freq. Value
 1,369 ""
 1 "H3"
 3 "H4"
 7 "H5"
 8 "H6"
 6 "H7"
 1 "H8"
 2 "NA"

cc7c_6 **Other: relationship with child (not display)**

type: string (**str68**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc7c_code_6 **Other: relationship code**

```

type: numeric (byte)
label: cc7c_code_6

range: [9,37]
unique values: 7
units: 1
missing .. 1,369/1,397

tabulation: Freq. Numeric Label
              3      9 sibling
              3     13 cousin
              8     17 uncle;aunt of female head
              2     19 grand parent(father side)
              4     21 grand parent (mother side)
              7     35 relatives
              1     37 non relatives
1,369      .

```

cc7da_6 Other: when did child started to receive care from that person (month)

```

type: numeric (byte)
label: cc7da

range: [1,12]
unique values: 12
units: 1
missing .. 1,369/1,397

tabulation: Freq. Numeric Label
              1      1 january
              3      2 february
              2      3 march
              2      4 april
              1      5 may
              1      6 june
              3      7 july
              3      8 august
              1      9 september
              3     10 october
              6     11 november
              2     12 december
1,369      .

```

cc7db_6 Other: when did child started to receive care from that person (year)

```

type: numeric (int)

range: [2013,2017]
unique values: 5
units: 1
missing .. 1,369/1,397

tabulation: Freq. Value
              8 2013
              8 2014
              9 2015
              2 2016
              1 2017
1,369      .
mean: 2014.29
std. dev: 1.08379

percentiles:      10%      25%      50%      75%      90%
                  2013      2013      2014      2015      2016

```

cc7e_6 Other: how many hour per week that child receive care from that person

```

type: numeric (int)

range: [4,84]
unique values: 15
units: 1
missing .. 1,369/1,397

```

```

tabulation:  Freq.  Value
              1    4
              1    6
              5    7
              3   11
              4   14
              2   18
              2   21
              2   25
              1   26
              2   28
              1   39
              1   56
              1   64
              1   71
              1   84
            1,369  .
      mean:    23.5
  std. dev:   20.9541

percentiles:    10%    25%    50%    75%    90%
                7      9     16     27     64
    
```

cc7f_6 Other: how much average expense per month of money that household member pay

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 1,369/1,397
missing *: 26/1,397

tabulation:  Freq.  Value
              2    0
            1,369  .
              26  .b
      mean:    0
  std. dev:    0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

cc7g_6 Other: is that expense include lunch meal

```

type: numeric (byte)
label: cc7g_6
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,371/1,397
missing *: 26/1,397

tabulation:  Freq.  Numeric  Label
            1,371  .
              26   .b
    
```

cc7ha_6 Other: indentify total number of child in classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,369/1,397
missing *: 28/1,397
    
```



```

tabulation: Freq. Value
             1,369 .
             28 .b
mean:       .
std. dev:   .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7hb_6 **Other: identify number of teacher/caregiver in classroom**

```

type: numeric (byte)

range: [.,.]
unique values: 0
unique missing codes: 2

units: .
missing .: 1,369/1,397
missing *: 28/1,397

tabulation: Freq. Value
             1,369 .
             28 .b
mean:       .
std. dev:   .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7_7 **Other (not display)**

```

type: string (str127), but longest is str0

unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cc7a_7 **Other: Is child receiving care from following person**

```

type: numeric (byte)
label: cc7a_7

range: [1,1]
unique values: 1

units: 1
missing .: 1,392/1,397

tabulation: Freq. Numeric Label
             5         1 yes
             1,392     .
    
```

cc7b_7 **Other: member id**

```

type: string (str11), but longest is str2

unique values: 4
missing "": 1,392/1,397

tabulation: Freq. Value
             1,392 ""
             1 "H3"
             1 "H5"
             1 "H6"
             2 "H8"
    
```

cc7c_7 **Other: relationship with child (not display)**

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

cc7c_code_7 **Other: relationship code**

```

type: numeric (byte)
label: cc7c_code_7

range: [9,35] units: 1
unique values: 4 missing .: 1,392/1,397

tabulation: Freq. Numeric Label
             1         9 sibling
             2        17 uncle;aunt of female head
             1        21 grand parent (mother side)
             1        35 relatives
             1,392      .
    
```

cc7da_7 **Other: when did child started to receive care from that person (month)**

```

type: numeric (byte)
label: cc7da

range: [1,11] units: 1
unique values: 4 missing .: 1,392/1,397

tabulation: Freq. Numeric Label
             1         1 january
             1         9 september
             1        10 october
             2        11 november
             1,392      .
    
```

cc7db_7 **Other: when did child started to receive care from that person (year)**

```

type: numeric (int)

range: [2013,2015] units: 1
unique values: 3 missing .: 1,392/1,397

tabulation: Freq. Value
             2 2013
             2 2014
             1 2015
             1,392 .
mean:      2013.8
std. dev:  .83666

percentiles:      10%      25%      50%      75%      90%
                  2013      2013      2014      2014      2015
    
```

cc7e_7 **Other: how many hour per week that child receive care from that person**

```

type: numeric (int)

range: [14,84] units: 1
unique values: 5 missing .: 1,392/1,397
    
```

```

tabulation:  Freq.  Value
              1  14
              1  28
              1  64
              1  69
              1  84
            1,392  .
    mean:      51.8
    std. dev:  29.4822

percentiles:  10%      25%      50%      75%      90%
              14       28       64       69       84
    
```

cc7f_7 Other: how much average expense per month of money that household member pay

```

type: numeric (int)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,392/1,397
missing *: 5/1,397

tabulation:  Freq.  Value
            1,392  .
             5  .b
    mean:      .
    std. dev:  .

percentiles:  10%      25%      50%      75%      90%
              .        .        .        .        .
    
```

cc7g_7 Other: is that expense include lunch meal

```

type: numeric (byte)
label: cc7g_7
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,392/1,397
missing *: 5/1,397

tabulation:  Freq.  Numeric  Label
            1,392  .
             5      .b
    
```

cc7ha_7 Other: indentify total number of child in classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,392/1,397
missing *: 5/1,397

tabulation:  Freq.  Value
            1,392  .
             5  .b
    mean:      .
    std. dev:  .

percentiles:  10%      25%      50%      75%      90%
              .        .        .        .        .
    
```

cc7hb_7 Other: identify number of teacher/caregiver in classroom

```

type: numeric (byte)
    
```

```

        range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,392/1,397
missing *: 5/1,397

tabulation: Freq. Value
             1,392 .
             5 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc7_8 **Other (not display)**

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cc7a_8 **Other: Is child receiving care from following person**

```

type: numeric (byte)
label: cc7a_8

range: [1,1]
unique values: 1
units: 1
missing .: 1,396/1,397

tabulation: Freq. Numeric Label
             1 1 yes
             1,396 .
    
```

cc7b_8 **Other: member id**

```

type: string (str11), but longest is str2
unique values: 1
missing "": 1,396/1,397

tabulation: Freq. Value
             1,396 ""
             1 "H9"
    
```

cc7c_8 **Other: relationship with child (not display)**

```

type: string (str68), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cc7c_code_8 **Other: relationship code**

```

type: numeric (byte)

range: [35,35]
unique values: 1
units: 1
missing .: 1,396/1,397
    
```



```

tabulation:  Freq.  Value
              1,396  .
              1    .b
    mean:    .
    std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7g_8 **Other: is that expense include lunch meal**

```

    type: numeric (byte)
    label: cc7g_8

    range: [.,.]          units: .
    unique values: 0      missing .: 1,396/1,397
    unique missing codes: 2  missing *: 1/1,397

    tabulation:  Freq.  Numeric  Label
                  1,396  .
                  1    .b
    
```

cc7ha_8 **Other: indentify total number of child in classroom**

```

    type: numeric (byte)

    range: [.,.]          units: .
    unique values: 0      missing .: 1,396/1,397
    unique missing codes: 2  missing *: 1/1,397

    tabulation:  Freq.  Value
                  1,396  .
                  1    .b
    mean:    .
    std. dev: .

    percentiles: 10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

cc7hb_8 **Other: identify number of teacher/caregiver in classroom**

```

    type: numeric (byte)

    range: [.,.]          units: .
    unique values: 0      missing .: 1,396/1,397
    unique missing codes: 2  missing *: 1/1,397

    tabulation:  Freq.  Value
                  1,396  .
                  1    .b
    mean:    .
    std. dev: .

    percentiles: 10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

cc15 **Do you think the child is malnourished?**

```

    type: numeric (byte)
    label: cc15

    range: [1,3]          units: 1
    unique values: 2      missing .: 0/1,397
    
```

```

tabulation: Freq.  Numeric  Label
             135      1  yes
             1,262    3  no
    
```

cc15a What action do you take if the child is malnourished? (not display)

```

type: string (str148), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq.  Value
             1,397  ""
    
```

cc6a Hours/week: caring time of this child by father

```

type: numeric (double)
range: [0,112] units: 1.000e-07
unique values: 142 missing .: 0/1,397
unique missing codes: 2 missing *: 880/1,397

mean: 38.599
std. dev: 20.8308

percentiles: 10% 25% 50% 75% 90%
              10 22.5 39 55 63.25
    
```

cc6aa Starting time of caring time of this child by father : before shool on Mon-Fri

```

type: string (str6), but longest is str5
unique values: 10 missing "": 1,080/1,397
tabulation: Freq.  Value
             1,080  ""
              1  "03.00"
             23  "05.00"
             21  "05.30"
              3  "05.40"
            147  "06.00"
             62  "06.30"
              2  "06.40"
             48  "07.00"
              9  "07.30"
              1  "08.00"
    
```

cc6ab Finishing time of caring time of this child by father : before school on Mon-Fri

```

type: string (str5)
unique values: 19 missing "": 1,080/1,397
tabulation: Freq.  Value
             1,080  ""
              5  "06.00"
              1  "06.10"
             20  "06.30"
              1  "06.35"
              4  "06.40"
              1  "06.45"
              4  "06.50"
             87  "07.00"
              3  "07.15"
              1  "07.20"
    
```

```

123 "07.30"
  2 "07.40"
  3 "07.45"
 49 "08.00"
  6 "08.30"
  1 "09.00"
  2 "20.00"
  3 "20.30"
  1 "21.30"

```

cc6ac Starting time of caring time of this child by father : after school on Mon-Fri

```

type: string (str6), but longest is str5
unique values: 25 missing "": 1,013/1,397

```

```

tabulation: Freq. Value
1,013 ""
  1 "12.00"
  1 "13.00"
 13 "14.00"
  1 "14.20"
 23 "14.30"
  1 "14.40"
 48 "15.00"
  1 "15.10"
 34 "15.30"
  2 "15.40"
  1 "15.45"
 20 "16.00"
  1 "16.10"
 23 "16.30"
  1 "16.50"
104 "17.00"
 29 "17.30"
  1 "17.45"
 35 "18.00"
 10 "18.30"
 16 "19.00"
  5 "19.30"
  9 "20.00"
  3 "20.30"
  1 "21.00"

```

cc6ad Finishing time of caring time of this child by father : after school on Mon-Fri

```

type: string (str5)
unique values: 15 missing "": 1,013/1,397

```

```

tabulation: Freq. Value
1,013 ""
  1 "15.00"
  1 "15.30"
  1 "16.00"
  1 "17.00"
  2 "18.00"
 14 "19.00"
 23 "19.30"
134 "20.00"
 74 "20.30"
 84 "21.00"
  1 "21.15"
 21 "21.30"
 20 "22.00"
  6 "22.30"
  1 "23.00"

```

cc6ae Since previous interview, how many hours child's father spend time to taking car

type: string (str101)
 unique values: 255 missing "": 897/1,397
 warning: variable has embedded blanks

cc6ae_1
 Starting time of caring time of the child by father : before go to work Weekends

type: string (str6)
 unique values: 17 missing "": 1,004/1,397
 tabulation: Freq. Value
 1,004 ""
 1 "03.00"
 21 "05.00"
 12 "05.30"
 1 "05.40"
 144 "06.00"
 1 "06.00 "
 1 "06.20"
 61 "06.30"
 2 "06.40"
 68 "07.00"
 28 "07.30"
 30 "08.00"
 10 "08.30"
 10 "09.00"
 1 "09.30"
 1 "10.00"
 1 "11.00"
 warning: variable has trailing blanks

cc6ae_2
 Finishing time of caring time of the child by father : before go to work Weekend

type: string (str5)
 unique values: 21 missing "": 1,004/1,397
 tabulation: Freq. Value
 1,004 ""
 1 "06.30"
 1 "06.50"
 33 "07.00"
 30 "07.30"
 18 "08.00"
 1 "08.30"
 2 "09.00"
 1 "09.30"
 2 "10.00"
 2 "15.00"
 1 "18.00"
 4 "19.00"
 15 "19.30"
 105 "20.00"
 56 "20.30"
 68 "21.00"
 24 "21.30"
 1 "21.45"
 21 "22.00"

5 "22.30"
2 "23.00"

cc6ae_3

Starting time of caring time of the child by father : after go to work Weekends

type: string (**str6**), but longest is str5
 unique values: 16 missing "": 1,249/1,397
 tabulation: Freq. Value
 1,249 ""
 2 "12.00"
 1 "13.00"
 1 "14.00"
 2 "14.30"
 7 "15.00"
 2 "15.30"
 7 "16.00"
 5 "16.30"
 60 "17.00"
 13 "17.30"
 1 "17.45"
 24 "18.00"
 6 "18.30"
 11 "19.00"
 4 "19.30"
 2 "20.00"

cc6ae_4

Finishing time of caring time of the child by father : after go to work Weekends

type: string (**str6**), but longest is str5
 unique values: 10 missing "": 1,249/1,397
 tabulation: Freq. Value
 1,249 ""
 2 "16.00"
 1 "17.00"
 11 "19.00"
 11 "19.30"
 47 "20.00"
 35 "20.30"
 26 "21.00"
 6 "21.30"
 7 "22.00"
 2 "22.30"

cc6ae_5

Hours per day on weekends or holidays caring time of the child by father (undefi

type: numeric (**double**)
 range: [1,9] units: .1
 unique values: 8 missing .: 1,368/1,397

```

tabulation:  Freq.  Value
              11    1
              6    1.5
              1    2
              2    2.5
              3    3
              2    3.5
              3    8
              1    9
            1,368  .
    mean:     2.62069
    std. dev: 2.43727

percentiles:  10%    25%    50%    75%    90%
              1      1      1.5    3      8
    
```

cc6b Hours/week : caring time of this child by mother

```

type: numeric (double)
range: [1.5,122.5]
unique values: 174
mean: 52.8051
std. dev: 16.6888
units: 1.000e-07
missing .: 694/1,397

percentiles:  10%    25%    50%    75%    90%
              29    45    55.5    63    69
    
```

cc6ba Starting time of caring time of this child by mother : before shool on Mon-Fri

```

type: string (str5)
unique values: 18
missing "": 799/1,397

tabulation:  Freq.  Value
              799  ""
              1  "03.00"
              3  "04.00"
              3  "04.30"
             35  "05.00"
             48  "05.30"
              3  "05.40"
              1  "05.45"
              1  "05.50"
            270  "06.00"
              1  "06.15"
            114  "06.30"
              4  "06.40"
              1  "06.45"
             97  "07.00"
              1  "07.10"
              1  "07.20"
             13  "07.30"
              1  "08.00"
    
```

cc6bb Finishing time of caring time of this child by mother : before school on Mon-Fri

```

type: string (str5)
unique values: 19
missing "": 799/1,397
    
```

```

tabulation:  Freq.  Value
              799  ""
              10  "06.00"
               1  "06.10"
               1  "06.20"
              29  "06.30"
               5  "06.40"
               4  "06.50"
             141  "07.00"
               3  "07.10"
               6  "07.15"
               3  "07.20"
            256  "07.30"
               7  "07.40"
               3  "07.45"
               4  "07.50"
            102  "08.00"
               1  "08.15"
               1  "08.20"
              19  "08.30"
               2  "09.00"
    
```

cc6bc Starting time of caring time of this child by mother : after school on Mon-Fri

```

type: string (str11), but longest is str5
unique values: 27                missing "": 785/1,397
    
```

```

tabulation:  Freq.  Value
              785  ""
               2  "12.00"
               2  "13.00"
               1  "13.30"
              36  "14.00"
               1  "14.10"
              84  "14.30"
               2  "14.45"
            126  "15.00"
               1  "15.10"
               2  "15.15"
               3  "15.20"
              92  "15.30"
               2  "15.40"
               2  "15.45"
              57  "16.00"
               1  "16.10"
              23  "16.30"
              84  "17.00"
               3  "17.10"
              17  "17.30"
              37  "18.00"
               2  "18.30"
              18  "19.00"
               2  "19.30"
               6  "20.00"
               3  "20.30"
               3  "21.00"
    
```

cc6bd Finishing time of caring time of this child by mother : after school on Mon-Fri

```

type: string (str11), but longest is str5
unique values: 12                missing "": 785/1,397
    
```

```

tabulation:  Freq.  Value
              785  ""
              2   "18.00"
              2   "18.30"
              16   "19.00"
              31   "19.30"
             213   "20.00"
             131   "20.30"
             139   "21.00"
              1   "21.15"
              35   "21.30"
              36   "22.00"
               5   "22.30"
               1   "23.00"
    
```

cc6be Since previous interview, how many hours child's mother spend time to taking car

```

type:  string (str145), but longest is str96
unique values:  182                missing "":  695/1,397

warning:  variable has embedded blanks
    
```

cc6be_1
_Starting time of caring time of the child by mother : before go to work Weekends

```

type:  string (str5)
unique values:  20                missing "":  724/1,397

tabulation:  Freq.  Value
              724  ""
               1   "03.00"
               2   "04.00"
               4   "04.30"
              32   "05.00"
              31   "05.30"
               2   "05.40"
             249   "06.00"
               1   "06.20"
              92   "06.30"
               2   "06.45"
             123   "07.00"
               1   "07.10"
              43   "07.30"
               2   "07.45"
              60   "08.00"
               2   "08.15"
              18   "08.30"
               6   "09.00"
               1   "09.30"
               1   "10.00"
    
```

cc6be_2
_Finishing time of caring time of the child by mother : before go to work Weekend

```

type:  string (str5)
unique values:  19                missing "":  724/1,397
    
```

```

tabulation:  Freq.  Value
              724  ""
              1  "06.00"
              9  "07.00"
              2  "07.25"
             14  "07.30"
             15  "08.00"
              3  "08.30"
              6  "09.00"
              2  "15.00"
              2  "18.30"
             14  "19.00"
             28  "19.30"
            220  "20.00"
            120  "20.30"
            137  "21.00"
             36  "21.30"
              1  "21.45"
             47  "22.00"
             13  "22.30"
              3  "23.00"
    
```

cc6be_3
 Starting time of caring time of the child by mother : after go to work Weekends

```

type:  string (str5)
unique values:  14                missing "":  1,333/1,397
tabulation:  Freq.  Value
              1,333  ""
              3  "12.00"
              2  "14.00"
              2  "14.30"
              2  "15.00"
              3  "15.30"
              1  "15.45"
              4  "16.00"
              4  "16.30"
             22  "17.00"
              2  "17.30"
             11  "18.00"
              5  "19.00"
              2  "19.30"
              1  "20.00"
    
```

cc6be_4
 Finishing time of caring time of the child by mother : after go to work Weekends

```

type:  string (str5)
unique values:  8                missing "":  1,333/1,397
tabulation:  Freq.  Value
              1,333  ""
              1  "18.00"
              5  "19.00"
              3  "19.30"
             26  "20.00"
             12  "20.30"
             13  "21.00"
              3  "21.30"
              1  "22.00"
    
```

cc6be_5
Hours per day on weekends or holidays caring time of the child by mother (undefi

```

type: numeric (double)
range: [1,8] units: .1
unique values: 5 missing .: 1,389/1,397

tabulation: Freq. Value
              1 1
              1 1.5
              3 2
              1 3.5
              2 8
            1,389 .
mean: 3.5
std. dev: 2.86606

percentiles: 10% 25% 50% 75% 90%
              1 1.75 2 5.75 8
    
```

cc6c **Hours/week : caring time of this child by primary caretaker**

```

type: numeric (double)
range: [12.5,108.5] units: 1.000e-06
unique values: 166 missing .: 420/1,397

mean: 60.13
std. dev: 9.9877

percentiles: 10% 25% 50% 75% 90%
              50 54.5 60.5 65 70.5
    
```

cc6ca **Starting time of caring time this child by primary caretaker : before shool on M**

```

type: string (str5)
unique values: 20 missing "": 449/1,397

tabulation: Freq. Value
            449 ""
              8 "04.00"
              4 "04.30"
             81 "05.00"
             89 "05.30"
              1 "05.40"
              1 "05.45"
            423 "06.00"
              2 "06.10"
              1 "06.15"
              2 "06.20"
            190 "06.30"
              1 "06.40"
              1 "06.45"
              1 "06.50"
            100 "07.00"
              1 "07.10"
             31 "07.30"
              1 "07.45"
              7 "08.00"
              3 "08.30"
    
```

cc6cb Finishing time of caring time of the child by primary caretaker : before school

```

type: string (str5)
unique values: 20                               missing "": 449/1,397
tabulation: Freq. Value
             449 ""
             13 "06.00"
             3  "06.20"
             47 "06.30"
             6  "06.40"
             1  "06.45"
             1  "06.50"
            205 "07.00"
             7  "07.10"
             7  "07.15"
             8  "07.20"
             2  "07.25"
            395 "07.30"
             5  "07.40"
             7  "07.45"
             3  "07.50"
            182 "08.00"
             1  "08.10"
             1  "08.15"
             48 "08.30"
             6  "09.00"
    
```

cc6cc Starting time of caring time of this child by primary caretaker : after school o

```

type: string (str5)
unique values: 25                               missing "": 438/1,397
tabulation: Freq. Value
             438 ""
              1 "12.00"
              2 "13.30"
             63 "14.00"
              2 "14.10"
              2 "14.20"
            213 "14.30"
              1 "14.40"
              1 "14.55"
            263 "15.00"
              2 "15.15"
              1 "15.16"
              4 "15.20"
            184 "15.30"
              5 "15.40"
              3 "15.45"
            107 "16.00"
              2 "16.20"
             38 "16.30"
              2 "16.40"
              2 "16.45"
             39 "17.00"
              4 "17.30"
             13 "18.00"
              4 "19.00"
              1 "19.30"
    
```

cc6cd Finishing time of caring time of this child by primary caretaker : after school

```

type: string (str5)
unique values: 14           missing "": 438/1,397
tabulation:  Freq.  Value
              438  ""
               2  "16.30"
               2  "17.00"
               4  "18.00"
               3  "18.30"
              36  "19.00"
              64  "19.30"
               2  "19.45"
             365  "20.00"
             195  "20.30"
             194  "21.00"
              41  "21.30"
              38  "22.00"
              10  "22.30"
               3  "23.00"
    
```

cc6ce Since previous interview, how many hours you spend time to taking care this chil

```

type: string (str55), but longest is str43
unique values: 115           missing "": 423/1,397

warning: variable has embedded blanks
    
```

cc6ce_1 Starting time of caring time of the child by primary caretaker : before go to wo

```

type: string (str5)
unique values: 22           missing "": 430/1,397
tabulation:  Freq.  Value
              430  ""
               5  "04.00"
               5  "04.30"
              73  "05.00"
              47  "05.30"
               1  "05.40"
             330  "06.00"
               1  "06.15"
             123  "06.30"
               1  "06.35"
               1  "06.45"
             163  "07.00"
               2  "07.15"
              78  "07.30"
               3  "07.40"
               1  "07.45"
              76  "08.00"
              31  "08.30"
              21  "09.00"
               2  "09.30"
               1  "10.00"
               1  "10.30"
               1  "14.00"
    
```

cc6ce_2 Finishing time of caring time of the child by primary caretaker : before go to w

type: string (str5)
 unique values: 16 missing "": 430/1,397

tabulation:	Freq.	Value
	430	"
	1	"06.00"
	4	"08.00"
	1	"09.00"
	5	"17.00"
	3	"18.00"
	3	"18.30"
	32	"19.00"
	56	"19.30"
	2	"19.45"
	338	"20.00"
	199	"20.30"
	215	"21.00"
	47	"21.30"
	44	"22.00"
	14	"22.30"
	3	"23.00"

cc6ce_3

Starting time of caring time of the child by primary caretaker : after go to wor

type: string (str5)
 unique values: 4 missing "": 1,389/1,397

tabulation:	Freq.	Value
	1,389	"
	2	"14.00"
	1	"17.00"
	4	"18.00"
	1	"18.30"

cc6ce_4

Finishing time of caring time of the child by primary caretaker : after go to wo

type: string (str5)
 unique values: 3 missing "": 1,389/1,397

tabulation:	Freq.	Value
	1,389	"
	1	"19.00"
	5	"20.00"
	2	"21.00"

cc6ce_5 Hours per day on weekends or holidays Hours per day on weekends or holidays

type: numeric (double)
 range: [4.5,4.5] units: .1
 unique values: 1 missing .: 1,396/1,397

tabulation:	Freq.	Value
	1	4.5
	1,396	.
mean:		4.5
std. dev:		.

percentiles:	10%	25%	50%	75%	90%
	4.5	4.5	4.5	4.5	4.5

survey_name **survey round**

type: string (**str12**)
 unique values: **1** missing "": **0/1,397**
 tabulation: Freq. Value
 1,397 **"RESURVEY2018"**

year_survey **year survey**

type: numeric (**float**)
 range: [**2018,2018**] units: **1**
 unique values: **1** missing .: **0/1,397**
 tabulation: Freq. Value
 1,397 **2018**
 mean: **2018**
 std. dev: **0**
 percentiles: 10% 25% 50% 75% 90%
 2018 **2018** **2018** **2018** **2018**

2 . log close
 name: **<unnamed>**
 log: **V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2018\b2.scml**
 log type: **smcl**
 closed on: **22 Jan 2024, 14:56:39**
