



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\b3.scml
log type: smcl
opened on: 22 Jan 2024, 15:10:45
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b3_run.dta
Last saved: 22 Jan 2024 15:10
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 42
Number of observations: 1,397
Size: 1,783,969 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,397 missing "": 0/1,397
examples: "201591160604207H1"
           "201691131001062H1"
           "201691160105024H1"
           "201691161708105H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,397
tabulation: Freq. Value
             517 "2015"
             880 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```



```

tabulation:  Freq.  Value
              153  "01"
              62  "02"
              141  "03"
              148  "04"
              116  "05"
              145  "06"
              76  "07"
              143  "08"
              87  "09"
              70  "10"
              50  "11"
              39  "12"
              38  "13"
              10  "14"
              12  "15"
              36  "16"
              8   "17"
              12  "18"
              26  "19"
              18  "22"
              7   "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 182          missing "": 0/1,397
examples: "011"
          "035"
          "070"
          "147"
    
```

ch1 **At present : What level do you think children's health**

```

type: numeric (byte)
label: ch1
range: [1,9]          units: 1
unique values: 5      missing .: 0/1,397
tabulation:  Freq.  Numeric  Label
              223   1  very good
              933   3  good
              229   5  quite good
              10    7  somewhat bad
              2     9  bad
    
```

ch2 **Since previous interview : Did the child ever visit a dentist to take care of hi**

```

type: numeric (byte)
label: ch2
range: [1,3]          units: 1
unique values: 2      missing .: 0/1,397
unique missing codes: 1  missing *: 3/1,397
tabulation:  Freq.  Numeric  Label
              370   1  yes
              1,024 3  no
              3     .c
    
```

ch2a **Number of times of the child 's dentinst visiting**

```

type: numeric (byte)
label: ch2a, but label does not exist

range: [1,24]                units: 1
unique values: 11            missing .: 1,027/1,397
unique missing codes: 2      missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              202    1
              113    2
               31    3
                8    4
                3    5
                4    6
                2    7
                1    9
                2   12
                1   18
                1   24
            1,027    .
                2    .c
mean:        1.85054
std. dev:    1.94389

percentiles:    10%    25%    50%    75%    90%
                1      1      1      2      3
    
```

ch10 **Since the last interview Has the child been to a psychiatrist or doctor for advi**

```

type: numeric (byte)
label: ch10

range: [1,3]                units: 1
unique values: 2            missing .: 0/1,397
unique missing codes: 1     missing *: 1/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              2      1    yes
            1,394    3    no
                1      .c
    
```

ch4 **Since the last interview How many times do children receive health checkups that**

```

type: numeric (byte)
label: ch4, but label does not exist

range: [0,7]                units: 1
unique values: 6            missing .: 0/1,397
unique missing codes: 1     missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
            1,306    0
               74    1
               10    2
                2    3
                2    4
                1    7
                2    .c
mean:        .082437
std. dev:    .382095

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

ch4_des **Name of place for the health check-ups (unavailable)**

type: string (**str114**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

ch4b **Code of the most place for the health check-ups**

type: numeric (**byte**)
 label: **ch4b**
 range: [1,99] units: 1
 unique values: 6 missing .: 1,306/1,397
 unique missing codes: 2 missing *: 1/1,397
 tabulation: Freq. Numeric Label
 49 1 sub-district health promoting hospital
 15 3 district hospital
 17 5 center hospital / provincial hospital
 1 7 university hospital
 3 17 medical clinic
 5 99 other
 1,306 .
 1 .d

ch4ba **Detail : place for the health check-ups (not display)**

type: string (**str48**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

ch4aa_des **Sub-district (unavailable)**

type: string (**str36**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

ch4aa **Sub-district code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

ch4ab_des **District (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

ch4ab District code (unavailable)

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

ch4ac_des Province (unavailable)

```

type: string (str39), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

ch4ac Province code (unavailable)

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

ch5 Ever since the child was 2 years old until now, Has the child ever go to the doc

```

type: numeric (byte)
label: ch5
range: [1,3] units: 1
unique values: 2 missing .: 0/1,397
tabulation: Freq. Numeric Label
155 1 yes
1,242 3 no

```

ch5a Number of times : meeting doctor

```

type: numeric (byte)
label: ch5a, but label does not exist
range: [1,4] units: 1
unique values: 4 missing .: 1,242/1,397

```

```

tabulation:  Freq.  Value
              136  1
              13  2
               5  3
               1  4
            1,242  .
    mean:     1.16774
    std. dev: .494376

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      2
    
```

ch5b **The most severe injury**

```

    type: numeric (byte)
    label: ch5b

    range: [1,99]          units: 1
unique values: 12        missing .. 1,242/1,397

    tabulation:  Freq.  Numeric  Label
                  17      1  cut or pierced by sharp object
                  59      3  crash / fall
                   2      5  burn
                   4      7  take or put adulterated things
                           in the ear or nose
                   1      9  take chemical substance
                           e.g.insecticide, washing
                           detergent
                   4     11  bitten or stung by poisonous
                           animals
                  21     13  hurt by non-poisonous animals
                           e.g.dog or cat
                   1     17  car accident : the child is not
                           in the car
                   1     19  drown
                   17     23  bicycle injury
                   14     25  motorcycle injury
                   14     99  other
            1,242      .
    
```

ch5ba **Detail of the most severe injury (not display)**

```

    type: string (str154), but longest is str0
unique values: 0          missing "": 1,397/1,397

    tabulation:  Freq.  Value
                  1,397  ""
    
```

ch5c **Place of accident**

```

    type: numeric (byte)
    label: ch5c

    range: [1,99]          units: 1
unique values: 6        missing .. 1,242/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              65      1  home
              25      3  house of others
              26      5  school / child center
               1      7  playing field / playground
              24      9  alley / road
              14     99  other
            1,242      .
    
```

ch5ca **Detail : place of accident (unavailable)**

```

type: string (str69), but longest is str0
unique values: 0          missing "": 1,397/1,397

tabulation:  Freq.  Value
            1,397  ""
    
```

ch5e **How many days the child is not going to school since this injury**

```

type: numeric (byte)
label: ch5e, but label does not exist

range: [0,44]          units: 1
unique values: 16      missing .: 1,242/1,397
unique missing codes: 2  missing *: 1/1,397

tabulation:  Freq.  Value
            82      0
             10      1
             10      2
             10      3
              8      4
             12      5
              5      7
              5     10
              1     11
              1     13
              3     14
              3     15
              1     16
              1     22
              1     30
              1     44
            1,242      .
              1      .c
mean:      2.98701
std. dev:  5.75535

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         4         10
    
```

ch5f **How many days the child stays in hospital since this injury**

```

type: numeric (byte)
label: ch5f, but label does not exist

range: [0,23]          units: 1
unique values: 8      missing .: 1,242/1,397
    
```



```

tabulation:  Freq.  Value
              125  0
              8   1
              8   2
              7   3
              3   4
              2   7
              1   8
              1  23
            1,242  .
    mean:    .658065
    std. dev: 2.24314

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      2
    
```

ch9 Since the last interview, Did the child is once sick and had to be admitted to t

```

    type: numeric (byte)
    label: ch9

    range: [1,3]                units: 1
unique values: 2                missing .: 0/1,397

    tabulation:  Freq.  Numeric  Label
                 88     1   yes
                1,309   3   no
    
```

ch9a Number of times : the child admitted to the hospital because of acute disease

```

    type: numeric (byte)
    label: ch9a, but label does not exist

    range: [1,10]                units: 1
unique values: 5                missing .: 1,309/1,397
unique missing codes: 2        missing *: 1/1,397

    tabulation:  Freq.  Value
                 79     1
                  5     2
                  1     3
                  1     6
                  1    10
                1,309  .
                  1   .c
    mean:    1.24138
    std. dev: 1.13061

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      1
    
```

ch9b The most severe disease

```

    type: numeric (byte)
    label: ch9b

    range: [1,99]                units: 1
unique values: 10                missing .: 1,309/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              4         1  respiratory (cough / cold /
              21         3  diarrhea / dysentery
              11         5  stomachache / flatulence /
              4         11  dermatitis / eczema / rash
              1         13  eye / ear / throat / nose
              1         15  oral diseases/caries / gum
              33         17  fever (fever / influenza /
              1         19  Lung and bronchial diseases
              8         21  Diseases of the gastrointestinal
              4         99  other
1,309         .
    
```

ch9ba **Detail : the most severe disease (not display)**

```

type: string (str129), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation:  Freq.  Value
1,397      ""
    
```

ch9c **Number of days : the child was not going to school because of this acute disease**

```

type: numeric (byte)
label: ch9c, but label does not exist

range: [0,30] units: 1
unique values: 11 missing .: 1,309/1,397
unique missing codes: 2 missing *: 1/1,397

tabulation:  Freq.  Value
              17    0
              1     1
              8     2
              14    3
              5     4
              29    5
              1     6
              5     7
              5    10
              1    22
              1    30
1,309        .
              1    .c
mean:       4.21839
std. dev:   4.28742

percentiles: 10%    25%    50%    75%    90%
              0     2     4     5     7
    
```

ch9d **Number of days : the child stayed in hospital because of this acute disease**

```

type: numeric (byte)
label: ch9d, but label does not exist
    
```

```

    range: [1,60]           units: 1
unique values: 9           missing .: 1,309/1,397

  tabulation: Freq. Value
                15  1
                18  2
                25  3
                11  4
                10  5
                 1  6
                 6  7
                 1 14
                 1 60
            1,309 .
    mean:      3.88636
std. dev:     6.37421

percentiles:    10%    25%    50%    75%    90%
                1      2      3      4      6

```

ch6 Does the child have private health insurance (such as AIA, Krungthai AXA, Bupa,

```

    type: numeric (byte)
    label: ch6

    range: [.,.]           units: .
unique values: 0           missing .: 0/1,397
unique missing codes: 1   missing *: 1,397/1,397

  tabulation: Freq. Numeric Label
                1,397      .b

```

ch7 Since the last interview, have there been cases where the child need medical ser

```

    type: numeric (byte)
    label: ch7

    range: [1,3]           units: 1
unique values: 2           missing .: 0/1,397

  tabulation: Freq. Numeric Label
                30      1 yes
            1,367      3 no

```

ch8 Interviewer note (unavailable)

```

    type: string (str417), but longest is str0
unique values: 0           missing "": 1,397/1,397

  tabulation: Freq. Value
            1,397 ""

```

note_cleaner Data cleaner note (not display)

```

    type: string (str142), but longest is str0
unique values: 0           missing "": 1,397/1,397

  tabulation: Freq. Value
            1,397 ""

```

year_survey **year survey**

```

    type: numeric (int)
    range: [2018,2018]           units: 1
unique values: 1                 missing .: 0/1,397

    tabulation: Freq. Value
                1,397 2018
    mean:      2018
    std. dev:   0

    percentiles:    10%    25%    50%    75%    90%
                   2018    2018    2018    2018    2018
    
```

survey_name **survey round**

```

    type: string (str12)
unique values: 1                 missing "": 0/1,397

    tabulation: Freq. Value
                1,397 "RESURVEY2018"
    
```

```

2 . log close
   name: <unnamed>
   log:  V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2018\b3.scm1
   log type: smcl
   closed on: 22 Jan 2024, 15:10:46
    
```
