



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\b5.scml
log type: smcl
opened on: 22 Jan 2024, 17:22:39
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b5_run.dta
Last saved: 22 Jan 2024 17:21
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 188
Number of observations: 1,397
Size: 6,845,300 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,397 missing "": 0/1,397
examples: "201591160604207H1"
           "201691131001062H1"
           "201691160105024H1"
           "201691161708105H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,397
tabulation: Freq. Value
             517 "2015"
             880 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,197 missing "": 0/1,397
 examples: "201591160604207"
 "201691131001041"
 "201691160105024"
 "201691161708105"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,397
 tabulation: Freq. Value
 1,259 "91"
 138 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/1,397
 tabulation: Freq. Value
 138 "12"
 241 "13"
 116 "14"
 136 "15"
 514 "16"
 41 "17"
 211 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,397
 tabulation: Freq. Value
 63 "01"
 214 "02"
 122 "04"
 53 "05"
 53 "06"
 63 "07"
 56 "08"
 92 "09"
 122 "10"
 89 "11"
 141 "13"
 42 "14"
 137 "15"
 96 "17"
 54 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,397

```

tabulation:  Freq.  Value
              153  "01"
              62  "02"
              141  "03"
              148  "04"
              116  "05"
              145  "06"
              76  "07"
              143  "08"
              87  "09"
              70  "10"
              50  "11"
              39  "12"
              38  "13"
              10  "14"
              12  "15"
              36  "16"
              8   "17"
              12  "18"
              26  "19"
              18  "22"
              7   "24"
    
```

strucid **structure ID**

```

type:  string (str3)
unique values: 182          missing "": 0/1,397
examples: "011"
           "035"
           "070"
           "147"
    
```

ce0 **Child attend school**

```

type:  numeric (byte)
label:  ce0
range:  [1,3]          units: 1
unique values: 2       missing .: 0/1,397
tabulation:  Freq.  Numeric  Label
              1,377  1      yes
              20     3      no
    
```

ce3a **Expected month for school attendance**

```

type:  numeric (byte)
label:  ce3a
range:  [5,11]        units: 1
unique values: 2       missing .: 1,377/1,397
unique missing codes: 3  missing *: 4/1,397
tabulation:  Freq.  Numeric  Label
              14     5      May
              2      11     November
              1,377  .
              2      .c
              2      .d
    
```

ce3b **Expected year for school attendance**

```

type: numeric (int)
range: [2018,2019]
unique values: 2
unique missing codes: 3
units: 1
missing .: 1,377/1,397
missing *: 4/1,397

tabulation: Freq. Value
              2 2018
              14 2019
            1,377 .
              2 .c
              2 .d
mean: 2018.88
std. dev: .341565

percentiles:    10%    25%    50%    75%    90%
                2018    2019    2019    2019    2019
    
```

tce4a **CEC/school**

```

type: string (str26), but longest is str6
unique values: 4
unique missing codes: 3
missing "": 1,377/1,397
missing *: 4/1,397

tabulation: Freq. Value
            1,377 ""
              9 "CDC"
              1 "DK"
              3 "MI"
              7 "School"
    
```

ce4a **CEC name (unavailable)**

```

type: string (str110), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

ce4b3 **Province of school address (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

ce4b2 **District of school address (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

ce4b1 **Sub-district of school address (unavailable)**

```

type: string (str36), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

ce4c **Expected school code (unavailable)**

```

type: string (str10), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

ce16m_1 **Class 1**

```

type: string (str24), but longest is str22
unique values: 7 missing "": 20/1,397
unique missing codes: 2 missing *: 1/1,397
tabulation: Freq. Value
20 ""
544 "Child Education Center"
1 "DK"
312 "Kindergarten1"
343 "Kindergarten2"
81 "Kindergarten3"
31 "Pre-Kindergarten"
65 "Primary1"

```

warning: variable has embedded blanks

tce16a_1 **CEC/School 1**

```

type: string (str10), but longest is str6
unique values: 2 missing "": 20/1,397
tabulation: Freq. Value
20 ""
608 "CEC"
769 "School"

```

ce16a_1 **School name 1 (unavailable)**

```

type: string (str120), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

ce16n_1 **CDC/School Code 1 (unavailable)**

```

type: string (str11), but longest is str0
unique values: 0 missing "": 1,397/1,397

```

tabulation: Freq. Value
 1,397 ""

ce16o_1 **School type 1**

type: numeric (**byte**)
 label: **ce16o_1**
 range: [1,5] units: 1
 unique values: 3 missing .: 20/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation:	Freq.	Numeric	Label
	1,246	1	Public School
	4	3	University-affiliated school
	126	5	Private School
	20	.	
	1	.c	

ce16p_1 **Province 1 (unavailable)**

type: string (**str39**), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

ce16q_1 **Amphoe 1 (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

ce16r_1 **Tambon 1 (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

ce16s_1 **Number of teachers 1**

type: numeric (**byte**)
 range: [1,5] units: 1
 unique values: 5 missing .: 20/1,397
 unique missing codes: 2 missing *: 111/1,397

```

tabulation: Freq. Value
             808 1
             334 2
             108 3
              15 4
               1 5
              20 .
             111 .c
mean:       1.47314
std. dev:   .707714

percentiles:    10%    25%    50%    75%    90%
                1      1      1      2      2
    
```

celb1_1 **The 1st teacher's name 1 (unavailable)**

```

type: string (str64), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

celc1_1 **The 1st teacher's code 1 (unavailable)**

```

type: string (str12), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

celb2_1 **The 2nd teacher's name 1 (unavailable)**

```

type: string (str67), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

celc2_1 **The 2nd teacher's code 1 (unavailable)**

```

type: string (str18), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

celb3_1 **The 3rd teacher's name 1 (unavailable)**

```

type: string (str58), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

celc3_1 **The 3rd teacher's code 1 (unavailable)**

type: string (**str10**), but longest is str0
 unique values: **0** missing "": **1,397/1,397**
 tabulation: Freq. Value
 1,397 ""

cel6t_1 **number of students 1**

type: numeric (**byte**)
 range: [**1,65**]
 unique values: **49** units: **1**
 unique missing codes: **2** missing .: **20/1,397**
missing *: **739/1,397**

tabulation: Freq. Value

1	1
4	3
4	4
7	5
8	6
6	7
16	8
9	9
31	10
17	11
20	12
26	13
23	14
44	15
19	16
31	17
18	18
17	19
80	20
7	21
15	22
7	23
9	24
35	25
9	26
5	27
12	28
5	29
55	30
1	31
11	32
8	33
9	34
26	35
1	36
2	37
3	38
16	40
2	41
4	42
1	43
4	44
3	45
1	46
1	48
2	50
1	59
1	63
1	65
20	.


```

              739 .c
    mean:    21.0643
    std. dev: 9.90127

    percentiles:    10%    25%    50%    75%    90%
                   10     14     20     28     35
    
```

ce16ba_1 **Start month 1 (unavailable)**

```

    type: numeric (byte)
    label: ce16ba

    range: [.,.]
    unique values: 0

    units: .
    missing .: 1,397/1,397

    tabulation: Freq.  Numeric  Label
                1,397      .
    
```

ce16bb_1 **Start year 1 (unavailable)**

```

    type: numeric (int)

    range: [.,.]
    unique values: 0

    units: .
    missing .: 1,397/1,397

    tabulation: Freq.  Value
                1,397  .
    mean:      .
    std. dev:  .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

ce16ca_1 **End month 1 (unavailable)**

```

    type: numeric (byte)
    label: ce16ca

    range: [.,.]
    unique values: 0

    units: .
    missing .: 1,397/1,397

    tabulation: Freq.  Numeric  Label
                1,397      .
    
```

ce16cb_1 **End year 1 (unavailable)**

```

    type: numeric (int)

    range: [.,.]
    unique values: 0

    units: .
    missing .: 1,397/1,397

    tabulation: Freq.  Value
                1,397  .
    mean:      .
    std. dev:  .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

ce16d_1 **Study hours/day 1**

```

type: numeric (byte)
range: [3,9]
unique values: 7
unique missing codes: 2
units: 1
missing .: 20/1,397
missing *: 53/1,397

tabulation: Freq. Value
              1 3
              2 4
              81 5
             554 6
             589 7
              96 8
               1 9
              20 .
              53 .c
mean: 6.52568
std. dev: .734696

percentiles:      10%      25%      50%      75%      90%
                  6        6        7        7        7
    
```

ce16e_1 **Study hours/week 1**

```

type: numeric (byte)
range: [2,5]
unique values: 3
unique missing codes: 2
units: 1
missing .: 20/1,397
missing *: 1/1,397

tabulation: Freq. Value
              1 2
              1 3
             1,374 5
              20 .
               1 .c
mean: 4.99637
std. dev: .097167

percentiles:      10%      25%      50%      75%      90%
                  5        5        5        5        5
    
```

ce16f_1 **Borrowed a story book 1**

```

type: numeric (byte)
label: ce16f
range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing .: 20/1,397
missing *: 6/1,397

tabulation: Freq. Numeric Label
             448      1  yes
             923      3  no
              20      .
               6      .c
    
```

ce16g_1 **Times 1**

```

type: numeric (byte)
range: [1,10]
unique values: 6
unique missing codes: 2
units: 1
missing .: 943/1,397
missing *: 11/1,397
    
```

```

tabulation:  Freq.  Value
              83    1
              53    2
              62    3
               8    4
             236    5
               1   10
             943    .
              11   .c
    mean:     3.60497
    std. dev:  1.66401

percentiles:    10%    25%    50%    75%    90%
                1      2      5      5      5
    
```

cel6h_1 **Frequency 1 (not display)**

```

type: string (str45), but longest is str0
unique values: 0 missing "": 1,397/1,397

tabulation:  Freq.  Value
              1,397 ""
    
```

cel6ha_1 **Code 1**

```

type: numeric (byte)
label: cel6ha_1

range: [3,9] units: 1
unique values: 3 missing .: 943/1,397
unique missing codes: 3 missing *: 12/1,397

tabulation:  Freq.  Numeric  Label
              406    3 weekly
              25    5 monthly
              11    9 yearly
             943    .
              11   .c
               1   .d
    
```

cel6i_1 **School sent a child development record 1**

```

type: numeric (byte)
label: cel6i

range: [1,3] units: 1
unique values: 2 missing .: 20/1,397
unique missing codes: 2 missing *: 25/1,397

tabulation:  Freq.  Numeric  Label
              377    1 yes
              975    3 no
               20    .
               25   .c
    
```

cel6j_1 **Times 1**

```

type: numeric (byte)

range: [1,4] units: 1
unique values: 4 missing .: 995/1,397
unique missing codes: 2 missing *: 31/1,397
    
```

```

tabulation:  Freq.  Value
              225  1
              142  2
               3   3
               1   4
              995  .
              31  .c
    mean:    1.40701
    std. dev: .523868

percentiles:  10%      25%      50%      75%      90%
              1         1         1         2         2
    
```

cel6k_1 **Frequency 1 (not display)**

```

    type:  string (str30), but longest is str0
unique values:  0          missing "":  1,397/1,397

    tabulation:  Freq.  Value
                 1,397  ""
    
```

cel6ka_1 **Code 1**

```

    type:  numeric (byte)
    label:  cel6ka_1

    range:  [3,9]          units:  1
unique values:  3          missing .:  995/1,397
unique missing codes:  2    missing *:  31/1,397

    tabulation:  Freq.  Numeric  Label
                 7       3  weekly
                 3       5  monthly
                361      9  yearly
                995      .
                 31      .c
    
```

cel6ua_1 **GPA 1**

```

    type:  numeric (double)

    range:  [3,4]          units:  .01
unique values:  4          missing .:  21/1,397
unique missing codes:  4    missing *:  1,372/1,397

    tabulation:  Freq.  Value
                 1   3
                 1  3.5
                 1  3.84
                 1   4
                 21  .
                1,312 .b
                  43  .c
                  17  .d
    mean:    3.585
    std. dev: .442229

percentiles:  10%      25%      50%      75%      90%
              3         3.25    3.67    3.92    4
    
```

cel6ub_1 **Percentage 1**

```

type: numeric (double)
range: [83.2,83.2]
unique values: 1
unique missing codes: 4
units: .1
missing .: 24/1,397
missing *: 1,372/1,397

tabulation: Freq. Value
             1 83.2
             24 .
            1,312 .b
              43 .c
              17 .d
mean:      83.2
std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                83.2    83.2    83.2    83.2    83.2
    
```

ce16l_1 Reason for leave 1 (not display)

```

type: string (str206), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

ce16m_2 Class 2

```

type: string (str24), but longest is str22
unique values: 8
unique missing codes: 2
missing "": 133/1,397
missing *: 1/1,397

tabulation: Freq. Value
            133 ""
            205 "Child Education Center"
              1 "DK"
            168 "Kindergarten1"
            341 "Kindergarten2"
            214 "Kindergarten3"
              2 "Pre-Kindergarten"
            268 "Primary1"
             65 "Primary2"

warning: variable has embedded blanks
    
```

tce16a_2 CEC/School 2

```

type: string (str10), but longest is str6
unique values: 3
unique missing codes: 2
missing "": 133/1,397
missing *: 1/1,397

tabulation: Freq. Value
            133 ""
            246 "CEC"
              1 "DK"
           1,017 "School"
    
```

ce16a_2 School name 2 (unavailable)

```

type: string (str120), but longest is str0
    
```

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

cel6n_2 **CDC/School Code 2 (unavailable)**

type: string (**str11**), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

cel6o_2 **School type 2**

type: numeric (**byte**)
label: **cel6o_2**

range: [1,5] units: 1
unique values: 3 missing .: 133/1,397
unique missing codes: 2 missing *: 2/1,397

tabulation:	Freq.	Numeric	Label
	1,127	1	Public School
	3	3	University-affiliated school
	132	5	Private School
	133	.	.
	2	.c	.c

cel6p_2 **Province 2 (unavailable)**

type: string (**str39**), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

cel6q_2 **Amphoe 2 (unavailable)**

type: string (**str42**), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

cel6r_2 **Tambon 2 (unavailable)**

type: string (**str42**), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

cel6s_2 **Number of teachers 2**

```

type: numeric (byte)
range: [1,6]
unique values: 6
unique missing codes: 3
units: 1
missing .: 133/1,397
missing *: 132/1,397

```

```

tabulation: Freq. Value
             861  1
             227  2
              37  3
               5  4
               1  5
               1  6
             133  .
             131  .c
               1  .d
mean:       1.2871
std. dev:   .570178

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      2

```

celb1_2 **The 1st teacher's name 2 (unavailable)**

```

type: string (str64), but longest is str0
unique values: 0
missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""

```

celc1_2 **The 1st teacher's code 2 (unavailable)**

```

type: string (str12), but longest is str0
unique values: 0
missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""

```

celb2_2 **The 2nd teacher's name 2 (unavailable)**

```

type: string (str67), but longest is str0
unique values: 0
missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""

```

celc2_2 **The 2nd teacher's code 2 (unavailable)**

```

type: string (str18), but longest is str0
unique values: 0
missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""

```

celb3_2 **The 3rd teacher's name 2 (unavailable)**

```

type: string (str58), but longest is str0

```

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

ce1c3_2

The 3rd teacher's code 2 (unavailable)

type: string (**str10**), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

ce16t_2

Number of students 2

type: numeric (**byte**)

range: [1,54] units: 1
unique values: 47 missing .: 133/1,397
unique missing codes: 2 missing *: 614/1,397

tabulation:	Freq.	Value
	2	1
	2	2
	4	3
	7	4
	7	5
	11	6
	14	7
	13	8
	8	9
	37	10
	15	11
	24	12
	23	13
	29	14
	43	15
	30	16
	23	17
	18	18
	20	19
	55	20
	10	21
	13	22
	8	23
	16	24
	38	25
	9	26
	8	27
	12	28
	7	29
	45	30
	3	31
	16	32
	9	33
	5	34
	23	35
	4	36
	7	37
	3	38
	3	39
	14	40
	5	42
	1	43
	2	44
	1	45
	1	48


```

          1 50
          1 54
         133 .
         614 .c
    mean: 20.3554
    std. dev: 9.62717

    percentiles:      10%      25%      50%      75%      90%
                     9        13        19        28        35
    
```

cel6ba_2 **Start month 2 (unavailable)**

```

    type: numeric (byte)
    label: cel6ba

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,397/1,397

    tabulation: Freq.  Numeric  Label
                1,397      .
    
```

cel6bb_2 **Start year 2 (unavailable)**

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,397/1,397

    tabulation: Freq.  Value
                1,397  .
    mean: .
    std. dev: .

    percentiles:      10%      25%      50%      75%      90%
                     .        .        .        .        .
    
```

cel6ca_2 **End month 2 (unavailable)**

```

    type: numeric (byte)
    label: cel6ca

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,397/1,397

    tabulation: Freq.  Numeric  Label
                1,397      .
    
```

cel6cb_2 **End year 2 (unavailable)**

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,397/1,397

    tabulation: Freq.  Value
                1,397  .
    mean: .
    std. dev: .

    percentiles:      10%      25%      50%      75%      90%
                     .        .        .        .        .
    
```

ce16d_2 **Study hours/day 2**

```

type: numeric (byte)
range: [3,9]
unique values: 6
unique missing codes: 3
units: 1
missing .: 133/1,397
missing *: 65/1,397

tabulation: Freq. Value
             1 3
             46 5
             358 6
             647 7
             145 8
             2 9
             133 .
             64 .c
             1 .d
mean: 6.74562
std. dev: .727136

percentiles:      10%      25%      50%      75%      90%
                  6        6        7        7        8
    
```

ce16e_2 **Study hours/week 2**

```

type: numeric (byte)
range: [3,5]
unique values: 2
unique missing codes: 3
units: 1
missing .: 133/1,397
missing *: 23/1,397

tabulation: Freq. Value
             1 3
             1,240 5
             133 .
             22 .c
             1 .d
mean: 4.99839
std. dev: .056773

percentiles:      10%      25%      50%      75%      90%
                  5        5        5        5        5
    
```

ce16f_2 **Borrowed a story book 2**

```

type: numeric (byte)
label: ce16f
range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .: 133/1,397
missing *: 29/1,397

tabulation: Freq. Numeric Label
             152      1 yes
             1,083    3 no
             133     .
             28     .c
             1     .d
    
```

ce16g_2 **Times 2**

```

type: numeric (byte)
    
```

range: [1,5] units: 1
 unique values: 5 missing .: 1,216/1,397
 unique missing codes: 3 missing *: 30/1,397

tabulation: Freq. Value
 21 1
 23 2
 18 3
 4 4
 85 5
 1,216 .
 29 .c
 1 .d
 mean: 3.72185
 std. dev: 1.57547

percentiles: 10% 25% 50% 75% 90%
 1 2 5 5 5

cel6h_2 **Frequency 2 (not display)**

type: string (**str45**), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

cel6ha_2 **Code 2**

type: numeric (**byte**)
 label: **cel6ha_2**

range: [3,9] units: 1
 unique values: 3 missing .: 1,216/1,397
 unique missing codes: 3 missing *: 31/1,397

tabulation: Freq. Numeric Label
 135 3 weekly
 12 5 monthly
 3 9 yearly
 1,216 .
 29 .c
 2 .d

cel6i_2 **School sent a child development record 2**

type: numeric (**byte**)
 label: **cel6i**

range: [1,3] units: 1
 unique values: 2 missing .: 133/1,397
 unique missing codes: 2 missing *: 31/1,397

tabulation: Freq. Numeric Label
 28 1 yes
 1,205 3 no
 133 .
 31 .c

cel6j_2 **Times 2**

type: numeric (**byte**)

range: [1,2] units: 1
 unique values: 2 missing .: 1,338/1,397
 unique missing codes: 2 missing *: 31/1,397

tabulation: Freq. Value
 26 1
 2 2
 1,338 .
 31 .c
 mean: 1.07143
 std. dev: .262265

percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 1

cel6k_2 **Frequency 2 (not display)**

type: string (**str30**), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

cel6ka_2 **Code 2**

type: numeric (**byte**)
 label: **cel6ka_2**

range: [3,9] units: 1
 unique values: 3 missing .: 1,338/1,397
 unique missing codes: 2 missing *: 31/1,397

tabulation: Freq. Numeric Label
 6 3 weekly
 2 5 monthly
 20 9 yearly
 1,338 .
 31 .c

cel6ua_2 **GPA 2**

type: numeric (**double**)

range: [.,.] units: .
 unique values: 0 missing .: 133/1,397
 unique missing codes: 4 missing *: 1,264/1,397

tabulation: Freq. Value
 133 .
 1,118 .b
 2 .c
 144 .d
 mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

cel6ub_2 **Percentage 2**

type: numeric (**double**)

```

range: [.,.]
unique values: 0
unique missing codes: 4
units: .
missing .: 133/1,397
missing *: 1,264/1,397

```

```

tabulation: Freq. Value
             133 .
             1,118 .b
              2 .c
             144 .d
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .

```

ce16l_2 **Reason for leave 2 (not display)**

```

type: string (str206), but longest is str0
unique values: 0
missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""

```

ce16m_3 **Class 3**

```

type: string (str24), but longest is str13
unique values: 2
missing "": 1,395/1,397
tabulation: Freq. Value
             1,395 ""
              1 "Kindergarten1"
              1 "Kindergarten3"

```

tce16a_3 **CEC/School 3**

```

type: string (str10), but longest is str6
unique values: 1
missing "": 1,395/1,397
tabulation: Freq. Value
             1,395 ""
              2 "School"

```

ce16a_3 **School name 3 (unavailable)**

```

type: string (str120), but longest is str0
unique values: 0
missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""

```

ce16n_3 **CDC/School Code 3 (unavailable)**

```

type: string (str11), but longest is str0
unique values: 0
missing "": 1,397/1,397

```

tabulation: Freq. Value
 1,397 ""

ce16o_3 **School type 3**

type: numeric (**byte**)
 label: **ce16o_3**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,395/1,397

tabulation: Freq. Numeric Label
 2 1 Public School
 1,395 .

ce16p_3 **Province 3 (unavailable)**

type: string (**str39**), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

ce16q_3 **Amphoe 3 (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

ce16r_3 **Tambon 3 (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

ce16s_3 **Number of teachers 3**

type: numeric (**byte**)
 range: [1,1] units: 1
 unique values: 1 missing .: 1,395/1,397

tabulation: Freq. Value
 2 1
 1,395 .

mean: 1
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 1

ce1b1_3 **The 1st teacher's name 3 (unavailable)**

```

type: string (str64), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

celc1_3 **The 1st teacher's code 3 (unavailable)**

```

type: string (str12), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

celb2_3 **The 2nd teacher's name 3 (unavailable)**

```

type: string (str67), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

celc2_3 **The 2nd teacher's code 3 (unavailable)**

```

type: string (str18), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

celb3_3 **The 3rd teacher's name 3 (unavailable)**

```

type: string (str58), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

celc3_3 **The 3rd teacher's code 3 (unavailable)**

```

type: string (str10), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

cel6t_3 **Number of students 3**

```

type: numeric (byte)
range: [20,20] units: 10
unique values: 1 missing .: 1,395/1,397
unique missing codes: 2 missing *: 1/1,397

```

```

tabulation:  Freq.  Value
              1    20
            1,395  .
              1    .c
    mean:      20
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              20     20     20     20     20
    
```

ce16ba_3 **Start month 3 (unavailable)**

```

    type: numeric (byte)
    label: ce16ba

    range: [.,.]
    unique values: 0
                    units: .
                    missing .. 1,397/1,397

    tabulation:  Freq.  Numeric  Label
                  1,397  .
    
```

ce16bb_3 **Start year 3 (unavailable)**

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
                    units: .
                    missing .. 1,397/1,397

    tabulation:  Freq.  Value
                  1,397  .
    mean:      .
    std. dev:  .

    percentiles:  10%    25%    50%    75%    90%
                  .     .     .     .     .
    
```

ce16ca_3 **End month 3 (unavailable)**

```

    type: numeric (byte)
    label: ce16ca

    range: [.,.]
    unique values: 0
                    units: .
                    missing .. 1,397/1,397

    tabulation:  Freq.  Numeric  Label
                  1,397  .
    
```

ce16cb_3 **End year 3 (unavailable)**

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
                    units: .
                    missing .. 1,397/1,397

    tabulation:  Freq.  Value
                  1,397  .
    mean:      .
    std. dev:  .

    percentiles:  10%    25%    50%    75%    90%
                  .     .     .     .     .
    
```

ce16d_3 **Study hours/day 3**

```

type: numeric (byte)
range: [7,8] units: 1
unique values: 2 missing .: 1,395/1,397

tabulation: Freq. Value
              1 7
              1 8
            1,395 .
mean: 7.5
std. dev: .707107

percentiles: 10% 25% 50% 75% 90%
              7 7 7.5 8 8
    
```

ce16e_3 **Study hours/week 3**

```

type: numeric (byte)
range: [5,5] units: 1
unique values: 1 missing .: 1,395/1,397

tabulation: Freq. Value
              2 5
            1,395 .
mean: 5
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              5 5 5 5 5
    
```

ce16f_3 **Borrowed a story book 3**

```

type: numeric (byte)
label: ce16f
range: [3,3] units: 1
unique values: 1 missing .: 1,395/1,397

tabulation: Freq. Numeric Label
              2 3 no
            1,395 .
    
```

ce16g_3 **Times 3**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Value
            1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ce16h_3 **Frequency 3 (not display)**

```

type: string (str45), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

ce16ha_3 **Code 3**

```

type: numeric (byte)
label: ce16ha_3
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
tabulation: Freq. Numeric Label
1,397 .

```

ce16i_3 **School sent a child development record 3**

```

type: numeric (byte)
label: ce16i
range: [3,3] units: 1
unique values: 1 missing .: 1,395/1,397
tabulation: Freq. Numeric Label
2 3 no
1,395 .

```

ce16j_3 **Times 3**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
tabulation: Freq. Value
1,397 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
. . . . .

```

ce16k_3 **Frequency 3 (not display)**

```

type: string (str30), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
1,397 ""

```

ce16ka_3 **Code 3**

```

type: numeric (byte)
label: ce16ka_3
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397

```



```

tabulation: Freq. Value
            1,396 ""
            1 "School"
    
```

cel6a_4 **School name 4 (unavailable)**

```

type: string (str118), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

cel6n_4 **CDC/School Code 4 (unavailable)**

```

type: string (str9), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

cel6o_4 **School type 4**

```

type: numeric (byte)
label: cel6o_4
range: [1,1] units: 1
unique values: 1 missing .: 1,396/1,397
tabulation: Freq. Numeric Label
            1 1 Public School
            1,396 .
    
```

cel6p_4 **Province 4 (unavailable)**

```

type: string (str39), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

cel6q_4 **Amphoe 4 (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

cel6r_4 **Tambon 4 (unavailable)**

```

type: string (str36), but longest is str0
unique values: 0 missing "": 1,397/1,397
    
```

tabulation: Freq. Value
 1,397 ""

cel6s_4 **Number of teachers 4**

type: numeric (**byte**)
 range: [1,1] units: 1
 unique values: 1 missing .: 1,396/1,397
 tabulation: Freq. Value
 1 1
 1,396 .
 mean: 1
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 1

celb1_4 **The 1st teacher's name 4 (unavailable)**

type: string (**str64**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

celc1_4 **The 1st teacher's code 4 (unavailable)**

type: string (**str11**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

celb2_4 **The 2nd teacher's name 4 (unavailable)**

type: string (**str36**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

celc2_4 **The 2nd teacher's code 4 (unavailable)**

type: string (**str18**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

celb3_4 **The 3rd teacher's name 4 (unavailable)**

type: string (**str33**), but longest is str0

unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

celc3_4 **The 3rd teacher's code 4 (unavailable)**

type: string (**str10**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cel6t_4 **Number of students 4**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,396/1,397
 unique missing codes: 2 missing *: 1/1,397
 tabulation: Freq. Value
 1,396 .
 1 .c
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cel6ba_4 **Start month 4 (unavailable)**

type: numeric (**byte**)
 label: **cel6ba**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cel6bb_4 **Start year 4 (unavailable)**

type: numeric (**int**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cel6ca_4 **End month 4 (unavailable)**

type: numeric (**byte**)
 label: **cel6ca**

```

range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

ce16cb_4 **End year 4 (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

ce16d_4 **Study hours/day 4**

```

type: numeric (byte)
range: [7,7]
unique values: 1
units: 1
missing .: 1,396/1,397

tabulation: Freq. Value
1 7
1,396 .
mean: 7
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              7   7   7   7   7
    
```

ce16e_4 **Study hours/week 4**

```

type: numeric (byte)
range: [5,5]
unique values: 1
units: 1
missing .: 1,396/1,397

tabulation: Freq. Value
1 5
1,396 .
mean: 5
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              5   5   5   5   5
    
```

ce16f_4 **Borrowed a story book 4**

```

type: numeric (byte)
label: ce16f
range: [3,3]
unique values: 1
units: 1
missing .: 1,396/1,397
    
```

```

tabulation: Freq.  Numeric  Label
              1          3     no
              1,396      .
    
```

cel6g_4 **Times 4**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq.  Value
              1,397  .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
               .      .      .      .      .
    
```

cel6h_4 **Frequency 4**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
              1,397  ""
    
```

cel6ha_4 **Code 4**

```

type: numeric (byte)
label: cel6ha_4
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq.  Numeric  Label
              1,397      .
    
```

cel6i_4 **School sent a child development record 4**

```

type: numeric (byte)
label: cel6i
range: [3,3]
unique values: 1
units: 1
missing .: 1,396/1,397

tabulation: Freq.  Numeric  Label
              1          3     no
              1,396      .
    
```

cel6j_4 **Times 4**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397
    
```



```

tabulation: Freq. Value
             1,397 .
      mean:  .
      std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

cel6k_4 **Frequency 4**

```

      type: string (str30), but longest is str0
unique values: 0 missing "": 1,397/1,397

      tabulation: Freq. Value
                  1,397 ""
    
```

cel6ka_4 **Code 4**

```

      type: numeric (byte)
      label: cel6ka_4

      range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397

      tabulation: Freq. Numeric Label
                  1,397 .
    
```

cel6ua_4 **GPA 4**

```

      type: numeric (double)

      range: [.,.] units: .
unique values: 0 missing .: 1,396/1,397
unique missing codes: 2 missing *: 1/1,397

      tabulation: Freq. Value
                  1,396 .
                   1 .b
      mean:      .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

cel6ub_4 **Percentage 4**

```

      type: numeric (double)

      range: [.,.] units: .
unique values: 0 missing .: 1,396/1,397
unique missing codes: 2 missing *: 1/1,397

      tabulation: Freq. Value
                  1,396 .
                   1 .b
      mean:      .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```



```

tabulation:  Freq.  Value
              73    1
              111   2
              110   3
               41   4
               45   5
               12   6
                3   7
                2   8
                1   9
               40  10
                1  11
                1  12
                2  13
                6  15
                9  20
                2  28
                1  35
              905  .
               32  .c
    mean:     4.22174
    std. dev: 4.23271

percentiles:      10%      25%      50%      75%      90%
                  1         2         3         5         10
    
```

ce12a2aa **Picture book or picture card in the child's house : amount**

```

type: numeric (byte)
range: [1,24]
unique values: 12
unique missing codes: 2
units: 1
missing .: 821/1,397
missing *: 29/1,397
    
```

```

tabulation:  Freq.  Value
              202   1
              174   2
               86   3
               24   4
               27   5
                7   6
                3   8
               13  10
                1  12
                4  15
                5  20
                1  24
              821  .
               29  .c
    mean:     2.61609
    std. dev: 2.82304

percentiles:      10%      25%      50%      75%      90%
                  1         1         2         3         5
    
```

ce12a3aa **Posters : amount**

```

type: numeric (byte)
range: [1,10]
unique values: 8
units: 1
missing .: 943/1,397
    
```

```

tabulation:  Freq.  Value
              125  1
              183  2
              95  3
              31  4
              14  5
               2  6
               1  7
               3 10
              943  .
    mean:    2.24449
    std. dev: 1.23583

percentiles:    10%    25%    50%    75%    90%
                1      1      2      3      4
    
```

cel3a1a **Exercise book in the child's house**

```

    type: numeric (byte)
    label: cel2a1a

    range: [1,3]
unique values: 2
                units: 1
                missing.: 0/1,397

    tabulation:  Freq.  Numeric  Label
                  798    1  yes
                  599    3  no
    
```

cel3a2a **Coloring book in the child's house**

```

    type: numeric (byte)
    label: cel2a1a

    range: [1,3]
unique values: 2
                units: 1
                missing.: 0/1,397

    tabulation:  Freq.  Numeric  Label
                  948    1  yes
                  449    3  no
    
```

cel3a1aa **Exercise book in the child's house : amount**

```

    type: numeric (byte)

    range: [1,24]
unique values: 12
unique missing codes: 3
                units: 1
                missing.: 599/1,397
                missing*: 61/1,397

    tabulation:  Freq.  Value
                  186  1
                  266  2
                  147  3
                   39  4
                   45  5
                   19  6
                    3  7
                    7  8
                   21 10
                    1 12
                    2 20
                    1 24
                  599  .
                   59  .c
                    2  .d
    mean:    2.73677
    std. dev: 2.24242
    
```



```

range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .: 1,311/1,397
missing *: 2/1,397

tabulation: Freq. Numeric Label
              13         1 yes
              71         3 no
            1,311         .
              1         .c
              1         .d
    
```

note_cleaner **Data cleaner note (not display)**

```

type: string (str159), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

cel7b_1 **Where does this child take special education or supplementary 1 (unavailable)**

```

type: string (str99), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

cel7ba_1 **Type of place to study 1**

```

type: numeric (byte)
label: cel7ba_1
range: [1,11]
unique values: 6
unique missing codes: 2
units: 1
missing .: 1,311/1,397
missing *: 2/1,397

tabulation: Freq. Numeric Label
              31         1 Study at school organized by the
                    school
              14         3 Study at school
              33         5 Study at the teacher's house
               1         7 Study at the children's home
               3         9 Study at tutoring Institute
               2         11 Other
            1,311         .
               2         .c
    
```

cel7c_1 **What subjects does this child study 1**

```

type: string (str33)
unique values: 14
unique missing codes: 2
missing "": 1,311/1,397
missing *: 1/1,397
    
```

```

tabulation: Freq. Value
            1,311 ""
            49 "Assorted Subjects"
            1 "DK"
            4 "English"
            1 "English;Arts"
            1 "Mathematics"
            2 "Mathematics;English"
            2 "Mathematics;Science;Thai Language"
            3 "Mathematics;Thai Language"
            15 "Mathematics;Thai Language;English"
            1 "Sports"
            1 "Thai Language"
            2 "Thai Language;Arts"
            3 "Thai Language;English"
            1 "Thai Language;Social;English"
    
```

warning: variable has embedded blanks

cel7ca_1

Other such as 1

type: string (str58), but longest is str0

unique values: 0 missing "": 1,397/1,397

```

tabulation: Freq. Value
            1,397 ""
    
```

cel7d_1

How many days a year does this child study 1

type: numeric (int)

range: [2,334] units: 1
 unique values: 46 missing .: 1,311/1,397
 unique missing codes: 2 missing *: 12/1,397

```

tabulation: Freq. Value
            1 2
            3 4
            1 9
            2 10
            2 14
            1 15
            1 16
            3 17
            3 18
            1 21
            3 22
            2 24
            1 26
            2 27
            1 29
            6 30
            1 34
            1 38
            1 42
            1 44
            2 45
            1 46
            1 53
            1 54
            1 60
            3 66
            1 76
            1 79
            1 80
            1 86
            1 88
    
```

```

1 90
1 102
2 104
1 108
1 116
1 176
3 198
1 203
4 215
1 237
1 242
1 258
3 260
1 261
1 334
1,311 .
12 .c
mean: 84.7027
std. dev: 87.248

percentiles:    10%    25%    50%    75%    90%
                 14     22    44.5   108   237

```

cel7e_1 **How much does it cost per year 1**

```

type: numeric (int)
range: [0,30000]
unique values: 36
unique missing codes: 2

units: 1
missing .: 1,311/1,397
missing *: 10/1,397

```

```

tabulation: Freq. Value
6 0
3 200
1 300
4 400
1 420
1 450
3 500
1 600
5 800
5 1200
4 1500
1 1600
1 1800
1 1840
1 1900
1 1920
7 2000
2 2400
3 2500
1 2700
1 2800
3 3000
1 3500
1 4000
1 4400
1 4500
1 4535
5 5000
2 5500
1 6000
1 7200
1 9000
1 9600
2 10000
1 25000
1 30000
1,311 .
10 .c

```


mean: 3092.96
 std. dev: 4720.88
 percentiles: 10% 25% 50% 75% 90%
 200 550 1910 3750 6000

ce17b_2 Where does this child take special education or supplementary 2 (unavailable)

type: string (**str99**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

ce17ba_2 Type of place to study 2

type: numeric (**byte**)
 label: **ce17ba_2**
 range: [1,5] units: 1
 unique values: 2 missing .: 1,395/1,397
 tabulation: Freq. Numeric Label
 1 1 Study at school organized by the school
 1 5 Study at the teacher's house
 1,395 .

ce17c_2 What subjects does this child study 2

type: string (**str33**), but longest is str17
 unique values: 1 missing "": 1,395/1,397
 tabulation: Freq. Value
 1,395 ""
 2 "Assorted Subjects"
 warning: variable has embedded blanks

ce17ca_2 Other such as 2

type: string (**str58**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

ce17d_2 How many days a year does this child study 2

type: numeric (**int**)
 range: [20,20] units: 10
 unique values: 1 missing .: 1,395/1,397
 unique missing codes: 2 missing *: 1/1,397

```

tabulation:  Freq.  Value
              1    20
            1,395  .
              1    .c
    mean:      20
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              20     20     20     20     20
    
```

ce17e_2 **How much does it cost per year 2**

```

    type: numeric (int)
    range: [1500,5000]
unique values: 2
              units: 100
              missing .: 1,395/1,397

    tabulation:  Freq.  Value
                  1    1500
                  1    5000
            1,395  .
    mean:        3250
    std. dev:    2474.87

percentiles:  10%    25%    50%    75%    90%
              1500   1500   3250   5000   5000
    
```

ce14 **Interviewer note (not display)**

```

    type: string (str653), but longest is str0
unique values: 0
              missing "": 1,397/1,397

    tabulation:  Freq.  Value
                  1,397  ""
    
```

ce2e **Borrowed a story book from the child development center**

```

    type: numeric (float)
    label: ce2e
    range: [1,3]
unique values: 2
unique missing codes: 3
              units: 1
              missing .: 20/1,397
              missing *: 32/1,397

    tabulation:  Freq.  Numeric  Label
                  172     1    yes
                  1,173   3    no
                   20     .
                   31     .c
                   1     .d
    
```

ce2f **Borrowed a story book : times**

```

    type: numeric (float)
    range: [1,5]
unique values: 5
unique missing codes: 3
              units: 1
              missing .: 1,193/1,397
              missing *: 33/1,397
    
```

```

tabulation:  Freq.  Value
              23    1
              23    2
              20    3
               5    4
             100    5
            1,193  .
              32   .c
               1   .d
    mean:     3.79532
    std. dev: 1.55646

percentiles:      10%      25%      50%      75%      90%
                  1         2         5         5         5
    
```

ce2f_yearly **Code of frequency (yearly)**

```

type: numeric (float)
range: [1,200]
unique values: 11
unique missing codes: 3
units: 1
missing .: 1,193/1,397
missing *: 33/1,397
    
```

```

tabulation:  Freq.  Value
              1    1
              2    2
              1    3
              5    9
              5   18
              2   27
             17   40
             16   80
             17  120
              5  160
            100  200
            1,193 .
              32   .c
               1   .d
    mean:     146.181
    std. dev:  70.7858

percentiles:      10%      25%      50%      75%      90%
                  40         80       200       200       200
    
```

ce2g **Borrowed a story book : frequency**

```

type: string (str30), but longest is str7
unique values: 5
unique missing codes: 3
missing "": 1,193/1,397
missing *: 34/1,397

tabulation:  Freq.  Value
            1,193  ""
              32   "DK"
               2   "MI"
              12  "monthly"
             155  "weekly"
               3   "yearly"
    
```

ce2h **Borrowed a story book code**

```

type: numeric (float)
label: ce2h
    
```

```

range: [3,9] units: 1
unique values: 3 missing .: 1,193/1,397
unique missing codes: 3 missing *: 34/1,397

tabulation: Freq. Numeric Label
             155      3 weekly
              12      5 monthly
               3      9 yearly
            1,193      .
               32      .c
                2      .d
    
```

ce8 **Sending a child-development record by school**

```

type: numeric (float)
label: ce8

range: [1,3] units: 1
unique values: 2 missing .: 20/1,397
unique missing codes: 2 missing *: 36/1,397

tabulation: Freq. Numeric Label
             32      1 yes
            1,309    3 no
                20      .
                36      .c
    
```

ce8a **Number of times : sending a child-development record by school**

```

type: numeric (float)

range: [1,3] units: 1
unique values: 3 missing .: 1,329/1,397
unique missing codes: 2 missing *: 36/1,397

tabulation: Freq. Value
             29      1
              2      2
               1      3
            1,329      .
               36      .c
mean:      1.125
std. dev:  .421212

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      1
    
```

ce8a_yearly **Code of frequency (yearly)**

```

type: numeric (float)

range: [1,40] units: 1
unique values: 5 missing .: 1,329/1,397
unique missing codes: 2 missing *: 36/1,397

tabulation: Freq. Value
             20      1
              2      2
               1      3
               3      9
               6     40
            1,329      .
               36      .c
mean:      9.1875
std. dev: 15.2176
    
```

