



```

name: <unnamed>
log: X:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2018\\hh_member.scml
log type: smcl
opened on: 29 May 2024, 16:05:30

```

1 . codebookr \_all,all

```

> un.dta
Dataset: X:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\hh_member_r
Last saved: 29 May 2024 16:05
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 42
Number of observations: 6,937
Size: 4,876,711 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

---

**cid** **children id**

---

```

type: string (str18)
unique values: 1,397 missing "": 0/6,937
examples: "201591161008205H1"
           "201691131006125H4"
           "201691160106098H1"
           "201691170404030H5"

```

---

**iyear** **year**

---

```

type: string (str4)
unique values: 2 missing "": 0/6,937
tabulation: Freq. Value
             2,467 "2015"
             4,470 "2016"

```

---

**hhid** **household id**

---

```

type: string (str15)

```

unique values: 1,197                      missing "": 0/6,937  
 examples: "201591161008205"  
           "201691131006125"  
           "201691160106098"  
           "201691170404030"

---

**prov** **province**

---

type: string (**str2**)  
 unique values: 2                      missing "": 0/6,937  
 tabulation: Freq. Value  
               6,282 "91"  
               655 "93"

---

**amp** **amphoe**

---

type: string (**str2**)  
 unique values: 7                      missing "": 0/6,937  
 tabulation: Freq. Value  
               655 "12"  
               1,134 "13"  
               538 "14"  
               680 "15"  
               2,564 "16"  
               211 "17"  
               1,155 "18"

---

**tam** **tambon**

---

type: string (**str2**)  
 unique values: 15                      missing "": 0/6,937  
 tabulation: Freq. Value  
               326 "01"  
               991 "02"  
               624 "04"  
               250 "05"  
               278 "06"  
               288 "07"  
               289 "08"  
               474 "09"  
               594 "10"  
               491 "11"  
               733 "13"  
               206 "14"  
               649 "15"  
               469 "17"  
               275 "19"

---

**moo** **moo**

---

type: string (**str2**)  
 unique values: 21                      missing "": 0/6,937

```

tabulation:  Freq.  Value
              759  "01"
              315  "02"
              701  "03"
              728  "04"
              568  "05"
              737  "06"
              365  "07"
              694  "08"
              471  "09"
              344  "10"
              257  "11"
              176  "12"
              173  "13"
               36  "14"
               58  "15"
              190  "16"
               39  "17"
               57  "18"
              132  "19"
              108  "22"
               29  "24"
    
```

---

**strucid** **structure ID**

---

```

type:  string (str3)
unique values: 182          missing "": 0/6,937
examples: "011"
          "034"
          "069"
          "137"
    
```

---

**hh\_a** **Member id**

---

```

type:  string (str5), but longest is str3
unique values: 13          missing "": 0/6,937
tabulation:  Freq.  Value
              1,385  "H1"
               45  "H10"
               23  "H11"
                 2  "H12"
                 2  "H13"
              1,300  "H2"
              1,278  "H3"
              1,031  "H4"
               756  "H5"
               524  "H6"
               320  "H7"
               182  "H8"
                89  "H9"
    
```

---

**no** **No**

---

```

type:  numeric (byte)
range:  [1,13]          units: 1
unique values: 13      missing .: 0/6,937
    
```

```

tabulation:  Freq.  Value
              1,385  1
              1,302  2
              1,279  3
              1,031  4
              753    5
              524    6
              320    7
              182    8
              89     9
              45    10
              23    11
              2     12
              2     13
mean:        3.47542
std. dev:    2.11226
    
```

```

percentiles:    10%    25%    50%    75%    90%
                1      2      3      5      6
    
```

**hh\_b** Nickname of member (unavailable)

```

type: string (str36), but longest is str0
unique values: 0 missing "": 6,937/6,937
tabulation:  Freq.  Value
              6,937  ""
    
```

**hh\_d** Name of member (unavailable)

```

type: string (str42), but longest is str0
unique values: 0 missing "": 6,937/6,937
tabulation:  Freq.  Value
              6,937  ""
    
```

**hh\_e** Surname of of member (unavailable)

```

type: string (str51), but longest is str0
unique values: 0 missing "": 6,937/6,937
tabulation:  Freq.  Value
              6,937  ""
    
```

**hh\_code** Status in houshold (code)

```

type: numeric (byte)
label: hh_code
range: [1,5] units: 1
unique values: 3 missing .: 0/6,937
tabulation:  Freq.  Numeric  Label
              6,580  1      old member
              349   3      new member
              8     5      move out of household
    
```

**hh\_f** Relationship with household head (not display)

```

type: string (str78), but longest is str0
unique values: 0 missing "": 6,937/6,937
tabulation: Freq. Value
             6,937 ""
    
```

---

**hh\_fcode** **Code of relationship with household head**

---

```

type: numeric (byte)
label: hh_fcode
range: [1,35] units: 1
unique values: 16 missing .: 0/6,937
    
```

tabulation:	Freq.	Numeric	Label
	1,394	1	household head
	1,071	3	husband/Wife
	125	5	father/Mother
	1,264	7	son/daughther
	33	9	brother/sister/younger
			brother/younger sister
	2,277	11	grand son/grand daughter
	1	15	uncle,aunt of male head
	4	17	uncle,aunt of femal head
	3	19	grand parent:father side
	1	21	grand parent:mother side
	54	23	father/mother-in-law(of wife)
	3	25	father/mother-in-law(of husband)
	433	27	son/doughter-in-law
	5	29	sister in law/brother-in-law
	31	31	grandson/grand daughter-in-law
	238	35	relatives

---

**hh\_1** **Relationship with child**

---

```

type: string (str90), but longest is str86
unique values: 196 missing "": 0/6,937
examples: " "
           "พ่อ"
           "แม่"
           "พี่สาว"
           "น้องชาย"
           "คุณยาย"
           "คุณตา"
           "คุณน้า"
           "คุณอา"
           "พี่เขย"
           "พี่สะใภ้"
           "ลูกพี่ลูกน้อง"
           "ญาติ"
warning: variable has embedded blanks
    
```

---

**hh\_lcode** **Code of relationship with child**

---

```

type: numeric (byte)
label: hh_lcode
range: [0,19] units: 1
unique values: 18 missing .: 0/6,937
    
```

tabulation:	Freq.	Numeric	Label
	1,397	0	Sample children
	1,235	1	father / mother
	26	2	Stepfather / Stepmother (a person)
	2	3	Adoptive father / Adoptive mother
	2	4	Stepfather / Stepmother (both of them)
	1,491	5	grand parent : mother side
	513	6	grand parent : father side
	754	7	siblings
	7	8	half-siblings (same father)
	128	9	half-siblings (same mother)
	1	11	Adoptive brother / Adoptive sister
	406	13	uncle / aunt
	420	14	cousin
	18	15	grand son / grand daughter
	4	16	sister in law / brother-in-law
	204	17	great-grandparents (Mother's side)
	44	18	great-grandparents (Father's side)
	285	19	relatives

---

**hh\_ga** **Household head**

---

```

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 5,542/6,937

tabulation: Freq. Value
1,395 1
5,542 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
1 1 1 1 1
    
```

---

**hh\_gb** **Target child**

---

```

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 5,541/6,937

tabulation: Freq. Value
1,396 1
5,541 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
1 1 1 1 1
    
```

---

**hh\_gc** **Primary caregiver**

---

```

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 4,880/6,937
    
```

```

tabulation:  Freq.  Value
              2,057  1
              4,880  .
      mean:   .
      std. dev: 0
percentiles: 10%    25%    50%    75%    90%
              1      1      1      1      1
    
```

---

**hh\_gd** **Father / Mother of child**

---

```

      type:  numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 5,702/6,937

      tabulation:  Freq.  Value
                   1,235  1
                   5,702  .
      mean:       1
      std. dev:   0
percentiles:     10%    25%    50%    75%    90%
                  1      1      1      1      1
    
```

---

**hh\_ge** **Informant**

---

```

      type:  numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 5,233/6,937

      tabulation:  Freq.  Value
                   1,704  1
                   5,233  .
      mean:       1
      std. dev:   0
percentiles:     10%    25%    50%    75%    90%
                  1      1      1      1      1
    
```

---

**hh\_h** **Contact number (unavailable)**

---

```

      type:  string (str11), but longest is str0
unique values: 0
      missing "": 6,937/6,937

      tabulation:  Freq.  Value
                   6,937  ""
    
```

---

**hh\_k** **Currently living at home?**

---

```

      type:  numeric (byte)
      label: hh_k
      range: [1,3]
unique values: 2
      units: 1
      missing.: 0/6,937

      tabulation:  Freq.  Numeric  Label
                   6,709    1      yes
                   228     3      no
    
```

---

**hh\_i** **Do you have savings?**

---

```

type: numeric (byte)
label: hh_i

range: [.,.]
unique values: 0
units: .
missing ..: 6,937/6,937

tabulation: Freq.  Numeric  Label
              6,937      .
    
```

---

**hh\_j** **Amount of deposit**

---

```

type: numeric (int)
label: hh_j

range: [.,.]
unique values: 0
units: .
missing ..: 6,937/6,937

tabulation: Freq.  Numeric  Label
              6,937      .
    
```

---

**blaf** **Gender**

---

```

type: numeric (byte)
label: blaf

range: [1,3]
unique values: 2
units: 1
missing ..: 0/6,937

tabulation: Freq.  Numeric  Label
              3,303      1  Male
              3,634      3  Female
    
```

---

**blag** **Nationality**

---

```

type: numeric (byte)
label: blag

range: [1,3]
unique values: 2
unique missing codes: 1
units: 1
missing ..: 0/6,937
missing *: 6/6,937

tabulation: Freq.  Numeric  Label
              6,919      1  Thai
              12       3  Other
              6       .d
    
```

---

**blag\_other** **Other**

---

```

type: string (str11), but longest is str2

unique values: 1
unique missing codes: 2
missing "": 6,925/6,937
missing *: 12/6,937

tabulation: Freq.  Value
              6,925  ""
              12   "MI"
    
```



---

**blah** **Highest \*education/present**

---

```

type: string (str96)
unique values: 156
unique missing codes: 2
missing "": 0/6,937
missing *: 77/6,937

examples: "j.4"
          "j.6"
          "u.6"
          "nan."

warning: variable has leading, embedded, and trailing blanks
    
```

---

**blah\_code** **Code of highest education/present**

---

```

type: numeric (byte)
label: blah_code

range: [1,75]
unique values: 32
unique missing codes: 2
units: 1
missing .: 0/6,937
missing *: 82/6,937
    
```

tabulation:	Freq.	Numeric	Label
	839	1	no education
	153	3	kindergarten 1
	122	5	kindergarten 2
	23	7	kindergarten 3
	102	9	primary 1
	121	11	primary 2
	107	13	primary 3
	1,579	15	primary 4
	68	17	primary 5
	784	19	primary 6
	32	21	primary 7
	63	23	lower secondary 1
	81	25	lower secondary 2
	586	27	lower secondary 3
	41	29	upper secondary 1
	32	31	upper secondary 2
	614	33	upper secondary 3
	20	39	highschool 3 (old system)
	10	43	highschool 5 (old system)
	7	45	vocational school year 1
	4	47	vocational school year 2
	66	49	vocational school year 3
	6	51	high vocational school year 1
	131	53	high vocational school year 2
	2	57	Technical vocational certificate 2
	1	59	Diploma
	2	63	Bachelor year 2
	1	65	Bachelor year 3
	192	67	Bachelor year 4
	20	69	Master degree
	998	73	Early childhood center
	48	75	Other
	73	.c	
	9	.d	

---

**blaj** **Marital status**

---

```

type: numeric (byte)
label: blaj
    
```

range: [1,9] units: 1  
 unique values: 5 missing .: 0/6,937  
 unique missing codes: 1 missing \*: 14/6,937

tabulation:	Freq.	Numeric	Label
	3,052	1	single
	3,194	3	married (both registered and non-registered)
	154	5	divorced
	286	7	widowed
	237	9	separate (but keep the relationship)
	14	.d	

**male** **Male**

type: numeric (**float**)

range: [0,1] units: 1  
 unique values: 2 missing .: 0/6,937

tabulation:	Freq.	Value
	3,634	0
	3,303	1

mean: .476142  
 std. dev: .499466

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	1

**female** **Female**

type: numeric (**float**)

range: [0,1] units: 1  
 unique values: 2 missing .: 0/6,937

tabulation:	Freq.	Value
	3,303	0
	3,634	1

mean: .523858  
 std. dev: .499466

percentiles:	10%	25%	50%	75%	90%
	0	0	1	1	1

**child** **Child**

type: numeric (**float**)

range: [0,1] units: 1  
 unique values: 2 missing .: 78/6,937

tabulation:	Freq.	Value
	4,210	0
	2,649	1
	78	.

mean: .386208  
 std. dev: .486915

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	1

---

**adult** **Adult**

---

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 78/6,937

tabulation: Freq. Value
              3,645 0
              3,214 1
              78 .
mean: .468581
std. dev: .499048

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        1
    
```

---

**elder** **Elder**

---

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 78/6,937

tabulation: Freq. Value
              5,912 0
              947 1
              78 .
mean: .138067
std. dev: .344995

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

---

**age** **Member's age (year)**

---

```

type: numeric (double)
range: [.01,93.58] units: .01
unique values: 968 missing .: 78/6,937

mean: 31.1652
std. dev: 23.6749

percentiles:      10%      25%      50%      75%      90%
                  4.08      6.58      29.5      52.91      63.41
    
```

---

**note\_cleaner** **data cleaner note (not display)**

---

```

type: string (str174), but longest is str0
unique values: 0 missing "": 6,937/6,937

tabulation: Freq. Value
              6,937 ""
    
```

---

**survey\_name** **Survey name**

---

```

type: string (str12)
unique values: 1 missing "": 0/6,937
    
```

tabulation: Freq. Value  
6,937 "RESURVEY2018"

---

**year\_survey** **year survey**

---

type: numeric (**float**)  
range: [2018,2018] units: 1  
unique values: 1 missing .: 0/6,937  
tabulation: Freq. Value  
6,937 2018  
mean: 2018  
std. dev: 0  
percentiles: 10% 25% 50% 75% 90%  
2018 2018 2018 2018 2018

2 . log close  
name: <unnamed>  
log: X:\\RIECE DATA\\RIECE\_RELEASE V3-2017-2018/codebook\2018\hh\_member.scml  
log type: smcl  
closed on: 29 May 2024, 16:05:32

---