



```

name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a2.smcl
log type: smcl
opened on: 27 Jul 2024, 15:48:24
    
```

1 . codebookr _all,all

```

Dataset: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\a2_run.dta
Last saved: 27 Jul 2024 15:37
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 855
Number of observations: 1,266
Size: 16,607,388 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

hhid **household id**

```

type: string (str15)
unique values: 1,266 missing "": 0/1,266
examples: "201591160604209"
           "201691131001998"
           "201691160105068"
           "201691161706097"
    
```

iyear **year**

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,266
tabulation: Freq. Value
             459 "2015"
             807 "2016"
    
```

prov **province**

```

type: string (str2)
    
```

unique values: 2 missing "": 0/1,266
 tabulation: Freq. Value
 1,144 "91"
 122 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,266
 tabulation: Freq. Value
 1 "09"
 122 "12"
 226 "13"
 106 "14"
 124 "15"
 475 "16"
 31 "17"
 181 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,266
 tabulation: Freq. Value
 57 "01"
 202 "02"
 105 "04"
 51 "05"
 50 "06"
 55 "07"
 49 "08"
 85 "09"
 115 "10"
 73 "11"
 125 "13"
 42 "14"
 129 "15"
 84 "17"
 44 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,266
 tabulation: Freq. Value
 126 "01"
 57 "02"
 122 "03"
 140 "04"
 114 "05"
 136 "06"
 63 "07"
 132 "08"
 79 "09"
 64 "10"
 45 "11"
 36 "12"
 36 "13"
 10 "14"

```

9 "15"
33 "16"
8 "17"
11 "18"
24 "19"
1 "20"
14 "22"
6 "24"

```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,266
examples: "010"
          "034"
          "070"
          "142"

```

la **Since last interview, how many pieces of land did all household members own?**

```

type: numeric (byte)
range: [0,11]           units: 1
unique values: 11       missing .: 0/1,266
unique missing codes: 1 missing *: 1/1,266

```

```

tabulation: Freq. Value
            102 0
            240 1
            430 2
            263 3
            127 4
             66 5
             21 6
              9 7
              4 8
              2 10
              1 11
              1 .a

```

```

mean: 2.35494
std. dev: 1.47972

```

```

percentiles:      10%      25%      50%      75%      90%
                  1         1         2         3         4

```

la:
1. subjected to a carryforward operation

la_new **Since last interview, how many pieces of land have all household members additio**

```

type: numeric (byte)
range: [0,7]           units: 1
unique values: 7       missing .: 0/1,266

```

```

tabulation:  Freq.  Value
              1,091  0
              135   1
              31    2
               4    3
               2    4
               2    5
               1    7
    mean:     .184834
    std. dev: .550062

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

la_new:

1. subjected to a carryforward operation

la_no_new Record the code of the new plot from the Roster

```

type: string (str30), but longest is str20
unique values: 28 missing "": 1,091/1,266

tabulation:  Freq.  Value
              1,091  ""
               9   "P1"
               1  "P12;P13;P14;P15;P16"
               6  "P1;P2"
               1  "P1;P2;P3;P4"
               1  "P1;P2;P3;P4;P5;P6;P7"
              21  "P2"
               5  "P2;P3"
               1  "P2;P3;P4"
               1  "P2;P4"
               8  "P2A"
              46  "P3"
               9  "P3;P4"
               1  "P3;P4;P5"
               1  "P3;P4;P5;P6"
              25  "P4"
               5  "P4;P5"
               1  "P4;P5;P6"
               1  "P4;P5;P6;P7;P8"
               1  "P4A"
              16  "P5"
               2  "P5;P6"
               2  "P6"
               2  "P6;P7"
               3  "P7"
               1  "P7;P8;P9"
               3  "P8"
               1  "P8;P9"
               1  "P9"
    
```

la_no_1 No. Plot

```

type: string (str7), but longest is str3
unique values: 7 missing "": 82/1,266
    
```

```

tabulation: Freq. Value
            82 ""
            1,138 "P1"
              1 "P1A"
             37 "P2"
              5 "P3"
              1 "P4"
              1 "P6"
              1 "P8"
    
```

dum_land_old_1 **Dummy of old land the household own plot 1**

```

type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 0/1,266

tabulation: Freq. Value
            105 0
            1,161 1
mean: .917062
std. dev: .275898

percentiles: 10% 25% 50% 75% 90%
              1 1 1 1 1
    
```

dum_land_new_1 **Dummy of new land the household own plot 1**

```

type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 0/1,266

tabulation: Freq. Value
            1,243 0
              23 1
mean: .018167
std. dev: .13361

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

dum_land_lose_1 **Dummy of losing land the household own plot 1**

```

type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 0/1,266

tabulation: Freq. Value
            1,247 0
              19 1
mean: .015008
std. dev: .121632

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

la_location_1 **P1: Location (unavailable)**

```

type: string (str156), but longest is str0
unique values: 0
missing "": 1,266/1,266
    
```

tabulation: Freq. Value
 1,266 ""

la_sizea_1 **P1: land size 1,600 sqm**

type: numeric (**byte**)
 range: [1,32] units: 1
 unique values: 22 missing .: 866/1,266
 unique missing codes: 2 missing *: 155/1,266

tabulation: Freq. Value
 112 1
 32 2
 19 3
 15 4
 12 5
 6 6
 10 7
 5 8
 9 9
 4 10
 1 11
 2 12
 1 13
 3 15
 2 16
 1 18
 3 19
 2 20
 2 24
 2 25
 1 30
 1 32
 866 .
 155 .c

mean: 4.16327
 std. dev: 5.41608

percentiles: 10% 25% 50% 75% 90%
 1 1 2 5 10

la_sizeb_1 **P1: land size 400 sqm**

type: numeric (**byte**)
 range: [1,3] units: 1
 unique values: 3 missing .: 516/1,266
 unique missing codes: 2 missing *: 168/1,266

tabulation: Freq. Value
 307 1
 167 2
 108 3
 516 .
 168 .c

mean: 1.65808
 std. dev: .772769

percentiles: 10% 25% 50% 75% 90%
 1 1 1 2 3

la_sizec_1 **P1: land size 4 sqm**

type: numeric (**int**)

range: [1,99]
 unique values: 90
 unique missing codes: 2

units: 1
 missing .: 619/1,266
 missing *: 217/1,266

tabulation:	Freq.	Value
	2	1
	11	2
	7	3
	1	5
	2	6
	3	7
	3	8
	4	10
	2	11
	3	12
	1	13
	2	14
	7	15
	1	17
	2	18
	8	20
	4	22
	5	23
	2	24
	5	25
	2	26
	2	27
	2	28
	4	29
	4	30
	1	31
	5	32
	3	33
	1	34
	8	35
	4	36
	4	37
	3	38
	3	39
	5	40
	3	41
	4	42
	4	43
	4	44
	8	45
	6	46
	1	47
	3	48
	2	49
	34	50
	1	51
	2	52
	4	53
	3	54
	7	55
	5	56
	2	57
	9	58
	1	59
	21	60
	3	62
	2	63
	6	64
	3	65
	3	66
	5	67
	3	68
	2	69
	19	70
	4	71
	7	72
	6	73

```

15 75
3 76
3 77
3 78
6 79
21 80
2 81
2 82
3 83
2 84
3 85
2 86
5 87
5 88
2 89
18 90
1 91
4 93
3 95
2 96
5 97
3 98
4 99
619 .
217 .c
mean: 54.2558
std. dev: 26.0953

```

```

percentiles:      10%      25%      50%      75%      90%
                  15       36       56       75       88

```

la_dcode_1 **P1: What type of certificate of ownership has this land (not display)**

```

type: string (str102), but longest is str0
unique values: 0                            missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""

```

la_code_1 **P1: Code of certificate of ownership is this piece of land**

```

type: numeric (byte)
label: la_code
range: [1,21]                            units: 1
unique values: 7                        missing .: 82/1,266
unique missing codes: 2                missing *: 14/1,266
tabulation: Freq. Numeric Label
             1,072        1 Chanod
              72         3 NS3, NS3K
               3         7 SK1, SK2, SK3
               7        15 Sor Por Kor 1Kor
               9        17 Sor Por Kor 4-01
               6        19 No certificate
               1        21 Other
              82        .
              14        .c

```

la_nmemberid_1 **P1: Who owns this land on the certificate (unavailable)**

```

type: string (str73), but longest is str0
unique values: 0                            missing "": 1,266/1,266

```


tabulation: Freq. Value
 1,266 ""

la_memberid_1 P1: memberID of owner of this land

type: string (**str7**), but longest is str5
 unique values: 10 missing "": 101/1,266
 tabulation: Freq. Value
 101 ""
 614 "H2"
 5 "H2;H3"
 1 "H2;H4"
 417 "H3"
 78 "H4"
 29 "H5"
 11 "H6"
 5 "H7"
 4 "H8"
 1 "H8;H9"

la_sell_1 P1: In your opinion, how much is the value of this piece of land (excluding home

type: numeric (**long**)
 range: [600000,600000] units: 1
 unique values: 1 missing .: 1,257/1,266
 unique missing codes: 3 missing *: 7/1,266
 tabulation: Freq. Value
 2 600000
 1,257 .
 6 .c
 1 .d
 mean: 600000
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 600000 600000 600000 600000 600000

la_benefit_a_1 P1: for agriculture, livestock

type: numeric (**byte**)
 label: **la_benefit_a**
 range: [1,1] units: 1
 unique values: 1 missing .: 876/1,266
 tabulation: Freq. Numeric Label
 390 1 yes
 876 .

la_benefit_b_1 P1: for doing household business

type: numeric (**byte**)
 label: **la_benefit_b**
 range: [1,1] units: 1
 unique values: 1 missing .: 932/1,266

```

tabulation: Freq.  Numeric  Label
             334      1  yes
             932      .
    
```

la_benefit_c_1 **P1: Allow others (people/institute) to use for free**

```

type: numeric (byte)
label: la_benefit_c_1

range: [1,1]                units: 1
unique values: 1            missing .: 1,258/1,266

tabulation: Freq.  Numeric  Label
             8      1  Allow others (people/institute)
             1,258  .  to use for free
    
```

la_benefit_d_1 **P1: rent to others (people/institute)**

```

type: numeric (byte)
label: la_benefit_d

range: [1,1]                units: 1
unique values: 1            missing .: 1,260/1,266

tabulation: Freq.  Numeric  Label
             6      1  yes
             1,260  .
    
```

la_benefit_d_mon_1 **P1: In the past 12 months, received rental fee**

```

type: numeric (long)

range: [0,5000]            units: 1000
unique values: 3          missing .: 1,260/1,266

tabulation: Freq.  Value
             4      0
             1     2000
             1     5000
             1,260  .
mean:      1166.67
std. dev:  2041.24

percentiles:      10%      25%      50%      75%      90%
                  0         0         0       2000     5000
    
```

la_benefit_d_obj_1 **P1: In the past 12 months, received in-kind items**

```

type: numeric (long)

range: [0,30000]          units: 10
unique values: 4          missing .: 1,260/1,266

tabulation: Freq.  Value
             3      0
             1     1750
             1     9300
             1    30000
             1,260  .
mean:      6841.67
std. dev:  11905.5
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 875 9300 30000

la_benefit_e_1 **P1: not utilized**

type: numeric (byte)
 label: **la_benefit_e**

range: [1,1] units: 1
 unique values: 1 missing .: 1,253/1,266

tabulation:	Freq.	Numeric	Label
	13	1	yes
	1,253	.	

la_benefit_f_1 **P1: for living**

type: numeric (byte)
 label: **la_benefit_f**

range: [1,1] units: 1
 unique values: 1 missing .: 187/1,266

tabulation:	Freq.	Numeric	Label
	1,079	1	yes
	187	.	

la_benefit_g_1 **P1: Others**

type: numeric (byte)
 label: **la_benefit_g_1**

range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266

tabulation:	Freq.	Numeric	Label
	1,266	.	

la_benefit_g_other_1 **P1: Specify of others**

type: string (str255), but longest is str0

unique values: 0 missing "": 1,266/1,266

tabulation:	Freq.	Value
	1,266	" "

la_yn_1 **P1: Does a household member still own this land?**

type: numeric (byte)
 label: **la_yn**

range: [1,3] units: 1
 unique values: 2 missing .: 114/1,266

tabulation:	Freq.	Numeric	Label
	1,133	1	yes
	19	3	no
	114	.	

la_own_a_1 **P1: Selling the land**

```

    type: numeric (byte)
    label: la_own_a_1

    range: [1,1]
    unique values: 1
                    units: 1
                    missing ..: 1,263/1,266

    tabulation: Freq.  Numeric  Label
                 3        1  Selling the land
                 1,263      .
    
```

la_own_b_1 **P1: Giving away as heritage**

```

    type: numeric (byte)
    label: la_own_b_1

    range: [1,1]
    unique values: 1
                    units: 1
                    missing ..: 1,256/1,266

    tabulation: Freq.  Numeric  Label
                 10        1  Giving away as heritage
                 1,256      .
    
```

la_own_c_1 **P1: Giving away as a gift/help**

```

    type: numeric (byte)
    label: la_own_c_1

    range: [.,.]
    unique values: 0
                    units: .
                    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                 1,266      .
    
```

la_own_d_1 **P1: Confiscated/Repaid**

```

    type: numeric (byte)
    label: la_own_d_1

    range: [.,.]
    unique values: 0
                    units: .
                    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                 1,266      .
    
```

la_own_e_1 **P1: Expropriated**

```

    type: numeric (byte)
    label: la_own_e_1

    range: [.,.]
    unique values: 0
                    units: .
                    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                 1,266      .
    
```

la_own_f_1 **P1: The owner has moved out of the household**

```

type: numeric (byte)
label: la_own_f_1

range: [1,1]
unique values: 1
units: 1
missing .: 1,260/1,266

tabulation: Freq. Numeric Label
              6          1 The owner has moved out of the
              1,260          . household
    
```

la_own_g_1 P1: Allocated

```

type: numeric (byte)
label: la_own_g_1

range: [1,1]
unique values: 1
units: 1
missing .: 1,265/1,266

tabulation: Freq. Numeric Label
              1          1 Allocated
              1,265          .
    
```

la_own_h_1 P1: Others

```

type: numeric (byte)
label: la_own_h_1

range: [1,1]
unique values: 1
units: 1
missing .: 1,265/1,266

tabulation: Freq. Numeric Label
              1          1 Others
              1,265          .
    
```

la_own_det_1 P1: Specify of others

```

type: string (str249), but longest is str60
unique values: 1
missing "": 1,265/1,266

tabulation: Freq. Value
              1,265 ""
              1 " แปลง' ยื่นท' ก' นก' บ' ฎา' ค' "
    
```

la_val_1 P1: The value of this plot of land (excluding house)

```

type: numeric (long)
range: [5000,500000]
unique values: 8
unique missing codes: 3
units: 1000
missing .: 1,247/1,266
missing *: 11/1,266
    
```

```

tabulation:  Freq.  Value
              1  5000
              1 25000
              1 60000
              1 140000
              1 200000
              1 300000
              1 400000
              1 500000
            1,247 .
              8  .c
              3  .d
    mean:    203750
    std. dev: 181949

percentiles:    10%    25%    50%    75%    90%
                5000   42500  170000  350000  500000
    
```

la_trans_1 **P1: Fee for ownership transfer**

```

type: numeric (long)
range: [0,4000] units: 100
unique values: 4 missing.: 1,247/1,266
unique missing codes: 2 missing*: 3/1,266

tabulation:  Freq.  Value
              13  0
              1 1200
              1 2200
              1 4000
            1,247 .
              3  .d
    mean:    462.5
    std. dev: 1121.23

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      2200
    
```

la_lose_a_1 **P1: For agriculture, livestock**

```

type: numeric (byte)
label: la_lose_a_1
range: [1,1] units: 1
unique values: 1 missing.: 1,257/1,266

tabulation:  Freq.  Numeric  Label
              9      1  For agriculture, livestock
            1,257      .
    
```

la_lose_b_1 **P1: For doing household business**

```

type: numeric (byte)
label: la_lose_b_1
range: [1,1] units: 1
unique values: 1 missing.: 1,262/1,266

tabulation:  Freq.  Numeric  Label
              4      1  For doing household business
            1,262      .
    
```

la_lose_c_1 **P1: Allow others (people/institute) to use for free**

```

type: numeric (byte)
label: la_lose_c_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.   Numeric   Label
              1,266           .
    
```

la_lose_d_1 **P1: Rent to others (people/institute)**

```

type: numeric (byte)
label: la_lose_d_1

range: [1,1]
unique values: 1
units: 1
missing ..: 1,265/1,266

tabulation: Freq.   Numeric   Label
              1           1   Rent to others
              1,265           (people/institute)
    
```

la_lose_d_mon_1 **P1: Since last interview, received rental fee**

```

type: numeric (int)

range: [2750,2750]
unique values: 1
units: 10
missing ..: 1,265/1,266

tabulation: Freq.   Value
              1   2750
            1,265   .
mean:        2750
std. dev:    .

percentiles:   10%    25%    50%    75%    90%
                2750   2750   2750   2750   2750
    
```

la_lose_d_obj_1 **P1: Since last interview, received in-kind**

```

type: numeric (byte)

range: [.,.]
unique values: 1
units: .
missing ..: 1,265/1,266

tabulation: Freq.   Value
              1     0
            1,265   .
mean:        0
std. dev:    .

percentiles:   10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

la_lose_e_1 **P1: Not utilized**

```

type: numeric (byte)
label: la_lose_e_1
    
```

range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_f_1 **P1: For living**

type: numeric (**byte**)
 label: **la_lose_f_1**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,251/1,266
 tabulation: Freq. Numeric Label
 15 1 For living
 1,251 .

la_lose_g_1 **P1: Others**

type: numeric (**byte**)
 label: **la_lose_f_1**
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_g_other_1 **P1: Specify of others**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_1 **P1: Number of of allocated land plots**

type: numeric (**byte**)
 range: [2,2] units: 1
 unique values: 1 missing .: 1,265/1,266
 tabulation: Freq. Value
 1 2
 1,265 .
 mean: 2
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%
 2 2 2 2 2

la_plot_a_1 **P1: Specify sub plot code plot 1**

type: string (**str4**), but longest is str3
 unique values: 1 missing "": 1,265/1,266


```

tabulation: Freq. Value
            1,265 ""
            1  "P3A"
    
```

la_plot_b_1 **P1: Specify sub plot code plot 2**

```

type: string (str4), but longest is str3
unique values: 1 missing "": 1,265/1,266
tabulation: Freq. Value
            1,265 ""
            1  "P3B"
    
```

la_plot_c_1 **P1: Specify sub plot code plot 3**

```

type: string (str3), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
            1,266 ""
    
```

la_plot_d_1 **P1: Specify sub plot code plot 4**

```

type: string (str1), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
            1,266 ""
    
```

la_plot_e_1 **P1: Specify sub plot code plot 5**

```

type: string (str1), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
            1,266 ""
    
```

la_plot_f_1 **P1: Specify sub plot code plot 6**

```

type: string (str1), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
            1,266 ""
    
```

la_no_2 **No. Plot**

```

type: string (str7), but longest is str3
unique values: 5 missing "": 302/1,266
    
```

```

tabulation:  Freq.  Value
              302  ""
              922  "P2"
                1  "P2A"
              33  "P3"
                3  "P4"
                5  "P5"
    
```

dum_land_old_2 **Dummy of old land the household own plot 2**

```

type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 0/1,266

tabulation:  Freq.  Value
              343  0
              923  1
mean: .729068
std. dev: .444617

percentiles:  10%    25%    50%    75%    90%
               0      0      1      1      1
    
```

dum_land_new_2 **Dummy of new land the household own plot 2**

```

type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 0/1,266

tabulation:  Freq.  Value
            1,225  0
              41  1
mean: .032385
std. dev: .177092

percentiles:  10%    25%    50%    75%    90%
               0      0      0      0      0
    
```

dum_land_lose_2 **Dummy of losing land the household own plot 1**

```

type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 0/1,266

tabulation:  Freq.  Value
            1,241  0
              25  1
mean: .019747
std. dev: .139185

percentiles:  10%    25%    50%    75%    90%
               0      0      0      0      0
    
```

la_location_2 **P2: Location (unavailable)**

```

type: string (str156), but longest is str0
unique values: 0
missing "": 1,266/1,266
    
```

tabulation: Freq. Value
 1,266 ""

la_sizea_2

P2: land size 1,600 sqm

type: numeric (byte)
 range: [1,100] units: 1
 unique values: 43 missing .: 382/1,266
 unique missing codes: 2 missing *: 13/1,266

tabulation: Freq. Value

41	1
65	2
92	3
82	4
73	5
73	6
80	7
39	8
32	9
54	10
25	11
30	12
32	13
18	14
26	15
9	16
12	17
10	18
10	19
7	20
7	21
4	22
4	23
1	24
8	25
3	26
4	27
1	29
4	30
2	31
5	32
1	33
1	34
1	35
2	36
1	37
1	38
1	39
4	40
2	43
1	44
2	50
1	100
382	.
13	.c

mean: 8.85763
 std. dev: 8.10068

percentiles: 10% 25% 50% 75% 90%
 2 4 7 11 18

la_sizeb_2

P2: land size 400 sqm

type: numeric (byte)

range: [1,3] units: 1
 unique values: 3 missing .: 982/1,266
 unique missing codes: 2 missing *: 24/1,266

tabulation: Freq. Value
 70 1
 104 2
 86 3
 982 .
 24 .c

mean: 2.06154
 std. dev: .773638

percentiles: 10% 25% 50% 75% 90%
 1 1 2 3 3

la_sizec_2

P2: land size 4 sqm

type: numeric (int)

range: [1,99] units: 1
 unique values: 48 missing .: 1,155/1,266
 unique missing codes: 2 missing *: 29/1,266

tabulation: Freq. Value
 1 1
 4 2
 2 3
 1 4
 1 9
 1 15
 2 16
 1 19
 1 20
 1 22
 1 23
 2 27
 1 29
 3 30
 2 32
 1 33
 2 34
 1 35
 1 37
 2 40
 1 44
 1 49
 5 50
 1 53
 3 56
 1 57
 3 60
 1 67
 2 68
 1 69
 1 70
 1 71
 2 73
 2 75
 1 76
 2 77
 1 79
 5 80
 1 82
 2 84
 2 87
 1 88
 3 90
 1 93
 2 94

```

                2  97
                2  98
                1  99
            1,155  .
                29  .c
    mean:      53.9024
    std. dev:  29.8406

    percentiles:    10%    25%    50%    75%    90%
                   9      30     56     80     90
    
```

la_dcode_2 **P2: What type of certificate of ownership has this land (not display)**

```

    type: string (str102), but longest is str0
    unique values: 0                            missing "": 1,266/1,266
    tabulation:  Freq.  Value
                 1,266  ""
    
```

la_code_2 **P2: Code of certificate of ownership is this piece of land**

```

    type: numeric (byte)
    label: la_code
    range: [1,21]                            units: 1
    unique values: 8                        missing .: 302/1,266
    unique missing codes: 2                missing *: 5/1,266
    tabulation:  Freq.  Numeric  Label
                 806     1     Chanod
                 81     3     NS3, NS3K
                   3     7     SK1, SK2, SK3
                   1    13     Sor Tor Kor 1Kor
                   27    15     Sor Por Kor 1Kor
                   32    17     Sor Por Kor 4-01
                   4    19     No certificate
                   5    21     Other
                 302     .
                   5     .c
    
```

la_nmemberid_2 **P2: Who owns this land on the certificate (unavailable)**

```

    type: string (str73), but longest is str0
    unique values: 0                            missing "": 1,266/1,266
    tabulation:  Freq.  Value
                 1,266  ""
    
```

la_memberid_2 **P2: memberID of owner of this land**

```

    type: string (str7), but longest is str5
    unique values: 9                            missing "": 327/1,266
    
```

```

tabulation:  Freq.  Value
              327  ""
              472  "H2"
                1  "H2,H6"
              356  "H3"
                1  "H3;H5"
               64  "H4"
               26  "H5"
               11  "H6"
                6  "H7"
                2  "H8"
    
```

la_sell_2
P2: In your opinion, how much is the value of this piece of land (excluding home

```

type: numeric (long)
range: [500000,500000]          units: 100000
unique values: 1                missing .: 1,258/1,266
unique missing codes: 3        missing *: 7/1,266

tabulation:  Freq.  Value
              1  500000
            1,258  .
                6  .c
                1  .d
mean:        500000
std. dev:    .

percentiles:  10%    25%    50%    75%    90%
              500000 500000 500000 500000 500000
    
```

la_benefit_a_2
P2: for agriculture, livestock

```

type: numeric (byte)
label: la_benefit_a
range: [1,1]          units: 1
unique values: 1      missing .: 455/1,266

tabulation:  Freq.  Numeric  Label
              811    1  yes
              455    .
    
```

la_benefit_b_2
P2: for doing household business

```

type: numeric (byte)
label: la_benefit_b
range: [1,1]          units: 1
unique values: 1      missing .: 1,245/1,266

tabulation:  Freq.  Numeric  Label
              21    1  yes
            1,245  .
    
```

la_benefit_c_2
P2: Allow others (people/institute) to use for free

```

type: numeric (byte)
label: la_benefit_c_1
range: [1,1]          units: 1
unique values: 1      missing .: 1,225/1,266
    
```

```

tabulation:  Freq.  Numeric  Label
              41      1  Allow others (people/institute)
              1,225  .  to use for free
    
```

la_benefit_d_2 P2: rent to others (people/institute)

```

type: numeric (byte)
label: la_benefit_d

range: [1,1] units: 1
unique values: 1 missing .: 1,226/1,266
    
```

```

tabulation:  Freq.  Numeric  Label
              40      1  yes
              1,226  .
    
```

la_benefit_d_mon_2 P2: In the past 12 months, received rental fee

```

type: numeric (long)

range: [0,30000] units: 1
unique values: 10 missing .: 1,225/1,266
unique missing codes: 2 missing *: 1/1,266
    
```

```

tabulation:  Freq.  Value
              28    0
              1  1000
              1  1333
              1  3600
              1  4000
              3  5000
              1  8000
              2 10000
              1 15000
              1 30000
            1,225  .
              1  .d
mean: 2448.32
std. dev: 5674.88
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0      2466.5    9000
    
```

la_benefit_d_obj_2 P2: In the past 12 months, received in-kind items

```

type: numeric (long)

range: [0,60000] units: 1
unique values: 22 missing .: 1,226/1,266
unique missing codes: 2 missing *: 3/1,266
    
```

```

tabulation:  Freq.  Value
              13    0
              1  2500
              1  3710
              1  4200
              2  4500
              1  6240
              1  6325
              2  6600
              1  6720
              1  7500
              1  7700
              1  8580
              2  9900
    
```

```

                1 10500
                1 10890
                1 11550
                1 13200
                1 13650
                1 14100
                1 16050
                1 21700
                1 60000
            1,226 .
                3 .c
    mean:      7219.32
    std. dev:  10536

    percentiles:    10%    25%    50%    75%    90%
                   0      0      6240   9900   14100
    
```

la_benefit_e_2 **P2: not utilized**

```

    type: numeric (byte)
    label: la_benefit_e

    range: [1,1]
    unique values: 1
                    units: 1
                    missing.: 1,218/1,266

    tabulation: Freq.  Numeric  Label
                48      1      yes
                1,218      .
    
```

la_benefit_f_2 **P2: for living**

```

    type: numeric (byte)
    label: la_benefit_f

    range: [1,1]
    unique values: 1
                    units: 1
                    missing.: 1,219/1,266

    tabulation: Freq.  Numeric  Label
                47      1      yes
                1,219      .
    
```

la_benefit_g_2 **P2: Others**

```

    type: numeric (byte)
    label: la_benefit_g_1

    range: [1,1]
    unique values: 1
                    units: 1
                    missing.: 1,262/1,266

    tabulation: Freq.  Numeric  Label
                4      1      Others
                1,262      .
    
```

la_benefit_g_other_2 **P2: Specify of others**

```

    type: string (str255), but longest is str120
    unique values: 4
                    missing "": 1,262/1,266
    
```



```

tabulation: Freq. Value
            1,262 ""
            1 "ที่จ้างงให้เจ้าหนึใช้แทนการจ่ายดอกเบี้ย
              ๘"
            1 "นำที่ดินไปจ้างองและให้คนอื่นไ้อู่หรี"
              1 "๘, ง ฉ าง ก ี บ ข าว"
            1 "ให้เจ้าหนึใช้ระหว่างเอาที่ไปจ้างอง"
    
```

la_yn_2 **P2: Does a household member still own this land?**

```

type: numeric (byte)
label: la_yn

range: [1,3] units: 1
unique values: 2 missing .: 351/1,266

tabulation: Freq. Numeric Label
            890 1 yes
            25 3 no
            351 .
    
```

la_own_a_2 **P2: Selling the land**

```

type: numeric (byte)
label: la_own_a_1

range: [1,1] units: 1
unique values: 1 missing .: 1,260/1,266

tabulation: Freq. Numeric Label
            6 1 Selling the land
            1,260 .
    
```

la_own_b_2 **P2: Giving away as heritage**

```

type: numeric (byte)
label: la_own_b_1

range: [1,1] units: 1
unique values: 1 missing .: 1,257/1,266

tabulation: Freq. Numeric Label
            9 1 Giving away as heritage
            1,257 .
    
```

la_own_c_2 **P2: Giving away as a gift/help**

```

type: numeric (byte)
label: la_own_c_1

range: [.,.] units: .
unique values: 0 missing .: 1,266/1,266

tabulation: Freq. Numeric Label
            1,266 .
    
```

la_own_d_2 **P2: Confiscated/Repaid**

```

type: numeric (byte)
label: la_own_d_1
    
```

range: [1,1] units: 1
 unique values: 1 missing : 1,263/1,266

tabulation:	Freq.	Numeric	Label
	3	1	Confiscated/Repaid
	1,263	.	

la_own_e_2 **P2: Expropriated**

type: numeric (byte)
 label: la_own_e_1

range: [.,.] units: .
 unique values: 0 missing : 1,266/1,266

tabulation:	Freq.	Numeric	Label
	1,266	.	

la_own_f_2 **P2: The owner has moved out of the household**

type: numeric (byte)
 label: la_own_f_1

range: [1,1] units: 1
 unique values: 1 missing : 1,262/1,266

tabulation:	Freq.	Numeric	Label
	4	1	The owner has moved out of the household
	1,262	.	

la_own_g_2 **P2: Allocated**

type: numeric (byte)
 label: la_own_g_1

range: [1,1] units: 1
 unique values: 1 missing : 1,257/1,266

tabulation:	Freq.	Numeric	Label
	9	1	Allocated
	1,257	.	

la_own_h_2 **P2: Others**

type: numeric (byte)
 label: la_own_h_1

range: [1,1] units: 1
 unique values: 1 missing : 1,265/1,266

tabulation:	Freq.	Numeric	Label
	1	1	Others
	1,265	.	

la_own_det_2 **P2: Specify of others**

type: string (str249)

unique values: 1 missing "": 1,265/1,266

```

tabulation: Freq. Value
            1,265 ""
            1 "เป็นที่ดินที่ครัวเรือนมีสิทธิทำกินเพราะ
              ะเป็นผู้จัดการมรดกซึ่งไม่ได้แบ่งแยกจากที่
              นื่อง"
    
```

la_val_2 **P2: The value of this plot of land (excluding house)**

```

type: numeric (long)
range: [0,1600000] units: 10000
unique values: 8 missing.: 1,241/1,266
unique missing codes: 3 missing*: 17/1,266

tabulation: Freq. Value
            1 0
            1 100000
            1 350000
            1 400000
            1 700000
            1 1000000
            1 1200000
            1 1600000
            1,241 .
            10 .c
            7 .d
mean: 668750
std. dev: 561209

percentiles: 10% 25% 50% 75% 90%
              0 225000 550000 1.1e+06 1.6e+06
    
```

la_trans_2 **P2: Fee for ownership transfer**

```

type: numeric (long)
range: [0,20000] units: 100
unique values: 4 missing.: 1,241/1,266
unique missing codes: 2 missing*: 6/1,266

tabulation: Freq. Value
            16 0
            1 6300
            1 10000
            1 20000
            1,241 .
            6 .d
mean: 1910.53
std. dev: 5111.74

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 10000
    
```

la_lose_a_2 **P2: For agriculture, livestock**

```

type: numeric (byte)
label: la_lose_a_1
range: [1,1] units: 1
unique values: 1 missing.: 1,245/1,266

tabulation: Freq. Numeric Label
            21 1 For agriculture, livestock
            1,245 .
    
```

la_lose_b_2 **P2: For doing household business**

```

type: numeric (byte)
label: la_lose_b_1

range: [1,1]
unique values: 1
units: 1
missing ..: 1,265/1,266

tabulation: Freq.   Numeric   Label
              1           1   For doing household business
            1,265           .
    
```

la_lose_c_2 **P2: Allow others (people/institute) to use for free**

```

type: numeric (byte)
label: la_lose_c_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.   Numeric   Label
              1           .
            1,266           .
    
```

la_lose_d_2 **P2: Rent to others (people/institute)**

```

type: numeric (byte)
label: la_lose_d_1

range: [1,1]
unique values: 1
units: 1
missing ..: 1,265/1,266

tabulation: Freq.   Numeric   Label
              1           1   Rent to others
              1,265           (people/institute)
              .
    
```

la_lose_d_mon_2 **P2: Since last interview, received rental fee**

```

type: numeric (int)

range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing ..: 1,265/1,266
missing *: 1/1,266

tabulation: Freq.   Value
            1,265   .
              1     .c
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

la_lose_d_obj_2 **P2: Since last interview, received in-kind**

```

type: numeric (byte)

range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing ..: 1,265/1,266
missing *: 1/1,266
    
```

```

tabulation: Freq. Value
             1,265 .
             1 .c
mean:       .
std. dev:   .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

la_lose_e_2 **P2: Not utilized**

```

type: numeric (byte)
label: la_lose_e_1

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_lose_f_2 **P2: For living**

```

type: numeric (byte)
label: la_lose_f_1

range: [1,1]          units: 1
unique values: 1      missing .: 1,265/1,266

tabulation: Freq.  Numeric  Label
             1      1      For living
             1,265      .
    
```

la_lose_g_2 **P2: Others**

```

type: numeric (byte)
label: la_lose_f_1

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_lose_g_other_2 **P2: Specify of others**

```

type: string (str1), but longest is str0
unique values: 0      missing "": 1,266/1,266

tabulation: Freq.  Value
             1,266 ""
    
```

la_plot_2 **P2: Number of of allocated land plots**

```

type: numeric (byte)

range: [2,3]          units: 1
unique values: 2      missing .: 1,257/1,266
    
```

```

tabulation:  Freq.  Value
              8    2
              1    3
              1,257 .
mean:        2.11111
std. dev:    .333333

percentiles:  10%    25%    50%    75%    90%
              2      2      2      2      3
    
```

la_plot_a_2 **P2: Specify sub plot code plot 1**

```

type:  string (str4), but longest is str3
unique values: 1 missing "": 1,257/1,266

tabulation:  Freq.  Value
              1,257 ""
              9  "P2A"
    
```

la_plot_b_2 **P2: Specify sub plot code plot 2**

```

type:  string (str4), but longest is str3
unique values: 1 missing "": 1,257/1,266

tabulation:  Freq.  Value
              1,257 ""
              9  "P2B"
    
```

la_plot_c_2 **P2: Specify sub plot code plot 3**

```

type:  string (str3)
unique values: 1 missing "": 1,265/1,266

tabulation:  Freq.  Value
              1,265 ""
              1  "P2C"
    
```

la_plot_d_2 **P2: Specify sub plot code plot 4**

```

type:  string (str1), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation:  Freq.  Value
              1,266 ""
    
```

la_plot_e_2 **P2: Specify sub plot code plot 5**

```

type:  string (str1), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation:  Freq.  Value
              1,266 ""
    
```

la_plot_f_2 **P2: Specify sub plot code plot 6**

```

type: string (str1), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

la_no_3 **No. Plot**

```

type: string (str7), but longest is str3
unique values: 6 missing "": 699/1,266
tabulation: Freq. Value
             699 ""
             6 "P2A"
             520 "P3"
             33 "P4"
             6 "P5"
             1 "P6"
             1 "P7"
    
```

dum_land_old_3 **Dummy of old land the household own plot 3**

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/1,266
tabulation: Freq. Value
             772 0
             494 1
mean: .390205
std. dev: .487989
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1
    
```

dum_land_new_3 **Dummy of new land the household own plot 3**

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/1,266
tabulation: Freq. Value
             1,193 0
             73 1
mean: .057662
std. dev: .233195
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

dum_land_lose_3 **Dummy of losing land the household own plot 1**

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/1,266
    
```

```

tabulation:  Freq.  Value
              1,260  0
              6      1
    mean:    .004739
    std. dev: .068707

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

la_location_3 **P3: Location (unavailable)**

```

type: string (str156), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation:  Freq.  Value
              1,266  ""
    
```

la_sizea_3 **P3: land size 1,600 sqm**

```

type: numeric (byte)

range: [1,50] units: 1
unique values: 37 missing .: 753/1,266
unique missing codes: 2 missing *: 6/1,266

tabulation:  Freq.  Value
              31    1
              56    2
              55    3
              61    4
              45    5
              45    6
              38    7
              25    8
              12    9
              25   10
              23   11
              16   12
              12   13
               8   14
              11   15
               4   16
               3   17
               4   18
               4   19
               5   20
               1   21
               1   22
               2   23
               1   24
               1   25
               1   26
               2   27
               1   28
               1   29
               4   30
               1   31
               1   32
               2   33
               1   35
               1   36
               1   40
               2   50
              753  .
               6   .c
    mean:    7.58777
    std. dev: 6.86269
    
```


percentiles: 10% 25% 50% 75% 90%
 2 3 6 10 15

la_sizeb_3 **P3: land size 400 sqm**

type: numeric (**byte**)
 range: [1,3] units: 1
 unique values: 3 missing .: 1,116/1,266
 unique missing codes: 2 missing *: 9/1,266

tabulation: Freq. Value
 44 1
 49 2
 48 3
 1,116 .
 9 .c
 mean: 2.02837
 std. dev: .810143

percentiles: 10% 25% 50% 75% 90%
 1 1 2 3 3

la_sizec_3 **P3: land size 4 sqm**

type: numeric (**int**)
 range: [4,99] units: 1
 unique values: 37 missing .: 1,204/1,266
 unique missing codes: 2 missing *: 15/1,266

tabulation: Freq. Value
 1 4
 1 6
 1 9
 1 12
 1 13
 1 14
 2 20
 1 21
 1 25
 1 30
 2 33
 1 35
 1 37
 1 38
 2 42
 1 44
 1 45
 2 50
 1 51
 1 54
 1 58
 4 60
 1 67
 2 70
 1 72
 1 78
 2 79
 1 80
 1 81
 1 82
 1 83
 1 85
 1 88
 2 90
 1 91

```

          1 93
          1 99
    1,204 .
          15 .c
    mean: 53.2553
    std. dev: 27.4293

```

```

percentiles:      10%      25%      50%      75%      90%
                  13       33       54       79       90

```

la_dcode_3 **P3: What type of certificate of ownership has this land (not display)**

```

    type: string (str102), but longest is str0
    unique values: 0                            missing "": 1,266/1,266
    tabulation: Freq. Value
                1,266 ""

```

la_code_3 **P3: Code of certificate of ownership is this piece of land**

```

    type: numeric (byte)
    label: la_code
    range: [1,21]                            units: 1
    unique values: 6                        missing .: 699/1,266
    unique missing codes: 2                missing *: 5/1,266
    tabulation: Freq.    Numeric    Label
                450        1    Chanod
                45        3    NS3, NS3K
                20        15   Sor Por Kor 1Kor
                31        17   Sor Por Kor 4-01
                10        19   No certificate
                 6        21   Other
                699        .
                 5        .c

```

la_nmemberid_3 **P3: Who owns this land on the certificate (unavailable)**

```

    type: string (str73), but longest is str0
    unique values: 0                            missing "": 1,266/1,266
    tabulation: Freq. Value
                1,266 ""

```

la_memberid_3 **P3: memberID of owner of this land**

```

    type: string (str7), but longest is str5
    unique values: 9                            missing "": 705/1,266

```

```

tabulation:  Freq.  Value
              705  ""
              257  "H2"
                1  "H2;H4"
              221  "H3"
                2  "H3;H5"
               47  "H4"
               17  "H5"
                8  "H6"
                7  "H7"
                1  "H9"
    
```

la_sell_3 P3: In your opinion, how much is the value of this piece of land (excluding home

```

type: numeric (long)
range: [1000000,1000000]          units: 1000000
unique values: 1                  missing .: 1,260/1,266
unique missing codes: 2          missing *: 5/1,266

tabulation:  Freq.  Value
              1  1000000
            1,260  .
                5  .c
mean:        1.0e+06
std. dev:    .

percentiles:  10%    25%    50%    75%    90%
              1.0e+06  1.0e+06  1.0e+06  1.0e+06  1.0e+06
    
```

la_benefit_a_3 P3: for agriculture, livestock

```

type: numeric (byte)
label: la_benefit_a

range: [1,1]          units: 1
unique values: 1      missing .: 781/1,266

tabulation:  Freq.  Numeric  Label
              485    1  yes
              781    .
    
```

la_benefit_b_3 P3: for doing household business

```

type: numeric (byte)
label: la_benefit_b

range: [1,1]          units: 1
unique values: 1      missing .: 1,253/1,266

tabulation:  Freq.  Numeric  Label
              13    1  yes
            1,253  .
    
```

la_benefit_c_3 P3: Allow others (people/institute) to use for free

```

type: numeric (byte)
label: la_benefit_c_1

range: [1,1]          units: 1
unique values: 1      missing .: 1,245/1,266
    
```

```

tabulation: Freq.  Numeric  Label
              21          1  Allow others (people/institute)
              1,245        .  to use for free
    
```

la_benefit_d_3 **P3: rent to others (people/institute)**

```

type: numeric (byte)
label: la_benefit_d

range: [1,1]                units: 1
unique values: 1            missing .: 1,241/1,266
    
```

```

tabulation: Freq.  Numeric  Label
              25          1  yes
              1,241        .
    
```

la_benefit_d_mon_3 **P3: In the past 12 months, received rental fee**

```

type: numeric (long)

range: [0,50000]            units: 100
unique values: 10          missing .: 1,241/1,266
    
```

```

tabulation: Freq.  Value
              13    0
               1   900
               1  1000
               1  3000
               1  5000
               2  7000
               1 14000
               2 15000
               1 35000
               2 50000
            1,241  .
    
```

```

mean: 8116
std. dev: 14941.7
    
```

```

percentiles:    10%    25%    50%    75%    90%
                  0      0      0     7000   35000
    
```

la_benefit_d_obj_3 **P3: In the past 12 months, received in-kind items**

```

type: numeric (long)

range: [0,19800]            units: 1
unique values: 10          missing .: 1,241/1,266
unique missing codes: 3    missing *: 4/1,266
    
```

```

tabulation: Freq.  Value
              12    0
               1  4125
               1  4950
               1  5610
               1  5700
               1  6000
               1  7700
               1  8250
               1 13500
               1 19800
            1,241  .
               3  .c
               1  .d
    
```

```

mean: 3601.67
std. dev: 5341.87
    
```



```

tabulation: Freq.  Numeric  Label
             482      1  yes
             6       3  no
             778      .
    
```

la_own_a_3

P3: Selling the land

```

type: numeric (byte)
label: la_own_a_1

range: [1,1]
unique values: 1

units: 1
missing .: 1,262/1,266

tabulation: Freq.  Numeric  Label
             4       1  Selling the land
            1,262      .
    
```

la_own_b_3

P3: Giving away as heritage

```

type: numeric (byte)
label: la_own_b_1

range: [1,1]
unique values: 1

units: 1
missing .: 1,265/1,266

tabulation: Freq.  Numeric  Label
             1       1  Giving away as heritage
            1,265      .
    
```

la_own_c_3

P3: Giving away as a gift/help

```

type: numeric (byte)
label: la_own_c_1

range: [.,.]
unique values: 0

units: .
missing .: 1,266/1,266

tabulation: Freq.  Numeric  Label
            1,266      .
    
```

la_own_d_3

P3: Confiscated/Repaid

```

type: numeric (byte)
label: la_own_d_1

range: [.,.]
unique values: 0

units: .
missing .: 1,266/1,266

tabulation: Freq.  Numeric  Label
            1,266      .
    
```

la_own_e_3

P3: Expropriated

```

type: numeric (byte)
label: la_own_e_1

range: [.,.]
unique values: 0

units: .
missing .: 1,266/1,266

tabulation: Freq.  Numeric  Label
            1,266      .
    
```

la_own_f_3 **P3: The owner has moved out of the household**

```

type: numeric (byte)
label: la_own_f_1

range: [1,1]
unique values: 1
units: 1
missing ..: 1,265/1,266

tabulation: Freq.  Numeric  Label
              1          1  The owner has moved out of the
              1,265          .  household
    
```

la_own_g_3 **P3: Allocated**

```

type: numeric (byte)
label: la_own_g_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
              1,266          .
    
```

la_own_h_3 **P3: Others**

```

type: numeric (byte)
label: la_own_h_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
              1,266          .
    
```

la_own_det_3 **P3: Specify of others**

```

type: string (str249), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.  Value
              1,266  ""
    
```

la_val_3 **P3: The value of this plot of land (excluding house)**

```

type: numeric (long)

range: [0,300000]
unique values: 4
unique missing codes: 2
units: 10000
missing ..: 1,260/1,266
missing *: 2/1,266

tabulation: Freq.  Value
              1    0
              1 100000
              1 250000
              1 300000
            1,260  .
              2  .c
mean:      162500
std. dev:  137689
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        50000    175000   275000   300000
    
```

la_trans_3

P3: Fee for ownership transfer

```

type: numeric (long)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing ..: 1,260/1,266
missing *: 1/1,266
    
```

```

tabulation: Freq. Value
              5 0
            1,260 .
              1 .c
mean: 0
std. dev: 0
percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

la_lose_a_3

P3: For agriculture, livestock

```

type: numeric (byte)
label: la_lose_a_1
range: [1,1]
unique values: 1
units: 1
missing ..: 1,260/1,266
    
```

```

tabulation: Freq. Numeric Label
              6           1 For agriculture, livestock
            1,260           .
    
```

la_lose_b_3

P3: For doing household business

```

type: numeric (byte)
label: la_lose_b_1
range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266
    
```

```

tabulation: Freq. Numeric Label
            1,266           .
    
```

la_lose_c_3

P3: Allow others (people/institute) to use for free

```

type: numeric (byte)
label: la_lose_c_1
range: [1,1]
unique values: 1
units: 1
missing ..: 1,265/1,266
    
```

```

tabulation: Freq. Numeric Label
              1           1 Allow others (people/institute)
            1,265           . to use for free
    
```

la_lose_d_3

P3: Rent to others (people/institute)

```

type: numeric (byte)
label: la_lose_d_1
    
```



```

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
1,266      .
    
```

la_lose_d_mon_3 **P3: Since last interview, received rental fee**

```

type: numeric (int)

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Value
1,266      .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

la_lose_d_obj_3 **P3: Since last interview, received in-kind**

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Value
1,266      .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

la_lose_e_3 **P3: Not utilized**

```

type: numeric (byte)
label: la_lose_e_1

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
1,266      .
    
```

la_lose_f_3 **P3: For living**

```

type: numeric (byte)
label: la_lose_f_1

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
1,266      .
    
```

la_lose_g_3 **P3: Others**

```

type: numeric (byte)
label: la_lose_g_3
range: [.,.]
unique values: 0
units: .
missing : 1,266/1,266
tabulation: Freq. Numeric Label
1,266 .

```

la_lose_g_other_3 **P3: Specify of others**

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,266/1,266
tabulation: Freq. Value
1,266 ""

```

la_plot_3 **P3: Number of of allocated land plots**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing : 1,266/1,266
tabulation: Freq. Value
1,266 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
. . . . .

```

la_plot_a_3 **P3: Specify sub plot code plot 1**

```

type: string (str4), but longest is str0
unique values: 0
missing "": 1,266/1,266
tabulation: Freq. Value
1,266 ""

```

la_plot_b_3 **P3: Specify sub plot code plot 2**

```

type: string (str4), but longest is str0
unique values: 0
missing "": 1,266/1,266
tabulation: Freq. Value
1,266 ""

```

la_plot_c_3 **P3: Specify sub plot code plot 3**

```

type: string (str3), but longest is str0
unique values: 0
missing "": 1,266/1,266
tabulation: Freq. Value
1,266 ""

```

la_plot_d_3 **P3: Specify sub plot code plot 4**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_e_3 **P3: Specify sub plot code plot 5**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_f_3 **P3: Specify sub plot code plot 6**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_no_4 **No. Plot**

type: string (**str7**), but longest is str3
 unique values: 8 missing "": 987/1,266
 tabulation: Freq. Value
 987 ""
 2 "P2A"
 1 "P3A"
 252 "P4"
 1 "P4A"
 18 "P5"
 3 "P6"
 1 "P7"
 1 "P9"

dum_land_old_4 **Dummy of old land the household own plot 4**

type: numeric (**float**)
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,266
 tabulation: Freq. Value
 1,036 0
 230 1
 mean: .181675
 std. dev: .385728
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

dum_land_new_4 **Dummy of new land the household own plot 4**

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/1,266

tabulation: Freq. Value
             1,217 0
             49 1
mean: .038705
std. dev: .192966

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

dum_land_lose_4 **Dummy of losing land the household own plot 1**

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/1,266

tabulation: Freq. Value
             1,259 0
             7 1
mean: .005529
std. dev: .074182

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

la_location_4 **P4: Location (unavailable)**

```

type: string (str156), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

la_sizea_4 **P4: land size 1,600 sqm**

```

type: numeric (byte)
range: [1,70] units: 1
unique values: 27 missing .: 1,021/1,266
unique missing codes: 2 missing *: 1/1,266

tabulation: Freq. Value
             24 1
             38 2
             30 3
             22 4
             24 5
             18 6
             9 7
             12 8
             10 9
             10 10
             4 11
             10 12
             3 13
             5 14
    
```

```

          5 15
          2 16
          2 17
          1 20
          5 21
          2 22
          2 24
          1 25
          1 28
          1 39
          1 40
          1 50
          1 70
    1,021 .
          1 .c
    mean:  7.12295
    std. dev: 7.84791

    percentiles:    10%    25%    50%    75%    90%
                   2      2      5      9     15
    
```

la_sizeb_4 **P4: land size 400 sqm**

```

    type: numeric (byte)

    range: [1,3]
    unique values: 3
    unique missing codes: 2

    units: 1
    missing .: 1,194/1,266
    missing *: 4/1,266

    tabulation:  Freq.  Value
                 15    1
                 31    2
                 22    3
                1,194  .
                   4  .c
    mean:  2.10294
    std. dev: .735856

    percentiles:    10%    25%    50%    75%    90%
                   1      2      2      3      3
    
```

la_sizec_4 **P4: land size 4 sqm**

```

    type: numeric (int)

    range: [1,97]
    unique values: 20
    unique missing codes: 2

    units: 1
    missing .: 1,235/1,266
    missing *: 7/1,266

    tabulation:  Freq.  Value
                 1    1
                 1    9
                 1   16
                 1   17
                 1   26
                 1   33
                 1   38
                 1   40
                 1   47
                 2   50
                 1   54
                 2   60
                 1   65
                 1   68
                 1   72
                 3   80
                 1   90
                 1   91
    
```

```

          1 95
          1 97
    1,235 .
          7 .c
    mean: 54.9583
    std. dev: 28.2219
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  16       35.5     57       80       91
    
```

la_dcode_4 **P4: What type of certificate of ownership has this land (not display)**

```

    type: string (str102), but longest is str0
    unique values: 0                            missing "": 1,266/1,266
    tabulation: Freq. Value
                1,266 ""
    
```

la_code_4 **P4: Code of certificate of ownership is this piece of land**

```

    type: numeric (byte)
    label: la_code
    range: [1,19]                            units: 1
    unique values: 6                        missing .: 987/1,266
    tabulation: Freq.    Numeric    Label
                228        1    Chanod
                 25        3    NS3, NS3K
                   1        7    SK1, SK2, SK3
                   7       15    Sor Por Kor 1Kor
                  16       17    Sor Por Kor 4-01
                   2       19    No certificate
                 987        .
    
```

la_nmemberid_4 **P4: Who owns this land on the certificate (unavailable)**

```

    type: string (str73), but longest is str0
    unique values: 0                            missing "": 1,266/1,266
    tabulation: Freq. Value
                1,266 ""
    
```

la_memberid_4 **P4: memberID of owner of this land**

```

    type: string (str7), but longest is str5
    unique values: 10                        missing "": 994/1,266
    tabulation: Freq. Value
                994 ""
                129 "H2"
                   2 "H2;H3"
                   89 "H3"
                   25 "H4"
                   14 "H5"
                    8 "H6"
                    2 "H7"
                    1 "H8"
                    1 "H8;H9"
                    1 "H9"
    
```

la_sell_4 **P4: In your opinion, how much is the value of this piece of land (excluding home**

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing ..: 1,265/1,266
missing *: 1/1,266

tabulation: Freq. Value
            1,265 .
            1 .c
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

la_benefit_a_4 **P4: for agriculture, livestock**

```

type: numeric (byte)
label: la_benefit_a
range: [1,1]
unique values: 1
units: 1
missing ..: 1,052/1,266

tabulation: Freq. Numeric Label
            214 1 yes
            1,052 .
    
```

la_benefit_b_4 **P4: for doing household business**

```

type: numeric (byte)
label: la_benefit_b
range: [1,1]
unique values: 1
units: 1
missing ..: 1,261/1,266

tabulation: Freq. Numeric Label
            5 1 yes
            1,261 .
    
```

la_benefit_c_4 **P4: Allow others (people/institute) to use for free**

```

type: numeric (byte)
label: la_benefit_c_1
range: [1,1]
unique values: 1
units: 1
missing ..: 1,246/1,266

tabulation: Freq. Numeric Label
            20 1 Allow others (people/institute)
            1,246 . to use for free
    
```

la_benefit_d_4 **P4: rent to others (people/institute**

```

type: numeric (byte)
label: la_benefit_d
    
```

```

range: [1,1] units: 1
unique values: 1 missing .: 1,253/1,266

tabulation: Freq. Numeric Label
             13      1 yes
             1,253 .
    
```

la_benefit_d_mon_4 **P4: In the past 12 months, received rental fee**

```

type: numeric (long)

range: [0,40000] units: 1000
unique values: 6 missing .: 1,253/1,266
unique missing codes: 2 missing *: 1/1,266

tabulation: Freq. Value
             7 0
             1 1000
             1 3000
             1 14000
             1 20000
             1 40000
             1,253 .
             1 .c
mean: 6500
std. dev: 12428

percentiles: 10% 25% 50% 75% 90%
              0 0 0 8500 20000
    
```

la_benefit_d_obj_4 **P4: In the past 12 months, received in-kind items**

```

type: numeric (long)

range: [0,8250] units: 1
unique values: 7 missing .: 1,253/1,266
unique missing codes: 2 missing *: 1/1,266

tabulation: Freq. Value
             6 0
             1 3000
             1 5000
             1 7115
             1 7140
             1 8000
             1 8250
             1,253 .
             1 .c
mean: 3208.75
std. dev: 3619.55

percentiles: 10% 25% 50% 75% 90%
              0 0 1500 7127.5 8000
    
```

la_benefit_e_4 **P4: not utilized**

```

type: numeric (byte)
label: la_benefit_e

range: [1,1] units: 1
unique values: 1 missing .: 1,248/1,266

tabulation: Freq. Numeric Label
             18      1 yes
             1,248 .
    
```

la_benefit_f_4 **P4: for living**

```

type: numeric (byte)
label: la_benefit_f

range: [1,1]
unique values: 1
units: 1
missing .. 1,258/1,266

tabulation: Freq.   Numeric  Label
              8         1  yes
            1,258         .
    
```

la_benefit_g_4 **P4: Others**

```

type: numeric (byte)
label: la_benefit_g_1

range: [1,1]
unique values: 1
units: 1
missing .. 1,264/1,266

tabulation: Freq.   Numeric  Label
              2         1  Others
            1,264         .
    
```

la_benefit_g_other_4 **P4: Specify of others**

```

type: string (str255), but longest is str123
unique values: 2
missing "": 1,264/1,266

tabulation: Freq.   Value
            1,264  ""
              1  "ให้บุคคลนอกครัวเรือนใช้แทนการจ่ายดอกเบี้ย"
              1  " ก ร ก " ' ก ๑ บ ฟ ร ง , ก ๑ บ อ ร พ "

warning: variable has embedded blanks
    
```

la_yn_4 **P4: Does a household member still own this land?**

```

type: numeric (byte)
label: la_yn

range: [1,3]
unique values: 2
units: 1
missing .. 1,037/1,266

tabulation: Freq.   Numeric  Label
              222         1  yes
               7         3  no
            1,037         .
    
```

la_own_a_4 **P4: Selling the land**

```

type: numeric (byte)
label: la_own_a_1

range: [1,1]
unique values: 1
units: 1
missing .. 1,263/1,266
    
```

```

tabulation: Freq.  Numeric  Label
              3          1  Selling the land
            1,263          .
    
```

la_own_b_4 **P4: Giving away as heritage**

```

type: numeric (byte)
label: la_own_b_1

range: [1,1]                units: 1
unique values: 1            missing .: 1,264/1,266

tabulation: Freq.  Numeric  Label
              2          1  Giving away as heritage
            1,264          .
    
```

la_own_c_4 **P4: Giving away as a gift/help**

```

type: numeric (byte)
label: la_own_c_1

range: [.,.]                units: .
unique values: 0            missing .: 1,266/1,266

tabulation: Freq.  Numeric  Label
            1,266          .
    
```

la_own_d_4 **P4: Confiscated/Repaid**

```

type: numeric (byte)
label: la_own_d_1

range: [.,.]                units: .
unique values: 0            missing .: 1,266/1,266

tabulation: Freq.  Numeric  Label
            1,266          .
    
```

la_own_e_4 **P4: Expropriated**

```

type: numeric (byte)
label: la_own_e_1

range: [.,.]                units: .
unique values: 0            missing .: 1,266/1,266

tabulation: Freq.  Numeric  Label
            1,266          .
    
```

la_own_f_4 **P4: The owner has moved out of the household**

```

type: numeric (byte)
label: la_own_f_1

range: [1,1]                units: 1
unique values: 1            missing .: 1,265/1,266

tabulation: Freq.  Numeric  Label
              1          1  The owner has moved out of the
            1,265          .  household
    
```

la_own_g_4 **P4: Allocated**

```

type: numeric (byte)
label: la_own_g_1

range: [1,1]
unique values: 1
units: 1
missing ..: 1,265/1,266

tabulation: Freq.   Numeric   Label
              1         1   Allocated
            1,265         .
    
```

la_own_h_4 **P4: Others**

```

type: numeric (byte)
label: la_own_h_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.   Numeric   Label
              1,266         .
    
```

la_own_det_4 **P4: Specify of others**

```

type: string (str249), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.   Value
              1,266   ""
    
```

la_val_4 **P4: The value of this plot of land (excluding house)**

```

type: numeric (long)
range: [150000,450000]
unique values: 4
unique missing codes: 4
units: 10000
missing ..: 1,259/1,266
missing *: 3/1,266

tabulation: Freq.   Value
              1   150000
              1   200000
              1   300000
              1   450000
            1,259   .
              1   .a
              1   .c
              1   .d
mean:          275000
std. dev:      132288

percentiles:   10%      25%      50%      75%      90%
                150000  175000  250000  375000  450000
    
```

la_trans_4 **P4: Fee for ownership transfer**

```

type: numeric (long)
    
```

range: [0,5000] units: 1000
 unique values: 2 missing .: 1,259/1,266
 unique missing codes: 3 missing *: 2/1,266

tabulation: Freq. Value
 4 0
 1 5000
 1,259 .
 1 .c
 1 .d
 mean: 1000
 std. dev: 2236.07

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 5000

la_lose_a_4 **P4: For agriculture, livestock**

type: numeric (byte)
 label: la_lose_a_1

range: [1,1] units: 1
 unique values: 1 missing .: 1,262/1,266

tabulation: Freq. Numeric Label
 4 1 For agriculture, livestock
 1,262 .

la_lose_b_4 **P4: For doing household business**

type: numeric (byte)
 label: la_lose_b_1

range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266

tabulation: Freq. Numeric Label
 1,266 .

la_lose_c_4 **P4: Allow others (people/institute) to use for free**

type: numeric (byte)
 label: la_lose_c_1

range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266

tabulation: Freq. Numeric Label
 1,266 .

la_lose_d_4 **P4: Rent to others (people/institute)**

type: numeric (byte)
 label: la_lose_d_1

range: [1,1] units: 1
 unique values: 1 missing .: 1,265/1,266

tabulation: Freq. Numeric Label
 1 1 Rent to others
 (person/institute)
 1,265 .

la_lose_d_mon_4 **P4: Since last interview, received rental fee**

```

type: numeric (int)
range: [10000,10000]           units: 10000
unique values: 1                missing .: 1,265/1,266

tabulation: Freq. Value
              1 10000
              1,265 .
mean:        10000
std. dev:    .

percentiles:    10%    25%    50%    75%    90%
                 10000 10000 10000 10000 10000
    
```

la_lose_d_obj_4 **P4: Since last interview, received in-kind**

```

type: numeric (byte)
range: [.,.]                   units: .
unique values: 1                missing .: 1,265/1,266

tabulation: Freq. Value
              1 0
              1,265 .
mean:        0
std. dev:    .

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

la_lose_e_4 **P4: Not utilized**

```

type: numeric (byte)
label: la_lose_e_1
range: [.,.]                   units: .
unique values: 0                missing .: 1,266/1,266

tabulation: Freq. Numeric Label
              1,266      .
    
```

la_lose_f_4 **P4: For living**

```

type: numeric (byte)
label: la_lose_f_1
range: [1,1]                   units: 1
unique values: 1                missing .: 1,265/1,266

tabulation: Freq. Numeric Label
              1      1 For living
              1,265 .
    
```

la_lose_g_4 **P4: Others**

```

type: numeric (byte)
label: la_lose_g_4
    
```

```

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_lose_g_other_4 **P4: Specify of others**

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_plot_4 **P4: Number of of allocated land plots**

```

type: numeric (byte)
range: [2,2]
unique values: 1
units: 1
missing .: 1,265/1,266

tabulation: Freq. Value
1 2
1,265 .
mean: 2
std. dev: .

percentiles: 10% 25% 50% 75% 90%
2 2 2 2 2
    
```

la_plot_a_4 **P4: Specify sub plot code plot 1**

```

type: string (str4), but longest is str3
unique values: 1
missing "": 1,265/1,266

tabulation: Freq. Value
1,265 ""
1 "P4A"
    
```

la_plot_b_4 **P4: Specify sub plot code plot 2**

```

type: string (str4), but longest is str3
unique values: 1
missing "": 1,265/1,266

tabulation: Freq. Value
1,265 ""
1 "P4B"
    
```

la_plot_c_4 **P4: Specify sub plot code plot 3**

```

type: string (str3), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_plot_d_4 **P4: Specify sub plot code plot 4**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_e_4 **P4: Specify sub plot code plot 5**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_f_4 **P4: Specify sub plot code plot 6**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_no_5 **No. plot**

type: string (**str7**), but longest is str3
 unique values: 6 missing "": 1,138/1,266
 tabulation: Freq. Value
 1,138 ""
 1 "P2A"
 2 "P3A"
 1 "P4A"
 111 "P5"
 8 "P6"
 5 "P7"

dum_land_old_5 **Dummy of old land the household own plot**

type: numeric (**float**)
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,266
 tabulation: Freq. Value
 1,162 0
 104 1
 mean: .082148
 std. dev: .274699
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

dum_land_new_5 **Dummy of new land the household own**

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/1,266

tabulation: Freq. Value
1,242 0
24 1
mean: .018957
std. dev: .136428

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

dum_land_lose_5 **Dummy of losing land the household own plot 1**

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/1,266

tabulation: Freq. Value
1,265 0
1 1
mean: .00079
std. dev: .028105

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

la_location_5 **P5: Location (unavailable)**

```

type: string (str95), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_sizea_5 **P5: Land size 1,600 sqm**

```

type: numeric (byte)
range: [1,43] units: 1
unique values: 19 missing .: 1,156/1,266

tabulation: Freq. Value
7 1
21 2
14 3
11 4
11 5
9 6
9 7
6 8
7 9
1 10
3 11
2 12
1 15
2 16
1 17
2 18
1 27
1 31
1 43
    
```


mean: 1,156 .
 std. dev: 6.23636
 6.11049
 percentiles: 10% 25% 50% 75% 90%
 2 2 5 8 11.5

la_sizeb_5 **P5: Land size 400 sqm**

type: numeric (byte)
 range: [1,3] units: 1
 unique values: 3 missing .: 1,229/1,266
 unique missing codes: 2 missing *: 1/1,266
 tabulation: Freq. Value
 11 1
 8 2
 17 3
 1,229 .
 1 .c
 mean: 2.16667
 std. dev: .87831
 percentiles: 10% 25% 50% 75% 90%
 1 1 2 3 3

la_sizec_5 **P5: Land size 4 sqm**

type: numeric (byte)
 range: [19,91] units: 1
 unique values: 13 missing .: 1,248/1,266
 unique missing codes: 2 missing *: 5/1,266
 tabulation: Freq. Value
 1 19
 1 25
 1 35
 1 38
 1 40
 1 50
 1 53
 1 60
 1 70
 1 77
 1 80
 1 88
 1 91
 1,248 .
 5 .c
 mean: 55.8462
 std. dev: 23.9334
 percentiles: 10% 25% 50% 75% 90%
 25 38 53 77 88

la_dcode_5 **P5: What type of certificate of ownership has this land (not display)**

type: string (str102), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_code_5 **P5: Code of certificate of ownership is this piece of land**

```

type: numeric (byte)
label: la_code

range: [1,19]
unique values: 6
units: 1
missing .: 1,138/1,266

tabulation:
  Freq.  Numeric  Label
    107      1  Chanod
     9       3  NS3, NS3K
     1       7  SK1, SK2, SK3
     3      15  Sor Por Kor 1Kor
     7      17  Sor Por Kor 4-01
     1      19  No certificate
  1,138      .
    
```

la_nmemberid_5 **P5: Who owns this land on the certificate (unavailable)**

```

type: string (str73), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation:
  Freq.  Value
  1,266  ""
    
```

la_memberid_5 **P5: MemberID of owner of this land**

```

type: string (str7), but longest is str2
unique values: 6
missing "": 1,139/1,266

tabulation:
  Freq.  Value
  1,139  ""
     54  "H2"
     49  "H3"
     13  "H4"
     7   "H5"
     1   "H6"
     3   "H7"
    
```

la_benefit_a_5 **P5: Use for agriculture cultivation**

```

type: numeric (byte)
label: la_benefit_a_5

range: [1,1]
unique values: 1
units: 1
missing .: 1,170/1,266

tabulation:
  Freq.  Numeric  Label
     96      1  yes
  1,170      .
    
```

la_benefit_b_5 **P5: Use for business that own by household member**

```

type: numeric (byte)
label: la_benefit_b_5

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266
    
```

tabulation: Freq. Numeric Label
 1,266 .

la_benefit_c_5 **P5: Allow others (people/institute) to use for free**

type: numeric (byte)
 label: **la_benefit_c_1**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,256/1,266
 tabulation: Freq. Numeric Label
 10 1 Allow others (people/institute)
 1,256 . to use for free

la_benefit_d_5 **P5: Rental for outsider/organization rental**

type: numeric (byte)
 label: **la_benefit_d_5**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,262/1,266
 tabulation: Freq. Numeric Label
 4 1 yes
 1,262 .

la_benefit_d_mon_5 **P5: In the past 12 months, received rental fee**

type: numeric (long)
 range: [0,18000] units: 1000
 unique values: 2 missing .: 1,262/1,266
 tabulation: Freq. Value
 3 0
 1 18000
 1,262 .
 mean: 4500
 std. dev: 9000
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 9000 18000

la_benefit_d_obj_5 **P5: In the past 12 months, received in-kind items**

type: numeric (long)
 range: [0,4900] units: 100
 unique values: 3 missing .: 1,262/1,266
 tabulation: Freq. Value
 2 0
 1 3000
 1 4900
 1,262 .
 mean: 1975
 std. dev: 2408.84
 percentiles: 10% 25% 50% 75% 90%
 0 0 1500 3950 4900

la_benefit_e_5 **P5: Empty and unused**

```

type: numeric (byte)
label: la_benefit_e_5

range: [1,1]
unique values: 1
units: 1
missing ..: 1,249/1,266

tabulation: Freq.  Numeric  Label
              17      1  yes
            1,249      .
    
```

la_benefit_f_5 **P5: Use for habitat**

```

type: numeric (byte)
label: la_benefit_f_5

range: [1,1]
unique values: 1
units: 1
missing ..: 1,262/1,266

tabulation: Freq.  Numeric  Label
              4      1  yes
            1,262      .
    
```

la_benefit_g_5 **P5: Others**

```

type: numeric (byte)
label: la_benefit_g_1

range: [1,1]
unique values: 1
units: 1
missing ..: 1,265/1,266

tabulation: Freq.  Numeric  Label
              1      1  Others
            1,265      .
    
```

la_benefit_g_other_5 **P5: Specify of others**

```

type: string (str123), but longest is str36
unique values: 1
missing "": 1,265/1,266

tabulation: Freq.  Value
            1,265  ""
              1  "ไม่ขอกรณีก"
    
```

la_yn_5 **P5: Does a household member still own this land?**

```

type: numeric (byte)
label: la_yn

range: [1,3]
unique values: 2
units: 1
missing ..: 1,162/1,266

tabulation: Freq.  Numeric  Label
              103      1  yes
              1      3  no
            1,162      .
    
```

la_own_a_5 **P5: Selling the land**

```

      type: numeric (byte)
      label: la_own_a_1

      range: [.,.]
unique values: 0
      units: .
      missing .. 1,266/1,266

      tabulation: Freq.  Numeric  Label
                  1,266      .
    
```

la_own_b_5 **P5: Giving away as heritage**

```

      type: numeric (byte)
      label: la_own_b_1

      range: [.,.]
unique values: 0
      units: .
      missing .. 1,266/1,266

      tabulation: Freq.  Numeric  Label
                  1,266      .
    
```

la_own_c_5 **P5: Giving away as a gift/help**

```

      type: numeric (byte)
      label: la_own_c_1

      range: [.,.]
unique values: 0
      units: .
      missing .. 1,266/1,266

      tabulation: Freq.  Numeric  Label
                  1,266      .
    
```

la_own_d_5 **P5: Confiscated/Repaid**

```

      type: numeric (byte)
      label: la_own_d_1

      range: [.,.]
unique values: 0
      units: .
      missing .. 1,266/1,266

      tabulation: Freq.  Numeric  Label
                  1,266      .
    
```

la_own_e_5 **P5: Expropriated**

```

      type: numeric (byte)
      label: la_own_e_1

      range: [.,.]
unique values: 0
      units: .
      missing .. 1,266/1,266

      tabulation: Freq.  Numeric  Label
                  1,266      .
    
```

la_own_f_5 **P5: The owner has moved out of the household**

```

      type: numeric (byte)
      label: la_own_f_1
    
```

range: [1,1] units: 1
 unique values: 1 missing .: 1,265/1,266

tabulation:	Freq.	Numeric	Label
	1	1	The owner has moved out of the household
	1,265	.	

la_own_g_5 **P5: Allocated**

type: numeric (byte)
 label: la_own_g_1

range: [..] units: .
 unique values: 0 missing .: 1,266/1,266

tabulation:	Freq.	Numeric	Label
	1,266	.	

la_own_h_5 **P5: Others**

type: numeric (byte)
 label: la_own_h_1

range: [..] units: .
 unique values: 0 missing .: 1,266/1,266

tabulation:	Freq.	Numeric	Label
	1,266	.	

la_own_det_5 **P5: Specify of others**

type: string (str249), but longest is str0

unique values: 0 missing "": 1,266/1,266

tabulation:	Freq.	Value
	1,266	" "

la_val_5 **P5: The value of this plot of land (excluding house)**

type: numeric (long)

range: [..] units: .
 unique values: 0 missing .: 1,265/1,266
 unique missing codes: 2 missing *: 1/1,266

tabulation:	Freq.	Value
	1,265	.
	1	.d

mean: .
 std. dev: .

percentiles:	10%	25%	50%	75%	90%

la_trans_5 **P5: Fee for ownership transfer**

type: numeric (long)

```

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
        missing .: 1,265/1,266
        missing *: 1/1,266

tabulation: Freq. Value
            1,265 .
            1 .d
        mean: .
        std. dev: .

percentiles: 10% 25% 50% 75% 90%
            . . . . .
    
```

la_lose_a_5 **P5: For agriculture, livestock**

```

        type: numeric (byte)
        label: la_lose_a_1

        range: [1,1]
unique values: 1
        units: 1
        missing .: 1,265/1,266

tabulation: Freq. Numeric Label
            1 1 For agriculture, livestock
            1,265 .
    
```

la_lose_b_5 **P5: For doing household business (RE2016)**

```

        type: numeric (byte)
        label: la_lose_b_1

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,266/1,266

tabulation: Freq. Numeric Label
            1,266 .
    
```

la_lose_c_5 **P5: Allow others (people/institute) to use for free**

```

        type: numeric (byte)
        label: la_lose_c_1

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,266/1,266

tabulation: Freq. Numeric Label
            1,266 .
    
```

la_lose_d_5 **P5: Rent to others (people/institute)**

```

        type: numeric (byte)
        label: la_lose_d_1

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,266/1,266

tabulation: Freq. Numeric Label
            1,266 .
    
```

la_lose_d_mon_5 **P5: Since last interview, received rental fee**

```

type: numeric (int)
    
```

range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266

tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

la_lose_d_obj_5 P5: Since last interview, received in-kind

type: numeric (byte)

range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266

tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

la_lose_e_5 P5: Not utilized

type: numeric (byte)
 label: la_lose_e_1

range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266

tabulation: Freq. Numeric Label
 1,266 .

la_lose_f_5 P5: For living

type: numeric (byte)
 label: la_lose_f_1

range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266

tabulation: Freq. Numeric Label
 1,266 .

la_lose_g_5 P5: Others

type: numeric (byte)
 label: la_lose_g_5

range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266

tabulation: Freq. Numeric Label
 1,266 .

la_lose_g_other_5 P5: Specify of others


```

type: string (str1), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

la_plot_5 **P5: Number of of allocated land plots**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1,266/1,266
tabulation: Freq. Value
             1,266 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

la_plot_a_5 **P5: Specify sub plot code plot 1**

```

type: string (str4), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

la_plot_b_5 **P5: Specify sub plot code plot 2**

```

type: string (str4), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

la_plot_c_5 **P5: Specify sub plot code plot 3**

```

type: string (str3), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

la_plot_d_5 **P5: Specify sub plot code plot 4**

```

type: string (str1), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

la_plot_e_5 **P5: Specify sub plot code plot 5**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_f_5 **P5: Specify sub plot code plot 6**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_no_6 **No. plot**

type: string (**str7**), but longest is str3
 unique values: 4 missing "": 1,218/1,266
 tabulation: Freq. Value
 1,218 ""
 1 "P3B"
 41 "P6"
 2 "P7"
 4 "P8"

dum_land_old_6 **Dummy of old land the household own plot**

type: numeric (**float**)
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,266
 tabulation: Freq. Value
 1,229 0
 37 1
 mean: .029226
 std. dev: .168506
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

dum_land_new_6 **Dummy of new land the household own**

type: numeric (**float**)
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,266
 tabulation: Freq. Value
 1,255 0
 11 1
 mean: .008689
 std. dev: .092844
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

dum_land_lose_6 **Dummy of losing land the household own plot 1**

```

type: numeric (float)
range: [0,0]
unique values: 1
units: 1
missing .: 0/1,266

tabulation: Freq. Value
             1,266  0
mean:      0
std. dev:  0

percentiles: 10% 25% 50% 75% 90%
              0   0   0   0   0
    
```

la_location_6 **P6: Location (unavailable)**

```

type: string (str95), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266  ""
    
```

la_sizea_6 **P6: Land size 1,600 sqm**

```

type: numeric (byte)
range: [1,25]
unique values: 15
units: 1
missing .: 1,222/1,266

tabulation: Freq. Value
             8  1
             3  2
             2  3
             8  4
             4  5
             3  6
             3  7
             1  8
             3  9
             2 10
             1 12
             2 13
             2 15
             1 20
             1 25
             1,222 .
mean:      6.34091
std. dev:  5.31756

percentiles: 10% 25% 50% 75% 90%
              1  2.5  5   9  13
    
```

la_sizeb_6 **P6: Land size 400 sqm**

```

type: numeric (byte)
range: [1,3]
unique values: 3
unique missing codes: 2
units: 1
missing .: 1,247/1,266
missing *: 3/1,266
    
```

```

tabulation:  Freq.  Value
              5      1
              6      2
              5      3
            1,247    .
              3      .c
    mean:      2
    std. dev:  .816497

percentiles:  10%      25%      50%      75%      90%
              1         1         2         3         3
    
```

la_sizec_6 **P6: Land size 4 sqm**

```

type: numeric (byte)
range: [20,95]
unique values: 3
unique missing codes: 2
units: 1
missing .: 1,259/1,266
missing *: 4/1,266

tabulation:  Freq.  Value
              1      20
              1      90
              1      95
            1,259    .
              4      .c
    mean:      68.3333
    std. dev:  41.9325

percentiles:  10%      25%      50%      75%      90%
              20         20         90         95         95
    
```

la_dcode_6 **P6: What type of certificate of ownership has this land (not display)**

```

type: string (str102), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation:  Freq.  Value
            1,266    ""
    
```

la_code_6 **P6: Code of certificate of ownership is this piece of land**

```

type: numeric (byte)
label: la_code
range: [1,19]
unique values: 5
units: 1
missing .: 1,218/1,266

tabulation:  Freq.  Numeric  Label
            40         1  Chanod
             1         3  NS3, NS3K
             1        15  Sor Por Kor 1Kor
             4        17  Sor Por Kor 4-01
             2        19  No certificate
            1,218    .
    
```

la_nmemberid_6 **P6: Who owns this land on the certificate (unavailable)**

```

type: string (str73), but longest is str0
unique values: 0
missing "": 1,266/1,266
    
```

tabulation: Freq. Value
 1,266 ""

la_memberid_6 **P6: MemberID of owner of this land**

type: string (**str7**), but longest is str5
 unique values: 7 missing "": 1,218/1,266
 tabulation: Freq. Value
 1,218 ""
 20 "H2"
 16 "H3"
 6 "H4"
 3 "H5"
 1 "H5;H3"
 1 "H6"
 1 "H7"

la_benefit_a_6 **P6: Use for agriculture cultivation**

type: numeric (**byte**)
 label: **la_benefit_a_5**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,225/1,266
 tabulation: Freq. Numeric Label
 41 1 yes
 1,225 .

la_benefit_b_6 **P6: Use for business that own by household member**

type: numeric (**byte**)
 label: **la_benefit_b_5**
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_benefit_c_6 **P6: Allow others (people/institute) to use for free**

type: numeric (**byte**)
 label: **la_benefit_c_1**
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_benefit_d_6 **P6: Rental for outsider/organization rental**

type: numeric (**byte**)
 label: **la_benefit_d_5**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,264/1,266

```

tabulation: Freq.  Numeric  Label
              2          1  yes
            1,264          .
    
```

la_benefit_d_mon_6 **P6: In the past 12 months, received rental fee**

```

type: numeric (long)
range: [0,1500]
unique values: 2
units: 100
missing .: 1,264/1,266

tabulation: Freq.  Value
              1    0
              1  1500
            1,264  .
mean: 750
std. dev: 1060.66

percentiles: 10%    25%    50%    75%    90%
              0      0      750    1500    1500
    
```

la_benefit_d_obj_6 **P6: In the past 12 months, received in-kind items**

```

type: numeric (long)
range: [0,3750]
unique values: 2
units: 10
missing .: 1,264/1,266

tabulation: Freq.  Value
              1    0
              1  3750
            1,264  .
mean: 1875
std. dev: 2651.65

percentiles: 10%    25%    50%    75%    90%
              0      0    1875    3750    3750
    
```

la_benefit_e_6 **P6: Empty and unused**

```

type: numeric (byte)
label: la_benefit_e_5
range: [1,1]
unique values: 1
units: 1
missing .: 1,263/1,266

tabulation: Freq.  Numeric  Label
              3          1  yes
            1,263          .
    
```

la_benefit_f_6 **P6: Use for habitat**

```

type: numeric (byte)
label: la_benefit_f_5
range: [1,1]
unique values: 1
units: 1
missing .: 1,263/1,266

tabulation: Freq.  Numeric  Label
              3          1  yes
            1,263          .
    
```

la_benefit_g_6 **P6: Others**

```

type: numeric (byte)
label: la_benefit_g_1

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
              1,266      .
    
```

la_benefit_g_other_6 **P6: Specify of others**

```

type: string (str123), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.  Value
              1,266  ""
    
```

la_yn_6 **P6: Does a household member still own this land?**

```

type: numeric (byte)
label: la_yn

range: [1,1]
unique values: 1
units: 1
missing ..: 1,229/1,266

tabulation: Freq.  Numeric  Label
              37      1  yes
              1,229    .
    
```

la_own_a_6 **P6: Selling the land**

```

type: numeric (byte)
label: la_own_a_1

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
              1,266      .
    
```

la_own_b_6 **P6: Giving away as heritage**

```

type: numeric (byte)
label: la_own_b_1

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
              1,266      .
    
```

la_own_c_6 **P6: Giving away as a gift/help**

```

type: numeric (byte)
label: la_own_c_1
    
```

```

        range: [.,.]
unique values: 0
        units: .
missing ..: 1,266/1,266

        tabulation: Freq.  Numeric  Label
                    1,266      .
    
```

la_own_d_6 **P6: Confiscated/Repaid**

```

        type: numeric (byte)
        label: la_own_d_1

        range: [.,.]
unique values: 0
        units: .
missing ..: 1,266/1,266

        tabulation: Freq.  Numeric  Label
                    1,266      .
    
```

la_own_e_6 **P6: Expropriated**

```

        type: numeric (byte)
        label: la_own_e_1

        range: [.,.]
unique values: 0
        units: .
missing ..: 1,266/1,266

        tabulation: Freq.  Numeric  Label
                    1,266      .
    
```

la_own_f_6 **P6: The owner has moved out of the household**

```

        type: numeric (byte)
        label: la_own_f_1

        range: [.,.]
unique values: 0
        units: .
missing ..: 1,266/1,266

        tabulation: Freq.  Numeric  Label
                    1,266      .
    
```

la_own_g_6 **P6: Allocated**

```

        type: numeric (byte)
        label: la_own_g_1

        range: [.,.]
unique values: 0
        units: .
missing ..: 1,266/1,266

        tabulation: Freq.  Numeric  Label
                    1,266      .
    
```

la_own_h_6 **P6: Others**

```

        type: numeric (byte)
        label: la_own_h_1

        range: [.,.]
unique values: 0
        units: .
missing ..: 1,266/1,266

        tabulation: Freq.  Numeric  Label
                    1,266      .
    
```

la_own_det_6 **P6: Specify of others**

```

type: string (str249), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

la_val_6 **P6: The value of this plot of land (excluding house)**

```

type: numeric (long)
range: [.,.] units: .
unique values: 0 missing .: 1,266/1,266
tabulation: Freq. Value
             1,266 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

la_trans_6 **P6: Fee for ownership transfer**

```

type: numeric (long)
range: [.,.] units: .
unique values: 0 missing .: 1,266/1,266
tabulation: Freq. Value
             1,266 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

la_lose_a_6 **P6: For agriculture, livestock**

```

type: numeric (byte)
label: la_lose_a_1
range: [.,.] units: .
unique values: 0 missing .: 1,266/1,266
tabulation: Freq. Numeric Label
             1,266 .
    
```

la_lose_b_6 **P6: For doing household business**

```

type: numeric (byte)
label: la_lose_b_1
range: [.,.] units: .
unique values: 0 missing .: 1,266/1,266
tabulation: Freq. Numeric Label
             1,266 .
    
```

la_lose_c_6 **P6: Allow others (people/institute) to use for free**

```

type: numeric (byte)
label: la_lose_c_1

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_lose_d_6 **P6: Rent to others (people/institute)**

```

type: numeric (byte)
label: la_lose_d_1

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_lose_d_mon_6 **P6: Since last interview, received rental fee**

```

type: numeric (int)

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Value
             1,266  .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

la_lose_d_obj_6 **P6: Since last interview, received in-kind**

```

type: numeric (byte)

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Value
             1,266  .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

la_lose_e_6 **P6: Not utilized**

```

type: numeric (byte)
label: la_lose_e_1

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266
    
```

tabulation: Freq. Numeric Label
 1,266 .

la_lose_f_6 **P6: For living**

type: numeric (**byte**)
 label: **la_lose_f_1**
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_g_6 **P6: Others**

type: numeric (**byte**)
 label: **la_lose_g_6**
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_g_other_6 **P6: Specify of others**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_6 **P6: Number of of allocated land plots**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_plot_a_6 **P6: Specify sub plot code plot 1**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_b_6 **P6: Specify sub plot code plot 2**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_c_6 **P6: Specify sub plot code plot 3**

type: string (**str3**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_d_6 **P6: Specify sub plot code plot 4**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_e_6 **P6: Specify sub plot code plot 5**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_f_6 **P6: Specify sub plot code plot 6**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_no_7 **No. plot**

type: string (**str7**), but longest is str2
 unique values: 3 missing "": 1,245/1,266
 tabulation: Freq. Value
 1,245 ""
 19 "p7"
 1 "p8"
 1 "p9"

dum_land_old_7 **Dummy of old land the household own plot**

type: numeric (**float**)

```

range: [0,1] units: 1
unique values: 2 missing .: 0/1,266

tabulation: Freq. Value
1,250 0
16 1
mean: .012638
std. dev: .111751

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

dum_land_new_7 **Dummy of new land the household own**

```

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 0/1,266

tabulation: Freq. Value
1,261 0
5 1
mean: .003949
std. dev: .062745

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

dum_land_lose_7 **Dummy of losing land the household own plot 1**

```

type: numeric (float)

range: [0,0] units: 1
unique values: 1 missing .: 0/1,266

tabulation: Freq. Value
1,266 0
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

la_location_7 **P7: Location (unavailable)**

```

type: string (str95), but longest is str0

unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_sizea_7 **P7: Land size 1,600 sqm**

```

type: numeric (byte)

range: [1,12] units: 1
unique values: 9 missing .: 1,247/1,266
    
```

```

tabulation:  Freq.  Value
              1    1
              5    3
              2    4
              1    5
              2    6
              2    8
              3    9
              1   10
              2   12
            1,247  .
      mean:    6.21053
    std. dev:  3.34297

percentiles:      10%      25%      50%      75%      90%
                  3         3         6         9        12
    
```

la_sizeb_7 P7: Land size 400 sqm

```

      type:  numeric (byte)

      range:  [2,3]                units:  1
unique values: 2                    missing .: 1,260/1,266

      tabulation:  Freq.  Value
                   3    2
                   3    3
            1,260  .
      mean:        2.5
    std. dev:     .547723

percentiles:      10%      25%      50%      75%      90%
                  2         2         2.5      3         3
    
```

la_sizec_7 P7: Land size 4 sqm

```

      type:  numeric (byte)

      range:  [75,98]              units:  1
unique values: 3                    missing .: 1,263/1,266

      tabulation:  Freq.  Value
                   1    75
                   1    85
                   1    98
            1,263  .
      mean:        86
    std. dev:     11.5326

percentiles:      10%      25%      50%      75%      90%
                  75       75       85       98       98
    
```

la_dcode_7 P7: What type of certificate of ownership has this land (not display)

```

      type:  string (str102), but longest is str0

unique values: 0                    missing "": 1,266/1,266

      tabulation:  Freq.  Value
                   1,266  ""
    
```

la_code_7 P7: Code of certificate of ownership is this piece of land

```

type: numeric (byte)
label: la_code

range: [1,17]
unique values: 3
units: 1
missing .: 1,245/1,266

tabulation: Freq. Numeric Label
             19      1 Chanod
             1      15 Sor Por Kor 1Kor
             1      17 Sor Por Kor 4-01
             1,245      .
    
```

la_nmemberid_7 P7: Who owns this land on the certificate (unavailable)

```

type: string (str73), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

la_memberid_7 P7: MemberID of owner of this land

```

type: string (str7), but longest is str2
unique values: 5
missing "": 1,245/1,266

tabulation: Freq. Value
             1,245 ""
             5 "H2"
             8 "H3"
             5 "H4"
             2 "H5"
             1 "H6"
    
```

la_benefit_a_7 P7: Use for agriculture cultivation

```

type: numeric (byte)
label: la_benefit_a_5

range: [1,1]
unique values: 1
units: 1
missing .: 1,249/1,266

tabulation: Freq. Numeric Label
             17      1 yes
             1,249      .
    
```

la_benefit_b_7 P7: Use for business that own by household member

```

type: numeric (byte)
label: la_benefit_b_5

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
             1,266      .
    
```

la_benefit_c_7 P7: Allow others (people/institute) to use for free

```

type: numeric (byte)
label: la_benefit_c_1

range: [1,1] units: 1
unique values: 1 missing .. 1,263/1,266

tabulation: Freq. Numeric Label
              3      1 Allow others (people/institute)
              1,263 . to use for free
    
```

la_benefit_d_7 **P7: Rental for outsider/organization rental**

```

type: numeric (byte)
label: la_benefit_d_5

range: [.,.] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
              1,266 .
    
```

la_benefit_d_mon_7 **P7: In the past 12 months, received rental fee**

```

type: numeric (long)

range: [.,.] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Value
              1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

la_benefit_d_obj_7 **P7: In the past 12 months, received in-kind items**

```

type: numeric (long)

range: [.,.] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Value
              1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

la_benefit_e_7 **P7: Empty and unused**

```

type: numeric (byte)
label: la_benefit_e_5

range: [.,.] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
              1,266 .
    
```

la_benefit_f_7 **P7: Use for habitat**

```

type: numeric (byte)
label: la_benefit_f_5

range: [1,1]
unique values: 1
units: 1
missing ..: 1,265/1,266

tabulation: Freq.   Numeric   Label
              1         1   yes
            1,265         .
    
```

la_benefit_g_7 **P7: Others**

```

type: numeric (byte)
label: la_benefit_g_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.   Numeric   Label
              1,266         .
    
```

la_benefit_g_other_7 **P7: Specify of others**

```

type: string (str123), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.   Value
              1,266  ""
    
```

la_yn_7 **P7: Does a household member still own this land?**

```

type: numeric (byte)
label: la_yn

range: [1,1]
unique values: 1
units: 1
missing ..: 1,250/1,266

tabulation: Freq.   Numeric   Label
              16         1   yes
            1,250         .
    
```

la_own_a_7 **P7: Selling the land**

```

type: numeric (byte)
label: la_own_a_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.   Numeric   Label
              1,266         .
    
```

la_own_b_7 **P7: Giving away as heritage**

```

type: numeric (byte)
label: la_own_b_1
    
```

range: [..]
 unique values: 0
 units: .
 missing : 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_c_7 **P7: Giving away as a gift/help**

type: numeric (byte)
 label: **la_own_c_1**
 range: [..]
 unique values: 0
 units: .
 missing : 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_d_7 **P7: Confiscated/Repaid**

type: numeric (byte)
 label: **la_own_d_1**
 range: [..]
 unique values: 0
 units: .
 missing : 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_e_7 **P7: Expropriated**

type: numeric (byte)
 label: **la_own_e_1**
 range: [..]
 unique values: 0
 units: .
 missing : 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_f_7 **P7: The owner has moved out of the household**

type: numeric (byte)
 label: **la_own_f_1**
 range: [..]
 unique values: 0
 units: .
 missing : 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_g_7 **P7: Allocated**

type: numeric (byte)
 label: **la_own_g_1**
 range: [..]
 unique values: 0
 units: .
 missing : 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_h_7 **P7: Others**

```

type: numeric (byte)
label: la_own_h_1

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
             1,266 .
    
```

la_own_det_7 **P7: Specify of others**

```

type: string (str249), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

la_val_7 **P7: The value of this plot of land (excluding house)**

```

type: numeric (long)
range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Value
             1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

la_trans_7 **P7: Fee for ownership transfer**

```

type: numeric (long)
range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Value
             1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

la_lose_a_7 **P7: For agriculture, livestock**

```

type: numeric (byte)
label: la_lose_a_1

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
             1,266 .
    
```

la_lose_b_7 **P7: For doing household business**

```

type: numeric (byte)
label: la_lose_b_1

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_lose_c_7 **P7: Allow others (people/institute) to use for free**

```

type: numeric (byte)
label: la_lose_c_1

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_lose_d_7 **P7: Rent to others (people/institute)**

```

type: numeric (byte)
label: la_lose_d_1

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_lose_d_mon_7 **P7: Since last interview, received rental fee**

```

type: numeric (int)

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_lose_d_obj_7 **P7: Since last interview, received in-kind**

```

type: numeric (byte)

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .
    
```

percentiles: 10% 25% 50% 75% 90%

la_lose_e_7 **P7: Not utilized**

```

type: numeric (byte)
label: la_lose_e_1

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_lose_f_7 **P7: For living**

```

type: numeric (byte)
label: la_lose_f_1

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_lose_g_7 **P7: Others**

```

type: numeric (byte)
label: la_lose_g_7

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_lose_g_other_7 **P7: Specify of others**

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.  Value
             1,266  ""
    
```

la_plot_7 **P7: Number of of allocated land plots**

```

type: numeric (byte)

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Value
             1,266  .
mean:      .
std. dev:  .

percentiles: 10%   25%   50%   75%   90%
              .   .   .   .   .
    
```

la_plot_a_7 **P7: Specify sub plot code plot 1**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_b_7 **P7: Specify sub plot code plot 2**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_c_7 **P7: Specify sub plot code plot 3**

type: string (**str3**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_d_7 **P7: Specify sub plot code plot 4**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_e_7 **P7: Specify sub plot code plot 5**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_f_7 **P7: Specify sub plot code plot 6**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_no_8 **No. plot**

type: string (**str7**), but longest is str2

unique values: 2 missing "": 1,257/1,266
 tabulation: Freq. Value
 1,257 ""
 8 "P8"
 1 "P9"

dum_land_old_8 **Dummy of old land the household own plot**

type: numeric (float)
 range: [0,1] units: 1
 unique values: 2 missing ..: 0/1,266
 tabulation: Freq. Value
 1,259 0
 7 1
 mean: .005529
 std. dev: .074182
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

dum_land_new_8 **Dummy of new land the household own**

type: numeric (float)
 range: [0,1] units: 1
 unique values: 2 missing ..: 0/1,266
 tabulation: Freq. Value
 1,264 0
 2 1
 mean: .00158
 std. dev: .039731
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

dum_land_lose_8 **Dummy of losing land the household own plot 1**

type: numeric (float)
 range: [0,0] units: 1
 unique values: 1 missing ..: 0/1,266
 tabulation: Freq. Value
 1,266 0
 mean: 0
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

la_location_8 **P8: Location (unavailable)**

type: string (str95), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_sizea_8 **P8: Land size 1,600 sqm**

```

type: numeric (byte)
range: [1,10]
unique values: 6
units: 1
missing .: 1,257/1,266

tabulation: Freq. Value
              2  1
              1  4
              3  5
              1  8
              1  9
              1 10
            1,257 .
mean:      5.33333
std. dev:  3.20156

percentiles:    10%    25%    50%    75%    90%
                1      4      5      8      10
    
```

la_sizeb_8 **P8: Land size 400 sqm**

```

type: numeric (byte)
range: [2,3]
unique values: 2
unique missing codes: 2
units: 1
missing .: 1,262/1,266
missing *: 1/1,266

tabulation: Freq. Value
              1  2
              2  3
            1,262 .
              1 .c
mean:      2.66667
std. dev:  .57735

percentiles:    10%    25%    50%    75%    90%
                2      2      3      3      3
    
```

la_sizec_8 **P8: Land size 4 sqm**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,265/1,266
missing *: 1/1,266

tabulation: Freq. Value
            1,265 .
              1 .c
mean:      .
std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

la_dcode_8 **P8: What type of certificate of ownership has this land (not display)**

```

type: string (str102), but longest is str0
unique values: 0
missing "": 1,266/1,266
    
```


tabulation: Freq. Value
 1,266 ""

la_code_8 P8: Code of certificate of ownership is this piece of land

type: numeric (byte)
 label: la_code
 range: [1,1] units: 1
 unique values: 1 missing .: 1,257/1,266
 tabulation: Freq. Numeric Label
 9 1 Chanod
 1,257 .

la_nmemberid_8 P8: Who owns this land on the certificate (unavailable)

type: string (str73), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_memberid_8 P8: MemberID of owner of this land

type: string (str7), but longest is str2
 unique values: 3 missing "": 1,257/1,266
 tabulation: Freq. Value
 1,257 ""
 4 "H2"
 2 "H3"
 3 "H4"

la_benefit_a_8 P8: Use for agriculture cultivation

type: numeric (byte)
 label: la_benefit_a_5
 range: [1,1] units: 1
 unique values: 1 missing .: 1,258/1,266
 tabulation: Freq. Numeric Label
 8 1 yes
 1,258 .

la_benefit_b_8 P8: Use for business that own by household member

type: numeric (byte)
 label: la_benefit_b_5
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_benefit_c_8 **P8: Allow others (people/institute) to use for free**

```

type: numeric (byte)
label: la_benefit_c_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_benefit_d_8 **P8: Rental for outsider/organization rental**

```

type: numeric (byte)
label: la_benefit_d_5

range: [1,1]
unique values: 1
units: 1
missing ..: 1,265/1,266

tabulation: Freq.  Numeric  Label
             1         1  yes
             1,265      .
    
```

la_benefit_d_mon_8 **P8: In the past 12 months, received rental fee**

```

type: numeric (long)

range: [.,.]
unique values: 1
units: .
missing ..: 1,265/1,266

tabulation: Freq.  Value
             1      0
             1,265  .
mean:      0
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

la_benefit_d_obj_8 **P8: In the past 12 months, received in-kind items**

```

type: numeric (long)

range: [8250,8250]
unique values: 1
units: 10
missing ..: 1,265/1,266

tabulation: Freq.  Value
             1    8250
             1,265  .
mean:      8250
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              8250  8250  8250  8250  8250
    
```

la_benefit_e_8 **P8: Empty and unused**

```

type: numeric (byte)
label: la_benefit_e_5
    
```

range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_benefit_f_8 P8: Use for habitat

type: numeric (byte)
 label: la_benefit_f_5
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_benefit_g_8 P8: Others

type: numeric (byte)
 label: la_benefit_g_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_benefit_g_other_8 P8: Specify of others

type: string (str123), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_yn_8 P8: Does a household member still own this land?

type: numeric (byte)
 label: la_yn
 range: [1,1] units: 1
 unique values: 1 missing .: 1,259/1,266
 tabulation: Freq. Numeric Label
 7 1 yes
 1,259 .

la_own_a_8 P8: Selling the land

type: numeric (byte)
 label: la_own_a_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_b_8 **P8: Giving away as heritage**

```

    type: numeric (byte)
    label: la_own_b_1

    range: [..]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_c_8 **P8: Giving away as a gift/help**

```

    type: numeric (byte)
    label: la_own_c_1

    range: [..]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_d_8 **P8: Confiscated/Repaid**

```

    type: numeric (byte)
    label: la_own_d_1

    range: [..]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_e_8 **P8: Expropriated**

```

    type: numeric (byte)
    label: la_own_e_1

    range: [..]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_f_8 **P8: The owner has moved out of the household**

```

    type: numeric (byte)
    label: la_own_f_1

    range: [..]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_g_8 **P8: Allocated**

```

    type: numeric (byte)
    label: la_own_g_1
    
```

```

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_h_8 **P8: Others**

```

type: numeric (byte)
label: la_own_h_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_det_8 **P8: Specify of others**

```

type: string (str249), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_val_8 **P8: The value of this plot of land (excluding house)**

```

type: numeric (long)

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_trans_8 **P8: Fee for ownership transfer**

```

type: numeric (long)

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_lose_a_8 **P8: For agriculture, livestock**

```

type: numeric (byte)
label: la_lose_a_1
    
```

```

    range: [.,.]          units: .
unique values: 0          missing .: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .

```

la_lose_b_8 **P8: For doing household business**

```

    type: numeric (byte)
    label: la_lose_b_1

    range: [.,.]          units: .
unique values: 0          missing .: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .

```

la_lose_c_8 **P8: Allow others (people/institute) to use for free**

```

    type: numeric (byte)
    label: la_lose_c_1

    range: [.,.]          units: .
unique values: 0          missing .: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .

```

la_lose_d_8 **P8: Rent to others (people/institute)**

```

    type: numeric (byte)
    label: la_lose_d_1

    range: [.,.]          units: .
unique values: 0          missing .: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .

```

la_lose_d_mon_8 **P8: Since last interview, received rental fee**

```

    type: numeric (int)

    range: [.,.]          units: .
unique values: 0          missing .: 1,266/1,266

    tabulation: Freq.  Value
                1,266  .
    mean:      .
    std. dev:  .

    percentiles:      10%    25%    50%    75%    90%
                     .      .      .      .      .

```

la_lose_d_obj_8 **P8: Since last interview, received in-kind**

```

    type: numeric (byte)

    range: [.,.]          units: .
unique values: 0          missing .: 1,266/1,266

```

```

tabulation: Freq. Value
             1,266 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

la_lose_e_8 **P8: Not utilized**

```

      type: numeric (byte)
      label: la_lose_e_1

      range: [.,.]
unique values: 0
                units: .
                missing .: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_lose_f_8 **P8: For living**

```

      type: numeric (byte)
      label: la_lose_f_1

      range: [.,.]
unique values: 0
                units: .
                missing .: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_lose_g_8 **P8: Others**

```

      type: numeric (byte)
      label: la_lose_g_8

      range: [.,.]
unique values: 0
                units: .
                missing .: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_lose_g_other_8 **P8: Specify of others**

```

      type: string (str1), but longest is str0
unique values: 0
                missing "": 1,266/1,266

      tabulation: Freq. Value
                  1,266 ""
    
```

la_plot_8 **P8: Number of of allocated land plots**

```

      type: numeric (byte)

      range: [.,.]
unique values: 0
                units: .
                missing .: 1,266/1,266

      tabulation: Freq. Value
                  1,266 .
      mean:  .
      std. dev:  .
    
```

percentiles: 10% 25% 50% 75% 90%

la_plot_a_8 **P8: Specify sub plot code plot 1**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_b_8 **P8: Specify sub plot code plot 2**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_c_8 **P8: Specify sub plot code plot 3**

type: string (**str3**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_d_8 **P8: Specify sub plot code plot 4**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_e_8 **P8: Specify sub plot code plot 5**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_f_8 **P8: Specify sub plot code plot 6**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_no_9 **No. plot**

type: string (**str7**), but longest is str2
 unique values: 1 missing "": 1,262/1,266
 tabulation: Freq. Value
 1,262 ""
 4 "p9"

dum_land_old_9 **Dummy of old land the household own plot**

type: numeric (**float**)
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,266
 tabulation: Freq. Value
 1,263 0
 3 1
 mean: .00237
 std. dev: .048641
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

dum_land_new_9 **Dummy of new land the household own**

type: numeric (**float**)
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,266
 tabulation: Freq. Value
 1,265 0
 1 1
 mean: .00079
 std. dev: .028105
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

dum_land_lose_9 **Dummy of losing land the household own plot 1**

type: numeric (**float**)
 range: [0,0] units: 1
 unique values: 1 missing .: 0/1,266
 tabulation: Freq. Value
 1,266 0
 mean: 0
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

la_location_9 **P9: Location (unavailable)**

type: string (**str95**), but longest is str0

unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""

la_sizea_9

P9: Land size 1,600 sqm

type: numeric (**byte**)
 range: [2,40] units: 1
 unique values: 4 missing .: 1,262/1,266
 tabulation: Freq. Value
 1 2
 1 4
 1 6
 1 40
 1,262 .
 mean: 13
 std. dev: 18.0739
 percentiles: 10% 25% 50% 75% 90%
 2 3 5 23 40

la_sizeb_9

P9: Land size 400 sqm

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_sizec_9

P9: Land size 4 sqm

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_dcode_9

P9: What type of certificate of ownership has this land (not display)

type: string (**str102**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_code_9 **P9: Code of certificate of ownership is this piece of land**

```

type: numeric (byte)
label: la_code

range: [1,1]
unique values: 1
units: 1
missing .: 1,262/1,266

tabulation: Freq. Numeric Label
              4      1 Chanod
            1,262      .
    
```

la_nmemberid_9 **P9: Who owns this land on the certificate (unavailable)**

```

type: string (str73), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

la_memberid_9 **P9: MemberID of owner of this land**

```

type: string (str7), but longest is str2
unique values: 3
missing "": 1,262/1,266

tabulation: Freq. Value
            1,262 ""
              1 "H2"
              2 "H3"
              1 "H4"
    
```

la_benefit_a_9 **P9: Use for agriculture cultivation**

```

type: numeric (byte)
label: la_benefit_a_5

range: [1,1]
unique values: 1
units: 1
missing .: 1,263/1,266

tabulation: Freq. Numeric Label
              3      1 yes
            1,263      .
    
```

la_benefit_b_9 **P9: Use for business that own by household member**

```

type: numeric (byte)
label: la_benefit_b_5

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
            1,266      .
    
```

la_benefit_c_9 **P9: Allow others (people/institute) to use for free**

```

type: numeric (byte)
label: la_benefit_c_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_benefit_d_9 **P9: Rental for outsider/organization rental**

```

type: numeric (byte)
label: la_benefit_d_5

range: [1,1]
unique values: 1
units: 1
missing ..: 1,265/1,266

tabulation: Freq. Numeric Label
1 1 yes
1,265 .
    
```

la_benefit_d_mon_9 **P9: In the past 12 months, received rental fee**

```

type: numeric (long)

range: [.,.]
unique values: 1
units: .
missing ..: 1,265/1,266

tabulation: Freq. Value
1 0
1,265 .

mean: 0
std. dev: .

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

la_benefit_d_obj_9 **P9: In the past 12 months, received in-kind items**

```

type: numeric (long)

range: [3000,3000]
unique values: 1
units: 1000
missing ..: 1,265/1,266

tabulation: Freq. Value
1 3000
1,265 .

mean: 3000
std. dev: .

percentiles: 10% 25% 50% 75% 90%
3000 3000 3000 3000 3000
    
```

la_benefit_e_9 **P9: Empty and unused**

```

type: numeric (byte)
label: la_benefit_e_5

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_benefit_f_9 **P9: Use for habitat**

```

type: numeric (byte)
label: la_benefit_f_5

range: [.,.]
unique values: 0
units: .
missing .. 1,266/1,266

tabulation: Freq.  Numeric  Label
              1,266      .
    
```

la_benefit_g_9 **P9: Others**

```

type: numeric (byte)
label: la_benefit_g_1

range: [.,.]
unique values: 0
units: .
missing .. 1,266/1,266

tabulation: Freq.  Numeric  Label
              1,266      .
    
```

la_benefit_g_other_9 **P9: Specify of others**

```

type: string (str123), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.  Value
              1,266  ""
    
```

la_yn_9 **P9: Does a household member still own this land?**

```

type: numeric (byte)
label: la_yn

range: [1,1]
unique values: 1
units: 1
missing .. 1,263/1,266

tabulation: Freq.  Numeric  Label
              3      1  yes
              1,263      .
    
```

la_own_a_9 **P9: Selling the land**

```

type: numeric (byte)
label: la_own_a_1

range: [.,.]
unique values: 0
units: .
missing .. 1,266/1,266

tabulation: Freq.  Numeric  Label
              1,266      .
    
```

la_own_b_9 **P9: Giving away as heritage**

```

type: numeric (byte)
label: la_own_b_1
    
```

range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_c_9 **P9: Giving away as a gift/help**

type: numeric (byte)
 label: **la_own_c_1**
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_d_9 **P9: Confiscated/Repaid**

type: numeric (byte)
 label: **la_own_d_1**
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_e_9 **P9: Expropriated**

type: numeric (byte)
 label: **la_own_e_1**
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_f_9 **P9: The owner has moved out of the household**

type: numeric (byte)
 label: **la_own_f_1**
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_g_9 **P9: Allocated**

type: numeric (byte)
 label: **la_own_g_1**
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_h_9 **P9: Others**

```

type: numeric (byte)
label: la_own_h_1

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_det_9 **P9: Specify of others**

```

type: string (str249), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_val_9 **P9: The value of this plot of land (excluding house)**

```

type: numeric (long)
range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_trans_9 **P9: Fee for ownership transfer**

```

type: numeric (long)
range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_lose_a_9 **P9: For agriculture, livestock**

```

type: numeric (byte)
label: la_lose_a_1

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_lose_b_9 **P9: For doing household business**

```

type: numeric (byte)
label: la_lose_b_1

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
             1,266 .
    
```

la_lose_c_9 **P9: Allow others (people/institute) to use for free**

```

type: numeric (byte)
label: la_lose_c_1

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
             1,266 .
    
```

la_lose_d_9 **P9: Rent to others (people/institute)**

```

type: numeric (byte)
label: la_lose_d_1

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
             1,266 .
    
```

la_lose_d_mon_9 **P9: Since last interview, received rental fee**

```

type: numeric (int)

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Value
             1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

la_lose_d_obj_9 **P9: Since last interview, received in-kind**

```

type: numeric (byte)

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Value
             1,266 .
mean: .
std. dev: .
    
```


percentiles: 10% 25% 50% 75% 90%

la_lose_e_9 **P9: Not utilized**

```

type: numeric (byte)
label: la_lose_e_1

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_lose_f_9 **P9: For living**

```

type: numeric (byte)
label: la_lose_f_1

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_lose_g_9 **P9: Others**

```

type: numeric (byte)
label: la_lose_g_9

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_lose_g_other_9 **P9: Specify of others**

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.  Value
             1,266  ""
    
```

la_plot_9 **P9: Number of of allocated land plots**

```

type: numeric (byte)

range: [..]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Value
             1,266  .
mean:      .
std. dev:  .

percentiles: 10%   25%   50%   75%   90%
              .   .   .   .   .
    
```

la_plot_a_9 **P9: Specify sub plot code plot 1**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_b_9 **P9: Specify sub plot code plot 2**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_c_9 **P9: Specify sub plot code plot 3**

type: string (**str3**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_d_9 **P9: Specify sub plot code plot 4**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_e_9 **P9: Specify sub plot code plot 5**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_f_9 **P9: Specify sub plot code plot 6**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

dum_land_old_10 **Dummy of old land the household own plot**

type: numeric (**float**)

```

range: [0,1] units: 1
unique values: 2 missing .: 0/1,266

tabulation: Freq. Value
1,263 0
3 1
mean: .00237
std. dev: .048641

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

dum_land_new_10 **Dummy of new land the household own**

```

type: numeric (float)

range: [0,0] units: 1
unique values: 1 missing .: 0/1,266

tabulation: Freq. Value
1,266 0
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

dum_land_lose_10 **Dummy of losing land the household own plot 1**

```

type: numeric (float)

range: [0,0] units: 1
unique values: 1 missing .: 0/1,266

tabulation: Freq. Value
1,266 0
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

la_no_10 **No. plot**

```

type: string (str7), but longest is str3

unique values: 1 missing "": 1,263/1,266

tabulation: Freq. Value
1,263 ""
3 "P10"
    
```

la_location_10 **P10: Location (unavailable)**

```

type: string (str95), but longest is str0

unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_sizea_10 **P10: Land size 1,600 sqm**

```

type: numeric (byte)
range: [2,11]
unique values: 3
units: 1
missing .: 1,263/1,266

tabulation: Freq. Value
              1 2
              1 8
              1 11
            1,263 .
mean:
std. dev: 4.58258

percentiles: 10% 25% 50% 75% 90%
              2 2 8 11 11
    
```

la_sizeb_10 **P10: Land size 400 sqm**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Value
            1,266 .
mean:
std. dev:

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

la_sizec_10 **P10: Land size 4 sqm**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Value
            1,266 .
mean:
std. dev:

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

la_dcode_10 **P10: What type of certificate of ownership has this land (not display)**

```

type: string (str102), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

la_code_10 **P10: Code of certificate of ownership is this piece of land**

```

type: numeric (byte)
label: la_code
    
```

range: [1,1] units: 1
 unique values: 1 missing : 1,263/1,266
 tabulation: Freq. Numeric Label
 3 1 Chanod
 1,263 .

la_nmemberid_10 P10: Who owns this land on the certificate (unavailable)

type: string (str73), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_memberid_10 P10: MemberID of owner of this land

type: string (str7), but longest is str2
 unique values: 3 missing "": 1,263/1,266
 tabulation: Freq. Value
 1,263 ""
 1 "H2"
 1 "H3"
 1 "H4"

la_benefit_a_10 P10: Use for agriculture cultivation

type: numeric (byte)
 label: la_benefit_a_5
 range: [1,1] units: 1
 unique values: 1 missing : 1,264/1,266
 tabulation: Freq. Numeric Label
 2 1 yes
 1,264 .

la_benefit_b_10 P10: Use for business that own by household member

type: numeric (byte)
 label: la_benefit_b_5
 range: [..] units: .
 unique values: 0 missing : 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_benefit_c_10 P10: Allow others (people/institute) to use for free

type: numeric (byte)
 label: la_benefit_c_1
 range: [..] units: .
 unique values: 0 missing : 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_benefit_d_10 **P10: Rental for outsider/organization rental**

```

type: numeric (byte)
label: la_benefit_d_5

range: [1,1]
unique values: 1
units: 1
missing ..: 1,265/1,266

tabulation: Freq.   Numeric   Label
              1         1   yes
            1,265         .
    
```

la_benefit_d_mon_10 **P10: In the past 12 months, received rental fee**

```

type: numeric (long)

range: [.,.]
unique values: 1
units: .
missing ..: 1,265/1,266

tabulation: Freq.   Value
              1         0
            1,265         .
mean:         0
std. dev:     .

percentiles:   10%      25%      50%      75%      90%
                0         0         0         0         0
    
```

la_benefit_d_obj_10 **P10: In the past 12 months, received in-kind items**

```

type: numeric (long)

range: [3000,3000]
unique values: 1
units: 1000
missing ..: 1,265/1,266

tabulation: Freq.   Value
              1     3000
            1,265         .
mean:         3000
std. dev:     .

percentiles:   10%      25%      50%      75%      90%
                3000    3000    3000    3000    3000
    
```

la_benefit_e_10 **P10: Empty and unused**

```

type: numeric (byte)
label: la_benefit_e_5

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.   Numeric   Label
              1,266         .
    
```

la_benefit_f_10 **P10: Use for habitat**

```

type: numeric (byte)
label: la_benefit_f_5
    
```

```

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_benefit_g_10 **P10: Others**

```

type: numeric (byte)
label: la_benefit_g_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_benefit_g_other_10 **P10: Specify of others**

```

type: string (str123), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_yn_10 **P10: Does a household member still own this land?**

```

type: numeric (byte)
label: la_yn

range: [1,1]
unique values: 1
units: 1
missing ..: 1,263/1,266

tabulation: Freq. Numeric Label
3 1 yes
1,263 .
    
```

la_own_a_10 **P10: Selling the land**

```

type: numeric (byte)
label: la_own_a_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_b_10 **P10: Giving away as heritage**

```

type: numeric (byte)
label: la_own_b_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_c_10 **P10: Giving away as a gift/help**

```

    type: numeric (byte)
    label: la_own_c_1

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_d_10 **P10: Confiscated/Repaid**

```

    type: numeric (byte)
    label: la_own_d_1

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_e_10 **P10: Expropriated**

```

    type: numeric (byte)
    label: la_own_e_1

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_f_10 **P10: The owner has moved out of the household**

```

    type: numeric (byte)
    label: la_own_f_1

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_g_10 **P10: Allocated**

```

    type: numeric (byte)
    label: la_own_g_1

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_h_10 **P10: Others**

```

    type: numeric (byte)
    label: la_own_h_1
    
```



```

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_det_10 **P10: Specify of others**

```

type: string (str249), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_val_10 **P10: The value of this plot of land (excluding house)**

```

type: numeric (long)
range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_trans_10 **P10: Fee for ownership transfer**

```

type: numeric (long)
range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_lose_a_10 **P10: For agriculture, livestock**

```

type: numeric (byte)
label: la_lose_a_1
range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_lose_b_10 **P10: For doing household business**

```

type: numeric (byte)
label: la_lose_b_1
    
```

range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_c_10 P10: Allow others (people/institute) to use for free

type: numeric (byte)
 label: la_lose_c_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_d_10 P10: Rent to others (people/institute)

type: numeric (byte)
 label: la_lose_d_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_d_mon_10 P10: Since last interview, received rental fee

type: numeric (int)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_lose_d_obj_10 P10: Since last interview, received in-kind

type: numeric (byte)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_lose_e_10 P10: Not utilized

```

type: numeric (byte)
label: la_lose_e_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_lose_f_10 **P10: For living**

```

type: numeric (byte)
label: la_lose_f_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_lose_g_10 **P10: Others**

```

type: numeric (byte)
label: la_lose_g_10

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_lose_g_other_10 **P10: Specify of others**

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_plot_10 **P10: Number of of allocated land plots**

```

type: numeric (byte)

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_plot_a_10 **P10: Specify sub plot code plot 1**

```

type: string (str4), but longest is str0
unique values: 0
missing "": 1,266/1,266
    
```

tabulation: Freq. Value
 1,266 ""

la_plot_b_10 **P10: Specify sub plot code plot 2**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_c_10 **P10: Specify sub plot code plot 3**

type: string (**str3**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_d_10 **P10: Specify sub plot code plot 4**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_e_10 **P10: Specify sub plot code plot 5**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_f_10 **P10: Specify sub plot code plot 6**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_no_11 **No. plot**

type: string (**str7**), but longest is str3
 unique values: 1 missing "": 1,265/1,266
 tabulation: Freq. Value
 1,265 ""
 1 "p11"

dum_land_old_11 **Dummy of old land the household own plot**

```

type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 0/1,266

tabulation: Freq. Value
             1 1
             1,265 0
mean: .00079
std. dev: .028105

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

dum_land_new_11 **Dummy of new land the household own**

```

type: numeric (float)
range: [0,0]
unique values: 1
units: 1
missing .: 0/1,266

tabulation: Freq. Value
             1,266 0
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

dum_land_lose_11 **Dummy of losing land the household own plot 1**

```

type: numeric (float)
range: [0,0]
unique values: 1
units: 1
missing .: 0/1,266

tabulation: Freq. Value
             1,266 0
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

la_location_11 **P11: Location (unavailable)**

```

type: string (str95), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

la_sizea_11 **P11: Land size 1,600 sqm**

```

type: numeric (byte)
range: [2,2]
unique values: 1
units: 1
missing .: 1,265/1,266
    
```

```

tabulation:  Freq.  Value
              1      2
              1,265  .
    mean:    2
    std. dev: .

percentiles: 10%      25%      50%      75%      90%
              2        2        2        2        2
    
```

la_sizeb_11 P11: Land size 400 sqm

```

    type: numeric (byte)
    range: [.,.]
unique values: 0
              units: .
              missing.: 1,266/1,266

    tabulation:  Freq.  Value
                  1,266  .
    mean:      .
    std. dev:  .

percentiles: 10%      25%      50%      75%      90%
              .        .        .        .        .
    
```

la_sizec_11 P11: Land size 4 sqm

```

    type: numeric (byte)
    range: [.,.]
unique values: 0
              units: .
              missing.: 1,266/1,266

    tabulation:  Freq.  Value
                  1,266  .
    mean:      .
    std. dev:  .

percentiles: 10%      25%      50%      75%      90%
              .        .        .        .        .
    
```

la_dcode_11 P11: What type of certificate of ownership has this land (not display)

```

    type: string (str102), but longest is str0
unique values: 0
              missing "": 1,266/1,266

    tabulation:  Freq.  Value
                  1,266  ""
    
```

la_code_11 P11: Code of certificate of ownership is this piece of land

```

    type: numeric (byte)
    label: la_code
    range: [1,1]
unique values: 1
              units: 1
              missing.: 1,265/1,266

    tabulation:  Freq.  Numeric  Label
                  1      1      Chanod
                  1,265  .
    
```

la_nmemberid_11 P11: Who owns this land on the certificate (unavailable)

```

type: string (str73), but longest is str12
unique values: 1 missing "": 1,265/1,266
tabulation: Freq. Value
             1,265 ""
             1 "๓๓๓"
    
```

la_memberid_11 P11: MemberID of owner of this land

```

type: string (str7), but longest is str2
unique values: 1 missing "": 1,265/1,266
tabulation: Freq. Value
             1,265 ""
             1 "H4"
    
```

la_benefit_a_11 P11: Use for agriculture cultivation

```

type: numeric (byte)
label: la_benefit_a_5
range: [1,1] units: 1
unique values: 1 missing .: 1,265/1,266
tabulation: Freq. Numeric Label
             1 1 yes
             1,265 .
    
```

la_benefit_b_11 P11: Use for business that own by household member

```

type: numeric (byte)
label: la_benefit_b_5
range: [.,.] units: .
unique values: 0 missing .: 1,266/1,266
tabulation: Freq. Numeric Label
             1,266 .
    
```

la_benefit_c_11 P11: Allow others (people/institute) to use for free

```

type: numeric (byte)
label: la_benefit_c_1
range: [.,.] units: .
unique values: 0 missing .: 1,266/1,266
tabulation: Freq. Numeric Label
             1,266 .
    
```

la_benefit_d_11 P11: Rental for outsider/organization rental

```

type: numeric (byte)
label: la_benefit_d_5
range: [.,.] units: .
unique values: 0 missing .: 1,266/1,266
    
```

tabulation: Freq. Numeric Label
 1,266 .

la_benefit_d_mon_11 **P11: In the past 12 months, received rental fee**

type: numeric (**long**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_benefit_d_obj_11 **P11: In the past 12 months, received in-kind items**

type: numeric (**long**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_benefit_e_11 **P11: Empty and unused**

type: numeric (**byte**)
 label: **la_benefit_e_5**
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_benefit_f_11 **P11: Use for habitat**

type: numeric (**byte**)
 label: **la_benefit_f_5**
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_benefit_g_11 **P11: Others**

type: numeric (**byte**)
 label: **la_benefit_g_1**


```

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_benefit_g_other_11 **P11: Specify of others**

```

type: string (str123), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_yn_11 **P11: Does a household member still own this land?**

```

type: numeric (byte)
label: la_yn

range: [1,1]
unique values: 1
units: 1
missing .: 1,265/1,266

tabulation: Freq. Numeric Label
1 1 yes
1,265 .
    
```

la_own_a_11 **P11: Selling the land**

```

type: numeric (byte)
label: la_own_a_1

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_b_11 **P11: Giving away as heritage**

```

type: numeric (byte)
label: la_own_b_1

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_c_11 **P11: Giving away as a gift/help**

```

type: numeric (byte)
label: la_own_c_1

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_ownd_11 **P11: Confiscated/Repaid**

```

type: numeric (byte)
label: la_ownd_1

range: [...]
unique values: 0
units: .
missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_owne_11 **P11: Expropriated**

```

type: numeric (byte)
label: la_owne_1

range: [...]
unique values: 0
units: .
missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_ownf_11 **P11: The owner has moved out of the household**

```

type: numeric (byte)
label: la_ownf_1

range: [...]
unique values: 0
units: .
missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_owng_11 **P11: Allocated**

```

type: numeric (byte)
label: la_owng_1

range: [...]
unique values: 0
units: .
missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_ownh_11 **P11: Others**

```

type: numeric (byte)
label: la_ownh_1

range: [...]
unique values: 0
units: .
missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_owndet_11 **P11: Specify of others**

```

type: string (str249), but longest is str0
    
```

unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_val_11 **P11: The value of this plot of land (excluding house)**

type: numeric (long)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_trans_11 **P11: Fee for ownership transfer**

type: numeric (long)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_lose_a_11 **P11: For agriculture, livestock**

type: numeric (byte)
 label: la_lose_a_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_b_11 **P11: For doing household business**

type: numeric (byte)
 label: la_lose_b_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_c_11 **P11: Allow others (people/institute) to use for free**

type: numeric (byte)
 label: la_lose_c_1

```

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
            1,266   .
    
```

la_lose_d_11 **P11: Rent to others (people/institute)**

```

type: numeric (byte)
label: la_lose_d_1

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
            1,266   .
    
```

la_lose_d_mon_11 **P11: Since last interview, received rental fee**

```

type: numeric (int)

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Value
            1,266   .
mean:      .
std. dev:  .

percentiles:      10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

la_lose_d_obj_11 **P11: Since last interview, received in-kind**

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Value
            1,266   .
mean:      .
std. dev:  .

percentiles:      10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

la_lose_e_11 **P11: Not utilized**

```

type: numeric (byte)
label: la_lose_e_1

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
            1,266   .
    
```

la_lose_f_11 **P11: For living**

```

type: numeric (byte)
label: la_lose_f_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_lose_g_11 **P11: Others**

```

type: numeric (byte)
label: la_lose_g_11

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_lose_g_other_11 **P11: Specify of others**

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_plot_11 **P11: Number of of allocated land plots**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Value
1,266 .

mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_plot_a_11 **P11: Specify sub plot code plot 1**

```

type: string (str4), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_plot_b_11 **P11: Specify sub plot code plot 2**

```

type: string (str4), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_plot_c_11 **P11: Specify sub plot code plot 3**

type: string (**str3**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_d_11 **P11: Specify sub plot code plot 4**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_e_11 **P11: Specify sub plot code plot 5**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_f_11 **P11: Specify sub plot code plot 6**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_no_12 **No. plot**

type: string (**str7**), but longest is str3
 unique values: 1 missing "": 1,265/1,266
 tabulation: Freq. Value
 1,265 ""
 1 "p12"

dum_land_old_12 **Dummy of old land the household own plot**

type: numeric (**float**)
 range: [0,0] units: 1
 unique values: 1 missing .: 0/1,266
 tabulation: Freq. Value
 1,266 0
 mean: 0
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

dum_land_new_12 **Dummy of new land the household own**

 type: numeric (**float**)

 range: [0,1] units: 1

unique values: 2 missing ..: 0/1,266

tabulation: Freq. Value

	1,265	0
	1	1

 mean: .00079

 std. dev: .028105

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

dum_land_lose_12 **Dummy of losing land the household own plot 1**

 type: numeric (**float**)

 range: [0,0] units: 1

unique values: 1 missing ..: 0/1,266

tabulation: Freq. Value

	1,266	0
--	-------	---

 mean: 0

 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

la_location_12 **P12: Location**

 type: string (**str95**), but longest is str0

unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value

	1,266	" "
--	-------	-----

la_sizea_12 **P12: Land size 1,600 sqm**

 type: numeric (**byte**)

 range: [.,.] units: .

unique values: 0 missing ..: 1,266/1,266

tabulation: Freq. Value

	1,266	.
--	-------	---

 mean: .

 std. dev: .

percentiles: 10% 25% 50% 75% 90%

la_sizeb_12 **P12: Land size 400 sqm**

 type: numeric (**byte**)

```

range: [,.]          units: .
unique values: 0      missing .: 1,266/1,266

  tabulation: Freq. Value
              1,266 .
    mean:     .
    std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

la_sizec_12 **P12: Land size 4 sqm**

```

type: numeric (byte)

range: [40,40]      units: 10
unique values: 1     missing .: 1,265/1,266

  tabulation: Freq. Value
              1 40
              1,265 .
    mean:     40
    std. dev: .

percentiles: 10%    25%    50%    75%    90%
              40    40    40    40    40
    
```

la_dcode_12 **P12: What type of certificate of ownership is this piece of land?**

```

type: string (str102), but longest is str12

unique values: 1      missing "": 1,265/1,266

  tabulation: Freq. Value
              1,265 ""
              1  "โฉนด"
    
```

la_code_12 **P12: Code of certificate of ownership is this piece of land**

```

type: numeric (byte)
label: la_code

range: [1,1]        units: 1
unique values: 1     missing .: 1,265/1,266

  tabulation: Freq. Numeric Label
              1          1 Chanod
              1,265      .
    
```

la_nmemberid_12 **P12: What is the name of the owner on the certificate?**

```

type: string (str73), but longest is str0

unique values: 0      missing "": 1,266/1,266

  tabulation: Freq. Value
              1,266 ""
    
```

la_memberid_12 **P12: MemberID of owner of this land**

```

type: string (str7), but longest is str2
    
```


unique values: 1 missing "": 1,265/1,266
 tabulation: Freq. Value
 1,265 ""
 1 "H4"

la_benefit_a_12 P12: Use for agriculture cultivation

type: numeric (byte)
 label: la_benefit_a_5
 range: [1,1] units: 1
 unique values: 1 missing .: 1,265/1,266
 tabulation: Freq. Numeric Label
 1 1 yes
 1,265 .

la_benefit_b_12 P12: Use for business that own by household member

type: numeric (byte)
 label: la_benefit_b_5
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_benefit_c_12 P12: Allow others (people/institute) to use for free

type: numeric (byte)
 label: la_benefit_c_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_benefit_d_12 P12: Rental for outsider/organization rental

type: numeric (byte)
 label: la_benefit_d_5
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_benefit_d_mon_12 P12: In the past 12 months, received rental fee

type: numeric (long)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266

```

tabulation: Freq. Value
             1,266 .
      mean:  .
      std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

la_benefit_d_obj_12 **P12: In the past 12 months, received in-kind items**

```

      type: numeric (long)
      range: [.,.]
unique values: 0
             units: .
             missing.: 1,266/1,266

      tabulation: Freq. Value
                  1,266 .
      mean:  .
      std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

la_benefit_e_12 **P12: Empty and unused**

```

      type: numeric (byte)
      label: la_benefit_e_5
      range: [.,.]
unique values: 0
             units: .
             missing.: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_benefit_f_12 **P12: Use for habitat**

```

      type: numeric (byte)
      label: la_benefit_f_5
      range: [.,.]
unique values: 0
             units: .
             missing.: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_benefit_g_12 **P12: Others**

```

      type: numeric (byte)
      label: la_benefit_g_1
      range: [.,.]
unique values: 0
             units: .
             missing.: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_benefit_g_other_12 **P12: Specify of others**

```

      type: string (str123), but longest is str0
unique values: 0
             missing "": 1,266/1,266
    
```

tabulation: Freq. Value
 1,266 ""

la_yn_12 **P12: Does a household member still own this land?**

type: numeric (byte)
 label: **la_yn**

range: [..]
 unique values: 0

units: .
 missing .: 1,266/1,266

tabulation: Freq. Numeric Label
 1,266 .

la_own_a_12 **P12: Selling the land**

type: numeric (byte)
 label: **la_own_a_1**

range: [..]
 unique values: 0

units: .
 missing .: 1,266/1,266

tabulation: Freq. Numeric Label
 1,266 .

la_own_b_12 **P12: Giving away as heritage**

type: numeric (byte)
 label: **la_own_b_1**

range: [..]
 unique values: 0

units: .
 missing .: 1,266/1,266

tabulation: Freq. Numeric Label
 1,266 .

la_own_c_12 **P12: Giving away as a gift/help**

type: numeric (byte)
 label: **la_own_c_1**

range: [..]
 unique values: 0

units: .
 missing .: 1,266/1,266

tabulation: Freq. Numeric Label
 1,266 .

la_own_d_12 **P12: Confiscated/Repaid**

type: numeric (byte)
 label: **la_own_d_1**

range: [..]
 unique values: 0

units: .
 missing .: 1,266/1,266

tabulation: Freq. Numeric Label
 1,266 .

la_own_e_12 **P12: Expropriated**

```

type: numeric (byte)
label: la_own_e_1

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_f_12 **P12: The owner has moved out of the household**

```

type: numeric (byte)
label: la_own_f_1

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_g_12 **P12: Allocated**

```

type: numeric (byte)
label: la_own_g_1

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_h_12 **P12: Others**

```

type: numeric (byte)
label: la_own_h_1

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_det_12 **P12: Specify of others**

```

type: string (str249), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_val_12 **P12: The value of this plot of land (excluding house)**

```

type: numeric (long)

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266
    
```

```

tabulation: Freq. Value
             1,266 .
      mean: .
      std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

la_trans_12 **P12: Fee for ownership transfer**

```

type: numeric (long)
range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Value
             1,266 .
      mean: .
      std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

la_lose_a_12 **P12: For agriculture, livestock**

```

type: numeric (byte)
label: la_lose_a_1
range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
             1,266 .
    
```

la_lose_b_12 **P12: For doing household business**

```

type: numeric (byte)
label: la_lose_b_1
range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
             1,266 .
    
```

la_lose_c_12 **P12: Allow others (people/institute) to use for free**

```

type: numeric (byte)
label: la_lose_c_1
range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
             1,266 .
    
```

la_lose_d_12 **P12: Rent to others (people/institute)**

```

type: numeric (byte)
label: la_lose_d_1
    
```

```

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
            1,266   .
    
```

la_lose_d_mon_12 **P12: Since last interview, received rental fee**

```

type: numeric (int)

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Value
            1,266   .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

la_lose_d_obj_12 **P12: Since last interview, received in-kind**

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Value
            1,266   .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

la_lose_e_12 **P12: Not utilized**

```

type: numeric (byte)
label: la_lose_e_1

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
            1,266   .
    
```

la_lose_f_12 **P12: For living**

```

type: numeric (byte)
label: la_lose_f_1

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
            1,266   .
    
```

la_lose_g_12 **P12: Others**

```

type: numeric (byte)
label: la_lose_g_12
range: [.,.]
unique values: 0
units: .
missing : 1,266/1,266
tabulation: Freq. Numeric Label
1,266 .

```

la_lose_g_other_12 **P12: Specify of others**

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,266/1,266
tabulation: Freq. Value
1,266 ""

```

la_plot_12 **P12: Number of of allocated land plots**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing : 1,266/1,266
tabulation: Freq. Value
1,266 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
. . . . .

```

la_plot_a_12 **P12: Specify sub plot code plot 1**

```

type: string (str4), but longest is str0
unique values: 0
missing "": 1,266/1,266
tabulation: Freq. Value
1,266 ""

```

la_plot_b_12 **P12: Specify sub plot code plot 2**

```

type: string (str4), but longest is str0
unique values: 0
missing "": 1,266/1,266
tabulation: Freq. Value
1,266 ""

```

la_plot_c_12 **P12: Specify sub plot code plot 3**

```

type: string (str3), but longest is str0
unique values: 0
missing "": 1,266/1,266
tabulation: Freq. Value
1,266 ""

```

la_plot_d_12 **P12: Specify sub plot code plot 4**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_e_12 **P12: Specify sub plot code plot 5**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_f_12 **P12: Specify sub plot code plot 6**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_no_13 **No. plot**

type: string (**str7**), but longest is str3
 unique values: 1 missing "": 1,265/1,266
 tabulation: Freq. Value
 1,265 ""
 1 "P13"

dum_land_old_13 **Dummy of old land the household own plot**

type: numeric (**float**)
 range: [0,0] units: 1
 unique values: 1 missing .: 0/1,266
 tabulation: Freq. Value
 1,266 0
 mean: 0
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

dum_land_new_13 **Dummy of new land the household own**

type: numeric (**float**)
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,266


```

tabulation: Freq. Value
             1,265  0
             1    1
mean:       .00079
std. dev:   .028105

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

dum_land_lose_13 **Dummy of losing land the household own plot 1**

```

type: numeric (float)
range: [0,0]
unique values: 1
units: 1
missing ..: 0/1,266

tabulation: Freq. Value
             1,266  0
mean:       0
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

la_location_13 **P13: Location**

```

type: string (str95), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

la_sizea_13 **P13: Land size 1,600 sqm**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Value
             1,266 .
mean:       .
std. dev:   .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

la_sizeb_13 **P13: Land size 400 sqm**

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing ..: 1,265/1,266

tabulation: Freq. Value
             1    1
             1,265 .
mean:       1
std. dev:   .

percentiles: 10%    25%    50%    75%    90%
              1      1      1      1      1
    
```

la_sizec_13 **P13: Land size 4 sqm**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing.: 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_dcode_13 **P13: What type of certificate of ownership is this piece of land?**

```

type: string (str102), but longest is str12
unique values: 1
missing "": 1,265/1,266

tabulation: Freq. Value
1,265 ""
1 "โสด"
    
```

la_code_13 **P13: Code of certificate of ownership is this piece of land**

```

type: numeric (byte)
label: la_code
range: [1,1]
unique values: 1
units: 1
missing.: 1,265/1,266

tabulation: Freq. Numeric Label
1 1 Chanod
1,265 .
    
```

la_nmemberid_13 **P13: What is the name of the owner on the certificate?**

```

type: string (str73), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_memberid_13 **P13: MemberID of owner of this land**

```

type: string (str7), but longest is str2
unique values: 1
missing "": 1,265/1,266

tabulation: Freq. Value
1,265 ""
1 "H4"
    
```

la_benefit_a_13 **P13: Use for agriculture cultivation**

```

type: numeric (byte)
label: la_benefit_a_5

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .

```

la_benefit_b_13 **P13: Use for business that own by household member**

```

type: numeric (byte)
label: la_benefit_b_5

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .

```

la_benefit_c_13 **P13: Allow others (people/institute) to use for free**

```

type: numeric (byte)
label: la_benefit_c_1

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .

```

la_benefit_d_13 **P13: Rental for outsider/organization rental**

```

type: numeric (byte)
label: la_benefit_d_5

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .

```

la_benefit_d_mon_13 **P13: In the past 12 months, received rental fee**

```

type: numeric (long)

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

la_benefit_d_obj_13 **P13: In the past 12 months, received in-kind items**

```

type: numeric (long)

```

```

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,266/1,266

    tabulation: Freq. Value
                1,266 .
        mean: .
        std. dev: .

    percentiles: 10% 25% 50% 75% 90%
                  . . . . .
    
```

la_benefit_e_13 **P13: Empty and unused**

```

        type: numeric (byte)
        label: la_benefit_e_5

        range: [1,1]
unique values: 1
        units: 1
        missing .: 1,265/1,266

    tabulation: Freq. Numeric Label
                1 1 yes
                1,265 .
    
```

la_benefit_f_13 **P13: Use for habitat**

```

        type: numeric (byte)
        label: la_benefit_f_5

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,266/1,266

    tabulation: Freq. Numeric Label
                1,266 .
    
```

la_benefit_g_13 **P13: Others**

```

        type: numeric (byte)
        label: la_benefit_g_1

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,266/1,266

    tabulation: Freq. Numeric Label
                1,266 .
    
```

la_benefit_g_other_13 **P13: Specify of others**

```

        type: string (str123), but longest is str0
unique values: 0
        missing "": 1,266/1,266

    tabulation: Freq. Value
                1,266 ""
    
```

la_yn_13 **P13: Does a household member still own this land?**

```

        type: numeric (byte)
        label: la_yn

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,266/1,266
    
```

tabulation: Freq. Numeric Label
 1,266 .

la_own_a_13 **P13: Selling the land**

type: numeric (byte)
 label: **la_own_a_1**
 range: [..] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_b_13 **P13: Giving away as heritage**

type: numeric (byte)
 label: **la_own_b_1**
 range: [..] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_c_13 **P13: Giving away as a gift/help**

type: numeric (byte)
 label: **la_own_c_1**
 range: [..] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_d_13 **P13: Confiscated/Repaid**

type: numeric (byte)
 label: **la_own_d_1**
 range: [..] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_e_13 **P13: Expropriated**

type: numeric (byte)
 label: **la_own_e_1**
 range: [..] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_own_f_13 **P13: The owner has moved out of the household**

```

type: numeric (byte)
label: la_own_f_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_g_13 **P13: Allocated**

```

type: numeric (byte)
label: la_own_g_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_h_13 **P13: Others**

```

type: numeric (byte)
label: la_own_h_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_det_13 **P13: Specify of others**

```

type: string (str249), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_val_13 **P13: The value of this plot of land (excluding house)**

```

type: numeric (long)

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_trans_13 **P13: Fee for ownership transfer**

```

type: numeric (long)

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266
    
```

```

tabulation: Freq. Value
             1,266 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

la_lose_a_13 **P13: For agriculture, livestock**

```

      type: numeric (byte)
      label: la_lose_a_1

      range: [..]
unique values: 0
                units: .
                missing .: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_lose_b_13 **P13: For doing household business**

```

      type: numeric (byte)
      label: la_lose_b_1

      range: [..]
unique values: 0
                units: .
                missing .: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_lose_c_13 **P13: Allow others (people/institute) to use for free**

```

      type: numeric (byte)
      label: la_lose_c_1

      range: [..]
unique values: 0
                units: .
                missing .: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_lose_d_13 **P13: Rent to others (people/institute)**

```

      type: numeric (byte)
      label: la_lose_d_1

      range: [..]
unique values: 0
                units: .
                missing .: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_lose_d_mon_13 **P13: Since last interview, received rental fee**

```

      type: numeric (int)

      range: [..]
unique values: 0
                units: .
                missing .: 1,266/1,266
    
```

```

tabulation: Freq. Value
             1,266 .
      mean:  .
      std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

la_lose_d_obj_13 **P13: Since last interview, received in-kind**

```

      type: numeric (byte)
      range: [.,.]
unique values: 0
             units: .
             missing.: 1,266/1,266

      tabulation: Freq. Value
                  1,266 .
      mean:  .
      std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

la_lose_e_13 **P13: Not utilized**

```

      type: numeric (byte)
      label: la_lose_e_1
      range: [.,.]
unique values: 0
             units: .
             missing.: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_lose_f_13 **P13: For living**

```

      type: numeric (byte)
      label: la_lose_f_1
      range: [.,.]
unique values: 0
             units: .
             missing.: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_lose_g_13 **P13: Others**

```

      type: numeric (byte)
      label: la_lose_g_13
      range: [.,.]
unique values: 0
             units: .
             missing.: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_lose_g_other_13 **P13: Specify of others**

```

      type: string (str1), but longest is str0
unique values: 0
             missing "": 1,266/1,266
    
```


tabulation: Freq. Value
 1,266 ""

la_plot_13 **P13: Number of of allocated land plots**

type: numeric (**byte**)

range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266

tabulation: Freq. Value
 1,266 .

mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

la_plot_a_13 **P13: Specify sub plot code plot 1**

type: string (**str4**), but longest is str0

unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

la_plot_b_13 **P13: Specify sub plot code plot 2**

type: string (**str4**), but longest is str0

unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

la_plot_c_13 **P13: Specify sub plot code plot 3**

type: string (**str3**), but longest is str0

unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

la_plot_d_13 **P13: Specify sub plot code plot 4**

type: string (**str1**), but longest is str0

unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

la_plot_e_13 **P13: Specify sub plot code plot 5**

type: string (**str1**), but longest is str0

unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

la_plot_f_13 **P13: Specify sub plot code plot 6**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_no_14 **No. plot**

type: string (**str7**), but longest is str3
 unique values: 1 missing "": 1,265/1,266
 tabulation: Freq. Value
 1,265 ""
 1 "P14"

dum_land_old_14 **Dummy of old land the household own plot**

type: numeric (**float**)
 range: [0,0] units: 1
 unique values: 1 missing .: 0/1,266
 tabulation: Freq. Value
 1,266 0
 mean: 0
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

dum_land_new_14 **Dummy of new land the household own**

type: numeric (**float**)
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,266
 tabulation: Freq. Value
 1,265 0
 1 1
 mean: .00079
 std. dev: .028105
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

dum_land_lose_14 **Dummy of losing land the household own plot 1**

type: numeric (**float**)
 range: [0,0] units: 1
 unique values: 1 missing .: 0/1,266

```

tabulation: Freq. Value
             1,266  0
      mean: 0
      std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  0
    
```

la_location_14 **P14: Location**

```

type: string (str95), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

la_sizea_14 **P14: Land size 1,600 sqm**

```

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing ..: 1,265/1,266

tabulation: Freq. Value
             1  1
             1,265 .
      mean: 1
      std. dev: .

percentiles: 10% 25% 50% 75% 90%
              1  1  1  1  1
    
```

la_sizeb_14 **P14: Land size 400 sqm**

```

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing ..: 1,265/1,266

tabulation: Freq. Value
             1  1
             1,265 .
      mean: 1
      std. dev: .

percentiles: 10% 25% 50% 75% 90%
              1  1  1  1  1
    
```

la_sizec_14 **P14: Land size 4 sqm**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing ..: 1,266/1,266

tabulation: Freq. Value
             1,266 .
      mean: .
      std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .  .  .  .  .
    
```

la_dcode_14 P14: What type of certificate of ownership is this piece of land?

type: string (**str102**), but longest is str12
 unique values: 1 missing "": 1,265/1,266
 tabulation: Freq. Value
 1,265 ""
 1 "บ้าน"

la_code_14 P14: Code of certificate of ownership is this piece of land

type: numeric (**byte**)
 label: **la_code**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,265/1,266
 tabulation: Freq. Numeric Label
 1 1 Chanod
 1,265 .

la_nmemberid_14 P14: What is the name of the owner on the certificate?

type: string (**str73**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_memberid_14 P14: MemberID of owner of this land

type: string (**str7**), but longest is str2
 unique values: 1 missing "": 1,265/1,266
 tabulation: Freq. Value
 1,265 ""
 1 "H4"

la_benefit_a_14 P14: Use for agriculture cultivation

type: numeric (**byte**)
 label: **la_benefit_a_5**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,265/1,266
 tabulation: Freq. Numeric Label
 1 1 yes
 1,265 .

la_benefit_b_14 P14: Use for business that own by household member

type: numeric (**byte**)
 label: **la_benefit_b_5**

```

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_benefit_c_14 **P14: Allow others (people/institute) to use for free**

```

type: numeric (byte)
label: la_benefit_c_1

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_benefit_d_14 **P14: Rental for outsider/organization rental**

```

type: numeric (byte)
label: la_benefit_d_5

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_benefit_d_mon_14 **P14: In the past 12 months, received rental fee**

```

type: numeric (long)

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_benefit_d_obj_14 **P14: In the past 12 months, received in-kind items**

```

type: numeric (long)

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_benefit_e_14 **P14: Empty and unused**

```

type: numeric (byte)
label: la_benefit_e_5

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_benefit_f_14 P14: Use for habitat

```

type: numeric (byte)
label: la_benefit_f_5

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_benefit_g_14 P14: Others

```

type: numeric (byte)
label: la_benefit_g_1

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_benefit_g_other_14 P14: Specify of others

```

type: string (str123), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_yn_14 P14: Does a household member still own this land?

```

type: numeric (byte)
label: la_yn

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_a_14 P14: Selling the land

```

type: numeric (byte)
label: la_own_a_1

range: [...] units: .
unique values: 0 missing .. 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_b_14 **P14: Giving away as heritage**

```

type: numeric (byte)
label: la_own_b_1

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_own_c_14 **P14: Giving away as a gift/help**

```

type: numeric (byte)
label: la_own_c_1

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_own_d_14 **P14: Confiscated/Repaid**

```

type: numeric (byte)
label: la_own_d_1

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_own_e_14 **P14: Expropriated**

```

type: numeric (byte)
label: la_own_e_1

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_own_f_14 **P14: The owner has moved out of the household**

```

type: numeric (byte)
label: la_own_f_1

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq.  Numeric  Label
             1,266      .
    
```

la_own_g_14 **P14: Allocated**

```

type: numeric (byte)
label: la_own_g_1
    
```

```

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_h_14 **P14: Others**

```

type: numeric (byte)
label: la_own_h_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_det_14 **P14: Specify of others**

```

type: string (str249), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_val_14 **P14: The value of this plot of land (excluding house)**

```

type: numeric (long)

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_trans_14 **P14: Fee for ownership transfer**

```

type: numeric (long)

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_lose_a_14 **P14: For agriculture, livestock**

```

type: numeric (byte)
label: la_lose_a_1
    
```


range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_b_14 **P14: For doing household business**

type: numeric (byte)
 label: la_lose_b_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_c_14 **P14: Allow others (people/institute) to use for free**

type: numeric (byte)
 label: la_lose_c_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_d_14 **P14: Rent to others (people/institute)**

type: numeric (byte)
 label: la_lose_d_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_d_mon_14 **P14: Since last interview, received rental fee**

type: numeric (int)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_lose_d_obj_14 **P14: Since last interview, received in-kind**

type: numeric (byte)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266

```

tabulation: Freq. Value
             1,266 .
      mean:  .
      std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

la_lose_e_14 **P14: Not utilized**

```

      type: numeric (byte)
      label: la_lose_e_1

      range: [..]
unique values: 0
                units: .
                missing.: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_lose_f_14 **P14: For living**

```

      type: numeric (byte)
      label: la_lose_f_1

      range: [..]
unique values: 0
                units: .
                missing.: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_lose_g_14 **P14: Others**

```

      type: numeric (byte)
      label: la_lose_g_14

      range: [..]
unique values: 0
                units: .
                missing.: 1,266/1,266

      tabulation: Freq. Numeric Label
                  1,266 .
    
```

la_lose_g_other_14 **P14: Specify of others**

```

      type: string (str1), but longest is str0
unique values: 0
                missing "": 1,266/1,266

      tabulation: Freq. Value
                  1,266 ""
    
```

la_plot_14 **P14: Number of of allocated land plots**

```

      type: numeric (byte)

      range: [..]
unique values: 0
                units: .
                missing.: 1,266/1,266

      tabulation: Freq. Value
                  1,266 .
      mean:  .
      std. dev:  .
    
```

percentiles: 10% 25% 50% 75% 90%

la_plot_a_14 **P14: Specify sub plot code plot 1**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_b_14 **P14: Specify sub plot code plot 2**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_c_14 **P14: Specify sub plot code plot 3**

type: string (**str3**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_d_14 **P14: Specify sub plot code plot 4**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_e_14 **P14: Specify sub plot code plot 5**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_f_14 **P14: Specify sub plot code plot 6**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_no_15 **No. plot**

```

type: string (str7), but longest is str3
unique values: 1 missing "": 1,265/1,266
tabulation: Freq. Value
             1,265 ""
             1 "P15"
    
```

dum_land_old_15 **Dummy of old land the household own plot**

```

type: numeric (float)
range: [0,0] units: 1
unique values: 1 missing .: 0/1,266
tabulation: Freq. Value
             1,266 0
             mean: 0
             std. dev: 0
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

dum_land_new_15 **Dummy of new land the household own**

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/1,266
tabulation: Freq. Value
             1,265 0
             1 1
             mean: .00079
             std. dev: .028105
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

dum_land_lose_15 **Dummy of losing land the household own plot 1**

```

type: numeric (float)
range: [0,0] units: 1
unique values: 1 missing .: 0/1,266
tabulation: Freq. Value
             1,266 0
             mean: 0
             std. dev: 0
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

la_location_15 **P15: Location**

```

type: string (str95), but longest is str0
unique values: 0 missing "": 1,266/1,266
    
```

tabulation: Freq. Value
 1,266 ""

la_sizea_15 **P15: Land size 1,600 sqm**

type: numeric (**byte**)
 range: [2,2] units: 1
 unique values: 1 missing ..: 1,265/1,266

tabulation: Freq. Value
 1 2
 1,265 .

mean: 2
 std. dev: .

percentiles: 10% 25% 50% 75% 90%
 2 2 2 2 2

la_sizeb_15 **P15: Land size 400 sqm**

type: numeric (**byte**)
 range: [3,3] units: 1
 unique values: 1 missing ..: 1,265/1,266

tabulation: Freq. Value
 1 3
 1,265 .

mean: 3
 std. dev: .

percentiles: 10% 25% 50% 75% 90%
 3 3 3 3 3

la_sizec_15 **P15: Land size 4 sqm**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing ..: 1,266/1,266

tabulation: Freq. Value
 1,266 .

mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

la_dcode_15 **P15: What type of certificate of ownership is this piece of land?**

type: string (**str102**), but longest is str16
 unique values: 1 missing "": 1,265/1,266

tabulation: Freq. Value
 1,265 ""
 1 "a.j.n 1n"

warning: variable has embedded blanks

la_code_15 **P15: Code of certificate of ownership is this piece of land**

```

type: numeric (byte)
label: la_code

range: [15,15]          units: 1
unique values: 1          missing .: 1,265/1,266

tabulation: Freq.   Numeric  Label
              1       15   Sor Por Kor 1Kor
1,265         .
    
```

la_nmemberid_15 **P15: What is the name of the owner on the certificate?**

```

type: string (str73), but longest is str0
unique values: 0          missing "": 1,266/1,266

tabulation: Freq.  Value
1,266      ""
    
```

la_memberid_15 **P15: MemberID of owner of this land**

```

type: string (str7), but longest is str2
unique values: 1          missing "": 1,265/1,266

tabulation: Freq.  Value
1,265      ""
1          "H2"
    
```

la_benefit_a_15 **P15: Use for agriculture cultivation**

```

type: numeric (byte)
label: la_benefit_a_5

range: [1,1]          units: 1
unique values: 1          missing .: 1,265/1,266

tabulation: Freq.   Numeric  Label
              1       1   yes
1,265         .
    
```

la_benefit_b_15 **P15: Use for business that own by household member**

```

type: numeric (byte)
label: la_benefit_b_5

range: [.,.]          units: .
unique values: 0          missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
1,266         .
    
```

la_benefit_c_15 **P15: Allow others (people/institute) to use for free**

```

type: numeric (byte)
label: la_benefit_c_1
    
```

```

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
             1,266   .
    
```

la_benefit_d_15 **P15: Rental for outsider/organization rental**

```

type: numeric (byte)
label: la_benefit_d_5

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
             1,266   .
    
```

la_benefit_d_mon_15 **P15: In the past 12 months, received rental fee**

```

type: numeric (long)

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.  Value
             1,266  .
mean:      .
std. dev:  .

percentiles:      10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

la_benefit_d_obj_15 **P15: In the past 12 months, received in-kind items**

```

type: numeric (long)

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.  Value
             1,266  .
mean:      .
std. dev:  .

percentiles:      10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

la_benefit_e_15 **P15: Empty and unused**

```

type: numeric (byte)
label: la_benefit_e_5

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
             1,266   .
    
```

la_benefit_f_15 **P15: Use for habitat**

```

type: numeric (byte)
label: la_benefit_f_5

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_benefit_g_15 **P15: Others**

```

type: numeric (byte)
label: la_benefit_g_1

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_benefit_g_other_15 **P15: Specify of others**

```

type: string (str123), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_yn_15 **P15: Does a household member still own this land?**

```

type: numeric (byte)
label: la_yn

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_a_15 **P15: Selling the land**

```

type: numeric (byte)
label: la_own_a_1

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_b_15 **P15: Giving away as heritage**

```

type: numeric (byte)
label: la_own_b_1

range: [...]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_own_c_15 **P15: Giving away as a gift/help**

```

    type: numeric (byte)
    label: la_own_c_1

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_d_15 **P15: Confiscated/Repaid**

```

    type: numeric (byte)
    label: la_own_d_1

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_e_15 **P15: Expropriated**

```

    type: numeric (byte)
    label: la_own_e_1

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_f_15 **P15: The owner has moved out of the household**

```

    type: numeric (byte)
    label: la_own_f_1

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_g_15 **P15: Allocated**

```

    type: numeric (byte)
    label: la_own_g_1

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_h_15 **P15: Others**

```

    type: numeric (byte)
    label: la_own_h_1
    
```

```

    range: [.,.]
unique values: 0
    units: .
missing ..: 1,266/1,266

    tabulation: Freq. Numeric Label
                1,266 .

```

la_own_det_15 **P15: Specify of others**

```

    type: string (str249), but longest is str0
unique values: 0
    missing "": 1,266/1,266

    tabulation: Freq. Value
                1,266 ""

```

la_val_15 **P15: The value of this plot of land (excluding house)**

```

    type: numeric (long)
    range: [.,.]
unique values: 0
    units: .
missing ..: 1,266/1,266

    tabulation: Freq. Value
                1,266 .
    mean: .
    std. dev: .

    percentiles: 10% 25% 50% 75% 90%
                  . . . . .

```

la_trans_15 **P15: Fee for ownership transfer**

```

    type: numeric (long)
    range: [.,.]
unique values: 0
    units: .
missing ..: 1,266/1,266

    tabulation: Freq. Value
                1,266 .
    mean: .
    std. dev: .

    percentiles: 10% 25% 50% 75% 90%
                  . . . . .

```

la_lose_a_15 **P15: For agriculture, livestock**

```

    type: numeric (byte)
    label: la_lose_a_1
    range: [.,.]
unique values: 0
    units: .
missing ..: 1,266/1,266

    tabulation: Freq. Numeric Label
                1,266 .

```

la_lose_b_15 **P15: For doing household business**

```

    type: numeric (byte)
    label: la_lose_b_1

```

range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_c_15 **P15: Allow others (people/institute) to use for free**

type: numeric (byte)
 label: la_lose_c_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_d_15 **P15: Rent to others (people/institute)**

type: numeric (byte)
 label: la_lose_d_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_d_mon_15 **P15: Since last interview, received rental fee**

type: numeric (int)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_lose_d_obj_15 **P15: Since last interview, received in-kind**

type: numeric (byte)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_lose_e_15 **P15: Not utilized**

```

type: numeric (byte)
label: la_lose_e_1

range: [.,.]
unique values: 0
units: .
missing : 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .

```

la_lose_f_15 **P15: For living**

```

type: numeric (byte)
label: la_lose_f_1

range: [.,.]
unique values: 0
units: .
missing : 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .

```

la_lose_g_15 **P15: Others**

```

type: numeric (byte)
label: la_lose_g_15

range: [.,.]
unique values: 0
units: .
missing : 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .

```

la_lose_g_other_15 **P15: Specify of others**

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""

```

la_plot_15 **P15: Number of of allocated land plots**

```

type: numeric (byte)

range: [.,.]
unique values: 0
units: .
missing : 1,266/1,266

tabulation: Freq. Value
1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

la_plot_a_15 **P15: Specify sub plot code plot 1**

```

type: string (str4), but longest is str0
unique values: 0
missing "": 1,266/1,266

```

tabulation: Freq. Value
 1,266 ""

la_plot_b_15 **P15: Specify sub plot code plot 2**

type: string (**str4**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_c_15 **P15: Specify sub plot code plot 3**

type: string (**str3**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_d_15 **P15: Specify sub plot code plot 4**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_e_15 **P15: Specify sub plot code plot 5**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_f_15 **P15: Specify sub plot code plot 6**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_no_16 **No. plot**

type: string (**str7**), but longest is str3
 unique values: 1 missing "": 1,265/1,266
 tabulation: Freq. Value
 1,265 ""
 1 "P16"

dum_land_old_16 **Dummy of old land the household own plot**

```

type: numeric (float)
range: [0,0]
unique values: 1
units: 1
missing ..: 0/1,266

tabulation: Freq. Value
             1,266  0
mean:       0
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

dum_land_new_16 **Dummy of new land the household own**

```

type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing ..: 0/1,266

tabulation: Freq. Value
             1,265  0
             1      1
mean:       .00079
std. dev:   .028105

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

dum_land_lose_16 **Dummy of losing land the household own plot 1**

```

type: numeric (float)
range: [0,0]
unique values: 1
units: 1
missing ..: 0/1,266

tabulation: Freq. Value
             1,266  0
mean:       0
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

la_location_16 **P16: Location**

```

type: string (str95), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266  ""
    
```

la_sizea_16 **P16: Land size 1,600 sqm**

```

type: numeric (byte)
range: [3,3]
unique values: 1
units: 1
missing ..: 1,265/1,266
    
```

```

tabulation:  Freq.  Value
              1    3
              1,265  .
    mean:    3
    std. dev: .

percentiles: 10%    25%    50%    75%    90%
              3      3      3      3      3
    
```

la_sizeb_16 P16: Land size 400 sqm

```

type: numeric (byte)
range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation:  Freq.  Value
              1,266  .
    mean:    .
    std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

la_sizec_16 P16: Land size 4 sqm

```

type: numeric (byte)
range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation:  Freq.  Value
              1,266  .
    mean:    .
    std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

la_dcode_16 P16: What type of certificate of ownership is this piece of land?

```

type: string (str102), but longest is str16
unique values: 1      missing "": 1,265/1,266

tabulation:  Freq.  Value
              1,265  ""
              1    "σ.ϰ.η 1η"

warning: variable has embedded blanks
    
```

la_code_16 P16: Code of certificate of ownership is this piece of land

```

type: numeric (byte)
label: la_code
range: [15,15]       units: 1
unique values: 1      missing .: 1,265/1,266

tabulation:  Freq.  Numeric  Label
              1      15    Sor Por Kor 1Kor
              1,265  .
    
```

la_memberid_16 **P16: What is the name of the owner on the certificate?**

```

type: string (str73), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

la_memberid_16 **P16: MemberID of owner of this land**

```

type: string (str7), but longest is str2
unique values: 1 missing "": 1,265/1,266
tabulation: Freq. Value
             1,265 ""
             1 "H2"
    
```

la_benefit_a_16 **P16: Use for agriculture cultivation**

```

type: numeric (byte)
label: la_benefit_a_5
range: [..] units: .
unique values: 0 missing .: 1,266/1,266
tabulation: Freq. Numeric Label
             1,266 .
    
```

la_benefit_b_16 **P16: Use for business that own by household member**

```

type: numeric (byte)
label: la_benefit_b_5
range: [..] units: .
unique values: 0 missing .: 1,266/1,266
tabulation: Freq. Numeric Label
             1,266 .
    
```

la_benefit_c_16 **P16: Allow others (people/institute) to use for free**

```

type: numeric (byte)
label: la_benefit_c_1
range: [..] units: .
unique values: 0 missing .: 1,266/1,266
tabulation: Freq. Numeric Label
             1,266 .
    
```

la_benefit_d_16 **P16: Rental for outsider/organization rental**

```

type: numeric (byte)
label: la_benefit_d_5
range: [..] units: .
unique values: 0 missing .: 1,266/1,266
    
```


tabulation: Freq. Numeric Label
 1,266 .

la_benefit_d_mon_16 **P16: In the past 12 months, received rental fee**

type: numeric (**long**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_benefit_d_obj_16 **P16: In the past 12 months, received in-kind items**

type: numeric (**long**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_benefit_e_16 **P16: Empty and unused**

type: numeric (**byte**)
 label: **la_benefit_e_5**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,265/1,266
 tabulation: Freq. Numeric Label
 1 1 yes
 1,265 .

la_benefit_f_16 **P16: Use for habitat**

type: numeric (**byte**)
 label: **la_benefit_f_5**
 range: [.,.] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_benefit_g_16 **P16: Others**

type: numeric (**byte**)
 label: **la_benefit_g_1**

```

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,266/1,266

        tabulation: Freq. Numeric Label
                    1,266 .
    
```

la_benefit_g_other_16 **P16: Specify of others**

```

        type: string (str123), but longest is str0
unique values: 0
        missing "": 1,266/1,266

        tabulation: Freq. Value
                    1,266 ""
    
```

la_yn_16 **P16: Does a household member still own this land?**

```

        type: numeric (byte)
        label: la_yn

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,266/1,266

        tabulation: Freq. Numeric Label
                    1,266 .
    
```

la_own_a_16 **P16: Selling the land**

```

        type: numeric (byte)
        label: la_own_a_1

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,266/1,266

        tabulation: Freq. Numeric Label
                    1,266 .
    
```

la_own_b_16 **P16: Giving away as heritage**

```

        type: numeric (byte)
        label: la_own_b_1

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,266/1,266

        tabulation: Freq. Numeric Label
                    1,266 .
    
```

la_own_c_16 **P16: Giving away as a gift/help**

```

        type: numeric (byte)
        label: la_own_c_1

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,266/1,266

        tabulation: Freq. Numeric Label
                    1,266 .
    
```

la_own_d_16 **P16: Confiscated/Repaid**

```

    type: numeric (byte)
    label: la_own_d_1

    range: [..]
    unique values: 0
    units: .
    missing .. 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_e_16 **P16: Expropriated**

```

    type: numeric (byte)
    label: la_own_e_1

    range: [..]
    unique values: 0
    units: .
    missing .. 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_f_16 **P16: The owner has moved out of the household**

```

    type: numeric (byte)
    label: la_own_f_1

    range: [..]
    unique values: 0
    units: .
    missing .. 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_g_16 **P16: Allocated**

```

    type: numeric (byte)
    label: la_own_g_1

    range: [..]
    unique values: 0
    units: .
    missing .. 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_h_16 **P16: Others**

```

    type: numeric (byte)
    label: la_own_h_1

    range: [..]
    unique values: 0
    units: .
    missing .. 1,266/1,266

    tabulation: Freq.  Numeric  Label
                1,266      .
    
```

la_own_det_16 **P16: Specify of others**

```

type: string (str249), but longest is str0
    
```

unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_val_16 **P16: The value of this plot of land (excluding house)**

type: numeric (long)
 range: [..] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_trans_16 **P16: Fee for ownership transfer**

type: numeric (long)
 range: [..] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Value
 1,266 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

la_lose_a_16 **P16: For agriculture, livestock**

type: numeric (byte)
 label: la_lose_a_1
 range: [..] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_b_16 **P16: For doing household business**

type: numeric (byte)
 label: la_lose_b_1
 range: [..] units: .
 unique values: 0 missing .: 1,266/1,266
 tabulation: Freq. Numeric Label
 1,266 .

la_lose_c_16 **P16: Allow others (people/institute) to use for free**

type: numeric (byte)
 label: la_lose_c_1

```

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
             1,266   .
    
```

la_lose_d_16 **P16: Rent to others (people/institute)**

```

type: numeric (byte)
label: la_lose_d_1

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
             1,266   .
    
```

la_lose_d_mon_16 **P16: Since last interview, received rental fee**

```

type: numeric (int)

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Value
             1,266   .
mean:      .
std. dev:  .

percentiles:      10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

la_lose_d_obj_16 **P16: Since last interview, received in-kind**

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Value
             1,266   .
mean:      .
std. dev:  .

percentiles:      10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

la_lose_e_16 **P16: Not utilized**

```

type: numeric (byte)
label: la_lose_e_1

range: [.,.]          units: .
unique values: 0      missing .: 1,266/1,266

tabulation: Freq.   Numeric  Label
             1,266   .
    
```

la_lose_f_16 **P16: For living**

```

type: numeric (byte)
label: la_lose_f_1

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_lose_g_16 **P16: Others**

```

type: numeric (byte)
label: la_lose_g_16

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Numeric Label
1,266 .
    
```

la_lose_g_other_16 **P16: Specify of others**

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_plot_16 **P16: Number of of allocated land plots**

```

type: numeric (byte)

range: [.,.]
unique values: 0
units: .
missing ..: 1,266/1,266

tabulation: Freq. Value
1,266 .

mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

la_plot_a_16 **P16: Specify sub plot code plot 1**

```

type: string (str4), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_plot_b_16 **P16: Specify sub plot code plot 2**

```

type: string (str4), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

la_plot_c_16 **P16: Specify sub plot code plot 3**

type: string (**str3**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_d_16 **P16: Specify sub plot code plot 4**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_e_16 **P16: Specify sub plot code plot 5**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

la_plot_f_16 **P16: Specify sub plot code plot 6**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

hh_land_loss **Total number of plots of land the household loss**

type: numeric (**float**)
 range: [0,3] units: 1
 unique values: 4 missing .: 0/1,266
 tabulation: Freq. Value
 1,217 0
 41 1
 7 2
 1 3
 mean: .045814
 std. dev: .244048
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

note **Interviewer note (unavailable)**

type: string (**str475**), but longest is str0
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

hh_change **Sample has moved so that its household structure changed**

type: numeric (**float**)
 label: **hh_change**
 range: [0,1] units: 1
 unique values: 2 missing .: 0/1,266

tabulation: Freq. Numeric Label
 1,253 0 no
 13 1 yes

survey_name **survey round**

type: string (**str12**)
 unique values: 1 missing "": 0/1,266

tabulation: Freq. Value
 1,266 "RESURVEY2017"

year_survey **year survey**

type: numeric (**float**)
 range: [2017,2017] units: 1
 unique values: 1 missing .: 0/1,266

tabulation: Freq. Value
 1,266 2017
 mean: 2017
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 2017 2017 2017 2017 2017

la_size_1 **P1: Total land size (sqm)**

type: numeric (**float**)
 range: [8,51200] units: 1
 unique values: 209 missing .: 82/1,266
 unique missing codes: 2 missing *: 238/1,266

mean: 2120.46
 std. dev: 5218.53

percentiles: 10% 25% 50% 75% 90%
 212 348 500 1248 4800

la_size_2 **P2: Total land size (sqm)**

type: numeric (**float**)
 range: [80,160000] units: 1
 unique values: 162 missing .: 302/1,266
 unique missing codes: 2 missing *: 33/1,266

mean: 13291
 std. dev: 12916.2
 percentiles: 10% 25% 50% 75% 90%
 2000 4800 9600 17600 27200

la_size_3 **P3: Total land size (sqm)**

type: numeric (**float**)
 range: [84,80000] units: 1
 unique values: 111 missing .: 699/1,266
 unique missing codes: 2 missing *: 16/1,266
 mean: 11213.8
 std. dev: 10854.8
 percentiles: 10% 25% 50% 75% 90%
 1600 4800 8000 15600 22400

la_size_4 **P4: Total land size (sqm)**

type: numeric (**float**)
 range: [36,112000] units: 1
 unique values: 73 missing .: 987/1,266
 unique missing codes: 2 missing *: 7/1,266

tabulation: Freq. Value

1	36
1	152
1	188
1	200
1	216
1	240
1	260
2	320
1	360
1	364
1	380
9	400
6	800
4	1200
12	1600
1	1668
1	1732
1	1840
2	2000
3	2400
1	2864
27	3200
1	3588
1	3600
4	4000
5	4400
22	4800
1	5000
5	5600
2	6000
17	6400
3	7200
2	7600
19	8000
1	8004
1	8288
1	8800
1	9072
1	9200

```

14 9600
 2 10400
 2 10800
 7 11200
 1 12000
 1 12504
12 12800
 8 14400
 1 15200
 1 15360
 9 16000
 1 16800
 1 17600
 1 18400
 2 18800
10 19200
 3 20800
 5 22400
 5 24000
 1 25600
 1 26000
 2 27200
 1 32000
 4 33600
 1 34800
 1 35200
 1 36720
 2 38400
 1 40000
 1 44800
 1 62400
 1 64000
 1 80000
 1 112000
987 .
 7 .c
mean: 10429.7
std. dev: 12336.9

percentiles:      10%      25%      50%      75%      90%
                  1200     3200     6400     12800    22400

```

la_size_5 **P5: Total land size (sqm)**

```

type: numeric (float)
range: [140,68800]
unique values: 48
unique missing codes: 2

units: 1
missing .: 1,138/1,266
missing *: 5/1,266

tabulation: Freq. Value
1 140
1 152
1 160
1 240
1 320
1 352
1 364
5 400
2 800
4 1200
2 1600
1 1880
2 2000
1 2400
1 2800
16 3200
1 3600
3 4400
11 4800

```

```

1 5200
1 5600
1 6200
7 6400
1 6500
2 7600
9 8000
1 8800
1 9276
5 9600
1 10000
1 10800
6 11200
2 12000
1 12400
6 12800
4 14400
1 15812
1 15908
1 16000
3 17600
2 19200
1 24000
2 25600
1 27200
2 28800
1 43200
1 49600
1 68800
1,138 .
5 .c
mean: 8830.11
std. dev: 9781.44

percentiles:    10%    25%    50%    75%    90%
                800    3200   6400   11200  17600
    
```

la_size_6 **P6: Total land size (sqm)**

```

type: numeric (float)
range: [80,32000]
unique values: 23
unique missing codes: 2

units: 10
missing .: 1,218/1,266
missing *: 5/1,266
    
```

```

tabulation: Freq. Value
1 80
3 400
3 1600
1 1960
1 2000
2 2400
1 3200
2 4000
2 4800
5 6400
2 7200
1 7600
3 8000
2 9600
2 12400
1 12800
2 14400
1 15600
2 16000
1 19200
2 20800
2 24000
1 32000
1,218 .
    
```

```

                    5 .c
    mean:          9014.88
    std. dev:      7583.25

    percentiles:   10%    25%    50%    75%    90%
                   1600    2400    7200   14400   20800
    
```

la_size_7 **P7: Total land size (sqm)**

```

    type: numeric (float)
    range: [340,19200]
    unique values: 16
    units: 1
    missing .: 1,245/1,266

    tabulation: Freq. Value
                 1 340
                 1 1200
                 1 1600
                 4 4800
                 1 5600
                 1 6400
                 1 7600
                 1 8392
                 1 9600
                 1 10700
                 1 12800
                 1 14000
                 2 14400
                 1 15200
                 1 16000
                 2 19200
    mean: 9325.33
    std. dev: 5814.26

    percentiles:   10%    25%    50%    75%    90%
                   1600    4800    8392   14400   16000
    
```

la_size_8 **P8: Total land size (sqm)**

```

    type: numeric (float)
    range: [1600,16000]
    unique values: 7
    unique missing codes: 2
    units: 100
    missing .: 1,257/1,266
    missing *: 1/1,266

    tabulation: Freq. Value
                 2 1600
                 1 7600
                 1 8800
                 1 9200
                 1 12800
                 1 14400
                 1 16000
    mean: 9000
    std. dev: 5400.53

    percentiles:   10%    25%    50%    75%    90%
                   1600    4600    9000   13600   16000
    
```

la_size_9 **P9: Total land size (sqm)**

```

    type: numeric (float)
    
```

```

range: [3200,64000]          units: 100
unique values: 4             missing .: 1,262/1,266

  tabulation: Freq.  Value
                1  3200
                1  6400
                1  9600
                1 64000
            1,262  .
    mean:      20800
  std. dev:   28918.3

percentiles:      10%      25%      50%      75%      90%
                  3200      4800      8000      36800     64000
    
```

la_size_10 **P10: Total land size (sqm)**

```

type: numeric (float)

range: [3200,17600]         units: 100
unique values: 3           missing .: 1,263/1,266

  tabulation: Freq.  Value
                1  3200
                1 12800
                1 17600
            1,263  .
    mean:      11200
  std. dev:   7332.12

percentiles:      10%      25%      50%      75%      90%
                  3200      3200     12800     17600     17600
    
```

la_size_11 **P11: Total land size (sqm)**

```

type: numeric (float)

range: [3200,3200]         units: 100
unique values: 1           missing .: 1,265/1,266

  tabulation: Freq.  Value
                1  3200
            1,265  .
    mean:      3200
  std. dev:    .

percentiles:      10%      25%      50%      75%      90%
                  3200      3200     3200     3200     3200
    
```

la_size_12 **P12: Total land size (sqm)**

```

type: numeric (float)

range: [160,160]           units: 10
unique values: 1           missing .: 1,265/1,266

  tabulation: Freq.  Value
                1  160
            1,265  .
    mean:      160
  std. dev:    .

percentiles:      10%      25%      50%      75%      90%
                  160      160      160      160      160
    
```

la_size_13 **P13: Total land size (sqm)**

```

type: numeric (float)
range: [400,400] units: 100
unique values: 1 missing .: 1,265/1,266

tabulation: Freq. Value
              1 400
1,265 .
mean: 400
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              400 400 400 400 400
    
```

la_size_14 **P14: Total land size (sqm)**

```

type: numeric (float)
range: [2000,2000] units: 1000
unique values: 1 missing .: 1,265/1,266

tabulation: Freq. Value
              1 2000
1,265 .
mean: 2000
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              2000 2000 2000 2000 2000
    
```

la_size_15 **P15: Total land size (sqm)**

```

type: numeric (float)
range: [4400,4400] units: 100
unique values: 1 missing .: 1,265/1,266

tabulation: Freq. Value
              1 4400
1,265 .
mean: 4400
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              4400 4400 4400 4400 4400
    
```

la_size_16 **P16: Total land size (sqm)**

```

type: numeric (float)
range: [4800,4800] units: 100
unique values: 1 missing .: 1,265/1,266

tabulation: Freq. Value
              1 4800
1,265 .
mean: 4800
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              4800 4800 4800 4800 4800
    
```

hh_land_number **Total number of land plots that the household owns**

```

type: numeric (float)
range: [0,16]
unique values: 12
unique missing codes: 1
units: 1
missing .: 0/1,266
missing *: 1/1,266

tabulation: Freq. Value
             89  0
             228  1
             396  2
             288  3
             138  4
             77  5
             28  6
             12  7
              5  8
              1  9
              2 10
              1 16
              1 .a
mean:       2.49644
std. dev:   1.56763

percentiles:    10%    25%    50%    75%    90%
                1      1      2      3      4
    
```

hh_land_size **Total land size that the household owns (sqm)**

```

type: numeric (float)
range: [8,255600]
unique values: 593
unique missing codes: 3
units: 1
missing .: 89/1,266
missing *: 57/1,266

mean:       22067
std. dev:   23766.3

percentiles:    10%    25%    50%    75%    90%
                800    6800   15564   29400   49600
    
```

income_land sell **Income land selling (not record before)**

```

type: numeric (float)
range: [140000,850000]
unique values: 6
units: 10000
missing .: 1,259/1,266

tabulation: Freq. Value
             1 140000
             2 200000
             1 230000
             1 250000
             1 400000
             1 850000
            1,259 .
mean:       324286
std. dev:   245415

percentiles:    10%    25%    50%    75%    90%
                140000  200000  230000  400000  850000
    
```

expense_landbuy

Expense land buying (not record before)

type: numeric (**long**)
 range: [0,411000] units: 10
 unique values: 17 missing .: 0/1,266

tabulation: Freq. Value
 1,247 0
 1 20000
 1 30000
 1 81850
 1 100000
 1 122250
 1 130000
 3 150000
 2 200000
 1 205100
 1 207770
 1 230000
 1 250000
 1 254000
 1 300000
 1 400000
 1 411000

mean: 2837.26
 std. dev: 26243.4

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

2 . log close
 name: <unnamed>
 log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a2.sml
 log type: smcl
 closed on: 27 Jul 2024, 15:55:39
