



```

name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a6.smcl
log type: smcl
opened on: 27 Jul 2024, 16:31:47
    
```

1 . codebookr _all,all

```

Dataset: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\a6_run.dta
Last saved: 27 Jul 2024 16:31
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 128
Number of observations: 1,266
Size: 3,068,784 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

hhid **household id**

```

type: string (str15)
unique values: 1,266 missing "": 0/1,266
examples: "201591160604209"
           "201691131001998"
           "201691160105068"
           "201691161706097"
    
```

iyear **year**

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,266
tabulation: Freq. Value
             459 "2015"
             807 "2016"
    
```

prov **province**

```

type: string (str2)
    
```

unique values: 2 missing "": 0/1,266
 tabulation: Freq. Value
 1,144 "91"
 122 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,266
 tabulation: Freq. Value
 1 "09"
 122 "12"
 226 "13"
 106 "14"
 124 "15"
 475 "16"
 31 "17"
 181 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,266
 tabulation: Freq. Value
 57 "01"
 202 "02"
 105 "04"
 51 "05"
 50 "06"
 55 "07"
 49 "08"
 85 "09"
 115 "10"
 73 "11"
 125 "13"
 42 "14"
 129 "15"
 84 "17"
 44 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,266
 tabulation: Freq. Value
 126 "01"
 57 "02"
 122 "03"
 140 "04"
 114 "05"
 136 "06"
 63 "07"
 132 "08"
 79 "09"
 64 "10"
 45 "11"
 36 "12"
 36 "13"
 10 "14"

```

9 "15"
33 "16"
8 "17"
11 "18"
24 "19"
1 "20"
14 "22"
6 "24"

```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,266
examples: "010"
           "034"
           "070"
           "142"

```

a6_n_type
Since last interview, how many types of livestock has household raised as an occ

```

type: numeric (byte)
range: [0,5]           units: 1
unique values: 6       missing .: 13/1,266
unique missing codes: 2 missing *: 1/1,266

```

```

tabulation: Freq. Value
             512  0
             399  1
             227  2
              88  3
              18  4
               8  5
              13  .
               1  .a
mean:       .981629
std. dev:   1.05051

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        2

```

a6_new
Since last interview, has the household raised livestock such as chicken, duck,

```

type: numeric (byte)
label: a6
range: [1,3]           units: 1
unique values: 2       missing .: 1,253/1,266

```

```

tabulation: Freq.  Numeric  Label
             9      1      yes
             4      3      no
            1,253    .

```

a6_re **Since last interview, has the household raised livestock such as chicken, duck,**

```

type: numeric (byte)
label: a6_re

```

```

range: [1,3] units: 1
unique values: 2 missing .: 13/1,266

tabulation: Freq. Numeric Label
             297      1 yes
             956      3 no
             13       .
    
```

a6_no_L1 **The first livestock number**

```

type: string (str1)
unique values: 1 missing "": 394/1,266

tabulation: Freq. Value
             394 ""
             872 "1"
    
```

a6_text_L1 **The first type of livestock (not display)**

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

a6_code_L1 **The first livestock code**

```

type: numeric (byte)
label: a6_code

range: [1,99] units: 1
unique values: 9 missing .: 394/1,266

tabulation: Freq. Numeric Label
             49      1 Duck
             450     3 Chicken
             46      5 Fish
             7       7 Frog
             5       9 Cricket
             205     11 Cow
             63     13 Buffalo
             41     15 Pig
             6      99 Other
             394     .
    
```

a6_a_L1 **First livestock: The number of livestock the household currently owns**

```

type: numeric (long)

range: [0,30000] units: 1
unique values: 47 missing .: 394/1,266
unique missing codes: 3 missing *: 9/1,266
    
```

```

tabulation:  Freq.  Value
              114    0
              67    1
              73    2
              70    3
              53    4
              47    5
              29    6
              27    7
              15    8
               8    9
              63   10
               5   11
               7   12
               7   13
               4   14
              27   15
               1   16
               2   17
               3   18
               6   19
              62   20
               1   22
               2   23
               3   24
              11   25
               1   26
               3   27
              46   30
               2   34
               8   35
              11   40
               4   45
              37   50
               1   53
               4   55
               6   60
               1   70
               1   72
               5   80
              16  100
               1  120
               2  150
               2  200
               2  300
               1  600
               1 2200
               1 30000
              394  .
               6  .c
               3  .d
    mean:      53.2086
  std. dev:   1023.82

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        2        6       20       40

```

a6_aunit_L1

The first livestock: unit of livestock

type: string (**str18**), but longest is str15

unique values: 5

missing "": 511/1,266

```

tabulation:  Freq.  Value
              511    ""
              1     "กะพั้ง"
              1     "คอก"
              703    "คัว"
              49    "บ่อ"
              1     "เต้า"
    
```

a6_ba_l1

First livestock: Since last interview, the value of livestock that the household

```

type:  numeric (long)
range: [0,250000]
unique values: 50
unique missing codes: 3
units: 100
missing .: 813/1,266
missing *: 11/1,266
    
```

```

tabulation:  Freq.  Value
              364    0
              1     100
              1     200
              1     400
              3     500
              1     600
              2     800
              3    1000
              1    1300
              1    1500
              1    2000
              1    2100
              1    2300
              1    2400
              1    2500
              4    3000
              1    3600
              1    3900
              2    4000
              1    5000
              1    5500
              1    6000
              2   10000
              2   10800
              2   12000
              1   13200
              1   14000
              2   15000
              4   20000
              1   22000
              1   22700
              1   25000
              2   30000
              1   36000
              1   37000
              5   40000
              2   45000
              6   50000
              1   53000
              3   60000
              1   70000
              1   73000
              1   75000
              1   75500
              1   85000
              1  120000
              1  135000
              1  150000
              1  200000
              1  250000
            813    .
              6    .c
    
```

```

                    5 .d
    mean:          5718.33
    std. dev:      22439.8

    percentiles:   10%    25%    50%    75%    90%
                   0      0      0      0      10800
    
```

a6_bb_L1

First livestock: Since last interview, the value of livestock that the household

```

    type: numeric (long)

    range: [0,140000]          units: 10
    unique values: 13         missing .: 813/1,266
    unique missing codes: 3   missing *: 11/1,266

    tabulation:  Freq.  Value
                  427    0
                  1    250
                  2    300
                  1    360
                  1    1500
                  1    3780
                  1    5000
                  2    20000
                  1    25000
                  1    30000
                  2    35000
                  1    45000
                  1    140000
                  813    .
                  6    .c
                  5    .d
    mean:        817.851
    std. dev:    7699.91

    percentiles:   10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

a6_c_L1

First livestock: Since last interview, the value of livestock and product that t

```

    type: numeric (long)

    range: [0,1800000]        units: 1
    unique values: 96         missing .: 813/1,266
    unique missing codes: 3   missing *: 18/1,266

    tabulation:  Freq.  Value
                  229    0
                  1    47
                  1    70
                  1    550
                  1    750
                  1    800
                  1    900
                  5    1000
                  1    1200
                  1    1300
                  4    1500
                  2    1650
                  3    2000
                  3    2500
                  1    2625
                  1    2800
                  9    3000
                  3    3500
                  1    4000
    
```

1 4450
3 5000
1 5500
1 5800
3 6000
1 6750
1 6857
3 7000
1 7150
1 7500
1 8000
1 8750
1 9000
2 10000
2 12000
1 14000
1 15000
1 17500
1 18000
1 19000
1 19500
12 20000
1 21500
1 22000
1 23000
2 24000
5 25000
1 27000
3 28000
11 30000
3 34000
7 35000
1 36000
2 37000
4 39000
4 40000
1 42000
4 43000
4 45000
2 46000
1 47000
1 48000
1 49000
5 50000
2 52000
1 53000
3 54000
2 55000
1 55500
1 56000
1 57000
3 60000
1 64000
3 65000
1 66000
1 67000
1 68000
3 70000
4 75000
4 80000
1 85000
1 90000
2 91000
7 100000
3 120000
1 130000
1 140000
1 145000
3 150000
1 160000
1 260000
1 276000


```

                1 280000
                1 300000
                1 330000
                1 620500
                1 1800000
            813 .
            13 .c
             5 .d
    mean:      25978.4
    std. dev:  99316.5

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0    30000  65000
    
```

a6_d_L1
First livestock: Since last interview, the value of livestock and product that

```

    type: numeric (long)
    range: [0,118000]
    unique values: 57
    unique missing codes: 3
    units: 1
    missing .: 813/1,266
    missing *: 24/1,266
    
```

```

    tabulation:  Freq.  Value
                 346    0
                 2    100
                 1    118
                 1    120
                 1    140
                 1    240
                 3    300
                 1    360
                 1    380
                 1    400
                 1    450
                 1    473
                 3    500
                 2    750
                 1    800
                 1    963
                10   1000
                 1   1050
                 2   1100
                 1   1140
                 1   1200
                 1   1350
                 1   1400
                 1   1463
                 6   1500
                 1   1600
                 1   1650
                 1   1690
                 4   2000
                 1   2100
                 1   2400
                 1   2500
                 1   2625
                 1   2750
                 1   3000
                 1   3120
                 1   3200
                 2   3300
                 1   3483
                 2   3500
                 1   3646
                 1   4725
                 1   4800
                 2   5000
                 1   5400
                 1   5500
    
```

```

      1 5667
      1 6000
      1 6435
      1 6720
      1 8000
      1 8580
      1 10000
      1 14190
      1 21600
      1 28050
      1 118000
    813 .
     19 .c
      5 .d
    mean: 830.718
    std. dev: 6080.81

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0     1500

```

a6_e_L1 First livestock: Since last interview, the expense the household paid for labor

```

      type: numeric (long)
      range: [0,0]
    unique values: 1
  unique missing codes: 3
      units: 1
    missing .: 813/1,266
    missing *: 6/1,266

  tabulation:  Freq.  Value
                447    0
                813    .
                 1    .c
                 5    .d
      mean:    0
    std. dev:    0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

a6_f_L1 First livestock: Since last interview, the expense the household paid for animal

```

      type: numeric (long)
      range: [0,1976000]
    unique values: 143
  unique missing codes: 3
      units: 1
    missing .: 813/1,266
    missing *: 39/1,266

      mean: 16843.9
    std. dev: 126756

percentiles:    10%    25%    50%    75%    90%
                0      0      0     4500    16000

```

a6_g_L1 First livestock: Since last interview, other expenses the household paid such as

```

      type: numeric (long)
      range: [0,84000]
    unique values: 71
  unique missing codes: 3
      units: 1
    missing .: 813/1,266
    missing *: 34/1,266

```

```

tabulation:  Freq.  Value
              194    0
               1    4
               1   15
               2   20
               1   30
               2   40
               1   50
               1   80
               1   90
               6  100
               1  120
               1  150
               4  200
               1  225
               1  270
               9  300
               1  320
               2  350
               5  400
               1  480
              28  500
               1  510
               1  550
               7  600
               1  675
               9  700
               1  750
               3  800
               1  850
               7  900
              21 1000
               1 1010
               2 1100
               8 1200
               3 1300
               2 1400
              11 1500
               3 1600
               4 1800
               1 1900
               1 1950
              14 2000
               2 2100
               1 2200
               1 2250
               1 2300
               3 2400
               6 2500
               1 2600
               1 2700
               1 2750
               1 2800
               6 3000
               6 4000
               1 4250
               2 4500
               1 4600
               2 4800
               1 5450
               1 5500
               1 5700
               1 5800
               2 6000
               1 6300
               1 6700
               4 10000
               1 11700
               1 21600
               1 35400
               1 40000
               1 84000
    
```

```

            813 .
            29 .c
            5 .d
    mean:   1288.18
    std. dev: 5144.84

    percentiles:    10%    25%    50%    75%    90%
                   0      0      100    1000    2500
    
```

a6_h_L1 first livestock: Since last interview, the number of livestock that the househol

```

    type: numeric (int)
    range: [0,100]
    unique values: 18
    unique missing codes: 3
    units: 1
    missing .: 813/1,266
    missing *: 20/1,266
    
```

```

    tabulation: Freq. Value
                384 0
                12 1
                 5 2
                 4 3
                 2 4
                 6 5
                 1 6
                 1 7
                 1 8
                 3 10
                 1 16
                 1 19
                 4 20
                 1 30
                 1 35
                 1 50
                 1 60
                 4 100
                813 .
                15 .c
                 5 .d
    mean:   1.8776
    std. dev: 10.7167
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      1
    
```

a6_hunit_L1 The first livestock: unit

```

    type: string (str12), but longest is str9
    unique values: 2
    missing "": 1,215/1,266
    tabulation: Freq. Value
                1,215 ""
                 48 "ค้"
                 3 "๗๐"
    
```

a6_i_L1 Currently , do you still sell these kinds of livestock?

```

    type: numeric (byte)
    label: a6_i
    range: [1,3]
    unique values: 2
    unique missing codes: 3
    units: 1
    missing .: 394/1,266
    missing *: 7/1,266
    
```

```

tabulation:  Freq.  Numeric  Label
              446      1  yes
              419      3  no
              394      .
              1       .c
              6       .d
    
```

a6_no_L2 **The second livestock number**

```

type:  string (str1)
unique values:  2          missing "":  797/1,266
tabulation:  Freq.  Value
              797  ""
              6   "1"
              463  "2"
    
```

a6_text_L2 **The second type of livestock (not display)**

```

type:  string (str68), but longest is str0
unique values:  0          missing "":  1,266/1,266
tabulation:  Freq.  Value
              1,266 ""
    
```

a6_code_L2 **The second livestock code**

```

type:  numeric (byte)
label:  a6_code
range:  [1,99]          units:  1
unique values:  9          missing .:  797/1,266
tabulation:  Freq.  Numeric  Label
              68      1  Duck
              183     3  Chicken
              36      5  Fish
              5       7  Frog
              2       9  Cricket
              91     11  Cow
              49     13  Buffalo
              31     15  Pig
              4      99  Other
              797      .
    
```

a6_a_L2 **Second livestock: The number of livestock the household currently owns**

```

type:  numeric (long)
range:  [0,500]          units:  1
unique values:  38          missing .:  797/1,266
unique missing codes:  4          missing *:  5/1,266
    
```

```

tabulation:  Freq.  Value
              55    0
              47    1
              44    2
              31    3
              34    4
              25    5
              17    6
               8    7
              12    8
               3    9
              39   10
               5   11
               4   12
               5   13
               1   14
               6   15
               2   18
              37   20
               1   21
               3   22
               2   23
               6   25
              28   30
               3   35
               8   40
               1   42
               1   45
               9   50
               3   55
               5   60
               1   65
               1   70
               1   80
               1   90
              11  100
               1  200
               2  300
               1  500
              797  .
               1  .a
               2  .c
               2  .d
    mean:      16.0841
std. dev:     36.3549

percentiles:  10%    25%    50%    75%    90%
              0      2      5     20     35
    
```

a6_aunit_L2 **The second livestock: unit of livestock**

```

type: string (str18)
unique values: 6 missing "": 854/1,266
    
```

```

tabulation:  Freq.  Value
              854  ""
               1  "0"
               1  "กระซิ่ง"
               1  "คอก"
              375  "ตัว"
               32  "บ่อ"
               2  "เต้า"
    
```

a6_ba_L2 **Second livestock: Since last interview, the value of livestock that the househol**

```

type: numeric (long)
range: [0,2000000]
unique values: 47
unique missing codes: 2
units: 100
missing .: 1,013/1,266
missing *: 7/1,266

```

```

tabulation: Freq. Value
177 0
1 300
1 400
3 500
2 600
2 800
5 1000
1 1200
1 1700
1 2000
3 3000
1 3600
1 4500
1 5000
1 7000
1 7500
1 9000
1 12000
1 14400
1 15000
1 22000
1 24000
1 25000
6 30000
1 33000
1 35000
1 37000
1 40000
1 40500
1 43000
1 49000
6 50000
1 55000
3 60000
1 64000
1 70000
1 75000
2 80000
1 82000
1 100000
1 120000
1 133000
1 150000
1 180000
1 200000
1 300000
1 2000000

```

```

1,013 .
7 .d
mean: 19509.8
std. dev: 131171

```

```

percentiles: 10% 25% 50% 75% 90%
              0 0 0 800 49000

```

a6_bb_L2

Second livestock: Since last interview, the value of livestock that the househol

```

type: numeric (long)

```

range: [0,165000] units: 1
 unique values: 12 missing .: 1,013/1,266
 unique missing codes: 3 missing *: 11/1,266

tabulation: Freq. Value
 228 0
 1 12
 2 100
 1 300
 1 450
 1 1800
 1 2500
 1 7500
 1 15000
 3 30000
 1 60000
 1 165000
 1,013 .
 5 .c
 6 .d
 mean: 1416.37
 std. dev: 11760.2

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

a6_c_L2

Second livestock: Since last interview, the value of livestock and product that

type: numeric (long)

range: [0,3000000] units: 10
 unique values: 56 missing .: 1,013/1,266
 unique missing codes: 3 missing *: 17/1,266

tabulation: Freq. Value
 139 0
 1 200
 1 300
 1 400
 1 540
 1 560
 4 1000
 1 1040
 1 1200
 1 1400
 2 1500
 5 2000
 1 2500
 2 3000
 1 3200
 2 3500
 1 3600
 1 3900
 1 4000
 2 4500
 4 5000
 1 7000
 1 10000
 1 11250
 1 12000
 5 15000
 4 20000
 1 23500
 2 24000
 1 25000
 1 28000
 1 29000
 4 30000
 2 32000


```

      4 35000
      1 36000
      1 39000
      4 40000
      1 42000
      2 45000
      6 50000
      1 52000
      1 53000
      1 55000
      1 58000
      1 59000
      3 60000
      1 63000
      1 65000
      2 70000
      1 73000
      1 75000
      1 90000
      1 130500
      2 350000
      1 3000000
1,013 .
      11 .c
       6 .d
    mean: 26335.1
  std. dev: 197963

percentiles:    10%    25%    50%    75%    90%
                0      0      0    13500    50000

```

a6_d_L2

Second livestock: Since last interview, the value of livestock and product that

```

type: numeric (long)
range: [0,19500]
unique values: 35
unique missing codes: 3
units: 1
missing .: 1,013/1,266
missing *: 22/1,266

```

```

tabulation:  Freq.  Value
             187    0
              1    31
              1   100
              1   113
              1   125
              1   270
              1   300
              2   500
              1   563
              1   700
              1   800
              2   900
              6  1000
              1  1100
              2  1200
              1  1250
              1  1300
              1  1400
              1  1500
              1  1920
              2  2000
              1  2340
              1  2500
              1  2600
              1  3250
              1  3500
              2  3600
              1  3850
              1  4500

```

```

                1 4950
                1 5400
                1 5500
                1 6435
                1 14000
                1 19500
            1,013 .
                16 .c
                 6 .d
    mean:      485.701
    std. dev:  1844.35

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      1200
    
```

a6_e_L2

Second livestock: Since last interview, the expense the household paid for labor

```

    type: numeric (long)

    range: [0,0]
    unique values: 1
    unique missing codes: 2

    units: 1
    missing .: 1,013/1,266
    missing *: 6/1,266

    tabulation:  Freq.  Value
                 247    0
                 1,013  .
                  6    .d
    mean:      0
    std. dev:  0

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

a6_f_L2

Second livestock: Since last interview, the expense the household paid for anima

```

    type: numeric (long)

    range: [0,300000]
    unique values: 91
    unique missing codes: 3

    units: 1
    missing .: 1,013/1,266
    missing *: 23/1,266

    tabulation:  Freq.  Value
                 106    0
                  2    100
                  2    240
                  1    263
                  2    300
                  1    320
                  1    396
                  3    400
                  4    500
                  1    650
                  2    700
                  1    810
                  1    860
                  4   1000
                  1   1035
                  1   1075
                  1   1080
                  1   1100
                  5   1200
                  1   1290
                  2   1500
                  1   1600
                  1   1800
                  1   1867
    
```

1 2000
2 2100
1 2365
3 2400
2 2500
1 2531
2 2600
1 2750
1 2795
1 2880
2 3000
1 3010
1 3060
1 3100
1 3120
1 3200
1 3320
3 3600
1 3950
2 4000
1 4160
2 4200
1 4320
2 4400
1 4500
2 4730
2 5000
2 5200
1 5500
2 6000
1 6600
1 7260
1 7475
1 8400
1 8640
1 8890
1 8900
1 9100
1 9450
1 9600
1 9900
1 10588
2 11000
1 12000
1 12700
1 12900
1 13325
1 14448
1 14600
1 15330
1 16500
1 18000
2 19500
1 19866
1 20000
1 20900
1 21000
1 30000
1 31753
1 39000
1 42000
1 47450
1 70000
1 79830
1 103180
1 144300
1 300000

1,013 .
17 .c
6 .d
mean: 6347.53
std. dev: 24468.1

percentiles: 10% 25% 50% 75% 90%
 0 0 398 3950 12800

a6_g_L2

Second livestock: Since last interview, other expenses the household paid such a

type: numeric (long)
 range: [0,17400] units: 1
 unique values: 37 missing .: 1,013/1,266
 unique missing codes: 3 missing *: 15/1,266

tabulation:	Freq.	Value
	144	0
	1	20
	1	50
	1	60
	2	100
	1	160
	4	200
	1	240
	2	300
	2	400
	1	450
	7	500
	2	600
	2	700
	1	740
	1	800
	3	900
	17	1000
	3	1200
	1	1300
	2	1400
	5	1500
	1	1600
	1	1800
	7	2000
	1	2500
	1	2780
	7	3000
	1	3500
	1	3900
	3	4000
	1	4500
	4	5000
	2	6000
	2	6500
	1	6534
	1	17400
	1,013	.
	9	.c
	6	.d
mean:	766.529	
std. dev:	1736.7	

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1000 2780

a6_h_L2

Second livestock: Since last interview, the number of livestock that the househo

type: numeric (int)

range: [0,30] units: 1
 unique values: 8 missing .: 1,013/1,266
 unique missing codes: 3 missing *: 15/1,266

tabulation: Freq. Value
 219 0
 6 1
 2 3
 3 5
 3 10
 1 15
 1 25
 3 30
 1,013 .
 9 .c
 6 .d
 mean: .785714
 std. dev: 4.00531

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

a6_hunit_L2 **The second livestock: unit**

type: string (**str12**), but longest is str9
 unique values: 1 missing "": 1,248/1,266

tabulation: Freq. Value
 1,248 ""
 18 "ᄁ"

a6_i_L2 **Currently , do you still sell these kinds of livestock?**

type: numeric (**byte**)
 label: **a6_i**

range: [1,3] units: 1
 unique values: 2 missing .: 797/1,266
 unique missing codes: 3 missing *: 5/1,266

tabulation: Freq. Numeric Label
 242 1 yes
 222 3 no
 797 .
 1 .a
 4 .d

a6_no_L3 **The third livestock number**

type: string (**str1**)
 unique values: 2 missing "": 1,081/1,266

tabulation: Freq. Value
 1,081 ""
 5 "2"
 180 "3"

a6_text_L3 **The third type of livestock (not display)**

type: string (**str68**), but longest is str0

unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""

a6_code_L3

The third livestock code

type: numeric (byte)
label: a6_code
range: [1,99] units: 1
unique values: 9 missing .: 1,081/1,266

tabulation:	Freq.	Numeric	Label
	21	1	Duck
	53	3	Chicken
	38	5	Fish
	3	7	Frog
	4	9	Cricket
	22	11	Cow
	19	13	Buffalo
	18	15	Pig
	7	99	Other
	1,081	.	

a6_a_L3

Third livestock: The number of livestock the household currently owns

type: numeric (long)
range: [0,300] units: 1
unique values: 27 missing .: 1,081/1,266
unique missing codes: 2 missing *: 2/1,266

tabulation:	Freq.	Value
	22	0
	27	1
	24	2
	15	3
	7	4
	6	5
	3	6
	7	7
	3	8
	14	10
	3	11
	5	12
	1	13
	2	14
	4	15
	1	17
	15	20
	1	23
	1	25
	2	30
	2	40
	1	48
	6	50
	2	55
	2	60
	6	100
	1	300
	1,081	.
	2	.d
mean:		14.1311
std. dev:		29.7942

percentiles: 10% 25% 50% 75% 90%
 0 1 4 14 40

a6_aunit_L3 **The third livestock: unit of livestock**

type: string (**str18**), but longest is str9
 unique values: **2** missing "": **1,104/1,266**
 tabulation: Freq. Value
 1,104 "
 128 "ก"
 34 "ง"

a6_ba_L3
Third livestock: Since last interview, the value of livestock that the household

type: numeric (**long**)
 range: [0,200000] units: **100**
 unique values: **25** missing .: **1,140/1,266**
 unique missing codes: **2** missing *: **3/1,266**
 tabulation: Freq. Value
 85 0
 2 300
 4 500
 1 600
 3 1000
 1 1100
 1 1200
 1 1500
 1 1700
 5 2000
 1 4500
 2 5000
 1 8000
 1 14000
 2 15000
 1 15900
 2 30000
 1 35000
 2 50000
 1 70000
 1 71000
 1 76000
 1 120000
 1 150000
 1 200000
 1,140 .
 3 .d
 mean: **8017.07**
 std. dev: **27728.4**
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 1000 15000

a6_bb_L3
Third livestock: Since last interview, the value of livestock that the household

type: numeric (**long**)
 range: [0,40000] units: **100**
 unique values: **5** missing .: **1,141/1,266**
 unique missing codes: **3** missing *: **6/1,266**

```

tabulation:  Freq.  Value
              114    0
              1    300
              1   1000
              1  35000
              2  40000
            1,141  .
              3  .c
              3  .d
    mean:     977.311
    std. dev: 6045.33

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

a6_c_L3

Third livestock: Since last interview, the value of livestock and product that t

```

type:  numeric (long)

range:  [0,170000]          units:  10
unique values:  34          missing .:  1,140/1,266
unique missing codes:  3    missing *:  5/1,266
    
```

```

tabulation:  Freq.  Value
              78    0
              1    350
              2    500
              1    650
              1   1000
              1   1300
              1   1400
              1   1500
              1   1600
              1   1800
              1   2000
              1   2500
              1   2750
              1   3000
              1   3500
              1   4000
              1   6000
              1   7000
              3  10000
              1  13500
              1  14520
              1  15000
              1  17000
              1  20000
              1  25000
              3  30000
              1  31500
              2  35000
              2  50000
              3  55000
              1  57000
              1  68000
              2 150000
              1 170000
            1,140  .
              2  .c
              3  .d
    mean:     10147.7
    std. dev: 27676.1

percentiles:    10%    25%    50%    75%    90%
                0      0      0    2750   31500
    
```


a6_d_L3

Third livestock: Since last interview, the value of livestock and product that

```

type: numeric (long)
range: [0,18000]           units: 1
unique values: 19         missing .: 1,140/1,266
unique missing codes: 3   missing *: 14/1,266
    
```

```

tabulation: Freq. Value
             83  0
              1  450
              1  480
              2  500
              3  800
              2  880
              4 1000
              3 1500
              1 2000
              1 2100
              1 2275
              1 2400
              1 3000
              3 4500
              1 5500
              1 7740
              1 13000
              1 16500
              1 18000
            1,140 .
              11 .c
               3 .d
    
```

```

mean: 898.259
std. dev: 2798.46
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      465    2100
    
```

a6_e_L3

Third livestock: Since last interview, the expense the household paid for labor

```

type: numeric (long)
range: [0,0]           units: 1
unique values: 1       missing .: 1,140/1,266
unique missing codes: 2 missing *: 3/1,266
    
```

```

tabulation: Freq. Value
             123  0
            1,140 .
               3 .d
    
```

```

mean: 0
std. dev: 0
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

a6_f_L3

Third livestock: Since last interview, the expense the household paid for animal

```

type: numeric (long)
range: [0,614900]     units: 1
unique values: 52     missing .: 1,140/1,266
unique missing codes: 3 missing *: 11/1,266
    
```

```

tabulation:  Freq.  Value
              57    0
              1   120
              1   150
              1   200
              1   258
              1   263
              1   400
              1   450
              1   490
              2   500
              2   600
              1   650
              1   700
              1   760
              1   954
              2  1100
              3  1200
              1  1406
              1  1500
              1  2200
              1  2255
              1  2640
              1  3300
              1  3870
              1  4050
              1  4160
              1  4300
              1  4700
              1  4938
              1  5031
              2  5160
              1  6000
              1  6300
              1  6440
              1  7200
              2  8400
              1 10120
              1 11000
              1 13500
              1 16800
              1 17550
              1 18000
              1 22360
              1 28100
              1 37000
              1 39900
              1 44000
              1 58500
              1 76000
              1 80000
              1 180000
              1 614900
            1,140  .
              8  .c
              3  .d
    mean:      11987.3
  std. dev:    60526

percentiles:   10%      25%      50%      75%      90%
                0         0       120     4160    17550
  
```

a6_g_L3

Third livestock: Since last interview, other expenses the household paid such as

type: numeric (long)

range: [0,12000] units: 1
 unique values: 29 missing .: 1,140/1,266
 unique missing codes: 3 missing *: 8/1,266

tabulation: Freq. Value

81	0
1	25
1	40
1	44
1	50
1	60
1	100
4	200
2	300
1	450
1	480
3	500
1	550
1	600
2	700
1	800
1	900
2	1000
1	1100
1	1200
2	1500
1	1520
1	1600
1	1700
1	2100
1	2500
1	4900
1	9000
1	12000
1,140	.
5	.c
3	.d

mean: 432.364
 std. dev: 1488.29

percentiles: 10% 25% 50% 75% 90%

0	0	0	200	1100
---	---	---	-----	------

a6_h_L3

Third livestock: Since last interview, the number of livestock that the househol

type: numeric (int)

range: [0,550] units: 1
 unique values: 8 missing .: 1,140/1,266
 unique missing codes: 3 missing *: 8/1,266

tabulation: Freq. Value

109	0
1	2
1	4
1	5
3	10
1	20
1	40
1	550
1,140	.
5	.c
3	.d

mean: 5.51695
 std. dev: 50.7426

percentiles: 10% 25% 50% 75% 90%

0	0	0	0	0
---	---	---	---	---

a6_hunit_L3 **The third livestock: unit**

```

type: string (str12), but longest is str9
unique values: 2 missing "": 1,257/1,266
tabulation: Freq. Value
              1,257 ""
              8 "ค้"
              1 "๓๐"
    
```

a6_i_L3 **Currently , do you still sell these kinds of livestock?**

```

type: numeric (byte)
label: a6_i
range: [1,3] units: 1
unique values: 2 missing .: 1,081/1,266
unique missing codes: 3 missing *: 5/1,266
tabulation: Freq. Numeric Label
              93 1 yes
              87 3 no
            1,081 .
              1 .c
              4 .d
    
```

a6_no_L4 **The fourth livestock number**

```

type: string (str1)
unique values: 2 missing "": 1,218/1,266
tabulation: Freq. Value
              1,218 ""
              1 "3"
              47 "4"
    
```

a6_text_L4 **The fourth type of livestock (not display)**

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
              1,266 ""
    
```

a6_code_L4 **The fourth livestock code**

```

type: numeric (byte)
label: a6_code
range: [1,99] units: 1
unique values: 8 missing .: 1,218/1,266
    
```

```

tabulation:  Freq.  Numeric  Label
              11      1  Duck
              9      3  Chicken
              8      5  Fish
              3      9  Cricket
              3     11  Cow
              7     13  Buffalo
              4     15  Pig
              3     99  Other
            1,218      .
    
```

a6_a_L4 **Fourth livestock: The number of livestock the household currently owns**

```

type: numeric (long)
range: [0,100]
unique values: 16
unique missing codes: 2
units: 1
missing .: 1,218/1,266
missing *: 1/1,266
    
```

```

tabulation:  Freq.  Value
              4      0
              6      1
             10      2
              2      3
              2      4
              1      5
              2      6
              4      7
              3     10
              2     15
              1     20
              5     30
              1     35
              1     43
              1     50
              2    100
            1,218      .
              1     .d
mean:      13.6809
std. dev:  22.2712
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1         2         4         15         35
    
```

a6_aunit_L4 **The fourth livestock: unit of livestock**

```

type: string (str18), but longest is str9
unique values: 2
missing "": 1,222/1,266
tabulation:  Freq.  Value
            1,222  ""
              33  "ค้"
              11  "บ๓"
    
```

a6_ba_L4 **Fourth livestock: Since last interview, the value of livestock that the household**

```

type: numeric (long)
range: [0,150000]
unique values: 12
unique missing codes: 3
units: 100
missing .: 1,234/1,266
missing *: 4/1,266
    
```

```

tabulation:  Freq.  Value
              16    0
              1    500
              1   1000
              1   1200
              2   2000
              1   3000
              1   6000
              1  11000
              1  18000
              1  40000
              1  60000
              1 150000
            1,234  .
              1  .c
              3  .d
    mean:      10525
    std. dev:  30489.2

percentiles:      10%      25%      50%      75%      90%
                  0         0         0       2500     40000
    
```

a6_bb_L4

Fourth livestock: Since last interview, the value of livestock that the househol

```

type:  numeric (long)

range:  [0,200]          units:  100
unique values:  2        missing  .:  1,234/1,266
unique missing codes:  2        missing *:  3/1,266

tabulation:  Freq.  Value
              28    0
              1   200
            1,234  .
              3  .d
    mean:      6.89655
    std. dev:  37.1391

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

a6_c_L4

Fourth livestock: Since last interview, the value of livestock and product that

```

type:  numeric (long)

range:  [0,1260000]     units:  10
unique values:  11      missing  .:  1,234/1,266
unique missing codes:  3        missing *:  4/1,266

tabulation:  Freq.  Value
              17    0
              1   240
              2   1000
              1   2400
              1   9000
              1  15000
              1  23500
              1  24000
              1  74750
              1  85000
              1 1260000
            1,234  .
              1  .c
              3  .d
    mean:      53424.6
    std. dev:  237420
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 5700 74750

a6_d_L4

Fourth livestock: Since last interview, the value of livestock and product that

type: numeric (long)
 range: [0,13000] units: 1
 unique values: 12 missing .: 1,234/1,266
 unique missing codes: 3 missing *: 4/1,266

tabulation: Freq. Value
 16 0
 1 75
 1 200
 1 220
 1 350
 1 825
 1 1000
 2 1500
 1 5160
 1 5500
 1 11000
 1 13000
 1,234 .
 1 .c
 3 .d
 mean: 1440.36
 std. dev: 3306.46

percentiles: 10% 25% 50% 75% 90%
 0 0 0 912.5 5500

a6_e_L4

Fourth livestock: Since last interview, the expense the household paid for labor

type: numeric (long)
 range: [0,0] units: 1
 unique values: 1 missing .: 1,234/1,266
 unique missing codes: 2 missing *: 3/1,266

tabulation: Freq. Value
 29 0
 1,234 .
 3 .d
 mean: 0
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

a6_f_L4

Fourth livestock: Since last interview, the expense the household paid for anima

type: numeric (long)
 range: [0,850000] units: 1
 unique values: 16 missing .: 1,234/1,266
 unique missing codes: 3 missing *: 4/1,266

```

tabulation:  Freq.  Value
              12    0
              1   450
              2   500
              1  1000
              1  3300
              1  4180
              1  4500
              1  6000
              1  6500
              1  9300
              1 10800
              1 12000
              1 22000
              1 22575
              1 58500
              1 850000
            1,234  .
              1  .c
              3  .d
    mean:      36146.6
    std. dev:  159955

percentiles:  10%    25%    50%    75%    90%
              0      0      500   7900  22575
    
```

a6_g_L4

Fourth livestock: Since last interview, other expenses the household paid such a

```

type:  numeric (long)
range: [0,35000]
unique values: 6
unique missing codes: 2
units: 100
missing .: 1,234/1,266
missing *: 3/1,266

tabulation:  Freq.  Value
              23    0
              2   400
              1   500
              1  1400
              1  1600
              1 35000
            1,234  .
              3  .d
    mean:      1355.17
    std. dev:  6483.03

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0     1400
    
```

a6_h_L4

Fourth livestock: Since last interview, the number of livestock that the househo

```

type:  numeric (int)
range: [0,35]
unique values: 2
unique missing codes: 3
units: 1
missing .: 1,234/1,266
missing *: 9/1,266

tabulation:  Freq.  Value
              22    0
              1   35
            1,234  .
              6  .c
              3  .d
    mean:      1.52174
    std. dev:  7.298
    
```


percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

a6_hunit_L4 **The fourth livestock: unit**

type: string (**str12**), but longest is str9
 unique values: 1 missing "": 1,265/1,266
 tabulation: Freq. Value
 1,265 ""
 1 "ġ"

a6_i_L4 **Currently , do you still sell these kinds of livestock?**

type: numeric (**byte**)
 label: **a6_i**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,218/1,266
 unique missing codes: 2 missing *: 1/1,266
 tabulation: Freq. Numeric Label
 29 1 yes
 18 3 no
 1,218 .
 1 .d

a6_no_L5 **The fifth livestock number**

type: string (**str1**)
 unique values: 1 missing "": 1,251/1,266
 tabulation: Freq. Value
 1,251 ""
 15 "5"

a6_text_L5 **The fifth type of livestock (not display)**

type: string (**str68**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

a6_code_L5 **The fifth livestock code**

type: numeric (**byte**)
 label: **a6_code**
 range: [1,99] units: 1
 unique values: 6 missing .: 1,251/1,266

```

tabulation:  Freq.  Numeric  Label
              6       1    Duck
              3       5    Fish
              1       7    Frog
              1       9    Cricket
              1      11    Cow
              3      99    Other
            1,251      .
    
```

a6_a_L5 **Fifth livestock: The number of livestock the household currently owns**

```

type:  numeric (long)

range:  [0,70]          units:  1
unique values:  9          missing  .:  1,251/1,266

tabulation:  Freq.  Value
              2     0
              3     1
              3     2
              1     3
              2     4
              1     5
              1    30
              1    50
              1    70
            1,251      .
mean:      11.6667
std. dev:  21.2793

percentiles:      10%      25%      50%      75%      90%
                  0         1         2         5         50
    
```

a6_aunit_L5 **The fifth livestock: unit of livestock**

```

type:  string (str18), but longest is str9

unique values:  2          missing "":  1,253/1,266

tabulation:  Freq.  Value
            1,253  ""
              9   "ค๓"
              4   "๓๐"
    
```

a6_ba_L5 **Fifth livestock: Since last interview, the value of livestock that the household**

```

type:  numeric (long)

range:  [0,75000]      units:  100
unique values:  3          missing  .:  1,255/1,266
unique missing codes:  2          missing *:  2/1,266

tabulation:  Freq.  Value
              6     0
              2    500
              1   75000
            1,255      .
              2     .d
mean:      8444.44
std. dev:  24959.3

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        500      75000
    
```

a6_bb_L5

Fifth livestock: Since last interview, the value of livestock that the household

```

type: numeric (long)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 1,255/1,266
missing *: 2/1,266

tabulation: Freq. Value
              9 0
            1,255 .
              2 .d
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

a6_c_L5

Fifth livestock: Since last interview, the value of livestock and product that t

```

type: numeric (long)
range: [0,25000]
unique values: 5
unique missing codes: 2
units: 100
missing .: 1,255/1,266
missing *: 2/1,266

tabulation: Freq. Value
              5 0
              1 900
              1 2000
              1 8400
              1 25000
            1,255 .
              2 .d
mean: 4033.33
std. dev: 8321.36

percentiles: 10% 25% 50% 75% 90%
              0 0 0 2000 25000
    
```

a6_d_L5

Fifth livestock: Since last interview, the value of livestock and product that

```

type: numeric (long)
range: [0,11180]
unique values: 4
unique missing codes: 3
units: 10
missing .: 1,255/1,266
missing *: 3/1,266

tabulation: Freq. Value
              5 0
              1 2400
              1 9000
              1 11180
            1,255 .
              1 .c
              2 .d
mean: 2822.5
std. dev: 4598.45

percentiles: 10% 25% 50% 75% 90%
              0 0 0 5700 11180
    
```

a6_e_L5

Fifth livestock: Since last interview, the expense the household paid for labor

```

type: numeric (long)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 1,255/1,266
missing *: 2/1,266

tabulation: Freq. Value
              9 0
            1,255 .
              2 .d
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

a6_f_L5

Fifth livestock: Since last interview, the expense the household paid for animal

```

type: numeric (long)
range: [0,18000]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,255/1,266
missing *: 2/1,266

tabulation: Freq. Value
              3 0
              1 1200
              1 2200
              1 2633
              1 4500
              1 6300
              1 18000
            1,255 .
              2 .d
mean: 3870.33
std. dev: 5726.44

percentiles: 10% 25% 50% 75% 90%
              0 0 2200 4500 18000
    
```

a6_g_L5

Fifth livestock: Since last interview, other expenses the household paid such as

```

type: numeric (long)
range: [0,97]
unique values: 3
unique missing codes: 2
units: 1
missing .: 1,255/1,266
missing *: 2/1,266

tabulation: Freq. Value
              7 0
              1 50
              1 97
            1,255 .
              2 .d
mean: 16.3333
std. dev: 34.4746

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 97
    
```

a6_h_L5 Fifth livestock: Since last interview, the number of livestock that the household

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 3
units: 1
missing .: 1,255/1,266
missing *: 3/1,266

tabulation: Freq. Value
             8 0
             1,255 .
             1 .c
             2 .d
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

a6_hunit_L5 The fifth livestock: unit

```

type: string (str12), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

a6_i_L5 Currently , do you still sell these kinds of livestock?

```

type: numeric (byte)
label: a6_i
range: [1,3]
unique values: 2
units: 1
missing .: 1,251/1,266

tabulation: Freq. Numeric Label
            6 1 yes
            9 3 no
            1,251 .
    
```

a6_no_L6 The Sixth livestock number

```

type: string (str1)
unique values: 1
missing "": 1,264/1,266

tabulation: Freq. Value
            1,264 ""
            2 "6"
    
```

a6_text_L6 The Sixth type of livestock

```

type: string (str68), but longest is str24
unique values: 2
missing "": 1,264/1,266
    
```

```

tabulation: Freq. Value
            1,264 ""
            1  "ควาย"
            1  "เป็ดแม่ไก่"
    
```

a6_code_L6 **The Sixth livestock code**

```

type: numeric (byte)
label: a6_code

range: [1,13] units: 1
unique values: 2 missing .: 1,264/1,266

tabulation: Freq. Numeric Label
            1         1 Duck
            1        13 Buffalo
            1,264      .
    
```

a6_a_L6 **sixth livestock: The number of livestock the household currently owns**

```

type: numeric (long)

range: [2,60] units: 1
unique values: 2 missing .: 1,264/1,266

tabulation: Freq. Value
            1  2
            1 60
            1,264 .

mean: 31
std. dev: 41.0122

percentiles:      10%      25%      50%      75%      90%
                  2         2         31         60         60
    
```

a6_aunit_L6 **The Sixth livestock: unit of livestock**

```

type: string (str18), but longest is str9

unique values: 1 missing "": 1,264/1,266

tabulation: Freq. Value
            1,264 ""
            2  "ตัว"
    
```

a6_ba_L6 **sixth livestock: Since last interview, the value of livestock that the household**

```

type: numeric (long)

range: [12500,50000] units: 100
unique values: 2 missing .: 1,264/1,266

tabulation: Freq. Value
            1 12500
            1 50000
            1,264 .

mean: 31250
std. dev: 26516.5

percentiles:      10%      25%      50%      75%      90%
                  12500    12500    31250    50000    50000
    
```

a6_bb_L6
sixth livestock: Since last interview, the value of livestock that the household

```

type: numeric (long)
range: [0,0] units: 1
unique values: 1 missing .: 1,264/1,266

tabulation: Freq. Value
              2 0
            1,264 .
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

a6_c_L6
sixth livestock: Since last interview, the value of livestock and product that t

```

type: numeric (long)
range: [0,44000] units: 1000
unique values: 2 missing .: 1,264/1,266

tabulation: Freq. Value
              1 0
              1 44000
            1,264 .
mean: 22000
std. dev: 31112.7

percentiles: 10% 25% 50% 75% 90%
              0 0 22000 44000 44000
    
```

a6_d_L6
sixth livestock: Since last interview, the value of livestock and product that

```

type: numeric (long)
range: [0,4300] units: 100
unique values: 2 missing .: 1,264/1,266

tabulation: Freq. Value
              1 0
              1 4300
            1,264 .
mean: 2150
std. dev: 3040.56

percentiles: 10% 25% 50% 75% 90%
              0 0 2150 4300 4300
    
```

a6_e_L6
sixth livestock: Since last interview, the expense the household paid for labor

```

type: numeric (long)
range: [0,0] units: 1
unique values: 1 missing .: 1,264/1,266
    
```

```

tabulation:  Freq.  Value
              2      0
            1,264  .
    mean:      0
    std. dev:  0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

a6_f_L6
sixth livestock: Since last interview, the expense the household paid for animal

```

type: numeric (long)
range: [0,27000]          units: 1000
unique values: 2          missing .: 1,264/1,266

tabulation:  Freq.  Value
              1      0
              1  27000
            1,264  .
    mean:      13500
    std. dev:  19091.9

percentiles:  10%    25%    50%    75%    90%
              0      0    13500  27000  27000
    
```

a6_g_L6
sixth livestock: Since last interview, other expenses the household paid such as

```

type: numeric (long)
range: [0,453]          units: 1
unique values: 2          missing .: 1,264/1,266

tabulation:  Freq.  Value
              1      0
              1  453
            1,264  .
    mean:      226.5
    std. dev:  320.319

percentiles:  10%    25%    50%    75%    90%
              0      0    226.5  453    453
    
```

a6_h_L6
sixth livestock: Since last interview, the number of livestock that the househol

```

type: numeric (int)
range: [0,0]          units: 1
unique values: 1          missing .: 1,264/1,266

tabulation:  Freq.  Value
              2      0
            1,264  .
    mean:      0
    std. dev:  0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

a6_hunit_L6 **The Sixth livestock: unit**


```

type: string (str12), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

a6_i_L6 **Currently , do you still sell these kinds of livestock?**

```

type: numeric (byte)
label: a6_i
range: [1,1] units: 1
unique values: 1 missing .: 1,264/1,266
tabulation: Freq. Numeric Label
             2 1 yes
             1,264 .
    
```

note1 **Interviewer note 1 (unavailable)**

```

type: string (str517), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

note2 **Interviewer note 2 (unavailable)**

```

type: string (str564), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

note **Interviewer note (unavailable)**

```

type: string (str387), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

livestock_number **Number of livestock types**

```

type: numeric (float)
range: [0,6] units: 1
unique values: 7 missing .: 0/1,266
    
```

```

tabulation:  Freq.  Value
              388    0
              410    1
              287    2
              134    3
               32    4
               13    5
                2    6
    mean:     1.25671
    std. dev: 1.15021

percentiles:      10%      25%      50%      75%      90%
                  0         0         1         2         3
    
```

livestock_cost_L1 **Annual cost of livestock L1**

```

    type: numeric (float)
    range: [0,2091000]
    unique values: 210
    mean: 22412.1
    std. dev: 129544
    units: 1
    missing .: 818/1,266

percentiles:      10%      25%      50%      75%      90%
                  0        100     2000     7385     40060
    
```

livestock_cost_L2 **Annual cost of livestock L2**

```

    type: numeric (float)
    range: [0,2000000]
    unique values: 139
    mean: 26080
    std. dev: 132367
    units: 1
    missing .: 1,019/1,266

percentiles:      10%      25%      50%      75%      90%
                  0        300     2880     15330     52000
    
```

livestock_cost_L3 **Annual cost of livestock L3**

```

    type: numeric (float)
    range: [0,641900]
    unique values: 80
    units: 1
    missing .: 1,143/1,266

tabulation:  Freq.  Value
              34    0
               1    25
               1    40
               1    60
               1   100
               1   150
               1   258
               2   300
               1   450
               4   500
               1   563
               1   600
               2   700
               1   720
               1   800
               1   900
               1   954
               2  1000
    
```

1 1100
 1 1144
 2 1500
 1 1600
 2 1700
 2 2000
 2 2200
 1 2300
 1 2305
 1 2490
 1 2500
 1 2606
 1 2640
 1 3000
 1 4050
 1 4070
 1 4160
 1 4300
 1 4700
 1 4800
 1 4938
 1 5231
 1 5360
 1 5650
 1 5700
 1 5760
 1 6000
 1 6440
 1 7160
 1 7200
 1 8300
 1 8400
 1 9000
 1 9100
 1 12000
 1 16700
 1 17280
 1 17550
 1 18450
 1 22360
 1 26020
 1 27500
 1 28700
 1 30000
 1 30900
 1 35000
 1 37000
 1 40450
 1 44000
 1 50000
 1 57820
 1 58500
 1 71600
 1 71900
 1 77100
 1 77500
 1 80000
 1 120000
 1 150000
 1 184900
 1 202100
 1 641900

1,143 .
 mean: 19639.5
 std. dev: 65752.2
 percentiles: 10% 25% 50% 75% 90%
 0 0 1600 8400 50000

livestock_cost_L4 **Annual cost of livestock L4**

type: numeric (**float**)
 range: [0,885000] units: 1
 unique values: 23 missing .: 1,237/1,266

tabulation: Freq. Value

5	0
1	400
3	500
1	1000
1	1400
1	2450
1	3000
1	3300
1	5700
1	6500
1	8000
1	9700
1	10180
1	11500
1	12000
1	12400
1	23000
1	40000
1	40575
1	58500
1	60000
1	150000
1	885000

1,237 .
 mean: 46417.4
 std. dev: 164190

percentiles:

10%	25%	50%	75%	90%
0	500	5700	12400	60000

livestock_cost_L5 **Annual cost of livestock L5**

type: numeric (**float**)
 range: [0,75000] units: 1
 unique values: 9 missing .: 1,257/1,266

tabulation: Freq. Value

1	0
1	500
1	1200
1	2200
1	3133
1	4550
1	6300
1	18097
1	75000

1,257 .
 mean: 12331.1
 std. dev: 24136.9

percentiles:

10%	25%	50%	75%	90%
0	1200	3133	6300	75000

livestock_cost_L6 **Annual cost of livestock L6**

type: numeric (**float**)

```

range: [39953,50000]          units: 1
unique values: 2              missing .: 1,264/1,266

tabulation: Freq. Value
             1 39953
             1 50000
             1,264 .
mean:       44976.5
std. dev:   7104.3

percentiles:    10%    25%    50%    75%    90%
                39953  39953  44976.5  50000  50000
    
```

livestock_revenue_L1 **Annual revenue of livestock L1**

```

type: numeric (float)

range: [0,1801200]          units: 1
unique values: 142         missing .: 818/1,266

mean:       26826.9
std. dev:   98201.7

percentiles:    10%    25%    50%    75%    90%
                0      0      1485   30000  67000
    
```

livestock_revenue_L2 **Annual revenue of livestock L2**

```

type: numeric (float)

range: [0,3000000]          units: 1
unique values: 83          missing .: 1,019/1,266

tabulation: Freq. Value
             121 0
             1 12
             1 100
             1 113
             1 125
             1 270
             1 300
             1 500
             1 560
             1 800
             1 863
             3 1000
             1 1040
             1 1200
             1 1250
             1 1300
             2 1500
             1 1600
             1 1740
             7 2000
             1 2200
             1 2331
             2 2500
             1 3000
             1 3200
             1 3250
             1 3320
             2 3500
             1 3850
             1 3900
             1 4000
             1 4050
             3 4500
             1 4840
    
```

```

1 4950
1 5400
1 5600
1 5900
1 6000
1 6100
1 6300
1 6500
1 7000
1 8100
1 10000
1 11250
1 12000
1 14000
4 15000
1 19500
4 20000
1 20400
1 23500
2 24000
1 25000
1 28000
1 28935
1 29000
7 30000
2 32000
4 35000
1 36000
1 39000
4 40000
1 42000
2 45000
6 50000
1 52000
1 53000
1 55000
1 58000
1 59000
4 60000
1 64400
1 65000
2 70000
1 73000
1 75000
1 90000
1 133000
1 165000
2 350000
1 3000000

```

```

1,019 .
mean: 27004.2
std. dev: 193695

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0        113      19500     50000

```

livestock_revenue_L3 **Annual revenue of livestock L3**

```

type: numeric (float)
range: [0,170000]
unique values: 41
units: 1
missing .: 1,143/1,266

```

```

tabulation:  Freq.  Value
              65    0
              1    500
              1    880
              1   1000
              1   1300
              1   1400
              3   1500
              3   1800
              1   1980
              2   2000
              1   2100
              1   2150
              2   2400
              1   3000
              1   3500
              1   4300
              2   4500
              1   5500
              2   7000
              1   9275
              2  10000
              1  10490
              1  11000
              1  13000
              1  13500
              1  15000
              1  15400
              1  17000
              1  20000
              1  20500
              1  25000
              3  30000
              3  35000
              2  40000
              1  49500
              2  50000
              3  55000
              1  57000
              1  68800
              2 150000
              1 170000
              1,143  .
    mean:      11746.1
  std. dev:   27807.9

percentiles:      10%      25%      50%      75%      90%
                  0         0         0      10000     40000
  
```

livestock_revenue_L4 **Annual revenue of livestock L4**

```

type: numeric (float)
range: [0,1260000]
unique values: 18
units: 1
missing .: 1,237/1,266
  
```

```

tabulation:  Freq.  Value
              12    0
              1   350
              1   825
              1  1000
              1  1220
              1  1500
              1  1700
              1  2600
              1  5400
              1  9075
              1 11000
              1 13000
              1 16000
  
```

```

          1 23500
          1 29500
          1 74750
          1 85000
          1 1260000
    1,237 .
    mean: 52980
    std. dev: 233078

    percentiles:      10%      25%      50%      75%      90%
                     0         0       1000     11000     74750
    
```

livestock_revenue_L5 **Annual revenue of livestock L5**

```

    type: numeric (float)
    range: [0,25000]
    unique values: 7
    units: 10
    missing .: 1,257/1,266

    tabulation: Freq. Value
                 3 0
                 1 900
                 1 2000
                 1 9000
                 1 10800
                 1 11180
                 1 25000
    1,257 .
    mean: 6542.22
    std. dev: 8420.48

    percentiles:      10%      25%      50%      75%      90%
                     0         0       2000     10800     25000
    
```

livestock_revenue_L6 **Annual revenue of livestock L6**

```

    type: numeric (float)
    range: [0,48300]
    unique values: 2
    units: 100
    missing .: 1,264/1,266

    tabulation: Freq. Value
                 1 0
                 1 48300
    1,264 .
    mean: 24150
    std. dev: 34153.3

    percentiles:      10%      25%      50%      75%      90%
                     0         0     24150     48300     48300
    
```

livestock_profit_L1 **Annual profit of livestock L1**

```

    type: numeric (float)
    range: [-1971000,324000]
    unique values: 302
    units: 1
    missing .: 818/1,266

    mean: 4414.83
    std. dev: 104578

    percentiles:      10%      25%      50%      75%      90%
                    -16450    -2535         0     19750     48200
    
```

livestock_profit_L2 **Annual profit of livestock L2**

```

type: numeric (float)
range: [-300000,1000000]           units: 1
unique values: 181                 missing .: 1,019/1,266

mean: 924.223
std. dev: 76712.5

percentiles:      10%      25%      50%      75%      90%
                  -39120   -5000      0      4840     30000
    
```

livestock_profit_L3 **Annual profit of livestock L3**

```

type: numeric (float)
range: [-471900,150000]           units: 1
unique values: 94                 missing .: 1,143/1,266

tabulation:  Freq.  Value
              1    -471900
              1    -202100
              1    -150000
              1    -129900
              1    -103000
              1     -77500
              1     -71900
              1     -58500
              1     -57820
              2     -50000
              1     -36600
              1     -35000
              1     -30900
              1     -30000
              1     -27000
              1     -22360
              1     -22100
              1     -15150
              1     -12000
              1     -10620
              1     -10450
              1     -9100
              1     -9000
              1     -8300
              1     -7160
              1     -6440
              1     -6420
              1     -5760
              1     -5400
              1     -5360
              1     -4938
              1     -4800
              1     -4500
              1     -4400
              1     -4070
              1     -3780
              1     -3000
              1     -2500
              1     -2490
              1     -2360
              1     -2000
              2     -1700
              1     -1120
              1     -1100
              1     -1000
              1     -954
              1     -900
    
```

```

1 -840
2 -700
1 -600
1 -563
1 -500
1 -450
2 -300
1 -200
1 -155
2 -100
1 -60
24 0
1 450
1 500
1 600
1 700
2 1500
1 1694
1 1769
1 2000
1 2500
1 2700
1 2900
1 3000
1 3625
1 4356
1 9500
1 10300
1 10490
1 10850
1 13000
1 19742
1 19780
1 22000
1 23300
1 24200
1 24800
1 30000
1 31550
1 34975
1 35000
1 39500
1 50000
1 52700
1 56960
1 121300
1 150000

```

```

1,143 .
mean: -7893.33
std. dev: 56645.8

```

```

percentiles:      10%      25%      50%      75%      90%
                 -35000  -5360   -100    1500    23300

```

livestock_profit_L4

Annual profit of livestock L4

```

type: numeric (float)
range: [-150000,375000]
unique values: 27
units: 1
missing .: 1,237/1,266

```

```

tabulation:  Freq.  Value
              1  -150000
              1  -60000
              1  -40000
              1  -17075
              1  -12400
              1  -12000
              1  -11500
              1  -9355
              1  -6600
              1  -3900
              1  -3000
              1  -1230
              1  -1000
              1  -500
              1  -400
              3   0
              1  350
              1  500
              1  1200
              1  1500
              1  3375
              1  8000
              1  9700
              1  16250
              1  19800
              1  83600
              1  375000
1,237 .
    mean: 6562.59
std. dev: 79231.7

percentiles:    10%    25%    50%    75%    90%
                -40000  -9355  -400   1500   19800
    
```

livestock_profit_L5 **Annual profit of livestock L5**

```

type: numeric (float)
range: [-75000,18700]
unique values: 9
units: 1
missing .: 1,257/1,266

tabulation:  Freq.  Value
              1  -75000
              1  -7297
              1  -3650
              1  -1200
              1  -200
              1   0
              1  8047
              1  8500
              1  18700
1,257 .
    mean: -5788.89
std. dev: 27106.6

percentiles:    10%    25%    50%    75%    90%
                -75000  -3650  -200   8047   18700
    
```

livestock_profit_L6 **Annual profit of livestock L6**

```

type: numeric (float)
range: [-50000,8347]
unique values: 2
units: 1
missing .: 1,264/1,266
    
```

```

tabulation:  Freq.  Value
              1  -50000
              1   8347
            1,264 .
    mean:    -20826.5
    std. dev: 41257.6

percentiles:    10%    25%    50%    75%    90%
               -50000  -50000  -20826.5  8347  8347
    
```

hh_livestock_cost **Annual cost of all livestock**

```

type: numeric (float)
range: [0,2091000]
unique values: 332
mean: 35680.8
std. dev: 154163
units: 1
missing .: 693/1,266

percentiles:    10%    25%    50%    75%    90%
               0    640    4000    21600    62410
    
```

hh_livestock_revenue **Annual revenue of all livestock**

```

type: numeric (float)
range: [0,3410000]
unique values: 213
mean: 43641.1
std. dev: 188668
units: 1
missing .: 767/1,266

percentiles:    10%    25%    50%    75%    90%
               0     0    7000    41000    85000
    
```

hh_livestock_profit **Annual profit of all livestock**

```

type: numeric (float)
range: [-1971000,1407000]
unique values: 421
mean: 2324.27
std. dev: 117532
units: 1
missing .: 693/1,266

percentiles:    10%    25%    50%    75%    90%
              -30000  -5300     0    19500    47000
    
```

hh_change **Sample has moved so that its household structure changed**

```

type: numeric (float)
label: hh_change
range: [0,1]
unique values: 2
units: 1
missing .: 0/1,266

tabulation:  Freq.  Numeric  Label
             1,253    0      no
             13      1      yes
    
```

survey_name **survey round**

type: string (**str12**)
 unique values: **1** missing "": **0/1,266**
 tabulation: Freq. Value
 1,266 "RESURVEY2017"

year_survey **year survey**

type: numeric (**float**)
 range: [2017,2017] units: **1**
 unique values: **1** missing .: **0/1,266**
 tabulation: Freq. Value
 1,266 **2017**
 mean: **2017**
 std. dev: **0**
 percentiles: 10% 25% 50% 75% 90%
 2017 **2017** **2017** **2017** **2017**

2 . log close
 name: **<unnamed>**
 log: **V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2017\a6.scml**
 log type: **smcl**
 closed on: **27 Jul 2024, 16:31:57**
