

name: unnamed> log: V:\\RIECE DATA\RIECE RELEASE V3-2017-2018/codebook\2017\a7 table1.scml log type: smcl opened on: 27 Jul 2024, 16:32:49 1 . codebookr _all,all Dataset: V:\RIECE DATA\RIECE RELEASE V3-2017-2018/codebook\a7 table1 r > un.dta Last saved: 27 Jul 2024 16:32 DATA HAVE CHANGED SINCE LAST SAVED Label: [none] Number of variables: 16 Number of observations: 5,943 Size: 588,357 bytes ignoring labels, etc. Unique Values: A list of all of the possible non-missing values for the variable and the description of the values. Unique Missing Values: There are four types of missing values .a or RF: The subject explicitly refused to answer the question when he or she should have. .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur. .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available. .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response Numeric Missing*: String Missing*: RF .a .b NA DK .C .d ΜI hhid household id type: string (str15) unique values: 1,266 missing "": 0/5,943 examples: "201591161003218" "201691131006130" "201691160106068" "201691161708029" iyear year type: string (str4) unique values: 2 missing "": 0/5,943 tabulation: Freq. Value "2015" 2,102 3,841 "2016" province prov

	unique values:	2		missing	"":	0/5,943	
	tabulation:	Freq. 5,390 553	Value "91" "93"				
amp							amphoe
	type:	string	(str2)				
	unique values:	8		missing	"":	0/5,943	
	tabulation:	Freq. 4 553 997 485 605 2,243 134 922	Value "09" "12" "14" "15" "16" "17" "18"				
tam							tambon
	type:	string	(str2)				
	unique values:	15		missing	"":	0/5,943	
	tabulation:	Freq. 283 888 488 236 243 249 247 407 519 372 619 201 581 402 208	Value "01" "02" "04" "05" "06" "07" "08" "09" "10" "11" "11" "13" "14" "15" "17" "19"				
moo							moo
	type:	string	(str2)				
	unique values:	22		missing	"":	0/5,943	
	tabulation:	Freq. 591 290 559 642 520 639 302	Value "01" "02" "03" "04" "05" "06" "07"				

 639
 "06"

 302
 "07"

 620
 "08"

 402
 "09"

 296
 "10"

 225
 "11"

 159
 "12"

 160
 "13"

 37
 "14"

38	"15"
156	"16"
37	"17"
46	"18"
116	"19"
4	"20"
78	"22"
26	"24"

structure ID

0/5,943

strucid

type:	string (str3)	
unique values:	185	missing "":
examples:	"011" "034" "069" "137"	

no

order

type:	numeric (byte)				
range: unique values:			units: missing .:		
	Freq. Value 1,250 1 1,202 2 1,172 3 910 4 632 5 410 6 211 7 86 8 35 9 18 10 5 11 12 . 3.22795 1.88228				
percentiles:	10% 1	25% 2	50% 3	75% 4	90% 6

hi4_a

Member ID

type:	string	(str5),	but lo	onges	t is	str3	
unique values:	11			I	missi	ng "":	12/5,943
tabulation:	Freq. 12 1,250 18 5 1,201 1,172 910 632 411 211 86 35	Value "" "H1" "H10" "H2" "H3" "H4" "H5" "H6" "H7" "H8" "H9"					

Nickname (unavailable)

```
type: string (str33), but longest is str0
unique values: 0 missing "": 5,943/5,943
tabulation: Freq. Value
```

5,943 ""

hi4_c Since last interview, have you and your household members registered for the pro

type: label:	numeric hi4_c	(byte)			
range: unique values: unique missing co	2			units: missing .: missing *:	14/5,943
tabulation:	Freq. 1,998 3,921 14 3 7	Numeric 1 3 c .d	Label yes no		

hi4_d Since last interview, how much money did you and your household members receive

note cleaner					Data not	e cleaner
percentiles:	10% 0	25% 0	50% 0	75% 3000	90% 3000	
tabulation: mean: std. dev:	Freq. Value 1,126 0 272 1500 1 2000 1 2400 3 2500 579 3000 3,945 . 10 .c 6 .d 1088.24 1330.02					
range: unique values: unique missing co			missing	ts: 100 .: 3,945 *: 16/5,		
type:	numeric (long)					

type: string (str5) unique values: 1 missing "": 5,931/5,943 tabulation: Freq. Value 5,931 "" 12 "HH RF" warning: variable has embedded blanks

hi4_b

hh_change	Sample h	has moved	so that its	s househol	d structure change
type: label:	numeric (floa hh_change	at)			
range: unique values:	[0,1] 2		unit missing		43
tabulation:	Freq. Numer 5,893 50	no 1 yes			
survey_name					survey roun
type:	string (strl2	2)			
unique values:	1		missing	"": 0/5,	943
tabulation:	Freq. Value 5,943 "RESUB	RVEY2017"			
year_survey					year surve
type:	numeric (floa	at)			
range: unique values:	[2017,2017] 1		unit missing	ts: 1 .: 0/5,9	43
tabulation:	Freq. Value				
mean: std. dev:	5,943 2017 2017 0				
percentiles:	10% 2017	25% 2017	50% 2017	75% 2017	90% 2017
<pre>. log close name: <unnamed> log: V:\\RIECE D log type: smcl closed on: 27 Jul 2024</unnamed></pre>	-	LASE V3-20	17-2018/cod	lebook\201	7\a7_table1.scml