



```

name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a8.smcl
log type: smcl
opened on: 27 Jul 2024, 16:34:03
    
```

1 . codebookr _all,all

```

Dataset: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\a8_run.dta
Last saved: 27 Jul 2024 16:32
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 282
Number of observations: 1,266
Size: 17,059,350 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

hhid **household id**

```

type: string (str15)
unique values: 1,266 missing "": 0/1,266
examples: "201591160604209"
           "201691131001998"
           "201691160105068"
           "201691161706097"
    
```

iyear **year**

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,266
tabulation: Freq. Value
             459 "2015"
             807 "2016"
    
```

prov **province**

```

type: string (str2)
    
```

unique values: 2 missing "": 0/1,266

tabulation:	Freq.	Value
	1,144	"91"
	122	"93"

amp

amphoe

type: string (**str2**)

unique values: 8 missing "": 0/1,266

tabulation:	Freq.	Value
	1	"09"
	122	"12"
	226	"13"
	106	"14"
	124	"15"
	475	"16"
	31	"17"
	181	"18"

tam

tambon

type: string (**str2**)

unique values: 15 missing "": 0/1,266

tabulation:	Freq.	Value
	57	"01"
	202	"02"
	105	"04"
	51	"05"
	50	"06"
	55	"07"
	49	"08"
	85	"09"
	115	"10"
	73	"11"
	125	"13"
	42	"14"
	129	"15"
	84	"17"
	44	"19"

moo

moo

type: string (**str2**)

unique values: 22 missing "": 0/1,266

tabulation:	Freq.	Value
	126	"01"
	57	"02"
	122	"03"
	140	"04"
	114	"05"
	136	"06"
	63	"07"
	132	"08"
	79	"09"
	64	"10"
	45	"11"
	36	"12"
	36	"13"
	10	"14"

```

9 "15"
33 "16"
8 "17"
11 "18"
24 "19"
1 "20"
14 "22"
6 "24"

```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,266
examples: "010"
          "034"
          "070"
          "142"

```

no_A **no A**

```

type: numeric (byte)
range: [1,1]           units: 1
unique values: 1       missing .: 1/1,266

tabulation: Freq. Value
            1,265  1
            1      .
mean:      1
std. dev:  0

percentiles: 10%    25%    50%    75%    90%
              1      1      1      1      1

```

description_A **Item of expenditure: rice & flour (not display)**

```

type: string (str273), but longest is str0
unique values: 0           missing "": 1,266/1,266
tabulation: Freq. Value
            1,266  ""

```

hc0_A **Code of Inseparable expenses**

```

type: string (str49), but longest is str0
unique values: 0           missing "": 1,266/1,266
tabulation: Freq. Value
            1,266  ""

```

hcl_A **HH. Expenses: Rice, glutinous rice, flour, product from flour (THB)**

```

type: numeric (long)
range: [0,1079]         units: 1
unique values: 175      missing .: 0/1,266
unique missing codes: 2  missing *: 8/1,266

```

mean: 38.1176
 std. dev: 110.045
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 129

hc2_A Value of producing: Rice, glutinous rice, flour, product from flour (THB)

type: numeric (int)
 range: [0,1120] units: 1
 unique values: 386 missing .: 0/1,266
 unique missing codes: 2 missing *: 9/1,266
 mean: 222.245
 std. dev: 178.599
 percentiles: 10% 25% 50% 75% 90%
 0 101 198 308 436

hc3_A Value of receiving: Rice, glutinous rice, flour, product from flour (THB)

type: numeric (long)
 range: [0,808] units: 1
 unique values: 66 missing .: 0/1,266
 unique missing codes: 2 missing *: 36/1,266

tabulation:

Freq.	Value
1,141	0
1	3
3	6
1	7
1	10
2	13
3	14
2	16
2	17
1	19
1	20
1	21
1	23
1	24
2	26
2	29
1	30
1	31
2	33
1	34
1	38
1	42
1	47
3	52
1	56
1	61
1	63
1	66
2	70
2	77
1	81
1	84
2	85
3	93
1	98
1	99
1	101
1	102
1	105

```

      1 108
      1 116
      1 125
      1 131
      5 153
      1 157
      1 163
      1 165
      1 171
      1 174
      1 175
      1 195
      3 209
      1 223
      1 233
      1 260
      1 262
      1 265
      1 269
      2 279
      1 302
      1 349
      1 360
      1 372
      1 491
      1 500
      1 808
      1 .a
      35 .c
    mean: 8.7935
  std. dev: 47.2963

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
  
```

freq_A **Frequency: Weekly**

```

    type: numeric (byte)
    label: freq

    range: [5,5]
unique values: 1
                units: 1
                missing.: 1/1,266

    tabulation: Freq.  Numeric  Label
                1,265    5      weekly
                1        .
  
```

no_B **no B**

```

    type: numeric (byte)

    range: [2,2]
unique values: 1
                units: 1
                missing.: 1/1,266

    tabulation: Freq.  Value
                1,265  2
                1      .
    mean:      2
    std. dev:  0

percentiles:      10%      25%      50%      75%      90%
                  2        2        2        2        2
  
```

description_B
 Item of expenditure: food & materials, beverage (excluding alcohol drink) (not d

```

type: string (str273), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

hc0_B **Code of Inseparable expenses**

```

type: string (str49), but longest is str13
unique values: 1 missing "": 1,265/1,266
tabulation: Freq. Value
             1,265 ""
             1 "200/฿"
    
```

hc1_B **HH. expenses: Expenses on food, non-alcoholic beverages (THB)**

```

type: numeric (long)
range: [0,7030] units: 1
unique values: 323 missing .: 0/1,266
unique missing codes: 2 missing *: 14/1,266

mean: 1238.27
std. dev: 700.926

percentiles:      10%      25%      50%      75%      90%
                  500      720      1085     1470     2140
    
```

hc2_B **Value of producing: Expenses on food, non-alcoholic beverages (THB)**

```

type: numeric (int)
range: [0,291] units: 1
unique values: 5 missing .: 0/1,266
unique missing codes: 2 missing *: 6/1,266

tabulation: Freq. Value
             1,256 0
             1 28
             1 100
             1 210
             1 291
             1 .a
             5 .c
mean: .499206
std. dev: 10.5169

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

hc3_B **Value of receiving: Expenses on food, non-alcoholic beverages (THB)**

```

type: numeric (long)
range: [0,3500] units: 1
unique values: 11 missing .: 0/1,266
unique missing codes: 2 missing *: 133/1,266
    
```

```

tabulation: Freq. Value
            1,123 0
            1 11
            1 15
            1 36
            1 39
            1 58
            1 111
            1 700
            1 1250
            1 2700
            1 3500
            1 .a
            132 .c
mean:       7.4316
std. dev:  137.971

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

freq_B **Frequency: Weekly**

```

type: numeric (byte)
label: freq

range: [5,5] units: 1
unique values: 1 missing.: 1/1,266

tabulation: Freq. Numeric Label
            1,265 5 weekly
            1 .
    
```

no_C **code C**

```

type: numeric (byte)

range: [3,3] units: 1
unique values: 1 missing.: 1/1,266

tabulation: Freq. Value
            1,265 3
            1 .
mean:       3
std. dev:   0

percentiles:    10%    25%    50%    75%    90%
                3      3      3      3      3
    
```

description_C **Item of expenditure: alcohol drinks (not display)**

```

type: string (str273), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

hc0_C **Code of Inseparable expenses**

```

type: string (str49), but longest is str4
unique values: 2 missing "": 1,262/1,266
    
```

```

tabulation:  Freq.  Value
              1,262  ""
              1   "C ,D"
              3   "C,D"
    
```

warning: variable has embedded blanks

hcl_C

HH. Expenses: Alcoholic beverages (THB)

```

type: numeric (long)
range: [0,10000]
unique values: 75
unique missing codes: 2
units: 1
missing .: 0/1,266
missing *: 302/1,266
    
```

```

tabulation:  Freq.  Value
              636  0
              1   30
              1   40
              1   43
              2   45
              6   50
              8   60
              1   65
              1   70
              1   86
              1   90
             15  100
              1  115
              2  120
              1  125
              1  129
              1  138
              7  150
              1  193
             23  200
              2  215
              1  225
              2  237
             12  250
              6  258
             27  300
              1  340
              6  350
              1  360
              2  387
              6  400
              6  430
             10  450
             18  500
              7  550
             11  600
              1  615
              2  645
              1  688
              4  700
              1  720
              1  750
              1  800
              5  860
             23  900
             12 1000
              1 1020
              4 1050
              1 1150
              3 1200
              1 1290
              1 1473
              8 1500
              1 1575
    
```



```

          1 1692
          1 1695
          1 1750
         20 1800
          1 1935
          1 1950
          7 2000
          4 2100
          1 2150
          1 2500
         12 3000
          1 3180
          1 3500
          2 3600
          1 4350
          1 5100
          1 5400
          1 7200
          2 7500
          3 9000
          1 10000
          1 .a
         301 .c
    mean: 334.687
  std. dev: 947.046

percentiles:      10%      25%      50%      75%      90%
                  0         0         0       250       900

```

hc2_C **Value of producing: Alcoholic beverages (THB)**

```

    type: numeric (int)

    range: [0,0]
unique values: 1
unique missing codes: 1

    units: 1
missing .: 0/1,266
missing *: 1/1,266

    tabulation: Freq. Value
                1,265 0
                1 .a
    mean: 0
    std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

hc3_C **Value of receiving: Alcoholic beverages (THB)**

```

    type: numeric (long)

    range: [0,0]
unique values: 1
unique missing codes: 2

    units: 1
missing .: 0/1,266
missing *: 44/1,266

    tabulation: Freq. Value
                1,222 0
                1 .a
                43 .c
    mean: 0
    std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

freq_C **Frequency: Monthly**

```

type: numeric (byte)
label: freq
range: [9,9]
unique values: 1
units: 1
missing.: 1/1,266

tabulation: Freq. Numeric Label
1,265 9 monthly
1 .
    
```

no_D **code D**

```

type: numeric (byte)
range: [4,4]
unique values: 1
units: 1
missing.: 1/1,266

tabulation: Freq. Value
1,265 4
1 .
mean: 4
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
4 4 4 4 4
    
```

description_D **Item of expenditure: cigarette, tobacco, baccy (not display)**

```

type: string (str273), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

hc0_D **Code of Inseparable expenses**

```

type: string (str49), but longest is str4
unique values: 2
missing "": 1,262/1,266

tabulation: Freq. Value
1,262 ""
1 "C, D"
3 "C,D"

warning: variable has embedded blanks
    
```

hc1_D **HH. Expenses: Tobacco, cigarett (THB)**

```

type: numeric (long)
range: [0,4500]
unique values: 92
unique missing codes: 2
units: 1
missing.: 0/1,266
missing *: 275/1,266
    
```

```

tabulation:  Freq.  Value
              583    0
                2    5
                1   10
                1   18
                5   20
                1   21
                5   22
                5   26
                1   27
                5   30
                1   33
                3   35
                3   36
                1   38
                2   40
                1   42
                7   43
                1   44
                3   45
                2   48
                9   50
                2   52
               10   60
                3   65
                1   67
                6   72
               11   75
                2   77
               12   86
                5   90
               28  100
                1  103
                1  105
                1  108
                4  120
                1  123
               51  150
                1  151
                1  159
                1  168
                1  172
                1  175
               20  180
                1  195
                9  200
                2  215
                1  224
                2  225
                2  250
               37  300
                3  350
                9  360
                1  375
                1  390
                2  400
                3  430
                2  450
                1  473
                1  480
                9  500
                1  540
                1  550
               12  600
                2  700
                5  750
                2  800
                2  825
                1  860
                7  900
                1  945
                2  975
    
```

```

      8 1000
      2 1050
      5 1200
      1 1275
      1 1290
      5 1350
      1 1355
     12 1500
      5 1650
      3 1800
      3 1950
      3 2000
      2 2100
      1 2150
      1 2500
      3 2700
      3 3000
      1 3300
      1 3900
      1 4000
      1 4500
      1 .a
     274 .c
    mean: 190.235
  std. dev: 485.735

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        150        500

```

hc2_D **Value of producing: Tobacco, cigarett (THB)**

```

      type: numeric (int)

      range: [0,0]
unique values: 1
unique missing codes: 1

      units: 1
missing .: 0/1,266
missing *: 1/1,266

      tabulation: Freq. Value
                  1,265 0
                  1 .a
      mean: 0
      std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

hc3_D **Value of receiving: Tobacco, cigarett (THB)**

```

      type: numeric (long)

      range: [0,0]
unique values: 1
unique missing codes: 2

      units: 1
missing .: 0/1,266
missing *: 3/1,266

      tabulation: Freq. Value
                  1,263 0
                  1 .a
                  2 .c
      mean: 0
      std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

freq_D **Frequency: Monthly**

```

type: numeric (byte)
label: freq
range: [9,9]
unique values: 1
units: 1
missing .: 1/1,266

tabulation: Freq. Numeric Label
1,265 9 monthly
1 .
    
```

no_E **code E**

```

type: numeric (byte)
range: [5,5]
unique values: 1
units: 1
missing .: 1/1,266

tabulation: Freq. Value
1,265 5
1 .
mean: 5
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
5 5 5 5 5
    
```

description_E
Item of expenditure: eliecticity, plumbing, phone, internet connect etc. (not d

```

type: string (str273), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

hc0_E **Code of Inseparable expenses**

```

type: string (str49), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

hc1_E HH. Expenses: Utilities such as water, electricity, telephone and internet (THB)

```

type: numeric (long)
range: [0,13200]
unique values: 511
unique missing codes: 2
units: 1
missing .: 0/1,266
missing *: 6/1,266

mean: 1006.17
std. dev: 866.855

percentiles: 10% 25% 50% 75% 90%
350 525 775 1200 1875
    
```

hc2_E Value of producing: Utilities such as water, electricity, telephone and internet

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing .: 0/1,266
unique missing codes: 1 missing *: 1/1,266

tabulation: Freq. Value
1,265 0
1 .a
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

hc3_E Value of receiving: Utilities such as water, electricity, telephone and internet

```

type: numeric (long)
range: [0,5600] units: 10
unique values: 9 missing .: 0/1,266
unique missing codes: 2 missing *: 38/1,266

tabulation: Freq. Value
1,206 0
2 50
8 100
1 200
4 300
2 400
3 600
1 700
1 5600
1 .a
37 .c
mean: 9.12052
std. dev: 165.562

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

freq_E Frequency: Monthly

```

type: numeric (byte)
label: freq
range: [9,9] units: 1
unique values: 1 missing .: 1/1,266

tabulation: Freq. Numeric Label
1,265 9 monthly
1 .
    
```

no_F code F

```

type: numeric (byte)
range: [6,6] units: 1
unique values: 1 missing .: 1/1,266

tabulation: Freq. Value
1,265 6
1 .
mean: 6
std. dev: 0
    
```

percentiles: 10% 25% 50% 75% 90%
 6 6 6 6 6

description_F **Item of expenditure: house rent (not display)**

 type: string (**str273**), but longest is str0
 unique values: 0 missing "": **1,266/1,266**
 tabulation: Freq. Value
 1,266 "

hc0_F **Code of Inseparable expenses**

 type: string (**str49**), but longest is str0
 unique values: 0 missing "": **1,266/1,266**
 tabulation: Freq. Value
 1,266 "

hc1_F **HH. Expenses: House rents (THB)**

 type: numeric (**long**)
 range: **[0,2500]** units: **1**
 unique values: **10** missing .: **0/1,266**
 unique missing codes: **2** missing *: **3/1,266**
 tabulation: Freq. Value
 1,252 0
 1 150
 2 300
 1 500
 1 600
 1 900
 1 962
 1 1000
 1 2000
 2 2500
 1 .a
 2 .c
 mean: **9.27316**
 std. dev: **125.697**
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc2_F **Value of producing: House rents (THB)**

 type: numeric (**int**)
 range: **[0,0]** units: **1**
 unique values: **1** missing .: **0/1,266**
 unique missing codes: **1** missing *: **1/1,266**
 tabulation: Freq. Value
 1,265 0
 1 .a
 mean: **0**
 std. dev: **0**

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc3_F **Value of receiving: House rents (THB)**

type: numeric (**long**)
 range: [0,0] units: 1
 unique values: 1 missing .: 0/1,266
 unique missing codes: 2 missing *: 2/1,266

tabulation: Freq. Value
 1,264 0
 1 .a
 1 .c
 mean: 0
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

freq_F **Frequency: Monthly**

type: numeric (**byte**)
 label: **freq**
 range: [9,9] units: 1
 unique values: 1 missing .: 1/1,266

tabulation: Freq. Numeric Label
 1,265 9 monthly
 1 .

no_G **code G**

type: numeric (**byte**)
 range: [7,7] units: 1
 unique values: 1 missing .: 1/1,266

tabulation: Freq. Value
 1,265 7
 1 .
 mean: 7
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 7 7 7 7 7

description_G **Item of expenditure: fuel and gasoline (not display)**

type: string (**str273**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

hc0_G **Code of Inseparable expenses**

type: string (**str49**), but longest is str23

unique values: 1 missing "": 1,265/1,266

tabulation: Freq. Value
 1,265 ""
 1 "400-500/เดือน"

hc1_G HH. Expenses: Fuel such as gasoline and gas for private car (THB)

type: numeric (long)
 range: [0,20000] units: 1
 unique values: 170 missing .: 0/1,266
 unique missing codes: 2 missing *: 77/1,266
 mean: 1122.8
 std. dev: 1602.3
 percentiles: 10% 25% 50% 75% 90%
 150 300 516 1290 2700

hc2_G Value of producing: Fuel such as gasoline and gas for private car (THB)

type: numeric (int)
 range: [0,0] units: 1
 unique values: 1 missing .: 0/1,266
 unique missing codes: 1 missing *: 1/1,266
 tabulation: Freq. Value
 1,265 0
 1 .a
 mean: 0
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc3_G Value of receiving: Fuel such as gasoline and gas for private car (THB)

type: numeric (long)
 range: [0,0] units: 1
 unique values: 1 missing .: 0/1,266
 unique missing codes: 1 missing *: 1/1,266
 tabulation: Freq. Value
 1,265 0
 1 .a
 mean: 0
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

freq_G Frequency: Monthly

type: numeric (byte)
 label: freq
 range: [9,9] units: 1
 unique values: 1 missing .: 1/1,266

```

tabulation:  Freq.  Numeric  Label
              1,265    9      monthly
              1          .
    
```

no_H **code H**

```

type: numeric (byte)
range: [8,8]
unique values: 1
units: 1
missing .: 1/1,266

tabulation:  Freq.  Value
              1,265  8
              1      .
mean:        8
std. dev:    0

percentiles: 10%    25%    50%    75%    90%
              8      8      8      8      8
    
```

description_H **Item of expenditure: cooking fuel and gasoline (not display)**

```

type: string (str273), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation:  Freq.  Value
              1,266  ""
    
```

hc0_H **Code of Inseparable expenses**

```

type: string (str49), but longest is str29
unique values: 1
missing "": 1,265/1,266

tabulation:  Freq.  Value
              1,265  ""
              1  "250฿ 2เดือน"

warning: variable has embedded blanks
    
```

hc1_H **HH. Expenses: Gas, firewood for cooking (THB)**

```

type: numeric(long)
range: [0,2775]
unique values: 268
unique missing codes: 2
units: 1
missing .: 0/1,266
missing *: 10/1,266

mean: 256.299
std. dev: 219.856

percentiles: 10%    25%    50%    75%    90%
              0     117    200    385    517
    
```

hc2_H **Value of producing: Gas, firewood for cooking (THB)**

```

type: numeric(int)
    
```

range: [0,1000]
 unique values: 61
 unique missing codes: 2

units: 1
 missing .: 0/1,266
 missing *: 331/1,266

tabulation:	Freq.	Value
	709	0
	2	11
	1	13
	1	15
	1	25
	1	27
	1	30
	1	34
	1	40
	1	42
	1	47
	2	50
	1	55
	7	60
	5	65
	1	70
	5	75
	1	80
	1	88
	1	93
	5	100
	24	120
	9	130
	1	135
	7	140
	17	150
	1	160
	1	173
	2	180
	9	200
	21	240
	2	250
	9	260
	2	280
	1	288
	17	300
	1	350
	7	360
	1	375
	8	390
	4	400
	3	420
	6	450
	4	480
	4	500
	1	513
	2	516
	1	520
	1	559
	1	570
	1	585
	7	600
	2	645
	1	650
	1	660
	2	720
	1	825
	1	875
	1	900
	1	910
	1	1000
	1	.a
	330	.c
mean:	62.8995	
std. dev:	145.486	

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 250

hc3_H Value of receiving: Gas, firewood for cooking (THB)

type: numeric (long)
 range: [0,240] units: 1
 unique values: 9 missing .: 0/1,266
 unique missing codes: 2 missing *: 8/1,266

tabulation: Freq. Value
 1,248 0
 2 10
 1 38
 1 60
 1 65
 2 75
 1 114
 1 140
 1 240
 1 .a
 7 .c

mean: .657393
 std. dev: 9.37045

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

freq_H Frequency: Monthly

type: numeric (byte)
 label: freq
 range: [9,9] units: 1
 unique values: 1 missing .: 1/1,266

tabulation: Freq. Numeric Label
 1,265 9 monthly
 1 .

no_I code I

type: numeric (byte)
 range: [9,9] units: 1
 unique values: 1 missing .: 1/1,266

tabulation: Freq. Value
 1,265 9
 1 .

mean: 9
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 9 9 9 9 9

description_I Item of expenditure: household supplies (not display)

type: string (str273), but longest is str0
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

hc0_I **Code of Inseparable expenses**

type: string (**str49**), but longest is str19

unique values: 1 missing "": 1,265/1,266

tabulation: Freq. Value
 1,265 ""
 1 "150/เดือน"

hc1_I HH. Expenses: Household products such as soap, toothpaste, shampoo, laundry dete

type: numeric (**long**)

range: [0,6450] units: 1
 unique values: 72 missing .: 0/1,266
 unique missing codes: 2 missing *: 74/1,266

tabulation: Freq. Value

81	0
4	50
1	55
2	83
1	86
30	100
1	112
2	120
18	150
1	155
3	167
1	175
1	180
1	186
1	188
86	200
1	210
1	238
33	250
1	255
1	259
1	260
1	285
102	300
1	333
28	350
1	360
1	370
1	380
37	400
1	420
2	430
33	450
234	500
23	550
11	600
2	645
13	650
1	680
16	700
8	750
13	800
2	850
2	860
1	933
1	950

```

231 1000
  3 1075
  1 1100
  1 1150
 12 1200
  3 1250
  1 1290
  1 1350
  1 1429
  1 1450
 48 1500
  1 1505
  1 1700
  2 1750
 43 2000
  2 2150
  6 2500
 15 3000
  2 3500
  1 4000
  1 4300
  3 4500
  2 5000
  1 5500
  1 6000
  1 6450
  1 .a
 73 .c
mean: 698.948
std. dev: 691.581

percentiles:      10%      25%      50%      75%      90%
                  112      300      500      1000     1500

```

hc2_I Value of producing: Household products such as soap, toothpaste, shampoo, laundr

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 1

units: 1
missing .: 0/1,266
missing *: 1/1,266

tabulation: Freq. Value
             1,265  0
             1     .a
mean: 0
std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

hc3_I Value of receiving: Household products such as soap, toothpaste, shampoo, laundr

```

type: numeric (long)
range: [0,14000]
unique values: 13
unique missing codes: 2

units: 1
missing .: 0/1,266
missing *: 79/1,266

```

```

tabulation:  Freq.  Value
              1,167  0
              1    42
              1   200
              1   300
              1   477
              5   500
              1   600
              4  1000
              2  1250
              1  1500
              1  2500
              1  3000
              1 14000
              1   .a
              78   .c
mean:        26.6377
std. dev:    432.406

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

freq_I **Frequency: Monthly**

```

type: numeric (byte)
label: freq

range: [9,9]          units: 1
unique values: 1      missing .. 1/1,266

tabulation:  Freq.  Numeric  Label
              1,265  9  monthly
              1      .
    
```

no_J **code J**

```

type: numeric (byte)

range: [10,10]       units: 1
unique values: 1     missing .. 1/1,266

tabulation:  Freq.  Value
              1,265  10
              1      .
mean:        10
std. dev:    0

percentiles: 10%    25%    50%    75%    90%
              10    10    10    10    10
    
```

description_J **Item of expenditure: gambling activities as lotteries (not display)**

```

type: string (str273), but longest is str0

unique values: 0      missing "": 1,266/1,266

tabulation:  Freq.  Value
              1,266  ""
    
```

hc0_J **Code of Inseparable expenses**

```

type: string (str49), but longest is str19
    
```

unique values: 1 missing "": 1,265/1,266

```

tabulation: Freq. Value
             1,265 ""
             1 " ๒๐๐ 200"
    
```

warning: variable has embedded blanks

hcl_J HH. Expenses: Lottery such as illegal lottery, government lottery, gold lottery

type: numeric (long)

```

range: [0,30000] units: 1
unique values: 100 missing .: 0/1,266
unique missing codes: 2 missing *: 37/1,266
    
```

```

tabulation: Freq. Value
             404 0
             1 5
             2 8
             1 10
             1 17
             1 25
             1 27
             1 29
             1 30
             1 33
             1 35
             7 40
             1 42
             1 43
             1 45
             3 50
             1 67
             1 71
             1 75
             3 80
             2 83
            15 100
             1 110
             2 115
             1 120
             2 125
             1 128
             1 133
             1 136
             4 150
            12 160
            59 200
             1 208
             1 227
             1 231
             2 240
            14 250
             1 273
             1 280
             1 290
             1 292
            47 300
             1 310
             2 320
             1 340
             8 350
             1 361
             1 380
            50 400
            10 450
            73 500
             8 550
             1 560
    
```



```

47 600
4 650
1 680
12 700
4 750
20 800
1 821
1 833
1 860
17 900
114 1000
9 1100
1 1160
9 1200
3 1250
5 1300
4 1400
30 1500
2 1550
2 1600
1 1700
1 1720
1 1800
2 1900
74 2000
1 2200
1 2400
6 2500
1 2600
1 2800
1 2900
35 3000
3 3500
1 3600
22 4000
1 4100
2 4500
6 5000
1 5500
10 6000
1 6500
1 7000
3 8000
1 9000
1 10000
2 20000
1 30000
1 .a
36 .c
mean: 826.549
std. dev: 1653.46

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0       350     1000     2000

```

hc2_J Value of producing: Lottery such as illegal lottery, government lottery, gold lo

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 1
units: 1
missing .: 0/1,266
missing *: 1/1,266
tabulation: Freq. Value
             1,265 0
             1 .a
mean: 0
std. dev: 0

```


unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""

hc1_K

HH. Expenses: Expense on medicine THB)

type: numeric (long)

range: [0,220000] units: 1
unique values: 87 missing .: 0/1,266
unique missing codes: 2 missing *: 53/1,266

tabulation:	Freq.	Value
	590	0
	2	10
	1	15
	1	18
	12	20
	1	23
	8	25
	14	30
	5	35
	6	40
	4	45
	27	50
	1	51
	1	53
	1	54
	5	55
	12	60
	2	70
	2	71
	2	72
	2	90
	84	100
	1	110
	5	120
	1	125
	2	130
	1	138
	3	140
	24	150
	1	160
	3	165
	1	180
	1	188
	41	200
	2	210
	1	215
	3	220
	1	230
	1	240
	33	250
	27	300
	9	350
	2	390
	6	400
	1	420
	22	450
	1	490
	78	500
	1	525
	1	540
	5	550
	7	600
	6	650
	4	750
	1	770
	71	1000

```

1 1100
4 1200
4 1300
1 1460
11 1500
1 1560
1 1650
1 1800
1 1950
11 2000
1 2030
1 2100
1 2200
1 2400
4 2500
2 2600
1 2700
1 2838
2 3000
1 3500
2 3600
1 3650
1 4000
1 4500
1 5000
1 5200
1 5625
1 6000
1 10000
1 15600
1 220000
1 .a
52 .c
mean: 471.739
std. dev: 6357.4

percentiles:    10%    25%    50%    75%    90%
                 0      0      23     300    1000

```

hc2_K **Value of producing: Expense on medicine (THB)**

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 1
units: 1
missing .: 0/1,266
missing *: 1/1,266

tabulation: Freq. Value
1,265 0
1 .a
mean: 0
std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0

```

hc3_K **Value of receiving: Expense on medicine (THB)**

```

type: numeric (long)
range: [0,200]
unique values: 3
unique missing codes: 2
units: 100
missing .: 0/1,266
missing *: 9/1,266

```

```

tabulation: Freq. Value
             1,255  0
             1    100
             1    200
             1    .a
             8    .c
mean:       .238663
std. dev:   6.30491

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

freq_K **Frequency: Yearly**

```

type: numeric (byte)
label: freq

range: [17,17]          units: 1
unique values: 1        missing.: 1/1,266

tabulation: Freq. Numeric Label
             1,265    17  yearly
             1         .
    
```

no_L **code L**

```

type: numeric (byte)

range: [12,12]          units: 1
unique values: 1        missing.: 1/1,266

tabulation: Freq. Value
             1,265    12
             1         .
mean:       12
std. dev:   0

percentiles:    10%    25%    50%    75%    90%
                12     12     12     12     12
    
```

description_L **Item of expenditure: seeing a doctor in clinic (not display)**

```

type: string (str273), but longest is str0
unique values: 0          missing "": 1,266/1,266

tabulation: Freq. Value
             1,266  ""
    
```

hc0_L **Code of Inseparable expenses**

```

type: string (str49), but longest is str1
unique values: 1          missing "": 1,265/1,266

tabulation: Freq. Value
             1,265  ""
             1     "0"
    
```

hc1_L **HH. Expenses: Expense on doctor visit at medical clinic (THB)**

```

type: numeric (long)
range: [0,48000]
unique values: 154
unique missing codes: 2
units: 1
missing .: 0/1,266
missing *: 28/1,266

mean: 1037.79
std. dev: 2407.61

percentiles:      10%      25%      50%      75%      90%
                  0        0        300     1150     2500
    
```

hc2_L Value of producing: Expense on doctor visit at medical clinic (THB)

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 1
units: 1
missing .: 0/1,266
missing *: 1/1,266

tabulation: Freq. Value
             1,265  0
             1     .a
mean:       0
std. dev:   0

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

hc3_L Value of receiving: Expense on doctor visit at medical clinic (THB)

```

type: numeric (long)
range: [0,200]
unique values: 3
unique missing codes: 2
units: 100
missing .: 0/1,266
missing *: 7/1,266

tabulation: Freq. Value
             1,257  0
             1     100
             1     200
             1     .a
             6     .c
mean:       .238284
std. dev:   6.29991

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

freq_L Frequency: Yearly

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 1/1,266

tabulation: Freq. Numeric Label
             1,265     17 yearly
             1         .
    
```

no_M code M

```

type: numeric (byte)
range: [13,13] units: 1
unique values: 1 missing .: 1/1,266

tabulation: Freq. Value
1,265 13
1 .
mean: 13
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
13 13 13 13 13
    
```

description_M Item of expenditure: seeing a doctor in hospital (not display)

```

type: string (str273), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

hc0_M Code of Inseparable expenses

```

type: string (str49), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

hc1_M HH. Expenses: Expense on doctor visit at hospital (THB)

```

type: numeric (long)
range: [0,172400] units: 1
unique values: 57 missing .: 0/1,266
unique missing codes: 2 missing *: 31/1,266

tabulation: Freq. Value
1,009 0
45 30
1 45
25 60
6 75
1 83
11 90
3 100
3 105
2 110
26 120
3 130
1 140
4 150
3 165
17 180
3 195
1 210
1 220
2 240
2 270
2 280
3 300
1 350
8 360
    
```

3 390
 3 450
 1 550
 1 585
 4 600
 1 625
 1 660
 1 700
 2 990
 2 1000
 1 1050
 1 1060
 1 1100
 1 1170
 1 1250
 1 1500
 1 1548
 1 1650
 7 2000
 1 2400
 1 2500
 4 3000
 1 3730
 1 6000
 3 10000
 1 10800
 1 11000
 1 18000
 1 19000
 1 22000
 1 141900
 1 172400
 1 .a
 30 .c
 mean: 411.223
 std. dev: 6460.63

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 120

hc2_M Value of producing: Expense on doctor visit at hospital (THB)

type: numeric (int)

range: [0,0] units: 1
 unique values: 1 missing .: 0/1,266
 unique missing codes: 1 missing *: 1/1,266

tabulation: Freq. Value
 1,265 0
 1 .a
 mean: 0
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc3_M Value of receiving: Expense on doctor visit at hospital (THB)

type: numeric (long)

range: [0,180] units: 1
 unique values: 4 missing .: 0/1,266
 unique missing codes: 2 missing *: 708/1,266


```

tabulation: Freq. Value
             554  0
             2   30
             1   73
             1  180
             1   .a
             707   .c
mean:       .560932
std. dev:   8.4055

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

freq_M **Frequency: Yearly**

```

type: numeric (byte)
label: freq

range: [17,17]          units: 1
unique values: 1        missing .: 1/1,266

tabulation: Freq.  Numeric  Label
             1,265    17     yearly
             1         .
    
```

no_N **code N**

```

type: numeric (byte)

range: [14,14]          units: 1
unique values: 1        missing .: 1/1,266

tabulation: Freq. Value
             1,265  14
             1     .
mean:       14
std. dev:   0

percentiles: 10%    25%    50%    75%    90%
              14    14    14    14    14
    
```

description_N **Item of expenditure: household donating/charity (not display)**

```

type: string (str273), but longest is str0
unique values: 0          missing "": 1,266/1,266

tabulation: Freq. Value
             1,266  ""
    
```

hc0_N **Code of Inseparable expenses**

```

type: string (str49), but longest is str0
unique values: 0          missing "": 1,266/1,266

tabulation: Freq. Value
             1,266  ""
    
```

hc1_N **HH. Expenses: Donation (THB)**

```

type: numeric (long)
range: [0,33000]
unique values: 68
unique missing codes: 2
units: 1
missing .: 0/1,266
missing *: 155/1,266

```

```

tabulation: Freq. Value
19 0
1 50
1 60
2 100
1 150
6 200
5 250
8 300
6 350
4 400
10 450
48 500
1 540
11 550
6 600
1 650
5 700
5 750
1 800
1 900
210 1000
1 1118
1 1150
10 1200
5 1250
1 1300
3 1400
2 1450
101 1500
3 1550
1 1600
1 1650
1 1833
195 2000
80 2500
2 2600
93 3000
1 3300
46 3500
1 3900
25 4000
1 4200
35 4500
65 5000
5 5500
15 6000
1 6060
2 6500
4 7000
1 7150
1 7500
1 7800
1 8000
1 8800
1 9600
30 10000
1 10500
4 12000
1 13000
2 14000
4 15000
2 19500
3 20000
1 24000
1 25000

```

```

          1 26000
          1 30000
          1 33000
          1 .a
        154 .c
    mean: 2697.08
  std. dev: 3045.18

percentiles:    10%    25%    50%    75%    90%
                540    1000   2000   3000   5000
  
```

hc2_N **Value of producing: Donation (THB)**

```

    type: numeric (int)
    range: [0,0]
  unique values: 1
unique missing codes: 1

    units: 1
  missing .: 0/1,266
  missing *: 1/1,266

  tabulation: Freq. Value
              1,265 0
              1 .a
    mean: 0
  std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
  
```

hc3_N **Value of receiving: Donation (THB)**

```

    type: numeric (long)
    range: [0,0]
  unique values: 1
unique missing codes: 1

    units: 1
  missing .: 0/1,266
  missing *: 1/1,266

  tabulation: Freq. Value
              1,265 0
              1 .a
    mean: 0
  std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
  
```

freq_N **Frequency: Yearly**

```

    type: numeric (byte)
  label: freq
    range: [17,17]
  unique values: 1

    units: 1
  missing .: 1/1,266

  tabulation: Freq. Numeric Label
              1,265    17 yearly
              1      .
  
```

no_O **code O**

```

    type: numeric (byte)
    range: [15,15]
  unique values: 1

    units: 1
  missing .: 1/1,266
  
```

```

tabulation: Freq. Value
            1,265 15
            1 .
mean:      15
std. dev:  0

percentiles: 10%    25%    50%    75%    90%
              15     15     15     15     15
    
```

description_0 **Item of expenditure: performing ceremonies (not display)**

```

type: string (str273), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

hc0_0 **Code of Inseparable expenses**

```

type: string (str49), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

hc1_0 **HH. Expenses: Expense on ceremony (THB)**

```

type: numeric (long)
range: [0,500000] units: 10
unique values: 43 missing .: 0/1,266
unique missing codes: 2 missing *: 8/1,266

tabulation: Freq. Value
            1,139 0
              3 300
              1 400
              1 450
              5 500
             12 1000
              1 1200
              4 1500
              1 1600
              3 2000
              5 3000
              1 4000
              4 5000
              1 6000
              1 6500
              8 10000
              1 17500
              1 18000
              6 20000
              3 25000
              4 30000
              2 33000
              3 35000
              4 40000
              1 45000
              2 50000
              3 55000
              1 60000
              1 70000
              1 81500
    
```

```

1 85000
2 90000
7 100000
5 120000
2 130000
5 150000
1 170000
6 200000
1 250000
1 270000
2 300000
1 340000
1 500000
1 .a
7 .c
mean: 5779.45
std. dev: 31819.4
percentiles: 10% 25% 50% 75% 90%
              0    0    0    0    0

```

hc2_O **Value of producing: Expense on ceremony (THB)**

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 1
units: 1
missing .: 0/1,266
missing *: 1/1,266
tabulation: Freq. Value
             1,265 0
             1 .a
mean: 0
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
              0    0    0    0    0

```

hc3_O **Value of receiving: Expense on ceremony (THB)**

```

type: numeric (long)
range: [0,150000]
unique values: 2
unique missing codes: 1
units: 10000
missing .: 0/1,266
missing *: 1/1,266
tabulation: Freq. Value
             1,264 0
             1 150000
             1 .a
mean: 118.577
std. dev: 4217.41
percentiles: 10% 25% 50% 75% 90%
              0    0    0    0    0

```

freq_O **Frequency: Yearly**

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 1/1,266

```

```

tabulation: Freq.  Numeric  Label
             1,265    17     yearly
             1         .
    
```

no_P **code P**

```

type: numeric (byte)
range: [16,16]
unique values: 1
units: 1
missing .: 1/1,266

tabulation: Freq.  Value
             1,265  16
             1     .
mean:      16
std. dev:  0

percentiles: 10%    25%    50%    75%    90%
              16    16    16    16    16
    
```

description_P **Item of expenditure: dwelling maintenance (not display)**

```

type: string (str273), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.  Value
             1,266  ""
    
```

hc0_P **Code of Inseparable expenses**

```

type: string (str49), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.  Value
             1,266  ""
    
```

hc1_P **HH. Expenses: House restoration or construction (THB)**

```

type: numeric (long)
range: [0,1000000]
unique values: 69
unique missing codes: 2
units: 10
missing .: 0/1,266
missing *: 9/1,266

tabulation: Freq.  Value
             1,020  0
              2    100
              1    450
              2    500
              1    650
              1    700
              1    750
              6   1000
              1   1100
              1   1200
              5   1500
              5   2000
              6   2500
              4   3000
              2   3500
              5   4000
              1   4200
    
```

```

1 4500
7 5000
6 6000
5 7000
1 7500
1 7600
4 8000
2 9000
12 10000
1 11000
4 13000
2 14000
10 15000
1 16000
1 18000
21 20000
1 20800
11 25000
1 26500
1 27000
1 28000
18 30000
3 35000
7 40000
2 45000
11 50000
1 55000
1 57000
8 60000
1 65000
4 70000
1 70500
2 75000
2 80000
1 90000
9 100000
1 120000
1 130000
3 150000
1 170000
1 180000
4 200000
1 220000
3 250000
1 290000
2 300000
1 400000
1 550000
1 650000
3 700000
1 780000
3 1000000
1 .a
8 .c
      mean: 13140.9
      std. dev: 73794.2

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0       20000
    
```

hc2_P Value of producing: House restoration or construction (THB)

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 1

units: 1
missing .: 0/1,266
missing *: 1/1,266
    
```

```

tabulation: Freq. Value
             1,265  0
             1    .a
    mean:    0
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

hc3_P **Value of receiving: House restoration or construction (THB)**

```

type: numeric (long)
range: [0,1100000]          units: 100
unique values: 9            missing .: 0/1,266
unique missing codes: 2    missing *: 4/1,266
    
```

```

tabulation: Freq. Value
             1,254  0
             1   5000
             1  10000
             1  17500
             1  18000
             1  50000
             1 145000
             1 300000
             1 1100000
             1    .a
             3    .c
    mean:    1303.88
    std. dev: 32380.3

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

freq_P **Frequency: Yearly**

```

type: numeric (byte)
label: freq
range: [17,17]          units: 1
unique values: 1        missing .: 1/1,266

tabulation: Freq.  Numeric  Label
             1,265    17     yearly
             1         .
    
```

no_Q **code Q**

```

type: numeric (byte)
range: [17,17]          units: 1
unique values: 1        missing .: 1/1,266

tabulation: Freq. Value
             1,265  17
             1     .
    mean:    17
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              17     17     17     17     17
    
```

description_Q
Item of expenditure: Maintainance cost and registration cost of mothorcycle, car

type: string (**str273**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

hc0_Q **Code of Inseparable expenses**

type: string (**str49**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

hc1_Q HH. Expenses: Insurance, maintainance cost and registration cost of mothorcycle,

type: numeric (**long**)
 range: [0,310000] units: 1
 unique values: 183 missing .: 0/1,266
 unique missing codes: 2 missing *: 128/1,266
 mean: 3681.9
 std. dev: 11760.9
 percentiles: 10% 25% 50% 75% 90%
 0 0 995 3000 10000

hc2_Q Value of producing: Insurance, maintainance cost and registration cost of mothor

type: numeric (**int**)
 range: [0,0] units: 1
 unique values: 1 missing .: 0/1,266
 unique missing codes: 2 missing *: 2/1,266
 tabulation: Freq. Value
 1,264 0
 1 .a
 1 .c
 mean: 0
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc3_Q Value of receiving: Insurance, maintainance cost and registration cost of mothor

type: numeric (**long**)
 range: [0,17950] units: 10
 unique values: 6 missing .: 0/1,266
 unique missing codes: 2 missing *: 9/1,266

```

tabulation: Freq. Value
            1,252 0
            1 560
            1 900
            1 2200
            1 10000
            1 17950
            1 .a
            8 .c
mean:      25.1472
std. dev:  583.321

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

freq_Q **Frequency: Yearly**

```

type: numeric (byte)
label: freq

range: [17,17]          units: 1
unique values: 1        missing .: 1/1,266

tabulation: Freq. Numeric Label
            1,265      17 yearly
            1           .
    
```

no_R **code R**

```

type: numeric (byte)

range: [18,18]          units: 1
unique values: 1        missing .: 1/1,266

tabulation: Freq. Value
            1,265  18
            1      .
mean:      18
std. dev:  0

percentiles:    10%    25%    50%    75%    90%
                18     18     18     18     18
    
```

description_R
Item of expenditure: Furniture and house decoration (in case paid in cash) (not

```

type: string (str273), but longest is str0
unique values: 0          missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

hc0_R **Code of Inseparable expenses**

```

type: string (str49), but longest is str0
unique values: 0          missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

hc1_R HH. Expenses: Furniture and house decoration (in case paid in cash) (THB)

type: numeric (long)
 range: [0,100000] units: 1
 unique values: 47 missing .: 0/1,266
 unique missing codes: 2 missing *: 7/1,266

tabulation:	Freq.	Value
	1,170	0
	1	20
	1	60
	1	400
	1	500
	1	550
	1	625
	1	750
	1	800
	3	1000
	6	1500
	8	2000
	2	2200
	1	2300
	3	2500
	1	2600
	1	2700
	9	3000
	1	3300
	3	3500
	1	3600
	1	3800
	1	4000
	1	4200
	1	4400
	2	4500
	1	4600
	6	5000
	2	5500
	1	5600
	1	6000
	1	6450
	2	6500
	1	6800
	1	7000
	1	7500
	1	8000
	1	8400
	1	9000
	7	10000
	2	10500
	1	12290
	1	14500
	2	15000
	1	20000
	1	30000
	1	100000
	1	.a
	6	.c

mean: 430.616
 std. dev: 3328.66

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

hc2_R Value of producing: Furniture and house decoration (in case paid in cash) (THB)

type: numeric (int)

```

range: [0,0] units: 1
unique values: 1 missing .: 0/1,266
unique missing codes: 1 missing *: 1/1,266

tabulation: Freq. Value
             1,265 0
             1 .a
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

hc3_R Value of receiving: Furniture and house decoration (in case paid in cash) (THB)

```

type: numeric (long)

range: [0,50000] units: 1000
unique values: 4 missing .: 0/1,266
unique missing codes: 2 missing *: 6/1,266

tabulation: Freq. Value
             1,257 0
             1 2000
             1 8000
             1 50000
             1 .a
             5 .c
mean: 47.619
std. dev: 1427.39

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

freq_R Frequency: Yearly

```

type: numeric (byte)
label: freq

range: [17,17] units: 1
unique values: 1 missing .: 1/1,266

tabulation: Freq. Numeric Label
             1,265 17 yearly
             1 .
    
```

no_S code S

```

type: numeric (byte)

range: [19,19] units: 1
unique values: 1 missing .: 1/1,266

tabulation: Freq. Value
             1,265 19
             1 .
mean: 19
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              19 19 19 19 19
    
```

description_S Item of expenditure: hobbies & entertainment (not display)

```

type: string (str273), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

hc0_S **Code of Inseparable expenses**

```

type: string (str49), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

hc1_S **HH. Expenses: Recreational costs (Traveling to different locations) (THB)**

```

type: numeric (long)
range: [0,160000] units: 1
unique values: 48 missing .: 0/1,266
unique missing codes: 2 missing *: 18/1,266
    
```

```

tabulation: Freq. Value
             1,017 0
              1 100
              2 150
              2 200
              1 250
              1 300
              1 350
              1 400
              1 450
              5 500
              1 550
              3 600
              1 800
              1 825
              1 900
             21 1000
              2 1375
             17 1500
              1 1550
              1 1650
              1 1700
              1 1800
             32 2000
             12 2500
             22 3000
              4 3500
              2 3600
             10 4000
              6 4500
             16 5000
              3 5500
              3 6000
              4 7000
              2 7500
              1 8000
              1 9000
             23 10000
              2 12000
              6 15000
              1 18000
              3 20000
              4 25000
              2 30000
    
```

```

                1  40000
                2  45000
                1  60000
                1  150000
                1  160000
                1  .a
               17  .c
    mean:      1258.47
    std. dev:  7331.37

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      2500
    
```

hc2_S Value of producing: Recreational costs (Traveling to different locations) (THB)

```

    type: numeric (int)

    range: [0,0]
    unique values: 1
    unique missing codes: 1

    units: 1
    missing .: 0/1,266
    missing *: 1/1,266

    tabulation:  Freq.  Value
                 1,265  0
                 1  .a
    mean:        0
    std. dev:    0

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

hc3_S Value of receiving: Recreational costs (Traveling to different locations) (THB)

```

    type: numeric (long)

    range: [0,50000]
    unique values: 11
    unique missing codes: 2

    units: 1
    missing .: 0/1,266
    missing *: 32/1,266

    tabulation:  Freq.  Value
                 1,223  0
                 1  1000
                 1  2000
                 1  4500
                 1  5325
                 1  7000
                 1  8000
                 2  10000
                 1  15000
                 1  30000
                 1  50000
                 1  .a
                31  .c
    mean:      115.741
    std. dev:  1795.52

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

freq_S Frequency: Yearly

```

    type: numeric (byte)
    label: freq

    range: [17,17]
    unique values: 1

    units: 1
    missing .: 1/1,266
    
```

```

tabulation:  Freq.  Numeric  Label
              1,265    17     yearly
              1         .
    
```

no_T **code T**

```

type:  numeric (byte)
range: [20,20]
unique values: 1
units: 1
missing .: 1/1,266

tabulation:  Freq.  Value
              1,265  20
              1     .
mean:        20
std. dev:    0

percentiles:  10%    25%    50%    75%    90%
              20    20    20    20    20
    
```

description_T
Item of expenditure: Land or shop rental fee (not include land rental fee in bus

```

type:  string (str273), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation:  Freq.  Value
              1,266  ""
    
```

hc0_T **Code of Inseparable expenses**

```

type:  string (str49), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation:  Freq.  Value
              1,266  ""
    
```

hc1_T HH. Expenses: Land or shop rental fee (excluding land rental fee in business sec

```

type:  numeric (long)
range: [0,72500]
unique values: 86
unique missing codes: 3
units: 1
missing .: 0/1,266
missing *: 4/1,266

tabulation:  Freq.  Value
              1,141  0
              1    106
              1    120
              1    250
              1    330
              1    500
              2    700
              2   1000
              1   1125
              2   1200
              3   1350
              1   1500
              1   1800
              1   1950
              3   2000
              1   2100
    
```

1 2500
1 2970
1 3000
1 3300
1 3500
1 3575
1 3640
1 3750
1 3960
4 4000
1 4200
2 4500
1 4800
1 4875
2 4950
2 5000
1 5400
1 5775
1 6000
3 6600
1 6667
1 6750
3 7000
1 7095
1 7200
2 7500
1 7590
1 7925
1 7986
3 8000
1 8100
2 8250
1 8340
1 8370
1 8866
1 9000
1 9300
2 9450
1 9900
4 10000
1 10650
1 11550
2 12000
1 12375
1 13000
1 13200
1 14000
3 15000
1 16000
2 16500
2 17500
3 18000
1 18975
1 19000
1 19500
4 20000
1 21500
1 22500
1 23460
2 24000
1 24750
1 25800
1 27500
1 27550
1 29750
1 30000
1 30800
1 31675
1 49600
1 72500
1 .a
1 .b


```

                2 .c
    mean:      1017.99
    std. dev:  4481.81

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

hc2_T Value of producing: Land or shop rental fee (excluding land rental fee in busine

```

    type: numeric (int)

    range: [0,7200]          units: 100
    unique values: 3        missing .: 0/1,266
    unique missing codes: 2 missing *: 2/1,266

    tabulation:  Freq.  Value
                 1,262  0
                 1     6600
                 1     7200
                 1     .a
                 1     .b
    mean:       10.9177
    std. dev:   274.618

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

hc3_T Value of receiving: Land or shop rental fee (excluding land rental fee in busine

```

    type: numeric (long)

    range: [0,31100]        units: 100
    unique values: 3        missing .: 0/1,266
    unique missing codes: 3 missing *: 6/1,266

    tabulation:  Freq.  Value
                 1,258  0
                 1     5000
                 1    31100
                 1     .a
                 1     .b
                 4     .c
    mean:       28.6508
    std. dev:   887.284

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

freq_T **Frequency: Yearly**

```

    type: numeric (byte)
    label: freq

    range: [17,17]          units: 1
    unique values: 1        missing .: 1/1,266

    tabulation:  Freq.  Numeric  Label
                 1,265   17      yearly
                 1      .
    
```

no_U **code U**

```

    type: numeric (byte)
    
```

range: [21,21] units: 1
 unique values: 1 missing .: 995/1,266

tabulation: Freq. Value
 271 21
 995 .

mean: 21
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 21 21 21 21 21

description_U Item of expenditure: Other, please specify (not display)

type: string (str273), but longest is str0
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

description_U_group Group of items: description_U (not display)

type: string (str39), but longest is str0
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

hc0_U Code of Inseparable expenses

type: string (str49), but longest is str0
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

hc1_U HH. Expenses: Others (THB)

type: numeric (long)

range: [0,1200] units: 10
 unique values: 5 missing .: 1,073/1,266

tabulation: Freq. Value
 188 0
 1 130
 1 600
 2 1000
 1 1200
 1,073 .

mean: 20.3627
 std. dev: 139.509

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc2_U Value of producing: others (THB)

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing .: 1,073/1,266

tabulation: Freq. Value
             193 0
             1,073 .
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

hc3_U

Value of receiving: others (THB)

```

type: numeric (long)
range: [0,63000] units: 1
unique values: 71 missing .: 1,073/1,266
unique missing codes: 2 missing *: 81/1,266

tabulation: Freq. Value
             5 0
             1 250
             1 300
             1 450
             1 500
             1 550
             1 600
             2 625
             1 800
             1 900
             5 1000
             1 1050
             2 1200
             1 1375
             1 1400
             1 1500
             1 1600
             1 1700
             1 1725
             1 1800
             2 1950
             6 2000
             1 2050
             1 2100
             1 2475
             5 3000
             2 3250
             1 3300
             1 3400
             2 3500
             1 3750
             5 4000
             2 4050
             1 4400
             3 4500
             1 4800
             3 5000
             1 5250
             1 5325
             2 5500
             3 6000
             1 6250
             1 6800
             1 7000
             1 7150
             2 7500
             1 8000
    
```

```

1 8250
1 9000
1 10000
1 10500
3 11000
1 11200
1 11405
2 12000
1 12500
1 13000
2 14000
1 15175
1 16903
1 18000
1 19250
1 20000
2 21000
1 24000
1 26000
1 39000
1 48000
1 52520
2 60000
1 63000
1,073 .
81 .c
mean: 8186.63
std. dev: 12395.4

percentiles:      10%      25%      50%      75%      90%
                  625      1712.5    4000     9500     19250
    
```

freq_U **Frequency: Yearly**

```

type: numeric (byte)
label: freq

range: [17,17]          units: 1
unique values: 1       missing .: 1,073/1,266

tabulation: Freq.  Numeric  Label
             193      17     yearly
             1,073      .
    
```

no_V **code V**

```

type: numeric (byte)

range: [22,22]          units: 1
unique values: 1       missing .: 1,085/1,266

tabulation: Freq.  Value
             181    22
             1,085  .

mean: 22
std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  22       22       22       22       22
    
```

description_V **Item of expenditure: Other, please specify (not display)**

```

type: string (str273), but longest is str0
unique values: 0       missing "": 1,266/1,266
    
```

tabulation: Freq. Value
 1,266 ""

description_V_group **Group of items: description_V**

type: string (**str31**)
 unique values: **12** missing "": **1,181/1,266**
 tabulation: Freq. Value
 1,181 ""
 30 "clothes;education;"
 19 "food;clothes;"
 10 "food;clothes;education;"
 1 "food;clothes;other;"
 4 "food;education;"
 1 "food;health;education;"
 2 "food;utility;clothes;education;"
 1 "food;utility;education;"
 1 "health;clothes;education;"
 8 "other;"
 6 "utility;clothes;"
 2 "utility;clothes;education;"

hc0_V **Code of Inseparable expenses**

type: string (**str49**), but longest is str0
 unique values: **0** missing "": **1,266/1,266**
 tabulation: Freq. Value
 1,266 ""

hc1_V **HH. Expenses: Others (THB)**

type: numeric (**long**)
 range: **[0,4800]** units: **10**
 unique values: **5** missing .: **1,181/1,266**
 tabulation: Freq. Value
 81 0
 1 300
 1 750
 1 2000
 1 4800
 1,181 .
 mean: **92.3529**
 std. dev: **566.606**
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc2_V **Value of producing: others (THB)**

type: numeric (**int**)
 range: **[0,0]** units: **1**
 unique values: **1** missing .: **1,181/1,266**

```

tabulation:  Freq.  Value
              85    0
             1,181  .
    mean:      0
    std. dev:  0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

hc3_v

Value of receiving: others (THB)

```

type: numeric (long)
range: [0,27500]
unique values: 34
unique missing codes: 2

units: 1
missing .: 1,181/1,266
missing *: 39/1,266
    
```

```

tabulation:  Freq.  Value
              3    0
              2  450
              1  500
              1  600
              1  650
              1  800
              2 1000
              1 1050
              1 1200
              1 1290
              2 1500
              1 1650
              1 1800
              2 1950
              5 2000
              1 2300
              2 2500
              1 2700
              1 3250
              1 3500
              1 3750
              1 4275
              1 5500
              1 6050
              1 6700
              1 6950
              1 7000
              1 9000
              1 13500
              1 14800
              1 20000
              2 22000
              1 26000
              1 27500
             1,181  .
              39  .c
    mean:      5241.63
    std. dev:  7233.15

percentiles:  10%    25%    50%    75%    90%
              450    1050    2000    6050    20000
    
```

freq_v

Frequency: Yearly

```

type: numeric (byte)
label: freq

range: [17,17]
unique values: 1

units: 1
missing .: 1,181/1,266
    
```

```

tabulation: Freq.  Numeric  Label
             85      17     yearly
             1,181      .
    
```

description_1 Expenditures for Education: Transportation cost to school (not display)

```

type: string (str109), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq.  Value
             1,266 ""
    
```

freq_1 Frequency: Monthly

```

type: numeric (byte)
label: freq
range: [9,9] units: 1
unique values: 1 missing .: 0/1,266
tabulation: Freq.  Numeric  Label
             1,266      9     monthly
    
```

hcla_1 Pre School

```

type: numeric (long)
range: [0,3200] units: 1
unique values: 30 missing .: 2/1,266
unique missing codes: 4 missing *: 19/1,266
tabulation: Freq.  Value
             1,106  0
              11  100
               1  150
               1  195
               5  200
               1  215
               2  220
               1  225
               4  270
              20  300
               1  338
               2  340
               8  350
              24  400
               2  440
               2  450
              12  500
               1  550
               1  588
              16  600
              11  700
               1  780
               2  800
               1  950
               3 1000
               2 1200
               1 1500
               1 1700
               1 2400
               1 3200
               2  .
               1  .a
              17  .b
    
```

```

          1 .c
    mean:  54.2739
    std. dev: 199.588

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      200
    
```

hclb_1 **Primary School**

```

    type: numeric (long)

    range: [0,4500]
    unique values: 29
    unique missing codes: 3

    units: 1
    missing .: 35/1,266
    missing *: 767/1,266
    
```

```

    tabulation:  Freq.  Value
                 358    0
                 1    100
                 1    150
                 2    200
                 1    220
                 2    250
                19    300
                 6    350
                 1    380
                 1    390
                17    400
                 2    440
                 1    450
                 1    470
                 7    500
                11    600
                 8    700
                 1    713
                 8    800
                 1    850
                 1    900
                 3   1000
                 1   1167
                 4   1200
                 1   1400
                 2   1600
                 1   2000
                 1   2400
                 1   4500
                35    .
                 1    .a
                766    .b
    mean:  141.315
    std. dev: 363.849
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      500
    
```

hclc_1 **Secondary school/vocational**

```

    type: numeric (long)

    range: [0,1500]
    unique values: 30
    unique missing codes: 4

    units: 1
    missing .: 22/1,266
    missing *: 1,042/1,266
    
```



```

tabulation:  Freq.  Value
              123    0
              1    50
              1   100
              2   150
              1   249
              2   250
             13   300
              3   330
              2   350
              1   353
              1   375
             13   400
              1   420
              9   440
              3   450
              1   460
              1   500
              1   510
              2   528
              6   600
              1   660
              5   700
              1   720
              1   770
              2   880
              1   900
              1  1080
              1  1290
              1  1400
              1  1500
             22   .
              1   .a
            1,035  .b
              6   .c
    mean:      188.876
  std. dev:   286.4

percentiles:  10%    25%    50%    75%    90%
              0      0      0      400    600
    
```

hc1d_1 **Higher than Secondary school/vocational**

```

    type:  numeric (long)
    range:  [0,0]
  unique values:  1
unique missing codes:  4
    units:  1
  missing .:  19/1,266
  missing *:  1,235/1,266

    tabulation:  Freq.  Value
                  12    0
                  19    .
                   1   .a
                 1,232  .b
                   2   .c
    mean:        0
  std. dev:     0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

hc1note_1 **Interviewer note of table 1 (unavailable)**

```

    type:  string (str270), but longest is str0
  unique values:  0
  missing "":  1,266/1,266
    
```

tabulation: Freq. Value
 1,266 ""

description_2

Expenditures for Education: Story book/picture book for kids (not display)

type: string (**str109**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

freq_2

Frequency: Yearly

type: numeric (**byte**)
 label: **freq**
 range: [17,17] units: 1
 unique values: 1 missing .: 0/1,266
 tabulation: Freq. Numeric Label
 1,266 17 yearly

hcla_2

Pre School

type: numeric (**long**)
 range: [0,15000] units: 1
 unique values: 52 missing .: 2/1,266
 unique missing codes: 4 missing *: 52/1,266
 tabulation: Freq. Value
 868 0
 1 5
 1 10
 3 15
 13 20
 3 25
 4 30
 1 32
 1 33
 4 35
 16 40
 1 44
 2 45
 22 50
 1 53
 13 60
 2 70
 3 75
 4 80
 1 87
 3 90
 85 100
 1 105
 1 118
 1 120
 6 125
 20 150
 1 167
 2 175
 1 180
 39 200
 1 210
 1 216

```

      1 220
      1 225
     15 250
      2 280
     17 300
      1 330
      6 350
      3 400
      2 450
     15 500
      4 600
      1 667
      1 800
     11 1000
      1 1450
      1 1500
      2 2000
      1 10000
      1 15000
      2 .
      1 .a
     17 .b
     34 .c
    mean: 78.1246
  std. dev: 541.526

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         40        200

```

hclb_2

Primary School

```

      type: numeric (long)
      range: [0,2000]
  unique values: 21
unique missing codes: 4
      units: 1
  missing .: 36/1,266
  missing *: 777/1,266

```

```

tabulation:  Freq.  Value
             415    0
              1    10
              2    20
              1    30
              1    31
              1    45
              3    50
              1    60
              1    75
              8   100
              1   110
              2   125
              2   150
              1   175
              4   200
              1   225
              1   250
              4   300
              1   333
              1   500
              1  2000
             36    .
              1   .a
             765   .b
             11   .c
    mean: 16.3002
  std. dev: 106.161

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

hclc_2 **Secondary school/vocational**

```

type: numeric (long)
range: [0,0]
unique values: 1
unique missing codes: 4
units: 1
missing .: 22/1,266
missing *: 1,038/1,266

tabulation: Freq. Value
             206 0
             22 .
             1 .a
            1,036 .b
             1 .c
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
             0 0 0 0 0
    
```

hclid_2 **Higher than Secondary school/vocational**

```

type: numeric (long)
range: [0,0]
unique values: 1
unique missing codes: 3
units: 1
missing .: 20/1,266
missing *: 1,233/1,266

tabulation: Freq. Value
             13 0
             20 .
             1 .a
            1,232 .b
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
             0 0 0 0 0
    
```

hclnote_2 **Interviewer note of table 1 (unavailable)**

```

type: string (str270), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

description_3 **Expenditures for Education: Poster e.g. ABC, mmm, 0-9 (not display)**

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

freq_3 **Frequency: Yearly**

```

type: numeric (byte)
label: freq
    
```

range: [17,17] units: 1
 unique values: 1 missing .: 0/1,266
 tabulation: Freq. Numeric Label
 1,266 17 yearly

hcla_3 **Pre School**

type: numeric (long)
 range: [0,5000] units: 1
 unique values: 36 missing .: 2/1,266
 unique missing codes: 4 missing *: 38/1,266

tabulation:	Freq.	Value
	1,070	0
	2	10
	1	15
	10	20
	1	25
	6	30
	1	31
	1	33
	1	39
	24	40
	22	50
	1	55
	6	60
	1	75
	4	80
	1	87
	1	90
	1	98
	32	100
	1	105
	1	118
	1	125
	1	140
	5	150
	1	160
	1	167
	10	200
	1	220
	1	242
	4	250
	4	300
	1	333
	1	350
	4	500
	2	1000
	1	5000
	2	.
	1	.a
	17	.b
	20	.c

mean: 18.5954
 std. dev: 155.606

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	40

hclb_3 **Primary School**

type: numeric (long)

range: [0,200] units: 1
 unique values: 6 missing .: 38/1,266
 unique missing codes: 4 missing *: 771/1,266

tabulation: Freq. Value
 450 0
 1 10
 1 31
 2 50
 1 100
 2 200
 38 .
 1 .a
 765 .b
 5 .c
 mean: 1.40263
 std. dev: 14.4461

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hc1c_3 **Secondary school/vocational**

type: numeric (long)
 range: [.,.] units: .
 unique values: 0 missing .: 0/1,266
 unique missing codes: 1 missing *: 1,266/1,266

tabulation: Freq. Value
 1,266 .b
 mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

hc1d_3 **Higher than Secondary school/vocational**

type: numeric (long)
 range: [.,.] units: .
 unique values: 0 missing .: 0/1,266
 unique missing codes: 1 missing *: 1,266/1,266

tabulation: Freq. Value
 1,266 .b
 mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

hc1note_3 **Interviewer note of table 1 (unavailable)**

type: string (str270), but longest is str0
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

description_4
Expenditures for Education: Writing exercises, number count (not display)

type: string (**str109**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

freq_4 **Frequency: Yearly**

type: numeric (**byte**)
 label: **freq**
 range: [17,17] units: 1
 unique values: 1 missing .: 0/1,266
 tabulation: Freq. Numeric Label
 1,266 17 yearly

hcla_4 **Pre School**

type: numeric (**long**)
 range: [0,3000] units: 1
 unique values: 57 missing .: 2/1,266
 unique missing codes: 4 missing *: 57/1,266
 tabulation: Freq. Value
 749 0
 1 8
 8 10
 29 20
 8 25
 1 28
 13 30
 1 31
 2 33
 4 35
 42 40
 5 45
 29 50
 32 60
 1 67
 3 70
 5 75
 1 78
 10 80
 1 87
 4 90
 1 98
 114 100
 1 105
 1 110
 1 116
 1 118
 6 120
 2 125
 2 135
 18 150
 2 160
 1 167
 1 175
 3 180
 43 200

```

      1 210
      1 216
      1 225
     13 250
      1 260
      1 280
     13 300
      2 350
      1 390
      1 400
      1 420
      2 450
     14 500
      2 520
      1 602
      1 700
      1 780
      1 790
      1 1000
      1 2000
      1 3000
      2 .
      1 .a
     17 .b
     39 .c
    mean: 51.8036
   std. dev: 142.361

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        60       150

```

hclb_4 **Primary School**

```

type: numeric (long)
range: [0,500]
unique values: 15
unique missing codes: 4
units: 1
missing .: 37/1,266
missing *: 775/1,266

```

```

tabulation: Freq. Value
            419 0
              2 20
              1 30
              1 31
              4 50
              1 60
              1 75
              1 78
             10 100
              1 125
              1 133
              1 199
              6 200
              4 300
              1 500
             37 .
              1 .a
             765 .b
              9 .c
    mean: 10.7291
   std. dev: 46.9518

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

hclc_4 **Secondary school/vocational**

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 1
units: .
missing : 0/1,266
missing *: 1,266/1,266

tabulation: Freq. Value
1,266 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

hcld_4 Higher than Secondary school/vocational

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 1
units: .
missing : 0/1,266
missing *: 1,266/1,266

tabulation: Freq. Value
1,266 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

hclnote_4 Interviewer note of table 1 (unavailable)

```

type: string (str270), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

description_5 Expenditures for Education: Coloring book (not display)

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
1,266 ""
    
```

freq_5 Frequency: Yearly

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing : 0/1,266

tabulation: Freq. Numeric Label
1,266 17 yearly
    
```

hc1a_5 Pre School

```

type: numeric (long)
range: [0,3000]
unique values: 62
unique missing codes: 4
units: 1
missing .: 2/1,266
missing *: 67/1,266

```

```

tabulation: Freq. Value
719 0
16 10
1 15
53 20
14 25
1 27
12 30
1 31
2 33
3 35
38 40
1 44
3 45
1 48
36 50
1 53
4 55
1 59
22 60
2 63
1 69
2 70
2 75
1 78
6 80
2 88
2 90
122 100
1 105
1 110
3 120
4 125
1 138
17 150
1 166
2 175
1 180
35 200
1 217
1 225
1 240
13 250
1 260
2 280
13 300
1 350
1 400
1 428
4 450
1 480
8 500
1 520
2 550
1 602
1 780
1 900
1 946
2 1000
2 1200
1 1560
1 2400
1 3000
2 .
1 .a
17 .b

```

mean: **54.0927**
 std. dev: **162.755**
 percentiles: 10% 25% 50% 75% 90%
 0 **0** **0** **50** **125**

hc1b_5

Primary School

type: numeric (**long**)
 range: **[0,1560]** units: **1**
 unique values: **25** missing .: **37/1,266**
 unique missing codes: **4** missing *: **776/1,266**

tabulation: Freq. Value
 390 **0**
 1 **10**
 4 **20**
 2 **25**
 3 **30**
 1 **32**
 1 **35**
 2 **40**
 6 **50**
 1 **59**
 2 **60**
 1 **75**
 1 **80**
 1 **90**
 14 **100**
 2 **120**
 3 **125**
 1 **135**
 3 **150**
 1 **156**
 5 **200**
 3 **250**
 3 **300**
 1 **500**
 1 **1560**
 37 **.**
 1 **.a**
 765 **.b**
 10 **.c**

mean: **18.9117**
 std. dev: **88.7689**

percentiles: 10% 25% 50% 75% 90%
 0 **0** **0** **0** **50**

hc1c_5

Secondary school/vocational

type: numeric (**long**)
 range: **[.,.]** units: **.**
 unique values: **0** missing .: **0/1,266**
 unique missing codes: **1** missing *: **1,266/1,266**

tabulation: Freq. Value
 1,266 **.b**
 mean: **.**
 std. dev: **.**

percentiles: 10% 25% 50% 75% 90%
 . **.** **.** **.** **.**

hcld_5 **Higher than Secondary school/vocational**

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 1
units: .
missing .: 0/1,266
missing *: 1,266/1,266

tabulation: Freq. Value
             1,266 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

hclnote_5 **Interviewer note of table 1 (unavailable)**

```

type: string (str270), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

description_6 **Expenditures for Education: LEGO (not display)**

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

freq_6 **Frequency: Yearly**

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 0/1,266

tabulation: Freq. Numeric Label
             1,266 17 yearly
    
```

hcla_6 **Pre School**

```

type: numeric (long)
range: [0,10000]
unique values: 61
unique missing codes: 3
units: 1
missing .: 0/1,266
missing *: 55/1,266
    
```

```

tabulation:  Freq.  Value
              963    0
               8    20
               1    30
               2    39
               6    40
               2    49
              11    50
               8    60
               1    69
               6    80
               3    90
               1    92
               3    99
              29   100
               5   120
               3   130
               1   135
               1   140
               9   150
               2   159
               1   170
               2   179
               4   180
               1   185
               2   190
               2   198
              11   199
              36   200
               9   250
               1   260
               1   263
               1   279
               1   289
               1   290
               1   298
               3   299
              21   300
               1   316
               3   350
               1   380
               1   390
               1   398
               1   399
               6   400
               1   450
               9   500
               1   597
               2   600
               1   700
               2   750
               1   800
               5  1000
               1  1320
               2  1400
               2  1500
               1  2000
               1  2080
               1  2400
               2  3000
               1  3500
               1 10000
               1   .a
              17   .b
              37   .c
    mean:      69.8439
    std. dev:  372.37

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0       200

```

hclb_6

Primary School

```

type: numeric (long)
range: [0,1000]
unique values: 18
unique missing codes: 3
units: 1
missing .: 0/1,266
missing *: 803/1,266

tabulation: Freq. Value
             437  0
             1   20
             1   30
             1   35
             3   50
             1   60
             1   69
             1   99
             1  100
             1  150
             1  199
             5  200
             2  250
             2  300
             1  400
             2  500
             1  779
             1 1000
             1  .a
             794  .b
             8   .c
mean:      13.3715
std. dev:  77.7016

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hclc_6

Secondary school/vocational

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 1
units: .
missing .: 0/1,266
missing *: 1,266/1,266

tabulation: Freq. Value
             1,266  .b
mean:      .
std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

hclid_6

Higher than Secondary school/vocational

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 1
units: .
missing .: 0/1,266
missing *: 1,266/1,266

tabulation: Freq. Value
             1,266  .b
mean:      .
std. dev:  .
    
```

percentiles: 10% 25% 50% 75% 90%

hclnote_6 **Interviewer note of table 1 (unavailable)**

type: string (**str270**), but longest is str0
 unique values: **0** missing "": **1,266/1,266**
 tabulation: Freq. Value
 1,266 "

description_7 **Expenditures for Education: Jigsaw (not display)**

type: string (**str109**), but longest is str0
 unique values: **0** missing "": **1,266/1,266**
 tabulation: Freq. Value
 1,266 "

freq_7 **Frequency: Yearly**

type: numeric (**byte**)
 label: **freq**
 range: [17,17] units: **1**
 unique values: **1** missing .: **0/1,266**
 tabulation: Freq. Numeric Label
 1,266 **17** yearly

hcla_7 **Pre School**

type: numeric (**long**)
 range: [0,2000] units: **1**
 unique values: **29** missing .: **2/1,266**
 unique missing codes: **4** missing *: **35/1,266**
 tabulation: Freq. Value
 1,153 **0**
 1 **10**
 9 **20**
 2 **25**
 4 **30**
 1 **35**
 2 **39**
 3 **40**
 1 **49**
 4 **50**
 2 **59**
 1 **70**
 2 **80**
 3 **99**
 16 **100**
 2 **120**
 2 **130**
 2 **150**
 1 **159**
 1 **190**
 2 **199**
 6 **200**
 1 **250**

```

                1 262
                3 300
                1 350
                1 500
                1 829
                1 2000
                2 .
                1 .a
               17 .b
               17 .c
    mean:      8.88934
    std. dev:  70.4571

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

hclb_7 **Primary School**

```

    type: numeric (long)
    range: [0,300]
    unique values: 9
    unique missing codes: 4
    units: 1
    missing .: 37/1,266
    missing *: 773/1,266

    tabulation:  Freq.  Value
                 443    0
                 1    30
                 1    50
                 1    59
                 1    60
                 1    79
                 4   100
                 3   200
                 1   300
                 37   .
                 1   .a
                765   .b
                 7   .c
    mean:      3.46053
    std. dev:  23.9625

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

hclc_7 **Secondary school/vocational**

```

    type: numeric (long)
    range: [.,.]
    unique values: 0
    unique missing codes: 1
    units: .
    missing .: 0/1,266
    missing *: 1,266/1,266

    tabulation:  Freq.  Value
                 1,266  .b
    mean:      .
    std. dev:  .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

hcl d_7 **Higher than Secondary school/vocational**

```

    type: numeric (long)
    
```



```

range: [.,.]
unique values: 0
unique missing codes: 1
units: .
missing .: 0/1,266
missing *: 1,266/1,266

tabulation: Freq. Value
             1,266 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
             . . . . .
    
```

hclnote_7 Interviewer note of table 1 (unavailable)

```

type: string (str270), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

description_8 Expenditures for Education: Wooden or plastic block (not display)

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

freq_8 Frequency: Yearly

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 0/1,266

tabulation: Freq. Numeric Label
             1,266 17 yearly
    
```

hcl1a_8 Pre School

```

type: numeric(long)
range: [0,3000]
unique values: 21
unique missing codes: 3
units: 1
missing .: 0/1,266
missing *: 37/1,266

tabulation: Freq. Value
             1,173 0
             1 20
             2 50
             7 100
             1 120
             5 150
             1 160
             1 195
             3 199
             3 199
             10 200
             3 250
             6 300
             2 350
             1 400
    
```

```

                2  450
                2  500
                3 1000
                1 1200
                1 1500
                1 2000
                3 3000
                1  .a
               19  .b
                17  .c
    mean:       21.8812
    std. dev:   180.309

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

hclb_8 **Primary School**

```

    type: numeric (long)

    range: [0,500]
    unique values: 5
    unique missing codes: 3

    units: 1
    missing .: 0/1,266
    missing *: 809/1,266

    tabulation:  Freq.  Value
                 453    0
                 1    150
                 1    195
                 1    200
                 1    500
                 1    .a
                 802    .b
                 6    .c
    mean:       2.28665
    std. dev:   27.6307

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

hclc_8 **Secondary school/vocational**

```

    type: numeric (long)

    range: [.,.]
    unique values: 0
    unique missing codes: 1

    units: .
    missing .: 0/1,266
    missing *: 1,266/1,266

    tabulation:  Freq.  Value
                 1,266  .b
    mean:       .
    std. dev:   .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

hcl d_8 **Higher than Secondary school/vocational**

```

    type: numeric (long)

    range: [.,.]
    unique values: 0
    unique missing codes: 1

    units: .
    missing .: 0/1,266
    missing *: 1,266/1,266
    
```

```

tabulation: Freq. Value
             1,266 .b
    mean:    .
    std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

hclnote_8 **Interviewer note of table 1 (unavailable)**

```

    type: string (str270), but longest is str0
unique values: 0 missing "": 1,266/1,266

    tabulation: Freq. Value
                1,266 ""
    
```

description_9 **Expenditures for Education: Clay (not display)**

```

    type: string (str109), but longest is str0
unique values: 0 missing "": 1,266/1,266

    tabulation: Freq. Value
                1,266 ""
    
```

freq_9 **Frequency: Yearly**

```

    type: numeric (byte)
    label: freq

    range: [17,17] units: 1
unique values: 1 missing .: 0/1,266

    tabulation: Freq. Numeric Label
                1,266 17 yearly
    
```

hcla_9 **Pre School**

```

    type: numeric (long)

    range: [0,3950] units: 1
unique values: 84 missing .: 0/1,266
unique missing codes: 3 missing *: 80/1,266

    tabulation: Freq. Value
                645 0
                  5 5
                  1 7
                  1 8
                 18 10
                  5 15
                  1 18
                 74 20
                  1 23
                 12 25
                 27 30
                  1 32
                  1 33
                  3 35
                  2 39
                 17 40
                  1 44
                  4 45
    
```

70	50
3	55
12	60
1	63
1	67
1	68
3	70
1	72
1	79
4	80
1	83
6	90
1	95
1	98
106	100
1	109
3	120
2	125
2	130
16	150
1	160
1	180
1	195
1	196
33	200
1	225
1	233
2	240
7	250
1	258
4	260
1	275
1	280
19	300
1	320
3	350
1	360
1	390
1	399
3	400
1	410
1	440
1	450
1	473
2	480
10	500
4	520
1	540
1	550
1	578
3	600
3	602
1	720
1	800
1	860
1	946
1	960
5	1000
1	1300
1	1440
1	1800
1	2100
1	2500
1	2600
1	3600
1	3950
1	.a
19	.b
60	.c

mean: 75.1189
std. dev: 244.182

percentiles: 10% 25% 50% 75% 90%
 0 0 0 55 200

hclb_9 **Primary School**

type: numeric (**long**)
 range: [0,2400] units: 1
 unique values: 29 missing .: 0/1,266
 unique missing codes: 3 missing *: 817/1,266

tabulation: Freq. Value
 355 0
 2 5
 1 8
 2 10
 1 15
 11 20
 4 25
 2 30
 1 35
 2 40
 18 50
 2 60
 1 67
 1 90
 20 100
 2 125
 1 133
 6 150
 1 158
 1 167
 6 200
 2 250
 1 260
 1 275
 1 280
 1 467
 1 500
 1 1300
 1 2400
 1 .a
 802 .b
 14 .c

mean: 27.8731
 std. dev: 139.123

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 100

hclc_9 **Secondary school/vocational**

type: numeric (**long**)
 range: [.,.] units: .
 unique values: 0 missing .: 0/1,266
 unique missing codes: 1 missing *: 1,266/1,266

tabulation: Freq. Value
 1,266 .b
 mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

hclid_9 **Higher than Secondary school/vocational**

```

type: numeric (long)
range: [.,.]
unique values: 0
unique missing codes: 1
units: .
missing .: 0/1,266
missing *: 1,266/1,266

tabulation: Freq. Value
             1,266 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

hclnote_9 **Interviewer note of table 1 (unavailable)**

```

type: string (str270), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

description_10 **Expenditures for Education: Tuition fee (not display)**

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

freq_10 **Frequency: Yearly**

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 0/1,266

tabulation: Freq. Numeric Label
             1,266 17 yearly
    
```

hcl1a_10 **Pre School**

```

type: numeric (long)
range: [0,32500]
unique values: 84
unique missing codes: 3
units: 1
missing .: 0/1,266
missing *: 35/1,266
    
```

```

tabulation:  Freq.  Value
              988    0
                1    17
                6   100
                1   120
                1   130
                4   150
                1   180
               20   200
                2   250
               14   300
                4   350
                1   360
               12   400
                1   420
                5   450
                1   490
               16   500
                1   550
                1   560
                9   600
                2   620
               12   700
                1   740
                1   760
                1   790
                2   800
                1   900
               16  1000
                1  1020
                4  1200
                1  1250
                2  1400
                1  1480
                4  1500
                1  1533
                1  1550
                1  1800
                4  2000
                1  2350
                4  2500
                1  2600
                1  2700
                1  2900
                8  3000
                1  3500
                1  3800
                1  3810
                1  3900
                1  4000
                1  4100
                2  5000
                2  5500
                1  5700
                5  6000
                4  6500
                1  6900
                7  7000
                1  7500
                1  7600
                3  8000
                1  8400
                2  8600
                2  9000
                1  9500
                4 10000
                1 10600
                1 11000
                1 11063
                1 11120
                5 12000
                1 12640
    
```

```

                2 13000
                1 13200
                2 14000
                2 15000
                1 15400
                1 17800
                1 18000
                2 20000
                1 24000
                1 25000
                1 28500
                1 30000
                1 32500
                1 .a
                19 .b
                15 .c
    mean:       713.666
    std. dev:   2864.94

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      800
    
```

hclb_10

Primary School

```

    type: numeric (long)
    range: [0,60000]
    unique values: 42
    unique missing codes: 3
    units: 1
    missing .: 0/1,266
    missing *: 814/1,266
    
```

```

    tabulation:  Freq.  Value
                 384    0
                 1    100
                 2    200
                 3    300
                 2    360
                 5    500
                 1    600
                 1    800
                 8   1000
                 1   1200
                 3   1500
                 1   1800
                 2   2000
                 1   2200
                 1   2300
                 1   2333
                 1   2500
                 1   2700
                 1   2850
                 3   3000
                 1   3400
                 1   3500
                 2   4000
                 1   4030
                 1   5400
                 1   5500
                 1   6000
                 1   6500
                 1   7000
                 1   8500
                 2  10000
                 1  12000
                 2  13000
                 1  13400
                 4  14000
                 1  15900
                 1  16000
                 1  18000
                 1  19800
    
```



```

                2 25000
                1 30000
                1 60000
                1 .a
            802 .b
            11 .c
    mean:      983.038
    std. dev:  4369.09

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0     1000
    
```

hcl1c_10 **Secondary school/vocational**

```

    type: numeric (long)
    range: [0,46000]
    unique values: 41
    unique missing codes: 4
    units: 1
    missing .: 22/1,266
    missing *: 1,060/1,266
    
```

```

    tabulation:  Freq.  Value
                 119    0
                 1    150
                 1    350
                 1    580
                 1    700
                 1    710
                 1   1000
                 3   1200
                 1   1250
                 2   1400
                 3   1500
                 1   1600
                 3   1700
                 1   1750
                 2   1800
                 1   1900
                 1   1980
                 3   2000
                 1   2085
                 1   2190
                 6   2500
                 1   2600
                 1   2700
                 1   2850
                 1   2995
                 4   3000
                 2   3700
                 1   3800
                 1   4050
                 3   4500
                 3   5000
                 1   5600
                 1   6500
                 1   7000
                 1   9000
                 1  10000
                 1  11910
                 1  12000
                 1  14000
                 3  15000
                 1  46000
                 22   .
                 1   .a
            1,036 .b
                 23   .c
    mean:      1580.16
    std. dev:  4363.36
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1725 4050

hc1d_10 **Higher than Secondary school/vocational**

type: numeric (**long**)
 range: [0,120000] units: 100
 unique values: 8 missing .: 20/1,266
 unique missing codes: 4 missing *: 1,233/1,266

tabulation: Freq. Value
 4 0
 1 2500
 1 3900
 1 4000
 3 7500
 1 26000
 1 30000
 1 120000
 20 .
 1 .a
 1,231 .b
 1 .c

mean: 16069.2
 std. dev: 32692.2

percentiles: 10% 25% 50% 75% 90%
 0 0 4000 7500 30000

hc1note_10 **Interviewer note of table 1 (unavailable)**

type: string (**str270**), but longest is str0
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

description_11 **Expenditures for Education: Tablet/Ipad (not display)**

type: string (**str109**), but longest is str0
 unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
 1,266 ""

freq_11 **Frequency: Yearly**

type: numeric (**byte**)
 label: **freq**
 range: [17,17] units: 1
 unique values: 1 missing .: 0/1,266

tabulation: Freq. Numeric Label
 1,266 17 yearly

hc1a_11 **Pre School**

```

type: numeric (long)
range: [0,4000]
unique values: 16
unique missing codes: 3
units: 100
missing .: 0/1,266
missing *: 21/1,266

```

```

tabulation: Freq. Value
1,218 0
1 200
1 1000
3 1200
2 1400
3 1500
2 1600
1 1700
4 1900
2 2000
1 2400
3 2500
1 2600
1 3500
1 3800
1 4000
1 .a
19 .b
1 .c

```

```

mean: 42.0884
std. dev: 308.292

```

```

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0

```

hclb_11

Primary School

```

type: numeric (long)
range: [0,2000]
unique values: 5
unique missing codes: 3
units: 100
missing .: 38/1,266
missing *: 765/1,266

```

```

tabulation: Freq. Value
459 0
1 500
1 1000
1 1900
1 2000
38 .
1 .a
764 .b

```

```

mean: 11.6631
std. dev: 137.99

```

```

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0

```

hclc_11

Secondary school/vocational

```

type: numeric (long)
range: [0,200]
unique values: 2
unique missing codes: 2
units: 100
missing .: 0/1,266
missing *: 1,059/1,266

```

```

tabulation:  Freq.  Value
              206    0
              1    200
              1    .a
            1,058    .b
    mean:      .966184
    std. dev:  13.901

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

hc1d_11 **Higher than Secondary school/vocational**

```

type: numeric (long)

range: [0,0]
unique values: 1
unique missing codes: 2

units: 1
missing .: 0/1,266
missing *: 1,253/1,266

tabulation:  Freq.  Value
              13    0
              1    .a
            1,252    .b
    mean:      0
    std. dev:  0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

hc1note_11 **Interviewer note of table 1 (unavailable)**

```

type: string (str270), but longest is str0

unique values: 0
missing "": 1,266/1,266

tabulation:  Freq.  Value
            1,266  ""
    
```

description_12 **Expenditures for Education: Cell phone (not display)**

```

type: string (str109), but longest is str0

unique values: 0
missing "": 1,266/1,266

tabulation:  Freq.  Value
            1,266  ""
    
```

freq_12 **Frequency: Yearly**

```

type: numeric (byte)
label: freq

range: [17,17]
unique values: 1

units: 1
missing .: 0/1,266

tabulation:  Freq.  Numeric  Label
            1,266    17    yearly
    
```

hc1a_12 **Pre School**

```

type: numeric (long)
    
```

range: [0,9500] units: 1
 unique values: 23 missing .: 0/1,266
 unique missing codes: 2 missing *: 20/1,266

tabulation: Freq. Value
 1,216 0
 2 100
 1 200
 2 300
 2 500
 1 550
 1 590
 1 600
 1 660
 1 699
 1 700
 2 800
 1 890
 5 1000
 1 1200
 1 1700
 1 1900
 1 2400
 1 2500
 1 3200
 1 4000
 1 6000
 1 9500
 1 .a
 19 .b

mean: 36.6685
 std. dev: 381.291

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hclb_12

Primary School

type: numeric (long)

range: [0,29000] units: 100
 unique values: 23 missing .: 0/1,266
 unique missing codes: 3 missing *: 805/1,266

tabulation: Freq. Value
 415 0
 1 100
 4 500
 1 600
 2 700
 2 800
 3 1000
 1 1100
 2 1200
 2 1500
 1 1900
 5 2000
 1 2300
 1 2400
 2 2500
 3 2600
 1 2900
 7 3000
 2 3500
 1 4500
 2 5000
 1 19000
 1 29000
 1 .a
 802 .b

```

                2 .c
    mean:      299.349
    std. dev:  1750.47

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

hc1c_12 **Secondary school/vocational**

```

    type: numeric (long)

    range: [0,10000]
    unique values: 27
    unique missing codes: 2

    units: 10
    missing .: 0/1,266
    missing *: 1,059/1,266
    
```

```

    tabulation:  Freq.  Value
                 167    0
                 3    400
                 1    700
                 1    990
                 1   1250
                 1   1700
                 2   1900
                 1   2000
                 1   2300
                 1   2500
                 2   2900
                 3   3000
                 2   3500
                 1   3600
                 2   4000
                 2   4500
                 3   4900
                 3   5000
                 1   5200
                 1   5400
                 2   5500
                 1   6900
                 1   7000
                 1   7500
                 1   8500
                 1   9000
                 1  10000
                 1   .a
    
```

```

    mean: 768.309
    std. dev: 1883.23
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0    3600
    
```

hc1d_12 **Higher than Secondary school/vocational**

```

    type: numeric (long)

    range: [0,0]
    unique values: 1
    unique missing codes: 2

    units: 1
    missing .: 0/1,266
    missing *: 1,253/1,266
    
```

```

    tabulation:  Freq.  Value
                 13    0
                 1   .a
                 1,252 .b
    
```

```

    mean: 0
    std. dev: 0
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hclnote_12 **Interviewer note of table 1 (unavailable)**

type: string (**str270**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

description_13
Expenditures for Education: Notebook (paper), book and school supplies (not disp

type: string (**str109**), but longest is str0
 unique values: 0 missing "": 1,266/1,266
 tabulation: Freq. Value
 1,266 ""

freq_13 **Frequency: Yearly**

type: numeric (**byte**)
 label: **freq**
 range: [17,17] units: 1
 unique values: 1 missing .: 0/1,266
 tabulation: Freq. Numeric Label
 1,266 17 yearly

hcl1a_13 **Pre School**

type: numeric (**long**)
 range: [0,20000] units: 1
 unique values: 62 missing .: 0/1,266
 unique missing codes: 3 missing *: 48/1,266
 tabulation: Freq. Value
 820 0
 1 10
 11 20
 4 25
 7 30
 2 40
 1 45
 35 50
 3 55
 2 60
 2 70
 1 80
 1 85
 1 90
 84 100
 5 120
 3 125
 2 130
 1 133
 30 150
 1 155
 3 167

```

      1 170
      1 174
      1 180
      1 195
     48 200
      1 210
      1 220
     14 250
      1 260
      1 275
     28 300
      8 350
      1 380
      9 400
      3 450
      2 475
     28 500
      1 550
      2 600
      1 650
      2 700
      2 750
      1 800
      1 810
      1 850
      1 860
      1 900
     13 1000
      1 1080
      3 1200
      1 1300
      5 1500
      1 1730
      4 2000
      2 2500
      1 2750
      2 3500
      1 5000
      1 7000
      1 20000
      1 .a
     19 .b
     28 .c
    mean: 128.705
  std. dev: 686.873

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        100        300

```

hclb_13

Primary School

```

      type: numeric (long)
      range: [0,7600]
  unique values: 42
unique missing codes: 3
      units: 1
  missing .: 0/1,266
  missing *: 824/1,266

```

```

tabulation:  Freq.  Value
             236    0
              3    20
              1    30
              8    50
              2    70
              1    80
             25   100
              3   120
              3   125
              1   130
             13   150
              1   167

```



```

      2 170
      2 180
     25 200
     11 250
      1 267
      1 275
     19 300
      2 333
      6 350
      1 360
      1 390
     11 400
     21 500
      1 550
      6 600
      1 700
      2 800
      1 895
      1 900
     11 1000
      1 1200
      3 1500
      1 1700
      8 2000
      1 2300
      1 2500
      1 2750
      1 4000
      1 6000
      1 7600
      1 .a
     803 .b
      20 .c
    mean: 242.296
  std. dev: 630.783

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        250        500

```

hc1c_13

Secondary school/vocational

```

      type: numeric (long)
      range: [0,5500]
  unique values: 20
unique missing codes: 3
      units: 1
  missing .: 0/1,266
  missing *: 1,077/1,266

```

```

tabulation:  Freq.  Value
             113    0
              1    60
             11   100
              4   150
              1   166
              5   200
              3   250
              1   280
             14   300
              3   400
             12   500
              1   600
              1   700
              2   750
              7  1000
              1  1200
              6  1500
              1  2000
              1  3000
              1  5500
              1   .a
          1,058  .b

```

```

                18 .c
    mean:      242.624
    std. dev:  571.84

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     300     750
    
```

hc1d_13 **Higher than Secondary school/vocational**

```

    type: numeric (long)

    range: [0,1200]           units: 100
    unique values: 2         missing .: 0/1,266
    unique missing codes: 3  missing *: 1,259/1,266

    tabulation: Freq. Value
                6 0
                1 1200
                1 .a
                1,252 .b
                6 .c
    mean:      171.429
    std. dev:  453.557

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0     1200
    
```

hc1note_13 **Interviewer note of table 1 (unavailable)**

```

    type: string (str270), but longest is str0

    unique values: 0           missing "": 1,266/1,266

    tabulation: Freq. Value
                1,266 ""
    
```

description_14 **Expenditures for Education: Other (not display)**

```

    type: string (str109), but longest is str0

    unique values: 0           missing "": 1,266/1,266

    tabulation: Freq. Value
                1,266 ""
    
```

freq_14 **Frequency: Yearly**

```

    type: numeric (byte)
    label: freq

    range: [17,17]           units: 1
    unique values: 1         missing .: 1,252/1,266

    tabulation: Freq. Numeric Label
                14      17 yearly
                1,252 .
    
```

hc1a_14 **Pre School**

```

    type: numeric (long)
    
```

range: [0,3500] units: 1
 unique values: 6 missing .: 1,252/1,266

tabulation: Freq. Value
 8 0
 2 1000
 1 1250
 1 1533
 1 2500
 1 3500
 1,252 .
 mean: 770.214
 std. dev: 1113.12

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1250 2500

hclb_14

Primary School

type: numeric (long)

range: [0,8600] units: 1
 unique values: 6 missing .: 1,253/1,266
 unique missing codes: 2 missing *: 4/1,266

tabulation: Freq. Value
 2 0
 1 500
 3 600
 1 2333
 1 7800
 1 8600
 1,253 .
 4 .b
 mean: 2337
 std. dev: 3398.87

percentiles: 10% 25% 50% 75% 90%
 0 500 600 2333 8600

hclc_14

Secondary school/vocational

type: numeric (long)

range: [33,1250] units: 1
 unique values: 2 missing .: 1,252/1,266
 unique missing codes: 2 missing *: 12/1,266

tabulation: Freq. Value
 1 33
 1 1250
 1,252 .
 12 .b
 mean: 641.5
 std. dev: 860.549

percentiles: 10% 25% 50% 75% 90%
 33 33 641.5 1250 1250

hcld_14

Higher than Secondary school/vocational

type: numeric (long)

```

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
missing .: 1,252/1,266
missing *: 14/1,266

tabulation: Freq. Value
             1,252 .
             14 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
             . . . . .
    
```

hclnote_14 Interviewer note of table 1 (unavailable)

```

type: string (str270), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

description_15 Expenditures for Education: Toys e.g. jigsaw, wooden block, clay (not display)

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

freq_15 Frequency: Yearly

```

type: numeric (byte)
label: freq

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Numeric Label
             1,266 .
    
```

hcl1a_15 Pre School

```

type: numeric (long)

range: [.,.]
unique values: 0
units: .
missing .: 1,266/1,266

tabulation: Freq. Value
             1,266 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
             . . . . .
    
```

hclb_15 Primary School

```

type: numeric (long)
    
```

```

    range: [.,.]
unique values: 0
    units: .
missing ..: 1,266/1,266

    tabulation: Freq. Value
                1,266 .
    mean: .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

hc1c_15 **Secondary school/vocational**

```

    type: numeric (long)

    range: [.,.]
unique values: 0
    units: .
missing ..: 1,266/1,266

    tabulation: Freq. Value
                1,266 .
    mean: .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

hc1d_15 **Higher than Secondary school/vocational**

```

    type: numeric (long)

    range: [.,.]
unique values: 0
    units: .
missing ..: 1,266/1,266

    tabulation: Freq. Value
                1,266 .
    mean: .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

hc1note_15 **Interviewer note of table 1 (unavailable)**

```

    type: string (str270), but longest is str0

unique values: 0
missing "": 1,266/1,266

    tabulation: Freq. Value
                1,266 ""
    
```

hcla_num **Number of children attending pre-primary school (Including children who are not**

```

    type: numeric (double)

    range: [0,4]
unique values: 5
    units: 1
missing ..: 0/1,266
    
```

```

tabulation:  Freq.  Value
              160    0
              784    1
              274    2
               40    3
               8     4
    mean:     1.1722
    std. dev: .704846

percentiles:    10%    25%    50%    75%    90%
                0      1      1      2      2
    
```

hclb_num Number of children attending primary school

```

type: numeric (double)
range: [0,3]
unique values: 4
units: 1
missing .: 0/1,266

tabulation:  Freq.  Value
              735    0
              414    1
              102    2
               15    3
    mean:     .523697
    std. dev: .694296

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

hclc_num Number of children attending secondary school or vocational education

```

type: numeric (double)
range: [0,2]
unique values: 3
units: 1
missing .: 0/1,266

tabulation:  Freq.  Value
            1,114    0
             137    1
              15    2
    mean:     .131912
    std. dev: .37191

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

hclid_num Number of children attending higher than secondary education or vocational educa

```

type: numeric (double)
range: [0,1]
unique values: 2
units: 1
missing .: 0/1,266

tabulation:  Freq.  Value
            1,262    0
               4     1
    mean:     .00316
    std. dev: .056143

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hh_monthly_exp_food **Household monthly expenditure for food**

```

type: numeric (float)
range: [0,32039.301]           units: .0001
unique values: 1,049           missing .: 1/1,266

mean: 6663.04
std. dev: 3431

percentiles:      10%      25%      50%      75%      90%
                  3130.4   4149.5   6153.3   8423.7   10848.9
    
```

hh_monthly_exp_utility **Household monthly expenditure for utility**

```

type: numeric (float)
range: [220,54110]           units: .00001
unique values: 1,154         missing .: 1/1,266

mean: 3616.08
std. dev: 3676.03

percentiles:      10%      25%      50%      75%      90%
                  1145    1665.67  2640    4272.33  7276.33
    
```

hh_monthly_exp_health **Household monthly expenditure for health**

```

type: numeric (float)
range: [0,18541.668]        units: 1.000e-07
unique values: 385          missing .: 1/1,266

mean: 155.848
std. dev: 780.612

percentiles:      10%      25%      50%      75%      90%
                  0        3.75    50      133.333  290
    
```

hh_monthly_exp_recreation **Household monthly expenditure for recreation**

```

type: numeric (float)
range: [0,43625]            units: 1.000e-07
unique values: 683          missing .: 1/1,266

mean: 2039.48
std. dev: 3618.06

percentiles:      10%      25%      50%      75%      90%
                  123.333  333.333  941.667  2191.67  4595.83
    
```

hh_monthly_exp_housing **Household monthly expenditure for housing**

```

type: numeric (float)
range: [0,91666.672]        units: 1.000e-07
unique values: 173          missing .: 1/1,266

mean: 1324.14
std. dev: 6821.18
    
```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	270.833	2083.33

hh_monthly_exp_education	Household monthly expenditure for education
---------------------------------	--

type: numeric (**float**)

range:	[0,10000]	units:	1.000e-08
unique values:	626	missing .:	1/1,266
mean:	348.411		
std. dev:	778.916		

percentiles:	10%	25%	50%	75%	90%
	0	12.5	58.3333	357.5	1011.08

hh_monthly_exp_clothes	Household monthly expenditure for clothes
-------------------------------	--

type: numeric (**double**)

range:	[0,5208.3333]	units:	1.000e-14
unique values:	260	missing .:	1/1,266
mean:	355.446		
std. dev:	469.886		

percentiles:	10%	25%	50%	75%	90%
	0	95.8333	233.333	458.333	750

hh_change	Sample has moved so that its household structure changed
------------------	---

type: numeric (**float**)
 label: **hh_change**

range:	[0,1]	units:	1
unique values:	2	missing .:	0/1,266

tabulation:	Freq.	Numeric	Label
	1,253	0	no
	13	1	yes

survey_name	survey round
--------------------	---------------------

type: string (**str12**)

unique values:	1	missing "":	0/1,266
----------------	---	-------------	---------

tabulation:	Freq.	Value
	1,266	"RESURVEY2017"

year_survey	year survey
--------------------	--------------------

type: numeric (**int**)

range:	[2017,2017]	units:	1
unique values:	1	missing .:	0/1,266

tabulation:	Freq.	Value
	1,266	2017
mean:	2017	
std. dev:	0	

percentiles:	10%	25%	50%	75%	90%
	2017	2017	2017	2017	2017

2 . log close
name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a8.scm1
log type: smcl
closed on: 27 Jul 2024, 16:34:46
