



```

name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\a9.scml
log type: smcl
opened on: 27 Jul 2024, 16:37:04
    
```

1 . codebookr \_all,all

```

Dataset: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\a9_run.dta
Last saved: 27 Jul 2024 16:36
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 81
Number of observations: 1,266
Size: 8,077,080 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI
    
```

---

**hhid** **household id**

---

```

type: string (str15)
unique values: 1,266 missing "": 0/1,266
examples: "201591160604209"
           "201691131001998"
           "201691160105068"
           "201691161706097"
    
```

---

**iyear** **year**

---

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,266
tabulation: Freq. Value
              459 "2015"
              807 "2016"
    
```

---

**prov** **province**

---

```

type: string (str2)
    
```

unique values: 2 missing "": 0/1,266

tabulation: Freq. Value  
 1,144 "91"  
 122 "93"

---

amp

amphoe

type: string (str2)

unique values: 8 missing "": 0/1,266

tabulation: Freq. Value  
 1 "09"  
 122 "12"  
 226 "13"  
 106 "14"  
 124 "15"  
 475 "16"  
 31 "17"  
 181 "18"

---

tam

tambon

type: string (str2)

unique values: 15 missing "": 0/1,266

tabulation: Freq. Value  
 57 "01"  
 202 "02"  
 105 "04"  
 51 "05"  
 50 "06"  
 55 "07"  
 49 "08"  
 85 "09"  
 115 "10"  
 73 "11"  
 125 "13"  
 42 "14"  
 129 "15"  
 84 "17"  
 44 "19"

---

moo

moo

type: string (str2)

unique values: 22 missing "": 0/1,266

tabulation: Freq. Value  
 126 "01"  
 57 "02"  
 122 "03"  
 140 "04"  
 114 "05"  
 136 "06"  
 63 "07"  
 132 "08"  
 79 "09"  
 64 "10"  
 45 "11"  
 36 "12"  
 36 "13"  
 10 "14"

9 "15"  
 33 "16"  
 8 "17"  
 11 "18"  
 24 "19"  
 1 "20"  
 14 "22"  
 6 "24"

---

**strucid** **structure ID**

---

type: string (**str3**)  
 unique values: **185** missing "": **0/1,266**  
 examples: "010"  
           "034"  
           "070"  
           "142"

---

**hala** **How much is the total value of assets that all household members own?**

---

type: numeric (**long**)  
 range: [**450000,1370000**] units: **10000**  
 unique values: **3** missing .: **1,253/1,266**  
 unique missing codes: **2** missing \*: **10/1,266**

tabulation:	Freq.	Value			
	1	450000			
	1	550000			
	1	1370000			
	1,253	.			
	10	.c			
mean:		790000			
std. dev:		504777			

percentiles:	10%	25%	50%	75%	90%
	450000	450000	550000	1.4e+06	1.4e+06

---

**halaa** **Range of asset value (Baht) From**

---

type: numeric (**long**)  
 range: [**400000,500000**] units: **100000**  
 unique values: **2** missing .: **1,254/1,266**  
 unique missing codes: **2** missing \*: **10/1,266**

tabulation:	Freq.	Value			
	1	400000			
	1	500000			
	1,254	.			
	10	.c			
mean:		450000			
std. dev:		70710.7			

percentiles:	10%	25%	50%	75%	90%
	400000	400000	450000	500000	500000

---

**halab** **To**

---

type: numeric (**long**)

```

range: [500000,600000]           units: 100000
unique values: 2                 missing .: 1,254/1,266
unique missing codes: 2         missing *: 10/1,266

tabulation: Freq. Value
             1 500000
             1 600000
            1,254 .
             10 .c
mean:       550000
std. dev:   70710.7

percentiles:    10%    25%    50%    75%    90%
                500000 500000 550000 600000 600000
    
```

**hala\_des\_1**  
**Asset type 1: House/building/pavilion (exclude under construction) (not display)**

```

type: string (str237), but longest is str0
unique values: 0                 missing "": 1,266/1,266

tabulation: Freq. Value
            1,266 ""
    
```

**hal\_num\_1** **Amount of House/building/pavilion (exclude under construction)**

```

type: numeric (byte)
range: [0,6]                   units: 1
unique values: 7               missing .: 0/1,266

tabulation: Freq. Value
             50 0
            728 1
            241 2
            194 3
             40 4
              8 5
              5 6
mean:       1.59716
std. dev:   .985487

percentiles:    10%    25%    50%    75%    90%
                1      1      1      2      3
    
```

**hal\_memberid\_1**  
**HH member id: Owner of House/building/pavilion (exclude under construction)**

```

type: string (str60), but longest is str2
unique values: 1                 missing "": 0/1,266
unique missing codes: 1         missing *: 1,266/1,266

tabulation: Freq. Value
            1,266 "NA"
    
```

**hala\_des\_2** **Asset type 2: Sedan (not display)**

```

type: string (str237), but longest is str0
unique values: 0                 missing "": 1,266/1,266
    
```

tabulation: Freq. Value  
 1,266 ""

---

**hal\_num\_2** **Amount of Sedan**

---

type: numeric (**byte**)

range: [0,3] units: 1  
 unique values: 4 missing .: 0/1,266

tabulation: Freq. Value  
 1,166 0  
     91 1  
     8 2  
     1 3

mean: .086888  
 std. dev: .311115

percentiles:           10%       25%       50%       75%       90%  
                     0           0           0           0           0

---

**hal\_memberid\_2** **HH member id: Owner of Sedan**

---

type: string (**str60**), but longest is str5

unique values: 10 missing "": 1,239/1,266

tabulation: Freq. Value  
 1,239 ""  
     1 "H1"  
     5 "H2"  
     1 "H2,H5"  
     3 "H3"  
     4 "H4"  
     6 "H5"  
     3 "H6"  
     2 "H7"  
     1 "H8"  
     1 "H9"

---

**hala\_des\_3** **Asset type 3: Pickup truck, van, small truck (not display)**

---

type: string (**str237**), but longest is str0

unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value  
 1,266 ""

---

**hal\_num\_3** **Amount of Pickup truck, van, small truck**

---

type: numeric (**byte**)

range: [0,4] units: 1  
 unique values: 5 missing .: 0/1,266

```

tabulation:  Freq.  Value
              800  0
              399  1
              58  2
               8  3
               1  4
    mean:    .42891
    std. dev: .619895

percentiles:  10%    25%    50%    75%    90%
              0      0      0      1      1
    
```

**hal\_memberid\_3** HH member id: Owner of Pickup truck, van, small truck

```

type: string (str60), but longest is str5
unique values: 11 missing "": 1,197/1,266

tabulation:  Freq.  Value
              1,197 ""
               21 "H2"
                1 "H2,H3"
                1 "H2,H4"
                9 "H3"
                1 "H3,H6"
               15 "H4"
               12 "H5"
                1 "H5 H5"
                4 "H6"
                2 "H7"
                2 "H8"

warning: variable has embedded blanks
    
```

**hala\_des\_4** Asset type 4: truck with more than 6 wheels (not display)

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation:  Freq.  Value
              1,266 ""
    
```

**hal\_num\_4** Amount of More than 6-wheel truck

```

type: numeric (byte)
range: [0,4] units: 1
unique values: 5 missing .: 0/1,266

tabulation:  Freq.  Value
              1,215  0
                43  1
                 6  2
                 1  3
                 1  4
    mean:    .048973
    std. dev: .265192

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

**hal\_memberid\_4** HH member id: Owner of More than 6-wheel truck

```

type: string (str60), but longest is str2
unique values: 4 missing "": 1,257/1,266
tabulation: Freq. Value
             1,257 ""
              4 "H2"
              1 "H3"
              3 "H4"
              1 "H9"
    
```

---

**hala\_des\_5** **Asset type 5: Motorcycle (not display)**

---

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

---

**hal\_num\_5** **Amount of Motorcycle**

---

```

type: numeric (byte)
range: [0,8] units: 1
unique values: 8 missing .: 0/1,266
tabulation: Freq. Value
             80 0
             473 1
             487 2
             179 3
              34 4
               9 5
               3 6
               1 8
mean: 1.73065
std. dev: .96629
percentiles: 10% 25% 50% 75% 90%
              1 1 2 2 3
    
```

---

**hala\_des\_6** **Asset type 6: Wheel plough (not display)**

---

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

---

**hal\_num\_6** **Amount of Wheel plough**

---

```

type: numeric (byte)
range: [0,3] units: 1
unique values: 4 missing .: 0/1,266
    
```

```

tabulation: Freq. Value
             703  0
             548  1
             13  2
              2  3
    mean:    .458136
    std. dev: .527715

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

---

**hala\_des\_7** **Asset type 7: 4-wheel tractor (not display)**

---

```

    type: string (str237), but longest is str0
unique values: 0          missing "": 1,266/1,266

    tabulation: Freq. Value
                1,266 ""
    
```

---

**hal\_num\_7** **Amount of 4-wheel tractor**

---

```

    type: numeric (byte)
    range: [0,3]          units: 1
unique values: 4          missing .: 0/1,266

    tabulation: Freq. Value
                1,159  0
                 100  1
                   6  2
                    1  3
    mean:    .090837
    std. dev: .311256

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**hala\_des\_8** **Asset type 8: Cell phone (not display)**

---

```

    type: string (str237), but longest is str0
unique values: 0          missing "": 1,266/1,266

    tabulation: Freq. Value
                1,266 ""
    
```

---

**hal\_num\_8** **Amount of Cell phone**

---

```

    type: numeric (byte)
    range: [0,12]         units: 1
unique values: 12        missing .: 0/1,266
    
```





```

tabulation:  Freq.  Value
              990  0
              227  1
              41  2
               5  3
               1  4
               1 12
               1 15
    mean:     .280411
    std. dev: .755195

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

---

**hala\_des\_11** **Asset type 11: Tablet/Ipad (not display)**

---

```

    type: string (str237), but longest is str0
    unique values: 0          missing "": 1,266/1,266
    tabulation:  Freq.  Value
                  1,266  ""
    
```

---

**hal\_num\_11** **Amount of Tablet/Ipad**

---

```

    type: numeric (byte)
    range: [0,4]          units: 1
    unique values: 5      missing .: 0/1,266
    tabulation:  Freq.  Value
                  1,049  0
                   181  1
                    31  2
                     4  3
                     1  4
    mean:     .204581
    std. dev: .490231

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

---

**hala\_des\_12** **Asset type 12: VDO/VCD/DVD player (not display)**

---

```

    type: string (str237), but longest is str0
    unique values: 0          missing "": 1,266/1,266
    tabulation:  Freq.  Value
                  1,266  ""
    
```

---

**hal\_num\_12** **Amount of VDO/VCD/DVD player**

---

```

    type: numeric (byte)
    range: [0,4]          units: 1
    unique values: 5      missing .: 0/1,266
    
```



```

tabulation:  Freq.  Value
              8    0
              43    1
              239   2
              415   3
              265   4
              166   5
              69    6
              30    7
              15    8
              3     9
              10   10
              1    12
              1    15
              1    16
    mean:     3.60979
    std. dev: 1.64166

percentiles: 10%    25%    50%    75%    90%
              2     3     3     4     6
    
```

---

**hala\_des\_15** **Asset type 15: Water heater (not display)**

---

```

    type: string (str237), but longest is str0
    unique values: 0          missing "": 1,266/1,266

    tabulation:  Freq.  Value
                  1,266  ""
    
```

---

**hal\_num\_15** **Amount of Water heater**

---

```

    type: numeric (byte)
    range: [0,4]          units: 1
    unique values: 5      missing .: 0/1,266

    tabulation:  Freq.  Value
                  1,027  0
                   219   1
                   14   2
                    5   3
                    1   4
    mean:       .210111
    std. dev:   .470565

    percentiles: 10%    25%    50%    75%    90%
                  0     0     0     0     1
    
```

---

**hala\_des\_16** **Asset type 16: Washing machine (not display)**

---

```

    type: string (str237), but longest is str0
    unique values: 0          missing "": 1,266/1,266

    tabulation:  Freq.  Value
                  1,266  ""
    
```

---

**hal\_num\_16** **Amount of Washing machine**

---

```

    type: numeric (byte)
    
```

```

range: [0,4] units: 1
unique values: 5 missing .: 0/1,266

tabulation: Freq. Value
             263 0
             942 1
             57 2
              2 3
              2 4
mean: .845182
std. dev: .49953

percentiles: 10% 25% 50% 75% 90%
              0 1 1 1 1
    
```

---

**hala\_des\_17** **Asset type 17: Air condition (not display)**

---

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

---

**hal\_num\_17** **Amount of Air conditioner**

---

```

type: numeric (byte)
range: [0,5] units: 1
unique values: 6 missing .: 0/1,266

tabulation: Freq. Value
             1,088 0
             130 1
              35 2
              10 3
               2 4
               1 5
mean: .191943
std. dev: .541085

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

---

**hala\_des\_18** **Asset type 18: Microwave (not display)**

---

```

type: string (str237), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation: Freq. Value
             1,266 ""
    
```

---

**hal\_num\_18** **Amount Microwave**

---

```

type: numeric (byte)
range: [0,2] units: 1
unique values: 3 missing .: 0/1,266
    
```

```

tabulation:  Freq.  Value
              1,052  0
              203   1
              11   2
  mean:      .177725
  std. dev:  .404531

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

---

**hala\_des\_19** **Asset type 19: Other, specify (not display)**

---

```

  type:  string (str237), but longest is str0
unique values:  0                missing "":  1,266/1,266

  tabulation:  Freq.  Value
                1,266  ""
    
```

---

**hal\_num\_19** **Amount of Other 1**

---

```

  type:  numeric (byte)
  range:  [0,6]                units:  1
unique values:  6                missing .:  626/1,266

  tabulation:  Freq.  Value
                142   0
                430   1
                 55   2
                  8   3
                   4   4
                    1   6
                 626   .
  mean:      .915625
  std. dev:  .668359

percentiles:    10%    25%    50%    75%    90%
                0      1      1      1      2
    
```

---

**hala\_des\_20** **Asset type 20: Other, specify (not display)**

---

```

  type:  string (str211), but longest is str0
unique values:  0                missing "":  1,266/1,266

  tabulation:  Freq.  Value
                1,266  ""
    
```

---

**hal\_num\_20** **Amount of Other 2**

---

```

  type:  numeric (byte)
  range:  [0,5]                units:  1
unique values:  5                missing .:  1,002/1,266
    
```

```

tabulation:  Freq.  Value
              68    0
              167   1
              23    2
               4    3
               2    5
            1,002   .
    mean:     .890152
    std. dev: .718613

percentiles:  10%    25%    50%    75%    90%
              0      0      1      1      2
    
```

---

**hala\_des\_21** **Asset type 21: Other, specify (not display)**

---

```

type: string (str211), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation:  Freq.  Value
              1,266 ""
    
```

---

**hal\_num\_21** **Amount of Other 3**

---

```

type: numeric (byte)
range: [0,6] units: 1
unique values: 6 missing .: 1,164/1,266

tabulation:  Freq.  Value
              26    0
              64    1
               7    2
               3    3
               1    4
               1    6
            1,164   .
    mean:     .95098
    std. dev: .883035

percentiles:  10%    25%    50%    75%    90%
              0      0      1      1      2
    
```

---

**hala\_des\_22** **Asset type 22: Other, specify (not display)**

---

```

type: string (str211), but longest is str0
unique values: 0 missing "": 1,266/1,266

tabulation:  Freq.  Value
              1,266 ""
    
```

---

**hal\_num\_22** **Amount of Other 4**

---

```

type: numeric (byte)
range: [0,4] units: 1
unique values: 5 missing .: 1,228/1,266
    
```

```

tabulation:  Freq.  Value
              7    0
             23    1
              5    2
              2    3
              1    4
            1,228  .
      mean:   1.13158
    std. dev: .875216

percentiles:  10%    25%    50%    75%    90%
              0      1      1      1      2
    
```

**hala\_des\_23** **Asset type 23: Other, specify (not display)**

```

      type:  string (str211), but longest is str0
unique values:  0                               missing "":  1,266/1,266

tabulation:  Freq.  Value
            1,266  ""
    
```

**hal\_num\_23** **Amount of Other 5**

```

      type:  numeric (byte)
      range: [0,1]
unique values:  2                               units:  1
                                                missing .:  1,261/1,266

tabulation:  Freq.  Value
              2    0
              3    1
            1,261  .
      mean:   .6
    std. dev: .547723

percentiles:  10%    25%    50%    75%    90%
              0      0      1      1      1
    
```

**hala\_des\_24** **Asset type 24: Other, specify (not display)**

```

      type:  string (str211), but longest is str0
unique values:  0                               missing "":  1,266/1,266

tabulation:  Freq.  Value
            1,266  ""
    
```

**hal\_num\_24** **Amount of Other 6**

```

      type:  numeric (byte)
      range: [.,.]
unique values:  1                               units:  .
                                                missing .:  1,265/1,266

tabulation:  Freq.  Value
              1    0
            1,265  .
      mean:   0
    std. dev: .

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```



---

**b11** **What type of house does the household live in?**

---

```

type: numeric (byte)
label: b11

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,266
missing *: 1/1,266

tabulation: Freq.  Numeric  Label
              372      1  single
              893      3  double
              1         .d
    
```

---

**b13** **Material of the first floor**

---

```

type: numeric (byte)
label: b13

range: [1,99]
unique values: 5
unique missing codes: 1

units: 1
missing .: 0/1,266
missing *: 1/1,266

tabulation: Freq.  Numeric  Label
              109      1  soil
               5       3  wood
              386      7  cement/concrete or precast floor
                    (no tile)
              763      9  cement/concrete or precast floor
                    (with tile)
               2      99  other
               1         .d
    
```

---

**b13a** **other, record in b13a (not display)**

---

```

type: string (str47), but longest is str0
unique values: 0
missing "": 1,266/1,266

tabulation: Freq.  Value
              1,266  ""
    
```

---

**b14** **Material of the wall of the first storey**

---

```

type: numeric (byte)
label: b14

range: [1,99]
unique values: 6
unique missing codes: 2

units: 1
missing .: 0/1,266
missing *: 100/1,266

tabulation: Freq.  Numeric  Label
              1       1  bamboo/reed woven
               9       5  spill
            1,143      7  bricks/cement
               11      9  galvanized iron
               1     17  synthetic wood
               1     99  other
              99      .b
               1     .d
    
```

---

**b14a** **other, record in b14a (not display)**

---

type: string (**str30**), but longest is str0  
 unique values: 0 missing "": 1,266/1,266  
 tabulation: Freq. Value  
                   1,266 ""

---

**b15** **Material of the upper floor(s)**

---

type: numeric (**byte**)  
 label: **b15**  
 range: [1,7] units: 1  
 unique values: 4 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 374/1,266  
 tabulation: Freq. Numeric Label  
                   884 1 wood  
                   1 3 bamboo  
                   2 5 cement/concrete or precast floor  
                                   (no tile)  
                   5 7 cement/concrete or precast floor  
                                   (with tile)  
                   373 .b  
                   1 .d

---

**b15a** **other, record in b15a (not display)**

---

type: string (**str1**), but longest is str0  
 unique values: 0 missing "": 1,266/1,266  
 tabulation: Freq. Value  
                   1,266 ""

---

**b16** **Material of the wall of the upper floor(s)**

---

type: numeric (**byte**)  
 label: **b16**  
 range: [1,99] units: 1  
 unique values: 9 missing .: 0/1,266  
 unique missing codes: 2 missing \*: 373/1,266  
 tabulation: Freq. Numeric Label  
                   4 1 bamboo/reed  
                   1 3 log  
                   792 5 spill  
                   7 7 bricks/cement  
                   41 9 galvanized iron  
                   2 11 Gypsum  
                   7 13 Viva sheet/smart board  
                   30 17 synthetic wood  
                   9 99 other  
                   372 .b  
                   1 .d

---

**b16a** **other, record in b16a (not display)**

---

type: string (**str76**), but longest is str0  
 unique values: 0 missing "": 1,266/1,266  
 tabulation: Freq. Value  
 1,266 ""

**b17** **How many toilets are there outside the house**

type: numeric (**byte**)  
 range: [0,2] units: 1  
 unique values: 3 missing .: 0/1,266  
 unique missing codes: 1 missing \*: 1/1,266  
 tabulation: Freq. Value  
 772 0  
 442 1  
 51 2  
 1 .d  
 mean: .43004  
 std. dev: .57096  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 1 1

**b18** **How many toilets are there on the first floor inside the house?**

type: numeric (**byte**)  
 range: [0,5] units: 1  
 unique values: 5 missing .: 0/1,266  
 unique missing codes: 1 missing \*: 1/1,266  
 tabulation: Freq. Value  
 366 0  
 753 1  
 136 2  
 9 3  
 1 5  
 1 .d  
 mean: .835573  
 std. dev: .641275  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 1 1 2

**b110** **Type of the toilet**

type: string (**str3**)  
 unique values: 6 missing "": 0/1,266  
 unique missing codes: 2 missing \*: 6/1,266  
 tabulation: Freq. Value  
 1,158 "A"  
 45 "A;C"  
 3 "B"  
 54 "C"  
 2 "MI"  
 4 "NA"

**b110a** **others, record in b110a**

```

type: string (str1), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

---

**b110\_des** **Description: Type of the toilet (not display)**

---

```

type: string (str43), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

---

**b115** **How many bedrooms are there inside the house**

---

```

type: numeric (byte)
range: [0,5] units: 1
unique values: 6 missing .: 0/1,266
unique missing codes: 1 missing *: 4/1,266
tabulation: Freq. Value
             171 0
             349 1
             472 2
             217 3
              42 4
              11 5
               4 .d
mean: 1.71712
std. dev: 1.05968
percentiles: 10% 25% 50% 75% 90%
              0 1 2 2 3
    
```

---

**b114** **Interviewer note (unavailable)**

---

```

type: string (str284), but longest is str0
unique values: 0 missing "": 1,266/1,266
tabulation: Freq. Value
             1,266 ""
    
```

---

**hh\_change** **Sample has moved so that its household structure changed**

---

```

type: numeric (float)
label: hh_change
range: [0,1] units: 1
unique values: 2 missing .: 0/1,266
tabulation: Freq. Numeric Label
             1,253 0 no
              13 1 yes
    
```

---

**survey\_name** **survey round**

---

```
type: string (str12)
unique values: 1 missing "": 0/1,266
tabulation: Freq. Value
1,266 "RESURVEY2017"
```

---

**year\_survey** **year survey**

---

```
type: numeric (int)
range: [2017,2017] units: 1
unique values: 1 missing .: 0/1,266
tabulation: Freq. Value
1,266 2017
mean: 2017
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
2017 2017 2017 2017 2017
```

```
2 . log close
name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2017\\a9.scm1
log type: smcl
closed on: 27 Jul 2024, 16:37:06
```

---