



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\b1.smcl
log type: smcl
opened on: 27 Jul 2024, 15:44:39
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b1_run.dta
Last saved: 27 Jul 2024 15:44
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 105
Number of observations: 1,506
Size: 4,013,490 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI
    
```

cid **children id**

```

type: string (str18)
unique values: 1,506 missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,284 missing "": 0/1,506
 examples: "201591160604207"
 "201691131001097"
 "201691160105067"
 "201691161708041"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,506
 tabulation: Freq. Value
 1,361 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,506
 tabulation: Freq. Value
 1 "09"
 145 "12"
 264 "13"
 129 "14"
 148 "15"
 557 "16"
 38 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,506
 tabulation: Freq. Value
 65 "01"
 229 "02"
 121 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 136 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,506
examples: "011"
           "035"
           "071"
           "149"
    
```

nickname **Child nickname (unavailable)**

```

type: string (str33), but longest is str0
unique values: 0           missing "": 1,506/1,506
tabulation:  Freq.  Value
              1,506  ""
    
```

nickname:
 1. subjected to a carryforward operation

idcard **Identification number (unavailable)**

```

type: string (str13), but longest is str0
unique values: 0           missing "": 1,506/1,506
tabulation:  Freq.  Value
              1,506  ""
    
```

idcard:
 1. subjected to a carryforward operation

prefix **Child's prefix (unavailable)**

```

type: string (str18), but longest is str0
    
```

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""

fname **Child's name (unavailable)**

type: string (**str36**), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""

lname **Child's lastname (unavailable)**

type: string (**str51**), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""

ci0 **Primary caregivers member ID**

type: string (**str2**)

unique values: 9 missing "": 0/1,506
unique missing codes: 1 missing *: 1/1,506

tabulation: Freq. Value
563 "H2"
579 "H3"
185 "H4"
101 "H5"
40 "H6"
25 "H7"
10 "H8"
2 "H9"
1 "NA"

tel **Tel-number (unavailable)**

type: string (**str10**), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""

cila_des **Relationship description (not display)**

type: string (**str77**), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
1,506 ""

cila **Code : Relationship with child**

```

    type: numeric (byte)
    label: cila
    range: [1,19]
    unique values: 5
    units: 1
    missing ..: 0/1,506

    tabulation: Freq.  Numeric  Label
                502      1  Father / Mother
                23       13  Uncle / Aunt
                695      17  Great-grandparents (Mother's
                        side)
                206      18  Great-grandparents (Father's
                        side)
                80       19  Other relatives
    
```

cill_prefix **Maincare's prefix (unavailable)**

```

    type: string (str18), but longest is str0
    unique values: 0
    missing "": 1,506/1,506

    tabulation: Freq.  Value
                1,506 ""
    
```

cill_fname **Maincare's name (unavailable)**

```

    type: string (str36), but longest is str0
    unique values: 0
    missing "": 1,506/1,506

    tabulation: Freq.  Value
                1,506 ""
    
```

cill_lname **Maincare's last name (unavailable)**

```

    type: string (str51), but longest is str0
    unique values: 0
    missing "": 1,506/1,506

    tabulation: Freq.  Value
                1,506 ""
    
```

cill Member ID the household member with the highest decision-making authority for th

```

    type: string (str2)
    unique values: 9
    unique missing codes: 1
    missing "": 0/1,506
    missing *: 279/1,506

    tabulation: Freq.  Value
                446  "H2"
                411  "H3"
                189  "H4"
                102  "H5"
                 47  "H6"
                 19  "H7"
                 10  "H8"
                  3  "H9"
                279  "MI"
    
```

cilla_des **Relationship with child**

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
              1,506 ""
    
```

cilla Code of Relationship the household member with the highest decision-making power

```

type: numeric (byte)
label: cilla
range: [1,19] units: 1
unique values: 5 missing .: 0/1,506
unique missing codes: 1 missing *: 277/1,506
tabulation: Freq. Numeric Label
              539      1 Father / Mother
              16      13 Uncle / Aunt
              493      17 Great-grandparents (Mother's
                    side)
              138      18 Great-grandparents (Father's
                    side)
              43       19 Other relatives
              277      .d
    
```

ci2h2 **Current height of this child (centimeter)**

```

type: numeric (int)
range: [67,135] units: 1
unique values: 59 missing .: 0/1,506
unique missing codes: 2 missing *: 783/1,506
tabulation: Freq. Value
              2 67
              1 68
              7 70
              2 72
              6 75
              4 76
              1 77
              4 78
              5 79
             20 80
              3 81
              3 82
              4 83
              4 84
             20 85
              3 86
              8 87
              4 88
             12 89
             37 90
              2 91
              5 92
             13 93
              8 94
             43 95
             10 96
             12 97
             35 98
              6 99
    
```

```

      87 100
       5 101
      11 102
      13 103
       8 104
      52 105
       7 106
       7 107
      13 108
       8 109
      92 110
       5 111
      12 112
       8 113
       5 114
      30 115
       5 116
       6 117
       6 118
       5 119
      28 120
       4 122
       2 123
       2 124
       8 125
       1 127
       1 129
       6 130
       1 132
       1 135
      782 .c
       1 .d
    mean: 101.34
  std. dev: 12.2535

percentiles:      10%      25%      50%      75%      90%
                  85       95      100      110      116

```

ci2w2 **Current weight of this child (kilogram)**

```

type: numeric (double)
range: [6.3,50]
unique values: 86
unique missing codes: 1

units: .1
missing .: 0/1,506
missing *: 200/1,506

```

```

tabulation: Freq. Value
             1 6.3
             1 7
             1 7.8
             1 8
             5 9
             1 9.4
             1 9.5
             1 9.6
             1 9.8
             1 9.9
            35 10
             1 10.4
             1 10.7
             1 10.8
            44 11
             1 11.2
             4 11.5
           105 12
             1 12.2
             6 12.5
             1 12.6
             1 12.8
            82 13

```

```

1 13.2
7 13.5
1 13.6
2 13.7
1 13.8
110 14
2 14.2
1 14.3
1 14.4
9 14.5
3 14.7
2 14.9
178 15
2 15.3
5 15.5
1 15.6
1 15.7
2 15.8
1 15.9
104 16
2 16.2
4 16.5
1 16.6
104 17
1 17.2
8 17.5
1 17.6
2 17.8
87 18
2 18.1
1 18.2
5 18.5
1 18.7
1 18.9
55 19
1 19.4
1 19.6
3 19.7
1 19.9
119 20
1 20.5
25 21
29 22
15 23
1 23.5
10 24
26 25
10 26
1 26.4
7 27
11 28
1 28.5
5 29
11 30
3 31
4 32
2 33
4 35
2 37
1 39
2 40
2 43
2 50
200 .c

```

```

mean: 16.7616
std. dev: 4.85867

```

```

percentiles:      10%      25%      50%      75%      90%
                  12       14       16       19       22

```

ci3 **Does the child's father live in the house?**

```

type: numeric (byte)
label: ci3

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,506

tabulation: Freq.  Numeric  Label
              579      1     yes
              927      3     no
    
```

ci3g **Father's current status**

```

type: numeric (byte)
label: ci3g

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 579/1,506
missing *: 12/1,506

tabulation: Freq.  Numeric  Label
              904      1     alive
              1        3     dead
              10       5     dead longer than 12 month
              579      .
              12       .c
    
```

ci3h_des **Father's occupation description**

```

type: string (str148), but longest is str141

unique values: 540
unique missing codes: 4
missing "": 589/1,506
missing *: 148/1,506

warning: variable has embedded blanks
    
```

ci3h **Code : Father's occupation**

```

type: numeric (byte)
label: ci3h

range: [1,21]
unique values: 11
unique missing codes: 4
units: 1
missing ..: 589/1,506
missing *: 162/1,506

tabulation: Freq.  Numeric  Label
              35      1     Legislators / senior government
              29      3     officer / admimistrator
              44      5     Professional
              11      7     Technican and related
              150     9     Office clerk
              29     11     Service Officer/Trader
              65     13     Agriculture and Fishery skilled
              227     15     Workers
              118     17     Skilled Craftsmen and Related
              22     19     business
              25     21     Mechanical and assembly workers
              589     .     General workers
              2      .a    Armed force
                   .     Not working
                   .a    
```

159 .c
1 .d

ci3ha **Father's type of work**

```

type: numeric (byte)
label: ci3ha

range: [1,9]
unique values: 5
unique missing codes: 5

units: 1
missing .: 589/1,506
missing *: 189/1,506
    
```

tabulation:	Freq.	Numeric	Label
	47	1	Government officer/state enterprise employee
	20	3	Temporary government worker/temporary state enterprise worker
	536	5	Company employee
	38	7	Temporary company worker ,seasonal hire
	87	9	Business owner
	589	.	
	2	.a	
	25	.b	
	159	.c	
	3	.d	

ci3i_des **Description : Father's net income per month**

```

type: string (str122)

unique values: 148
unique missing codes: 5

missing "": 589/1,506
missing *: 391/1,506
    
```

warning: variable has leading, embedded, and trailing blanks

ci3i **Father's net income per month**

```

type: numeric (long)
label: ci3i, but label does not exist

range: [2100,1500000]
unique values: 72
unique missing codes: 5

units: 10
missing .: 589/1,506
missing *: 454/1,506
    
```

tabulation:	Freq.	Value
	1	2100
	1	2400
	1	3500
	2	4500
	2	5000
	1	5500
	6	6000
	1	6600
	1	6710
	2	6900
	3	7000
	1	7350
	1	7500
	1	7700
	1	7740
	7	7800
	8	8000
	1	8400

```

      8 8500
      1 8800
     38 9000
      1 9100
      2 9240
      6 9500
      1 9600
      1 9620
      1 9660
      1 9880
     44 10000
      2 10400
      2 10500
      5 11000
      3 11500
      1 11700
     51 12000
     14 12500
      7 13000
      3 13500
      1 13750
      7 14000
      7 14500
      1 14700
     64 15000
      3 15500
      3 16000
      5 17000
      7 17500
     11 18000
      1 18200
      4 19000
     35 20000
      1 21000
      4 22000
      2 22500
      1 24000
     16 25000
      1 26500
      2 27000
      3 27500
      3 28000
     24 30000
      1 32000
      1 32100
      1 33000
      6 35000
      1 36000
      5 40000
      2 42000
      4 45000
      1 55000
      1 75000
      1 1500000
     589 .
      3 .a
     25 .b
     425 .c
      1 .d
    mean: 18967.1
  std. dev: 69506.3

percentiles:      10%      25%      50%      75%      90%
                  8500      10000      13500      20000      30000

```

ci3j

Father's contact telephone number

type: string (str12), but longest is str10


```

3 70
4 75
1 78
1 81
4 84
3 86
1 88
4 90
4 91
1 92
2 95
1 98
2 100
1 103
2 104
1 105
1 108
1 110
7 112
1 116
7 120
1 124
2 130
1 133
1 135
1 140
2 142
1 145
2 150
2 151
1 169
1 188
1 194
1 200
1 273
1 334
6 365
589 .
1 .a
7 .c
1 .d
mean: 21.8976
std. dev: 44.0426

percentiles:    10%    25%    50%    75%    90%
                0      0      7     18     60

```

ci31 Does the child sleep with the father when the father lives in the house ?

```

type: numeric (byte)
label: ci31

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 861/1,506
missing *: 5/1,506

```

```

tabulation: Freq.  Numeric  Label
            455      1      yes
            185      3      no
            861      .
              1      .a
              3      .c
              1      .d

```

ci3m What is the average number of days per year the father takes the child to his pl

```

type: numeric (int)

```

range: [0,258]
 unique values: 55
 unique missing codes: 4

units: 1
 missing .: 589/1,506
 missing *: 6/1,506

tabulation: Freq. Value

598	0
7	1
7	2
15	3
8	4
11	5
4	6
27	7
2	8
4	9
15	10
5	11
7	12
2	13
24	14
18	15
1	16
1	17
3	18
1	19
13	20
3	21
1	24
1	25
1	26
1	27
62	30
1	33
1	35
1	36
5	37
2	39
1	40
1	42
1	43
8	45
2	52
1	56
19	60
1	64
2	66
4	75
1	84
2	90
1	91
1	99
1	100
6	120
1	129
1	144
1	145
1	148
1	153
1	195
1	258
589	.
1	.a
4	.c
1	.d

mean: 9.68606
 std. dev: 23.1867

percentiles: 10% 25% 50% 75% 90%
 0 0 0 10 30

ci4 **Does the child's mother live in the house?**

```

type: numeric (byte)
label: ci4

range: [1,3]
unique values: 2

units: 1
missing ..: 0/1,506

tabulation: Freq.  Numeric  Label
              788      1     yes
              718      3     no
    
```

ci4g **Mother's current status**

```

type: numeric (byte)
label: ci4g

range: [1,5]
unique values: 3
unique missing codes: 2

units: 1
missing ..: 788/1,506
missing *: 5/1,506

tabulation: Freq.  Numeric  Label
              708      1     alive
              1       3     dead
              4       5     dead longer than 12 month
              788      .
              5       .c
    
```

ci4h_des **Description : Mother's occupation**

```

type: string (str138), but longest is str131

unique values: 453
unique missing codes: 2

missing "": 792/1,506
missing *: 65/1,506

warning: variable has embedded and trailing blanks
    
```

ci4h **Code : Mother's occupation**

```

type: numeric (byte)
label: ci3h

range: [1,21]
unique values: 10
unique missing codes: 2

units: 1
missing ..: 792/1,506
missing *: 76/1,506

tabulation: Freq.  Numeric  Label
              18      1     Legislators / senior government
              29      3     officer / admimistrator
              21      5     Professional
              52      7     Technican and related
              164     9     Office clerk
              19     11     Service Officer/Trader
              28     13     Agriculture and Fishery skilled
              206     15     Workers
              64     17     Skilled Craftsmen and Related
              37     21     business
              792     .     Mechanical and assembly workers
              76     .c    General workers
                   .     Not working
                   .
    
```

ci4ha **Mother's type of work**

```

type: numeric (byte)
label: ci3ha

range: [1,9]
unique values: 5
unique missing codes: 3

units: 1
missing .: 792/1,506
missing *: 112/1,506
    
```

tabulation:	Freq.	Numeric	Label
	14	1	Government officer/state enterprise employee
	13	3	Temporary government worker/temporary state enterprise worker
	487	5	Company employee
	22	7	Temporary company worker ,seasonal hire
	66	9	Business owner
	792	.	
	37	.b	
	75	.c	

ci4i_des **Description : Mother's net income per month**

```

type: string (str89)

unique values: 128
unique missing codes: 3

missing "": 792/1,506
missing *: 247/1,506
    
```

warning: variable has embedded blanks

ci4i **Mother's net income per month**

```

type: numeric (long)
label: ci4i, but 64 nonmissing values are not labeled

range: [1400,250000]
unique values: 64
unique missing codes: 3

units: 1
missing .: 792/1,506
missing *: 278/1,506
    
```

tabulation:	Freq.	Numeric	Label
	2	1400	
	1	3900	
	1	4200	
	1	4400	
	2	4500	
	3	6000	
	2	6450	
	1	6500	
	3	6600	
	1	7000	
	5	7500	
	1	7700	
	14	7800	
	1	7930	
	9	8000	
	2	8060	
	2	8086	
	1	8320	
	5	8500	
	52	9000	
	3	9100	
	1	9240	
	1	9350	


```

1      9360
3      9500
1      9600
2      9800
1      9900
55     10000
6      10400
1      10500
6      11000
2      11500
39     12000
11     12500
20     13000
1      13500
1      13600
1      13750
10     14000
5      14500
1      14700
59     15000
2      16000
2      16500
4      17000
6      17500
6      18000
1      18200
5      18500
2      19500
26     20000
4      22000
11     25000
1      28000
13     30000
1      32500
4      35000
1      36000
3      40000
1      50000
1      55000
1      75000
1      250000
792    .
37     .b
241    .c
    
```

ci4j **Contact telephone number (unavailable)**

```

type: string (str12), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4ka_des **Mother's address : sub-district (unavailable)**

```

type: string (str54), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4ka **Mother's address : sub-district code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4kb_des **Mother's address : district (unavailable)**

```

type: string (str48), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4kb **Mother's address : district code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4kc_des **Mother's address : province (unavailable)**

```

type: string (str45), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4kc **Mother's address : province code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci4kd **Mother's address : country (unavailable)**

```

type: string (str39), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ci41 **What is the average number of days per year the mother visits the child ?**

```

type: numeric (int)
range: [0,365] units: 1
unique values: 75 missing .: 792/1,506
unique missing codes: 2 missing *: 4/1,506
    
```

```

tabulation:  Freq.  Value
              130    0
               6    1
              19    2
              29    3
              32    4
              35    5
              36    6
              29    7
              31    8
              23    9
              28   10
              24   11
              19   12
              11   13
              31   14
              15   15
               8   16
               8   17
              17   18
              10   20
              16   21
               4   22
               6   24
               5   25
               7   26
               4   28
               1   29
              11   30
               2   31
               1   33
               1   35
               4   36
               1   38
               1   39
               1   40
               4   43
               1   44
               5   45
               1   46
               5   47
               4   48
               1   50
              11   52
               2   54
               7   56
               8   60
               1   61
               3   63
               1   67
               1   68
               2   69
               1   75
               3   77
               2   84
               3   86
               1   88
               2   90
               2   91
               1   95
               1   97
               2  103
               3  104
               1  105
               1  108
               5  112
               1  116
               1  118
               4  120
               1  122
               1  124
               1  135
    
```

```

          1 168
          2 169
          2 180
          5 365
        792 .
          4 .c
    mean: 20.9563
  std. dev: 40.2856

```

```

percentiles:    10%    25%    50%    75%    90%
                0      3      9     20     54

```

ci4m Does the child sleep with the mother when the mother lives in the house ?

```

    type: numeric (byte)
    label: ci4m
    range: [1,3]
  unique values: 2
unique missing codes: 2
    units: 1
  missing .: 922/1,506
  missing *: 1/1,506

```

```

tabulation:  Freq.  Numeric  Label
             436      1      yes
             147      3      no
             922      .
              1      .c

```

ci4n What is the average number of days per year the mother takes the child to her pl

```

    type: numeric (int)
    range: [0,195]
  unique values: 51
unique missing codes: 2
    units: 1
  missing .: 792/1,506
  missing *: 2/1,506

```

```

tabulation:  Freq.  Value
             414    0
              2    1
              4    2
             12    3
             11    4
             15    5
              4    6
             26    7
              1    9
             16   10
              4   11
              5   12
              2   13
             25   14
             23   15
              1   16
              2   17
              1   19
             12   20
              1   21
              1   26
              1   27
             65   30
              1   34
              1   36
              4   37
              1   39
              1   40
              1   43
              1   44
              9   45
              1   48

```

```

                2  52
                1  54
                1  56
               15  60
                1  64
                1  66
                4  75
                1  84
                3  90
                1  92
                1 100
                3 104
                1 112
                4 120
                1 144
                1 145
                1 150
                1 153
                1 195
              792  .
                2  .c
    mean:      11.6798
    std. dev:  23.5549

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      14     30
    
```

ci2a **Do the father and mother of this child live together?**

```

    type: numeric (byte)
    label: ci2a

    range: [1,7]
    unique values: 4
    unique missing codes: 1

    units: 1
    missing .: 0/1,506
    missing *: 3/1,506

    tabulation:  Freq.  Numeric  Label
                 949      1      living together (both married
                 347      3      divorced
                 192      5      separated (but still being a
                 15       7      widowed
                 3        .c
    
```

ci2a3 **Father marital status**

```

    type: numeric (byte)
    label: ci2a3

    range: [1,5]
    unique values: 3
    unique missing codes: 4

    units: 1
    missing .: 1,142/1,506
    missing *: 111/1,506

    tabulation:  Freq.  Numeric  Label
                 144      1      Not remarried
                 106      3      Remarried
                   3      5      Divorced (after remarriage)
                1,142      .
                   12      .b
                   98      .c
                    1      .d
    
```

ci2a4 **Mother marital status**

```

type: numeric (byte)
label: ci2a3

range: [1,7]
unique values: 4
unique missing codes: 4

units: 1
missing .: 1,142/1,506
missing *: 32/1,506

```

tabulation:	Freq.	Numeric	Label
	160	1	Not remarried
	158	3	Remarried
	13	5	Divorced (after remarriage)
	1	7	Widowed (after remarriage)
	1,142	.	
	5	.b	
	26	.c	
	1	.d	

ci5a Since last interview, what is the monthly average amount the child's father, who

```

type: numeric (int)

range: [0,30000]
unique values: 89
unique missing codes: 3

units: 1
missing .: 0/1,506
missing *: 983/1,506

```

tabulation:	Freq.	Value
	291	0
	1	23
	1	38
	1	42
	1	63
	1	71
	1	83
	1	100
	2	136
	1	140
	2	143
	1	145
	3	154
	1	182
	1	185
	2	200
	1	208
	5	250
	2	269
	1	313
	2	346
	1	364
	2	385
	1	409
	1	444
	5	500
	2	545
	1	550
	2	557
	4	667
	1	700
	3	750
	1	808
	1	833
	1	909
	1	938
	1	962
	11	1000
	2	1167
	1	1200
	3	1250
	2	1290
	1	1462
	8	1500

```

1 1563
1 1667
1 1727
2 1875
2 1923
17 2000
1 2159
1 2273
22 2500
3 2750
14 3000
1 3091
1 3225
1 3462
2 3500
2 3611
1 3633
2 3750
6 4000
1 4231
5 4500
10 5000
3 5500
3 6000
1 6500
3 6667
2 7000
2 7500
1 8000
1 8182
1 8500
1 8750
1 9000
9 10000
1 10750
4 12500
1 13000
1 14000
1 14500
2 15000
1 16950
3 20000
1 22000
4 25000
1 30000
2 .a
557 .b
424 .c
mean: 1783.67
std. dev: 3999.63

percentiles:    10%    25%    50%    75%    90%
                0      0      0     2000    5000

```

ci5aa Is the amount of money that the father sends to the child used only for raising

```

type: numeric (byte)
label: ci5aa

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 1,255/1,506
missing *: 71/1,506

```

```

tabulation:  Freq.  Numeric  Label
              38      1  yes
              142     3  no
            1,255     .
                1     .a
                17     .c
                53     .d
    
```

ci5b Since last interview, what is the monthly average amount the child's mother, who

```

type: numeric (long)
range: [0,40000]
unique values: 70
unique missing codes: 4
units: 1
missing .: 0/1,506
missing *: 1,176/1,506
    
```

```

tabulation:  Freq.  Value
            127     0
              1     45
              1     63
              1    115
              1    125
              1    138
              3    167
              1    179
              1    200
              1    318
              1    333
              1    341
              1    346
              1    385
              2    400
              2    417
              1    477
              1    482
              2    500
              1    521
              1    571
              1    667
              1    692
              5    750
              1    833
              1    875
              1    909
              9   1000
              1   1018
              1   1075
              3   1077
              1   1167
              1   1200
              1   1250
              1   1300
              1   1400
             12   1500
              1   1667
              1   1720
              1   1731
              1   1750
              1   1857
              1   1909
             19   2000
             18   2500
              3   2667
              3   2750
             16   3000
              1   3273
              1   3333
              8   3500
              7   4000
              1  4167
    
```



```

                2  4300
                5  4500
                1  4800
               19  5000
                3  5500
                2  6000
                2  7000
                1  7143
                1  7500
                1  7525
                1  8000
                7 10000
                3 15000
                1 17500
                2 20000
                2 25000
                1 40000
                1  .a
               766 .b
               408 .c
                1  .d
    mean:      2257.17
    std. dev:  4080.58

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      1000   3000   5000

```

ci5ba Is the amount of money that the mother sends to the child used only for raising

```

    type: numeric (byte)
    label: ci5ba

    range: [1,3]
    unique values: 2
    unique missing codes: 4

    units: 1
    missing .: 1,300/1,506
    missing *: 42/1,506

    tabulation:  Freq.  Numeric  Label
                 24      1  yes
                 140     3  no
                 1,300    .
                 1      .a
                 1      .c
                 40     .d

```

ci5c Since last interview, what is the monthly average amount the child's parents, who

```

    type: numeric (long)

    range: [83,50000]
    unique values: 72
    unique missing codes: 3

    units: 1
    missing .: 583/1,506
    missing *: 516/1,506

    tabulation:  Freq.  Value
                 1  83
                 1  200
                 3  300
                 1  393
                 2  417
                 1  450
                 1  455
                 2  500
                 2  625
                 1  725
                 1  731
                 1  750
                 1  800
                 1  818
                 1  875

```

```

20 1000
1 1021
1 1075
1 1145
1 1231
7 1250
1 1269
1 1286
2 1333
1 1346
9 1500
2 1667
5 1750
1 1935
31 2000
1 2115
3 2250
1 2273
1 2292
1 2333
36 2500
1 2625
6 2750
31 3000
1 3077
2 3225
3 3250
1 3333
1 3375
15 3500
1 3750
1 3889
36 4000
3 4300
1 4455
17 4500
1 4615
59 5000
6 5500
1 5667
1 5833
18 6000
1 6364
8 6500
8 7000
3 7500
10 8000
1 8750
1 9000
1 9675
14 10000
2 13000
1 15000
1 20000
1 22000
1 25000
1 50000
583 .
1 .a
515 .b
mean: 4117.55
std. dev: 3646.44

percentiles:    10%    25%    50%    75%    90%
                1021   2000   3500   5000   7000

```

ci5ca Is the amount of money that the parents send to the child used only for raising

```

type: numeric (byte)
label: ci5ca
range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .: 1,098/1,506
missing *: 78/1,506

```

tabulation:	Freq.	Numeric	Label
	48	1	yes
	282	3	no
	1,098	.	
	1	.a	
	77	.d	

ci6a Since last interview, what is the monthly average amount the child's father who l

```

type: numeric (int)
range: [0,4500]
unique values: 58
unique missing codes: 3
units: 1
missing .: 0/1,506
missing *: 890/1,506

```

tabulation:	Freq.	Value
	532	0
	1	2
	1	15
	1	17
	1	18
	1	21
	1	28
	1	30
	2	38
	2	41
	3	42
	2	45
	2	47
	1	55
	1	64
	1	68
	2	69
	1	75
	1	90
	2	91
	1	92
	1	95
	4	100
	1	103
	1	115
	1	125
	3	143
	1	150
	1	155
	2	167
	1	169
	1	173
	2	182
	1	200
	2	202
	1	214
	1	225
	5	250
	1	286
	1	289
	1	300
	1	308
	2	313
	1	321
	1	430
	3	500
	1	545

```

          1  563
          1  615
          1  722
          4 1000
          1 1050
          1 1250
          2 1750
          1 2200
          1 3000
          1 3500
          1 4500
          1  .a
        557  .b
        332  .c
    mean:   58.0731
    std. dev: 315.302

    percentiles:      10%      25%      50%      75%      90%
                      0         0         0         0         69

```

ci6b Since last interview, what is the monthly average amount the child's mother who

```

    type: numeric (int)
    range: [0,5500]
    unique values: 77
    unique missing codes: 3
    units: 1
    missing .: 0/1,506
    missing *: 1,087/1,506

```

```

    tabulation: Freq. Value
                306  0
                  1  14
                  3  19
                  1  21
                  1  23
                  1  32
                  2  33
                  1  38
                  1  42
                  4  45
                  3  50
                  1  53
                  4  54
                  1  60
                  1  61
                  1  63
                  1  64
                  1  69
                  1  70
                  1  71
                  2  77
                  3  83
                  1  92
                  2  97
                  3 100
                  1 108
                  2 115
                  1 120
                  4 125
                  2 136
                  1 163
                  1 167
                  1 179
                  1 180
                  4 182
                  1 200
                  1 208
                  1 214
                  1 222
                  1 227
                  3 250

```

```

1 272
2 273
1 275
1 277
1 278
1 286
1 290
1 300
1 308
1 312
1 313
1 318
1 333
1 350
1 375
2 450
1 455
1 462
1 481
2 500
1 545
1 568
2 625
1 680
1 786
2 800
6 1000
1 1038
1 1075
1 1473
1 2000
1 2100
1 2500
1 4000
1 4500
1 5500
1 .a
764 .b
322 .c
mean: 120.652
std. dev: 472.281

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         33       277

```

ci6c Since last interview, what is the monthly average amount the child's parents who

```

type: numeric (int)

range: [0,10697]          units: 1
unique values: 129        missing .: 691/1,506
unique missing codes: 4   missing *: 548/1,506

mean: 596.393
std. dev: 1042.66

percentiles:      10%      25%      50%      75%      90%
                  42       91       208     550     2000

```

ci10 Since last interview, how many newborn siblings from the same parents does the c

```

type: numeric (byte)

range: [0,1]             units: 1
unique values: 2         missing .: 0/1,506

```

```

tabulation: Freq. Value
            1,455 0
            51 1
mean:      .033865
std. dev:  .180941

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

ci10a_1 Does sibling (no.1) live in the same household with the child?

```

type: numeric (byte)
label: ci10a

range: [1,3]
unique values: 2

units: 1
missing.: 1,455/1,506

tabulation: Freq. Numeric Label
            41      1 yes
            10      3 no
            1,455 .
    
```

ci10b_1 Sibling (no.1): Member ID

```

type: string (str3)
unique values: 8
missing "": 1,465/1,506

tabulation: Freq. Value
            1,465 ""
            1 "H10"
            1 "H11"
            8 "H4"
            8 "H5"
            5 "H6"
            12 "H7"
            4 "H8"
            2 "H9"
    
```

ci10c_1 Sibling (no.1): Alive?

```

type: numeric (byte)
label: ci10c

range: [1,1]
unique values: 1

units: 1
missing.: 1,496/1,506

tabulation: Freq. Numeric Label
            10      1 alive
            1,496 .
    
```

ci10d_1 Sibling (no.1): Gender

```

type: numeric (byte)
label: ci10d

range: [1,3]
unique values: 2

units: 1
missing.: 1,496/1,506

tabulation: Freq. Numeric Label
            5      1 male
            5      3 female
            1,496 .
    
```

ci10e_1 **Sibling (no.1): Date of birth (unavailable)**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,506/1,506

tabulation: Freq. Value
1,506 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

ci10f_1 **Sibling (no.1): Month of birth (unavailable)**

```

type: numeric (byte)
label: ci10f
range: [.,.]
unique values: 0
units: .
missing .: 1,506/1,506

tabulation: Freq. Numeric Label
1,506 .
    
```

ci10g_1 **Sibling (no.1): Year of birth (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 1,506/1,506

tabulation: Freq. Value
1,506 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

sibling_age_1 **Age year : sibling (no.1)**

```

type: numeric(float)
range: [.03,1.47]
unique values: 39
units: .01
missing .: 1,455/1,506

tabulation: Freq. Value
2 .03
1 .09
2 .1
1 .15000001
1 .16
1 .19
1 .22
1 .23999999
2 .25999999
1 .28
1 .31999999
1 .38999999
1 .40000001
2 .41999999
3 .44
    
```

```

                2 .44999999
                3 .5
                3 .51999998
                1 .56
                1 .63999999
                1 .66000003
                1 .67000002
                1 .68000001
                1 .72000003
                2 .75999999
                1 .77999997
                1 .81
                1 .85000002
                1 .86000001
                1 .87
                1 .88999999
                1 .89999998
                1 .94
                1 1.02
                1 1.0700001
                1 1.16
                1 1.4
                1 1.45
                1 1.47
            1,455 .
    mean:      .573725
    std. dev:  .358552

    percentiles:    10%    25%    50%    75%    90%
                   .15    .28    .5    .81    1.02
    
```

ci10a_2 **Does sibling (no.2) live in the same household with the child?**

```

    type: numeric (byte)
    label: ci10a

    range: [3,3]
    unique values: 1
    units: 1
    missing .: 1,505/1,506

    tabulation: Freq.   Numeric   Label
                1       3       no
                1,505   .
    
```

ci10b_2 **Sibling (no.2): Member ID**

```

    type: string (str3), but longest is str0
    unique values: 0
    missing "": 1,506/1,506

    tabulation: Freq.   Value
                1,506  ""
    
```

ci10c_2 **Sibling (no.2): Alive?**

```

    type: numeric (byte)
    label: ci10c

    range: [3,3]
    unique values: 1
    units: 1
    missing .: 1,505/1,506

    tabulation: Freq.   Numeric   Label
                1       3       dead
                1,505   .
    
```

ci10d_2 **Sibling (no.2): Gender**

```

type: numeric (byte)
label: ci10d
range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Numeric Label
             1,506 .
    
```

ci10e_2 **Sibling (no.2): Date of birth (unavailable)**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Value
             1,506 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ci10f_2 **Sibling (no.2): Month of birth (unavailable)**

```

type: numeric (byte)
label: ci10f
range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Numeric Label
             1,506 .
    
```

ci10g_2 **Sibling (no.2): Year of birth (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq. Value
             1,506 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

sibling_age_2 **Age year : sibling (no.1)**

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506
    
```

```

tabulation: Freq. Value
             1,506 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

ci9 **Interviewer note (not display)**

```

type: string (str549), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

father_memberid **Member ID of father**

```

type: string (str3)
unique values: 11 missing "": 0/1,506
unique missing codes: 1 missing *: 927/1,506

tabulation: Freq. Value
             4 "H10"
             1 "H11"
            101 "H2"
             84 "H3"
            142 "H4"
            156 "H5"
             44 "H6"
             34 "H7"
              9 "H8"
              4 "H9"
            927 "NA"
    
```

mother_memberid **Member ID of mother**

```

type: string (str3), but longest is str2
unique values: 9 missing "": 0/1,506
unique missing codes: 1 missing *: 718/1,506

tabulation: Freq. Value
             93 "H2"
            203 "H3"
            238 "H4"
            146 "H5"
             69 "H6"
             23 "H7"
             12 "H8"
              4 "H9"
            718 "NA"
    
```

gender **Children's gender**

```

type: numeric (byte)
label: blaf

range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              780      1      Male
              726      3      Female
    
```

age **Children's age (year)**

```

type:  numeric (double)
range: [1.21,7.42]
unique values: 483
mean:  4.3353
std. dev: 1.30247
units:  .01
missing .: 0/1,506

percentiles:  10%    25%    50%    75%    90%
              2.51   3.26   4.4    5.34   6.11
    
```

father_age **Father's age (year)**

```

type:  numeric (float)
range: [18.19,66.34]
unique values: 934
mean:  33.5895
std. dev: 6.93386
units:  .01
missing .: 206/1,506

percentiles:  10%    25%    50%    75%    90%
              24.64  28.415 33.41  37.805 42.515
    
```

father_edu **Father's highest education level (not display)**

```

type:  string (str63), but longest is str0
unique values: 0
missing "": 1,506/1,506
tabulation:  Freq.  Value
              1,506  ""
    
```

father_edu_code **Code of mfather's highest education level**

```

type:  numeric (float)
label:  father_edu_code
range: [15,99]
unique values: 20
unique missing codes: 2
units:  1
missing .: 0/1,506
missing *: 139/1,506

tabulation:  Freq.  Numeric  Label
              21      15      Primary 4
              2       17      Primary 5
             196      19      Primary 6
              3       21      Primary 7 (old system)
              9       23      Lower secondary 1
              23      25      Lower secondary 2
             345      27      Lower secondary 3
              4       29      Upper secondary 1
              9       31      Upper secondary 2
             408      33      Upper secondary 3
              2       45      Vocational school year 1
              2       47      Vocational school year 2
             51       49      Vocational school year 3
              3       51      High vocational school year 1
             135      53      High vocational school year 2
    
```

```

      2      63 Undergraduate school year 2
      2      65 Undergraduate school year 3
    131      67 Undergraduate school year 4
     12      69 Master degree
      7      99 Other
      1      .a
    138      .c
  
```

father_mainjob **Father's occupation description (not display)**

```

type: string (str154), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
            1,506 ""
  
```

father_mainjob_code **(unlabeled)**

```

type: numeric (float)
label: father_mainjob_code
range: [1,21] units: 1
unique values: 11 missing .: 0/1,506
unique missing codes: 4 missing *: 181/1,506
  
```

tabulation:	Freq.	Numeric	Label
	200	1	Logislators/senior government officer/admimistrator
	49	3	Professional
	36	5	Technican and related
	19	7	Office clerk
	128	9	Service provider / seller who sells goods in the store and/or in the market
	71	11	Agriculture and fishery workers
	147	13	Skilled craftsmen and related
	193	15	Mechanical and assembly workers
	427	17	General workers
	22	19	Armed force
	33	21	Not working
	10	.a	
	11	.b	
	159	.c	
	1	.d	

father_mainjob_type **Father's type of work**

```

type: numeric (float)
label: father_mainjob_type
range: [1,9] units: 1
unique values: 5 missing .: 0/1,506
unique missing codes: 4 missing *: 216/1,506
  
```

```

tabulation:  Freq.  Numeric  Label
              80      1  Government officer/state
              32      3  enterprise employee
              791     5  Temporary government officer/
              301     7  state enterprise employee
              86      9  Company employee
              10      .a  Temporary company employee,
              44      .b  seasonal
              159     .c  Business owner
              3       .d
    
```

father_wagepmonth **Father's net income per month (for paid work)**

```

type: numeric (float)
range: [207,1500000]          units: 1
unique values: 134           missing .: 182/1,506
unique missing codes: 5     missing *: 516/1,506

mean: 14658
std. dev: 52966.2

percentiles:    10%    25%    50%    75%    90%
                4500   8000  10500  15000  25000
    
```

mother_edu **Mother's highest education level (not display)**

```

type: string (str39), but longest is str0
unique values: 0           missing "": 1,506/1,506

tabulation:  Freq.  Value
              1,506  ""
    
```

mother_age **Mother's age (year)**

```

type: numeric (float)
range: [17.55,58.97]       units: .01
unique values: 962        missing .: 75/1,506

mean: 30.3194
std. dev: 6.10579

percentiles:    10%    25%    50%    75%    90%
                22.94  25.44  29.7   34.61  38.62
    
```

mother_edu_code **Code of mother's highest education level**

```

type: numeric (float)
label: mother_edu_code

range: [15,99]           units: 1
unique values: 20       missing .: 0/1,506
unique missing codes: 1  missing *: 29/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              7      15  Primary 4
              2      17  Primary 5
             139      19  Primary 6
              6      23  Lower secondary 1
             21      25  Lower secondary 2
             415      27  Lower secondary 3
              7      29  Upper secondary 1
             11      31  Upper secondary 2
            441      33  Upper secondary 3
              3      45  Vocational school year 1
              3      47  Vocational school year 2
             63      49  Vocational school year 3
              4      51  High vocational school year 1
            115      53  High vocational school year 2
              4      59  Diploma
              4      63  Undergraduate school year 2
              4      65  Undergraduate school year 3
            197      67  Undergraduate school year 4
             14      69  Master degree
             17      99  Other
             29      .c
    
```

mother_mainjob **Mother's occupation description (not display)**

```

type: string (str154), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation:  Freq.  Value
             1,506  ""
    
```

mother_mainjob_code **(unlabeled)**

```

type: numeric (float)
label: mother_mainjob_code
range: [1,21] units: 1
unique values: 10 missing .: 0/1,506
unique missing codes: 3 missing *: 89/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
             202      1  Legislators/senior government
                    officer/administrator
             102      3  Professional
              62      5  Technican and related
              29      7  Office clerk
             221      9  Service provider / seller who
                    sells goods in the store and/or
                    in the market
             118      11  Agriculture and fishery workers
              91      13  Skilled craftsmen and related
              58      15  Mechanical and assembly workers
             406      17  General workers
             128      21  Not working
              12      .a
              75      .c
              2       .d
    
```

mother_mainjob_type **mother's type of work**

```

type: numeric (float)
label: mother_mainjob_type
    
```

range: [1,9] units: 1
 unique values: 5 missing.: 0/1,506
 unique missing codes: 4 missing *: 217/1,506

tabulation:	Freq.	Numeric	Label
	43	1	Government officer/state enterprise employee
	52	3	Temporary government officer/state enterprise employee
	705	5	Company employee
	161	7	Temporary company employee, seasonal
	328	9	Business owner
	12	.a	
	128	.b	
	75	.c	
	2	.d	

mother_wagepmnth mother's net income per month (for paid work)

type: numeric (float)
 range: [150,250000] units: 1
 unique values: 138 missing.: 354/1,506
 unique missing codes: 5 missing *: 327/1,506
 mean: 11453.6
 std. dev: 11248.4
 percentiles: 10% 25% 50% 75% 90%
 2400 7700 10000 15000 20000

note_cleaner data cleaner note (not display)

type: string (str370), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

survey_name survey name

type: string (str12)
 unique values: 1 missing "": 0/1,506
 tabulation: Freq. Value
 1,506 "RESURVEY2017"

year_survey year survey

type: numeric (float)
 range: [2017,2017] units: 1
 unique values: 1 missing.: 0/1,506
 tabulation: Freq. Value
 1,506 2017
 mean: 2017
 std. dev: 0

percentiles:	10%	25%	50%	75%	90%
	2017	2017	2017	2017	2017

2 . log close
name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2017\b1.scml
log type: smcl
closed on: 27 Jul 2024, 15:44:45
