



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\b1a1.smcl
log type: smcl
opened on: 27 Jul 2024, 15:45:03
    
```

1 . codebookr _all,all

```

> a
Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b1a1_run.dt
Last saved: 27 Jul 2024 15:45
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 32
Number of observations: 1,763
Size: 862,107 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI
    
```

cid **children id**

```

type: string (str18)
unique values: 1,506 missing "": 0/1,763
examples: "201591160604209H1"
           "201691131001999H1"
           "201691160104183H4"
           "201691161705034H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,763
tabulation: Freq. Value
              651 "2015"
              1,112 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,284 missing "": 0/1,763
 examples: "201591160604209"
 "201691131001097"
 "201691160104183"
 "201691161705034"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,763
 tabulation: Freq. Value
 1,592 "91"
 171 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,763
 tabulation: Freq. Value
 3 "09"
 171 "12"
 298 "13"
 163 "14"
 161 "15"
 675 "16"
 44 "17"
 248 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,763
 tabulation: Freq. Value
 80 "01"
 274 "02"
 140 "04"
 95 "05"
 73 "06"
 68 "07"
 70 "08"
 102 "09"
 159 "10"
 104 "11"
 191 "13"
 60 "14"
 163 "15"
 117 "17"
 67 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,763

```

tabulation:  Freq.  Value
              189  "01"
              73   "02"
              175  "03"
              192  "04"
              148  "05"
              173  "06"
              96   "07"
              196  "08"
              121  "09"
              83   "10"
              57   "11"
              53   "12"
              49   "13"
              17   "14"
              13   "15"
              48   "16"
              8    "17"
              12   "18"
              28   "19"
              3    "20"
              22   "22"
              7    "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,763
examples: "011"
           "034"
           "071"
           "173"
    
```

blaa **Member id**

```

type: string (str5), but longest is str3
unique values: 11           missing "": 1,080/1,763
tabulation:  Freq.  Value
              1,080  ""
              6     "H1"
              14    "H10"
              10    "H11"
              40    "H2"
              68    "H3"
              131   "H4"
              142   "H5"
              121   "H6"
              89    "H7"
              43    "H8"
              19    "H9"
    
```

no **Item number**

```

type: numeric (byte)
range: [1,11]           units: 1
unique values: 11       missing .: 1,087/1,763
    
```



```

tabulation: Freq. Value
             1,763 .
      mean: .
      std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

blaf **Gender**

```

      type: numeric (byte)
      label: blaf

      range: [1,3]
unique values: 2
                units: 1
                missing.: 1,449/1,763

      tabulation: Freq.  Numeric  Label
                  169      1      Male
                  145      3      Female
                  1,449      .
    
```

blag **Nationality**

```

      type: numeric (byte)
      label: blag

      range: [1,3]
unique values: 2
unique missing codes: 2
                units: 1
                missing.: 1,449/1,763
                missing*: 1/1,763

      tabulation: Freq.  Numeric  Label
                  312      1      Thai
                   1      3      Other
                  1,449      .
                   1      .d
    
```

blag_other **Other nationality**

```

      type: string (str9)
unique values: 1
                missing "": 1,762/1,763

      tabulation: Freq. Value
                  1,762 ""
                   1  "๓๓"
    
```

blah **Highest education/present (not display)**

```

      type: string (str96), but longest is str0
unique values: 0
                missing "": 1,763/1,763

      tabulation: Freq. Value
                  1,763 ""
    
```

blah_code **Highest education code**

```

      type: numeric (byte)
      label: blah_code
    
```

range: [1,75] units: 1
 unique values: 19 missing .: 1,449/1,763
 unique missing codes: 3 missing *: 3/1,763

tabulation:	Freq.	Numeric	Label
	81	1	No education
	2	3	Kindergarten 1
	2	5	Kindergarten 2
	3	9	Primary school 1
	5	11	Primary school 2
	41	15	Primary school 4
	1	17	Primary school 5
	33	19	Primary school 6
	1	23	Lower secondary 1
	3	25	Lower secondary 2
	37	27	Lower secondary 3
	2	31	Upper secondary 2
	44	33	Upper secondary 3
	4	45	Vocational school year 1
	2	47	Vocational school year 2
	1	51	High vocational school year 1
	22	53	High vocational school year 2
	16	67	Undergraduate school year 4
	11	75	Other
	1,449	.	.
	2	.c	.c
	1	.d	.d

blaia **Move in (month) (unavailable)**

type: numeric (**byte**)
 label: **blaia**
 range: [.,.] units: .
 unique values: 0 missing .: 1,763/1,763

tabulation:	Freq.	Numeric	Label
	1,763	.	.

blaib **Move in (year) (unavailable)**

type: numeric (**int**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,763/1,763

tabulation:	Freq.	Value
	1,763	.
mean:		.
std. dev:		.

percentiles:	10%	25%	50%	75%	90%

blaj **Marital status**

type: numeric (**byte**)
 label: **blaj**
 range: [1,9] units: 1
 unique values: 5 missing .: 1,450/1,763

```

tabulation:  Freq.  Numeric  Label
              134      1  single
              114      3  married (both registered and
                    non-registered)
              13       5  divorced
              16       7  widowed
              36       9  separate (but keep the
                    relationship)
              1,450    .
    
```

blaka **Move out (month) (unavailable)**

```

type: numeric (byte)
label: blaka

range: [.,.]
unique values: 0
                    units: .
                    missing ..: 1,763/1,763

tabulation:  Freq.  Numeric  Label
              1,763    .
    
```

blakb **Move out (year) (unavailable)**

```

type: numeric (int)

range: [.,.]
unique values: 0
                    units: .
                    missing ..: 1,763/1,763

tabulation:  Freq.  Value
              1,763  .
mean: .
std. dev: .

percentiles:  10%    25%    50%    75%    90%
               .     .     .     .     .
    
```

blal **Cause of move out (unavailable)**

```

type: numeric (byte)
label: blal

range: [.,.]
unique values: 0
                    units: .
                    missing ..: 1,763/1,763

tabulation:  Freq.  Numeric  Label
              1,763    .
    
```

blal_other **Other (specify) (unavailable)**

```

type: string (str117), but longest is str0
unique values: 0
                    missing "": 1,763/1,763

tabulation:  Freq.  Value
              1,763  ""
    
```

blam **Adress now (unavailable)**

```

type: string (str136), but longest is str0
unique values: 0
                    missing "": 1,763/1,763
    
```

tabulation: Freq. Value
 1,763 ""

age **Age**

type: numeric (**double**)
 range: [.03,122.1] units: .01
 unique values: 237 missing .. 1,461/1,763
 mean: 27.324
 std. dev: 22.7764
 percentiles: 10% 25% 50% 75% 90%
 .52 1.73 27.045 39.07 58.69

move_in **Move in**

type: numeric (**float**)
 label: **move_in**
 range: [0,1] units: 1
 unique values: 2 missing .. 0/1,763
 tabulation: Freq. Numeric Label
 1,457 0 no
 306 1 yes

move_out **Move out**

type: numeric (**float**)
 label: **move_out**
 range: [0,1] units: 1
 unique values: 2 missing .. 0/1,763
 tabulation: Freq. Numeric Label
 1,393 0 no
 370 1 yes

survey_name **survey name**

type: string (**str12**)
 unique values: 1 missing "": 0/1,763
 tabulation: Freq. Value
 1,763 "RESURVEY2017"

year_survey **year survey**

type: numeric (**float**)
 range: [2017,2017] units: 1
 unique values: 1 missing .. 0/1,763
 tabulation: Freq. Value
 1,763 2017
 mean: 2017
 std. dev: 0

percentiles:	10%	25%	50%	75%	90%
	2017	2017	2017	2017	2017

2 . log close
name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2017\b1a1.scm1
log type: smcl
closed on: 27 Jul 2024, 15:45:04
