



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\b2.scml
log type: smcl
opened on: 27 Jul 2024, 15:45:58
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b2_run.dta
Last saved: 27 Jul 2024 15:45
           DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 245
Number of observations: 1,506
Size: 8,036,016 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
                for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,506           missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2           missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,284 missing "": 0/1,506
 examples: "201591160604207"
 "201691131001097"
 "201691160105067"
 "201691161708041"

prov **province**

 type: string (**str2**)
 unique values: 2 missing "": 0/1,506
 tabulation: Freq. Value
 1,361 "91"
 145 "93"

amp **amphoe**

 type: string (**str2**)
 unique values: 8 missing "": 0/1,506
 tabulation: Freq. Value
 1 "09"
 145 "12"
 264 "13"
 129 "14"
 148 "15"
 557 "16"
 38 "17"
 224 "18"

tam **tambon**

 type: string (**str2**)
 unique values: 15 missing "": 0/1,506
 tabulation: Freq. Value
 65 "01"
 229 "02"
 121 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 136 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

 type: string (**str2**)
 unique values: 22 missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,506
examples: "011"
           "035"
           "071"
           "149"
    
```

ccl1a In the past month, did you feed the child with breast milk? (Check the Roster, in

```

type: numeric (byte)
label: ccl1a
range: [1,3]           units: 1
unique values: 2       missing .: 498/1,506
tabulation:  Freq.  Numeric  Label
              64    1      yes
              944   3      no
              498   .
    
```

ccl1a1 **How old was the child when you stopped breast feeding ?**

```

type: numeric (byte)
range: [0,45]           units: 1
unique values: 32       missing .: 562/1,506
unique missing codes: 3  missing *: 27/1,506
    
```

```

tabulation:  Freq.  Value
              60    0
              88    1
             113    2
             193    3
              45    4
              19    5
             117    6
              27    7
              34    8
              30    9
               7   10
               7   11
              46   12
               6   13
              21   14
               8   15
               8   16
               5   17
              24   18
               4   19
               8   20
               1   21
               4   22
              25   24
               1   25
               1   27
               4   29
               4   30
               2   31
               1   35
               3   36
               1   45
             562   .
               2   .c
              25   .d
    mean:      6.45583
  std. dev:   6.65457
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1         2         4         8        16
    
```

cclb In the past month, did you feed the child with other milk?

```

    type: numeric (byte)
    label: cclb
    range: [1,3]
  unique values: 2
    units: 1
  missing ..: 498/1,506

  tabulation:  Freq.  Numeric  Label
                1,006      1  yes
                 2         3  no
                 498         .
    
```

cclb1 How old was the child when you started to feed him/her with other milk?

```

    type: numeric (byte)
    range: [1,38]
  unique values: 30
  unique missing codes: 3
    units: 1
  missing ..: 500/1,506
  missing *: 8/1,506
    
```

```

tabulation:  Freq.  Value
              142    1
              111    2
              132    3
              121    4
               38    5
               68    6
               80    7
               42    8
               37    9
               22   10
                9   11
               39   12
               23   13
               13   14
               15   15
                9   16
               10   17
               21   18
               16   19
                6   20
                5   21
                2   22
                2   23
               16   24
                8   25
                2   26
                4   29
                2   30
                2   36
                1   38
              500   .
                4   .c
                4   .d
    mean:      6.81062
    std. dev:  6.19875

```

```

percentiles:      10%      25%      50%      75%      90%
                  1         2         4         9        16

```

cc3 Since previous interview, have child eaten vitamin or supplementary food?

```

    type: numeric (byte)
    label: cc3
    range: [1,3]
    unique values: 2
    unique missing codes: 1
    units: 1
    missing .: 0/1,506
    missing *: 1/1,506

```

```

tabulation:  Freq.  Numeric  Label
              649     1      yes
              856     3      no
               1     .d

```

cc3b Since the last interview , What vitamins did the child eat? (not display)

```

    type: string (str120), but longest is str0
    unique values: 0
    missing "": 1,506/1,506
    tabulation:  Freq.  Value
                  1,506  ""

```

cc3ca Since last interview, has the child had supplementary food e.g. chicken essence,

```

type: numeric (int)
range: [0,60]
unique values: 10
unique missing codes: 3
units: 1
missing .: 856/1,506
missing *: 4/1,506

tabulation: Freq. Value
             552  0
             43  1
             17  2
             15  3
              6  4
              4  5
              2  6
              5 10
              1 20
              1 60
            856 .
              3 .c
              1 .d
mean:       .47678
std. dev:   2.74699

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

cc3cb How often do children have to consume food supplements such as instant real bird

```

type: string (str30), but longest is str9
unique values: 7
unique missing codes: 3
missing "": 1,408/1,506
missing *: 3/1,506

tabulation: Freq. Value
            1,408 ""
              1 "15 months"
              1 "DK"
              2 "MI"
             21 "daily"
             26 "monthly"
             22 "weekly"
             25 "yearly"

warning: variable has embedded blanks
    
```

cc3cc Frequency code : The child had supplementary food

```

type: numeric (byte)
label: cc3cc
range: [1,99]
unique values: 5
unique missing codes: 3
units: 1
missing .: 1,408/1,506
missing *: 3/1,506

tabulation: Freq. Numeric Label
            21         1 every day
            22         3 every week
            26         5 every month
            25         9 every year
              1         99 other
          1,408         .
              1         .c
              2         .d
    
```

cc4b Since previous interview, does child regularly drank water being boiled, filte

```

type: numeric (byte)
label: cc4b

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,506
missing *: 2/1,506

```

tabulation:	Freq.	Numeric	Label
	1,250	1	yes
	254	3	no
	2	.d	

cc5a4 Since last interview, has your child eaten vegetable (including cooked, dried, g

```

type: numeric (byte)
label: cc5a4

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,506
missing *: 1/1,506

```

tabulation:	Freq.	Numeric	Label
	1,163	1	yes
	342	3	no
	1	.c	

cc5b4 How many days per month did your child have vegetable (including cooked, dried,

```

type: numeric (byte)

range: [1,30]
unique values: 18
unique missing codes: 2

units: 1
missing .: 342/1,506
missing *: 1/1,506

```

tabulation:	Freq.	Value
	9	1
	14	2
	24	3
	84	4
	6	5
	56	6
	12	7
	128	9
	6	10
	82	11
	110	13
	47	15
	31	17
	8	19
	3	20
	28	22
	4	23
	511	30
	342	.
	1	.c

```

mean: 18.8487
std. dev: 10.5718

```

percentiles:	10%	25%	50%	75%	90%
	4	9	17	30	30

cc5a6 Since last interview, has your child eaten eggs, meat and meat products?

```

type: numeric (byte)
label: cc5a6

```

```

range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
unique missing codes: 1 missing *: 1/1,506

tabulation: Freq. Numeric Label
             1,502      1 yes
              3       3 no
              1       .c
    
```

cc5b6 How many days per month did your child have eggs, meat and meat products?

```

type: numeric (byte)

range: [4,30] units: 1
unique values: 11 missing .: 3/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Value
             7 4
             2 6
             9 9
            21 11
            17 13
            11 15
             3 17
             3 19
             1 20
             4 22
          1,424 30
             3 .
             1 .c
mean: 29.0772
std. dev: 4.06223

percentiles: 10% 25% 50% 75% 90%
              30 30 30 30 30
    
```

cc5a7 Have children ever eating seafood such as mackerel, squid

```

type: numeric (byte)
label: cc5a7

range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
unique missing codes: 1 missing *: 1/1,506

tabulation: Freq. Numeric Label
             1,439      1 yes
              66       3 no
              1       .c
    
```

cc5b7 How many days per month did your child have seafood e.g. mackerel, squid?

```

type: numeric (int)

range: [1,30] units: 1
unique values: 22 missing .: 66/1,506
unique missing codes: 3 missing *: 36/1,506
    
```



```

tabulation:  Freq.  Value
              45    1
              64    2
              51    3
             293    4
              16    5
              90    6
               9    7
             276    9
               6   10
             157   11
               1   12
             173   13
               1   14
              60   15
               1   16
              22   17
               1   18
               7   19
               3   20
              26   22
               1   24
             101   30
              66   .
               5   .c
              31   .d
    mean:      9.86752
    std. dev:  7.19246
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  3         4         9        13        17
    
```

cc5a8 **Since last interview, has your child eaten softdrink?**

```

    type: numeric (byte)
    label: cc5a8
    range: [1,3]
    unique values: 2
    unique missing codes: 1
    units: 1
    missing .: 0/1,506
    missing *: 1/1,506
    tabulation:  Freq.  Numeric  Label
                  1,180    1    yes
                   325    3    no
                    1     .c
    
```

cc5b8 **How many days per month did your child have softdrink?**

```

    type: numeric (byte)
    range: [1,30]
    unique values: 20
    unique missing codes: 2
    units: 1
    missing .: 325/1,506
    missing *: 2/1,506
    tabulation:  Freq.  Value
                  50    1
                  91    2
                  46    3
                 227    4
                  16    5
                  62    6
                   8    7
                 132    9
                   9   10
                  58   11
                   3   12
                  84   13
                   47   15
    
```

```

                18 17
                13 19
                 1 20
                12 22
                 5 24
                 1 26
                296 30
                325 .
                 2 .c
    mean:      13.0602
    std. dev:  10.7548

    percentiles:    10%    25%    50%    75%    90%
                   2      4      9     30     30
    
```

cc10a1 Rank of reponsive freq : using praise to the child for satisfying behavior

```

    type: numeric (byte)
    label: cc10a1

    range: [1,3]
    unique values: 3
    units: 1
    missing .: 44/1,506

    tabulation: Freq. Numeric Label
                 785      1 most frequent response
                 629      2 fairly frequent response
                  48      3 least frequent response
                  44      .
    
```

cc10a2 Rank of reponsive freq : hug, kiss, head pad or applaud to the child for satisfy

```

    type: numeric (byte)
    label: cc10a2

    range: [1,3]
    unique values: 3
    units: 1
    missing .: 86/1,506

    tabulation: Freq. Numeric Label
                 678      1 most frequent response
                 688      2 fairly frequent response
                  54      3 least frequent response
                  86      .
    
```

cc10a3 Rank of reponsive freq : give reward to the child for satisfying behavior

```

    type: numeric (byte)
    label: cc10a3

    range: [1,3]
    unique values: 3
    units: 1
    missing .: 784/1,506

    tabulation: Freq. Numeric Label
                 39      1 most frequent response
                103      2 fairly frequent response
                580      3 least frequent response
                784      .
    
```

cc10a4 Rank of reponsive freq : respond to the child with the other reponsive types

```

    type: numeric (byte)
    label: cc10a4
    
```

```

range: [1,3] units: 1
unique values: 2 missing .: 1,501/1,506

tabulation: Freq. Numeric Label
              4      1 most frequent response
              1      3 least frequent response
            1,501      .
    
```

cc10a4_des Description of other reponsive types (not display)

```

type: string (str114), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

cc10b1 Rank of reponsive freq : assign time out to the child for unsatisfying behavior

```

type: numeric (byte)
label: cc10b1

range: [1,3] units: 1
unique values: 3 missing .: 1,493/1,506

tabulation: Freq. Numeric Label
              5      1 most frequent response
              4      2 fairly frequent response
              4      3 least frequent response
            1,493      .
    
```

cc10b2 Rank of reponsive freq : show offensive facial expression to the child for unsa

```

type: numeric (byte)
label: cc10b2

range: [1,3] units: 1
unique values: 3 missing .: 1,206/1,506

tabulation: Freq. Numeric Label
              75      1 most frequent response
              96      2 fairly frequent response
              129     3 least frequent response
            1,206      .
    
```

cc10b3 Rank of reponsive freq : use fierceful words, loud voice or shout to the child f

```

type: numeric (byte)
label: cc10b3

range: [1,3] units: 1
unique values: 3 missing .: 282/1,506

tabulation: Freq. Numeric Label
              542     1 most frequent response
              522     2 fairly frequent response
              160     3 least frequent response
              282      .
    
```

cc10b4 Rank of reponsive freq : give warning to the child for unsatisfying behavior

```

type: numeric (byte)
label: cc10b4

range: [1,3]
unique values: 3
units: 1
missing .. 214/1,506

tabulation: Freq.  Numeric  Label
              661      1  most frequent response
              458      2  fairly frequent response
              173      3  least frequent response
              214      .
    
```

cc10b5 Rank of reponsive freq : hit or spank the child for unsatisfying behavior

```

type: numeric (byte)
label: cc10b5

range: [1,3]
unique values: 3
units: 1
missing .. 676/1,506

tabulation: Freq.  Numeric  Label
              167      1  most frequent response
              218      2  fairly frequent response
              445      3  least frequent response
              676      .
    
```

cc10b6 Rank of reponsive freq : threaten to not love or leave the child for unsatisfyin

```

type: numeric (byte)
label: cc10b6

range: [1,3]
unique values: 3
units: 1
missing .. 1,350/1,506

tabulation: Freq.  Numeric  Label
              28      1  most frequent response
              63      2  fairly frequent response
              65      3  least frequent response
             1,350      .
    
```

cc10b7 Rank of reponsive freq : negotiate with the child that if he/she stop unsatisfyi

```

type: numeric (byte)
label: cc10b7

range: [1,3]
unique values: 3
units: 1
missing .. 1,351/1,506

tabulation: Freq.  Numeric  Label
              19      1  most frequent response
              58      2  fairly frequent response
              78      3  least frequent response
             1,351      .
    
```

cc10b8 Rank of reponsive freq : responding to the child with the other responsive types

```

type: numeric (byte)
label: cc10b8

range: [1,3] units: 1
unique values: 3 missing .: 1,488/1,506

tabulation: Freq. Numeric Label
              9      1 most frequent response
              6      2 fairly frequent response
              3      3 least frequent response
            1,488      .
    
```

cc10b8_des Description of the other reponsive types (not display)

```

type: string (str106), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

cc10c Since previous interview, have child ever wetting

```

type: numeric (byte)
label: cc10c

range: [1,5] units: 1
unique values: 3 missing .: 498/1,506

tabulation: Freq. Numeric Label
              282      1 yes
              278      3 no
              448      5 never or still wearing diapers
            498      .
    
```

cc10c1 Rank of reponsive freq reponsive for the bedwetting:punishing of the child(chil

```

type: numeric (byte)
label: cc10c1

range: [1,3] units: 1
unique values: 3 missing .: 1,487/1,506

tabulation: Freq. Numeric Label
              3      1 most frequent response
             10      2 fairly frequent response
              6      3 least frequent response
            1,487      .
    
```

cc10c2 Rank of reponsive freq for the bedwetting : training the child to urinate before

```

type: numeric (byte)
label: cc10c2

range: [1,3] units: 1
unique values: 3 missing .: 1,245/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              239      1  most frequent response
              21      2  fairly frequent response
              1       3  least frequent response
            1,245      .
    
```

cc10c3

Rank of reponsive freq for the bedwetting : avoid giving milk and water to the c

```

      type: numeric (byte)
      label: cc10c3

      range: [1,3]          units: 1
unique values: 3          missing .: 1,487/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  most frequent response
              13     2  fairly frequent response
              5      3  least frequent response
            1,487      .
    
```

cc10c4

Rank of reponsive freq reponsive for the bedwetting:waking the child up at night

```

      type: numeric (byte)
      label: cc10c4

      range: [1,3]          units: 1
unique values: 3          missing .: 1,363/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              23      1  most frequent response
             112     2  fairly frequent response
              8      3  least frequent response
            1,363      .
    
```

cc10c6

Rank of reponsive freq for the bedwetting : do nothing

```

      type: numeric (byte)
      label: cc10c6

      range: [1,2]          units: 1
unique values: 2          missing .: 1,488/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              14      1  most frequent response
              4       2  fairly frequent response
            1,488      .
    
```

cc10c5

Rank of reponsive freq reponsive for the bedwetting:the child : other rection ty

```

      type: numeric (byte)
      label: cc10c5

      range: [1,2]          units: 1
unique values: 2          missing .: 1,504/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  most frequent response
              1      2  fairly frequent response
            1,504      .
    
```

cc10c5_des Description of other reaction types to the child for bedwetting (not display)

type: string (**str78**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

cc10d Since previous interview, has child ever get constipation

type: numeric (**byte**)
 label: **cc10d**
 range: [1,3] units: 1
 unique values: 2 missing .: 498/1,506
 tabulation: Freq. Numeric Label
 218 1 yes
 790 3 no (skip to cc10e1)
 498 .

cc10d1 Constipation problem solution : anus's been tucked by soap

type: numeric (**byte**)
 label: **cc10d1**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,288/1,506
 tabulation: Freq. Numeric Label
 45 1 yes
 173 3 no
 1,288 .

cc10d2 Use enema (for bottom injection)

type: numeric (**byte**)
 label: **cc10d2**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,288/1,506
 tabulation: Freq. Numeric Label
 36 1 yes
 182 3 no
 1,288 .

cc10d3 Training for scheduled defecation

type: numeric (**byte**)
 label: **cc10d3**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,288/1,506
 tabulation: Freq. Numeric Label
 117 1 yes
 101 3 no
 1,288 .

cc10d4 **Use laxative (for eating)**

```

type: numeric (byte)
label: cc10d4

range: [1,3]
unique values: 2
units: 1
missing ..: 1,288/1,506

tabulation: Freq.  Numeric  Label
              44         1  yes
              174        3  no
              1,288       .
    
```

cc10e1 **Take the child to restroom or manage child to sit on toilet or pot**

```

type: numeric (byte)
label: cc10e1

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 498/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              509         1  yes
              498         3  no
              498         .
              1           .d
    
```

cc10e2 **Child go to restroom by himself**

```

type: numeric (byte)
label: cc10e2

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 498/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              721         1  yes
              286         3  no
              498         .
              1           .d
    
```

cc10e3 **Take child to defecate under house or around the house, not in the toilet**

```

type: numeric (byte)
label: cc10e3

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 498/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              227         1  yes
              780         3  no
              498         .
              1           .d
    
```

cc10e4 **Help child to clean after defecation**

type: numeric (**byte**)
 label: **cc10e4**
 range: [1,3] units: 1
 unique values: 2 missing .: 498/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation:	Freq.	Numeric	Label
	849	1	yes
	158	3	no
	498	.	.
	1	.d	.d

cc10e5 **Let child manage him self after defecation**

type: numeric (**byte**)
 label: **cc10e5**
 range: [1,3] units: 1
 unique values: 2 missing .: 498/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation:	Freq.	Numeric	Label
	378	1	yes
	629	3	no
	498	.	.
	1	.d	.d

cc10f1 **Electric plug installed with cover**

type: numeric (**byte**)
 label: **cc10f1**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,506
 unique missing codes: 1 missing *: 622/1,506

tabulation:	Freq.	Numeric	Label
	9	1	yes
	875	3	no
	622	.b	.b

cc10f2 **Electric plug installed at high position (over child hight)**

type: numeric (**byte**)
 label: **cc10f2**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,506
 unique missing codes: 1 missing *: 624/1,506

tabulation:	Freq.	Numeric	Label
	260	1	yes
	622	3	no
	624	.b	.b

cc10f3 **Keep sharp objects away from children**

type: numeric (**byte**)
 label: **cc10f3**

```

        range: [1,3]                units: 1
    unique values: 2                missing .: 0/1,506
    unique missing codes: 1        missing *: 818/1,506

    tabulation:  Freq.  Numeric  Label
                  59      1      yes
                  629     3      no
                  818     .b
    
```

cc10f4 **Keep medicine away from children**

```

        type: numeric (byte)
        label: cc10f4

        range: [1,3]                units: 1
    unique values: 2                missing .: 0/1,506
    unique missing codes: 1        missing *: 1,295/1,506

    tabulation:  Freq.  Numeric  Label
                  33      1      yes
                  178     3      no
                  1,295   .b
    
```

cc10f5 **Keep chemical substance away from children**

```

        type: numeric (byte)
        label: cc10f5

        range: [1,3]                units: 1
    unique values: 2                missing .: 0/1,506
    unique missing codes: 1        missing *: 1,110/1,506

    tabulation:  Freq.  Numeric  Label
                  27      1      yes
                  369     3      no
                  1,110   .b
    
```

cc10g **In the child's eating, Do you need to feed the baby now?**

```

        type: numeric (byte)
        label: cc10g

        range: [1,3]                units: 1
    unique values: 2                missing .: 498/1,506

    tabulation:  Freq.  Numeric  Label
                  247     1      yes
                  761     3      no
                  498     .
    
```

cc11i Media exposure and influence of media on children: How often does the child watc

```

        type: numeric (byte)
        label: cc11i

        range: [1,5]                units: 1
    unique values: 3                missing .: 0/1,506

    tabulation:  Freq.  Numeric  Label
                  583     1      never
                  596     3      sometimes
                  327     5      often
    
```

cc11c Media exposure and influence of media on children: In the past week, did you res

```

type: numeric (byte)
label: cc11c

range: [1,5] units: 1
unique values: 3 missing .: 0/1,506
unique missing codes: 1 missing *: 4/1,506

tabulation: Freq. Numeric Label
             140      1 yes (restricted)
             1,267    3 no (the child can watch any
                    program.)
             95      5 the child did not watch
                    television.
             4       .d
    
```

cc11e Media exposure and influence of media on children: Does your household connect t

```

type: numeric (byte)
label: cc11e

range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
unique missing codes: 2 missing *: 3/1,506

tabulation: Freq. Numeric Label
             937      1 yes
             566      3 no
              2       .c
              1       .d
    
```

cc12 Since previous interview, have your household member wathching political news in

```

type: numeric (byte)
label: cc12

range: [1,3] units: 1
unique values: 2 missing .: 0/1,506

tabulation: Freq. Numeric Label
             54      1 yes
            1,452    3 no
    
```

cc12a The child join when watching political news (yes/no)

```

type: numeric (byte)
label: cc12a

range: [1,3] units: 1
unique values: 2 missing .: 1,452/1,506

tabulation: Freq. Numeric Label
             18      1 yes
             36      3 no
            1,452    .
    
```

cc13a The response of parents to the child : Since last interview, has the child's fat

```

type: numeric (byte)
label: cc13a
    
```

```

range: [1,5] units: 1
unique values: 3 missing .: 0/1,506

tabulation: Freq. Numeric Label
              400      1 never (skip to cc13b)
              581      3 sometimes
              525      5 often
    
```

cc13a_des The response of parents to the child : If yes, please specify how

```

type: string (str236), but longest is str187

unique values: 655 missing "": 400/1,506
unique missing codes: 4 missing *: 166/1,506

warning: variable has embedded and trailing blanks
    
```

cc13b The response of parents to the child : Since last interview, have you and your h

```

type: numeric (byte)
label: cc13b

range: [1,5] units: 1
unique values: 3 missing .: 0/1,506
unique missing codes: 1 missing *: 97/1,506

tabulation: Freq. Numeric Label
              796      1 never (skip to cc13h)
              482      3 sometimes
              131      5 often
              97       .b
    
```

cc13b_des The response of parents to the child : If yes, please specify how

```

type: string (str356)

unique values: 533 missing "": 875/1,506
unique missing codes: 2 missing *: 1/1,506

warning: variable has embedded and trailing blanks
    
```

cc13h Number of learning centers for children in the community

```

type: numeric (byte)
label: cc13h

range: [1,5] units: 1
unique values: 3 missing .: 0/1,506

tabulation: Freq. Numeric Label
              1,325      1 none
              171       3 some
              10        5 many
    
```

cc13i The response of parents to the child : At present, how dangerous is the communit

```

type: numeric (byte)
label: cc13i
    
```

range: [1,5] units: 1
 unique values: 3 missing .: 0/1,506

tabulation:	Freq.	Numeric	Label
	969	1	not at all
	391	3	somewhat
	146	5	much

cc14 Interviewer note (unavailable)

type: string (str693), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation:	Freq.	Value
	1,506	" "

cc2_1 Powdered milk (not display)

type: string (str84), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation:	Freq.	Value
	1,506	" "

cc2_1:
 1. subjected to a carryforward operation

cc2a_1 Powdered milk: Eat or not?

type: numeric (byte)
 label: cc2a_1

range: [1,3] units: 1
 unique values: 2 missing .: 2/1,506
 unique missing codes: 4 missing *: 500/1,506

tabulation:	Freq.	Numeric	Label
	177	1	yes
	827	3	no
	2	.	.
	498	.b	.b
	1	.c	.c
	1	.d	.d

cc2b_1 Powdered milk: Average quantity per week

type: numeric (int)

range: [10,840] units: 1
 unique values: 47 missing .: 829/1,506
 unique missing codes: 4 missing *: 500/1,506

```

tabulation:  Freq.  Value
              1    10
              2    14
              1    28
              1    35
              2    42
              1    43
              9    56
              1    63
              1    68
              2    70
              1    72
              1    74
             12    84
              1    88
              5    98
              4   105
              1   108
             13   112
              2   123
              2   126
              1   137
             10   140
              2   147
              1   152
             28   168
              7   196
              1   200
              5   210
             12   224
              3   245
              3   252
              1   273
             13   280
              2   294
              2   308
              1   319
              1   320
              5   336
              4   364
              1   392
              1   400
              1   420
              2   448
              1   476
              4   560
              1   672
              1   840
             829   .
             498  .b
              1  .c
              1  .d
    mean:      191.712
  std. dev:   127.01

percentiles:      10%      25%      50%      75%      90%
                  63      105      168      245      336

```

cc2c_1

Powdered milk: Unit

```

type: string (str35), but longest is str15
unique values: 1          missing "": 2/1,506
tabulation:  Freq.  Value
              2    ""
             1,504  "อบุน้"

```

cc2_2 **Bag milk/Pasteurized milk (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

cc2_2:
 1. subjected to a carryforward operation

cc2a_2 **Bag milk/Pasteurized milk: Eat or not?**

```

type: numeric (byte)
label: cc2a_2
range: [1,3] units: 1
unique values: 2 missing .: 2/1,506
unique missing codes: 2 missing *: 1/1,506
tabulation: Freq. Numeric Label
             1,103 1 yes
             400 3 no
             2 .
             1 .c
    
```

cc2b_2 **Bag milk/Pasteurized milk: Average quantity per week**

```

type: numeric (int)
range: [1,70] units: 1
unique values: 37 missing .: 403/1,506
unique missing codes: 2 missing *: 3/1,506
tabulation: Freq. Value
             12 1
             20 2
             26 3
             7 4
             674 5
             11 6
             54 7
             35 8
             8 9
             142 10
             10 11
             14 12
             5 13
             23 14
             8 15
             1 16
             2 17
             7 18
             3 19
             3 20
             9 21
             1 23
             2 25
             6 28
             3 30
             1 31
             1 32
             1 33
             2 35
             1 36
    
```

```

          1 37
          2 38
          1 39
          1 53
          1 56
          1 60
          1 70
        403 .
          3 .c
    mean:  7.21364
  std. dev: 5.73424

percentiles:    10%    25%    50%    75%    90%
                  5      5      5      8      11
    
```

cc2c_2 **Bag milk/Pasteurized milk: Unit**

```

    type: string (str35), but longest is str19
  unique values: 1          missing "": 2/1,506

  tabulation: Freq. Value
                2 ""
            1,504 "ถุง/ขวด"
    
```

cc2_3 **UHT milk (sterilize) (not display)**

```

    type: string (str84), but longest is str0
  unique values: 0          missing "": 1,506/1,506

  tabulation: Freq. Value
                1,506 ""
    
```

cc2_3:
 1. subjected to a carryforward operation

cc2a_3 **UHT milk (sterilize): Eat or not?**

```

    type: numeric (byte)
  label: cc2a_3

    range: [1,3]          units: 1
  unique values: 2        missing .: 2/1,506
  unique missing codes: 2  missing *: 1/1,506

  tabulation: Freq. Numeric Label
                1,124      1 yes
                379       3 no
                 2        .
                 1        .c
    
```

cc2b_3 **UHT milk (sterilize): Average quantity per week**

```

    type: numeric (int)

    range: [1,168]        units: 1
  unique values: 52      missing .: 382/1,506
  unique missing codes: 2  missing *: 1/1,506
    
```



```

tabulation:  Freq.  Value
              23    1
              61    2
              67    3
              40    4
              30    5
               6    6
             205    7
              11    8
              13    9
              11   10
              45   11
               7   12
               3   13
             150   14
               6   15
               4   16
              46   18
               1   19
               3   20
              73   21
               3   22
               2   23
              41   25
               5   26
               3   27
              78   28
               2   30
               1   31
              23   32
               1   34
              37   35
               5   36
               5   39
               1   40
               1   41
              51   42
              10   46
               2   47
               1   48
               8   49
               1   50
               3   52
              10   56
               1   57
               1   60
               2   63
               1   66
               8   70
               8   84
               1   88
               1   91
               1  168
             382  .
               1  .d
    mean:      17.5316
  std. dev:   15.8167

```

```

percentiles:      10%      25%      50%      75%      90%
                  3        7        14       25       39

```

cc2c_3

UHT milk (sterilize): Unit

type: string (str35), but longest is str15

unique values: 1

missing "": 2/1,506

```

tabulation: Freq. Value
             2  ""
             1,504  "no"
    
```

cc2_4 **Soy milk (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506  ""
    
```

cc2_4:
 1. subjected to a carryforward operation

cc2a_4 **Soy milk: Eat or not?**

```

type: numeric (byte)
label: cc2a_4
range: [1,3] units: 1
unique values: 2 missing .: 2/1,506
unique missing codes: 2 missing *: 1/1,506
    
```

```

tabulation: Freq. Numeric Label
             633      1  yes
             870      3  no
              2      .
              1      .c
    
```

cc2b_4 **Soy milk: Average quantity per week**

```

type: numeric (int)
range: [1,84] units: 1
unique values: 26 missing .: 873/1,506
unique missing codes: 2 missing *: 3/1,506
    
```

```

tabulation: Freq. Value
             111  1
             149  2
             106  3
              34  4
              12  5
               6  6
             114  7
               2  8
               1  9
               4 10
              15 11
               3 12
              31 14
               1 15
               6 18
               9 21
               5 25
               8 28
               2 32
               2 35
               1 39
               4 42
               1 46
               1 53
               1 56
               1 84
    
```

```

      873 .
      3 .c
    mean: 5.86984
    std. dev: 7.90035
  
```

```

percentiles:      10%      25%      50%      75%      90%
                  1         2         3         7         14
  
```

cc2c_4 **Soy milk: Unit**

```

    type: string (str35)
unique values: 1          missing "": 2/1,506
  tabulation: Freq. Value
                2  ""
                1,504  "ร.๑/๗๗๓/๓๓'๑๑"
  
```

cc2_5 **Curd/Yacult (not display)**

```

    type: string (str84), but longest is str0
unique values: 0          missing "": 1,506/1,506
  tabulation: Freq. Value
                1,506  ""
  
```

cc2_5:
1. subjected to a carryforward operation

cc2a_5 **Curd/Yacult: Eat or not?**

```

    type: numeric (byte)
    label: cc2a_5
    range: [1,3]          units: 1
unique values: 2          missing .: 2/1,506
unique missing codes: 2  missing *: 1/1,506

  tabulation: Freq. Numeric Label
                1,240      1  yes
                263       3  no
                 2         .
                 1         .c
  
```

cc2b_5 **Curd/Yacult: Average quantity per week**

```

    type: numeric (int)
    range: [1,168]       units: 1
unique values: 27        missing .: 266/1,506
unique missing codes: 2  missing *: 2/1,506
  
```

```

tabulation:  Freq.  Value
              90    1
              201   2
              188   3
              100   4
               52   5
               22   6
              280   7
               5    8
               8    9
               6   10
              40   11
              11   12
             107   14
               1   16
               1   17
              35   18
               1   20
              38   21
              12   25
              11   28
              15   32
               3   35
               1   36
               4   39
               3   42
               2   56
               1  168
             266  .
               2  .c
    mean:     7.52989
    std. dev: 8.53631
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  2         3         5         7         18
    
```

cc2c_5 **Curd/Yacult: Unit**

```

    type: string (str35), but longest is str25
    unique values: 1          missing "": 2/1,506
    tabulation:  Freq.  Value
                  2    ""
                 1,504  "คั่ว/นม"
    
```

cc2_6 **Sweet condensed milk (not display)**

```

    type: string (str84), but longest is str0
    unique values: 0          missing "": 1,506/1,506
    tabulation:  Freq.  Value
                 1,506  ""
    
```

cc2_6:
 1. subjected to a carryforward operation

cc2a_6 **Sweet condensed milk: Eat or not?**

```

    type: numeric (byte)
    label: cc2a_6
    
```

```

        range: [1,3]                units: 1
    unique values: 2                missing .: 2/1,506
    unique missing codes: 3        missing *: 499/1,506

    tabulation: Freq.  Numeric  Label
                2         1   yes
    1,003       3         no
                2         .
    498         .b
                1         .c
    
```

cc2b_6 **Sweet condensed milk: Average quantity per week**

```

        type: numeric (int)

        range: [3,3]                units: 1
    unique values: 1                missing .: 1,005/1,506
    unique missing codes: 3        missing *: 500/1,506

    tabulation: Freq.  Value
                1     3
    1,005       .
    498         .b
                2     .c
    mean:       3
    std. dev:   .

    percentiles:    10%    25%    50%    75%    90%
                   3      3      3      3      3
    
```

cc2c_6 **Sweet condensed milk: Unit**

```

        type: string (str35), but longest is str21
    unique values: 1                missing "": 2/1,506

    tabulation: Freq.  Value
                2     ""
    1,504       "nrsifoa"
    
```

cc2_7 **Condensed milk (not display)**

```

        type: string (str84), but longest is str0
    unique values: 0                missing "": 1,506/1,506

    tabulation: Freq.  Value
    1,506       ""
    
```

cc2_7:
 1. subjected to a carryforward operation

cc2a_7 **Condensed milk: Eat or not?**

```

        type: numeric (byte)
    label: cc2a_7

        range: [1,3]                units: 1
    unique values: 2                missing .: 2/1,506
    unique missing codes: 3        missing *: 499/1,506
    
```

```

tabulation: Freq.  Numeric  Label
              2          1  yes
            1,003      3  no
              2          .
            498       .b
              1          .c
    
```

cc2b_7 **Condensed milk: Average quantity per week**

```

type: numeric (int)
range: [2,84]
unique values: 2
unique missing codes: 3
units: 1
missing .: 1,005/1,506
missing *: 499/1,506
    
```

```

tabulation: Freq.  Value
              1      2
              1     84
            1,005   .
            498   .b
              1   .c
    
```

```

mean: 43
std. dev: 57.9828
    
```

```

percentiles: 10% 25% 50% 75% 90%
              2   2   43  84  84
    
```

cc2c_7 **Condensed milk: Unit**

```

type: string (str35), but longest is str21
unique values: 1
missing "": 2/1,506
    
```

```

tabulation: Freq.  Value
              2     ""
            1,504  "nrsif01"
    
```

cc2_8 **Yogurt (not display)**

```

type: string (str84), but longest is str0
unique values: 0
missing "": 1,506/1,506
    
```

```

tabulation: Freq.  Value
            1,506   ""
    
```

cc2_8:
 1. subjected to a carryforward operation

cc2a_8 **Yogurt: Eat or not?**

```

type: numeric (byte)
label: cc2a_8
range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .: 2/1,506
missing *: 3/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              810      1  yes
              691      3  no
              2         .
              1         .c
              2         .d
    
```

cc2b_8 **Yogurt: Average quantity per week**

```

type: numeric (int)
range: [1,28]
unique values: 12
unique missing codes: 2
units: 1
missing .: 696/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              253    1
              220    2
              152    3
              52     4
              20     5
              3      6
              93     7
              3     11
              8     14
              2     18
              2     21
              1     28
              696    .
              1     .c
mean: 2.9382
std. dev: 2.66971
    
```

```

percentiles:  10%    25%    50%    75%    90%
              1      1      2      3      7
    
```

cc2c_8 **Yogurt: Unit**

```

type: string (str35), but longest is str12
unique values: 1
missing "": 2/1,506
    
```

```

tabulation:  Freq.  Value
              2     ""
              1,504 "غير"
    
```

cc2_9 **Other (not display)**

```

type: string (str84), but longest is str0
unique values: 0
missing "": 1,506/1,506
    
```

```

tabulation:  Freq.  Value
              1,506 ""
    
```

cc2a_9 **Other: Eat or not?**

```

type: numeric (byte)
label: cc2a
range: [1,1]
unique values: 1
units: 1
missing .: 1,478/1,506
    
```

```

tabulation: Freq.  Numeric  Label
             28         1  yes
             1,478       .
    
```

cc2b_9

Other: Average quantity per week

```

type: numeric (int)
range: [3,280]
unique values: 15
units: 1
missing .: 1,478/1,506
    
```

```

tabulation: Freq.  Value
             3      3
             1      5
            10      7
             1     14
             2     15
             1     21
             1     24
             1     25
             1     56
             1     57
             1     84
             1    112
             1    208
             2    240
             1    280
            1,478  .
    
```

```

mean: 52.6786
std. dev: 83.4395
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  3         7       10.5     56.5     240
    
```

cc2c_9

Other: Unit

```

type: string (str35), but longest is str15
unique values: 4
missing "": 1,478/1,506
    
```

```

tabulation: Freq.  Value
            1,478  ""
              8  "๗๐๓"
              1  "๑๓"
              9  "๑๑๓๗"
             10  "๑๑๓"
    
```

cc7_1

Childcare center (not display)

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,506/1,506
    
```

```

tabulation: Freq.  Value
            1,506  ""
    
```

cc7a_1

Childcare center: Is child receiving care from following person

```

type: numeric (byte)
label: cc7a_1
range: [1,3]
unique values: 2
units: 1
missing .: 498/1,506
    
```



```

tabulation: Freq.  Numeric  Label
              1          1  yes
            1,007        3  no
              498          .
    
```

cc7b_1 **Childcare center: member id**

```

type: string (str11), but longest is str2
unique values: 1 missing "": 1,505/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq.  Value
            1,505  ""
              1  "NA"
    
```

cc7c_1 **Childcare center: relationship with child (not display)**

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,506/1,506

tabulation: Freq.  Value
            1,506  ""
    
```

cc7c_code_1 **Childcare center: relationship code**

```

type: numeric (byte)
label: cc7c_code_1

range: [.,.] units: .
unique values: 0 missing .: 1,505/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq.  Numeric  Label
            1,505          .
              1          .b
    
```

cc7da_1 **Childcare center: when did child started to receive care from that person (mont**

```

type: numeric (byte)
label: cc7da

range: [5,5] units: 1
unique values: 1 missing .: 1,505/1,506

tabulation: Freq.  Numeric  Label
            1          5  may
            1,505          .
    
```

cc7db_1 **Childcare center: when did child started to receive care from that person (year**

```

type: numeric (int)

range: [2017,2017] units: 1
unique values: 1 missing .: 1,505/1,506
    
```

```

tabulation:  Freq.  Value
              1  2017
            1,505  .
    mean:    2017
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              2017   2017   2017   2017   2017
    
```

cc7e_1 Childcare center: how many hour per week that child receive care from that perso

```

type: numeric (int)
range: [30,30] units: 10
unique values: 1 missing .: 1,505/1,506

tabulation:  Freq.  Value
              1  30
            1,505  .
    mean:    30
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              30    30    30    30    30
    
```

cc7f_1 Childcare center: how much average expense per month of money that household mem

```

type: numeric (int)
range: [.,.] units: .
unique values: 0 missing .: 1,505/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation:  Freq.  Value
            1,505  .
              1  .c
    mean:    .
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7g_1 Childcare center: is that expense include lunch meal

```

type: numeric (byte)
label: cc7g_1
range: [.,.] units: .
unique values: 0 missing .: 1,505/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation:  Freq.  Numeric  Label
            1,505  .
              1  .c
    
```

cc7ha_1 Childcare center: indentify total number of child in classroom

```

type: numeric (byte)
    
```

```

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
        missing .: 1,505/1,506
        missing *: 1/1,506

tabulation: Freq. Value
             1,505 .
             1 .c
        mean: .
        std. dev: .

percentiles: 10% 25% 50% 75% 90%
             . . . . .
    
```

cc7hb_1 Childcare center: identify number of teacher/caregiver in classroom

```

        type: numeric (byte)

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
        missing .: 1,505/1,506
        missing *: 1/1,506

tabulation: Freq. Value
             1,505 .
             1 .c
        mean: .
        std. dev: .

percentiles: 10% 25% 50% 75% 90%
             . . . . .
    
```

cc7_2 Babysitter (not display)

```

        type: string (str127), but longest is str0
unique values: 0
               missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

cc7a_2 Babysitter: Is child receiving care from following person

```

        type: numeric (byte)
        label: cc7a_2

        range: [3,3]
unique values: 1
               units: 1
               missing .: 498/1,506

tabulation: Freq. Numeric Label
             1,008 3 no
             498 .
    
```

cc7b_2 Babysitter: member id

```

        type: string (str11), but longest is str0
unique values: 0
               missing "": 1,506/1,506

tabulation: Freq. Value
             1,506 ""
    
```

cc7c_2 Babysitter: relationship with child (not display)

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

cc7c_code_2 **Babysitter: relationship code**

```

type: numeric (byte)
label: cc7c_code_2
range: [.,.] units: .
unique values: 0 missing .: 1,506/1,506
tabulation: Freq. Numeric Label
             1,506 .
    
```

cc7da_2 **Babysitter: when did child started to receive care from that person (month)**

```

type: numeric (byte)
label: cc7da
range: [.,.] units: .
unique values: 0 missing .: 1,506/1,506
tabulation: Freq. Numeric Label
             1,506 .
    
```

cc7db_2 **Babysitter: when did child started to receive care from that person (year)**

```

type: numeric (int)
range: [.,.] units: .
unique values: 0 missing .: 1,506/1,506
tabulation: Freq. Value
             1,506 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc7e_2 **Babysitter: how many hour per week that child receive care from that person**

```

type: numeric (int)
range: [.,.] units: .
unique values: 0 missing .: 1,506/1,506
tabulation: Freq. Value
             1,506 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc7f_2 **Babysitter: how much average expense per month of money that household member pa**

```

        type: numeric (int)
        range: [.,.]
unique values: 0
                units: .
                missing .: 1,506/1,506

        tabulation: Freq. Value
                    1,506 .
                    mean: .
                    std. dev: .

        percentiles: 10%    25%    50%    75%    90%
                    .      .      .      .      .
    
```

cc7g_2 **Babysitter: is that expense include lunch meal**

```

        type: numeric (byte)
        label: cc7g_2
        range: [.,.]
unique values: 0
                units: .
                missing .: 1,506/1,506

        tabulation: Freq. Numeric Label
                    1,506 .
    
```

cc7ha_2 **Babysitter: indentify total number of child in classroom**

```

        type: numeric (byte)
        range: [.,.]
unique values: 0
                units: .
                missing .: 1,506/1,506

        tabulation: Freq. Value
                    1,506 .
                    mean: .
                    std. dev: .

        percentiles: 10%    25%    50%    75%    90%
                    .      .      .      .      .
    
```

cc7hb_2 **Babysitter: identify number of teacher/caregiver in classroom**

```

        type: numeric (byte)
        range: [.,.]
unique values: 0
                units: .
                missing .: 1,506/1,506

        tabulation: Freq. Value
                    1,506 .
                    mean: .
                    std. dev: .

        percentiles: 10%    25%    50%    75%    90%
                    .      .      .      .      .
    
```

cc7_3 **Relatives outside household (not display)**

```

        type: string (str127), but longest is str0
unique values: 0
                missing "": 1,506/1,506

        tabulation: Freq. Value
                    1,506 ""
    
```

cc7a_3 **Relatives outside household: Is child receiving care from following person**

```

type: numeric (byte)
label: cc7a_3

range: [1,3]
unique values: 2
units: 1
missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              265      1     yes
              743      3     no
              498      .
    
```

cc7b_3 **Relatives outside household: member id**

```

type: string (str11), but longest is str2

unique values: 1
unique missing codes: 2
missing "": 1,241/1,506
missing *: 265/1,506

tabulation: Freq.  Value
              1,241  ""
              265   "NA"
    
```

cc7c_3 **Relatives outside household: relationship with child (not display)**

```

type: string (str68), but longest is str0

unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
              1,506  ""
    
```

cc7c_code_3 **Relatives outside household: relationship code**

```

type: numeric (byte)
label: cc7c_code_3

range: [5,37]
unique values: 9
units: 1
missing .. 1,241/1,506

tabulation: Freq.  Numeric  Label
              6       5     Father / Mother
              1       9     Brother / Sister
              6      13     Cousin
              19     15     Uncle and aunt: father side
              43     17     Uncle and aunt: mother side
              32     19     Grand parents: father side
              32     21     Grand parents: mother side
              120    35     Relatives of other kinds
              6     37     Non-relatives
              1,241  .
    
```

cc7da_3 **Relatives outside household: when did child started to receive care from that p**

```

type: numeric (byte)
label: cc7da
    
```

range: [1,12] units: 1
 unique values: 12 missing .: 1,241/1,506
 unique missing codes: 2 missing *: 5/1,506

tabulation:	Freq.	Numeric	Label
	23	1	january
	28	2	february
	26	3	march
	20	4	april
	27	5	may
	11	6	june
	18	7	july
	29	8	august
	18	9	september
	20	10	october
	22	11	november
	18	12	december
	1,241	.	
	5	.c	

cc7db_3
Relatives outside household: when did child started to receive care from that p

type: numeric (int)
 range: [2011,2017] units: 1
 unique values: 7 missing .: 1,241/1,506
 unique missing codes: 2 missing *: 3/1,506

tabulation:	Freq.	Value
	1	2011
	38	2012
	73	2013
	64	2014
	51	2015
	24	2016
	11	2017
	1,241	.
	3	.c
mean:		2013.92
std. dev:		1.35397

percentiles:	10%	25%	50%	75%	90%
	2012	2013	2014	2015	2016

cc7e_3
Relatives outside household: how many hour per week that child receive care from

type: numeric (int)
 range: [1,102] units: 1
 unique values: 43 missing .: 1,241/1,506
 unique missing codes: 2 missing *: 3/1,506

tabulation:	Freq.	Value
	1	1
	7	2
	6	3
	11	4
	5	5
	6	6
	30	7
	9	8
	4	9
	3	10
	23	11
	3	12
	6	13

```

38 14
3 15
1 16
28 18
3 20
11 21
1 23
1 24
8 25
6 28
1 29
2 30
1 31
4 32
2 33
2 34
7 35
5 39
3 42
1 43
4 46
4 49
2 56
1 60
2 63
1 69
3 70
1 88
1 95
1 102
1,241 .
3 .c
mean: 18.6603
std. dev: 16.2123

percentiles:      10%      25%      50%      75%      90%
                   5         7         14         21         39

```

cc7f_3 **Relatives outside household: how much average expense per month of money that ho**

```

type: numeric (int)
range: [0,3000]
unique values: 6
unique missing codes: 3
units: 1
missing .: 1,241/1,506
missing *: 9/1,506

tabulation: Freq. Value
             248 0
             3 125
             1 200
             1 1000
             2 2000
             1 3000
1,241 .
2 .c
7 .d
mean: 33.4961
std. dev: 264.202

percentiles:      10%      25%      50%      75%      90%
                   0         0         0         0         0

```

cc7g_3 **Relatives outside household: is that expense include lunch meal**

```

type: numeric (byte)
label: cc7g_3

```



```

        range: [3,3]
unique values: 1
unique missing codes: 3
        units: 1
        missing .: 1,489/1,506
        missing *: 13/1,506

tabulation: Freq.  Numeric  Label
              4         3     no
              1,489     .
              2         .c
              11        .d
    
```

cc7ha_3 Relatives outside household: indentify total number of child in classroom

```

type: numeric (byte)

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
        missing .: 1,241/1,506
        missing *: 265/1,506

tabulation: Freq.  Value
              1,241 .
              265  .b
        mean: .
        std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

cc7hb_3 Relatives outside household: identify number of teacher/caregiver in classroom

```

type: numeric (byte)

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
        missing .: 1,241/1,506
        missing *: 265/1,506

tabulation: Freq.  Value
              1,241 .
              265  .b
        mean: .
        std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

cc7_4 Relatives inside household (not display)

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
              1,506 ""
    
```

cc7a_4 Relatives inside household: Is child receiving care from following person

```

type: numeric (byte)
label: cc7a_4

        range: [1,3]
unique values: 2
        units: 1
        missing .: 498/1,506
    
```

```

tabulation: Freq.  Numeric  Label
             778      1      yes
             230      3      no
             498      .
    
```

cc7b_4 **Relatives inside household: member id**

```

type: string (str11), but longest is str2
unique values: 7          missing "": 728/1,506
    
```

```

tabulation: Freq.  Value
             728    ""
             403    "H2"
             237    "H3"
              86    "H4"
              29    "H5"
              14    "H6"
               6    "H7"
               3    "H8"
    
```

cc7c_4 **Relatives inside household: relationship with child (not display)**

```

type: string (str68), but longest is str0
unique values: 0          missing "": 1,506/1,506
    
```

```

tabulation: Freq.  Value
             1,506  ""
    
```

cc7c_code_4 **Relatives inside household: relationship code**

```

type: numeric (byte)
label: cc7c_code_3
range: [9,37]          units: 1
unique values: 9      missing .: 728/1,506
    
```

```

tabulation: Freq.  Numeric  Label
             32      9      Brother / Sister
             11      13      Cousin
              9      15      Uncle and aunt: father side
             34      17      Uncle and aunt: mother side
             143     19      Grand parents: father side
             449     21      Grand parents: mother side
              1      29      Sister/brother-in-law
             97      35      Relatives of other kinds
              2      37      Non-relatives
             728      .
    
```

cc7da_4 **Relatives inside household: when did child started to receive care from that pe**

```

type: numeric (byte)
label: cc7da
range: [1,12]          units: 1
unique values: 12      missing .: 728/1,506
unique missing codes: 3  missing *: 3/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              65      1  january
              60      2  february
              61      3  march
              63      4  april
              51      5  may
              50      6  june
              70      7  july
              77      8  august
              84      9  september
              66     10  october
              64     11  november
              64     12  december
              728      .
              2       .c
              1       .d
    
```

cc7db_4

Relatives inside household: when did child started to receive care from that pe

```

type: numeric (int)
range: [2011,2017]          units: 1
unique values: 7           missing .: 728/1,506
unique missing codes: 2    missing *: 1/1,506
    
```

```

tabulation:  Freq.  Value
              2  2011
             135  2012
             262  2013
             223  2014
             132  2015
              20  2016
              3  2017
             728  .
              1  .d
    
```

```

mean: 2013.54
std. dev: 1.07393
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  2012      2013      2013      2014      2015
    
```

cc7e_4

Relatives inside household: how many hour per week that child receive care from

```

type: numeric (int)
range: [1,112]          units: 1
unique values: 77      missing .: 728/1,506
    
```

```

tabulation:  Freq.  Value
              2  1
              3  2
              1  3
             27  4
              1  5
              5  6
             92  7
              1  8
             60  11
              1  12
              1  13
             79  14
              2  15
             59  18
              2  20
             68  21
              3  23
    
```

```

2 24
35 25
3 26
4 27
36 28
1 29
1 30
20 32
4 33
33 35
1 36
3 37
13 39
2 40
14 42
2 43
3 44
3 45
10 46
1 47
9 49
2 50
3 51
2 52
9 53
4 54
7 55
8 56
5 57
5 58
7 59
9 60
4 61
11 62
11 63
5 64
4 65
4 66
2 67
7 68
4 69
7 70
3 71
5 72
2 73
2 74
2 75
3 76
6 77
1 78
1 79
1 80
1 82
1 84
2 91
4 98
10 102
4 105
1 109
2 112
728 .

```

```

mean: 30.41
std. dev: 23.7576

```

```

percentiles:    10%    25%    50%    75%    90%
                7      14     21     44     65

```

cc7f_4

Relatives inside household: how much average expense per month of money that hou

type: numeric (**int**)
 range: [.,.] units: .
 unique values: 0 missing .: 728/1,506
 unique missing codes: 2 missing *: 778/1,506

 tabulation: Freq. Value
 728 .
 778 .b
 mean: .
 std. dev: .

 percentiles: 10% 25% 50% 75% 90%

cc7g_4 Relatives inside household: is that expense include lunch meal

type: numeric (**byte**)
 label: cc7g_4
 range: [.,.] units: .
 unique values: 0 missing .: 728/1,506
 unique missing codes: 2 missing *: 778/1,506

 tabulation: Freq. Numeric Label
 728 .
 778 .b

 mean: .
 std. dev: .

 percentiles: 10% 25% 50% 75% 90%

cc7ha_4 Relatives inside household: indentify total number of child in classroom

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 728/1,506
 unique missing codes: 2 missing *: 778/1,506

 tabulation: Freq. Value
 728 .
 778 .b
 mean: .
 std. dev: .

 percentiles: 10% 25% 50% 75% 90%

cc7hb_4 Relatives inside household: identify number of teacher/caregiver in classroom

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 728/1,506
 unique missing codes: 2 missing *: 778/1,506

 tabulation: Freq. Value
 728 .
 778 .b
 mean: .
 std. dev: .

 percentiles: 10% 25% 50% 75% 90%

cc7_5 Other (not display)

```

type: string (str127), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

cc7a_5 **Other: Is child receiving care from following person**

```

type: numeric (byte)
label: cc7a_5
range: [1,1] units: 1
unique values: 1 missing .: 1,146/1,506
tabulation: Freq. Numeric Label
             360 1 yes
             1,146 .
    
```

cc7b_5 **Other: member id**

```

type: string (str11), but longest is str3
unique values: 10 missing "": 1,146/1,506
unique missing codes: 2 missing *: 54/1,506
tabulation: Freq. Value
             1,146 ""
              2 "H11"
             33 "H2"
             83 "H3"
             81 "H4"
             52 "H5"
             36 "H6"
             14 "H7"
              4 "H8"
              1 "H9"
             54 "NA"
    
```

cc7c_5 **Other: relationship with child (not display)**

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

cc7c_code_5 **Other: relationship code**

```

type: numeric (byte)
label: cc7c_code_3
range: [5,37] units: 1
unique values: 9 missing .: 1,146/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              11      5  Father / Mother
              27      9  Brother / Sister
              14     13  Cousin
              23     15  Uncle and aunt: father side
              60     17  Uncle and aunt: mother side
              43     19  Grand parents: father side
              109    21  Grand parents: mother side
              72     35  Relatives of other kinds
               1     37  Non-relatives
            1,146      .
    
```

cc7da_5 Other: when did child started to receive care from that person (month)

```

type: numeric (byte)
label: cc7da

range: [1,12] units: 1
unique values: 12 missing .: 1,146/1,506
unique missing codes: 3 missing *: 7/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              19      1  january
              24      2  february
              32      3  march
              36      4  april
              26      5  may
              25      6  june
              32      7  july
              38      8  august
              36      9  september
              22     10  october
              33     11  november
              30     12  december
            1,146      .
               6      .c
               1      .d
    
```

cc7db_5 Other: when did child started to receive care from that person (year)

```

type: numeric (int)

range: [2012,2017] units: 1
unique values: 6 missing .: 1,146/1,506
unique missing codes: 3 missing *: 2/1,506
    
```

```

tabulation:  Freq.  Value
              67  2012
             113  2013
             103  2014
              58  2015
              11  2016
               6  2017
            1,146  .
               1  .c
               1  .d
mean: 2013.58
std. dev: 1.15347
    
```

```

percentiles:      10%      25%      50%      75%      90%
                 2012      2013      2013      2014      2015
    
```

cc7e_5 Other: how many hour per week that child receive care from that person

```

type: numeric (int)
    
```

range: [1,102]
 unique values: 60
 unique missing codes: 2

units: 1
 missing .: 1,146/1,506
 missing *: 1/1,506

tabulation:	Freq.	Value
	2	1
	1	3
	13	4
	3	5
	1	6
	58	7
	1	8
	2	9
	3	10
	30	11
	2	12
	2	13
	50	14
	1	17
	22	18
	1	19
	4	20
	31	21
	1	23
	24	25
	2	27
	17	28
	2	29
	2	30
	1	31
	8	32
	1	33
	1	34
	10	35
	1	36
	4	39
	7	42
	2	44
	1	45
	6	46
	1	47
	1	49
	1	51
	2	53
	1	54
	3	55
	4	56
	1	57
	2	58
	2	59
	4	60
	1	61
	1	62
	3	63
	1	64
	1	67
	1	68
	3	70
	1	71
	2	73
	1	75
	2	77
	1	81
	1	95
	1	102
	1,146	.
	1	.c
mean:	23.1894	
std. dev:	18.2145	

percentiles: 10% 25% 50% 75% 90%
7 11 18 28 55

cc7f_5 Other: how much average expense per month of money that household member pay

type: numeric (**int**)

range: [0,0] units: 1
unique values: 1 missing .: 1,146/1,506
unique missing codes: 3 missing *: 309/1,506

tabulation:	Freq.	Value
	51	0
	1,146	.
	306	.b
	3	.d

mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0

cc7g_5 Other: is that expense include lunch meal

type: numeric (**byte**)

label: cc7g_5

range: [,..]
unique values: 0 units: .
unique missing codes: 3 missing .: 1,146/1,506
missing *: 360/1,506

tabulation:	Freq.	Numeric	Label
	1,146	.	
	306	.b	
	54	.d	

cc7ha_5 Other: indentify total number of child in classroom

type: numeric (**byte**)

range: [,..]
unique values: 0 units: .
unique missing codes: 2 missing .: 1,146/1,506
missing *: 360/1,506

tabulation:	Freq.	Value
	1,146	.
	360	.b

mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
.

cc7hb_5 Other: identify number of teacher/caregiver in classroom

type: numeric (**byte**)

range: [,..]
unique values: 0 units: .
unique missing codes: 2 missing .: 1,146/1,506
missing *: 360/1,506

```

tabulation:  Freq.  Value
              1,146  .
              360   .b
    mean:    .
    std. dev: .
percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7_6 Other (not display)

```

type: string (str127), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation:  Freq.  Value
              1,506  ""
    
```

cc7a_6 Other: Is child receiving care from following person

```

type: numeric (byte)
label: cc7a_6
range: [1,1] units: 1
unique values: 1 missing .: 1,423/1,506
tabulation:  Freq.  Numeric  Label
              83     1     yes
              1,423   .
    
```

cc7b_6 Other: member id

```

type: string (str11), but longest is str2
unique values: 9 missing "": 1,423/1,506
unique missing codes: 2 missing *: 15/1,506
tabulation:  Freq.  Value
              1,423  ""
              2   "H2"
              3   "H3"
              5   "H4"
              26  "H5"
              17  "H6"
              9   "H7"
              2   "H8"
              4   "H9"
              15  "NA"
    
```

cc7c_6 Other: relationship with child (not display)

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation:  Freq.  Value
              1,506  ""
    
```

cc7c_code_6 Other: relationship code

```

type: numeric (byte)
label: cc7c_code_3

range: [5,37] units: 1
unique values: 9 missing .. 1,423/1,506

tabulation: Freq. Numeric Label
             8      5  Father / Mother
             9      9  Brother / Sister
             8     13  Cousin
             5     15  Uncle and aunt: father side
            14     17  Uncle and aunt: mother side
             6     19  Grand parents: father side
             8     21  Grand parents: mother side
            24     35  Relatives of other kinds
             1     37  Non-relatives
            1,423      .
    
```

cc7da_6 Other: when did child started to receive care from that person (month)

```

type: numeric (byte)
label: cc7da

range: [1,12] units: 1
unique values: 12 missing .. 1,423/1,506
unique missing codes: 2 missing *: 2/1,506

tabulation: Freq. Numeric Label
             4      1  january
             5      2  february
            11      3  march
            12      4  april
             5      5  may
             7      6  june
             7      7  july
             3      8  august
             8      9  september
             4     10  october
            11     11  november
             4     12  december
            1,423      .
             2      .c
    
```

cc7db_6 Other: when did child started to receive care from that person (year)

```

type: numeric (int)

range: [2012,2017] units: 1
unique values: 6 missing .. 1,423/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Value
             6  2012
            25  2013
            23  2014
            15  2015
            10  2016
             3  2017
            1,423  .
             1  .d
mean: 2014.09
std. dev: 1.26882

percentiles:      10%      25%      50%      75%      90%
                 2013      2013      2014      2015      2016
    
```

cc7e_6 Other: how many hour per week that child receive care from that person

type: numeric (int)
 range: [2,70] units: 1
 unique values: 30 missing .: 1,423/1,506

tabulation: Freq. Value
 1 2
 2 3
 1 4
 1 5
 1 6
 20 7
 7 11
 1 12
 2 13
 14 14
 2 18
 6 21
 1 24
 5 25
 3 28
 1 29
 1 32
 1 33
 1 34
 2 35
 1 36
 1 46
 1 47
 1 52
 1 53
 1 59
 1 64
 1 66
 1 68
 1 70
 1,423 .
 mean: 19.6145
 std. dev: 16.2742

percentiles: 10% 25% 50% 75% 90%
 7 7 14 25 46

cc7f_6 Other: how much average expense per month of money that household member pay

type: numeric(int)
 range: [0,0] units: 1
 unique values: 1 missing .: 1,423/1,506
 unique missing codes: 3 missing *: 70/1,506

tabulation: Freq. Value
 13 0
 1,423 .
 68 .b
 2 .d
 mean: 0
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

cc7g_6 Other: is that expense include lunch meal

```

type: numeric (byte)
label: cc7g_6

range: [.,.]
unique values: 0
unique missing codes: 3

units: .
missing .: 1,436/1,506
missing *: 70/1,506

```

```

tabulation: Freq. Numeric Label
             1,436      .
              68      .b
               2      .d

```

cc7ha_6 Other: indentify total number of child in classroom

```

type: numeric (byte)

range: [.,.]
unique values: 0
unique missing codes: 2

units: .
missing .: 1,423/1,506
missing *: 83/1,506

```

```

tabulation: Freq. Value
             1,423      .
              83      .b

```

```

mean: .
std. dev: .

```

```

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .

```

cc7hb_6 Other: identify number of teacher/caregiver in classroom

```

type: numeric (byte)

range: [.,.]
unique values: 0
unique missing codes: 2

units: .
missing .: 1,423/1,506
missing *: 83/1,506

```

```

tabulation: Freq. Value
             1,423      .
              83      .b

```

```

mean: .
std. dev: .

```

```

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .

```

cc7_7 Other (not display)

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,506/1,506

```

```

tabulation: Freq. Value
             1,506 ""

```

cc7a_7 Other: Is child receiving care from following person

```

type: numeric (byte)
label: cc7a_7

range: [1,1]
unique values: 1

units: 1
missing .: 1,494/1,506

```

```

tabulation:  Freq.  Numeric  Label
              12      1  yes
            1,494      .
    
```

cc7b_7

Other: member id

```

type: string (str11), but longest is str2
unique values: 5
unique missing codes: 2
missing "": 1,494/1,506
missing *: 4/1,506
    
```

```

tabulation:  Freq.  Value
            1,494  ""
              2  "H5"
              2  "H6"
              2  "H7"
              2  "H8"
              4  "NA"
    
```

cc7c_7

Other: relationship with child (not display)

```

type: string (str68), but longest is str0
unique values: 0
missing "": 1,506/1,506
    
```

```

tabulation:  Freq.  Value
            1,506  ""
    
```

cc7c_code_7

Other: relationship code

```

type: numeric (byte)
label: cc7c_code_3
range: [5,35]
unique values: 5
units: 1
missing .: 1,494/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              2      5  Father / Mother
              1     13  Cousin
              1     17  Uncle and aunt: mother side
              3     21  Grand parents: mother side
              5     35  Relatives of other kinds
            1,494      .
    
```

cc7da_7

Other: when did child started to receive care from that person (month)

```

type: numeric (byte)
label: cc7da
range: [3,11]
unique values: 6
units: 1
missing .: 1,494/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              3      3  march
              3      4  april
              2      6  june
              1      7  july
              1      9  september
              2     11  november
            1,494      .
    
```

cc7db_7 Other: when did child started to receive care from that person (year)

```

type: numeric (int)
range: [2012,2016]
unique values: 5
unique missing codes: 2
units: 1
missing .: 1,494/1,506
missing *: 1/1,506

tabulation: Freq. Value
              1 2012
              4 2013
              3 2014
              2 2015
              1 2016
            1,494 .
              1 .c
mean: 2013.82
std. dev: 1.16775

percentiles:      10%      25%      50%      75%      90%
                  2013      2013      2014      2015      2015
    
```

cc7e_7 Other: how many hour per week that child receive care from that person

```

type: numeric (int)
range: [4,46]
unique values: 10
units: 1
missing .: 1,494/1,506

tabulation: Freq. Value
              1 4
              2 7
              2 11
              1 13
              1 14
              1 21
              1 26
              1 29
              1 32
              1 46
            1,494 .
mean: 18.4167
std. dev: 12.6092

percentiles:      10%      25%      50%      75%      90%
                  7         9        13.5      27.5      32
    
```

cc7f_7 Other: how much average expense per month of money that household member pay

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 1,494/1,506
missing *: 8/1,506

tabulation: Freq. Value
              4 0
            1,494 .
              8 .b
mean: 0
std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

cc7g_7 **Other: is that expense include lunch meal**

```

type: numeric (byte)
label: cc7g_7

range: [..]
unique values: 0
unique missing codes: 2

units: .
missing : 1,498/1,506
missing *: 8/1,506

tabulation: Freq. Numeric Label
            1,498      .
            8         .b
    
```

cc7ha_7 **Other: indentify total number of child in classroom**

```

type: numeric (byte)

range: [..]
unique values: 0
unique missing codes: 2

units: .
missing : 1,494/1,506
missing *: 12/1,506

tabulation: Freq. Value
            1,494  .
            12   .b

mean:      .
std. dev:  .

percentiles: 10% 25% 50% 75% 90%
              .  .  .  .  .
    
```

cc7hb_7 **Other: identify number of teacher/caregiver in classroom**

```

type: numeric (byte)

range: [..]
unique values: 0
unique missing codes: 2

units: .
missing : 1,494/1,506
missing *: 12/1,506

tabulation: Freq. Value
            1,494  .
            12   .b

mean:      .
std. dev:  .

percentiles: 10% 25% 50% 75% 90%
              .  .  .  .  .
    
```

cc7_8 **Other (not display)**

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

cc7a_8 **Other: Is child receiving care from following person**

```

type: numeric (byte)
label: cc7a_8
    
```



```

range: [1,1] units: 1
unique values: 1 missing : 1,504/1,506

tabulation: Freq. Numeric Label
              2         1 yes
            1,504         .
    
```

cc7b_8 Other: member id

```

type: string (str11), but longest is str2

unique values: 2 missing "": 1,504/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Value
            1,504 ""
              1 "H8"
              1 "NA"
    
```

cc7c_8 Other: relationship with child (not display)

```

type: string (str68), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

cc7c_code_8 Other: relationship code

```

type: numeric (byte)
label: cc7c_code_3

range: [15,17] units: 1
unique values: 2 missing : 1,504/1,506

tabulation: Freq. Numeric Label
              1         15 Uncle and aunt: father side
              1         17 Uncle and aunt: mother side
            1,504         .
    
```

cc7da_8 Other: when did child started to receive care from that person (month)

```

type: numeric (byte)
label: cc7da

range: [6,11] units: 1
unique values: 2 missing : 1,504/1,506

tabulation: Freq. Numeric Label
              1         6 june
              1        11 november
            1,504         .
    
```

cc7db_8 Other: when did child started to receive care from that person (year)

```

type: numeric (int)

range: [2013,2014] units: 1
unique values: 2 missing : 1,504/1,506
    
```

```

tabulation:  Freq.  Value
              1  2013
              1  2014
            1,504 .
    mean:    2013.5
    std. dev: .707107

percentiles:    10%    25%    50%    75%    90%
                2013    2013    2013.5    2014    2014
    
```

cc7e_8 **Other: how many hour per week that child receive care from that person**

```

type: numeric (int)
range: [8,49]
unique values: 2
units: 1
missing .: 1,504/1,506

tabulation:  Freq.  Value
              1  8
              1  49
            1,504 .
    mean:    28.5
    std. dev: 28.9914

percentiles:    10%    25%    50%    75%    90%
                8      8      28.5    49     49
    
```

cc7f_8 **Other: how much average expense per month of money that household member pay**

```

type: numeric (int)
range: [.,.]
unique values: 1
unique missing codes: 2
units: .
missing .: 1,504/1,506
missing *: 1/1,506

tabulation:  Freq.  Value
              1  0
            1,504 .
              1  .b
    mean:    0
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

cc7g_8 **Other: is that expense include lunch meal**

```

type: numeric (byte)
label: cc7g_8
range: [.,.]
unique values: 0
unique missing codes: 3
units: .
missing .: 1,504/1,506
missing *: 2/1,506

tabulation:  Freq.  Numeric  Label
            1,504      .
              1      .b
              1      .d
    
```

cc7ha_8 **Other: indentify total number of child in classroom**

```

type: numeric (byte)
    
```

```

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
missing .: 1,504/1,506
missing *: 2/1,506

tabulation: Freq. Value
            1,504 .
            2 .b
        mean: .
        std. dev: .

percentiles: 10% 25% 50% 75% 90%
            . . . . .
    
```

cc7hb_8 Other: identify number of teacher/caregiver in classroom

```

        type: numeric (byte)

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
missing .: 1,504/1,506
missing *: 2/1,506

tabulation: Freq. Value
            1,504 .
            2 .b
        mean: .
        std. dev: .

percentiles: 10% 25% 50% 75% 90%
            . . . . .
    
```

cc15 Do you think the child currently develops malnutrition?

```

        type: numeric (byte)
        label: cc15

        range: [.,.]
unique values: 0
        units: .
missing .: 1,506/1,506

tabulation: Freq. Numeric Label
            1,506 .
    
```

cc15a What action do you take if the child is malnourished? (not display)

```

        type: string (str148), but longest is str0
unique values: 0
        missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

cc6a How many hours per week does the father take care of this child?

```

        type: numeric (double)

        range: [0,112]
unique values: 155
unique missing codes: 2
        units: 1.000e-07
missing .: 0/1,506
missing *: 927/1,506

        mean: 40.8451
        std. dev: 20.9387

percentiles: 10% 25% 50% 75% 90%
            14 24.5 41 56.1667 66.5
    
```

cc6aa Starting time of caring time of this child by father : Before going to school on

type: string (str6)
 unique values: 17 missing "": 1,129/1,506

tabulation:

Freq.	Value
1,129	" "
1	"04.00"
22	"05.00"
25	"05.30"
2	"05.30 "
1	"05.45"
167	"06.00"
2	"06.00 "
1	"06.15"
68	"06.30"
2	"06.40"
52	"07.00"
2	"07.15"
24	"07.30"
1	"07.30 "
2	"07.40"
4	"08.00"
1	"09.00"

warning: variable has trailing blanks

cc6ab Finishing time of caring time of this child by father : Before going to school o

type: string (str5)
 unique values: 23 missing "": 1,129/1,506

tabulation:

Freq.	Value
1,129	" "
2	"06.00"
23	"06.30"
1	"06.40"
1	"06.50"
67	"07.00"
3	"07.10"
1	"07.15"
4	"07.20"
135	"07.30"
7	"07.40"
2	"07.50"
88	"08.00"
21	"08.30"
3	"09.00"
2	"10.00"
1	"15.00"
1	"19.00"
1	"19.30"
8	"20.00"
2	"20.30"
2	"21.00"
1	"22.00"
1	"22.30"

cc6ac Starting time of caring time of this child by father : After school (until going

type: string (str6)
 unique values: 23 missing "": 1,051/1,506

```

tabulation: Freq. Value
            1,051 ""
            1 "13.00"
            22 "14.00"
            2 "14.00 "
            44 "14.30"
            1 "14.45"
            43 "15.00"
            20 "15.30"
            1 "15.30 "
            34 "16.00"
            20 "16.30"
            1 "16.40"
            138 "17.00"
            3 "17.00 "
            27 "17.30"
            60 "18.00"
            1 "18.00 "
            1 "18.30"
            25 "19.00"
            2 "19.30"
            6 "20.00"
            1 "20.30"
            1 "21.30"
            1 "22.00"
    
```

warning: variable has trailing blanks

cc6ad Finishing time of caring time of this child by father : After school (until goin

```

type: string (str5)
unique values: 17 missing "": 1,051/1,506
    
```

```

tabulation: Freq. Value
            1,051 ""
            1 "14.50"
            1 "15.30"
            3 "16.00"
            4 "17.00"
            1 "17.30"
            6 "18.00"
            1 "18.30"
            12 "19.00"
            18 "19.30"
            1 "19.45"
            146 "20.00"
            80 "20.30"
            122 "21.00"
            23 "21.30"
            30 "22.00"
            5 "22.30"
            1 "23.00"
    
```

cc6ae Since previous interview, how many hours child's father spend time to taking car

```

type: string (str101), but longest is str97
unique values: 295 missing "": 961/1,506
    
```

warning: variable has leading and embedded blanks

cc6ae_1 Starting time of caring time of the child by father : before go to work Weekends

```

type: string (str6)
unique values: 22                               missing "": 1,086/1,506

```

```

tabulation: Freq. Value
1,086 ""
1 "04.00 "
15 "05.00"
3 "05.00 "
21 "05.30"
5 "05.30 "
1 "05.45"
126 "06.00"
24 "06.00 "
1 "06.15"
50 "06.30"
8 "06.30 "
2 "06.40"
73 "07.00"
11 "07.00 "
1 "07.20"
25 "07.30"
13 "07.30 "
17 "08.00"
9 "08.00 "
6 "08.30"
7 "09.00"
1 "11.00"

```

warning: variable has trailing blanks

cc6ae_2

Finishing time of caring time of the child by father : before go to work Weekend

```

type: string (str5)
unique values: 27                               missing "": 1,086/1,506

```

```

tabulation: Freq. Value
1,086 ""
1 "06.30"
13 "07.00"
1 "07.10"
1 "07.20"
21 "07.30"
1 "07.40"
33 "08.00"
4 "08.30"
5 "09.00"
1 "09.30"
2 "10.00"
1 "11.00"
3 "12.00"
1 "13.00"
4 "15.00"
2 "16.00"
2 "18.00"
6 "19.00"
16 "19.30"
1 "19.45"
104 "20.00"
62 "20.30"
83 "21.00"
18 "21.30"
31 "22.00"
2 "22.30"
1 "23.00"

```

cc6ae_3
Starting time of caring time of the child by father : after go to work Weekends

type: string (**str6**)
 unique values: **22** missing "": **1,343/1,506**

tabulation:	Freq.	Value
	1,343	" "
	3	"12.00"
	1	"13.00"
	1	"13.30"
	7	"14.00"
	2	"14.00 "
	3	"14.30"
	6	"15.00"
	1	"15.00 "
	2	"15.30"
	1	"15.30 "
	8	"16.00"
	1	"16.00 "
	2	"16.30"
	56	"17.00"
	9	"17.00 "
	9	"17.30"
	33	"18.00"
	2	"18.00 "
	1	"18.30"
	12	"19.00"
	1	"19.30"
	2	"20.00"

warning: variable has trailing blanks

cc6ae_4
Finishing time of caring time of the child by father : after go to work Weekends

type: string (**str6**)
 unique values: **14** missing "": **1,343/1,506**

tabulation:	Freq.	Value
	1,343	" "
	1	"20.00"
	2	"20.30"
	1	"15.00"
	1	"16.00"
	4	"17.00"
	3	"18.00"
	7	"19.00"
	8	"19.30"
	49	"20.00"
	28	"20.30"
	48	"21.00"
	6	"21.30"
	4	"22.00"
	1	"22.30"

warning: variable has leading blanks

cc6ae_5
Hours per day on weekends or holidays caring time of the child by father (undefi

type: numeric (**double**)

range: [1,5.5] units: .1
 unique values: 10 missing .: 1,466/1,506

tabulation: Freq. Value
 5 1
 1 1.5
 6 2
 6 2.5
 6 3
 3 3.5
 7 4
 3 4.5
 1 5
 2 5.5
 1,466 .
 mean: 2.9875
 std. dev: 1.24801

percentiles: 10% 25% 50% 75% 90%
 1 2 3 4 4.5

cc6b How many hours per week does the mother take care of this child?

type: numeric (double)
 range: [2,115.5] units: 1.000e-07
 unique values: 182 missing .: 735/1,506

mean: 56.3492
 std. dev: 19.7051

percentiles: 10% 25% 50% 75% 90%
 28 47 58.5 65.5 75.5

cc6ba Starting time of caring time of this child by mother : Before going to school on

type: string (str5)
 unique values: 18 missing "": 890/1,506

tabulation: Freq. Value
 890 ""
 1 "04.00"
 1 "04.30"
 40 "05.00"
 41 "05.30"
 1 "05.40"
 3 "05.45"
 2 "05.50"
 260 "06.00"
 2 "06.15"
 113 "06.30"
 2 "06.40"
 2 "06.50"
 102 "07.00"
 2 "07.15"
 1 "07.20"
 31 "07.30"
 2 "07.40"
 10 "08.00"

cc6bb Finishing time of caring time of this child by mother : Before going to school

type: string (str5)

unique values: 20 missing "": 890/1,506

tabulation:

Freq.	Value
890	"
1	"05.30"
5	"06.00"
2	"06.20"
34	"06.30"
3	"06.40"
2	"06.45"
1	"06.50"
93	"07.00"
5	"07.10"
3	"07.15"
7	"07.20"
249	"07.30"
17	"07.40"
4	"07.45"
5	"07.50"
124	"08.00"
52	"08.30"
1	"08.45"
7	"09.00"
1	"10.00"

cc6bc Starting time of caring time of this child by mother : After school (until going

type: string (str11)

unique values: 26 missing "": 870/1,506

tabulation:

Freq.	Value
870	"
2	"12.00"
2	"13.00"
2	"13.30"
68	"14.00"
1	"14.15"
2	"14.20"
111	"14.30"
1	"14.30-16.00"
1	"14.40"
3	"14.50"
133	"15.00"
64	"15.30"
1	"15.45"
44	"16.00"
1	"16.20"
27	"16.30"
1	"16.40"
103	"17.00"
2	"17.20"
15	"17.30"
32	"18.00"
10	"19.00"
6	"20.00"
1	"21.00"
2	"21.30"
1	"22.00"

cc6bd Finishing time of caring time of this child by mother : After school (until goin

type: string (str11)

unique values: 17 missing "": 870/1,506

```

tabulation:  Freq.  Value
              870  ""
              1  "13.00"
              1  "15.00"
              1  "15.30"
              2  "17.00"
              8  "18.00"
             15  "19.00"
             32  "19.30"
              1  "19.45"
            194  "20.00"
            123  "20.30"
              1  "20.30-22.00"
              1  "20.45"
            175  "21.00"
             32  "21.30"
             41  "22.00"
              6  "22.30"
              2  "23.00"
    
```

cc6be Since previous interview, how many hours child's mother spend time to taking car

```

type:  string (str145)
unique values:  286                missing "":  746/1,506

warning:  variable has embedded blanks
    
```

cc6be_1
 Starting time of caring time of the child by mother : before go to work Weekends

```

type:  string (str5)
unique values:  20                missing "":  798/1,506

tabulation:  Freq.  Value
              798  ""
              1  "04.00"
              1  "04.30"
             41  "05.00"
             39  "05.30"
              3  "05.45"
            245  "06.00"
              1  "06.15"
             99  "06.30"
              2  "06.40"
            143  "07.00"
              1  "07.20"
             57  "07.30"
              2  "07.40"
             43  "08.00"
              1  "08.10"
             12  "08.30"
             11  "09.00"
              3  "09.30"
              2  "10.00"
              1  "11.30"
    
```

cc6be_2
 Finishing time of caring time of the child by mother : before go to work Weekend

```

type:  string (str5)
unique values:  30                missing "":  798/1,506
    
```

```

tabulation:  Freq.  Value
              798  ""
              1  "06.30"
              1  "06.50"
              6  "07.00"
              2  "07.20"
             12  "07.30"
              1  "07.40"
              9  "08.00"
              4  "08.30"
              3  "09.00"
              1  "09.30"
              1  "10.00"
              1  "11.00"
              2  "12.00"
              1  "13.30"
              4  "15.00"
              1  "16.00"
              2  "17.00"
              7  "18.00"
             14  "19.00"
             38  "19.30"
              1  "19.45"
            207  "20.00"
            114  "20.30"
              1  "20.45"
            175  "21.00"
             42  "21.30"
             48  "22.00"
              4  "22.30"
              4  "23.00"
              1  "23.30"
    
```

cc6be_3

Starting time of caring time of the child by mother : after go to work Weekends

```

type:  string (str5)
unique values:  13                missing "":  1,438/1,506
    
```

```

tabulation:  Freq.  Value
              1,438  ""
               4  "12.00"
               5  "14.00"
               5  "15.00"
               5  "15.30"
               6  "16.00"
               3  "16.30"
              14  "17.00"
               3  "17.30"
              15  "18.00"
               1  "18.30"
               4  "19.00"
               2  "20.00"
               1  "20.30"
    
```

cc6be_4

Finishing time of caring time of the child by mother : after go to work Weekends

```

type:  string (str5)
unique values:  10                missing "":  1,438/1,506
    
```

```

tabulation: Freq. Value
            1,438 ""
            1 "03.00"
            1 "18.30"
            2 "19.00"
            21 "20.00"
            22 "20.30"
            14 "21.00"
            1 "21.30"
            4 "22.00"
            1 "22.30"
            1 "23.00"
    
```

cc6be_5
Hours per day on weekends or holidays caring time of the child by mother (undefi

```

type: numeric (double)
range: [1,5] units: .1
unique values: 8 missing .: 1,483/1,506

tabulation: Freq. Value
            2 1
            2 2
            4 2.5
            6 3
            2 3.5
            4 4
            1 4.5
            2 5
            1,483 .
mean: 3.1087
std. dev: 1.07615

percentiles: 10% 25% 50% 75% 90%
              2 2.5 3 4 4.5
    
```

cc6c **How many hours per week does the primary caregiver take care of this child?**

```

type: numeric (double)
range: [12.5,119] units: 1.000e-06
unique values: 171 missing .: 490/1,506

mean: 64.1858
std. dev: 13.978

percentiles: 10% 25% 50% 75% 90%
              51.5 57 63 69 78.5
    
```

cc6ca **Starting time of caring time this child by primary caregiver : Before going to s**

```

type: string (str5)
unique values: 17 missing "": 594/1,506
    
```

```

tabulation:  Freq.  Value
              594  ""
              9   "04.00"
              6   "04.30"
              76  "05.00"
              71  "05.30"
              1   "05.40"
              3   "05.45"
              1   "05.50"
             386  "06.00"
              1   "06.15"
              1   "06.20"
             158  "06.30"
              1   "06.40"
             142  "07.00"
              2   "07.15"
              2   "07.20"
              42  "07.30"
              10  "08.00"
    
```

cc6cb Finishing time of caring time of the child by primary caregiver : Before going t

```

type:  string (str5)
unique values:  19           missing "":  594/1,506
    
```

```

tabulation:  Freq.  Value
              594  ""
              6   "06.00"
              1   "06.15"
              1   "06.21"
             33   "06.30"
              1   "06.40"
             124  "07.00"
              6   "07.10"
              6   "07.15"
              4   "07.20"
              1   "07.25"
             397  "07.30"
             11  "07.40"
              3   "07.45"
              1   "07.50"
             222  "08.00"
              2   "08.10"
              1   "08.15"
             85  "08.30"
              7   "09.00"
    
```

cc6cc Starting time of caring time of this child by primary caregiver : After school (

```

type:  string (str5)
unique values:  23           missing "":  584/1,506
    
```

```

tabulation:  Freq.  Value
              584  ""
              2   "11.00"
              1   "12.00"
              2   "13.00"
              4   "13.30"
              1   "13.40"
             130  "14.00"
              1   "14.15"
              3   "14.20"
              1   "14.25"
             253  "14.30"
              2   "14.40"
             242  "15.00"
    
```

```

      2 "15.15"
      4 "15.20"
    127 "15.30"
      4 "15.40"
     64 "16.00"
      2 "16.10"
     28 "16.30"
     27 "17.00"
     10 "17.30"
     11 "18.00"
      1 "19.00"
  
```

cc6cd Finishing time of caring time of this child by primary caregiver : After school

```

      type: string (str5)
unique values: 14                               missing "": 584/1,506
  
```

```

tabulation: Freq. Value
           584 ""
              7 "17.00"
              2 "17.30"
              9 "18.00"
             34 "19.00"
             56 "19.30"
              2 "19.45"
            330 "20.00"
              1 "20.15"
            173 "20.30"
              1 "20.50"
            208 "21.00"
             54 "21.30"
             37 "22.00"
              8 "22.30"
  
```

cc6ce Since previous interview, how many hours you spend time to taking care this chil

```

      type: string (str55)
unique values: 210                               missing "": 499/1,506
  
```

```

warning: variable has embedded blanks
  
```

cc6ce_1 Starting time of caring time of the child by primary caretaker : before go to wo

```

      type: string (str5)
unique values: 17                               missing "": 503/1,506
  
```

```

tabulation: Freq. Value
           503 ""
              1 "03.00"
              8 "04.00"
              7 "04.30"
             81 "05.00"
             50 "05.30"
              1 "05.45"
            359 "06.00"
            123 "06.30"
              2 "06.40"
            178 "07.00"
             60 "07.30"
             90 "08.00"
              1 "08.10"
  
```

```

23 "08.30"
16 "09.00"
1  "09.30"
2  "10.00"

```

cc6ce_2
Finishing time of caring time of the child by primary caretaker : before go to w

```

type: string (str5)
unique values: 22          missing "": 503/1,506

```

```

tabulation: Freq. Value
503  ""
1    "07.00"
1    "07.30"
2    "08.00"
1    "08.30"
1    "10.00"
6    "17.00"
3    "17.30"
8    "18.00"
1    "18.30"
36   "19.00"
58   "19.30"
3    "19.45"
346  "20.00"
1    "20.15"
194  "20.30"
1    "20.50"
237  "21.00"
44   "21.30"
45   "22.00"
11   "22.30"
2    "23.00"
1    "23.30"

```

cc6ce_3
Starting time of caring time of the child by primary caretaker : after go to wor

```

type: string (str5)
unique values: 3          missing "": 1,500/1,506

```

```

tabulation: Freq. Value
1,500  ""
1      "14.00"
2      "15.00"
3      "17.00"

```

cc6ce_4
Finishing time of caring time of the child by primary caretaker : after go to wo

```

type: string (str5)
unique values: 5          missing "": 1,500/1,506

```

```

tabulation: Freq. Value
1,500  ""
1      "17.00"
2      "20.00"
1      "20.30"
1      "21.00"
1      "21.30"

```

cc6ce_5 Hours per day on weekends or holidays Hours per day on weekends or holidays

```

type: numeric (double)
range: [2,2] units: 1
unique values: 1 missing .: 1,505/1,506

tabulation: Freq. Value
              1 2
              1,505 .
mean: 2
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              2 2 2 2 2
    
```

survey_name survey round

```

type: string (str12)
unique values: 1 missing "": 0/1,506

tabulation: Freq. Value
              1,506 "RESURVEY2017"
    
```

year_survey year survey

```

type: numeric (float)
range: [2017,2017] units: 1
unique values: 1 missing .: 0/1,506

tabulation: Freq. Value
              1,506 2017
mean: 2017
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              2017 2017 2017 2017 2017
    
```

```

2 . log close
   name: <unnamed>
   log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2017\\b2.scml
   log type: smcl
   closed on: 27 Jul 2024, 15:46:30
    
```
