



```

name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\b3.scml
log type: smcl
opened on: 27 Jul 2024, 15:48:06
    
```

1 . codebookr _all,all

```

Dataset: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\b3_run.dta
Last saved: 27 Jul 2024 15:48
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 42
Number of observations: 1,506
Size: 1,923,162 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

| | | | |
|-------------------|----|------------------|----|
| Numeric Missing*: | .a | String Missing*: | RF |
| | .b | | NA |
| | .c | | DK |
| | .d | | MI |

cid **children id**

```

type: string (str18)
unique values: 1,506 missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,284 missing "": 0/1,506
 examples: "201591160604207"
 "201691131001097"
 "201691160105067"
 "201691161708041"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,506
 tabulation: Freq. Value
 1,361 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,506
 tabulation: Freq. Value
 1 "09"
 145 "12"
 264 "13"
 129 "14"
 148 "15"
 557 "16"
 38 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,506
 tabulation: Freq. Value
 65 "01"
 229 "02"
 121 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 136 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,506
examples: "011"
          "035"
          "071"
          "149"
    
```

ch1 **How is the child's health now?**

```

type: numeric (byte)
label: ch1
range: [1,7]           units: 1
unique values: 4       missing .: 0/1,506
tabulation:  Freq.  Numeric  Label
              242   1  very good
              1,000 3  good
              251   5  quite good
              13    7  somewhat bad
    
```

ch2 **Since previous interview : Did the child ever visit a dentist to take care of hi**

```

type: numeric (byte)
label: ch2
range: [1,3]           units: 1
unique values: 2       missing .: 0/1,506
tabulation:  Freq.  Numeric  Label
              414   1  yes
              1,092 3  no
    
```

ch2a **Number of times**

```

type: numeric (byte)
label: ch2a, but label does not exist

range: [1,7] units: 1
unique values: 6 missing .: 1,092/1,506
unique missing codes: 3 missing *: 4/1,506

tabulation: Freq. Value
             260 1
             104 2
              34 3
               8 4
               3 5
               1 7
            1,092 .
               3 .c
               1 .d
mean: 1.52195
std. dev: .833736

percentiles: 10% 25% 50% 75% 90%
              1 1 1 2 3
    
```

ch10 Since the last interview Has the child been to a psychiatrist or doctor for advi

```

type: numeric (byte)
label: ch10

range: [.,.] units: .
unique values: 0 missing .: 1,506/1,506

tabulation: Freq. Numeric Label
            1,506 .
    
```

ch4 Since the last interview How many times do children receive health checkups that

```

type: numeric (byte)
label: ch4, but label does not exist

range: [0,12] units: 1
unique values: 8 missing .: 0/1,506
unique missing codes: 1 missing *: 3/1,506

tabulation: Freq. Value
            1,298 0
             142 1
              43 2
               7 3
               7 4
               2 6
               2 11
               2 12
               3 .c
mean: .222888
std. dev: .822589

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

ch4_des Name of place for the health check-ups (unavailable)

```

type: string (str114), but longest is str0
unique values: 0 missing "": 1,506/1,506
    
```

tabulation: Freq. Value
 1,506 ""

ch4b **Code of the most place for the health check-ups**

type: numeric (**byte**)
 label: **ch4b**
 range: [1,99] units: 1
 unique values: 7 missing .: 1,298/1,506

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|---------------------------------------|
| | 137 | 1 | Health promoting hospital |
| | 29 | 3 | District hospital |
| | 17 | 5 | Center hospital / provincial hospital |
| | 3 | 7 | University hospital |
| | 3 | 15 | Private hospital |
| | 17 | 17 | Medical clinic |
| | 2 | 99 | other (Specify in ch4ba) |
| | 1,298 | . | |

ch4ba **Detail : place for the health check-ups (not display)**

type: string (**str48**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

ch4aa_des **Sub-district (unavailable)**

type: string (**str36**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

ch4aa **Sub-district code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

ch4ab_des **District (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
 1,506 ""

ch4ab **District code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ch4ac_des **Province (unavailable)**

```

type: string (str39), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ch4ac **Province code (unavailable)**

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ch5 Ever since the child was 2 years old until now, Has the child ever go to the doc

```

type: numeric (byte)
label: ch5
range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
tabulation: Freq. Numeric Label
             162      1 yes
             1,344    3 no
    
```

ch5a **How many times?**

```

type: numeric (byte)
label: ch5a, but label does not exist
range: [1,10] units: 1
unique values: 6 missing .: 1,344/1,506
tabulation: Freq. Value
             147  1
              11  2
               1  3
               1  5
               1  8
               1 10
            1,344 .
mean:      1.2037
std. dev:  .978901
percentiles:      10%      25%      50%      75%      90%
                  1         1         1         1         1
    
```

ch5b **What was the most severe injury?**

```

type: numeric (byte)
label: ch5b
range: [1,99]
unique values: 10
units: 1
missing ..: 1,344/1,506

```

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|--|
| | 9 | 1 | Cut or pierced by sharp object (open wounds, bleeding) |
| | 78 | 3 | Crash/Fall (with open wounds, broken bones, unconscious) |
| | 2 | 5 | Burn (until skin blister) |
| | 2 | 7 | Swallow, take or put things in the ear or nose |
| | 5 | 11 | Bitten or stung by poisonous animals |
| | 16 | 13 | Hurt by non |
| | 1 | 15 | Car accident (the child in the car) |
| | 19 | 23 | Bicycle injury |
| | 10 | 25 | Motercycle injury |
| | 20 | 99 | Other (Specify in ch5ba) |
| | 1,344 | . | |

ch5ba **Detail of the most severe injury (not display)**

```

type: string (str154), but longest is str0
unique values: 0
missing "": 1,506/1,506
tabulation: Freq. Value
1,506 ""

```

ch5c **Where did the accident happen?**

```

type: numeric (byte)
label: ch5c
range: [1,99]
unique values: 6
unique missing codes: 2
units: 1
missing ..: 1,344/1,506
missing *: 2/1,506

```

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|----------------------------|
| | 65 | 1 | home |
| | 27 | 3 | house of others |
| | 24 | 5 | school / child center |
| | 2 | 7 | playing field / playground |
| | 19 | 9 | alley / road |
| | 23 | 99 | other |
| | 1,344 | . | |
| | 2 | .d | |

ch5ca **Detail : place of accident (unavailable)**

```

type: string (str69), but longest is str0
unique values: 0
missing "": 1,506/1,506
tabulation: Freq. Value
1,506 ""

```

ch5e **How many days did the child miss school as a result of this injury?**

type: numeric (**byte**)
label: ch5e, but label does not exist
range: [0,61] units: 1
unique values: 18 missing .: 1,344/1,506
unique missing codes: 3 missing *: 2/1,506

tabulation: Freq. Value
76 0
12 1
16 2
9 3
2 4
15 5
11 7
2 8
1 10
1 11
3 14
2 15
1 20
4 22
2 30
1 33
1 44
1 61
1,344 .
1 .c
1 .d
mean: 4.0375
std. dev: 8.2278
percentiles: 10% 25% 50% 75% 90%
0 0 1 5 10.5

ch5f How many days was the child hospitalized because of this injury?

type: numeric (**byte**)
label: ch5f, but label does not exist
range: [0,30] units: 1
unique values: 11 missing .: 1,344/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Value
132 0
8 1
5 2
8 3
1 4
1 5
2 7
1 8
1 11
1 26
1 30
1,344 .
1 .d
mean: .869565
std. dev: 3.42624
percentiles: 10% 25% 50% 75% 90%
0 0 0 0 2

ch9 Since the last interview, Did the child is once sick and had to be admitted to t


```

type: numeric (byte)
label: ch9

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,506
missing *: 1/1,506

tabulation: Freq. Numeric Label
             121      1 yes
             1,384    3 no
             1        .d
    
```

ch9a

How many times?

```

type: numeric (byte)
label: ch9a, but label does not exist

range: [1,4]
unique values: 4
unique missing codes: 3

units: 1
missing .: 1,384/1,506
missing *: 2/1,506

tabulation: Freq. Value
             96  1
             18  2
              5  3
              1  4
            1,384 .
              1  .c
              1  .d
mean:       1.25833
std. dev:   .572417

percentiles: 10%    25%    50%    75%    90%
              1     1     1     1     2
    
```

ch9b

What was the most severe disease?

```

type: numeric (byte)
label: ch9b

range: [1,99]
unique values: 9
unique missing codes: 2

units: 1
missing .: 1,384/1,506
missing *: 1/1,506

tabulation: Freq. Numeric Label
             13      1 Respiratory (cough /cold/ runny
                    nose/gasp)
             16      3 Diarrhea / dysentery
              5      5 Stomachache / flatulence /
                    indigestion / gastritis
              1     11 Dermatitis / eczema / rash
              1     15 Oral diseases / caries / gum
                    disease / mouth ulcers
             64     17 Fever
              9     19 Lung and bronchial diseases
                    (pneumonia / bronchitis)
              3     21 Diseases of the gastrointestinal
                    tract and liver (intestinal /
                    liver / appendicitis / bile
                    ducts / gallbladder / excluding
                    gastritis)
              9     99 other (Specify in ch9ba)
            1,384    .
              1     .d
    
```

ch9ba **Detail : the most severe disease (not display)**

```

type: string (str129), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

ch9c **How many days did the child miss school as a result of this acute disease?**

```

type: numeric (byte)
label: ch9c, but label does not exist

range: [0,44] units: 1
unique values: 12 missing .: 1,384/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Value
             50 0
              1 1
             11 2
             10 3
              5 4
             17 5
             22 7
              1 10
              1 11
              1 15
              1 30
              1 44
            1,384 .
              1 .d
mean: 3.4876
std. dev: 5.42235

percentiles: 10% 25% 50% 75% 90%
              0 0 2 5 7
    
```

ch9d **How many days was the child hospitalized because of this acute disease?**

```

type: numeric (byte)
label: ch9d, but label does not exist

range: [0,11] units: 1
unique values: 11 missing .: 1,384/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Value
             2 0
            10 1
            37 2
            43 3
              8 4
              6 5
              2 6
            10 7
              1 9
              1 10
              1 11
            1,384 .
              1 .d
mean: 3.19835
std. dev: 1.93486
    
```

percentiles: 10% 25% 50% 75% 90%
 2 2 3 3 7

ch6 Does the child have health insurance with insurance company? (e.g. AIA, Krungtha

```

type: numeric (byte)
label: ch6

range: [1,3]              units: 1
unique values: 2          missing .: 0/1,506
unique missing codes: 1  missing *: 19/1,506

tabulation:  Freq.  Numeric  Label
              146   1        yes
              1,341 3        no
              19    .c
    
```

ch7 Since the last interview, have there been cases where the child need medical ser

```

type: numeric (byte)
label: ch7

range: [1,3]              units: 1
unique values: 2          missing .: 0/1,506

tabulation:  Freq.  Numeric  Label
              43   1        yes
              1,463 3        no
    
```

ch8 Interviewer note (unavailable)

```

type: string (str417), but longest is str0
unique values: 0          missing "": 1,506/1,506

tabulation:  Freq.  Value
              1,506 ""
    
```

note_cleaner Data cleaner note (not display)

```

type: string (str142), but longest is str0
unique values: 0          missing "": 1,506/1,506

tabulation:  Freq.  Value
              1,506 ""
    
```

year_survey year survey

```

type: numeric (int)

range: [2017,2017]        units: 1
unique values: 1          missing .: 0/1,506

tabulation:  Freq.  Value
              1,506 2017
mean:        2017
std. dev:    0

percentiles:  10%   25%   50%   75%   90%
              2017 2017  2017 2017 2017
    
```

survey_name **survey round**

type: string (**str12**)

unique values: **1** missing "": **0/1,506**

tabulation: Freq. Value
1,506 "RESURVEY2017"

2 . log close
name: **<unnamed>**
log: **V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\b3.scm1**
log type: **smcl**
closed on: **27 Jul 2024, 15:48:06**
