



```

name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\2017\\b4.scml
log type: smcl
opened on: 27 Jul 2024, 15:48:17
    
```

1 . codebookr _all,all

```

Dataset: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\\b4_run.dta
Last saved: 27 Jul 2024 15:48
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 88
Number of observations: 1,506
Size: 6,335,742 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

| | | | |
|-------------------|----|------------------|----|
| Numeric Missing*: | .a | String Missing*: | RF |
| | .b | | NA |
| | .c | | DK |
| | .d | | MI |

cid **children id**

```

type: string (str18)
unique values: 1,506 missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,284 missing "": 0/1,506
 examples: "201591160604207"
 "201691131001097"
 "201691160105067"
 "201691161708041"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,506
 tabulation: Freq. Value
 1,361 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,506
 tabulation: Freq. Value
 1 "09"
 145 "12"
 264 "13"
 129 "14"
 148 "15"
 557 "16"
 38 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,506
 tabulation: Freq. Value
 65 "01"
 229 "02"
 121 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 136 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8   "17"
              12  "18"
              26  "19"
              1   "20"
              21  "22"
              7   "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,506
examples: "011"
          "035"
          "071"
          "149"
    
```

chd1_1 **Open Roster and Identify childhood underlying disease since previous interview**

```

type: numeric (byte)
label: chd1_1, but label does not exist
range: [0,3]           units: 1
unique values: 4       missing .: 0/1,506

tabulation:  Freq.  Value
              1,343  0
              152   1
               9    2
               2    3
mean:       .116866
std. dev:   .351013

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

chd1_2 **Since previous interview, Have you ever been told by a doctor, nurse or speciali**

```

type: numeric (byte)
label: chd1_2, but label does not exist
range: [0,2]           units: 1
unique values: 3       missing .: 0/1,506
    
```

```

tabulation: Freq. Value
            1,442  0
             62   1
              2   2
    mean:    .043825
    std. dev: .211163

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

chd1a_1 **Underlying disease 1 (not display)**

```

    type: string (str92), but longest is str0
unique values: 0          missing "": 1,506/1,506

    tabulation: Freq. Value
                1,506 ""
    
```

chd1aa_1 **Underlying disease code 1**

```

    type: numeric (byte)
    label: chd1aa_1

    range: [7,99]          units: 1
unique values: 10        missing .: 1,302/1,506

    tabulation: Freq.  Numeric  Label
                5         7   Heart disease
                1         17  Depression / psychosis /
                    neurosis
                7         21  Seizures / epilepsy
            115         27  Asthma / emphysema
                25         31  Allergy
                13         55  Thalassemia
                 2         57  Down syndrom
                20         75  G6PD
                12         77  Anemia
                 4         99  others
            1,302         .
    
```

chd1b_1 **What kind of treatment did child receive**

```

    type: string (str6), but longest is str3

unique values: 11          missing "": 1,302/1,506
unique missing codes: 3    missing *: 15/1,506

    tabulation: Freq. Value
                1,302 ""
                 1  "-9"
                58  "B"
                 2  "B;C"
                 7  "B;D"
                 9  "C"
                28  "D"
                 1  "D;G"
                70  "F"
                13  "G"
                14  "MI"
                 1  "RF"
    
```

chd1ba_1 **Other categories of treatment 1 (not display)**

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

chdlc_1 Taking the child to an emergency room at least for one night 1

```

type: numeric (byte)
label: chdlc

range: [1,3] units: 1
unique values: 2 missing .: 1,303/1,506
unique missing codes: 3 missing *: 16/1,506

tabulation: Freq. Numeric Label
             40 1 yes
             147 3 no
             1,303 .
              1 .a
              15 .d
    
```

chdlca_1 Number of days : the child stayed in hospital at the longest period because of u

```

type: numeric (int)
label: chdlca, but label does not exist

range: [1,220] units: 1
unique values: 11 missing .: 1,466/1,506

tabulation: Freq. Value
             4 1
             9 2
            10 3
             7 4
             1 5
             4 7
             1 10
             1 11
             1 12
             1 30
             1 220
            1,466 .
mean: 9.9
std. dev: 34.4211

percentiles: 10% 25% 50% 75% 90%
              1.5 2 3 4.5 10.5
    
```

chdlid_1 At present, Does the child have an underlying medical condition

```

type: numeric (byte)
label: chdlid

range: [1,3] units: 1
unique values: 2 missing .: 1,303/1,506
unique missing codes: 3 missing *: 15/1,506
    
```

```

tabulation: Freq.  Numeric  Label
             163      1      yes
             25      3      no
            1,303      .
              1      .a
              14      .d
    
```

chd1a_2 **Underlying disease 2 (not display)**

```

type: string (str92), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq.  Value
            1,506 ""
    
```

chd1aa_2 **Underlying disease code 2**

```

type: numeric (byte)
label: chd1aa_1
range: [3,99] units: 1
unique values: 8 missing .: 1,487/1,506
tabulation: Freq.  Numeric  Label
             1      3      Thyroid / Goiter
             1      13      Cancer
             1      21      Seizures / epilepsy
             8      27      Asthma / emphysema
             4      31      Allergy
             1      55      Thalassemia
             2      75      G6PD
             1      99      others
            1,487      .
    
```

chd1b_2 **What kind of treatment did child receive**

```

type: string (str6), but longest is str3
unique values: 10 missing "": 1,487/1,506
unique missing codes: 2 missing *: 2/1,506
tabulation: Freq.  Value
            1,487 ""
              1 "A;D"
              5 "B"
              1 "C"
              1 "C;D"
              1 "D"
              1 "D;G"
              1 "E"
              4 "F"
              2 "G"
              2 "MI"
    
```

chd1ba_2 **Other category of treatment 2 (not display)**

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq.  Value
            1,506 ""
    
```

chdlc_2 Taking the child to an emergency room at least for one night 2

```

type: numeric (byte)
label: chdlc

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,487/1,506
missing *: 2/1,506

tabulation: Freq. Numeric Label
              3         1 yes
              14        3 no
            1,487      .
              2         .d
    
```

chdlca_2 Number of days : the child stayed in hospitalized at the longest period because

```

type: numeric (int)
label: chdlca, but label does not exist

range: [2,7]
unique values: 3

units: 1
missing .: 1,503/1,506

tabulation: Freq. Value
              1  2
              1  3
              1  7
            1,503 .
mean:          4
std. dev:     2.64575

percentiles: 10%    25%    50%    75%    90%
              2     2     3     7     7
    
```

chdlid_2 At present, Does the child have an underlying medical condition

```

type: numeric (byte)
label: chdlid

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,487/1,506
missing *: 2/1,506

tabulation: Freq. Numeric Label
              16        1 yes
              1         3 no
            1,487      .
              2         .d
    
```

chdla_3 Underlying disease 3 (not display)

```

type: string (str92), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

chdlaa_3 Underlying disease code 3

```

type: numeric (byte)
label: chdlaa_1

range: [3,77]
unique values: 4
units: 1
missing ..: 1,502/1,506

tabulation: Freq.  Numeric  Label
              1          3  Thyroid / Goiter
              1         27  Asthma / emphysema
              1         57  Down syndrom
              1         77  Anemia
            1,502          .
    
```

chdlb_3 What kind of treatment did child receive

```

type: string (str6), but longest is str1
unique values: 3
missing "": 1,502/1,506

tabulation: Freq.  Value
              1,502 ""
              1  "B"
              2  "F"
              1  "G"
    
```

chdlba_3 Other category of treatment 3 (not display)

```

type: string (str250), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
              1,506 ""
    
```

chdlc_3 Taking the child to an emergency room at least for one night 3

```

type: numeric (byte)
label: chdlc

range: [3,3]
unique values: 1
units: 1
missing ..: 1,502/1,506

tabulation: Freq.  Numeric  Label
              4          3  no
            1,502          .
    
```

chdlca_3 Number of days : the child stayed in hospitalized at the longest period because

```

type: numeric (int)
label: chdlca, but label does not exist

range: [.,.]
unique values: 0
units: .
missing ..: 1,506/1,506

tabulation: Freq.  Value
              1,506 .
mean: .
std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

chd1d_3 **At present, Does the child have an underlying medical condition**

```

type: numeric (byte)
label: chd1d

range: [1,1]
unique values: 1
units: 1
missing .: 1,502/1,506

tabulation: Freq.   Numeric  Label
              4         1  yes
              1,502       .
    
```

chd1a_4 **Underlying disease 4**

```

type: string (str92), but longest is str0
unique values: 0
missing "": 1,506/1,506

tabulation: Freq.  Value
              1,506 ""
    
```

chd1aa_4 **Underlying disease code 4**

```

type: numeric (byte)
label: chd1aa_1

range: [3,27]
unique values: 2
units: 1
missing .: 1,504/1,506

tabulation: Freq.   Numeric  Label
              1         3  Thyroid / Goiter
              1         27  Asthma / emphysema
              1,504       .
    
```

chd1b_4 **Treatment 4**

```

type: string (str6), but longest is str1
unique values: 2
missing "": 1,504/1,506

tabulation: Freq.  Value
              1,504 ""
              1  "B"
              1  "C"
    
```

chd1b_des_4 **Detail of treatment method**

```

type: string (str58)
unique values: 2
missing "": 1,504/1,506

tabulation: Freq.  Value
              1,504 ""
              1  "antibiotics (take continuously until
              1  the dose is finished)"
              1  "bronchodilators"

warning: variable has embedded blanks
    
```

chdlba_4 **Other category of treatment 4**

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
              1,506 ""
    
```

chdlc_4 **Taking the child to an emergency room at least for one night 4**

```

type: numeric (byte)
label: chdlc
range: [3,3] units: 1
unique values: 1 missing .: 1,504/1,506
tabulation: Freq. Numeric Label
              2 3 no
              1,504 .
    
```

chdlca_4
No. of days : hospitalized at the longest period because of underlying disease 4

```

type: numeric (int)
label: chdlca, but label does not exist
range: [.,.] units: .
unique values: 0 missing .: 1,506/1,506
tabulation: Freq. Value
              1,506 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

chdlld_4 **Having an underlying medical condition (underlying disease 4)**

```

type: numeric (byte)
label: chdlld
range: [1,1] units: 1
unique values: 1 missing .: 1,504/1,506
tabulation: Freq. Numeric Label
              2 1 yes
              1,504 .
    
```

chdl2 **Since the last interview Has the child ever had their ear pierced**

```

type: numeric (byte)
label: chdl2
range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
tabulation: Freq. Numeric Label
              5 1 yes
              1,501 3 no
    
```

chd3 Code of the reason for the child ever had an ear drainage puncture

```

type: numeric (byte)
label: chd3

range: [1,7] units: 1
unique values: 2 missing .. 1,501/1,506

tabulation: Freq. Numeric Label
              1      1 fluid in the ears
              4      7 other CHD3A
            1,501 .
    
```

chd3a Other category of the reason for the child ever had an ear drainage puncture (no

```

type: string (str90), but longest is str0

unique values: 0 missing "": 1,506/1,506

tabulation: Freq. Value
            1,506 ""
    
```

chd4_1 Open Roster and identify the number of defects of child since previous interview

```

type: numeric (byte)
label: chd4_1, but label does not exist

range: [0,2] units: 1
unique values: 3 missing .. 0/1,506

tabulation: Freq. Value
            1,494 0
              11 1
               1 2
mean: .008632
std. dev: .09946

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

chd4_2 Since previous interview, Have you ever been told by a doctor how many defects o

```

type: numeric (byte)
label: chd4_2, but label does not exist

range: [0,2] units: 1
unique values: 3 missing .. 0/1,506

tabulation: Freq. Value
            1,501 0
               4 1
                1 2
mean: .003984
std. dev: .072799

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

chd4a_1 Disability 1 (not display)

```

type: string (str108), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

chd4aa_1 **Disability code 1**

```

type: numeric (byte)
label: chd4aa_1
range: [1,99] units: 1
unique values: 5 missing .: 1,490/1,506
tabulation: Freq. Numeric Label
             1         1 Problems with mobility due to
             4         3 Problems with learning
             1         7 Problems with limb movement
             6         9 Problems with communication
             4        99 other
             1,490 .
    
```

chd4b_1 **What kind of treatment did child receive**

```

type: string (str11)
unique values: 11 missing "": 1,490/1,506
unique missing codes: 2 missing *: 2/1,506
tabulation: Freq. Value
             1,490 ""
             1 "A"
             1 "A;C;D;G;I;J"
             1 "A;G;L"
             1 "B"
             1 "B;C"
             3 "C"
             1 "C;I"
             1 "H"
             2 "I"
             2 "L"
             2 "NA"
    
```

chd4ba_1 **Other category of treatment 1 (not display)**

```

type: string (str144), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

chd4c_1 **Has the child ever been diagnosed by a medical professional**

```

type: numeric (byte)
label: chd4c
    
```

```

    range: [1,3]                units: 1
unique values: 2                missing .: 1,490/1,506

  tabulation: Freq.  Numeric  Label
                10         1  yes
                6         3  no
                1,490       .

```

chd4d_1 **At present: Is this still a problem**

```

    type: numeric (byte)
    label: chd4d

    range: [1,3]                units: 1
unique values: 2                missing .: 1,490/1,506

  tabulation: Freq.  Numeric  Label
                15         1  yes
                1         3  no
                1,490       .

```

chd4a_2 **Disability 2 (not display)**

```

    type: string (str108), but longest is str0
unique values: 0                missing "": 1,506/1,506

  tabulation: Freq.  Value
                1,506 ""

```

chd4aa_2 **Disability code 2**

```

    type: numeric (byte)
    label: chd4aa_1

    range: [1,9]                units: 1
unique values: 2                missing .: 1,504/1,506

  tabulation: Freq.  Numeric  Label
                1         1  Problems with mobility due to
                1         9  brain disorder
                1,504       9  Problems with communication
                                development

```

chd4b_2 **What kind of treatment did child receive**

```

    type: string (str11), but longest is str3
unique values: 2                missing "": 1,504/1,506

  tabulation: Freq.  Value
                1,504 ""
                1  "B"
                1  "C;I"

```

chd4ba_2 **Other category of treatment 2 (not display)**

```

    type: string (str144), but longest is str0
unique values: 0                missing "": 1,506/1,506

```

tabulation: Freq. Value
 1,506 ""

chd4c_2 **Has the child ever been diagnosed by a medical professional**

type: numeric (byte)
 label: **chd4c**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,504/1,506

tabulation: Freq. Numeric Label
 1 1 yes
 1 3 no
 1,504 .

chd4d_2 **At present: Is this still a problem**

type: numeric (byte)
 label: **chd4d**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,504/1,506

tabulation: Freq. Numeric Label
 2 1 yes
 1,504 .

chd4a_3 **Disability 3**

type: string (str108), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

chd4aa_3 **Disability code 3**

type: numeric (byte)
 label: **chd4aa_1**
 range: [9,9] units: 1
 unique values: 1 missing .: 1,505/1,506

tabulation: Freq. Numeric Label
 1 9 Problems with communication
 1,505 . development

chd4b_3 **Treatment_3**

type: string (str11), but longest is str3
 unique values: 1 missing "": 1,505/1,506
 tabulation: Freq. Value
 1,505 ""
 1 "C;I"

chd4b_des_3 **Description of disability treatment 3**

```

type: string (str45)
unique values: 1 missing "": 1,505/1,506
tabulation: Freq. Value
             1,505 ""
             1 "physical therapy;parental support or
               training"
warning: variable has embedded blanks
    
```

chd4ba_3 **Other category of treatment 3**

```

type: string (str144), but longest is str0
unique values: 0 missing "": 1,506/1,506
tabulation: Freq. Value
             1,506 ""
    
```

chd4c_3 **Be diagnosed or treated by a doctor or a specialist 3**

```

type: numeric (byte)
label: chd4c
range: [3,3] units: 1
unique values: 1 missing .: 1,505/1,506
tabulation: Freq. Numeric Label
             1 3 no
             1,505 .
    
```

chd4d_3 **At present: having this problem 3**

```

type: numeric (byte)
label: chd4d
range: [1,1] units: 1
unique values: 1 missing .: 1,505/1,506
tabulation: Freq. Numeric Label
             1 1 yes
             1,505 .
    
```

chd5 **Since the last interview, Does the child have hearing disability problem**

```

type: numeric (byte)
label: chd5
range: [1,3] units: 1
unique values: 2 missing .: 0/1,506
unique missing codes: 1 missing *: 1/1,506
tabulation: Freq. Numeric Label
             4 1 yes
             1,501 3 no
             1 .c
    
```

chd6 **Ear side of hearing disability**

```

type: numeric (byte)
label: chd6

range: [1,5]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,501/1,506
missing *: 1/1,506

tabulation: Freq.   Numeric   Label
              2           1   left
              2           5   both
            1,501         .
              1           .c
    
```

chd7 **Since the last interview, Does the child have vision disability problem**

```

type: numeric (byte)
label: chd7

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,506

tabulation: Freq.   Numeric   Label
              1           1   yes
            1,505         3   no
    
```

chd8 **Does the child need to use assistive devices such as canes, wheelchairs, hearing**

```

type: numeric (byte)
label: chd8

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,506

tabulation: Freq.   Numeric   Label
              4           1   yes
            1,502         3   no
    
```

chd9 **Does the child currently wear glasses**

```

type: numeric (byte)
label: chd9

range: [3,3]
unique values: 1

units: 1
missing .: 0/1,506

tabulation: Freq.   Numeric   Label
            1,506         3   no
    
```

chd10 **Is the child currently receiving special education**

```

type: numeric (byte)
label: chd10

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,506

tabulation: Freq.   Numeric   Label
              1           1   yes
            1,505         3   no
    
```

chd10a1_des
Location where the child receiving special education services (unavailable)

type: string (**str126**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

chd10a1 **Location code (unavailable)**

type: string (**str6**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

chd10a2_des
Sub-district where the child receiving special education services (unavailable)

type: string (**str21**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

chd10a2 **Sub-district code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

chd10a3_des
District where the child receiving special education services (unavailable)

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

chd10a3 **District code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

chd10a4_des Province where the child receiving special education services (unavailable)

type: string (**str27**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

chd10a4 Province code (unavailable)

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

chd11 Interviewer note (unavailable)

type: string (**str620**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

note_cleaner data cleaner note (not display)

type: string (**str291**), but longest is str0
 unique values: 0 missing "": 1,506/1,506
 tabulation: Freq. Value
 1,506 ""

year_survey year survey

type: numeric (**float**)
 range: [2017,2017] units: 1
 unique values: 1 missing .: 0/1,506
 tabulation: Freq. Value
 1,506 2017
 mean: 2017
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 2017 2017 2017 2017 2017

survey_name survey round

type: string (**str12**)
 unique values: 1 missing "": 0/1,506

tabulation: Freq. Value
 1,506 "RESURVEY2017"

chdl_number

How many underlying disease does the child currently have that are incurable?

type: numeric (float)
 range: [0,4] units: 1
 unique values: 5 missing.: 0/1,506

tabulation: Freq. Value
 1,342 0
 148 1
 12 2
 3 3
 1 4
 mean: .122842
 std. dev: .379083

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

chdlb_des_1

Detail of treatment method

type: string (str74)
 unique values: 8 missing "": 1,318/1,506

tabulation: Freq. Value
 1,318 ""
 9 "antibiotics (take continuously until the dose is finished)"
 58 "bronchodilators"
 2 "bronchodilators;antibiotics (take continuously until the dose is finished)"
 7 "bronchodilators;drug (unknown type)"
 28 "drug (unknown type)"
 1 "drug (unknown type);other"
 70 "no treatment just observe symptoms"
 13 "other"

warning: variable has embedded blanks

chdlb_des_2

Detail of treatment method

type: string (str78)
 unique values: 9 missing "": 1,489/1,506

tabulation: Freq. Value
 1,489 ""
 1 "antibiotics (take continuously until the dose is finished)"
 1 "antibiotics (take continuously until the dose is finished);drug (unknown type)"
 5 "bronchodilators"
 1 "drug (unknown type)"
 1 "drug (unknown type);other"
 4 "no treatment just observe symptoms"
 2 "other"
 1 "respirator/pacemaker;drug (unknown type)"
 1 "steroids"

warning: variable has embedded blanks

chd1b_des_3 Detail of treatment method

```

type: string (str34)
unique values: 3 missing "": 1,502/1,506
tabulation: Freq. Value
             1,502 ""
             1 "bronchodilators"
             2 "no treatment just observe symptoms"
             1 "other"
    
```

warning: variable has embedded blanks

chd4_number How many disability does the child currently have that are incurable?

```

type: numeric (float)
range: [0,3] units: 1
unique values: 4 missing .: 0/1,506
tabulation: Freq. Value
             1,491 0
             13 1
             1 2
             1 3
mean: .011952
std. dev: .130892
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

chd4b_des_1 Detail of how to help

```

type: string (str299)
unique values: 10 missing "": 1,492/1,506
tabulation: Freq. Value
             1,492 ""
             1 "home visit"
             1 "occupational therapy"
             1 "occupational therapy;physical therapy"
             2 "other"
             2 "parental support or training"
             3 "physical therapy"
             1 "physical therapy;parental support or training"
             1 "speech or language therapy"
             1 "speech or language therapy;Hearing service (this does not include a temporary loss of hearing due to a cold or congestion.);other"
             1 "speech or language therapy;physical therapy;help group (among families with the same problem);Hearing service (this does not include a temporary loss of hearing due to a cold or congestion.);parental support or training;special classes with other children, some or all of whom also had special needs"
    
```

warning: variable has embedded blanks

chd4b_des_2

Detail of how to help

type: string (**str96**), but longest is str45

unique values: **2** missing "": **1,504/1,506**

| tabulation: | Freq. | Value |
|-------------|--------------|--|
| | 1,504 | " |
| | 1 | "occupational therapy" |
| | 1 | "physical therapy;parental support or training" |

warning: variable has embedded blanks

2 . log close
name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2017\b4.scm1
log type: smcl
closed on: 27 Jul 2024, 15:48:19
