



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\b6.scml
log type: smcl
opened on: 27 Jul 2024, 15:50:22
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b6_run.dta
Last saved: 27 Jul 2024 15:50
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 72
Number of observations: 1,506
Size: 1,335,822 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,506 missing "": 0/1,506
examples: "201591160604207H1"
           "201691131001997H1"
           "201691160105066H7"
           "201691161708041H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,506
tabulation: Freq. Value
             553 "2015"
             953 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,284 missing "": 0/1,506
 examples: "201591160604207"
 "201691131001097"
 "201691160105067"
 "201691161708041"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,506
 tabulation: Freq. Value
 1,361 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,506
 tabulation: Freq. Value
 1 "09"
 145 "12"
 264 "13"
 129 "14"
 148 "15"
 557 "16"
 38 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,506
 tabulation: Freq. Value
 65 "01"
 229 "02"
 121 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 136 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,506

```

tabulation:  Freq.  Value
              156  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              155  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,506
examples: "011"
          "035"
          "071"
          "149"
    
```

cd1 **Can walk up stairs alternating feet (child age less than 5 years old)**

```

type: numeric (byte)
label: cd1
range: [0,5]           units: 1
unique values: 4       missing .: 498/1,506

tabulation:  Freq.  Numeric  Label
              64     0  not happened
              120    1  never
              227    3  sometimes
              597    5  usually
              498    .
    
```

cd2 **Can hold a pencil or other writing correctly (child age under 5 years old)**

```

type: numeric (byte)
label: cd2
range: [0,5]           units: 1
unique values: 4       missing .: 498/1,506

tabulation:  Freq.  Numeric  Label
              8     0  not happened
              181    1  never
              194    3  sometimes
              625    5  usually
              498    .
    
```

cd3 Can pour water into a cup or bowl without spilling it. (child age under 5 years

```

type: numeric (byte)
label: cd3

range: [0,5]
unique values: 4

units: 1
missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              17         0  not happened
              209        1  never
              464        3  sometimes
              318        5  usually
              498         .
    
```

cd4 Can use a spoon to eat by themselves without spilling. (child age under 5 years

```

type: numeric (byte)
label: cd4

range: [0,5]
unique values: 4

units: 1
missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              4         0  not happened
             217        1  never
             532        3  sometimes
             255        5  usually
             498         .
    
```

cd5 Can tell the way back home from a nearby location. (child age under 5 years old)

```

type: numeric (byte)
label: cd5

range: [0,5]
unique values: 4

units: 1
missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              42         0  not happened
             157        1  never
             178        3  sometimes
             631        5  usually
             498         .
    
```

cd6 Can brush teeth by themselves. (child age under 5 years old)

```

type: numeric (byte)
label: cd6

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .. 498/1,506
missing *: 2/1,506

tabulation: Freq.  Numeric  Label
              3         0  not happened
             128        1  never
             224        3  sometimes
             651        5  usually
             498         .
              2         .c
    
```

cd11 The child can follow simple rules such as queuing to buy things or to use the ba

```

type: numeric (byte)
label: cd11

range: [0,5]          units: 1
unique values: 4      missing .. 498/1,506

tabulation: Freq.   Numeric  Label
              27       0  not happened
              137      1  never
              430      3  sometimes
              414      5  usually
              498      .
    
```

cd13 The child can tell whether he/she likes or dislikes things or activity.

```

type: numeric (byte)
label: cd13

range: [0,5]          units: 1
unique values: 4      missing .. 498/1,506

tabulation: Freq.   Numeric  Label
              11       0  not happened
              120      1  never
              208      3  sometimes
              669      5  usually
              498      .
    
```

cd15 Child often show off their work to make others feel that they are talented (chil

```

type: numeric (byte)
label: cd15

range: [0,5]          units: 1
unique values: 4      missing .. 498/1,506

tabulation: Freq.   Numeric  Label
              18       0  not happened
              169      1  never
              308      3  sometimes
              513      5  usually
              498      .
    
```

cd17 Can tell a story that happened in their daily lives (child age under 5 years old

```

type: numeric (byte)
label: cd17

range: [0,5]          units: 1
unique values: 4      missing .. 498/1,506

tabulation: Freq.   Numeric  Label
              10       0  not happened
              232      1  never
              325      3  sometimes
              441      5  usually
              498      .
    
```

cd18 Child always doubt and question on the things they interests (child age under 5

```

type: numeric (byte)
label: cd18

range: [0,5]
unique values: 4
units: 1
missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              2          0  not happened
             138         1  never
             218         3  sometimes
             650         5  usually
             498          .
    
```

cd19 Can listen to adults reading books (not story books) at least 5 minutes. (child

```

type: numeric (byte)
label: cd19

range: [0,5]
unique values: 4
unique missing codes: 2
units: 1
missing .. 498/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              66          0  not happened
             371         1  never
             382         3  sometimes
             188         5  usually
             498          .
              1          .d
    
```

cd22 Can arrange a word into a sentence correctly (child age under 5 years old)

```

type: numeric (byte)
label: cd22

range: [0,5]
unique values: 4
units: 1
missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              4          0  not happened
             84         1  never
             157         3  sometimes
             763         5  usually
             498          .
    
```

cd24 The child can tell meaning and what to do when seeing the sign in the daily life

```

type: numeric (byte)
label: cd24

range: [0,5]
unique values: 4
units: 1
missing .. 498/1,506

tabulation: Freq.  Numeric  Label
             100         0  not happened
            485         1  never
            154         3  sometimes
            269         5  usually
            498          .
    
```

cd25 The child can sing the whole song or almost the whole song

```

type: numeric (byte)
label: cd25

range: [0,5]
unique values: 4

units: 1
missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              6          0  not happened
              355         1  never
              346         3  sometimes
              301         5  usually
              498         .
    
```

cd29 The child tidies up stuffs when he/she finished playing with them

```

type: numeric (byte)
label: cd29

range: [1,5]
unique values: 3

units: 1
missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              319         1  never
              500         3  sometimes
              189         5  usually
              498         .
    
```

cd30 Child recognize and accept to apologize. when they do wrong or misbehaves (child

```

type: numeric (byte)
label: cd30

range: [0,5]
unique values: 4

units: 1
missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              5          0  not happened
              301         1  never
              423         3  sometimes
              279         5  usually
              498         .
    
```

cd32 Can tell name and surname (child age under 5 years old)

```

type: numeric (byte)
label: cd32

range: [0,5]
unique values: 4

units: 1
missing .. 498/1,506

tabulation: Freq.  Numeric  Label
              2          0  not happened
              230         1  never
              165         3  sometimes
              611         5  usually
              498         .
    
```

cd33 Child knows their age (child age under 5 years old)

```

type: numeric (byte)
label: cd33
    
```

```

range: [0,5] units: 1
unique values: 4 missing .. 498/1,506

tabulation: Freq. Numeric Label
             44      0 not happened
             767     1 never
             93      3 sometimes
             104     5 usually
             498     .
    
```

cd34 Child knows their gender (child age under 5 years old)

```

type: numeric (byte)
label: cd34

range: [0,5] units: 1
unique values: 4 missing .. 498/1,506

tabulation: Freq. Numeric Label
             22      0 not happened
             154     1 never
             95      3 sometimes
             737     5 usually
             498     .
    
```

cd35 The child can wash and wipe their hands by themselves, while the adult help turn

```

type: numeric (byte)
label: cd35

range: [0,5] units: 1
unique values: 4 missing .. 498/1,506

tabulation: Freq. Numeric Label
             1      0 not happened
             42     1 never
             148    3 sometimes
             817    5 usually
             498     .
    
```

cd36 Can dress byself exclude tying shoelaces and button up back (child age under 5 y

```

type: numeric (byte)
label: cd36

range: [0,5] units: 1
unique values: 4 missing .. 498/1,506

tabulation: Freq. Numeric Label
             1      0 not happened
             459    1 never
             346    3 sometimes
             202    5 usually
             498     .
    
```

cd37 The child can count numbers loudly up to 10

```

type: numeric (byte)
label: cd37

range: [0,5] units: 1
unique values: 4 missing .. 498/1,506
    
```



```

tabulation: Freq.  Numeric  Label
              2          0  not happened
              173        1  never
              142        3  sometimes
              691        5  usually
              498        .
    
```

cd38 The child can draw well enough that the elder can recognize it as male or female

```

type: numeric (byte)
label: cd38

range: [0,5]          units: 1
unique values: 4      missing .: 498/1,506
    
```

```

tabulation: Freq.  Numeric  Label
              59          0  not happened
              815        1  never
              78         3  sometimes
              56         5  usually
              498        .
    
```

cd39 The child can tell at least 8 colors correctly

```

type: numeric (byte)
label: cd39

range: [0,5]          units: 1
unique values: 4      missing .: 498/1,506
    
```

```

tabulation: Freq.  Numeric  Label
              44          0  not happened
              514        1  never
              117        3  sometimes
              333        5  usually
              498        .
    
```

cd40 Can easily calculate by using object or doing mental arithmetic (child age under

```

type: numeric (byte)
label: cd40

range: [0,5]          units: 1
unique values: 4      missing .: 498/1,506
    
```

```

tabulation: Freq.  Numeric  Label
              44          0  not happened
              827        1  never
              90         3  sometimes
              47         5  usually
              498        .
    
```

cd41 Can count amount of object more than 10 pieces and tell correctly number (child

```

type: numeric (byte)
label: cd41

range: [0,5]          units: 1
unique values: 4      missing .: 498/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              47      0  not happened
              693     1  never
              155     3  sometimes
              113     5  usually
              498     .
    
```

cd42 The child can write at least 5 Thai alphabets

```

type: numeric (byte)
label: cd42

range: [0,5]          units: 1
unique values: 4      missing .: 498/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              19      0  not happened
              858     1  never
              52      3  sometimes
              79      5  usually
              498     .
    
```

cd43 Can spell word by letter spelling not memorizing (child age under 5 years old)

```

type: numeric (byte)
label: cd43

range: [0,5]          units: 1
unique values: 4      missing .: 498/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              21      0  not happened
              938     1  never
              35      3  sometimes
              14      5  usually
              498     .
    
```

cd44 The child can use fingers to work on things that consist of many steps , e.g. us

```

type: numeric (byte)
label: cd44

range: [0,5]          units: 1
unique values: 4      missing .: 498/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              104     0  not happened
              772     1  never
              83      3  sometimes
              49      5  usually
              498     .
    
```

cd31 Interviewer note (unavailable)

```

type: string (str432), but longest is str0
unique values: 0      missing "": 1,506/1,506

tabulation:  Freq.  Value
              1,506 ""
    
```

ef4 The child can follow simple rules such as queuing to buy things or to use the ba

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,008/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              31         0  not encounter
              8         1  unable
              118        3  sometimes
              340        5  usually
            1,008        .
              1         .a
    
```

vn5 The child uses violence and aggression to solve problems when something is dissa

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,008/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              3         0  not encounter
             166        1  unable
             244        3  sometimes
              84        5  usually
            1,008        .
              1         .a
    
```

ef5 The child can suppress the desires even if he/she wants that thing

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,008/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              2         0  not encounter
             97        1  unable
            235        3  sometimes
            163        5  usually
            1,008        .
              1         .a
    
```

ef9 The child can accept the reason and is not angry when the plan is changed

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,008/1,506
missing *: 1/1,506
    
```

tabulation:	Freq.	Numeric	Label
	1	0	not encounter
	59	1	unable
	239	3	sometimes
	198	5	usually
	1,008	.	
	1	.a	

vn7

The child is obedient

type: numeric (byte)
 label: ef4
 range: [1,5] units: 1
 unique values: 3 missing .: 1,008/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation:	Freq.	Numeric	Label
	12	1	unable
	280	3	sometimes
	205	5	usually
	1,008	.	
	1	.a	

ef7

The child quits playing when he/she is told to do something else

type: numeric (byte)
 label: ef4
 range: [0,5] units: 1
 unique values: 4 missing .: 1,008/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation:	Freq.	Numeric	Label
	2	0	not encounter
	51	1	unable
	267	3	sometimes
	177	5	usually
	1,008	.	
	1	.a	

ef14 The child sits still and listens attentively to adult telling 1 -2 stories unti

type: numeric (byte)
 label: ef4
 range: [0,5] units: 1
 unique values: 4 missing .: 1,008/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation:	Freq.	Numeric	Label
	21	0	not encounter
	112	1	unable
	174	3	sometimes
	190	5	usually
	1,008	.	
	1	.a	

ef19

The child acts immediately without delay when he/she intends to do something

type: numeric (byte)
 label: ef4

range: [0,5] units: 1
 unique values: 4 missing .: 1,008/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation:	Freq.	Numeric	Label
	4	0	not encounter
	46	1	unable
	182	3	sometimes
	265	5	usually
	1,008	.	.
	1	.a	.a

vn16 The child is adaptable and not scared when going to a new place or meeting new p

type: numeric (byte)
 label: ef4

range: [0,5] units: 1
 unique values: 4 missing .: 1,008/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation:	Freq.	Numeric	Label
	1	0	not encounter
	61	1	unable
	156	3	sometimes
	279	5	usually
	1,008	.	.
	1	.a	.a

vn17 The child is kind to younger children (exclude siblings in the household)

type: numeric (byte)
 label: ef4

range: [0,5] units: 1
 unique values: 4 missing .: 1,008/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation:	Freq.	Numeric	Label
	7	0	not encounter
	20	1	unable
	149	3	sometimes
	321	5	usually
	1,008	.	.
	1	.a	.a

vn18 The child tells a lie

type: numeric (byte)
 label: ef4

range: [0,5] units: 1
 unique values: 4 missing .: 1,008/1,506
 unique missing codes: 2 missing *: 1/1,506

tabulation:	Freq.	Numeric	Label
	12	0	not encounter
	235	1	unable
	226	3	sometimes
	24	5	usually
	1,008	.	.
	1	.a	.a

ef23 The child tidies up and can look for stuffs later

```

type: numeric (byte)
label: ef4

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Numeric Label
              2         0 not encounter
              173        1 unable
              202        3 sometimes
              120        5 usually
            1,008        .
              1         .a
    
```

vn19 The child is bullied by other children (excluding siblings in the household)

```

type: numeric (byte)
label: ef4

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Numeric Label
              25         0 not encounter
              126        1 unable
              266        3 sometimes
              80         5 usually
            1,008        .
              1         .a
    
```

vn20 The child often volunteers to help others

```

type: numeric (byte)
label: ef4

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Numeric Label
              12         0 not encounter
              46         1 unable
              273        3 sometimes
              166        5 usually
            1,008        .
              1         .a
    
```

exp_a9 The child can accurately describe a wide range of emotions such as disappointed,

```

type: numeric (byte)
label: ef4

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              14      0  not encounter
              57      1  unable
              183     3  sometimes
              243     5  usually
            1,008     .
              1      .a
    
```

vn22 **The child steals things from home,school or anywhere else**

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 1,008/1,506
unique missing codes: 2  missing *: 1/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              11      0  not encounter
              453     1  unable
              32      3  sometimes
              1       5  usually
            1,008     .
              1      .a
    
```

exp_a3 **The child can use complex words to talk about possibilities**

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 1,008/1,506
unique missing codes: 2  missing *: 1/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              33      0  not encounter
              198     1  unable
              189     3  sometimes
              77      5  usually
            1,008     .
              1      .a
    
```

vn25 **The child can finish what he/she is doing without giving up**

```

type: numeric (byte)
label: ef4

range: [1,5]          units: 1
unique values: 3      missing .: 1,008/1,506
unique missing codes: 2  missing *: 1/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              52      1  unable
              191     3  sometimes
              254     5  usually
            1,008     .
              1      .a
    
```

vn1 **The child is considerate**

```

type: numeric (byte)
label: ef4
    
```

```

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Numeric Label
             18         0 not encounter
             84         1 unable
            221         3 sometimes
            174         5 usually
           1,008         .
             1         .a
    
```

vn6 The child often plays alone

```

type: numeric (byte)
label: ef4

range: [1,5] units: 1
unique values: 3 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Numeric Label
             239         1 unable
             173         3 sometimes
             85         5 usually
           1,008         .
             1         .a
    
```

ef11 The child takes time to deal with disappointment

```

type: numeric (byte)
label: ef4

range: [0,5] units: 1
unique values: 4 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Numeric Label
             1         0 not encounter
            345         1 unable
             93         3 sometimes
             58         5 usually
           1,008         .
             1         .a
    
```

ef12 The child is over excited when doing what he/ she likes

```

type: numeric (byte)
label: ef4

range: [1,5] units: 1
unique values: 3 missing .: 1,008/1,506
unique missing codes: 2 missing *: 1/1,506

tabulation: Freq. Numeric Label
             179         1 unable
            134         3 sometimes
            184         5 usually
           1,008         .
             1         .a
    
```

vn12 The child quarrels with or bullies other children (excluding siblings in the hou


```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,008/1,506
missing *: 1/1,506
    
```

tabulation:	Freq.	Numeric	Label
	15	0	not encounter
	319	1	unable
	152	3	sometimes
	11	5	usually
	1,008	.	
	1	.a	

vn13 The child is depressed or cries easily

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,008/1,506
missing *: 1/1,506
    
```

tabulation:	Freq.	Numeric	Label
	2	0	not encounter
	281	1	unable
	124	3	sometimes
	90	5	usually
	1,008	.	
	1	.a	

vn14 The child is generally liked by other children. (excluding siblings in the house)

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,008/1,506
missing *: 1/1,506
    
```

tabulation:	Freq.	Numeric	Label
	4	0	not encounter
	36	1	unable
	163	3	sometimes
	294	5	usually
	1,008	.	
	1	.a	

exp_a10 The child can mediate when other children are arguing

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,008/1,506
missing *: 1/1,506
    
```

tabulation:	Freq.	Numeric	Label
	131	0	not encounter
	161	1	unable
	163	3	sometimes
	42	5	usually
	1,008	.	
	1	.a	

vn23 The child can get along with adults better than with children (excluding sibling

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,008/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              5          0  not encounter
              134         1  unable
              143         3  sometimes
              215         5  usually
            1,008         .
              1          .a
    
```

vn24 The child is easily frightened and afraid of various things

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,008/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              1          0  not encounter
             254         1  unable
             150         3  sometimes
              92         5  usually
            1,008         .
              1          .a
    
```

vn29 In general, do you think this child has problems with emotions, concentration, b

```

type: numeric (byte)
label: vn29

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,008/1,506
missing *: 1/1,506

tabulation: Freq.  Numeric  Label
              83         1  yes
             414         3  no
            1,008         .
              1          .a
    
```

vn29a To what extent do you think the child has this problem?

```

type: numeric (byte)
label: vn29a

range: [1,5]
unique values: 3
unique missing codes: 2

units: 1
missing .: 1,422/1,506
missing *: 1/1,506
    
```

```

tabulation:  Freq.  Numeric  Label
              73      1      A little
              9       3      Much
              1       5      Severely
            1,422      .
              1       .a
    
```

note **Interviewer note (unavailable)**

```

type:  string (str331), but longest is str0
unique values:  0          missing "":  1,506/1,506
tabulation:  Freq.  Value
            1,506  ""
    
```

year_survey **year survey**

```

type:  numeric (float)
range:  [2017,2017]          units:  1
unique values:  1          missing .:  0/1,506
tabulation:  Freq.  Value
            1,506  2017
mean:        2017
std. dev:    0
percentiles:  10%    25%    50%    75%    90%
              2017   2017   2017   2017   2017
    
```

survey_name **survey round**

```

type:  string (str12)
unique values:  1          missing "":  0/1,506
tabulation:  Freq.  Value
            1,506  "RESURVEY2017"
    
```

```

2 . log close
   name:  <unnamed>
   log:   V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2017\b6.scml
   log type:  smcl
   closed on: 27 Jul 2024, 15:50:27
    
```
