



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2017\hh_member.smcl
log type: smcl
opened on: 27 Jul 2024, 15:43:53

```

1 . codebookr \_all,all

```

> un.dta
Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\hh_member_r
Last saved: 27 Jul 2024 15:43
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 42
Number of observations: 7,445
Size: 5,204,055 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

---

**cid** **children id**

---

```

type: string (str18)
unique values: 1,506 missing "": 0/7,445
examples: "201591161007003H1"
           "201691131006147H1"
           "201691160118021H1"
           "201691161708116H6"

```

---

**iyear** **year**

---

```

type: string (str4)
unique values: 2 missing "": 0/7,445
tabulation: Freq. Value
             2,646 "2015"
             4,799 "2016"

```

---

**hhid** **household id**

---

```

type: string (str15)

```

unique values: 1,284                      missing "": 0/7,445  
 examples: "201591161007003"  
           "201691131006147"  
           "201691160118021"  
           "201691161708116"

---

**prov** **province**

---

type: string (**str2**)  
 unique values: 2                              missing "": 0/7,445  
 tabulation: Freq. Value  
               6,760 "91"  
               685 "93"

---

**amp** **amphoe**

---

type: string (**str2**)  
 unique values: 8                              missing "": 0/7,445  
 tabulation: Freq. Value  
               4 "09"  
               685 "12"  
               1,221 "13"  
               613 "14"  
               750 "15"  
               2,776 "16"  
               184 "17"  
               1,212 "18"

---

**tam** **tambon**

---

type: string (**str2**)  
 unique values: 15                              missing "": 0/7,445  
 tabulation: Freq. Value  
               333 "01"  
               1,057 "02"  
               616 "04"  
               310 "05"  
               295 "06"  
               303 "07"  
               340 "08"  
               489 "09"  
               649 "10"  
               513 "11"  
               791 "13"  
               237 "14"  
               707 "15"  
               523 "17"  
               282 "19"

---

**moo** **moo**

---

type: string (**str2**)  
 unique values: 22                              missing "": 0/7,445

```

tabulation:  Freq.  Value
              766  "01"
              352  "02"
              727  "03"
              781  "04"
              645  "05"
              780  "06"
              392  "07"
              778  "08"
              508  "09"
              372  "10"
              269  "11"
              209  "12"
              184  "13"
               45  "14"
               54  "15"
              205  "16"
               37  "17"
               52  "18"
              130  "19"
                4  "20"
              125  "22"
               30  "24"
    
```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 185           missing "": 0/7,445
examples: "011"
          "034"
          "070"
          "137"
    
```

---

**hh\_a** **Member id**

---

```

type: string (str5), but longest is str3
unique values: 11           missing "": 0/7,445
tabulation:  Freq.  Value
              1,500  "H1"
                40  "H10"
                13  "H11"
              1,440  "H2"
              1,414  "H3"
              1,130  "H4"
                815  "H5"
                558  "H6"
                315  "H7"
                147  "H8"
                 73  "H9"
    
```

---

**no** **No**

---

```

type: numeric (byte)
range: [1,11]           units: 1
unique values: 11       missing .: 0/7,445
    
```

```

tabulation:  Freq.  Value
              1,500  1
              1,441  2
              1,414  3
              1,130  4
              815   5
              557   6
              315   7
              147   8
              73    9
              40   10
              13   11
  mean:      3.37703
  std. dev:  2.00485

percentiles: 10%    25%    50%    75%    90%
              1      2      3      5      6
    
```

---

**hh\_b** Nickname of member (unavailable)

---

```

  type: string (str36), but longest is str0
unique values: 0 missing "": 7,445/7,445
  tabulation:  Freq.  Value
                7,445  ""
    
```

---

**hh\_d** Name of member (unavailable)

---

```

  type: string (str42), but longest is str0
unique values: 0 missing "": 7,445/7,445
  tabulation:  Freq.  Value
                7,445  ""
    
```

---

**hh\_e** Surname of of member (unavailable)

---

```

  type: string (str51), but longest is str0
unique values: 0 missing "": 7,445/7,445
  tabulation:  Freq.  Value
                7,445  ""
    
```

---

**hh\_code** Status in household (code)

---

```

  type: numeric (byte)
  label: hh_code
  range: [1,3] units: 1
unique values: 2 missing .: 0/7,445
  tabulation:  Freq.  Numeric  Label
                7,137  1  old member
                308   3  new member
    
```

---

**hh\_f** Relationship with household head (not display)

---

```

  type: string (str78), but longest is str0
    
```

unique values: 0 missing "": 7,445/7,445  
 tabulation: Freq. Value  
 7,445 ""

---

**hh\_fcode** Code of relationship with household head

---

type: numeric (byte)  
 label: **hh\_fcode**  
 range: [1,37] units: 1  
 unique values: 16 missing .: 0/7,445

tabulation:	Freq.	Numeric	Label
	1,506	1	household head
	1,176	3	husband/Wife
	140	5	father/Mother
	1,358	7	son/daughther
	40	9	brother/sister/younger brother/younger sister
	2,420	11	grand son/grand daughter
	6	17	uncle,aunt of femal head
	2	19	grand parent:father side
	2	21	grand parent:mother side
	38	23	father/mother-in-law(of wife)
	3	25	father/mother-in-law(of husband)
	468	27	son/doughter-in-law
	8	29	sister in law/brother-in-law
	51	31	grandson/grand daughter-in-law
	220	35	relatives
	7	37	non-relatives

---

**hh\_1** Relationship with child

---

type: string (str86)  
 unique values: 196 missing "": 0/7,445  
 examples: "ป"  
 "พ่อ"  
 "แม่"  
 "เด็ก"  
 "เด็ก ก ก ก , ' ม ค ' ว อ ย ' ี ง "  
 warning: variable has embedded blanks

---

**hh\_lcode** Code of relationship with child

---

type: numeric (byte)  
 label: **hh\_lcode**  
 range: [0,21] units: 1  
 unique values: 19 missing .: 0/7,445

tabulation:	Freq.	Numeric	Label
	1,506	0	Sample children
	1,367	1	father / mother
	20	2	Stepfather / Stepmother (a person)
	2	3	Adoptive father / Adoptive mother
	5	4	Stepfather / Stepmother (both of them)
	1,567	5	grand parent : mother side
	523	6	grand parent : father side
	767	7	siblings
	8	8	half-siblings(same father)

120	9	half-siblings (same mother)
1	11	Adoptive brother / Adoptive sister
446	13	uncle / aunt
458	14	cousin
10	15	grand son / grand daughter
3	16	sister in law / brother-in-law
290	17	great-grandparents (Mother's side)
68	18	great-grandparents (Father's side)
282	19	relatives
2	21	House tenant

---

**hh\_ga** **Household head**

---

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing .: 5,944/7,445

tabulation: Freq. Value
1,501 1
5,944 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
1 1 1 1 1
    
```

---

**hh\_gb** **Target child**

---

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing .: 5,939/7,445

tabulation: Freq. Value
1,506 1
5,939 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
1 1 1 1 1
    
```

---

**hh\_gc** **Primary caregiver**

---

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing .: 5,337/7,445

tabulation: Freq. Value
2,108 1
5,337 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
1 1 1 1 1
    
```

---

**hh\_gd** **Father / Mother of child**

---

```

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 6,070/7,445

tabulation: Freq. Value
1,375 1
6,070 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
1 1 1 1 1
    
```

**hh\_ge Informant**

```

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 5,685/7,445

tabulation: Freq. Value
1,760 1
5,685 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
1 1 1 1 1
    
```

**hh\_h Contact number (unavailable)**

```

type: string (str11), but longest is str0
unique values: 0 missing "": 7,445/7,445

tabulation: Freq. Value
7,445 ""
    
```

**hh\_k Currently living at home?**

```

type: numeric (byte)
label: hh_k
range: [1,3] units: 1
unique values: 2 missing .: 0/7,445

tabulation: Freq. Numeric Label
7,190 1 yes
255 3 no
    
```

**hh\_i Do you have savings?**

```

type: numeric (byte)
label: hh_i
range: [1,3] units: 1
unique values: 2 missing .: 5,325/7,445
unique missing codes: 2 missing *: 13/7,445
    
```

```

tabulation:  Freq.  Numeric  Label
              720      1      yes
            1,387      3      no
            5,325      .
              13      .c
    
```

---

hh\_j

Amount of deposit

---

```

type: numeric (int)
label: hh_j, but 77 nonmissing values are not labeled
range: [3,25000]
unique values: 77
unique missing codes: 3
units: 1
missing .: 6,712/7,445
missing *: 427/7,445
    
```

```

tabulation:  Freq.  Numeric  Label
              1      3
              1      30
              1      40
              2      45
              1      55
              1      90
              8     100
              2     110
              2     125
              7     150
             10     200
              1     210
              3     220
              8     250
              6     300
              2     350
              2     380
              3     400
              1     420
              3     440
              9     450
              1     460
              1     480
             17     500
              1     520
              2     550
              4     600
              3     650
              9     700
              1     750
              1     760
              2     800
              3     850
              7     900
              1     960
             21    1000
              1    1070
              2    1080
             10    1200
              3    1250
              2    1300
              1    1400
              2    1450
              9    1500
              1    1520
              4    1700
             27    2000
              1    2250
             10    2500
              2    2600
              1    2920
             14    3000
              2    3200
              2    3220
    
```



```

      1      3300
      6      3500
      6      3800
     12      4000
      1      4100
      1      4200
      1      4300
      3      4500
      1      4900
      6      5000
      1      5500
      1      5600
      1      5900
      6      6000
      1      6900
      6      7000
      1      7500
      4      8000
      1      9000
      1     10500
      1     15000
      1     18000
      1     25000
  6,712      .
    424      .c
      3      .d
  
```

---

**blaf** **Gender**

---

```

      type: numeric (byte)
      label: blaf

      range: [1,3]
unique values: 2
      units: 1
      missing .: 0/7,445

      tabulation: Freq.  Numeric  Label
                  3,571      1  Male
                  3,874      3  Female
  
```

---

**blag** **Nationality**

---

```

      type: numeric (byte)
      label: blag

      range: [1,3]
unique values: 2
      units: 1
      missing .: 0/7,445

      tabulation: Freq.  Numeric  Label
                  7,432      1  Thai
                  13         3  Other
  
```

---

**blag\_other** **Other**

---

```

      type: string (str11)

unique values: 4
unique missing codes: 2
      missing "": 7,432/7,445
      missing *: 1/7,445

      tabulation: Freq.  Value
                  7,432  ""
                   2  "British"
                   9  "Laos"
                   1  "MI"
                   1  "Thai-Canana"
  
```

---

**blah** **Highest education/present**

---

```

type: string (str96)
unique values: 157
unique missing codes: 1
missing "": 0/7,445
missing *: 76/7,445

examples: "j.4"
           "j.6"
           "y.4"
           "###."

warning: variable has leading, embedded, and trailing blanks
    
```

---

**blah\_code** **Code of highest education/present**

---

```

type: numeric (byte)
label: blah_code

range: [1,75]
unique values: 30
unique missing codes: 2
units: 1
missing .: 0/7,445
missing *: 83/7,445
    
```

tabulation:	Freq.	Numeric	Label
	800	1	No education
	172	3	Kindergarten 1
	139	5	Kindergarten 2
	22	7	Kindergarten 3
	105	9	Primary 1
	125	11	Primary 2
	111	13	Primary 3
	1,692	15	Primary 4
	75	17	Primary 5
	874	19	Primary 6
	39	21	Primary 7 (old system)
	64	23	Lower secondary 1
	99	25	Lower secondary 2
	641	27	Lower secondary 3
	49	29	Upper secondary 1
	38	31	Upper secondary 2
	668	33	Upper secondary 3
	21	39	Lower secondary 3 (old system)
	13	43	Upper secondary 2 (old system)
	7	45	Vocational school year 1
	7	47	Vocational school year 2
	70	49	Vocational school year 3
	7	51	High vocational school year 1
	151	53	High vocational school year 2
	2	57	Technical vocational school year 2
	6	63	Undergraduate school year 2
	215	67	Undergraduate school year 4
	23	69	Master degree
	1,081	73	Child Development Center
	46	75	Other
	82	.c	
	1	.d	

---

**blaj** **Marital status**

---

```

type: numeric (byte)
label: blaj

range: [1,9]
unique values: 5
units: 1
missing .: 0/7,445
    
```

```

tabulation:  Freq.  Numeric  Label
              3,233      1  single
              3,497      3  married (both registered and
                          non-registered)
              147       5  divorced
              308       7  widowed
              260       9  separate (but keep the
                          relationship)
    
```

**male**

**Male**

```

type:  numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .. 0/7,445

tabulation:  Freq.  Value
              3,874  0
              3,571  1
mean:       .479651
std. dev:   .499619

percentiles:  10%    25%    50%    75%    90%
              0      0      0      1      1
    
```

**female**

**Female**

```

type:  numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .. 0/7,445

tabulation:  Freq.  Value
              3,571  0
              3,874  1
mean:       .520349
std. dev:   .499619

percentiles:  10%    25%    50%    75%    90%
              0      0      1      1      1
    
```

**child**

**Child**

```

type:  numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .. 66/7,445

tabulation:  Freq.  Value
              4,560  0
              2,819  1
              66     .
mean:       .38203
std. dev:   .485917

percentiles:  10%    25%    50%    75%    90%
              0      0      0      1      1
    
```

**adult**

**Adult**

```

type:  numeric (float)
    
```

```

    range: [0,1]                units: 1
unique values: 2                missing .: 66/7,445

  tabulation: Freq. Value
              3,783  0
              3,596  1
              66    .
    mean:     .487329
    std. dev: .499873

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        1
    
```

---

**elder** **Elder**

---

```

    type: numeric (float)

    range: [0,1]                units: 1
unique values: 2                missing .: 66/7,445

  tabulation: Freq. Value
              6,453  0
              926   1
              66    .
    mean:     .125491
    std. dev: .331298

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

---

**age** **Member's age (year)**

---

```

    type: numeric (double)

    range: [.03,92.58]         units: .01
unique values: 959           missing .: 66/7,445

    mean:     30.4813
    std. dev: 23.4154

percentiles:      10%      25%      50%      75%      90%
                  3.41     5.83     28.75    51.91    62.33
    
```

---

**note\_cleaner** **data cleaner note (not display)**

---

```

    type: string (str174), but longest is str0

unique values: 0                missing "": 7,445/7,445

  tabulation: Freq. Value
              7,445  ""
    
```

---

**survey\_name** **Survey name**

---

```

    type: string (str12)

unique values: 1                missing "": 0/7,445

  tabulation: Freq. Value
              7,445  "RESURVEY2017"
    
```

---

**year\_survey**

**year survey**

---

type: numeric (**float**)  
range: [2017,2017] units: 1  
unique values: 1 missing .: 0/7,445  
tabulation: Freq. Value  
              7,445 2017  
          mean: 2017  
          std. dev: 0  
percentiles: 10% 25% 50% 75% 90%  
              2017 2017 2017 2017 2017

2 . log close  
name: <unnamed>  
log: V:\\RIECE DATA\\RIECE\_RELEASE V3-2017-2018/codebook\\2017\\hh\_member.scml  
log type: smcl  
closed on: 27 Jul 2024, 15:43:56

---