



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\a1.smcl
log type: smcl
opened on: 30 Jul 2024, 11:55:59
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\a1_run.dta
Last saved: 30 Jul 2024 11:54
           DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 145
Number of observations: 4,237
Size: 15,787,062 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
                for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a          String Missing*: RF
                  .b          NA
                  .c          DK
                  .d          MI
    
```

hhid **household id**

```

type: string (str15)
unique values: 1,182          missing "": 0/4,237
examples: "201591161003009"
           "201691131006125"
           "201691160106012"
           "201691161708089"
    
```

iyear **year**

```

type: string (str9), but longest is str4
unique values: 2          missing "": 0/4,237
tabulation: Freq. Value
            1,497 "2015"
            2,740 "2016"
    
```

prov **province**

```

type: string (str2)
    
```

unique values: 2 missing "": 0/4,237
 tabulation: Freq. Value
 3,849 "91"
 388 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/4,237
 tabulation: Freq. Value
 388 "12"
 722 "13"
 333 "14"
 438 "15"
 1,572 "16"
 115 "17"
 669 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/4,237
 tabulation: Freq. Value
 209 "01"
 645 "02"
 390 "04"
 150 "05"
 172 "06"
 183 "07"
 169 "08"
 297 "09"
 362 "10"
 274 "11"
 430 "13"
 139 "14"
 401 "15"
 260 "17"
 156 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/4,237
 tabulation: Freq. Value
 446 "01"
 201 "02"
 398 "03"
 465 "04"
 332 "05"
 472 "06"
 214 "07"
 439 "08"
 277 "09"
 203 "10"
 169 "11"
 108 "12"
 120 "13"
 18 "14"
 26 "15"

```

113 "16"
31  "17"
39  "18"
92  "19"
56  "22"
18  "24"

```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/4,237
examples: "010"
           "034"
           "068"
           "134"

```

memberid **Member ID in the household**

```

type: string (str5), but longest is str3
unique values: 12           missing "": 0/4,237
tabulation:
  Freq. Value
    17 "H10"
     9 "H11"
     2 "H12"
     1 "H13"
 1,085 "H2"
 1,054 "H3"
   795 "H4"
   576 "H5"
   364 "H6"
   195 "H7"
    99 "H8"
    40 "H9"

```

nickname **Nickname (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0           missing "": 4,237/4,237
tabulation:
  Freq. Value
 4,237 ""

```

alive **Is this members still alive**

```

type: numeric (byte)
label: alive
range: [1,3]           units: 1
unique values: 2       missing .: 0/4,237
tabulation:
  Freq. Numeric Label
 4,223     1 live
    14     3 dead

```

istudy2 **In the past month, did you study?**

```

type: numeric (byte)
label: istudy2

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 14/4,237
missing *: 10/4,237

```

```

tabulation: Freq.  Numeric  Label
             673      1     yes
             3,540    3     no
              14      .
               5      .a
               5      .d

```

iwork2

In the past month, did you work as contractor, in trading or farming (excluding

```

type: numeric (byte)
label: iwork2

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 14/4,237
missing *: 10/4,237

```

```

tabulation: Freq.  Numeric  Label
             2,730    1     yes
             1,483    3     no
              14      .
               5      .a
               5      .d

```

dmonthwork2_1

In the past month, what was the average number of days per month you worked as a

```

type: numeric (byte)

range: [1,30]
unique values: 30
unique missing codes: 4

units: 1
missing .: 860/4,237
missing *: 50/4,237

```

```

tabulation: Freq.  Value
             24     1
             44     2
             49     3
             67     4
             39     5
             23     6
             30     7
             22     8
             18     9
             58    10
             16    11
             29    12
             16    13
             18    14
             72    15
             10    16
             27    17
             15    18
               6    19
             63    20
             11    21
            718    22
               6    23
             19    24
             17    25
            300    26
               9    27

```

```

          30 28
           6 29
    1,565 30
      860 .
         5 .a
         27 .c
         18 .d
    mean: 23.8557
std. dev: 8.03886

percentiles:    10%    25%    50%    75%    90%
                10     22     26     30     30
    
```

dmonthwork2_hr

In the past month, what was the average number of hours per day you worked as a

```

type: numeric (byte)

range: [0,18]          units: 1
unique values: 19      missing .: 865/4,237
unique missing codes: 3  missing *: 136/4,237
    
```

```

tabulation:  Freq.  Value
              41    0
              149    1
              145    2
              162    3
              149    4
              119    5
              172    6
              356    7
              579    8
              725    9
              285   10
              126   11
               89   12
               62   13
               39   14
               26   15
                8   16
                1   17
                3   18
              865   .
              119  .c
               17  .d
    mean: 7.42954
std. dev: 3.1542
    
```

```

percentiles:    10%    25%    50%    75%    90%
                2     6     8     9     11
    
```

dmonthwork2_mi

In the past month, what was the average number of hours per day you worked as a

```

type: numeric (byte)

range: [0,55]          units: 1
unique values: 14      missing .: 865/4,237
unique missing codes: 3  missing *: 136/4,237
    
```

```

tabulation:  Freq.  Value
              2,230  0
              1    2
              1    4
              6    5
              1    8
              11   10
              1   12
              5   15
              8   20
              958  30
              5   40
              5   45
              3   50
              1   55
              865  .
              119  .c
              17  .d
    mean:     9.19994
    std. dev: 13.8747
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

isleep2_hr

In the past month, what was the average number of hours you slept per day? (unit

```

type: numeric (byte)
range: [2,16]
unique values: 14
unique missing codes: 4
units: 1
missing .: 14/4,237
missing *: 174/4,237
    
```

```

tabulation:  Freq.  Value
              3    2
              9    3
              27   4
              56   5
              203  6
              633  7
              1,194 8
              1,173 9
              572 10
              133 11
              32  12
              8   13
              4   14
              2   16
              14  .
              5  .a
              163 .c
              6  .d
    mean:     8.38182
    std. dev:  1.38506
    
```

```

percentiles:    10%    25%    50%    75%    90%
                7      8      8      9     10
    
```

isleep2_mi

In the past month, what was the average number of hours you slept per day? (unit

```

type: numeric (byte)
range: [0,50]
unique values: 9
unique missing codes: 4
units: 1
missing .: 14/4,237
missing *: 174/4,237
    
```

```

tabulation:  Freq.  Value
              2,716  0
              1    1
              2   10
              4   15
              2   20
            1,319  30
              2   40
              2   45
              1   50
              14  .
              5  .a
            163  .c
              6  .d
    mean:      9.857
    std. dev:  14.105

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        30       30
    
```

iactivity2a_hr
In the past month, on study day/work day What was the average number of hours pe

```

type: numeric (byte)

range: [0,16]          units: 1
unique values: 17      missing .: 14/4,237
unique missing codes: 5  missing *: 1,158/4,237
    
```

```

tabulation:  Freq.  Value
              392  0
            1,534  1
              573  2
              239  3
              115  4
               84  5
               52  6
               24  7
               30  8
                4  9
                4  10
                3  11
                2  12
                5  13
                1  14
                2  15
                1  16
               14  .
                5  .a
             846  .b
             269  .c
               38  .d
    mean:      1.71452
    std. dev:  1.7136

percentiles:      10%      25%      50%      75%      90%
                  0        1        1        2        4
    
```

iactivity2a_mi
In the past month, on study day/work day What was the average number of hours pe

```

type: numeric (byte)

range: [0,45]          units: 1
unique values: 13      missing .: 14/4,237
unique missing codes: 5  missing *: 1,158/4,237
    
```

```

tabulation:  Freq.  Value
              2,329  0
              1    1
              2    3
              2    5
              1    8
              8   10
              6   15
              9   20
              1   22
              698  30
              2   35
              1   40
              5   45
              14  .
              5  .a
              846  .b
              269  .c
              38  .d
    mean:      7.0708
    std. dev:  12.7168

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      30
    
```

iactivity2b_hr

In the past month, on holidays What was the average number of hours per day you

```

    type:  numeric (byte)
    range:  [0,19]
    unique values:  20
    unique missing codes:  5

    units:  1
    missing .:  14/4,237
    missing *:  1,793/4,237

    tabulation:  Freq.  Value
                  109  0
                  367  1
                  420  2
                  309  3
                  161  4
                  130  5
                   67  6
                   34  7
                   46  8
                    7  9
                   27  10
                   17  11
                   48  12
                  124  13
                  271  14
                  199  15
                   67  16
                   17  17
                    7  18
                    3  19
                   14  .
                    5  .a
                  1,565  .b
                   205  .c
                    18  .d
    mean:      6.36502
    std. dev:  5.58357

percentiles:  10%    25%    50%    75%    90%
              1      2      4      13    15
    
```


iactivity2b_mi

In the past month, on holidays What was the average number of hours per day you

```

type: numeric (byte)
range: [0,50]
unique values: 12
unique missing codes: 5
units: 1
missing .: 14/4,237
missing *: 1,793/4,237
    
```

```

tabulation: Freq. Value
            1,609 0
              1 1
              1 3
              3 5
              1 10
              1 15
              1 20
             804 30
              2 35
              3 40
              3 45
              1 50
             14 .
              5 .a
            1,565 .b
             205 .c
              18 .d
mean:      10.1066
std. dev:  14.2325
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         30         30
    
```

farming3

Since last interview, have you done any agricultural activity?

```

type: numeric (byte)
label: farming3
range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .: 725/4,237
missing *: 10/4,237
    
```

```

tabulation: Freq. Numeric Label
            2,367      1 yes
            1,135      3 no
             725      .
              5      .a
              5      .d
    
```

livestock3

Since last interview, have you held any livestock?

```

type: numeric (byte)
label: livestock3
range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .: 725/4,237
missing *: 10/4,237
    
```

```

tabulation: Freq. Numeric Label
            1,524      1 yes
            1,978      3 no
             725      .
              5      .a
              5      .d
    
```

bussowner3

Since last interview, have you run your owned business/store not related to agri

```

type: numeric (byte)
label: bussowner3

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 725/4,237
missing *: 10/4,237

tabulation: Freq.  Numeric  Label
              758      1      yes
              2,744    3      no
              725      .
              5        .a
              5        .d
    
```

contractwork3

Since last interview, have you worked for a paid job?

```

type: numeric (byte)
label: contractwork3

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 725/4,237
missing *: 10/4,237

tabulation: Freq.  Numeric  Label
              1,454    1      yes
              2,048    3      no
              725      .
              5        .a
              5        .d
    
```

position3_1

Job 1, please specify the job title/position (not display)

```

type: string (str156), but longest is str0
unique values: 0
missing "": 4,237/4,237

tabulation: Freq.  Value
              4,237  ""
    
```

jcode3_1

Job ID 1

```

type: string (str3)
unique values: 6
missing "": 2,782/4,237

tabulation: Freq.  Value
              2,782  ""
                1  "J1"
                1  "J13"
              1,295  "J4"
                144  "J5"
                 11  "J6"
                 3   "J7"
    
```

typework3_1

What is the working status? (job 1)

```

type: numeric (byte)
label: typework3_1
    
```

range: [1,7] units: 1
 unique values: 4 missing .: 2,783/4,237
 unique missing codes: 2 missing *: 1/4,237

tabulation:	Freq.	Numeric	Label
	50	1	Government officer/state enterprise employee
	294	3	Temporary government worker/temporary state enterprise worker
	531	5	Company employee
	578	7	Temporary company worker, seasonal hired
	2,783	.	
	1	.d	

monthwork3_1 Since last interview, how many months did you work?

type: numeric (byte)

range: [1,16] units: 1
 unique values: 16 missing .: 2,783/4,237
 unique missing codes: 3 missing *: 20/4,237

tabulation:	Freq.	Value
	151	1
	72	2
	61	3
	35	4
	38	5
	40	6
	26	7
	29	8
	36	9
	35	10
	62	11
	779	12
	48	13
	12	14
	8	15
	2	16
	2,783	.
	19	.c
	1	.d

mean: 9.14226
 std. dev: 4.26634

percentiles:	10%	25%	50%	75%	90%
	1	6	12	12	12

daywork3_1 Since last interview, What was the average number of days you worked per month?

type: numeric (byte)

range: [1,30] units: 1
 unique values: 30 missing .: 2,783/4,237
 unique missing codes: 3 missing *: 64/4,237

```

tabulation:  Freq.  Value
              33    1
              68    2
              81    3
              72    4
              54    5
              22    6
              39    7
               7    8
               9    9
              55   10
              16   11
              11   12
               4   13
               7   14
              63   15
               6   16
               4   17
               2   18
               5   19
              50   20
               4   21
             196   22
               4   23
               7   24
              17   25
             285   26
               7   27
              19   28
               6   29
             237   30
            2,783  .
              63  .c
               1  .d
    mean:      18.1698
    std. dev:  10.1576

    percentiles:      10%      25%      50%      75%      90%
                      3         7         22         26         30
    
```

pmonthwork3_1 Since last interview, what was the average amount you earned per month?

```

    type:  numeric (long)
    range: [0,100000]
    unique values: 213
    unique missing codes: 4
    mean: 6562.1
    std. dev: 6692.12
    units: 1
    missing .: 2,783/4,237
    missing *: 227/4,237

    percentiles:      10%      25%      50%      75%      90%
                      600      1720      6000      9000      12000
    
```

pyearwork3_1 Since last interview, how much in total per year did you additionally earn from

```

    type:  numeric (long)
    range: [0,360000]
    unique values: 58
    unique missing codes: 4
    units: 1
    missing .: 2,783/4,237
    missing *: 252/4,237
    
```

```

tabulation:  Freq.  Value
              1,117  0
                1  100
                1  250
                1  300
                1  350
                1  450
                1  600
                3 1000
                3 1500
                3 2000
                1 2150
                1 2500
                1 2600
                3 3000
                1 3600
                1 3700
                1 4125
                1 4800
                4 5000
                1 5400
                3 5500
                1 6000
                2 6600
                1 6837
                2 9000
                4 10000
                1 12000
                2 13000
                1 14000
                1 15319
                1 15480
                1 16000
                1 16800
                1 18000
                1 19000
                3 20000
                1 20250
                1 24000
                1 26026
                2 29200
                2 30000
                1 36000
                2 37440
                1 44000
                1 45000
                1 47859
                1 58500
                1 59280
                1 59400
                1 60000
                2 62400
                1 63000
                1 66000
                2 72000
                1 77400
                1 84000
                2 100000
                2 360000
              2,783  .
                2  .a
               249  .c
                1  .d
    mean:         2112.61
  std. dev:      17012.7

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

position3_2 **Job 2, please specify the job title/position (not display)**

type: string (**str157**), but longest is str0
 unique values: 0 missing "": 4,237/4,237
 tabulation: Freq. Value
 4,237 ""

jcode3_2 **Job ID 2**

type: string (**str2**)
 unique values: 5 missing "": 4,083/4,237
 tabulation: Freq. Value
 4,083 ""
 1 "J4"
 119 "J5"
 29 "J6"
 4 "J7"
 1 "J8"

typework3_2 **What is the working status? (job 2)**

type: numeric (**byte**)
 label: **typework3_1**
 range: [3,7] units: 1
 unique values: 3 missing .: 4,083/4,237
 unique missing codes: 2 missing *: 1/4,237
 tabulation: Freq. Numeric Label
 39 3 Temporary government
 worker/temporary state
 enterprise worker
 53 5 Company employee
 61 7 Temporary company worker,
 seasonal hired
 4,083 .
 1 .d

monthwork3_2 **Since last interview, how many months did you work?**

type: numeric (**byte**)
 range: [1,15] units: 1
 unique values: 14 missing .: 4,083/4,237
 unique missing codes: 2 missing *: 4/4,237
 tabulation: Freq. Value
 18 1
 12 2
 23 3
 7 4
 11 5
 10 6
 3 7
 4 8
 4 9
 2 10
 2 11
 47 12
 6 13

```

          1 15
    4,083 .
          4 .c
    mean:  6.94667
    std. dev: 4.45528

    percentiles:    10%    25%    50%    75%    90%
                   1      3      6     12     12
  
```

daywork3_2 What was the average number of days you worked per month?

```

    type: numeric (double)

    range: [0,30]
    unique values: 21
    unique missing codes: 2

    units: .1
    missing .: 4,083/4,237
    missing *: 8/4,237

    tabulation:  Freq.  Value
                 1      0
                 6      1
                11      2
                 9      3
                 6      4
                 2      5
                 1     5.5
                 1      6
                 9      7
                 1      8
                 9     10
                 2     12
                 6     15
                 1     16
                 5     20
                13     22
                 4     25
                19     26
                 1     27
                 4     28
                35     30
            4,083 .
                 8 .c
    mean:  17.5377
    std. dev: 11.0603

    percentiles:    10%    25%    50%    75%    90%
                   2      6     22     28     30
  
```

pmonthwork3_2 Since last interview, what was the average amount you earned per month?

```

    type: numeric (long)

    range: [0,36000]
    unique values: 59
    unique missing codes: 2

    units: 1
    missing .: 4,083/4,237
    missing *: 28/4,237

    tabulation:  Freq.  Value
                 4      0
                 2     120
                 1     175
                 2     240
                 1     300
                 1     400
                 1     500
                 1     550
                20     600
                 1     800
                 1     825
                 4     900
  
```

```

1 1000
1 1050
2 1200
1 1376
1 1500
1 1800
1 2000
1 2025
3 2100
1 2250
6 2500
1 2640
3 3000
1 4000
1 4500
1 4840
4 5000
1 5200
4 5500
8 6000
1 6500
2 6600
1 7000
1 7560
1 7700
3 7800
1 7930
4 8000
3 8060
2 8250
2 8320
1 8400
1 8500
1 8580
1 8910
1 8960
6 9000
3 10000
1 10400
1 10500
1 11000
1 11667
1 13000
1 15000
1 21667
1 25000
1 36000
4,083 .
28 .c
mean: 4928.13
std. dev: 5174.05

```

```

percentiles:      10%      25%      50%      75%      90%
                  550      600      4250     8000     9000

```

pyearwork3_2

Since last interview, how much in total per year did you additionally earn from

```

type: numeric (int)
range: [0,7500]
unique values: 6
unique missing codes: 2
units: 1
missing .: 4,083/4,237
missing *: 20/4,237

```



```

tabulation:  Freq.  Value
              128    0
              1    928
              1   1400
              2   3500
              1   6000
              1   7500
            4,083    .
              20    .c
    mean:     170.358
    std. dev:  932.626

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

position3_3 Job 3, please specify the job title/position (not display)

```

type: string (str81), but longest is str0
unique values: 0 missing "": 4,237/4,237

tabulation:  Freq.  Value
            4,237  ""
    
```

jcode3_3 Job ID 3

```

type: string (str2)
unique values: 4 missing "": 4,227/4,237

tabulation:  Freq.  Value
            4,227  ""
              1  "J5"
              5  "J6"
              3  "J7"
              1  "J8"
    
```

typework3_3 What is the working status? (job 3)

```

type: numeric (byte)
label: typework3_1
range: [3,7] units: 1
unique values: 3 missing .: 4,227/4,237

tabulation:  Freq.  Numeric  Label
              2          3  Temporary government
                    worker/temporary state
                    enterprise worker
              3          5  Company employee
              5          7  Temporary company worker,
                    seasonal hired
            4,227    .
    
```

monthwork3_3 Since last interview, how many months did you work?

```

type: numeric (byte)
range: [1,15] units: 1
unique values: 7 missing .: 4,227/4,237
    
```

```

tabulation:  Freq.  Value
              1    1
              1    3
              1    7
              1    8
              4   12
              1   13
              1   15
            4,227  .
      mean:    9.5
    std. dev:  4.60072

percentiles:    10%    25%    50%    75%    90%
                2      7     12     12     14
    
```

daywork3_3 **What was the average number of days you worked per month?**

```

type: numeric (byte)
range: [2,30]
unique values: 9
unique missing codes: 2
units: 1
missing .: 4,227/4,237
missing *: 1/4,237

tabulation:  Freq.  Value
              1    2
              1    4
              1    5
              1    8
              1   15
              1   21
              1   22
              1   27
              1   30
            4,227  .
              1  .c
      mean:   14.8889
    std. dev: 10.5646

percentiles:    10%    25%    50%    75%    90%
                2      5     15     22     30
    
```

pmonthwork3_3 **Since last interview, what was the average amount you earned per month?**

```

type: numeric (int)
range: [0,10800]
unique values: 10
units: 10
missing .: 4,227/4,237

tabulation:  Freq.  Value
              1    0
              1   300
              1   600
              1  1200
              1  2400
              1  5940
              1  6930
              1  9150
              1 10000
              1 10800
            4,227  .
      mean:    4732
    std. dev: 4312.81

percentiles:    10%    25%    50%    75%    90%
                150    600   4170   9150  10400
    
```

pyearwork3_3

Since last interview, how much in total per year did you additionally earn from

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 4,227/4,237
missing *: 1/4,237

tabulation: Freq. Value
              9 0
            4,227 .
              1 .c
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

money4_1 Since last interview, have you received money from outside household people?

```

type: numeric (byte)
label: money4_1
range: [1,3]
unique values: 2
unique missing codes: 4
units: 1
missing .: 14/4,237
missing *: 15/4,237

tabulation: Freq. Numeric Label
              1,447 1 yes
              2,761 3 no
              14 .
              5 .a
              4 .c
              6 .d
    
```

getmoney4_1

Total amount (THB)

```

type: numeric (long)
range: [30,701500]
unique values: 252
unique missing codes: 3
units: 1
missing .: 2,790/4,237
missing *: 100/4,237

mean: 46810.5
std. dev: 62041.5

percentiles: 10% 25% 50% 75% 90%
              2500 12000 30000 60000 102000
    
```

object4_1 Since last interview, have you received gifts from outside household people?

```

type: numeric (byte)
label: object4_1
range: [1,3]
unique values: 2
unique missing codes: 4
units: 1
missing .: 14/4,237
missing *: 16/4,237
    
```

```

tabulation:  Freq.  Numeric  Label
              1,410      1  yes
              2,797      3  no
               14        .
               5         .a
               5         .c
               6         .d
    
```

money4_2 **Since last interview, have you gave money to outside household people?**

```

type: numeric (byte)
label: money4_2

range: [1,3]
unique values: 2
unique missing codes: 4

units: 1
missing .: 14/4,237
missing *: 14/4,237
    
```

```

tabulation:  Freq.  Numeric  Label
              275      1  yes
             3,934      3  no
               14        .
               5         .a
               3         .c
               6         .d
    
```

getmoney4_2 **Total amount (THB)**

```

type: numeric (long)

range: [100,140000]
unique values: 60
unique missing codes: 2

units: 1
missing .: 3,962/4,237
missing *: 81/4,237
    
```

```

tabulation:  Freq.  Value
              2    100
              7    150
              3    200
              2    250
              1    300
              3    400
              3    450
             18    500
               1    625
               1    750
             23   1000
               1   1200
             10   1500
               1   1875
             11   2000
               8   2500
             12   3000
               1   3250
               5   3500
               2   3750
               1   3900
               6   4000
               6   4500
               4   5000
               2   5400
               1   5500
               4   6000
               2   7000
               1   7150
               1   7200
               1   7500
               1   8000
               2   9000
               6  10000
    
```

```

      1 10500
      1 11000
      4 12000
      1 13000
      1 15000
      5 18000
      1 19600
      5 24000
      2 25000
      1 26000
      1 27500
      1 30000
      1 32500
      1 34000
      1 35000
      1 39130
      1 40000
      1 48000
      2 60000
      1 72000
      1 90000
      1 91000
      1 99600
      1 104000
      3 120000
      1 140000
      3,962 .
      81 .c
    mean: 11163.8
    std. dev: 23728.9

    percentiles:      10%      25%      50%      75%      90%
                     450      1000      3000      9000      26000

```

object4_2 **Since last interview, have you gave gifts to outside household people?**

```

    type: numeric (byte)
    label: object4_2

    range: [1,3]
    unique values: 2
    unique missing codes: 4

    units: 1
    missing .: 14/4,237
    missing *: 14/4,237

    tabulation: Freq.  Numeric  Label
                393      1  yes
                3,816    3  no
                 14      .
                 5      .a
                 3      .c
                 6      .d

```

asset5a **Do you have any commercial bank savings?**

```

    type: numeric (byte)
    label: asset5a

    range: [1,3]
    unique values: 2
    unique missing codes: 4

    units: 1
    missing .: 14/4,237
    missing *: 201/4,237

    tabulation: Freq.  Numeric  Label
                1,557    1  yes
                2,465    3  no
                 14      .
                 7      .a
                189      .c
                 5      .d

```

asset5a_account

Total accounts

```

type: numeric (byte)
range: [1,6]
unique values: 6
unique missing codes: 3
units: 1
missing .: 2,679/4,237
missing *: 38/4,237

tabulation: Freq. Value
1,296 1
171 2
43 3
5 4
4 5
1 6
2,679 .
1 .a
37 .c
mean: 1.19276
std. dev: .526156

percentiles: 10% 25% 50% 75% 90%
1 1 1 1 2
    
```

asset5a_balance

The current total balance of all accounts (THB)

```

type: numeric (long)
range: [0,1000000]
unique values: 85
unique missing codes: 3
units: 1
missing .: 2,679/4,237
missing *: 958/4,237

tabulation: Freq. Value
244 0
1 1
1 13
1 20
1 27
1 38
1 40
1 50
1 67
1 70
1 72
1 75
1 80
1 86
1 95
11 100
4 150
15 200
3 250
11 300
1 353
2 400
2 450
42 500
3 600
1 650
1 700
2 800
1 950
20 1000
1 1083
2 1100
1 1150
1 1200
1 1300
    
```

```

      2 1400
      9 1500
      1 1600
      1 1700
     26 2000
      8 2500
     10 3000
      2 3500
      1 3800
      6 4000
      1 4200
      6 4500
      1 4700
     18 5000
      1 5300
      6 5500
      6 6000
      1 6300
      2 6500
      2 7000
      1 8000
      1 8500
      1 9000
     23 10000
      1 10200
      1 12000
      1 13000
      1 13550
      7 15000
     13 20000
      1 21000
      3 25000
      1 27000
      7 30000
      4 35000
      1 38000
      5 40000
      1 45000
      6 50000
      5 55000
      2 60000
      1 61000
      1 70000
      1 90000
      6 100000
      5 150000
      1 200000
      3 250000
      2 300000
      1 1000000
    2,679 .
      115 .a
      843 .c
    mean: 11160.5
    std. dev: 51628.4

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0        300     4350     20000

```

asset5b Do you have any bank for agriculture and agricultural cooperatives savings?

```

      type: numeric (byte)
      label: asset5b

      range: [1,3]
      unique values: 2
      unique missing codes: 4

      units: 1
      missing .: 14/4,237
      missing *: 123/4,237

```

```

tabulation:  Freq.  Numeric  Label
              1,978      1  yes
              2,122      3  no
               14         .
               7         .a
              111         .c
               5         .d
    
```

asset5b_account **Number of accounts**

```

type:  numeric (byte)
range: [1,4]
unique values: 4
unique missing codes: 2
units: 1
missing .: 2,258/4,237
missing *: 8/4,237

tabulation:  Freq.  Value
              1,934  1
               24  2
               11  3
               2   4
              2,258  .
               8   .c
mean: 1.02638
std. dev: .207264

percentiles:  10%    25%    50%    75%    90%
               1     1     1     1     1
    
```

asset5b_balance **The current total balance of all accounts (THB)**

```

type:  numeric (long)
range: [0,700000]
unique values: 86
unique missing codes: 3
units: 1
missing .: 2,258/4,237
missing *: 1,004/4,237

tabulation:  Freq.  Value
              354  0
               1  15
               1  35
               1  36
               2  50
               1  56
               1  60
               1  70
               1  81
               1  84
              26 100
               1 110
               1 130
               1 140
               2 150
               1 190
               1 198
              14 200
               7 250
              11 300
               6 400
               2 450
             146 500
               7 550
               8 600
               1 650
               6 700
               9 800
               5 900
               1 950
    
```



```

65 1000
 4 1200
 2 1300
 1 1400
17 1500
 2 1600
 2 1700
 2 1800
 1 1900
30 2000
 1 2300
12 2500
 2 2700
25 3000
 1 3453
 7 3500
12 4000
 6 4500
 1 4504
15 5000
 2 5500
 1 5700
 3 6000
 4 6500
 9 7000
 2 7500
 3 8000
 5 9000
32 10000
 1 10500
 1 10900
 1 11000
 3 12000
 1 14000
 6 15000
 1 18000
 1 19000
24 20000
 1 23000
 6 25000
 2 27000
 1 29000
 8 30000
 5 35000
 3 40000
 1 45000
 3 50000
 2 55000
 2 60000
 1 67000
 7 100000
 1 130000
 1 140000
 1 160000
 1 200000
 1 700000
2,258 .
 99 .a
 905 .c
      mean: 5242.22
      std. dev: 26923.9
percentiles:      10%      25%      50%      75%      90%
                  0        0        500      2000     10000

```

asset5c

Do you have any cooperative deposits or stock?

```

type: numeric (byte)
label: asset5c

```

range: [1,3] units: 1
 unique values: 2 missing .: 14/4,237
 unique missing codes: 4 missing *: 125/4,237

tabulation:	Freq.	Numeric	Label
	270	1	yes
	3,828	3	no
	14	.	.
	7	.a	.a
	113	.c	.c
	5	.d	.d

asset5c_balance

The current total value (THB)

type: numeric (long)

range: [0,700000] units: 10
 unique values: 41 missing .: 3,967/4,237
 unique missing codes: 3 missing *: 183/4,237

tabulation:	Freq.	Value
	9	0
	2	100
	1	200
	2	300
	1	400
	4	500
	2	600
	1	750
	3	1000
	1	1700
	4	2000
	1	2600
	3	3000
	1	3500
	1	3800
	1	4000
	3	5000
	3	6000
	1	7000
	1	8000
	7	10000
	1	11000
	1	11500
	1	15000
	1	16000
	1	18500
	3	19000
	5	20000
	4	30000
	2	35000
	1	36000
	4	40000
	2	50000
	1	55000
	2	60000
	1	70000
	1	100100
	1	190000
	1	250000
	1	550000
	1	700000
	3,967	.
	11	.a
	172	.c
mean:	33437.4	
std. dev:	99005.3	

percentiles: 10% 25% 50% 75% 90%
 0 750 7000 30000 55000

asset5d Do you have any Cooperative community fund/Village fund?

type: numeric (byte)
 label: asset5d
 range: [1,3] units: 1
 unique values: 2 missing .: 14/4,237
 unique missing codes: 4 missing *: 110/4,237

tabulation:	Freq.	Numeric	Label
	872	1	yes
	3,241	3	no
	14	.	.
	7	.a	.a
	98	.c	.c
	5	.d	.d

asset5d_balance The current total value (THB)

type: numeric (long)
 range: [0,60000] units: 10
 unique values: 75 missing .: 3,365/4,237
 unique missing codes: 3 missing *: 616/4,237

tabulation:	Freq.	Value
	24	0
	2	40
	2	50
	15	100
	3	120
	6	200
	1	240
	2	250
	3	300
	1	350
	1	360
	1	400
	3	450
	2	480
	13	500
	5	600
	1	650
	2	700
	2	750
	1	800
	1	900
	13	1000
	1	1100
	4	1200
	1	1280
	2	1300
	3	1400
	5	1500
	1	1600
	1	1660
	2	1700
	1	1900
	9	2000
	1	2020
	2	2400
	13	2500
	1	2700
	11	3000
	1	3200

```

7 3500
1 3550
2 3600
1 3700
7 4000
2 4500
1 4800
9 5000
4 5500
2 6000
1 6200
1 6500
2 6600
1 7000
5 7500
1 7600
1 8480
1 8500
3 9000
8 10000
1 11000
4 12000
3 13000
1 13500
2 14000
1 14200
2 14500
2 15000
1 16000
5 20000
1 22000
4 25000
2 30000
1 36000
2 50000
1 60000
3,365 .
12 .a
604 .c
mean: 4807.58
std. dev: 8083.29

percentiles:      10%      25%      50%      75%      90%
                  40       465     2000     5000     13000
    
```

asset5e Do you have any school or child development center's saving?

```

type: numeric (byte)
label: asset5e

range: [1,3]          units: 1
unique values: 2      missing .: 14/4,237
unique missing codes: 4  missing *: 90/4,237
    
```

tabulation:	Freq.	Numeric	Label
	248	1	yes
	3,885	3	no
	14	.	.
	7	.a	.a
	78	.c	.c
	5	.d	.d

asset5e_balance The current total value (THB)

```

type: numeric (long)
    
```

range: [100,80000] units: 10
 unique values: 35 missing .: 3,989/4,237
 unique missing codes: 2 missing *: 188/4,237

tabulation: Freq. Value
 1 100
 5 200
 3 250
 1 300
 1 350
 1 400
 1 450
 2 500
 1 510
 1 550
 1 600
 2 700
 1 900
 1 960
 3 1000
 3 1300
 3 1500
 1 1600
 1 1900
 1 2000
 1 2300
 2 2400
 2 2500
 1 2900
 7 3000
 3 3500
 1 3800
 1 4500
 2 5000
 1 5300
 1 6000
 1 7500
 1 7900
 1 8000
 1 80000
 3,989 .
 188 .c
 mean: 3427.83
 std. dev: 10246.1

percentiles: 10% 25% 50% 75% 90%
 225 505 1500 3000 5150

asset6 Specify other financial assets (not display)

type: string (**str141**), but longest is str0
 unique values: 0 missing "": 4,237/4,237
 tabulation: Freq. Value
 4,237 ""

asset6e Do you have any other financial assets

type: numeric (**byte**)
 label: **asset6e**
 range: [1,1] units: 1
 unique values: 1 missing .: 4,233/4,237

```

tabulation:  Freq.  Numeric  Label
              4          1  yes
              4,233      .
    
```

asset6e_balance

The current total value (THB)

```

type: numeric (long)
range: [4500,4500]
unique values: 1
unique missing codes: 2
units: 100
missing .: 4,233/4,237
missing *: 3/4,237

tabulation:  Freq.  Value
              1  4500
              4,233  .
              3  .c
mean: 4500
std. dev: .

percentiles:  10%    25%    50%    75%    90%
              4500  4500  4500  4500  4500
    
```

grf6a Since last interview, have you joined the rotating savings among friends or acqu

```

type: numeric (byte)
label: grf6a
range: [1,3]
unique values: 2
unique missing codes: 4
units: 1
missing .: 15/4,237
missing *: 14/4,237

tabulation:  Freq.  Numeric  Label
              18          1  yes
              4,190      3  no
              15          .
              5           .a
              4           .c
              5           .d
    
```

grf6b Since last interview, how much did you pay for all groups of rotating savings (

```

type: numeric (long)
range: [0,144000]
unique values: 14
unique missing codes: 2
units: 10
missing .: 4,219/4,237
missing *: 4/4,237

tabulation:  Freq.  Value
              1      0
              1  2400
              1  3500
              1  4000
              1  6000
              1 10000
              1 12000
              1 17840
              1 22400
              1 36000
              1 46000
              1 65000
              1 72000
              1 144000
              4,219  .
              4  .c
mean: 31510
std. dev: 39991.1
    
```

percentiles: 10% 25% 50% 75% 90%
 2400 4000 14920 46000 72000

grf6c Since last interview, how much did you receive from all group rotating savings

type: numeric (long)
 range: [0,107000] units: 100
 unique values: 11 missing .: 4,219/4,237
 unique missing codes: 2 missing *: 4/4,237

tabulation: Freq. Value
 4 0
 1 5500
 1 10000
 1 14000
 1 20000
 1 22000
 1 24000
 1 34000
 1 50000
 1 100000
 1 107000
 4,219 .
 4 .c
 mean: 27607.1
 std. dev: 35323.9

percentiles: 10% 25% 50% 75% 90%
 0 0 17000 34000 100000

smoke7 Since last interview, have you smoked cigarettes/tobacco?

type: numeric (byte)
 label: **smoke7**
 range: [1,3] units: 1
 unique values: 2 missing .: 14/4,237
 unique missing codes: 4 missing *: 11/4,237

tabulation: Freq. Numeric Label
 710 1 yes
 3,502 3 no
 14 .
 5 .a
 1 .c
 5 .d

alcohol8 Since last interview, have you drunk alcohol (at least once a month on average)?

type: numeric (byte)
 label: **alcohol8**
 range: [1,3] units: 1
 unique values: 2 missing .: 14/4,237
 unique missing codes: 4 missing *: 11/4,237

```

tabulation:  Freq.  Numeric  Label
              746      1  yes
              3,466    3  no
              14      .
              5       .a
              1       .c
              5       .d
    
```

disease9 **Currently, do you have any underlying disease or chronic disease?**

```

type:  numeric (byte)
label:  disease9

range:  [1,3]
unique values:  2
unique missing codes:  4

units:  1
missing .:  14/4,237
missing *:  12/4,237
    
```

```

tabulation:  Freq.  Numeric  Label
              265      1  yes
              3,946    3  no
              14      .
              5       .a
              2       .c
              5       .d
    
```

disease9_1 **Additional code for congenital disease or chronic disease (disease 1)**

```

type:  numeric (byte)
label:  disease9_1

range:  [1,99]
unique values:  28

units:  1
missing .:  3,972/4,237
    
```

```

tabulation:  Freq.  Numeric  Label
              34      1  Diabetes
              16      3  Thyroid / Goiter
              42      5  High blood presure
              18      7  Heart disease
              7       9  Hypercholesterolemia / high
                    cholesterol
              5      11  Stroke clots
              4      13  Cancer
              2      21  Seizures / epilepsy
              4      23  Cataract / glaucoma
              11     27  Asthma / emphysema
              2      29  Tuberculosis
              19     31  Allergy
              2      33  Liver cirrhosis
              11     35  Kidney Failure
              4      39  Gallstones in the gallbladder
              3      41  Urinary stones
              7      43  Gout / rheumatoid
              4      45  Chronic neck pain /
                    osteoarthritis.
              1      51  Polio
              2      55  Thalassemia
              2      63  Palsy
              16     67  Severe gastrointestinal disease
              2      75  G6PD
              7      77  Anemia
              1      79  Disability (both physical and
                    brain)
              1      81  Cervical myelopathy /
                    Degenerative disc
              4      83  Migraine
              34     99  others
              3,972  .
    
```

disease9_2 Additional code for congenital disease or chronic disease (disease 2)

```

type: numeric (byte)
label: disease9_1

range: [5,79]          units: 1
unique values: 9      missing .: 4,217/4,237

tabulation: Freq.  Numeric  Label
              6         5  High blood presure
              1         7  Heart disease
              7         9  Hypercholesterolemia / high
                   cholesterol
              1        19  Alzheimer's disease
              1        25  Hearing loss
              1        27  Asthma / emphysema
              1        31  Allergy
              1        41  Urinary stones
              1        79  Disability (both physical and
                   brain)
              4,217      .
    
```

disease9_3 Additional code for congenital disease or chronic disease (disease 3)

```

type: numeric (byte)
label: disease9_1

range: [7,43]          units: 1
unique values: 3      missing .: 4,233/4,237

tabulation: Freq.  Numeric  Label
              2         7  Heart disease
              1        11  Stroke clots
              1        43  Gout / rheumatoid
              4,233      .
    
```

disease9_1_det The first disease (not display)

```

type: string (str113), but longest is str0
unique values: 0      missing "": 4,237/4,237

tabulation: Freq.  Value
              4,237  ""
    
```

disease9_2_det The second disease (not display)

```

type: string (str94), but longest is str0
unique values: 0      missing "": 4,237/4,237

tabulation: Freq.  Value
              4,237  ""
    
```

disease9_3_det The third disease (not display)

```

type: string (str65), but longest is str0
unique values: 0      missing "": 4,237/4,237
    
```

tabulation: Freq. Value
 4,237 ""

nwork3_1 **Are you currently working in this job?**

type: numeric (byte)
 label: **nwork3_1**

range: [1,3] units: 1
 unique values: 2 missing .: 2,783/4,237

tabulation: Freq. Numeric Label
 1,293 1 yes
 161 3 no
 2,783 .

nwork3_2 **Are you currently working in this job?**

type: numeric (byte)
 label: **nwork3_2**

range: [1,3] units: 1
 unique values: 2 missing .: 4,083/4,237

tabulation: Freq. Numeric Label
 141 1 yes
 13 3 no
 4,083 .

nwork3_3 **Are you currently working in this job?**

type: numeric (byte)
 label: **nwork3_3**

range: [1,1] units: 1
 unique values: 1 missing .: 4,227/4,237

tabulation: Freq. Numeric Label
 10 1 yes
 4,227 .

asset7 **Specify other financial assets**

type: string (str2), but longest is str0

unique values: 0 missing "": 4,237/4,237

tabulation: Freq. Value
 4,237 ""

asset7e **Do you have any other financial assets**

type: numeric (byte)
 label: **asset7e**

range: [.,.] units: .
 unique values: 0 missing .: 4,237/4,237

tabulation: Freq. Numeric Label
 4,237 .

asset7e_balance **The current total value (THB)**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 4,237/4,237

tabulation: Freq. Value
4,237 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

hala_A **Insurance type A: Life insurance (not display)**

```

type: string (str152), but longest is str0
unique values: 0
missing "": 4,237/4,237

tabulation: Freq. Value
4,237 ""
    
```

halb_A **Current number of insurance type A contract**

```

type: numeric (byte)
range: [0,6]
unique values: 7
unique missing codes: 3
units: 1
missing .: 0/4,237
missing *: 120/4,237

tabulation: Freq. Value
3,293 0
717 1
79 2
16 3
5 4
4 5
3 6
7 .a
108 .c
5 .d
mean: .23828
std. dev: .546934

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 1
    
```

halca_A **Total premium of insurance paid by household members (THB)**

```

type: numeric (double)
range: [0,80000]
unique values: 218
unique missing codes: 3
units: 1
missing .: 3,298/4,237
missing *: 201/4,237

mean: 6561.59
std. dev: 8088.59

percentiles: 10% 25% 50% 75% 90%
0 2000 4700 8320 14020
    
```

halcb_A Total premium of insurance paid by others outside the household (THB)

type: numeric (long)

range: [0,50000] units: 1
 unique values: 68 missing .: 3,298/4,237
 unique missing codes: 4 missing *: 165/4,237

tabulation:	Freq.	Value
	663	0
	2	1800
	1	2000
	1	2200
	1	2400
	1	2500
	1	2800
	1	3000
	1	3011
	3	3500
	3	3600
	2	3700
	1	3750
	6	4000
	1	4070
	1	4500
	2	4700
	2	4800
	5	5000
	2	5300
	1	5356
	4	5400
	2	5500
	1	5600
	1	5700
	4	6000
	1	6100
	2	6200
	1	6400
	1	6450
	1	6500
	1	6630
	2	6800
	4	7000
	1	7290
	1	7308
	1	7400
	3	7500
	1	7510
	1	7700
	1	7900
	3	8000
	1	8500
	1	8670
	1	9100
	1	9500
	3	10000
	1	10288
	1	10400
	1	10700
	2	11500
	1	11648
	1	11800
	4	12000
	1	13000
	3	14000
	1	14812
	1	17000
	1	18000
	1	19000
	2	20000

```

          1 22000
          2 25000
          1 29000
          1 30800
          1 40000
          1 41700
          1 50000
    3,298 .
          7 .a
        157 .c
          1 .d
    mean: 1306.19
    std. dev: 4422.17

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      5000
    
```

hald_A **Total claims/refunds/allowance of insurance type A (THB)**

```

    type: numeric (long)
    range: [0,400000]          units: 100
    unique values: 6          missing .: 3,298/4,237
    unique missing codes: 4   missing *: 117/4,237

    tabulation: Freq. Value
                815 0
                1 300
                1 10000
                1 100000
                3 200000
                1 400000
    3,298 .
          7 .a
        108 .c
          2 .d
    mean: 1350.73
    std. dev: 18748.9

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hala_B **Insurance type B: Health insurance/accident insurance (not display)**

```

    type: string (str152), but longest is str0
    unique values: 0          missing "": 4,237/4,237

    tabulation: Freq. Value
                4,237 ""
    
```

halb_B **Current number of insurance type B contract**

```

    type: numeric (byte)
    range: [0,6]          units: 1
    unique values: 5          missing .: 0/4,237
    unique missing codes: 3   missing *: 127/4,237
    
```

```

tabulation:  Freq.  Value
              3,212  0
              842   1
              50   2
               5   3
               1   6
               7   .a
              115   .c
               5   .d
      mean:   .234307
      std. dev: .467322

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

halca_B **Total premium of insurance paid by household members (THB)**

```

      type:  numeric (double)
      range: [0,76000]
unique values: 163
unique missing codes: 3
      mean:  2768.51
      std. dev: 5847.07
      units: 1
      missing .: 3,217/4,237
      missing *: 284/4,237

      mean:  2768.51
      std. dev: 5847.07

percentiles:      10%      25%      50%      75%      90%
                  150      160      300      3500      8000
    
```

halcb_B **Total premium of insurance paid by others outside the household (THB)**

```

      type:  numeric (long)
      range: [0,10000]
unique values: 25
unique missing codes: 3
      units: 1
      missing .: 3,217/4,237
      missing *: 136/4,237

      tabulation:  Freq.  Value
                   857   0
                   2   150
                   1   170
                   1   200
                   1   400
                   1  1000
                   2  1200
                   1  1300
                   1  1700
                   1  2000
                   1  2400
                   1  2500
                   1  3285
                   1  3333
                   1  3600
                   2  4000
                   1  4500
                   1  5500
                   1  6000
                   1  6120
                   1  7000
                   1  7500
                   1  8000
                   1  9800
                   1 10000
                 3,217  .
                   7   .a
                  129   .c
      mean:  109.738
      std. dev: 803.59
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hald_B Total claims/refunds/allowance of insurance type B (THB)

```

type: numeric (long)
range: [0,200000] units: 100
unique values: 7 missing .: 3,217/4,237
unique missing codes: 3 missing *: 122/4,237

tabulation: Freq. Value
            891 0
              1 200
              1 300
              1 400
              1 500
              1 3000
              2 200000
            3,217 .
              7 .a
             115 .c
mean: 450.334
std. dev: 9433.65

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
  
```

hala_C Insurance type C: Social insurance (not display)

```

type: string (str152), but longest is str0
unique values: 0 missing "": 4,237/4,237

tabulation: Freq. Value
            4,237 ""
  
```

halb_C Current number of insurance type C contract

```

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/4,237
unique missing codes: 3 missing *: 89/4,237

tabulation: Freq. Value
            3,724 0
             424 1
              7 .a
             76 .c
              6 .d
mean: .102218
std. dev: .302971

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
  
```

halca_C Total premium of insurance paid by household members (THB)

type: numeric (double)

range: [0,36000]
 unique values: 76
 unique missing codes: 4

units: 1
 missing .: 3,729/4,237
 missing *: 265/4,237

tabulation:	Freq.	Value
	7	0
	1	150
	1	200
	2	250
	1	300
	5	400
	1	432
	1	490
	3	500
	1	550
	2	600
	1	650
	1	670
	1	700
	1	864
	2	960
	1	1000
	1	1020
	3	1100
	31	1200
	1	1209
	2	1296
	13	1300
	5	1320
	1	1350
	1	1374
	2	1440
	2	1500
	1	1560
	5	1800
	1	2160
	2	2376
	8	2400
	1	2450
	1	2760
	5	3000
	1	3300
	1	3580
	5	3600
	1	3888
	1	4050
	1	4104
	6	4200
	3	4400
	2	4680
	2	4752
	22	4800
	1	4920
	1	4950
	2	5040
	2	5160
	23	5184
	1	5200
	2	5264
	2	5304
	8	5400
	1	5472
	1	5500
	1	5600
	1	5850
	1	5940
	5	6000
	1	6300
	1	6500
	7	6600
	3	7200
	1	7500


```

          5 8400
          3 9000
          1 9600
          1 10400
          1 10800
          1 12000
          1 15000
          1 16800
          1 36000
    3,729 .
          7 .a
        257 .c
          1 .d
    mean: 3672.09
    std. dev: 3405.88

    percentiles:    10%    25%    50%    75%    90%
                   600    1200    3600    5184    6600

```

halcb_C **Total premium of insurance paid by others outside the household (THB)**

```

    type: numeric (long)
    range: [0,4800]
    unique values: 4
    unique missing codes: 4
    units: 10
    missing .: 3,729/4,237
    missing *: 87/4,237

    tabulation: Freq. Value
                418 0
                1 450
                1 600
                1 4800
    3,729 .
                7 .a
                79 .c
                1 .d
    mean: 13.8955
    std. dev: 236.649

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0

```

hald_C **Total claims/refunds/allowance of insurance type C (THB)**

```

    type: numeric (long)
    range: [0,48000]
    unique values: 23
    unique missing codes: 4
    units: 100
    missing .: 3,729/4,237
    missing *: 125/4,237

    tabulation: Freq. Value
                314 0
                1 1000
                1 1200
                1 1600
                2 2200
                1 3000
                1 3400
                1 3600
                3 4400
                38 4800
                3 5200
                1 6000
                1 7800
                1 8400
                1 8800
                5 9600
                1 14400

```

```

                1 20000
                1 21600
                1 28800
                1 35500
                1 38000
                2 48000
            3,729 .
                7 .a
               117 .c
                1 .d
    mean:      1469.19
    std. dev:  5156.57

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      4800
    
```

hala_D Insurance type D: Cremation village fund for individual (excluding BAAC) (not di

```

    type: string (str152), but longest is str0
    unique values: 0 missing "": 4,237/4,237

    tabulation: Freq. Value
                4,237 ""
    
```

halb_D Current number of insurance type D contract

```

    type: numeric (byte)

    range: [0,7] units: 1
    unique values: 8 missing .: 0/4,237
    unique missing codes: 3 missing *: 72/4,237

    tabulation: Freq. Value
                3,036 0
                643 1
                316 2
                103 3
                 51 4
                 10 5
                  3 6
                  3 7
                  7 .a
                 60 .c
                  5 .d
    mean:      .45066
    std. dev:  .891457

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      1      2
    
```

halca_D Total premium of insurance paid by household members (THB)

```

    type: numeric (double)

    range: [0,45000] units: 1
    unique values: 100 missing .: 3,041/4,237
    unique missing codes: 3 missing *: 750/4,237
    
```

```

tabulation:  Freq.  Value
              30    0
              1    90
             10   100
              2   110
             10   200
              1   220
              2   240
              1   250
              2   275
             13   300
              2   350
              4   360
             22   400
             11   500
              1   550
             12   600
              2   640
              2   650
              7   700
              1   750
              1   760
             14   800
             37   900
              1   920
              2   930
              1   950
             32  1000
              1  1020
              1  1040
              1  1050
              5  1100
              2  1120
             25  1200
             14  1300
              1  1320
              1  1325
              1  1330
              4  1400
              2  1440
              1  1450
             10  1500
              1  1565
              4  1600
              1  1650
              2  1680
              1  1790
              4  1800
              1  1840
              1  1950
             19  2000
              1  2070
              3  2100
              5  2200
              1  2270
              2  2300
              1  2350
             10  2400
              6  2500
              1  2730
              1  2850
              1  2900
             13  3000
              1  3040
              1  3100
              2  3300
              1  3390
              1  3470
              4  3500
              3  3600
              6  4000
              1  4200
    
```

```

      2  4400
      4  4500
      1  4800
      4  5000
      1  5200
      2  5400
      4  5500
      1  5540
      5  6000
      1  6460
      1  6500
      2  6600
      1  6980
      2  7200
      2  7500
      1  7560
      1  8000
      1  8950
      2  9000
      2  9200
      6 10000
      1 12000
      1 13000
      1 14000
      1 16400
      1 24750
      1 25000
      1 30000
      1 45000
    3,041 .
      7 .a
      743 .c
  mean: 2130.58
std. dev: 3683.29

percentiles:      10%      25%      50%      75%      90%
                  200      550      1000     2200     5000

```

halcb_D Total premium of insurance paid by others outside the household (THB)

```

      type: numeric (long)
      range: [0,10000]
unique values: 8
unique missing codes: 3
units: 10
missing .: 3,041/4,237
missing *: 83/4,237

tabulation: Freq. Value
            1,103 0
              1 400
              3 800
              1 1200
              1 1300
              1 3000
              1 4250
              2 10000
            3,041 .
              7 .a
              76 .c
  mean: 29.2453
std. dev: 456.094

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

hald_D Total claims/refunds/allowance of insurance type D (THB)

```

      type: numeric (long)

```

range: [0,294000] units: 100
 unique values: 8 missing .: 3,041/4,237
 unique missing codes: 4 missing *: 68/4,237

tabulation: Freq. Value
 1,121 0
 1 8700
 1 14000
 1 31000
 1 60000
 1 100000
 1 160000
 1 294000
 3,041 .
 7 .a
 60 .c
 1 .d

mean: 591.933
 std. dev: 10593.5

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

halca_E Insurance type E: BAAC cremation fund/saving cooperative/teacher fund (not displ

type: string (str152), but longest is str0

unique values: 0 missing "": 4,237/4,237

tabulation: Freq. Value
 4,237 ""

halb_E Current number of insurance type E contract

type: numeric (byte)

range: [0,5] units: 1
 unique values: 6 missing .: 0/4,237
 unique missing codes: 3 missing *: 69/4,237

tabulation: Freq. Value
 3,057 0
 973 1
 116 2
 16 3
 4 4
 2 5
 7 .a
 57 .c
 5 .d

mean: .306862
 std. dev: .559089

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

halca_E Total premium of insurance paid by household members (THB)

type: numeric (double)

range: [0,42900] units: 1
 unique values: 137 missing .: 3,062/4,237
 unique missing codes: 3 missing *: 190/4,237

mean: 4296.25
 std. dev: 3342.41
 percentiles: 10% 25% 50% 75% 90%
 2000 3000 4000 4810 6600

halcb_E Total premium of insurance paid by others outside the household (THB)

type: numeric (long)
 range: [0,12000] units: 10
 unique values: 19 missing .: 3,062/4,237
 unique missing codes: 3 missing *: 72/4,237

tabulation: Freq. Value
 1,065 0
 3 2000
 2 2500
 1 2600
 3 3000
 1 3410
 2 3500
 4 3700
 3 4000
 3 4500
 3 4800
 3 5000
 2 6000
 1 7000
 1 8000
 2 9200
 2 9500
 1 10000
 1 12000

3,062 .
 7 .a
 65 .c
 mean: 171.451
 std. dev: 1020.82

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hald_E Total claims/refunds/allowance of insurance type E (THB)

type: numeric (long)
 range: [0,211000] units: 1000
 unique values: 6 missing .: 3,069/4,237
 unique missing codes: 3 missing *: 53/4,237

tabulation: Freq. Value
 1,108 0
 1 150000
 2 170000
 1 190000
 2 200000
 1 211000

3,069 .
 7 .a
 46 .c
 mean: 1157.85
 std. dev: 14660.3

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hala_F Insurance type F: One baht per day community welfare fund (not display)

type: string (**str152**), but longest is str0
 unique values: 0 missing "": 4,237/4,237
 tabulation: Freq. Value
 4,237 ""

halb_F Current number of insurance type F contract

type: numeric (**byte**)
 range: [0,1] units: 1
 unique values: 2 missing .: 0/4,237
 unique missing codes: 3 missing *: 56/4,237
 tabulation: Freq. Value
 2,918 0
 1,263 1
 7 .a
 44 .c
 5 .d
 mean: .302081
 std. dev: .459215
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

halca_F Total premium of insurance paid by household members (THB)

type: numeric (**double**)
 range: [0,800] units: 1
 unique values: 33 missing .: 2,923/4,237
 unique missing codes: 3 missing *: 57/4,237
 tabulation: Freq. Value
 15 0
 2 153
 1 195
 3 280
 2 300
 1 303
 3 304
 11 330
 5 334
 4 335
 2 336
 475 360
 640 365
 1 368
 1 369
 6 370
 14 380
 12 385
 12 390
 5 395
 12 396
 4 420
 7 426
 1 427
 4 450
 2 457
 1 470
 1 480

```

      1 500
      2 560
      2 700
      4 720
      1 800
    2,923 .
      7 .a
      50 .c
  mean: 361.834
std. dev: 51.5748

percentiles:    10%    25%    50%    75%    90%
                360    360    365    365    365

```

halcb_F **Total premium of insurance paid by others outside the household (THB)**

```

      type: numeric (long)
      range: [0,390]
unique values: 4
unique missing codes: 4
      units: 1
      missing .: 2,923/4,237
      missing *: 54/4,237

  tabulation: Freq. Value
              1,247 0
                5 360
                6 365
                2 390
              2,923 .
                7 .a
               46 .c
                1 .d
      mean: 3.78571
std. dev: 37.1063

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

hald_F **Total claims/refunds/allowance of insurance type F (THB)**

```

      type: numeric (long)
      range: [0,30000]
unique values: 5
unique missing codes: 4
      units: 100
      missing .: 2,923/4,237
      missing *: 55/4,237

  tabulation: Freq. Value
              1,254 0
                2 100
                1 1000
                1 2500
                1 30000
              2,923 .
                7 .a
               47 .c
                1 .d
      mean: 26.7673
std. dev: 848.813

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

hala_G **Insurance type G: Cremation village fund for household (not display)**

```

      type: string (str152), but longest is str0

```


unique values: 0 missing "": 4,237/4,237

tabulation: Freq. Value
4,237 ""

halb_G **Current number of insurance type G contract**

type: numeric (byte)

range: [0,5] units: 1
unique values: 6 missing .: 0/4,237
unique missing codes: 3 missing *: 36/4,237

tabulation: Freq. Value
3,108 0
1,005 1
55 2
24 3
7 4
2 5
7 .a
24 .c
5 .d

mean: .291597
std. dev: .544626

percentiles: 10% 25% 50% 75% 90%
0 0 0 1 1

halca_G **Total premium of insurance paid by household members (THB)**

type: numeric (double)

range: [0,15000] units: 1
unique values: 67 missing .: 3,113/4,237
unique missing codes: 4 missing *: 773/4,237

tabulation: Freq. Value
8 0
1 40
1 80
5 100
1 110
4 120
1 130
4 150
1 175
15 200
2 250
14 300
1 325
2 350
2 360
13 400
7 450
1 460
23 500
2 540
5 550
20 600
3 650
2 660
1 675
4 700
1 750
9 800
1 825
4 900

```

      1  990
     62 1000
      1 1100
      1 1170
      9 1200
      1 1350
      1 1400
      2 1440
     29 1500
      2 1600
      1 1680
      1 1700
      1 1750
      1 1800
     21 2000
      1 2080
      1 2100
      1 2200
      1 2400
     11 2500
      1 2760
      1 2800
     12 3000
      3 3500
      2 4000
      3 4500
      8 5000
      1 5500
      1 6000
      2 6500
      1 7200
      3 7500
      1 9600
      2 10000
      1 12000
      1 14000
      1 15000
    3,113 .
      7 .a
     765 .c
      1 .d
    mean: 1478.01
    std. dev: 1921.33

    percentiles:      10%      25%      50%      75%      90%
                     200      500      1000     1500     3000

```

halcb_G Total premium of insurance paid by others outside the household (THB)

```

    type: numeric(long)
    range: [0,50]
    unique values: 2
    unique missing codes: 4
    units: 10
    missing .: 3,113/4,237
    missing *: 35/4,237

    tabulation: Freq. Value
                1,088  0
                  1  50
                3,113  .
                  7  .a
                  27  .c
                   1  .d
    mean: .045914
    std. dev: 1.51515

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         0         0

```

hald_G **Total claims/refunds/allowance of insurance type G (THB)**

```

type: numeric (long)
range: [0,140000] units: 100
unique values: 21 missing .: 3,113/4,237
unique missing codes: 4 missing *: 34/4,237

tabulation: Freq. Value
1,060 0
1 6600
1 7500
1 8000
1 11700
1 12900
1 14000
3 15000
1 17000
1 18000
4 20000
1 22000
5 30000
2 35000
1 40000
1 45000
1 50000
1 51000
1 60000
1 70000
1 140000
3,113 .
7 .a
26 .c
1 .d
mean: 842.844
std. dev: 6572.11

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

hala_H **Insurance type H: Others (not display)**

```

type: string (str152), but longest is str0
unique values: 0 missing "": 4,237/4,237

tabulation: Freq. Value
4,237 ""
    
```

halb_H **Current number of insurance type H contract**

```

type: numeric (byte)
range: [0,5] units: 1
unique values: 3 missing .: 4,194/4,237
unique missing codes: 2 missing *: 4/4,237

tabulation: Freq. Value
6 0
32 1
1 5
4,194 .
4 .c
mean: .948718
std. dev: .75911
    
```

percentiles: 10% 25% 50% 75% 90%
 0 1 1 1 1

halca_H Total premium of insurance paid by household members (THB)

type: numeric (double)
 range: [0,16667] units: 1
 unique values: 14 missing .: 4,200/4,237
 unique missing codes: 2 missing *: 17/4,237

tabulation: Freq. Value
 3 0
 2 12
 1 120
 1 200
 1 500
 1 930
 1 1200
 1 2000
 1 2160
 4 2400
 1 3000
 1 3600
 1 4100
 1 16667
 4,200 .
 17 .c
 mean: 2205.05
 std. dev: 3653.62

percentiles: 10% 25% 50% 75% 90%
 0 66 1600 2400 3850

halcb_H Total premium of insurance paid by others outside the household (THB)

type: numeric (long)
 range: [0,0] units: 1
 unique values: 1 missing .: 4,200/4,237
 unique missing codes: 2 missing *: 6/4,237

tabulation: Freq. Value
 31 0
 4,200 .
 6 .c
 mean: 0
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

hald_H Total claims/refunds/allowance of insurance type H (THB)

type: numeric (long)
 range: [0,22000] units: 1000
 unique values: 2 missing .: 4,200/4,237
 unique missing codes: 2 missing *: 4/4,237

```

tabulation: Freq. Value
              32  0
              1 22000
            4,200 .
              4 .c
    mean:    666.667
    std. dev: 3829.71

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

hala_I **Insurance type I: Others**

```

type: string (str152), but longest is str51
unique values: 1 missing "": 4,236/4,237

tabulation: Freq. Value
            4,236 ""
                1 "ฌาปนกิจกรรมทางหลวง"
    
```

halb_I **Current number of insurance type I contract**

```

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 4,236/4,237

tabulation: Freq. Value
            1 1
          4,236 .
    mean:    1
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      1
    
```

halca_I **Total premium of insurance paid by household members (THB)**

```

type: numeric (double)
range: [.,.] units: .
unique values: 0 missing .: 4,236/4,237
unique missing codes: 2 missing *: 1/4,237

tabulation: Freq. Value
            4,236 .
              1 .c
    mean:    .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

halcb_I **Total premium of insurance paid by others outside the household (THB)**

```

type: numeric (long)
range: [.,.] units: .
unique values: 1 missing .: 4,236/4,237
    
```

```

tabulation: Freq. Value
              1 0
            4,236 .
    mean:      0
    std. dev:  .
percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

hald_I **Total claims/refunds/allowance of insurance type I (THB)**

```

    type: numeric (long)
    range: [.,.]
unique values: 1
              units: .
              missing .: 4,236/4,237

    tabulation: Freq. Value
                  1 0
                4,236 .
    mean:      0
    std. dev:  .
percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

note **Interviewer note**

```

    type: string (str741), but longest is str0
unique values: 0
              missing "": 4,237/4,237

    tabulation: Freq. Value
                  4,237 ""
    
```

age **Age of household member (year)**

```

    type: numeric (double)
    range: [.01,93.58]
unique values: 986
              units: .001
              missing .: 51/4,237

    mean:      40.5992
    std. dev:  20.9141
percentiles: 10%    25%    50%    75%    90%
              10.5   24.75  43.08  57.16  66.08
    
```

year_survey **year survey**

```

    type: numeric (float)
    range: [2018,2018]
unique values: 1
              units: 1
              missing .: 0/4,237

    tabulation: Freq. Value
                  4,237 2018
    mean:      2018
    std. dev:  0
percentiles: 10%    25%    50%    75%    90%
              2018   2018   2018   2018   2018
    
```



```

      1  6.67
    217  7
    134  7.5
      1  7.67
      2  7.75
      1  7.82
      1  7.92
    364  8
      2  8.17
      2  8.25
    210  8.5
      1  8.82
    558  9
      1  9.17
      2  9.25
      4  9.32
    156  9.5
      1  9.67
      3  9.75
    220  10
      1  10.1
      2  10.3
     60  10.5
      2  10.6
     91  11
     35  11.5
     60  12
     29  12.5
     48  13
     14  13.5
     29  14
     10  14.5
     11  15
     15  15.5
      5  16
      3  16.5
      1  17
      3  18
      5  .
      5  .a
    119  .c
     12  .d
    mean:  5.99066
    std. dev:  4.16776

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        1.5      7.5      9        10.5

```

sleep_hr_perday

How many hours do you spend on average sleeping each day (in the past one month)

```

type: numeric (double)
range: [2,16]
unique values: 38
unique missing codes: 4
units: .01
missing .: 19/4,237
missing *: 169/4,237

```

```

tabulation:  Freq.  Value
              2      2
              1     2.5
              7      3
              2     3.5
             12      4
             15     4.5
             28      5
             28     5.5
            105      6
              1     6.25
             96      6.5
              1     6.67

```



```

347 7
284 7.5
  1 7.67
  1 7.75
737 8
  1 8.02
  1 8.17
  2 8.32
452 8.5
  1 8.82
856 9
  1 9.17
  1 9.25
314 9.5
  1 9.75
472 10
  2 10.2
 98 10.5
113 11
 20 11.5
 26 12
  6 12.5
  5 13
  3 13.5
  4 14
  2 16
 19 .
  5 .a
163 .c
  1 .d
mean: 8.54608
std. dev: 1.35679

```

```

percentiles:      10%      25%      50%      75%      90%
                  7        8        8.5      9.5      10

```

relaxinga_hr_perday
In the past 1 month on school/work days, how many hours per day on average do yo

```

type: numeric (double)
range: [0,16]
unique values: 46
unique missing codes: 4
units: .01
missing .: 19/4,237
missing *: 307/4,237

```

```

tabulation: Freq. Value
1,019 0
  2 .05
  1 .08
  1 .13
  8 .17
  4 .25
  7 .33
190 .5
  1 .58
  5 .75
1,360 1
  1 1.01
  1 1.33
172 1.5
410 2
163 2.5
171 3
  1 3.25
 66 3.5
  1 3.67
 74 4
  1 4.32
 40 4.5
 53 5

```

```

30 5.5
1 5.57
34 6
1 6.25
17 6.5
14 7
10 7.5
28 8
1 8.07
1 8.5
2 9
2 9.5
4 10
1 11
2 11.5
2 12
2 13
1 13.3
2 13.5
1 14.5
2 15.5
1 16
19 .
5 .a
269 .c
33 .d
mean: 1.43597
std. dev: 1.71088

percentiles:    10%    25%    50%    75%    90%
                 0      0      1      2      3.5

```

relaxingb_hr_perday **Hours per day spent on recreational activities (on holidays)**

```

type: numeric (double)
range: [0,19.5]
unique values: 52
unique missing codes: 3

units: .01
missing .: 19/4,237
missing *: 218/4,237

```

```

tabulation: Freq. Value
1,623 0
1 .17
1 .25
1 .33
50 .5
1 .58
2 .75
266 1
1 1.01
1 1.04
99 1.5
275 2
145 2.5
198 3
108 3.5
2 3.67
1 3.82
82 4
1 4.07
78 4.5
87 5
43 5.5
52 6
15 6.5
22 7
12 7.5
42 8
4 8.5
6 9

```

```

      1  9.5
     21 10
      6 10.5
      7 11
     10 11.5
     32 12
     16 12.5
     77 13
     46 13.5
      1 13.7
    168 14
    103 14.5
    163 15
     35 15.5
      1 15.6
     38 16
     29 16.5
     14 17
      3 17.5
      6 18
      1 18.5
      2 19
      1 19.5
     19 .
    205 .c
     13 .d
    mean: 3.96898
    std. dev: 5.39403

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         1.5         5         14

```

monthwork3_1_percent
Percentage of the number of months that you performed the paid job 1 since the p

```

type: numeric (double)
range: [0,100]
unique values: 50
unique missing codes: 3
units: .01
missing .: 2,782/4,237
missing *: 20/4,237

```

```

tabulation:  Freq.  Value
              1      0
              1     6.67
              6     7.13
             12     7.69
            127     8.32
              4     9.09
              1    11.1
              1    14.2
              5    15.3
             65    16.6
              1    18.1
              1    20
              1    21.4
              4    23
             53    25
              2    27.2
              1    28.5
              2    30.7
             30    33.3
              4    35.7
              2    36.3
              2    38.4
             32    41.6
              1    42.8
              1    46.6
             38    50
              2    53.8
              1    54.5

```

```

21 58.3
2 60
5 61.5
1 62.5
1 63.6
1 64.2
24 66.6
2 69.2
1 70
1 71.4
30 75
2 76.9
3 78.5
1 80
1 81.8
27 83.3
1 84.6
9 85.7
2 90.9
31 91.6
32 92.3
836 100
2,782 .
19 .c
1 .d
mean: 75.2694
std. dev: 35.0822

```

```

percentiles:      10%      25%      50%      75%      90%
                  8.32      42.8      100      100      100

```

monthwork3_2_percent

Percentage of the number of months that you performed the paid job 2 since the p

```

type: numeric (double)
range: [7.69,100]
unique values: 25
unique missing codes: 2
units: .01
missing : 4,083/4,237
missing *: 4/4,237

tabulation:  Freq.  Value
              1    7.69
              15   8.32
              2    9.09
              1   15.3
              11   16.6
              1   20
              21   25
              1   30
              7   33.3
              1   38.4
              1   40
              9   41.6
              1   45.4
              1   46.1
              8   50
              3   58.3
              1   61.5
              3   66.6
              5   75
              2   83.3
              1   85.7
              2   91.6
              2   92.3
              1   92.8
              49  100
4,083 .
4 .c
mean: 56.8338
std. dev: 36.093

```

percentiles: 10% 25% 50% 75% 90%
 8.32 25 50 100 100

monthwork3_3_percent

Percentage of the number of months that you performed the paid job 3 since the p

type: numeric (**double**)

range: [8.32,100] units: .01
 unique values: 6 missing .: 4,227/4,237

tabulation: Freq. Value
 1 8.32
 1 25
 1 58.3
 1 66.6
 1 92.3
 5 100
 4,227 .

mean: 75.052
 std. dev: 34.5124

percentiles: 10% 25% 50% 75% 90%
 16.66 58.3 96.15 100 100

jobs_number

Total number of jobs of each household member

type: numeric (**float**)

range: [0,6] units: 1
 unique values: 7 missing .: 5/4,237
 unique missing codes: 2 missing *: 14/4,237

tabulation: Freq. Value
 1,288 0
 800 1
 1,255 2
 729 3
 135 4
 10 5
 1 6
 5 .
 14 .d

mean: 1.44452
 std. dev: 1.19535

percentiles: 10% 25% 50% 75% 90%
 0 0 2 2 3

earning_permonth

Total earnings per month of each household member (THB)

type: numeric (**float**)

range: [18.62,60000] units: .01
 unique values: 478 missing .: 2,783/4,237
 unique missing codes: 4 missing *: 233/4,237

mean: 5698.06
 std. dev: 6139.37

percentiles: 10% 25% 50% 75% 90%
 315.83 833.33 4500 8250 12000

```
2 . log close
   name: <unnamed>
   log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2018\a1.scml
   log type: smcl
   closed on: 30 Jul 2024, 11:56:28
```
