



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\a10.smcl
log type: smcl
opened on: 27 Jul 2024, 16:37:18
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\a10_run.dta
Last saved: 27 Jul 2024 16:37
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 45
Number of observations: 1,182
Size: 1,079,166 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI
    
```

hhid **household id**

```

type: string (str15)
unique values: 1,182 missing "": 0/1,182
examples: "201591160603209"
           "201691130611055"
           "201691160104153"
           "201691161706144"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,182
tabulation: Freq. Value
              437 "2015"
              745 "2016"
    
```

prov **province**

```

type: string (str2)
    
```



```

30 "16"
8  "17"
11 "18"
24 "19"
13 "22"
6  "24"

```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/1,182
examples: "010"
           "034"
           "070"
           "146"

```

brla **The amount of current outstanding debt of all household members : Bank loans**

```

type: numeric (long)
range: [0,7000000]           units: 1000
unique values: 90           missing .: 3/1,182
unique missing codes: 4     missing *: 40/1,182

```

```

tabulation: Freq. Value
             679  0
             1  1000
             1  3000
             1  9000
             5 10000
             1 12000
             1 13000
             1 14000
             2 15000
             1 16000
             2 17000
             1 18000
             1 19000
            15 20000
             1 24000
             1 25000
             3 28000
            17 30000
             1 32000
             2 35000
             2 37000
             1 38000
             1 39000
             8 40000
             2 45000
            28 50000
             1 55000
             1 57000
            11 60000
            13 70000
             1 72000
             1 75000
             7 80000
             1 84000
             1 89000
             8 90000
             2 95000
            41 100000
             2 110000
            12 120000
             3 130000

```

```

10 140000
1 146000
23 150000
1 153000
1 155000
3 160000
1 170000
3 180000
4 190000
25 200000
3 210000
1 211000
4 220000
2 230000
1 235000
23 250000
5 260000
1 270000
1 280000
33 300000
2 320000
1 330000
7 350000
1 360000
2 380000
23 400000
2 420000
6 450000
1 470000
2 480000
1 498000
18 500000
4 550000
1 560000
3 600000
1 630000
1 650000
5 700000
5 800000
11 1000000
3 1100000
1 1200000
1 1500000
1 1690000
1 1700000
2 2000000
1 2200000
1 3000000
1 7000000
3 .
5 .a
2 .b
33 .c

```

```

mean: 108126
std. dev: 313061

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0      100000    300000

```

br1b The amount of current outstanding debt of all household members : Cooperatives 1

```

type: numeric (long)
range: [0,3000000]
unique values: 58
unique missing codes: 2
units: 1000
missing .: 3/1,182
missing *: 11/1,182

```

```

tabulation:  Freq.  Value
              994    0
               1   2000
               2   4000
               2   6000
               1   7000
               1   8000
               3  10000
               1  15000
               3  20000
               8  30000
               1  35000
               3  40000
               1  44000
               1  48000
              15  50000
               1  55000
               4  60000
               1  62000
               1  65000
               5  70000
               1  75000
               1  80000
               1  90000
               1  95000
              20 100000
               1 105000
               6 120000
               2 130000
               6 140000
               7 150000
               1 155000
               1 160000
               3 170000
               1 178000
               3 180000
               1 190000
              10 200000
               1 210000
               1 220000
               1 240000
               3 250000
               1 260000
               1 270000
               1 280000
              20 300000
               1 310000
               1 350000
               6 400000
               4 500000
               1 550000
               2 600000
               2 700000
               1 900000
               2 1000000
               1 1400000
               1 1800000
               1 2500000
               1 3000000
               3  .
              11  .c
    mean:      33595
  std. dev:   160128

percentiles:   10%      25%      50%      75%      90%
                0        0        0        0      90000

```

br1c The amount of current outstanding debt of all household members : Village Funds

```

type: numeric (long)
range: [0,500000]
unique values: 85
unique missing codes: 2
units: 100
missing .: 3/1,182
missing *: 25/1,182

```

```

tabulation: Freq. Value
368 0
1 1000
1 1500
5 2000
1 2500
2 3000
1 3500
3 4000
1 4200
8 5000
1 5500
3 6000
4 7000
10 8000
2 9000
2 9500
65 10000
7 11000
1 11500
6 12000
5 13000
4 14000
21 15000
7 16000
1 16500
5 17000
11 18000
2 19000
95 20000
2 21000
1 22500
4 23000
4 24000
28 25000
6 26000
6 27000
2 28000
2 29000
104 30000
1 32000
1 33000
1 33500
22 35000
3 36000
1 37000
1 38000
1 38800
2 39000
1 39100
72 40000
1 41000
1 43000
2 44000
6 45000
2 46000
2 48000
75 50000
1 52000
1 52300
9 55000
1 56000
1 58000
2 59000
39 60000
4 65000

```

```

      1 68000
     32 70000
      1 72000
      1 75000
     16 80000
      9 90000
      1 96000
     17 100000
      1 102000
      1 105000
      1 110000
      3 120000
      1 125000
      3 140000
      3 150000
      1 160000
      3 200000
      1 280000
      2 300000
      1 500000
      3 .
     25 .c
    mean: 26344.4
   std. dev: 34428.8

percentiles:      10%      25%      50%      75%      90%
                  0         0      20000      40000      60000

```

br1d The amount of current outstanding debt of all household members : Relatives loan

```

type: numeric (long)
range: [0,300000]
unique values: 34
unique missing codes: 3

units: 10
missing .: 3/1,182
missing *: 6/1,182

```

```

tabulation: Freq. Value
            1,070 0
              1 450
              4 1000
              2 1500
              1 2500
              3 3000
              3 4000
              1 4500
              4 5000
              3 6000
              1 6800
              1 7000
              1 8000
             14 10000
              2 12000
              1 14000
              5 15000
              1 16500
              1 17000
             13 20000
              2 25000
              8 30000
              1 36000
              7 40000
              1 45000
              8 50000
              2 60000
              1 69000
              2 70000
              4 100000
              1 120000
              2 150000
              1 200000

```

```

          1 300000
          3 .
          2 .a
          4 .c
    mean: 2848.89
    std. dev: 15834.6

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

br1e The amount of current outstanding debt of all household members : Illegal loan

```

    type: numeric (long)
    range: [0,600000]          units: 10
    unique values: 28         missing .: 3/1,182
    unique missing codes: 2   missing *: 3/1,182
    
```

```

    tabulation: Freq. Value
                1,133 0
                 1 1000
                 1 2000
                 1 5000
                 2 6000
                 1 7500
                 1 9750
                 2 10000
                 1 11000
                 1 15000
                 4 20000
                 1 23000
                 1 25000
                 1 26000
                 5 30000
                 1 37000
                 5 40000
                 1 50000
                 2 55000
                 1 60000
                 2 70000
                 1 78000
                 2 100000
                 1 120000
                 1 200000
                 1 230000
                 1 500000
                 1 600000
                 3 .
                 3 .c
    
```

```

    mean: 2476.4
    std. dev: 25702.4
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

br1f The amount of current outstanding debt of all household members : Advanced wag

```

    type: numeric (long)
    range: [0,300000]          units: 100
    unique values: 7         missing .: 3/1,182
    
```



```

tabulation:  Freq.  Value
              1,173  0
              1    500
              1   1000
              1  10000
              1  15000
              1  20000
              1 300000
              3    .
    mean:    293.893
    std. dev: 8771.02

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

br1g **Pawn: The amount of current outstanding debt**

```

type: numeric (long)
range: [0,360000]          units: 100
unique values: 29         missing .: 3/1,182
unique missing codes: 4   missing *: 4/1,182
    
```

```

tabulation:  Freq.  Value
              1,137  0
              1    2300
              1    3000
              5    4000
              2    6000
              1    8000
              1   10000
              1   12000
              1   12700
              1   13000
              1   14000
              1   14800
              1   15000
              3   16000
              1   20000
              1   24000
              1   25000
              1   28000
              1   31000
              1   38000
              2   40000
              3   50000
              1   51000
              1   60000
              1  150000
              1  170000
              1  180000
              1  200000
              1  360000
              3    .
              2   .b
              1   .c
              1   .d
    mean:    1490.89
    std. dev: 15296.4

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

br1g_1a **Pawn: Number of repayment tranches**

type: numeric (byte)

```

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
missing .: 1,181/1,182
missing *: 1/1,182

tabulation: Freq. Value
             1,181 .
             1 .c
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
             . . . . .
    
```

br1g_1b **Pawn: Number of repayment tranches paid**

```

type: numeric (byte)

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
missing .: 1,181/1,182
missing *: 1/1,182

tabulation: Freq. Value
             1,181 .
             1 .c
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
             . . . . .
    
```

br1g_1c **Pawn: Amount of money to repay in each tranche**

```

type: numeric (byte)

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
missing .: 1,181/1,182
missing *: 1/1,182

tabulation: Freq. Value
             1,181 .
             1 .c
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
             . . . . .
    
```

br1g_2a **Pawn: Number of repayment tranches**

```

type: numeric (byte)

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
missing .: 1,182/1,182

tabulation: Freq. Value
             1,182 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
             . . . . .
    
```

br1g_2b **Pawn: Number of repayment tranches paid**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,182/1,182

tabulation: Freq. Value
1,182 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

br1g_2c **Pawn: Amount of money to repay in each tranche**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,182/1,182

tabulation: Freq. Value
1,182 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

br1h **Installment purchase for car/goods: The amount of current outstanding debt**

```

type: numeric (long)
range: [0,2599670]
unique values: 320
unique missing codes: 4
units: 1
missing .: 3/1,182
missing *: 52/1,182

mean: 67060.2
std. dev: 193906

percentiles: 10% 25% 50% 75% 90%
0 0 0 22500 218250

```

br1h_1a **Installment purchase for car/goods: Number of repayment tranches**

```

type: numeric (byte)
range: [24,96]
unique values: 6
unique missing codes: 2
units: 1
missing .: 1,175/1,182
missing *: 1/1,182

tabulation: Freq. Value
1 24
1 36
1 45
1 72
1 84
1 96
1,175 .
1 .c
mean: 59.5
std. dev: 28.6758

percentiles: 10% 25% 50% 75% 90%
24 36 58.5 84 96

```

brlh_1b Installation purchase for car/goods: Number of repayment tranches paid

```

type: numeric (byte)
range: [18,48]
unique values: 5
unique missing codes: 2
units: 1
missing .: 1,175/1,182
missing *: 1/1,182

tabulation: Freq. Value
              1  18
              1  21
              1  39
              1  42
              2  48
            1,175  .
              1  .c
mean: 36
std. dev: 13.2816

percentiles: 10% 25% 50% 75% 90%
              18  21  40.5  48  48
    
```

brlh_1c Installation purchase for car/goods: Amount of money to repay in each tranche

```

type: numeric (int)
range: [1000,8900]
unique values: 7
units: 1
missing .: 1,175/1,182

tabulation: Freq. Value
              1  1000
              1  1680
              1  1780
              1  5021
              1  6200
              1  8000
              1  8900
            1,175  .
mean: 4654.43
std. dev: 3219.87

percentiles: 10% 25% 50% 75% 90%
              1000  1680  5021  8000  8900
    
```

brlh_2a Installation purchase for car/goods: Number of repayment tranches

```

type: numeric (byte)
range: [36,36]
unique values: 1
units: 1
missing .: 1,181/1,182

tabulation: Freq. Value
              1  36
            1,181  .
mean: 36
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              36  36  36  36  36
    
```

brlh_2b Installation purchase for car/goods: Number of repayment tranches paid

```

type: numeric (byte)
    
```

```

    range: [21,21]                units: 1
unique values: 1                missing .: 1,181/1,182

  tabulation: Freq. Value
                1  21
                1,181 .
    mean:      21
  std. dev:    .

percentiles:   10%    25%    50%    75%    90%
                21     21     21     21     21

```

brlh_2c **Installment purchase for car/goods: Amount of money to repay in each tranche**

```

    type: numeric (int)

    range: [1500,1500]           units: 100
unique values: 1                missing .: 1,181/1,182

  tabulation: Freq. Value
                1 1500
                1,181 .
    mean:      1500
  std. dev:    .

percentiles:   10%    25%    50%    75%    90%
                1500   1500   1500   1500   1500

```

brlh_3a **Installment purchase for car/goods: Number of repayment tranches**

```

    type: numeric (byte)

    range: [.,.]                units: .
unique values: 0                missing .: 1,182/1,182

  tabulation: Freq. Value
                1,182 .
    mean:      .
  std. dev:    .

percentiles:   10%    25%    50%    75%    90%
                .     .     .     .     .

```

brlh_3b **Installment purchase for car/goods: Number of repayment tranches paid**

```

    type: numeric (byte)

    range: [.,.]                units: .
unique values: 0                missing .: 1,182/1,182

  tabulation: Freq. Value
                1,182 .
    mean:      .
  std. dev:    .

percentiles:   10%    25%    50%    75%    90%
                .     .     .     .     .

```

brlh_3c **Installment purchase for car/goods: Amount of money to repay in each tranche**

```

    type: numeric (byte)

```

range: [.,.] units: .
 unique values: 0 missing .: 1,182/1,182

tabulation: Freq. Value
 1,182 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

brli_des Others, please identify (not display)

type: string (**str146**), but longest is str0
 unique values: 0 missing "": 1,182/1,182
 tabulation: Freq. Value
 1,182 ""

brli The amount of current outstanding debt

type: numeric (**double**)
 range: [0,1400000] units: 1
 unique values: 74 missing .: 3/1,182
 unique missing codes: 4 missing *: 39/1,182
 tabulation: Freq. Value
 1,044 0
 1 425
 1 540
 1 600
 1 700
 1 1050
 1 1080
 1 1125
 1 1200
 1 1300
 2 1500
 1 1560
 1 2000
 1 2340
 1 2520
 1 2600
 1 2800
 1 2900
 4 3000
 2 3600
 2 4000
 1 4140
 1 4800
 3 5000
 1 5496
 1 6060
 2 6500
 1 7000
 1 7640
 1 8125
 1 9000
 1 9100
 2 10000
 1 10800
 1 11000
 1 12000
 1 12400
 1 14000
 1 15500

```

      1 16000
      3 17000
      1 18000
      1 19700
      4 20000
      1 22920
      1 24000
      1 24500
      1 25000
      3 30000
      1 30400
      3 40000
      1 41600
      1 45000
      1 50000
      1 68000
      1 70000
      1 72000
      2 80000
      1 88000
      2 90000
      1 95000
      2 100000
      1 101300
      1 103300
      2 120000
      1 140000
      1 144000
      1 150000
      1 184000
      1 200000
      1 210000
      1 275000
      1 500000
      1 1400000
      3 .
      1 .a
      17 .b
      21 .c
    mean: 4805.9
  std. dev: 47710.2

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

brlj_des **Others, please identify (not display)**

```

    type: string (str69), but longest is str0
unique values: 0          missing "": 1,182/1,182

  tabulation: Freq.  Value
              1,182  ""

```

brlj **The amount of current outstanding debt**

```

    type: numeric (byte)
    range: [0,0]          units: 1
unique values: 1          missing .: 1,180/1,182

  tabulation: Freq.  Value
              2      0
              1,180  .
    mean: 0
  std. dev: 0

```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

br2 In the past 12 months, did household members have any outstanding loans, both pr

type: numeric (byte)
 label: br2
 range: [1,3] units: 1
 unique values: 2 missing .: 3/1,182
 tabulation: Freq. Numeric Label
 252 1 yes
 927 3 no
 3 .

br2a In the future, do you think the household members will be able to repay this loa

type: numeric (byte)
 label: br2a
 range: [1,5] units: 1
 unique values: 3 missing .: 930/1,182
 tabulation: Freq. Numeric Label
 207 1 yes
 15 3 no
 30 5 not sure
 930 .

br3 Have household members ever tried to take loans, installment purchase or get ad

type: numeric (byte)
 label: br3
 range: [1,3] units: 1
 unique values: 2 missing .: 3/1,182
 tabulation: Freq. Numeric Label
 88 1 yes
 1,091 3 never
 3 .

br3a Why not? (not display)

type: string (str244), but longest is str0
 unique values: 0 missing "": 1,182/1,182
 tabulation: Freq. Value
 1,182 "

br4 Have household members ever been rejected by lender?

type: numeric (byte)
 label: br4
 range: [1,3] units: 1
 unique values: 2 missing .: 3/1,182


```

tabulation:  Freq.  Numeric  Label
              60      1      yes
              1,119    3      never
              3
              .
    
```

br5 The total value of money/ items that all household members lent to outside house

```

type:  numeric (long)
range: [0,1200000]
unique values: 61
unique missing codes: 5
units: 10
missing .: 3/1,182
missing *: 15/1,182
    
```

```

tabulation:  Freq.  Value
              972    0
              1    200
              3    500
              1    600
              4   1000
              1   1500
              4   2000
              1   2500
              5   3000
              1   3550
              5   4000
              2   4500
              9   5000
              1   5500
              1   6000
              2   6500
              4   7000
              4   8000
              1   9600
             19  10000
              1  12000
              1  12500
              3  13000
              1  14000
              4  15000
              2  16000
              1  17500
             14  20000
              1  23000
              3  25000
             16  30000
              1  34170
              4  35000
              1  36000
              1  37000
              1  39000
              3  40000
              3  45000
             13  50000
              1  51000
              3  55000
              1  56000
              3  60000
              4  70000
              5  80000
              1  87000
              1  92000
              7 100000
              1 120000
              5 150000
              1 170000
              2 180000
              6 200000
              1 230000
              1 300000
              1 350000
    
```

```

1 400000
1 488000
1 500000
1 600000
1 1200000
3 .
4 .a
3 .b
6 .c
2 .d
mean: 9716.6
std. dev: 53342.9

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      15000
    
```

note **Interviewer note (unavailable)**

```

type: string (str295), but longest is str0
unique values: 0 missing "": 1,182/1,182
tabulation: Freq. Value
             1,182 ""
    
```

note_cleaner **data cleaner note (not display)**

```

type: string (str43), but longest is str0
unique values: 0 missing "": 1,182/1,182
tabulation: Freq. Value
             1,182 ""
    
```

hh_change **Sample has moved so that its household structure changed**

```

type: numeric (float)
label: hh_change
range: [0,1] units: 1
unique values: 2 missing .: 0/1,182
unique missing codes: 1 missing *: 1/1,182

tabulation: Freq. Numeric Label
             1,164 0 no
              17 1 yes
               1 .a
    
```

survey_name **survey round**

```

type: string (str12)
unique values: 1 missing "": 0/1,182
tabulation: Freq. Value
             1,182 "RESURVEY2018"
    
```

year_survey **year survey**

```

type: numeric (float)
    
```

range: [2018,2018] units: 1
unique values: 1 missing .: 0/1,182

tabulation: Freq. Value
1,182 2018

mean: 2018
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
2018 2018 2018 2018 2018

2 . log close

name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2018\\a10.smcl
log type: smcl
closed on: 27 Jul 2024, 16:37:19
