



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\a12.smcl
log type: smcl
opened on: 27 Jul 2024, 16:37:26
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\a12_run.dta
Last saved: 27 Jul 2024 16:37
    
```

```

Label: [none]
Number of variables: 20
Number of observations: 1,182
Size: 314,412 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a
                  .b
                  .c
                  .d
String Missing*:  RF
                  NA
                  DK
                  MI
    
```

hhid **household id**

```

type: string (str15)
unique values: 1,182 missing "": 0/1,182
examples: "201591160603209"
           "201691130611055"
           "201691160104153"
           "201691161706144"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,182
tabulation: Freq. Value
              437 "2015"
              745 "2016"
    
```

prov **province**

```

type: string (str2)
unique values: 2 missing "": 0/1,182
    
```

```

tabulation: Freq. Value
             1,068 "91"
             114  "93"
    
```

amp **amphoe**

```

type: string (str2)
unique values: 7 missing "": 0/1,182
tabulation: Freq. Value
             114 "12"
             212 "13"
             100 "14"
             117 "15"
             436 "16"
             32  "17"
             171 "18"
    
```

tam **tambon**

```

type: string (str2)
unique values: 15 missing "": 0/1,182
tabulation: Freq. Value
             54 "01"
             190 "02"
             104 "04"
             45  "05"
             46  "06"
             55  "07"
             45  "08"
             79  "09"
             104 "10"
             71  "11"
             115 "13"
             38  "14"
             117 "15"
             76  "17"
             43  "19"
    
```

moo **moo**

```

type: string (str2)
unique values: 21 missing "": 0/1,182
tabulation: Freq. Value
             125 "01"
             53  "02"
             116 "03"
             132 "04"
             95  "05"
             128 "06"
             62  "07"
             122 "08"
             71  "09"
             58  "10"
             44  "11"
             34  "12"
             34  "13"
             8   "14"
             8   "15"
             30  "16"
             8   "17"
    
```

```

11 "18"
24 "19"
13 "22"
6  "24"

```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/1,182
examples: "010"
           "034"
           "070"
           "146"

```

nickname **Nickname (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0           missing "": 1,182/1,182
tabulation:  Freq. Value
              1,182 ""

```

memberid **memberID**

```

type: string (str2)
unique values: 9           missing "": 1,165/1,182
unique missing codes: 3    missing *: 4/1,182
tabulation:  Freq. Value
              1,165 ""
              1  "H2"
              1  "H3"
              1  "H4"
              4  "H5"
              1  "H6"
              3  "H7"
              2  "H9"
              3  "MI"
              1  "RF"

```

a12_a **Life Satisfaction**

```

type: numeric (byte)
range: [4,10]           units: 1
unique values: 6        missing .: 1,167/1,182
tabulation:  Freq. Value
              2  4
              4  5
              3  7
              2  8
              2  9
              2 10
              1,167 .
mean: 6.86667
std. dev: 2.09989

```

percentiles: 10% 25% 50% 75% 90%
 4 5 7 9 10

a12_b1 **First: Unable to sleep well**

```

type: numeric (byte)
label: a12_b1

range: [1,7]                           units: 1
unique values: 4                       missing .: 1,166/1,182

tabulation: Freq.   Numeric   Label
              3            1    everyday
              1            3    almost everyday
              5            5    sometime but not often
              7            7    once or never felt this way in
                                  this month
             1,166         .
    
```

a12_b2 **Second: Unable to concentrate**

```

type: numeric (byte)
label: a12_b2

range: [3,7]                           units: 1
unique values: 3                       missing .: 1,166/1,182

tabulation: Freq.   Numeric   Label
              2            3    almost everyday
              7            5    sometime but not often
              7            7    once or never felt this way in
                                  this month
             1,166         .
    
```

a12_b3 **Third: Irritated, restless, overthinking**

```

type: numeric (byte)
label: a12_b3

range: [1,7]                           units: 1
unique values: 4                       missing .: 1,166/1,182

tabulation: Freq.   Numeric   Label
              2            1    everyday
              2            3    almost everyday
              7            5    sometime but not often
              5            7    once or never felt this way in
                                  this month
             1,166         .
    
```

a12_b4 **Fourth: Bored**

```

type: numeric (byte)
label: a12_b4

range: [1,7]                           units: 1
unique values: 4                       missing .: 1,166/1,182
    
```

```

tabulation:  Freq.  Numeric  Label
              2      1  everyday
              1      3  almost everyday
             10      5  sometime but not often
              3      7  once or never felt this way in
                    this month
            1,166      .
    
```

a12_b5 **Fifth: No desire to meet**

```

type:  numeric (byte)
label:  a12_b5

range:  [1,7]          units:  1
unique values:  3      missing .:  1,166/1,182
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  everyday
              4      5  sometime but not often
             11      7  once or never felt this way in
                    this month
            1,166      .
    
```

note **Interviewer note (unavailable)**

```

type:  string (str1), but longest is str0
unique values:  0      missing "":  1,182/1,182

tabulation:  Freq.  Value
            1,182  ""
    
```

note_cleaner **data cleaner note (not display)**

```

type:  string (str177), but longest is str0
unique values:  0      missing "":  1,182/1,182

tabulation:  Freq.  Value
            1,182  ""
    
```

hh_change **household structure changed**

```

type:  numeric(float)
label:  hh_change

range:  [0,1]          units:  1
unique values:  2      missing .:  0/1,182
unique missing codes:  1  missing *:  1/1,182

tabulation:  Freq.  Numeric  Label
            1,164      0  no
              17      1  yes
               1      .a
    
```

survey_name **survey name**

```

type:  string (str12)
unique values:  1      missing "":  0/1,182
    
```

tabulation: Freq. Value
1,182 "RESURVEY2018"

year_survey **year_survey**

type: numeric (**float**)
range: [2018,2018] units: 1
unique values: 1 missing .: 0/1,182
tabulation: Freq. Value
1,182 2018
mean: 2018
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
2018 2018 2018 2018 2018

2 . log close
name: <unnamed>
log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2018\\a12.scml
log type: smcl
closed on: 27 Jul 2024, 16:37:27
