



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\b1.smcl
log type: smcl
opened on: 27 Jul 2024, 15:44:45
    
```

1 . codebookr \_all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b1_run.dta
Last saved: 27 Jul 2024 15:44
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 105
Number of observations: 1,397
Size: 3,723,005 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

---

**cid** **children id**

---

```

type: string (str18)
unique values: 1,397 missing "": 0/1,397
examples: "201591160604207H1"
           "201691131001062H1"
           "201691160105024H1"
           "201691161708105H1"
    
```

---

**iyear** **year**

---

```

type: string (str4)
unique values: 2 missing "": 0/1,397
tabulation: Freq. Value
             517 "2015"
             880 "2016"
    
```

---

**hhid** **household id**

---

```

type: string (str15)
    
```

unique values: 1,197                      missing "": 0/1,397  
 examples: "201591160604207"  
           "201691131001041"  
           "201691160105024"  
           "201691161708105"

---

**prov** **province**

---

type: string (**str2**)  
 unique values: 2                      missing "": 0/1,397  
 tabulation: Freq. Value  
               1,259 "91"  
               138 "93"

---

**amp** **amphoe**

---

type: string (**str2**)  
 unique values: 7                      missing "": 0/1,397  
 tabulation: Freq. Value  
               138 "12"  
               241 "13"  
               116 "14"  
               136 "15"  
               514 "16"  
               41 "17"  
               211 "18"

---

**tam** **tambon**

---

type: string (**str2**)  
 unique values: 15                      missing "": 0/1,397  
 tabulation: Freq. Value  
               63 "01"  
               214 "02"  
               122 "04"  
               53 "05"  
               53 "06"  
               63 "07"  
               56 "08"  
               92 "09"  
               122 "10"  
               89 "11"  
               141 "13"  
               42 "14"  
               137 "15"  
               96 "17"  
               54 "19"

---

**moo** **moo**

---

type: string (**str2**)  
 unique values: 21                      missing "": 0/1,397

```

tabulation: Freq. Value
            153 "01"
            62  "02"
            141 "03"
            148 "04"
            116 "05"
            145 "06"
            76  "07"
            143 "08"
            87  "09"
            70  "10"
            50  "11"
            39  "12"
            38  "13"
            10  "14"
            12  "15"
            36  "16"
            8   "17"
            12  "18"
            26  "19"
            18  "22"
            7   "24"
    
```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 182           missing "": 0/1,397
examples: "011"
          "035"
          "070"
          "147"
    
```

---

**nickname** **Child nickname (unavailable)**

---

```

type: string (str33), but longest is str0
unique values: 0           missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

**nickname:**  
 1. subjected to a carryforward operation

---

**idcard** **Identification number (unavailable)**

---

```

type: string (str13), but longest is str0
unique values: 0           missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

**idcard:**  
 1. subjected to a carryforward operation

---

**prefix** **Child's prefix (unavailable)**

---

```

type: string (str18), but longest is str0
unique values: 0           missing "": 1,397/1,397
    
```

tabulation: Freq. Value  
 1,397 ""

---

**fname** **Child's name (unavailable)**

---

type: string (**str36**), but longest is str0  
 unique values: 0 missing "": 1,397/1,397  
 tabulation: Freq. Value  
 1,397 ""

---

**lname** **Child's lastname (unavailable)**

---

type: string (**str51**), but longest is str0  
 unique values: 0 missing "": 1,397/1,397  
 tabulation: Freq. Value  
 1,397 ""

---

**ci0** **Primary caregivers member ID**

---

type: string (**str2**)  
 unique values: 9 missing "": 0/1,397  
 unique missing codes: 1 missing \*: 2/1,397  
 tabulation: Freq. Value  
             529 "H2"  
             529 "H3"  
             154 "H4"  
             92 "H5"  
             50 "H6"  
             25 "H7"  
             9 "H8"  
             7 "H9"  
             2 "NA"

---

**tel** **Tel-number (unavailable)**

---

type: string (**str10**), but longest is str0  
 unique values: 0 missing "": 1,397/1,397  
 tabulation: Freq. Value  
 1,397 ""

---

**cila\_des** **Relationship description (not display)**

---

type: string (**str77**), but longest is str0  
 unique values: 0 missing "": 1,397/1,397  
 tabulation: Freq. Value  
 1,397 ""

---

**cila** **Code : Relationship with child**

---

type: numeric (**byte**)  
 label: **cila**  
 range: [1,19] units: 1  
 unique values: 8 missing .: 3/1,397

tabulation:	Freq.	Numeric	Label
	422	1	Father / Mother
	642	5	Grand parents : mother side
	208	6	Grand parents: father side
	21	13	Uncle / Aunt
	1	16	Sister in law / Brother-in-law
	52	17	Great-grandparents (Mother's side)
	9	18	Great-grandparents (Father's side)
	39	19	Other relatives
	3	.	.

---

**cill\_prefix** **Maincare's prefix (unavailable)**

---

type: string (**str18**), but longest is str0  
 unique values: 0 missing "": 1,397/1,397  
 tabulation: Freq. Value  
 1,397 ""

---

**cill\_fname** **Maincare's name (unavailable)**

---

type: string (**str36**), but longest is str0  
 unique values: 0 missing "": 1,397/1,397  
 tabulation: Freq. Value  
 1,397 ""

---

**cill\_lname** **Maincare's last name (unavailable)**

---

type: string (**str51**), but longest is str0  
 unique values: 0 missing "": 1,397/1,397  
 tabulation: Freq. Value  
 1,397 ""

---

**cill Member ID the household member with the highest decision-making authority for th**

---

type: string (**str2**)  
 unique values: 9 missing "": 0/1,397  
 unique missing codes: 1 missing \*: 2/1,397

tabulation:	Freq.	Value
	510	"H2"
	449	"H3"
	212	"H4"
	115	"H5"
	64	"H6"
	29	"H7"
	11	"H8"
	5	"H9"
	2	"NA"

---

**cilla\_des** **Relationship with child**

---

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

---

**cilla Code of Relationship the household member with the highest decision-making power**

---

```

type: numeric (byte)
label: cilla
range: [1,19] units: 1
unique values: 8 missing .: 2/1,397
tabulation: Freq. Numeric Label
             599      1  Father / Mother
              1      3  Adoptive father / Adoptive
                    mother
             529      5  Grand parents : mother side
             174      6  Grand parents: father side
              26     13  Uncle / Aunt
              30     17  Great-grandparents (Mother's
                    side)
               4     18  Great-grandparents (Father's
                    side)
              32     19  Other relatives
               2      .
    
```

---

**ci2h2** **Current height of this child (centimeter)**

---

```

type: numeric (int)
range: [69,135] units: 1
unique values: 55 missing .: 0/1,397
unique missing codes: 2 missing *: 790/1,397
tabulation: Freq. Value
             1  69
             3  70
             1  73
             2  75
             2  78
             7  80
             1  81
             1  82
             1  84
             6  85
             4  87
             1  89
            17  90
             1  91
             5  92
             4  93
             1  94
            27  95
             8  96
             9  97
            21  98
             7  99
            68 100
            10 101
            11 102
             5 103
    
```

```

      5 104
     54 105
      5 106
     10 107
      8 108
     13 109
    101 110
      9 111
     13 112
      2 113
      5 114
     40 115
      3 116
      6 117
      4 118
      8 119
     40 120
      3 121
      4 122
      2 123
      1 124
     14 125
      2 126
      4 127
      2 128
     22 130
      1 132
      1 133
      1 135
     783 .c
      7 .d
    mean: 106.946
  std. dev: 11.4153

percentiles:      10%      25%      50%      75%      90%
                  95      100      108      115      120

```

---

**ci2w2** **Current weight of this child (kilogram)**

---

```

type: numeric (double)
range: [8,57]
unique values: 75
unique missing codes: 2
units: .1
missing .: 0/1,397
missing *: 235/1,397

```

```

tabulation: Freq. Value
            1 8
            13 10
            21 11
             2 11.5
             1 11.7
            34 12
             2 12.7
            56 13
             1 13.5
             1 13.8
            73 14
             1 14.2
             8 14.5
             2 14.6
             2 14.8
           119 15
             1 15.4
            13 15.5
            78 16
             2 16.4
            11 16.5
             1 16.9
            82 17
             8 17.5

```

```

3 17.6
1 17.9
85 18
2 18.4
4 18.5
1 18.6
2 18.8
64 19
1 19.1
5 19.5
1 19.6
1 19.7
145 20
1 20.5
1 20.9
46 21
3 21.5
1 21.8
47 22
1 22.2
2 22.5
24 23
20 24
2 24.5
46 25
1 25.1
18 26
1 26.5
18 27
1 27.8
9 28
3 29
28 30
7 31
5 32
1 33
4 34
4 35
1 35.5
1 36
1 37
4 38
2 40
1 41
4 42
1 45
1 46
1 50
1 52
1 55
1 57
234 .c
1 .d

```

```

mean: 18.9646
std. dev: 5.71449

```

```

percentiles:      10%      25%      50%      75%      90%
                  13       15       18       21       26

```

---

ci3

Does the child's father live in the house?

---

```

type: numeric (byte)
label: ci3

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,397

```



```

tabulation:  Freq.  Numeric  Label
              519      1  yes
              878      3  no
    
```

---

**ci3g** **Father's current status**

---

```

type:  numeric (byte)
label:  ci3g

range:  [1,5]          units:  1
unique values:  3      missing .:  519/1,397
unique missing codes:  3  missing *:  10/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              852      1  alive
              3       3  dead
              13       5  dead longer than 12 month
              519      .
              1       .a
              9       .c
    
```

---

**ci3h\_des** **Father's occupation description**

---

```

type:  string (str148)

unique values:  450      missing "":  532/1,397
unique missing codes:  3  missing *:  176/1,397
    
```

warning: variable has embedded and trailing blanks

---

**ci3h** **Code : Father's occupation**

---

```

type:  numeric (byte)
label:  ci3h

range:  [1,21]        units:  1
unique values:  11     missing .:  532/1,397
unique missing codes:  3  missing *:  176/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              30      1  Legislators / senior government
                   officer / admimistrator
              20      3  Professional
              17      5  Technican and related
              12      7  Office clerk
              121     9  Service Officer/Trader
              45     11  Agriculture and Fishery skilled
                   Workers
              66     13  Skilled Craftsmen and Related
                   business
              146     15  Mechanical and assembly workers
              190     17  General workers
              22     19  Armed force
              20     21  Not working
              532     .
              2      .a
              174     .c
    
```

---

**ci3ha** **Father's type of work**

---

```

type:  numeric (byte)
label:  ci3ha
    
```

range: [1,9] units: 1  
 unique values: 5 missing .: 532/1,397  
 unique missing codes: 4 missing \*: 189/1,397

tabulation:	Freq.	Numeric	Label
	43	1	Government officer/state enterprise employee
	17	3	Temporary government worker/temporary state enterprise worker
	479	5	Company employee
	33	7	Temporary company worker, seasonal hire
	104	9	Business owner
	532	.	.
	2	.a	.a
	20	.b	.b
	167	.c	.c

---

**ci3i\_des** **Description : Father's net income per month**

---

type: string (str122), but longest is str78

unique values: 124 missing "": 532/1,397  
 unique missing codes: 5 missing \*: 477/1,397

warning: variable has embedded and trailing blanks

---

**ci3i** **Father's net income per month**

---

type: numeric (long)  
 label: ci3i, but label does not exist

range: [5000,350000] units: 1  
 unique values: 66 missing .: 532/1,397  
 unique missing codes: 5 missing \*: 476/1,397

tabulation:	Freq.	Value
	1	5000
	1	5500
	5	6000
	1	6250
	1	6820
	4	7000
	3	7500
	1	7740
	10	7800
	6	8000
	1	8060
	1	8100
	1	8190
	1	8320
	1	8372
	3	8500
	29	9000
	1	9100
	2	9500
	1	9600
	2	9800
	46	10000
	1	10400
	1	10500
	6	11000
	1	11500
	23	12000
	1	12150
	10	12500

```

1 12750
11 13000
4 13500
3 14000
2 14500
62 15000
1 15480
4 15500
1 15600
3 16000
2 16500
8 17000
4 17500
7 18000
1 18500
26 20000
1 20500
7 22000
3 23000
2 23500
1 24500
20 25000
1 26000
1 28000
1 29500
22 30000
6 35000
6 40000
3 45000
1 47000
1 50000
1 58000
3 60000
1 70000
1 120000
1 300000
1 350000
532 .
2 .a
20 .b
453 .c
1 .d
mean: 18426.8
std. dev: 24675.4

percentiles:      10%      25%      50%      75%      90%
                  8500     10000    15000    20000    30000

```

---

**ci3j** **Father's contact telephone number**

---

```

type: string (str12)
unique values: 169
unique missing codes: 4
missing "": 532/1,397
missing *: 684/1,397

```

---

**ci3k** **What is the average number of days per year the father visits the child ?**

---

```

type: numeric (int)
range: [0,457]
unique values: 85
unique missing codes: 2
units: 1
missing .: 532/1,397
missing *: 5/1,397

```

```

tabulation:  Freq.  Value
              294    0
              24    1
              29    2
              25    3
              28    4
              18    5
              23    6
              40    7
              28    8
              21    9
              16   10
              19   11
              22   12
               5   13
              23   14
              12   15
               3   16
               2   17
              13   18
               5   19
               6   20
              14   21
               2   22
               2   23
              15   24
               1   25
               2   26
               2   28
              12   30
               1   34
               9   36
               1   37
               4   39
               1   40
               7   42
               3   45
               1   46
               2   47
              13   48
               1   50
              10   52
               6   54
               1   56
               2   58
               3   60
               3   61
               2   66
               1   67
               1   69
               1   71
               1   72
               1   75
               4   78
               7   84
               8   90
               1   91
               1   93
               2   95
               1  102
               4  103
               8  104
               1  106
               3  108
               1  113
               6  120
               1  123
               1  126
               6  130
               2  135
               1  138
               1  142
    
```

```

      1 143
      2 150
      1 151
      1 153
      1 155
      1 156
      1 175
      1 182
      1 184
      1 260
      1 270
      2 330
      5 365
      1 457
    532 .
      5 .c
  mean: 22.2209
std. dev: 48.0791

percentiles:    10%    25%    50%    75%    90%
                0      0      6     18.5   63.5

```

---

**ci31 Does the child sleep with the father when the father lives in the house ?**

---

```

      type: numeric (byte)
      label: ci31

      range: [1,3]
unique values: 2
unique missing codes: 2

      units: 1
missing .: 826/1,397
missing *: 3/1,397

```

```

tabulation:  Freq.  Numeric  Label
              396      1  yes
              172      3  no
              826      .
              3        .d

```

---

**ci3m What is the average number of days per year the father takes the child to his pl**

---

```

      type: numeric (int)

      range: [0,132]
unique values: 54
unique missing codes: 2

      units: 1
missing .: 532/1,397
missing *: 3/1,397

```

```

tabulation:  Freq.  Value
              581    0
               3    1
              12    2
              14    3
              11    4
              13    5
               1    6
              33    7
               2    8
               1    9
              16   10
               1   11
               3   12
               2   13
              10   14
              18   15
               4   17
               3   18
               1   19
               3   20
               2   21
               1   22

```

```

      4 24
      2 25
      1 26
      1 28
     62 30
      1 32
      1 36
      1 37
      1 40
      1 42
      4 45
      2 48
      2 52
      1 59
     17 60
      1 61
      2 62
      1 65
      2 67
      1 68
      1 75
      1 76
      1 77
      1 78
      3 90
      1 93
      1 95
      3 103
      3 104
      2 105
      1 129
      1 132
     532 .
      3 .c
    mean: 8.5406
    std. dev: 19.2453

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      7     30

```

---

**ci4** **Does the child's mother live in the house?**

---

```

    type: numeric (byte)
    label: ci4

    range: [1,3]
    unique values: 2
    units: 1
    missing .: 0/1,397

    tabulation:  Freq.  Numeric  Label
                 714    1      yes
                 683    3      no

```

---

**ci4g** **Mother's current status**

---

```

    type: numeric (byte)
    label: ci4g

    range: [1,5]
    unique values: 3
    unique missing codes: 2
    units: 1
    missing .: 714/1,397
    missing *: 2/1,397

    tabulation:  Freq.  Numeric  Label
                 674    1      alive
                 2      3      dead
                 5      5      dead longer than 12 month
                 714    .
                 2      .c

```

---

**ci4h\_des** **Description : Mother's occupation**

---

```

type: string (str138)
unique values: 391
unique missing codes: 2
missing "": 719/1,397
missing *: 79/1,397

warning: variable has embedded blanks
    
```

---

**ci4h** **Code : Mother's occupation**

---

```

type: numeric (byte)
label: ci3h
range: [1,21]
unique values: 10
unique missing codes: 2
units: 1
missing .: 719/1,397
missing *: 79/1,397
    
```

tabulation:	Freq.	Numeric	Label
	8	1	Logislators / senior government officer / admimistrator
	22	3	Professional
	7	5	Technican and related
	51	7	Office clerk
	125	9	Service Officer/Trader
	28	11	Agriculture and Fishery skilled Workers
	32	13	Skilled Craftsmen and Related business
	126	15	Mechanical and assembly workers
	173	17	General workers
	27	21	Not working
	719	.	.
	79	.c	.c

---

**ci4ha** **Mother's type of work**

---

```

type: numeric (byte)
label: ci3ha
range: [1,9]
unique values: 5
unique missing codes: 3
units: 1
missing .: 719/1,397
missing *: 107/1,397
    
```

tabulation:	Freq.	Numeric	Label
	18	1	Government officer/state enterprise employee
	5	3	Temporary government worker/temporary state enterprise worker
	470	5	Company employee
	17	7	Temporary company worker ,seasonal hire
	61	9	Business owner
	719	.	.
	27	.b	.b
	80	.c	.c

---

**ci4i\_des** **Description : Mother's net income per month**

---

```

type: string (str89), but longest is str77
    
```

unique values: 109  
 unique missing codes: 3

missing "": 719/1,397  
 missing \*: 295/1,397

warning: variable has embedded blanks

---

**ci4i** **Mother's net income per month**

---

type: numeric (long)  
 label: ci4i, but 60 nonmissing values are not labeled  
 range: [5000,120000] units: 1  
 unique values: 60 missing .: 719/1,397  
 unique missing codes: 3 missing \*: 296/1,397

tabulation:	Freq.	Numeric	Label
	3	5000	
	4	6000	
	1	6250	
	2	6500	
	1	6600	
	1	6820	
	9	7000	
	1	7350	
	5	7500	
	1	7740	
	12	7800	
	8	8000	
	1	8060	
	1	8190	
	1	8320	
	1	8372	
	1	8400	
	2	8500	
	1	8840	
	1	8900	
	32	9000	
	4	9100	
	1	9300	
	1	9450	
	5	9500	
	59	10000	
	1	10500	
	8	11000	
	3	11500	
	23	12000	
	8	12500	
	1	12750	
	13	13000	
	5	13500	
	1	13600	
	8	14000	
	2	14500	
	49	15000	
	2	15500	
	6	16000	
	3	16500	
	2	17000	
	4	17500	
	8	18000	
	1	19500	
	28	20000	
	1	20500	
	1	22000	
	1	23000	
	1	23500	
	3	24000	
	12	25000	
	1	27000	
	15	30000	



```

3      35000
3      40000
2      50000
2      55000
1      60000
1      120000
719    .
29     .b
267    .c
    
```

---

**ci4j** **Contact telephone number (unavailable)**

---

```

type: string (str12), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

---

**ci4ka\_des** **Mother's address : sub-district (unavailable)**

---

```

type: string (str54), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

---

**ci4ka** **Mother's address : sub-district code (unavailable)**

---

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

---

**ci4kb\_des** **Mother's address : district (unavailable)**

---

```

type: string (str48), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

---

**ci4kb** **Mother's address : district code (unavailable)**

---

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

---

**ci4kc\_des** **Mother's address : province (unavailable)**

---

```

type: string (str45), but longest is str0
    
```

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value  
1,397 ""

**ci4kc Mother's address : province code (unavailable)**

type: string (str2), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value  
1,397 ""

**ci4kd Mother's address : country (unavailable)**

type: string (str39), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value  
1,397 ""

**ci41 What is the average number of days per year the mother visits the child ?**

type: numeric (int)

range: [0,365] units: 1  
unique values: 75 missing .: 719/1,397  
unique missing codes: 2 missing \*: 2/1,397

tabulation:	Freq.	Value
	126	0
	11	1
	29	2
	32	3
	33	4
	28	5
	32	6
	38	7
	27	8
	22	9
	20	10
	23	11
	26	12
	4	13
	33	14
	9	15
	4	16
	4	17
	9	18
	3	19
	9	20
	11	21
	3	22
	2	23
	15	24
	3	25
	2	27
	2	28
	12	30
	1	32
	1	36
	4	39
	1	40
	4	42

```

      2 44
      3 45
      1 46
      1 47
     13 48
      1 50
      1 51
     11 52
      3 54
      1 66
      1 67
      2 69
      1 72
      1 74
      1 77
      3 78
      6 84
      4 90
      1 91
      1 95
      1 102
      2 103
      8 104
      1 105
      2 108
      1 119
      1 120
      1 122
      1 123
      1 125
      1 129
      1 130
      1 131
      1 141
      1 150
      2 153
      1 156
      1 167
      1 184
      1 260
      5 365
     719 .
      2 .c
    mean: 20.9112
  std. dev: 42.3089

percentiles:      10%      25%      50%      75%      90%
                  0         3         8        18        52

```

---

**ci4m Does the child sleep with the mother when the mother lives in the house ?**

---

```

    type: numeric (byte)
    label: ci4m

    range: [1,3]
    unique values: 2
    unique missing codes: 3

    units: 1
    missing .: 845/1,397
    missing *: 5/1,397

```

```

tabulation: Freq.  Numeric  Label
            396      1      yes
            151      3      no
            845      .
              2      .a
              3      .d

```

---

**ci4n What is the average number of days per year the mother takes the child to her pl**

---

```

type: numeric (int)
range: [0,180]
unique values: 53
unique missing codes: 3
units: 1
missing .: 719/1,397
missing *: 3/1,397

```

```

tabulation: Freq. Value
406 0
10 2
11 3
16 4
10 5
2 6
30 7
1 8
2 9
15 10
1 11
6 12
2 13
6 14
20 15
2 17
8 18
1 19
3 20
3 21
2 22
2 24
1 25
61 30
1 32
1 35
3 36
1 37
1 40
1 42
6 45
4 48
1 52
1 56
10 60
1 61
2 62
2 67
1 68
1 75
1 78
2 90
1 91
2 93
1 96
1 103
3 104
1 105
1 118
1 120
1 129
1 132
1 180
719 .
2 .a
1 .c

```

```

mean: 10.4904
std. dev: 21.4805

```

```

percentiles: 10% 25% 50% 75% 90%
              0 0 0 12 30

```

---

**ci2a Do the father and mother of this child live together?**

---

```

type: numeric (byte)
label: ci2a

range: [1,7]                units: 1
unique values: 4             missing .: 0/1,397
unique missing codes: 1     missing *: 1/1,397

tabulation:  Freq.  Numeric  Label
              808      1      living together (both married
              380      3      registered and non-registered)
              189      5      divorced
              19       7      separated (but still being a
              1         .c     couple)
              1         .c     widowed
    
```

---

**ci2a3 Father marital status**

---

```

type: numeric (byte)
label: ci2a3

range: [1,7]                units: 1
unique values: 3             missing .: 997/1,397
unique missing codes: 3     missing *: 117/1,397

tabulation:  Freq.  Numeric  Label
              154      1      Not remarried
              128      3      Remarried
              1        7      Widowed (after remarriage)
              997      .
              16       .b
              101      .c
    
```

---

**ci2a4 Mother marital status**

---

```

type: numeric (byte)
label: ci2a3

range: [1,7]                units: 1
unique values: 4             missing .: 997/1,397
unique missing codes: 3     missing *: 32/1,397

tabulation:  Freq.  Numeric  Label
              163      1      Not remarried
              192      3      Remarried
              12       5      Divorced (after remarriage)
              1        7      Widowed (after remarriage)
              997      .
              5        .b
              27       .c
    
```

---

**ci5a Since last interview, what is the monthly average amount the child's father, who**

---

```

type: numeric (int)

range: [0,30000]           units: 1
unique values: 75          missing .: 0/1,397
unique missing codes: 3    missing *: 884/1,397
    
```

```

tabulation:  Freq.  Value
              297    0
               2    8
               1   10
               1   13
               2   17
               5   42
               1   63
               1   68
               2   71
               2   77
              13   83
               1  125
               2  133
               2  146
               4  167
               1  188
               1  208
               1  219
               1  250
               1  300
               1  333
               1  344
               1  346
               2  375
               1  400
               1  417
               5  500
               1  521
               6  750
               3  833
              13 1000
               1 1167
               1 1250
               7 1500
               1 1563
               1 1720
               2 1750
               1 1833
               5 1875
               8 2000
               2 2063
               2 2250
              14 2500
               2 2750
              13 3000
               5 3333
               1 3438
               6 3500
               2 3750
               5 4000
               1 4167
               1 4229
              14 5000
               1 5083
               1 5313
               1 5500
               3 6000
               1 6417
               2 6500
               3 6667
               1 7000
               4 7500
               1 8000
               2 9000
               1 9167
               2 10000
               2 12000
               3 12500
               1 13000
               5 15000
               1 16667
    
```

```

          4 20000
          1 22000
          1 29000
          1 30000
        500 .b
        381 .c
          3 .d
    mean: 1568.41
  std. dev: 3724.96

percentiles:    10%    25%    50%    75%    90%
                0      0      0     1500   5000
    
```

---

**ci5aa Is the amount of money that the father sends to the child used only for raising**

---

```

    type: numeric (byte)
    label: ci5aa

    range: [1,3]
  unique values: 2
unique missing codes: 3

                    units: 1
                missing .: 1,160/1,397
                missing *: 11/1,397

    tabulation:  Freq.  Numeric  Label
                 48      1  yes
                 178     3  no
                 1,160    .
                   5     .c
                   6     .d
    
```

---

**ci5b Since last interview, what is the monthly average amount the child's mother, who**

---

```

    type: numeric (long)

    range: [0,40000]
  unique values: 77
unique missing codes: 4

                    units: 1
                missing .: 0/1,397
                missing *: 1,064/1,397

    tabulation:  Freq.  Value
                 125    0
                   1    31
                   1    38
                   1    83
                   1    97
                   1   108
                   2   125
                   3   146
                   2   167
                   1   192
                   1   222
                   1   333
                   1   344
                   3   417
                   1   438
                   1   450
                   1   458
                   6   500
                   2   615
                   2   625
                   1   667
                   3   750
                  16  1000
                   1  1042
                   1  1091
                   2  1167
                   2  1250
                  12  1500
                   5  1667
                   1  1688
    
```

```

11 1750
 1 1827
 1 1833
 2 1875
 1 1935
14 2000
 1 2083
 1 2150
 2 2250
 1 2333
17 2500
 1 2667
 1 2692
 1 2885
 1 2917
13 3000
 1 3125
 3 3500
 2 3750
 7 4000
 1 4125
 1 4167
 1 4300
 1 4308
 1 4333
 1 4583
 1 4750
15 5000
 1 5250
 1 5500
 2 6000
 1 6250
 1 6500
 1 7063
 2 7500
 2 8500
 1 9000
 4 10000
 3 12500
 1 12692
 1 12900
 1 13125
 1 13462
 1 14000
 2 15000
 1 36667
 1 40000
 3 .a
690 .b
370 .c
 1 .d
      mean: 2142.27
      std. dev: 4020.72

percentiles:      10%      25%      50%      75%      90%
                  0        0       1000     2500     5000

```

---

**ci5ba Is the amount of money that the mother sends to the child used only for raising**

---

```

      type: numeric (byte)
      label: ci5ba

      range: [1,3]
      unique values: 2
      unique missing codes: 4

      units: 1
      missing .: 1,178/1,397
      missing *: 6/1,397

```



```

tabulation:  Freq.  Numeric  Label
              22      1  yes
              191     3  no
            1,178     .
                2     .a
                2     .c
                2     .d
    
```

---

**ci5c Since last interview,what is the monthly average amount the child's parents, who**

---

```

type: numeric (long)
range: [0,52500]
unique values: 74
unique missing codes: 3
units: 1
missing .: 591/1,397
missing *: 444/1,397
    
```

```

tabulation:  Freq.  Value
              1      0
              1     42
              1    100
              1    167
              2    219
              1    231
              1    250
              1    281
              1    313
              2    417
              2    500
              1    600
              7    750
              2    875
             13   1000
              1   1042
              1   1050
              1   1063
              3   1125
              5   1250
              1   1429
              1   1458
             15   1500
              1   1667
              1   1736
              7   1750
              1   1979
             24   2000
              1   2150
              1   2167
              5   2250
             36   2500
              2   2688
              8   2750
              1   2833
             27   3000
              3   3250
              1   3315
              1   3375
              1   3438
              1   3462
              9   3500
              3   3750
              1   3900
             26   4000
              1   4250
              1   4300
              1   4333
             19   4500
              1   4583
              1   4667
              1   4750
             46   5000
    
```

```

      1 5200
      1 5417
      5 5500
      1 5567
      1 5958
     13 6000
      4 6500
      1 6667
      5 7000
      2 7500
      8 8000
      2 8500
      2 9000
     11 10000
      1 12500
      1 12900
      1 15000
      2 20000
      1 30000
      1 50000
      1 52500
     591 .
     443 .b
      1 .c
    mean: 4125.45
  std. dev: 4611.54

```

```

percentiles:      10%      25%      50%      75%      90%
                  1000     2000     3250     5000     7000

```

---

**ci5ca Is the amount of money that the parents send to the child used only for raising**

---

```

      type: numeric (byte)
      label: ci5ca
      range: [1,3]
  unique values: 2
unique missing codes: 2
      units: 1
  missing .: 1,035/1,397
  missing *: 1/1,397

```

```

tabulation:  Freq.  Numeric  Label
              42      1      yes
              319     3      no
            1,035     .
              1      .d

```

---

**ci6a Since last interview, what is the monthly average amount the child's father who l**

---

```

      type: numeric(int)
      range: [0,3500]
  unique values: 48
unique missing codes: 3
      units: 1
  missing .: 0/1,397
  missing *: 790/1,397

```

```

tabulation:  Freq.  Value
              528     0
              2      5
              1     13
              2     17
              1     20
              2     21
              1     23
              1     25
              2     27
              4     38
              5     42
              2     46
              1     56
              1     58

```

```

1 63
1 71
1 75
1 82
4 83
1 96
1 100
1 102
4 104
1 108
1 113
3 125
2 150
2 167
1 175
1 200
1 208
1 234
8 250
1 275
1 375
2 417
2 500
1 520
1 538
1 542
1 563
2 750
1 833
1 914
1 1000
1 1346
1 1500
1 3500
500 .b
287 .c
3 .d
mean: 35.2768
std. dev: 192.421

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      42

```

---

**ci6b Since last interview, what is the monthly average amount the child's mother who**

---

```

type: numeric (int)
range: [0,3750]
unique values: 57
unique missing codes: 4
units: 1
missing .: 0/1,397
missing *: 980/1,397

```

```

tabulation:  Freq.  Value
              302    0
               1     4
               4    13
               4    17
               3    23
               2    26
               1    28
               2    30
               1    31
               1    38
               3    42
               2    50
               1    52
               1    54
               1    63
               4    67
               1    71
               5    75

```

```

11 83
 4 104
 1 117
 1 124
 3 125
 1 131
 1 136
 1 156
 5 167
 1 182
 1 188
 1 200
 1 206
 3 208
 1 219
 3 250
 2 260
 1 313
 3 333
 1 417
 1 429
 1 450
 5 500
 2 625
 2 667
 1 729
 2 750
 1 913
 1 938
 2 1000
 3 1500
 1 1550
 2 1750
 2 2000
 1 2250
 1 2500
 2 2750
 1 2867
 1 3750
 2 .a
690 .b
284 .c
 4 .d
      mean: 124.201
      std. dev: 427.349

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        23       250

```

---

**ci6c Since last interview, what is the monthly average amount the child's parents who**

---

```

type: numeric (int)
      range: [0,12000]
unique values: 88
unique missing codes: 3
                    units: 1
                    missing .: 696/1,397
                    missing *: 490/1,397

```

```

tabulation: Freq. Value
            3 0
            7 10
            1 13
            3 17
            7 21
            1 25
            1 26
            1 31
            2 33
            2 36
            5 38
            6 42

```

3 46  
1 47  
1 50  
2 52  
2 56  
1 58  
3 63  
1 67  
2 75  
12 83  
7 94  
5 100  
4 104  
1 105  
1 112  
1 115  
8 125  
1 130  
1 133  
2 136  
1 143  
2 159  
1 160  
5 167  
1 183  
3 188  
1 192  
1 195  
3 208  
1 217  
1 227  
1 229  
1 231  
1 233  
2 240  
8 250  
2 260  
2 278  
1 285  
1 288  
3 313  
4 333  
2 344  
2 350  
4 375  
1 385  
1 392  
1 417  
2 450  
1 458  
1 469  
14 500  
2 600  
1 645  
3 667  
3 750  
1 833  
1 938  
3 1000  
1 1021  
1 1050  
1 1075  
1 1125  
1 1200  
1 1250  
1 1400  
3 1500  
1 1687  
2 2000  
1 2083  
4 2500  
2 3000

```

          1 4000
          1 4500
          1 5000
          1 12000
        696 .
        443 .b
          47 .c
    mean: 486.791
  std. dev: 1085.62

percentiles:      10%      25%      50%      75%      90%
                  25       67      167      469     1075
    
```

**ci10 Since last interview, how many newborn siblings from the same parents does the c**

```

    type: numeric (byte)
    range: [0,2]
unique values: 3
    units: 1
    missing.: 0/1,397

    tabulation: Freq. Value
                1,340 0
                 56 1
                  1 2
    mean: .041518
  std. dev: .203113

percentiles:      10%      25%      50%      75%      90%
                  0       0       0       0       0
    
```

**ci10a\_1 Does sibling (no.1) live in the same household with the child?**

```

    type: numeric (byte)
    label: ci10a
    range: [1,3]
unique values: 2
    units: 1
    missing.: 1,340/1,397

    tabulation: Freq. Numeric Label
                47      1 yes
                 10      3 no
                1,340 .
    
```

**ci10b\_1 Sibling (no.1): Member ID**

```

    type: string (str3)
unique values: 10
    missing "": 1,350/1,397

    tabulation: Freq. Value
                1,350 ""
                  1 "H10"
                  1 "H11"
                  2 "H13"
                  1 "H3"
                  8 "H4"
                  9 "H5"
                 11 "H6"
                  6 "H7"
                  7 "H8"
                  1 "H9"
    
```

**ci10c\_1 Sibling (no.1): Alive?**

```

type: numeric (byte)
label: ci10c
range: [1,1]
unique values: 1
units: 1
missing ..: 1,387/1,397

tabulation: Freq. Numeric Label
             10      1  alive
             1,387 .
    
```

**ci10d\_1** **Sibling (no.1): Gender**

```

type: numeric (byte)
label: ci10d
range: [1,3]
unique values: 2
units: 1
missing ..: 1,387/1,397

tabulation: Freq. Numeric Label
             4      1  male
             6      3  female
             1,387 .
    
```

**ci10e\_1** **Sibling (no.1): Date of birth (unavailable)**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Value
             1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

**ci10f\_1** **Sibling (no.1): Month of birth (unavailable)**

```

type: numeric (byte)
label: ci10f
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
             1,397 .
    
```

**ci10g\_1** **Sibling (no.1): Year of birth (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Value
             1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

---

**sibling\_age\_1** **Age year : sibling (no.1)**

---

type: numeric (**float**)  
 range: [.01,1.95] units: .01  
 unique values: 45 missing .: 1,340/1,397  
 unique missing codes: 2 missing \*: 3/1,397

tabulation: Freq. Value

1	.01
1	.05
1	.06
1	.07
1	.08
1	.12
1	.17
1	.25
1	.28999999
1	.30000001
1	.31999999
1	.33000001
2	.34
2	.36000001
3	.40000001
1	.41
1	.41999999
1	.44
1	.47
1	.51999998
1	.52999997
1	.61000001
1	.62
1	.69
2	.81
1	.81999999
1	.85000002
1	.88
3	.89999998
1	.91000003
1	.92000002
1	.93000001
1	.94
2	.94999999
1	.97000003
1	.98000002
1	1.04
1	1.08
1	1.1
1	1.13
1	1.21
1	1.37
2	1.46
1	1.91
1	1.95
1,340	.
3	.c

mean: .694259  
 std. dev: .451929

percentiles: 10% 25% 50% 75% 90%  
 .12 .34 .655 .95 1.21

---

**ci10a\_2** **Does sibling (no.2) live in the same household with the child?**

---

type: numeric (**byte**)  
 label: **ci10a**



```

range: [1,1] units: 1
unique values: 1 missing .: 1,396/1,397

tabulation: Freq. Numeric Label
              1          1 yes
            1,396          .
    
```

**ci10b\_2** **Sibling (no.2): Member ID**

```

type: string (str3), but longest is str2
unique values: 1 missing "": 1,396/1,397

tabulation: Freq. Value
            1,396 ""
              1 "H7"
    
```

**ci10c\_2** **Sibling (no.2): Alive?**

```

type: numeric (byte)
label: ci10c

range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
            1,397          .
    
```

**ci10d\_2** **Sibling (no.2): Gender**

```

type: numeric (byte)
label: ci10d

range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
            1,397          .
    
```

**ci10e\_2** **Sibling (no.2): Date of birth (unavailable)**

```

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Value
            1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

**ci10f\_2** **Sibling (no.2): Month of birth (unavailable)**

```

type: numeric (byte)
label: ci10f

range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
    
```

tabulation: Freq. Numeric Label  
 1,397 .

---

**ci10g\_2** **Sibling (no.2): Year of birth (unavailable)**

---

type: numeric (**int**)  
 range: [.,.] units: .  
 unique values: 0 missing .: 1,397/1,397  
 tabulation: Freq. Value  
 1,397 .  
 mean: .  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
 . . . . .

---

**sibling\_age\_2** **Age year : sibling (no.1)**

---

type: numeric (**float**)  
 range: [.85, .85] units: .01  
 unique values: 1 missing .: 1,396/1,397  
 tabulation: Freq. Value  
 1,396 .85000002  
 mean: .85  
 std. dev: .  
 percentiles: 10% 25% 50% 75% 90%  
 .85 .85 .85 .85 .85

---

**ci9** **Interviewer note (not display)**

---

type: string (**str549**), but longest is str0  
 unique values: 0 missing "": 1,397/1,397  
 tabulation: Freq. Value  
 1,397 ""

---

**father\_memberid** **Member ID of father**

---

type: string (**str3**)  
 unique values: 11 missing "": 0/1,397  
 unique missing codes: 1 missing \*: 878/1,397  
 tabulation: Freq. Value  
 4 "H10"  
 1 "H11"  
 83 "H2"  
 78 "H3"  
 128 "H4"  
 136 "H5"  
 35 "H6"  
 37 "H7"  
 12 "H8"  
 5 "H9"  
 878 "NA"

---

**mother\_memberid** **Member ID of mother**

---

type: string (**str3**)  
 unique values: **11** missing "": **0/1,397**  
 unique missing codes: **1** missing \*: **683/1,397**

tabulation:	Freq.	Value
	1	"H10"
	2	"H11"
	86	"H2"
	171	"H3"
	219	"H4"
	130	"H5"
	64	"H6"
	24	"H7"
	13	"H8"
	4	"H9"
	683	"NA"

---

**gender** **Children's gender**

---

type: numeric (**byte**)  
 label: **blaf**  
 range: [1,3] units: **1**  
 unique values: **2** missing .: **0/1,397**

tabulation:	Freq.	Numeric	Label
	719	1	Male
	678	3	Female

---

**age** **Children's age (year)**

---

type: numeric (**double**)  
 range: [2.24, 8.42] units: **.01**  
 unique values: **472** missing .: **0/1,397**  
 mean: **5.33994**  
 std. dev: **1.30899**  
 percentiles: 10%      25%      50%      75%      90%  
3.52      4.26      5.41      6.34      7.13

---

**father\_age** **Father's age (year)**

---

type: numeric (**float**)  
 range: [19.19, 67.31] units: **.01**  
 unique values: **850** missing .: **195/1,397**  
 mean: **34.5862**  
 std. dev: **6.93306**  
 percentiles: 10%      25%      50%      75%      90%  
25.64      29.43      34.42      38.79      43.47

---

**father\_edu** **Father's highest education level (not display)**

---

type: string (**str63**), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value  
1,397 ""

---

**father\_edu\_code** **Code of mfather's highest education level**

---

type: numeric (float)  
label: **father\_edu\_code**

range: [15,99] units: 1  
unique values: 18 missing .: 0/1,397  
unique missing codes: 2 missing \*: 124/1,397

tabulation:	Freq.	Numeric	Label
	21	15	Primary 4
	181	19	Primary 6
	2	21	Primary 7 (old system)
	5	23	Lower secondary 1
	22	25	Lower secondary 2
	326	27	Lower secondary 3
	2	29	Upper secondary 1
	11	31	Upper secondary 2
	389	33	Upper secondary 3
	2	45	Vocational school year 1
	2	47	Vocational school year 2
	43	49	Vocational school year 3
	3	51	High vocational school year 1
	131	53	High vocational school year 2
	1	65	Undergraduate school year 3
	116	67	Undergraduate school year 4
	9	69	Master degree
	7	99	Other
	1	.a	
	123	.c	

---

**father\_mainjob** **Father's occupation description (not display)**

---

type: string (str154), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value  
1,397 ""

---

**father\_mainjob\_code** **(unlabeled)**

---

type: numeric (float)  
label: **father\_mainjob\_code**

range: [1,21] units: 1  
unique values: 11 missing .: 0/1,397  
unique missing codes: 3 missing \*: 198/1,397

tabulation:	Freq.	Numeric	Label
	161	1	Legislators/senior government officer/administrator
	35	3	Professional
	27	5	Technican and related
	20	7	Office clerk
	118	9	Service provider / seller who sells goods in the store and/or in the market
	104	11	Agriculture and fishery workers
	135	13	Skilled craftsmen and related
	156	15	Mechanical and assembly workers

```

385      17  General workers
26       19  Armed force
32       21  Not working
10       .a
13       .b
175      .c
    
```

---

**father\_mainjob\_type** **Father's type of work**

---

```

type: numeric (float)
label: father_mainjob_type

range: [1,9]
unique values: 5
unique missing codes: 3

units: 1
missing .: 0/1,397
missing *: 222/1,397
    
```

tabulation:	Freq.	Numeric	Label
	71	1	Government officer/state enterprise employee
	34	3	Temporary government officer/state enterprise employee
	647	5	Company employee
	336	7	Temporary company employee, seasonal
	87	9	Business owner
	10	.a	
	45	.b	
	167	.c	

---

**father\_wagepmnth** **Father's net income per month (for paid work)**

---

```

type: numeric (float)

range: [0,350000]
unique values: 133
unique missing codes: 5

units: 1
missing .: 174/1,397
missing *: 566/1,397

mean: 14252.6
std. dev: 20068.3

percentiles:      10%      25%      50%      75%      90%
                  4500      8000     10000     15000     25000
    
```

---

**mother\_edu** **Mother's highest education level (not display)**

---

```

type: string (str39), but longest is str0

unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

---

**mother\_age** **Mother's age (year)**

---

```

type: numeric (float)

range: [18.51,59.95]
unique values: 927

units: .01
missing .: 71/1,397

mean: 31.3133
std. dev: 6.09465
    
```



```

101      21  Not working
 11      .a
  1      .b
 79      .c
  7      .d
    
```

---

**mother\_mainjob\_type** **mother's type of work**

---

```

type: numeric (float)
label: mother_mainjob_type

range: [1,9]
unique values: 5
unique missing codes: 5

units: 1
missing .: 1/1,397
missing *: 199/1,397
    
```

tabulation:	Freq.	Numeric	Label
	46	1	Government officer/state enterprise employee
	45	3	Temporary government officer/state enterprise employee
	669	5	Company employee
	130	7	Temporary company employee, seasonal
	307	9	Business owner
	1	.	
	11	.a	
	101	.b	
	80	.c	
	7	.d	

---

**mother\_wagepmnth** **mother's net income per month (for paid work)**

---

```

type: numeric (float)

range: [0,120000]
unique values: 129
unique missing codes: 5

units: 1
missing .: 324/1,397
missing *: 375/1,397

mean: 11499
std. dev: 8819.23

percentiles:      10%      25%      50%      75%      90%
                  2500     7500     10000    15000    20000
    
```

---

**note\_cleaner** **data cleaner note (not display)**

---

```

type: string (str370), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

---

**survey\_name** **survey name**

---

```

type: string (str12)
unique values: 1
missing "": 0/1,397

tabulation: Freq. Value
            1,397 "RESURVEY2018"
    
```

---

**year\_survey**

**year survey**

---

type: numeric (**float**)  
range: [2018,2018] units: 1  
unique values: 1 missing .: 0/1,397

tabulation: Freq. Value  
1,397 2018  
mean: 2018  
std. dev: 0

percentiles: 10% 25% 50% 75% 90%  
2018 2018 2018 2018 2018

2 . log close  
name: <unnamed>  
log: V:\\RIECE DATA\\RIECE\_RELEASE V3-2017-2018/codebook\2018\b1.sml  
log type: smcl  
closed on: 27 Jul 2024, 15:44:50

---