



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\b11.smcl
log type: smcl
opened on: 27 Jul 2024, 16:09:13
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b11_run.dta
Last saved: 27 Jul 2024 15:51
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 755
Number of observations: 1,397
Size: 14,341,602 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,397 missing "": 0/1,397
examples: "201591160604207H1"
           "201691131001062H1"
           "201691160105024H1"
           "201691161708105H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,397
tabulation: Freq. Value
             517 "2015"
             880 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,197 missing "": 0/1,397
 examples: "201591160604207"
 "201691131001041"
 "201691160105024"
 "201691161708105"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,397
 tabulation: Freq. Value
 1,259 "91"
 138 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/1,397
 tabulation: Freq. Value
 138 "12"
 241 "13"
 116 "14"
 136 "15"
 514 "16"
 41 "17"
 211 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,397
 tabulation: Freq. Value
 63 "01"
 214 "02"
 122 "04"
 53 "05"
 53 "06"
 63 "07"
 56 "08"
 92 "09"
 122 "10"
 89 "11"
 141 "13"
 42 "14"
 137 "15"
 96 "17"
 54 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,397

```

tabulation:  Freq.  Value
              153  "01"
              62  "02"
              141  "03"
              148  "04"
              116  "05"
              145  "06"
              76  "07"
              143  "08"
              87  "09"
              70  "10"
              50  "11"
              39  "12"
              38  "13"
              10  "14"
              12  "15"
              36  "16"
              8   "17"
              12  "18"
              26  "19"
              18  "22"
              7   "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/1,397
examples:  "011"
           "035"
           "070"
           "147"
    
```

td1_times **At night, the child sleeps : since (hour:minute)**

```

type: string (str6), but longest is str5
unique values: 15           missing "": 0/1,397
tabulation:  Freq.  Value
              1  "00.00"
              1  "06.00"
              2  "18.00"
              3  "18.30"
              45 "19.00"
              84 "19.30"
              1  "19.45"
             489 "20.00"
             300 "20.30"
             303 "21.00"
              1  "21.15"
              76 "21.30"
              70 "22.00"
              17 "22.30"
              4  "23.00"
    
```

td1_timee **At night, the child sleeps : until (hour:minute)**

```

type: string (str6), but longest is str5
unique values: 26           missing "": 0/1,397
    
```

```

tabulation:  Freq.  Value
              2  "03.00"
              1  "03.30"
              8  "04.00"
              9  "04.30"
            102  "05.00"
            127  "05.30"
              4  "05.40"
              2  "05.45"
              1  "05.50"
            614  "06.00"
              2  "06.10"
              2  "06.15"
              2  "06.20"
            274  "06.30"
              5  "06.40"
              1  "06.45"
              1  "06.50"
            181  "07.00"
              2  "07.10"
              1  "07.20"
             41  "07.30"
              1  "07.31"
              1  "07.45"
              9  "08.00"
              3  "08.30"
              1  "20.30"
    
```

td1_hr **At night, the child sleeps for hours**

```

type: numeric (byte)
range: [6,13]
unique values: 8
units: 1
missing .: 0/1,397
    
```

```

tabulation:  Freq.  Value
              3  6
             20  7
            144  8
            542  9
            558 10
            118 11
             11 12
              1 13
    
```

```

mean: 9.45669
std. dev: .88954
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  8        9        9        10       10
    
```

td1_mi **At night, the child sleeps for minutes**

```

type: numeric (byte)
range: [0,50]
unique values: 9
units: 1
missing .: 0/1,397
    
```

```

tabulation:  Freq.  Value
              781    0
              1     5
              5    10
              5    15
              3    20
             589    30
              8    40
              3    45
              2    50
    mean:    13.1818
    std. dev: 14.9996
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

td2_times The child goes to school/child development center : since (hour:minute)

type: string (**str17**), but longest is str5

```

unique values: 25
unique missing codes: 2
missing "": 0/1,397
missing *: 21/1,397
    
```

```

tabulation:  Freq.  Value
              18  "06.00"
              1  "06.10"
              4  "06.20"
             66  "06.30"
              9  "06.40"
              2  "06.45"
              5  "06.50"
            297  "07.00"
              9  "07.10"
             13  "07.15"
             10  "07.20"
              1  "07.25"
            570  "07.30"
             11  "07.40"
             10  "07.45"
              7  "07.50"
            264  "08.00"
              1  "08.10"
              2  "08.15"
              1  "08.20"
             65  "08.30"
              8  "09.00"
              2  "14.30"
              1  "DK"
             20  "NA"
    
```

td2_timee The child goes to school/child development center : until (hour:minute)

type: string (**str6**), but longest is str5

```

unique values: 33
unique missing codes: 2
missing "": 0/1,397
missing *: 21/1,397
    
```

```

tabulation: Freq. Value
             2  "12.00"
             2  "13.00"
             3  "13.30"
            102  "14.00"
             3  "14.10"
             2  "14.20"
            302  "14.30"
             2  "14.40"
             2  "14.45"
             1  "14.55"
            393  "15.00"
             1  "15.10"
             4  "15.15"
             1  "15.16"
             7  "15.20"
             1  "15.25"
            277  "15.30"
             5  "15.40"
             4  "15.45"
            135  "16.00"
             1  "16.10"
             2  "16.20"
            51  "16.30"
             2  "16.40"
             2  "16.45"
             1  "16.50"
            52  "17.00"
             7  "17.30"
             5  "18.00"
             2  "19.00"
             2  "21.00"
             1  "DK"
            20  "NA"

```

td2_hr The child goes to school/child development center for hours

```

type: numeric (byte)
range: [4,13]
unique values: 10
unique missing codes: 2
units: 1
missing.: 0/1,397
missing *: 21/1,397

```

```

tabulation: Freq. Value
             2  4
            22  5
           237  6
           524  7
           377  8
           131  9
            71 10
             9 11
              2 12
              1 13
            20  .b
              1  .c

```

```

mean: 7.4484
std. dev: 1.15565

```

```

percentiles: 10%      25%      50%      75%      90%
              6        7        7        8        9

```

td2_mi The child goes to school/child development center for minutes

```

type: numeric (byte)

```

range: [0,55] units: 1
 unique values: 12 missing .: 0/1,397
 unique missing codes: 2 missing *: 21/1,397

tabulation: Freq. Value
 657 0
 4 5
 14 10
 10 15
 1 16
 22 20
 609 30
 1 35
 20 40
 21 45
 15 50
 2 55
 20 .b
 1 .c
 mean: 15.7529
 std. dev: 15.6959

percentiles: 10% 25% 50% 75% 90%
 0 0 20 30 30

td3_times The child takes a nap (weekdays) : since (hour:minute)

type: string (str11)
 unique values: 9 missing "": 0/1,397
 unique missing codes: 1 missing *: 1,047/1,397

tabulation: Freq. Value
 330 "0"
 1 "08.00-10.00"
 5 "10.00"
 1 "10.00-11.00"
 2 "11.00"
 1 "11.30"
 7 "12.00"
 3 "13.00"
 1,047 "NA"

td3_timee The child takes a nap (weekdays) : until (hour:minute)

type: string (str11)
 unique values: 11 missing "": 0/1,397
 unique missing codes: 1 missing *: 1,047/1,397

tabulation: Freq. Value
 330 "0"
 3 "12.00"
 1 "12.30"
 3 "13.00"
 1 "13.30"
 4 "14.00"
 4 "14.30"
 1 "15.00"
 2 "16.00"
 1 "16.00-18.00"
 1,047 "NA"

td3_hr The child takes a nap (weekdays) for hours

```

type: numeric (byte)
range: [0,4]
unique values: 5
unique missing codes: 1
units: 1
missing .: 0/1,397
missing *: 1,046/1,397

tabulation: Freq. Value
             331  0
              3  1
              8  2
              8  3
              1  4
            1,046 .b
mean:       .133903
std. dev:   .577449

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

td3_mi **The child takes a nap (weekdays) for minutes**

```

type: numeric (byte)
range: [0,30]
unique values: 2
unique missing codes: 1
units: 10
missing .: 0/1,397
missing *: 1,046/1,397

tabulation: Freq. Value
             346  0
              5  30
            1,046 .b
mean:       .42735
std. dev:   3.56006

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

td3b_times **The child takes a nap (holidays) : since (hour:minute)**

```

type: string (str20), but longest is str11
unique values: 21
unique missing codes: 2
missing "": 0/1,397
missing *: 3/1,397

tabulation: Freq. Value
            635  "0"
              1  "08.00-10.00"
              4  "09.00"
              2  "09.30"
             35  "10.00"
              2  "10.00-11.00"
              1  "10.00-12.00"
              6  "10.30"
            146  "11.00"
             12  "11.30"
              1  "11.45"
            265  "12.00"
              8  "12.30"
            180  "13.00"
              5  "13.30"
             64  "14.00"
              8  "14.30"
             17  "15.00"
              2  "16.00"
              1  "DK"
              2  "NA"
    
```

td3b_timee **The child takes a nap (holidays) : util (hour:minute)**

type: string (**str11**)
 unique values: **22** missing "": **0/1,397**
 unique missing codes: **2** missing *: **3/1,397**

tabulation:

Freq.	Value
635	"00.00"
1	"10.30"
6	"11.00"
4	"11.30"
60	"12.00"
15	"12.30"
140	"13.00"
38	"13.30"
197	"14.00"
1	"14.00-15.00"
1	"14.00-16.00"
59	"14.30"
136	"15.00"
16	"15.30"
57	"16.00"
1	"16.00-18.00"
11	"16.30"
13	"17.00"
1	"17.30"
2	"18.00"
1	"DK"
2	"NA"

td3b_hr **The child takes a nap (holidays) for hours**

type: numeric (**byte**)
 range: **[0,6]** units: **1**
 unique values: **7** missing .: **0/1,397**
 unique missing codes: **2** missing *: **3/1,397**

tabulation:

Freq.	Value
643	0
312	1
304	2
114	3
16	4
4	5
1	6
2	.b
1	.c

mean: **.969871**
 std. dev: **1.0833**

percentiles:

	10%	25%	50%	75%	90%
	0	0	1	2	2

td3b_mi **The child takes a nap (holidays) for minutes**

type: numeric (**byte**)
 range: **[0,30]** units: **1**
 unique values: **3** missing .: **0/1,397**
 unique missing codes: **2** missing *: **3/1,397**

```

tabulation: Freq. Value
            1,249 0
            1 15
            144 30
            2 .b
            1 .c
mean:      3.10976
std. dev:  9.13896

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30
    
```

td5d **While watching TV, what activity does the child do?**

```

type: numeric (byte)
label: td5d

range: [1,3]          units: 1
unique values: 2      missing .: 117/1,397
unique missing codes: 2  missing *: 4/1,397

tabulation: Freq.  Numeric  Label
            272     1      no
            1,004   3      yes
            117     .
            4       .d
    
```

td5d_des **Activities to do while children watch TV**

```

type: string (str168), but longest is str133
unique values: 269          missing "": 390/1,397

warning: variable has embedded and trailing blanks
    
```

activity_A **Listening to a story book that adult reads (use a book while reading) (not displ**

```

type: string (str147), but longest is str0
unique values: 0          missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

detail_A **A : Identify the books**

```

type: string (str238), but longest is str0
unique values: 0          missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

c1_code_A **A : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code
    
```

range: [0,9] units: 1
 unique values: 4 missing .: 0/1,397
 unique missing codes: 1 missing *: 420/1,397

tabulation:	Freq.	Numeric	Label
	867	0	never
	2	5	at least once a week
	101	7	once a day
	7	9	more than once a day
	420	.c	

c1_hr_A **A : Hours per week (Monday - Friday)**

type: numeric (float)

range: [0,12] units: 1
 unique values: 5 missing .: 1,287/1,397

tabulation:	Freq.	Value
	55	0
	16	1
	29	2
	9	5
	1	12
	1,287	.

mean: 1.19091
 std. dev: 1.77906

percentiles:	10%	25%	50%	75%	90%
	0	0	.5	2	2

c1_min_A **A : Minutes per week (Monday - Friday)**

type: numeric (float)

range: [0,55] units: 1
 unique values: 18 missing .: 1,287/1,397

tabulation:	Freq.	Value
	9	0
	1	3
	1	5
	1	8
	1	10
	4	13
	7	15
	1	18
	1	20
	7	23
	12	25
	3	28
	28	30
	1	31
	2	38
	10	40
	19	50
	2	55
	1,287	.

mean: 28.8455
 std. dev: 14.7767

percentiles:	10%	25%	50%	75%	90%
	6.5	23	30	40	50

c1_aa_A **A : Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str3
unique values: 4 missing "": 1,287/1,397
tabulation: Freq. Value
             1,287 ""
              101 "1"
               5  "2"
               3  "2.5"
               1  "4"
    
```

c1_ab_A A :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,287/1,397
tabulation: Freq. Value
             1,287 ""
              108 "day"
               2  "week"
    
```

c1_ac_A A :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,287/1,397
tabulation: Freq. Value
             100 0
              10 1
             1,287 .
mean: .090909
std. dev: .288795
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c1_ad_A A :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (double)
range: [0,35] units: .1
unique values: 18 missing .: 1,287/1,397
tabulation: Freq. Value
             10 0
               1 1
               1 2
               6 2.5
               3 3
               1 3.5
               1 4
               7 4.5
              11 5
               2 5.5
               1 7
               2 7.5
              23 10
               1 13
               5 15
               7 20
              26 30
               2 35
             1,287 .
    
```

mean: 13.2909
 std. dev: 11.1492
 percentiles: 10% 25% 50% 75% 90%
 1.5 4.5 10 30 30

c1_ba_A **A : People doing activity with (person 1)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .. 1,287/1,397

tabulation:	Freq.	Numeric	Label
	12	1	father
	32	3	mother
	44	5	grandparents
	8	7	uncle/aunt
	9	9	brother/sister/cousin
	1	11	outsider
	4	13	other household member
	1,287	.	

c1_bb_A **A : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A
 range: [3,13] units: 1
 unique values: 5 missing .. 1,336/1,397

tabulation:	Freq.	Numeric	Label
	10	3	mother
	11	5	grandparents
	3	7	uncle/aunt
	36	9	brother/sister/cousin
	1	13	other household member
	1,336	.	

c1_bc_A **A : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A
 range: [3,9] units: 1
 unique values: 3 missing .. 1,377/1,397

tabulation:	Freq.	Numeric	Label
	1	3	mother
	1	5	grandparents
	18	9	brother/sister/cousin
	1,377	.	

c1_ba_gen_A **Gender code (person 1)**

type: numeric (byte)
 label: c1_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .. 1,287/1,397

```

tabulation:  Freq.  Numeric  Label
              27      1  male
              83      3  female
            1,287      .
    
```

c1_bb_gen_A **Gender code (person 2)**

```

type:  numeric (byte)
label:  c1_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,336/1,397

tabulation:  Freq.  Numeric  Label
              13      1  male
              48      3  female
            1,336      .
    
```

c1_bc_gen_A **Gender code (person 3)**

```

type:  numeric (byte)
label:  c1_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,377/1,397

tabulation:  Freq.  Numeric  Label
              10      1  male
              10      3  female
            1,377      .
    
```

c2_code_A **A : Frequency (Saturday - Sunday)**

```

type:  numeric (byte)
label:  c2_code

range:  [0,9]
unique values:  4
unique missing codes:  1

units:  1
missing .:  0/1,397
missing *:  420/1,397

tabulation:  Freq.  Numeric  Label
              874      0  never
               3      5  at least once a week
              93      7  once a day
               7      9  more than once a day
              420      .c
    
```

c2_hr_A **A : Hours per week (Saturday - Sunday)**

```

type:  numeric (float)

range:  [0,5]
unique values:  4

units:  1
missing .:  1,294/1,397

tabulation:  Freq.  Value
              65      0
              24      1
              11      2
               3      5
            1,294      .
mean:  .592233
std. dev:  1.02361
    
```

```
percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
```

c2_min_A **A : Minutes per week (Saturday - Sunday)**

```
type: numeric (float)
range: [0,40]
unique values: 15
units: 1
missing .: 1,294/1,397
```

```
tabulation: Freq. Value
              35 0
               1 2
               4 5
               3 6
               1 7
               1 8
               8 9
              11 10
               2 11
               1 13
               3 15
              18 20
               1 25
               2 30
              12 40
            1,294 .
mean: 12.0583
std. dev: 12.9128
```

```
percentiles:      10%      25%      50%      75%      90%
                  0        0        9       20       40
```

c2_aa_A **A :Monday-Friday How many times (Saturday - Sunday)**

```
type: string (str30), but longest is str3
unique values: 3
missing "": 1,294/1,397
```

```
tabulation: Freq. Value
            1,294 ""
             96 "1"
              5 "2"
               2 "2.5"
```

c2_ab_A **A :Monday-Friday How many times per units (Saturday - Sunday)**

```
type: string (str21), but longest is str4
unique values: 2
missing "": 1,294/1,397
```

```
tabulation: Freq. Value
            1,294 ""
             100 "day"
               3 "week"
```

c2_ac_A **A :Monday-Friday How many times per hours (Saturday - Sunday)**

```
type: numeric (double)
range: [0,1]
unique values: 2
units: 1
missing .: 1,294/1,397
```

```

tabulation:  Freq.  Value
              89   0
              14   1
              1,294 .
mean:        .135922
std. dev:    .344382

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1

```

c2_ad_A **A : Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,35]
unique values: 16
units: .1
missing .: 1,294/1,397

tabulation:  Freq.  Value
              14   0
              1   1
              4   2.5
              3   3
              1   3.5
              1   4
              8   4.5
              9   5
              2   5.5
              3   7.5
              22  10
              4   15
              8   20
              1   25
              20  30
              2   35
              1,294 .
mean:        12.3981
std. dev:    10.9545

percentiles:      10%      25%      50%      75%      90%
                  0         4.5      10         20         30

```

c2_ba_A **A : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
units: 1
missing .: 1,294/1,397

tabulation:  Freq.  Numeric  Label
              12     1   father
              31     3   mother
              38     5   grandparents
              8      7   uncle/aunt
              11     9   brother/sister/cousin
              1      11  outsider
              2      13  other household member
              1,294 .

```

c2_bb_A **A : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

```


range: [3,13] units: 1
 unique values: 5 missing : 1,339/1,397

tabulation:	Freq.	Numeric	Label
	11	3	mother
	10	5	grandparents
	4	7	uncle/aunt
	32	9	brother/sister/cousin
	1	13	other household member
	1,339	.	

c2_bc_A **A : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A

range: [3,9] units: 1
 unique values: 3 missing : 1,381/1,397

tabulation:	Freq.	Numeric	Label
	1	3	mother
	1	5	grandparents
	14	9	brother/sister/cousin
	1,381	.	

c2_ba_gen_A **Gender code (person 1)**

type: numeric (byte)
 label: c2_ba_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,294/1,397

tabulation:	Freq.	Numeric	Label
	26	1	male
	77	3	female
	1,294	.	

c2_bb_gen_A **Gender code (person 2)**

type: numeric (byte)
 label: c2_bb_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,339/1,397

tabulation:	Freq.	Numeric	Label
	13	1	male
	45	3	female
	1,339	.	

c2_bc_gen_A **Gender code (person 3)**

type: numeric (byte)
 label: c2_bc_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,381/1,397

tabulation:	Freq.	Numeric	Label
	8	1	male
	8	3	female
	1,381	.	

c3_code_A **A : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 1

units: 1
missing .: 0/1,397
missing *: 976/1,397

tabulation: Freq.  Numeric  Label
              1          1  less than once a month
              79          3  at least once a month
              341         5  at least once a week
              976          .b
    
```

c3_hr_A **A : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,4]
unique values: 5
unique missing codes: 2

units: 1
missing .: 1,056/1,397
missing *: 1/1,397

tabulation: Freq.  Value
              263    0
              62    1
              8     2
              5     3
              2     4
            1,056    .
              1     .c
mean:       .297059
std. dev:   .644919

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

c3_min_A **A : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,50]
unique values: 29
unique missing codes: 2

units: 1
missing .: 1,056/1,397
missing *: 1/1,397

tabulation: Freq.  Value
              39    0
              3    1
              4    2
              8    3
             11    4
             24    5
              6    6
              4    7
             15    8
              4    9
             39   10
              9   11
              2   12
             10   13
              1   14
             25   15
              1   18
              6   19
             25   20
              9   23
    
```

```

                15 25
                1 26
                46 30
                1 31
                4 35
                7 38
                5 40
                15 45
                1 50
            1,056 .
                1 .c
    mean:      15.9794
    std. dev:  12.6305

    percentiles:    10%    25%    50%    75%    90%
                   0      5      13     25     30
    
```

c3_aa_A **A :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str3
    unique values: 10          missing "": 1,054/1,397

    tabulation:
    Freq. Value
    1,054 ""
    106 "1"
    40 "1.5"
    70 "2"
    46 "2.5"
    44 "3"
    16 "3.5"
    10 "4"
    5 "4.5"
    5 "5"
    1 "5.5"
    
```

c3_ab_A **A :Monday-Friday How many times per units (Monday - Sunday)**

```

    type: string (str22), but longest is str5
    unique values: 2          missing "": 1,054/1,397

    tabulation:
    Freq. Value
    1,054 ""
    2 "month"
    341 "week"
    
```

c3_ac_A **A :Monday-Friday How many times per hours (Monday - Sunday)**

```

    type: numeric (double)
    range: [0,2]          units: .1
    unique values: 4      missing .: 1,056/1,397
    unique missing codes: 2    missing *: 1/1,397

    tabulation:
    Freq. Value
    320 0
    18 1
    1 1.5
    1 2
    1,056 .
    1 .c
    mean: .063235
    std. dev: .259853
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c3_ad_A A : Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)
 range: [0,35] units: .1
 unique values: 22 missing .: 1,074/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value

2	0
3	1
2	1.5
7	2
14	2.5
6	3
11	3.5
4	4
14	4.5
42	5
3	5.5
1	6
1	6.5
19	7.5
77	10
8	12.5
20	15
1	17.5
21	20
6	25
59	30
1	35
1,074	.
1	.c

mean: 12.8401
 std. dev: 9.68202

percentiles: 10% 25% 50% 75% 90%
 3 5 10 20 30

c3_ba_A A : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 976/1,397

tabulation: Freq. Numeric Label

32	1	father
125	3	mother
156	5	grandparents
23	7	uncle/aunt
67	9	brother/sister/cousin
5	11	outsider
13	13	other household member
976	.	

c3_bb_A A : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 6 missing : 1,244/1,397

tabulation:	Freq.	Numeric	Label
	3	1	father
	25	3	mother
	26	5	grandparents
	6	7	uncle/aunt
	88	9	brother/sister/cousin
	5	13	other household member
	1,244	.	

c3_bc_A **A : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A

range: [1,9] units: 1
 unique values: 3 missing : 1,367/1,397

tabulation:	Freq.	Numeric	Label
	1	1	father
	1	7	uncle/aunt
	28	9	brother/sister/cousin
	1,367	.	

c3_ba_gen_A **Gender code (person 1)**

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing : 976/1,397

tabulation:	Freq.	Numeric	Label
	99	1	male
	322	3	female
	976	.	

c3_bb_gen_A **Gender code (person 2)**

type: numeric (byte)
 label: c3_bb_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,244/1,397

tabulation:	Freq.	Numeric	Label
	54	1	male
	99	3	female
	1,244	.	

c3_bc_gen_A **Gender code (person 3)**

type: numeric (byte)
 label: c3_bc_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,367/1,397

```

tabulation: Freq.  Numeric  Label
              18         1  male
              12         3  female
            1,367         .
    
```

activity_B
Listening to a story that adult tells (no book used while reading) (not display)

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq.  Value
            1,397  ""
    
```

detail_B **B : Identify the stories**

```

type: string (str238), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq.  Value
            1,397  ""
    
```

c1_code_B **B : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9] units: 1
unique values: 3 missing .: 0/1,397
unique missing codes: 1 missing *: 572/1,397

tabulation: Freq.  Numeric  Label
              742         0  never
              72         7  once a day
              11         9  more than once a day
              572         .c
    
```

c1_hr_B **B : Hours per week (Monday - Friday)**

```

type: numeric (float)

range: [0,5] units: 1
unique values: 6 missing .: 1,314/1,397

tabulation: Freq.  Value
              50  0
              17  1
              12  2
               1  3
               1  4
               2  5
            1,314  .
mean: .698795
std. dev: 1.10138

percentiles: 10% 25% 50% 75% 90%
              0  0  0  1  2
    
```

c1_min_B **B : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,53]
unique values: 19
units: 1
missing .: 1,314/1,397

```

```

tabulation: Freq. Value
             2  0
             1  3
             1  5
             2 10
             5 13
             7 15
             1 18
             1 20
             5 23
            14 25
             2 28
            12 30
             1 31
             1 34
             5 38
             5 40
             1 45
            16 50
             1 53
            1,314 .
mean: 29.759
std. dev: 13.8842

```

```

percentiles: 10% 25% 50% 75% 90%
              13  23  30  40  50

```

cl_aa_B **B :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 7
missing "": 1,314/1,397

```

```

tabulation: Freq. Value
            1,314 ""
             72 "1"
              1 "1.5"
               4 "2"
               3 "2.5"
               1 "3"
               1 "4"
               1 "many times"

```

warning: variable has embedded blanks

cl_ab_B **B :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str3
unique values: 1
missing "": 1,314/1,397

```

```

tabulation: Freq. Value
            1,314 ""
             83 "day"

```

cl_ac_B **B :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)

```

```

range: [0,1] units: 1
unique values: 2 missing .: 1,314/1,397

tabulation: Freq. Value
             82 0
             1 1
             1,314 .
mean: .012048
std. dev: .109764

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c1_ad_B **B : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)

range: [0,45] units: .1
unique values: 19 missing .: 1,314/1,397

tabulation: Freq. Value
             1 0
             1 1
             1 2
             5 2.5
             3 3
             1 3.5
             1 4
             5 4.5
            16 5
             5 7.5
            15 10
             1 13
             2 14.5
             4 15
             2 17.5
             6 20
             1 23
            12 30
             1 45
            1,314 .
mean: 12.1325
std. dev: 9.88504

percentiles: 10% 25% 50% 75% 90%
              3 5 10 17.5 30
    
```

c1_ba_B **B : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13] units: 1
unique values: 7 missing .: 1,314/1,397

tabulation: Freq. Numeric Label
             10 1 father
             16 3 mother
             48 5 grandparents
             2 7 uncle/aunt
             2 9 brother/sister/cousin
             1 11 outsider
             4 13 other household member
            1,314 .
    
```

c1_bb_B **B : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,9]
unique values: 4
units: 1
missing .: 1,358/1,397

tabulation: Freq.  Numeric  Label
              4          3  mother
              8          5  grandparents
              2          7  uncle/aunt
              25         9  brother/sister/cousin
            1,358          .
    
```

c1_bc_B **B : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [5,9]
unique values: 2
units: 1
missing .: 1,385/1,397

tabulation: Freq.  Numeric  Label
              3          5  grandparents
              9          9  brother/sister/cousin
            1,385          .
    
```

c1_ba_gen_B **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,314/1,397

tabulation: Freq.  Numeric  Label
              33         1  male
              50         3  female
            1,314          .
    
```

c1_bb_gen_B **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,358/1,397

tabulation: Freq.  Numeric  Label
              11         1  male
              28         3  female
            1,358          .
    
```

c1_bc_gen_B **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,385/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              4          1  male
              8          3  female
            1,385          .
    
```

c2_code_B **B : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]                units: 1
unique values: 3            missing .: 0/1,397
unique missing codes: 1    missing *: 572/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              737          0  never
              77          7  once a day
              11          9  more than once a day
              572          .c
    
```

c2_hr_B **B : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,2]                units: 1
unique values: 3            missing .: 1,309/1,397
unique missing codes: 2    missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              69    0
              14    1
               4    2
            1,309  .
               1  .c
    
```

```

mean: .252874
std. dev: .533056
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c2_min_B **B : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,45]                units: 1
unique values: 19            missing .: 1,309/1,397
unique missing codes: 2    missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              16    0
               1    2
               1    4
               4    5
               3    6
               1    7
               5    9
              12   10
               1   13
               6   15
              17   20
               1   25
               2   29
               6   30
               1   32
               2   35
               1   38
    
```

```

        6 40
        1 45
    1,309 .
        1 .c
    mean: 15.4828
    std. dev: 12.5734

    percentiles:      10%      25%      50%      75%      90%
                     0         5         13         20         35
    
```

c2_aa_B **B :Monday-Friday How many times (Saturday - Sunday)**

```

    type: string (str30), but longest is str10
    unique values: 7 missing "": 1,309/1,397

    tabulation: Freq. Value
                1,309 ""
                 77 "1"
                  1 "1.5"
                   3 "2"
                   3 "2.5"
                   1 "3"
                   1 "4"
                   2 "many times"

    warning: variable has embedded blanks
    
```

c2_ab_B **B :Monday-Friday How many times per units (Saturday - Sunday)**

```

    type: string (str21), but longest is str3
    unique values: 1 missing "": 1,309/1,397

    tabulation: Freq. Value
                1,309 ""
                 88 "day"
    
```

c2_ac_B **B :Monday-Friday How many times per hours (Saturday - Sunday)**

```

    type: numeric (double)
    range: [0,1] units: 1
    unique values: 2 missing .: 1,309/1,397
    unique missing codes: 2 missing *: 1/1,397

    tabulation: Freq. Value
                85 0
                 2 1
                1,309 .
                 1 .c
    mean: .022989
    std. dev: .150736

    percentiles:      10%      25%      50%      75%      90%
                     0         0         0         0         0
    
```

c2_ad_B **B :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

    type: numeric (double)
    
```

range: [0,45] units: .1
 unique values: 18 missing .: 1,309/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 2 0
 1 1
 1 2
 5 2.5
 3 3
 1 3.5
 1 4
 5 4.5
 15 5
 7 7.5
 16 10
 2 14.5
 5 15
 2 17.5
 6 20
 1 23.5
 13 30
 1 45
 1,309 .
 1 .c
 mean: 12.1782
 std. dev: 9.93817

percentiles: 10% 25% 50% 75% 90%
 2.5 5 10 17.5 30

c2_ba_B **B : People doing activity with (person 1)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 1,309/1,397

tabulation: Freq. Numeric Label
 10 1 father
 17 3 mother
 50 5 grandparents
 2 7 uncle/aunt
 4 9 brother/sister/cousin
 1 11 outsider
 4 13 other household member
 1,309 .

c2_bb_B **B : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A
 range: [3,9] units: 1
 unique values: 4 missing .: 1,357/1,397

tabulation: Freq. Numeric Label
 4 3 mother
 8 5 grandparents
 2 7 uncle/aunt
 26 9 brother/sister/cousin
 1,357 .

c2_bc_B **B : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [5,9]
unique values: 2
units: 1
missing ..: 1,385/1,397

tabulation: Freq.  Numeric  Label
              3         5  grandparents
              9         9  brother/sister/cousin
            1,385         .
    
```

c2_ba_gen_B **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,309/1,397

tabulation: Freq.  Numeric  Label
              36         1  male
              52         3  female
            1,309         .
    
```

c2_bb_gen_B **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,357/1,397

tabulation: Freq.  Numeric  Label
              11         1  male
              29         3  female
            1,357         .
    
```

c2_bc_gen_B **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,385/1,397

tabulation: Freq.  Numeric  Label
              4         1  male
              8         3  female
            1,385         .
    
```

c3_code_B **B : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 1
units: 1
missing ..: 0/1,397
missing *: 825/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              5        1  less than once a month
             127       3  at least once a month
             440       5  at least once a week
             825       .b
    
```

c3_hr_B **B : Hours per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,4] units: 1
unique values: 5 missing .: 957/1,397
    
```

```

tabulation:  Freq.  Value
              383    0
              48    1
               5    2
               2    3
               2    4
             957    .
    
```

```

mean: .163636
std. dev: .491889
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

c3_min_B **B : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,53] units: 1
unique values: 29 missing .: 957/1,397
    
```

```

tabulation:  Freq.  Value
              28    0
               1    1
              11    2
              17    3
              19    4
              44    5
               3    6
               6    7
              19    8
              12    9
              57   10
              11   11
              11   13
               5   14
              46   15
               3   18
               6   19
              23   20
               8   23
              16   25
              46   30
               3   31
               1   34
               2   35
               6   38
              13   40
              16   45
               2   50
               5   53
    
```

```

mean: 15.6955
std. dev: 12.752
    
```

```
percentiles:      10%      25%      50%      75%      90%
                  3        5        11       24       34.5
```

c3_aa_B **B :Monday-Friday How many times (Monday - Sunday)**

```
type: string (str6), but longest is str3
unique values: 9 missing "": 954/1,397
```

```
tabulation: Freq. Value
             954 ""
             140 "1"
              61 "1.5"
              94 "2"
              69 "2.5"
              48 "3"
              17 "3.5"
               7 "4"
               5 "4.5"
               2 "5"
```

c3_ab_B **B :Monday-Friday How many times per units (Monday - Sunday)**

```
type: string (str22), but longest is str5
unique values: 2 missing "": 954/1,397
```

```
tabulation: Freq. Value
             954 ""
               3 "month"
             440 "week"
```

c3_ac_B **B :Monday-Friday How many times per hours (Monday - Sunday)**

```
type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 957/1,397
```

```
tabulation: Freq. Value
             427 0
              13 1
             957 .
mean: .029545
std. dev: .169522
```

```
percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
```

c3_ad_B **B :Monday-Friday How many times per minutes (Monday - Sunday)**

```
type: numeric (double)
range: [0,45] units: .1
unique values: 23 missing .: 967/1,397
```

```

tabulation:  Freq.  Value
              2      0
              1      1
              4     1.5
             17      2
             29     2.5
             17      3
             20     3.5
              5      4
             17     4.5
             68      5
              3     5.5
             21     7.5
              1     9.5
             97     10
              6    12.5
             33     15
              1    17.5
             29     20
              1    22.5
              1     25
             54     30
              2     35
              1     45
             967      .
    mean:     11.1035
    std. dev:  9.07173

percentiles:      10%      25%      50%      75%      90%
                  2.5      4.5      10      15      30
    
```

c3_ba_B **B : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 7
                    units: 1
                    missing .: 825/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              48      1  father
              91      3  mother
             331      5  grandparents
              19      7  uncle/aunt
              41      9  brother/sister/cousin
               9     11  outsider
              33     13  other household member
             825      .
    
```

c3_bb_B **B : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 7
                    units: 1
                    missing .: 1,188/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              6      1  father
             20      3  mother
             37      5  grandparents
               3      7  uncle/aunt
             132      9  brother/sister/cousin
               2     11  outsider
               9     13  other household member
            1,188      .
    
```

c3_bc_B **B : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 6
units: 1
missing ..: 1,348/1,397

tabulation: Freq.  Numeric  Label
              1          1  father
              6          5  grandparents
              4          7  uncle/aunt
              34         9  brother/sister/cousin
              1         11  outsider
              3         13  other household member
            1,348          .
    
```

c3_ba_gen_B **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 826/1,397

tabulation: Freq.  Numeric  Label
              173         1  male
              398         3  female
              826          .
    
```

c3_bb_gen_B **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,188/1,397

tabulation: Freq.  Numeric  Label
              79         1  male
              130        3  female
             1,188          .
    
```

c3_bc_gen_B **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,348/1,397

tabulation: Freq.  Numeric  Label
              24         1  male
              25         3  female
             1,348          .
    
```

activity_C **Running outside the house (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,397/1,397
    
```

tabulation: Freq. Value
 1,397 ""

detail_C **C: detail**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c1_code_C **C : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [.,.] units: .
 unique values: 1 missing .: 1,396/1,397
 tabulation: Freq. Numeric Label
 1 0 never
 1,396 .

c1_hr_C **C : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_min_C **C : Minutes per week (Monday - Friday)**

type: numeric (**float**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_aa_C **C :Monday-Friday How many times (Monday - Friday)**

type: string (**str27**), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

c1_ab_C C :Monday-Friday How many times per units (Monday - Friday)

type: string (**str21**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c1_ac_C C :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_ad_C C :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_ba_C C : People doing activity with (person 1)

type: numeric (**byte**)
 label: **c1_ba_A**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c1_bb_C C : People doing activity with (person 2)

type: numeric (**byte**)
 label: **c1_ba_A**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
 1,397 .

c1_bc_C **C : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**

range: [..] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
 1,397 .

c1_ba_gen_C **Gender code (person 1)**

type: numeric (byte)
 label: **c1_ba_gen**

range: [..] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
 1,397 .

c1_bb_gen_C **Gender code (person 2)**

type: numeric (byte)
 label: **c1_bb_gen**

range: [..] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
 1,397 .

c1_bc_gen_C **Gender code (person 3)**

type: numeric (byte)
 label: **c1_bc_gen**

range: [..] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
 1,397 .

c2_code_C **C : Frequency (Saturday - Sunday)**

type: numeric (byte)
 label: **c2_code**

range: [..] units: .
 unique values: 1 missing .: 1,396/1,397

tabulation: Freq. Numeric Label
 1 0 never
 1,396 .

c2_hr_C **C : Hours per week (Saturday - Sunday)**

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c2_min_C **C : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c2_aa_C **C :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""
    
```

c2_ab_C **C :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""
    
```

c2_ac_C **C :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .
    
```

percentiles: 10% 25% 50% 75% 90%

c2_ad_C C : Monday-Friday How many times per minutes (Saturday - Sunday)

 type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c2_ba_C C : People doing activity with (person 1)

 type: numeric (**byte**)
 label: **c1_ba_A**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c2_bb_C C : People doing activity with (person 2)

 type: numeric (**byte**)
 label: **c1_ba_A**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c2_bc_C C : People doing activity with (person 3)

 type: numeric (**byte**)
 label: **c1_ba_A**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c2_ba_gen_C Gender code (person 1)

 type: numeric (**byte**)
 label: **c2_ba_gen**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c2_bb_gen_C **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Numeric  Label
             1,397          .
    
```

c2_bc_gen_C **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Numeric  Label
             1,397          .
    
```

c3_code_C **C : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [...]
unique values: 0
unique missing codes: 2
units: .
missing ..: 1,396/1,397
missing *: 1/1,397

tabulation: Freq.  Numeric  Label
             1,396          .
             1           .b
    
```

c3_hr_C **C : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Value
             1,397  .
             mean:  .
             std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

c3_min_C **C : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Value
             1,397  .
             mean:  .
             std. dev:  .
    
```

percentiles: 10% 25% 50% 75% 90%

c3_aa_C C :Monday-Friday How many times (Monday - Sunday)

type: string (**str6**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c3_ab_C C :Monday-Friday How many times per units (Monday - Sunday)

type: string (**str22**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c3_ac_C C :Monday-Friday How many times per hours (Monday - Sunday)

type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c3_ad_C C :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c3_ba_C C : People doing activity with (person 1)

type: numeric (**byte**)
 label: **c1_ba_A**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c3_bb_C **C : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
             1,397 .
    
```

c3_bc_C **C : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
             1,397 .
    
```

c3_ba_gen_C **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
             1,397 .
    
```

c3_bb_gen_C **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
             1,397 .
    
```

c3_bc_gen_C **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
             1,397 .
    
```

activity_D **Playing sport, singing and dancing (not display)**

```

type: string (str147), but longest is str0
    
```

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

detail_D

D: detail

type: string (str238), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

c1_code_D

D : Frequency (Monday - Friday)

type: numeric (byte)
label: c1_code

range: [0,9] units: 1
unique values: 3 missing .: 0/1,397
unique missing codes: 1 missing *: 516/1,397

tabulation:	Freq.	Numeric	Label
	156	0	never
	454	7	once a day
	271	9	more than once a day
	516	.c	

c1_hr_D

D : Hours per week (Monday - Friday)

type: numeric (float)

range: [0,33] units: 1
unique values: 17 missing .: 672/1,397
unique missing codes: 2 missing *: 2/1,397

tabulation:	Freq.	Value
	247	0
	73	1
	138	2
	10	3
	3	4
	157	5
	2	6
	24	7
	2	8
	28	10
	18	12
	1	13
	11	15
	3	17
	3	18
	2	20
	1	33
	672	.
	2	.c

mean: 3.07607
std. dev: 3.90092

percentiles: 10% 25% 50% 75% 90%
0 0 2 5 7

cl_min_D **D : Minutes per week (Monday - Friday)**

type: numeric (**float**)

range: [0,56] units: 1
 unique values: 31 missing .: 672/1,397
 unique missing codes: 2 missing *: 2/1,397

tabulation:

Freq.	Value
196	0
1	2
5	3
20	5
9	8
9	10
3	11
29	13
41	15
5	18
6	19
12	20
11	23
38	25
7	28
162	30
5	31
1	33
4	34
2	36
34	38
30	40
3	41
2	44
11	45
1	46
62	50
1	52
2	53
3	55
8	56
672	.
2	.c

mean: 21.4633
 std. dev: 17.2116

percentiles:

10%	25%	50%	75%	90%
0	0	25	30	50

cl_aa_D **D :Monday-Friday How many times (Monday - Friday)**

type: string (**str27**), but longest is str10

unique values: 12 missing "": 672/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation:

Freq.	Value
672	" "
454	"1"
45	"1.5"
1	"10"
64	"2"
44	"2.5"
2	"3"
13	"3.5"
5	"4.5"
2	"5"
2	"5.5"
1	"DK"

92 "many times"

warning: variable has embedded blanks

c1_ab_D D :Monday-Friday How many times per units (Monday - Friday)

type: string (str21), but longest is str4
 unique values: 2 missing "": 673/1,397
 tabulation: Freq. Value
 673 ""
 723 "day"
 1 "time"

c1_ac_D D :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)
 range: [0,3.5] units: .1
 unique values: 7 missing .: 672/1,397
 unique missing codes: 2 missing *: 2/1,397
 tabulation: Freq. Value
 498 0
 178 1
 4 1.5
 31 2
 2 2.5
 8 3
 2 3.5
 672 .
 2 .c
 mean: .390041
 std. dev: .655267
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

c1_ad_D D :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (double)
 range: [0,40] units: .1
 unique values: 25 missing .: 672/1,397
 unique missing codes: 2 missing *: 2/1,397
 tabulation: Freq. Value
 193 0
 3 1
 13 1.5
 8 2
 38 2.5
 20 3
 8 3.5
 6 4
 23 4.5
 64 5
 4 5.5
 2 6
 1 6.5
 26 7.5
 1 8
 77 10
 2 13
 17 15

```

          1 17.5
          30 20
          13 25
          168 30
           1 32.5
           1 35
           3 40
          672 .
           2 .c
    mean: 11.2497
    std. dev: 11.9776

    percentiles:    10%    25%    50%    75%    90%
                   0      0      5     25     30
    
```

c1_ba_D **D : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 7
    unique missing codes: 2

    units: 1
    missing .: 672/1,397
    missing *: 224/1,397
    
```

tabulation:	Freq.	Numeric	Label
	21	1	father
	15	3	mother
	33	5	grandparents
	17	7	uncle/aunt
	252	9	brother/sister/cousin
	156	11	outsider
	7	13	other household member
	672	.	
	224	.b	

c1_bb_D **D : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 7
    unique missing codes: 2

    units: 1
    missing .: 1,051/1,397
    missing *: 9/1,397
    
```

tabulation:	Freq.	Numeric	Label
	8	1	father
	9	3	mother
	19	5	grandparents
	4	7	uncle/aunt
	116	9	brother/sister/cousin
	177	11	outsider
	4	13	other household member
	1,051	.	
	9	.b	

c1_bc_D **D : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 6
    unique missing codes: 2

    units: 1
    missing .: 1,235/1,397
    missing *: 1/1,397
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	1	3	mother
	3	5	grandparents
	37	9	brother/sister/cousin
	117	11	outsider
	1	13	other household member
	1,235	.	
	1	.b	

c1_ba_gen_D **Gender code (person 1)**

type: numeric (**byte**)
 label: **c1_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 896/1,397

tabulation:	Freq.	Numeric	Label
	236	1	male
	265	3	female
	896	.	

c1_bb_gen_D **Gender code (person 2)**

type: numeric (**byte**)
 label: **c1_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,060/1,397

tabulation:	Freq.	Numeric	Label
	164	1	male
	173	3	female
	1,060	.	

c1_bc_gen_D **Gender code (person 3)**

type: numeric (**byte**)
 label: **c1_bc_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,236/1,397

tabulation:	Freq.	Numeric	Label
	79	1	male
	82	3	female
	1,236	.	

c2_code_D **D : Frequency (Saturday - Sunday)**

type: numeric (**byte**)
 label: **c2_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,397
 unique missing codes: 1 missing *: 516/1,397

```

tabulation:  Freq.  Numeric  Label
              150      0      never
              1       5      at least once a week
              434     7      once a day
              296     9      more than once a day
              516     .c
    
```

c2_hr_D

D : Hours per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,18]
unique values: 13
unique missing codes: 2
units: 1
missing .: 666/1,397
missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              339     0
              134     1
              156     2
               24     3
               27     4
               18     5
               13     6
                8     7
                5     8
                1    10
                2    13
                1    16
                1    18
              666     .
                2     .c
mean: 1.31687
std. dev: 1.95759
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        4
    
```

c2_min_D

D : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,50]
unique values: 31
unique missing codes: 2
units: 1
missing .: 666/1,397
missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              361     0
                8     3
                6     4
               33     5
               15     6
                5     7
                8     8
               12     9
               40    10
                3    12
                6    13
                3    14
               34    15
                1    16
                1    17
                5    18
               70    20
                1    21
                2    22
                8    23
                6    25
               35    30
    
```



```

tabulation:  Freq.  Value
              502    0
              176    1
               4    1.5
              31    2
               1    2.5
              10    3
               2    3.5
               2    4
               1    9
              666    .
               2    .c
  mean:      .412209
std. dev:    .758542

percentiles: 10%    25%    50%    75%    90%
              0      0      0      1      1
  
```

c2_ad_D D :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,40]
unique values: 24
unique missing codes: 2
units: .1
missing : 666/1,397
missing *: 2/1,397
  
```

```

tabulation:  Freq.  Value
              193    0
               3    1
              11    1.5
               8    2
              39    2.5
              23    3
               8    3.5
               6    4
              23    4.5
              64    5
               4    5.5
               2    6
               1    6.5
              28    7.5
               1    8
              78    10
               1    12
              18    15
               1    17.5
              29    20
              13    25
             171    30
               1    35
               3    40
             666    .
               2    .c
  mean:      11.2558
std. dev:    11.9658

percentiles: 10%    25%    50%    75%    90%
              0      0      5     25     30
  
```

c2_ba_D D : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing : 666/1,397
missing *: 225/1,397
  
```

```

tabulation:  Freq.  Numeric  Label
              20      1  father
              17      3  mother
              33      5  grandparents
              17      7  uncle/aunt
             256      9  brother/sister/cousin
             156     11  outsider
              7     13  other household member
             666      .
             225     .b
    
```

c2_bb_D **D : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,047/1,397
missing *: 9/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              8      1  father
              9      3  mother
             19      5  grandparents
              4      7  uncle/aunt
             118      9  brother/sister/cousin
             179     11  outsider
              4     13  other household member
            1,047      .
              9      .b
    
```

c2_bc_D **D : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,232/1,397
missing *: 1/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              2      1  father
              1      3  mother
              3      5  grandparents
             37      9  brother/sister/cousin
             120     11  outsider
              1     13  other household member
            1,232      .
              1      .b
    
```

c2_ba_gen_D **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 891/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
             239      1  male
             267      3  female
             891      .
    
```

c2_bb_gen_D **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,056/1,397

tabulation: Freq.  Numeric  Label
              166      1  male
              175      3  female
              1,056      .
    
```

c2_bc_gen_D **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,233/1,397

tabulation: Freq.  Numeric  Label
              82      1  male
              82      3  female
              1,233      .
    
```

c3_code_D **D : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 1
units: 1
missing ..: 0/1,397
missing *: 880/1,397

tabulation: Freq.  Numeric  Label
              15      3  at least once a month
              502     5  at least once a week
              880     .b
    
```

c3_hr_D **D : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,7]
unique values: 8
unique missing codes: 2
units: 1
missing ..: 895/1,397
missing *: 1/1,397

tabulation: Freq.  Value
              323  0
              88  1
              45  2
              21  3
               9  4
               9  5
               3  6
               3  7
              895  .
               1  .c
mean: .720559
std. dev: 1.28131
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 2

c3_min_D **D : Minutes per week (Monday - Sunday)**

type: numeric (**float**)
 range: **[0,55]** units: **1**
 unique values: **38** missing .: **895/1,397**
 unique missing codes: **2** missing *: **1/1,397**

tabulation:	Freq.	Value
	77	0
	2	1
	1	2
	12	3
	9	4
	19	5
	26	6
	6	7
	21	8
	11	9
	22	10
	6	11
	3	12
	9	13
	2	14
	39	15
	4	16
	1	17
	5	18
	6	19
	28	20
	5	23
	17	25
	1	26
	1	28
	1	29
	81	30
	2	31
	1	32
	1	34
	17	35
	5	38
	17	40
	1	44
	29	45
	9	50
	3	53
	1	55
	895	.
	1	.c

mean: **18.3473**
 std. dev: **14.7191**

percentiles: 10% 25% 50% 75% 90%
 0 6 15 30 40

c3_aa_D **D :Monday-Friday How many times (Monday - Sunday)**

type: string (**str6**), but longest is str3
 unique values: **11** missing "": **894/1,397**


```

tabulation:  Freq.  Value
              3      0
              4      1
              5     1.5
             11      2
             37     2.5
             16      3
             12     3.5
              4      4
             10     4.5
             56      5
              6     5.5
              1     6.5
             16     7.5
              1      9
             74     10
              5    12.5
             14     15
             28     20
              7     25
            107     30
              2     35
              3     40
              1     45
            973      .
              1     .c
    mean:     13.9905
    std. dev: 11.2214
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  2.5      5        10       30       30
    
```

c3_ba_D **D : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A
    range: [1,13]
    unique values: 7
    unique missing codes: 2
    units: 1
    missing .: 880/1,397
    missing *: 124/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              10      1  father
              16      3  mother
              31      5  grandparents
              11      7  uncle/aunt
             204      9  brother/sister/cousin
             117     11  outsider
              4      13  other household member
             880      .
             124     .b
    
```

c3_bb_D **D : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A
    range: [1,13]
    unique values: 7
    unique missing codes: 2
    units: 1
    missing .: 1,171/1,397
    missing *: 6/1,397
    
```

tabulation:	Freq.	Numeric	Label
	4	1	father
	11	3	mother
	13	5	grandparents
	5	7	uncle/aunt
	79	9	brother/sister/cousin
	106	11	outsider
	2	13	other household member
	1,171	.	
	6	.b	

c3_bc_D **D : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,11] units: 1
 unique values: 6 missing .: 1,283/1,397
 unique missing codes: 2 missing *: 2/1,397

tabulation:	Freq.	Numeric	Label
	1	1	father
	1	3	mother
	7	5	grandparents
	1	7	uncle/aunt
	36	9	brother/sister/cousin
	66	11	outsider
	1,283	.	
	2	.b	

c3_ba_gen_D **Gender code (person 1)**

type: numeric (byte)
 label: **c3_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,004/1,397

tabulation:	Freq.	Numeric	Label
	178	1	male
	215	3	female
	1,004	.	

c3_bb_gen_D **Gender code (person 2)**

type: numeric (byte)
 label: **c3_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,177/1,397

tabulation:	Freq.	Numeric	Label
	98	1	male
	122	3	female
	1,177	.	

c3_bc_gen_D **Gender code (person 3)**

type: numeric (byte)
 label: **c3_bc_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,285/1,397

```

tabulation:  Freq.  Numeric  Label
              51      1  male
              61      3  female
            1,285      .
    
```

activity_E **Playing a role play, selling things, playing Robot and car (not display)**

```

type:  string (str147), but longest is str0
unique values:  0                               missing "":  1,397/1,397
tabulation:  Freq.  Value
            1,397  ""
    
```

detail_E **E: detail**

```

type:  string (str238), but longest is str0
unique values:  0                               missing "":  1,397/1,397
tabulation:  Freq.  Value
            1,397  ""
    
```

c1_code_E **E : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  c1_code

range:  [0,9]                               units:  1
unique values:  4                           missing .:  0/1,397
unique missing codes:  1                     missing *:  376/1,397

tabulation:  Freq.  Numeric  Label
              177      0  never
               1      5  at least once a week
              557      7  once a day
              286      9  more than once a day
              376      .c
    
```

c1_hr_E **E : Hours per week (Monday - Friday)**

```

type:  numeric (float)

range:  [0,30]                               units:  1
unique values:  22                           missing .:  553/1,397
unique missing codes:  2                     missing *:  2/1,397

tabulation:  Freq.  Value
              97      0
             104      1
             161      2
              24      3
               8      4
             256      5
               8      6
              41      7
               2      8
               1      9
             65     10
               1     11
             34     12
               1     13
             18     15
               6     17
    
```



```

          3 18
          3 20
          3 22
          3 25
          2 27
          1 30
        553 .
          2 .c
    mean:  4.70665
  std. dev: 4.45249

percentiles:    10%    25%    50%    75%    90%
                0      2      5      5     10

```

cl_min_E **E : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,56]
unique values: 31
unique missing codes: 2

units: 1
missing .: 553/1,397
missing *: 2/1,397

```

```

tabulation: Freq. Value
            343  0
             1  1
             1  3
            11  5
             1  6
             5  8
            11 10
             1 11
             9 13
            56 15
             4 18
             1 19
             5 20
             3 23
            11 25
             1 26
             5 28
           233 30
             3 31
             2 34
             1 35
             1 36
             7 38
            48 40
             1 41
             2 44
            22 45
            34 50
             5 53
            10 55
             4 56
           553 .
             2 .c

```

```

mean: 17.9929
std. dev: 17.4597

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      15     30     40

```

cl_aa_E **E :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 10
missing "": 553/1,397

```

```

tabulation:  Freq.  Value
              553  ""
              553  "1"
              38   "1.5"
              103  "2"
              42   "2.5"
               6   "3"
              15   "3.5"
               2   "4"
               4   "4.5"
               1   "5"
              80  "many times"
    
```

warning: variable has embedded blanks

c1_ab_E **E :Monday-Friday How many times per units (Monday - Friday)**

type: string (str21), but longest is str4

unique values: 2 missing "": 553/1,397

```

tabulation:  Freq.  Value
              553  ""
              843  "day"
               1  "week"
    
```

c1_ac_E **E :Monday-Friday How many times per hours (Monday - Friday)**

type: numeric (double)

range: [0,5.5] units: .1
 unique values: 9 missing .: 553/1,397
 unique missing codes: 2 missing *: 2/1,397

```

tabulation:  Freq.  Value
              431  0
              311  1
               13  1.5
               59  2
               9   2.5
              15  3
               2   4
               1   5
               1  5.5
              553  .
               2   .c
    
```

mean: .634798
 std. dev: .78288

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

c1_ad_E **E :Monday-Friday How many times per minutes (Monday - Friday)**

type: numeric (double)

range: [0,45] units: .01
 unique values: 23 missing .: 553/1,397
 unique missing codes: 2 missing *: 2/1,397

```

tabulation:  Freq.  Value
              359    0
              1     1
              1    1.5
              6     2
              14    2.5
              7     3
              5    3.5
              3    4.5
              21    5
              12   5.5
              1     7
              12   7.5
              49   10
              3    13
              1   13.75
              49   15
              1   17.5
              46   20
              13   25
              228  30
              2   35
              1   40
              7   45
              553  .
              2   .c
mean:        12.084
std. dev:    13.1685
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      5.5    30     30
    
```

c1_ba_E **E : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7        missing .: 553/1,397
unique missing codes: 2 missing *: 235/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              2      1  father
              6      3  mother
              13     5  grandparents
              6      7  uncle/aunt
              345    9  brother/sister/cousin
              229   11  outsider
              8     13  other household member
              553    .
              235   .b
    
```

c1_bb_E **E : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7        missing .: 960/1,397
unique missing codes: 2 missing *: 29/1,397
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	5	3	mother
	6	5	grandparents
	2	7	uncle/aunt
	132	9	brother/sister/cousin
	254	11	outsider
	7	13	other household member
	960	.	
	29	.b	

c1_bc_E **E : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,11] units: 1
 unique values: 3 missing .: 1,192/1,397
 unique missing codes: 2 missing *: 10/1,397

tabulation:	Freq.	Numeric	Label
	1	1	father
	43	9	brother/sister/cousin
	151	11	outsider
	1,192	.	
	10	.b	

c1_ba_gen_E **Gender code (person 1)**

type: numeric (byte)
 label: **c1_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 788/1,397

tabulation:	Freq.	Numeric	Label
	276	1	male
	333	3	female
	788	.	

c1_bb_gen_E **Gender code (person 2)**

type: numeric (byte)
 label: **c1_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 989/1,397

tabulation:	Freq.	Numeric	Label
	186	1	male
	222	3	female
	989	.	

c1_bc_gen_E **Gender code (person 3)**

type: numeric (byte)
 label: **c1_bc_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,202/1,397

```

tabulation:  Freq.  Numeric  Label
              91      1      male
              104     3      female
              1,202   .
    
```

c2_code_E **E : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,397
unique missing codes: 1  missing *: 376/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              94      0      never
              4       5      at least once a week
              536     7      once a day
              387     9      more than once a day
              376     .c
    
```

c2_hr_E **E : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,15]        units: 1
unique values: 15    missing .: 470/1,397
unique missing codes: 2  missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              210   0
              189   1
              264   2
              49    3
              83    4
              54    5
              28    6
              14    7
              12    8
              6     9
              6    10
              2    11
              4    12
              2    13
              2    15
              470  .
              2   .c
    
```

```

mean: 2.23568
std. dev: 2.30157
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        1        2        3        5
    
```

c2_min_E **E : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,55]        units: 1
unique values: 32    missing .: 470/1,397
unique missing codes: 2  missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              640    0
              1     2
              1     3
              5     4
              9     5
              5     6
              3     7
              1     8
             10    10
              4    11
              2    12
              3    13
              3    14
             16    15
              1    17
              2    18
              1    19
             38    20
              5    22
              2    23
              1    25
              1    27
              1    28
             87    30
              2    35
              2    38
              1    39
             51    40
              1    44
             10    45
             15    50
              1    55
             470    .
              2     .c
    mean:      8.45405
  std. dev:   14.4394

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         15         30

```

c2_aa_E **E :Monday-Friday How many times (Saturday - Sunday)**

type: string (str30), but longest is str10

```

unique values: 12           missing "": 470/1,397
unique missing codes: 2     missing *: 2/1,397

```

```

tabulation:  Freq.  Value
              470    ""
             535    "1"
              48    "1.5"
               1    "10"
             116    "2"
              64    "2.5"
              21    "3"
              15    "3.5"
               3    "4"
               6    "4.5"
               1    "5"
               2    "DK"
             115    "many times"

```

warning: variable has embedded blanks

c2_ab_E **E :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 3 missing "": 471/1,397
tabulation: Freq. Value
              471 ""
              921 "day"
                1 "time"
                4 "week"
    
```

c2_ac_E E :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,7] units: .1
unique values: 13 missing .: 470/1,397
unique missing codes: 2 missing *: 2/1,397
tabulation: Freq. Value
              443 0
              332 1
                16 1.5
                85 2
                15 2.5
                21 3
                 1 3.5
                 5 4
                 1 4.5
                 2 5
                 1 5.5
                 2 6
                 1 7
              470 .
                 2 .c
mean: .744865
std. dev: .925404
percentiles: 10% 25% 50% 75% 90%
              0 0 1 1 2
    
```

c2_ad_E E :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,45] units: .01
unique values: 21 missing .: 470/1,397
unique missing codes: 2 missing *: 2/1,397
tabulation: Freq. Value
              411 0
                 2 1.5
                 6 2
                13 2.5
                 7 3
                 4 3.5
                 3 4.5
                17 5
                13 5.5
                 2 7
                12 7.5
                60 10
                 1 13.75
                53 15
                 1 17.5
                42 20
                14 25
               253 30
                 2 35
    
```

```

          1  40
          8  45
         470 .
          2  .c
    mean:  11.9273
    std. dev: 13.2493

    percentiles:    10%    25%    50%    75%    90%
                   0      0      5      30     30
    
```

c2_ba_E **E : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 7
    unique missing codes: 2

                                units: 1
    missing .: 470/1,397
    missing *: 256/1,397
    
```

tabulation:	Freq.	Numeric	Label
	3	1	father
	5	3	mother
	13	5	grandparents
	5	7	uncle/aunt
	381	9	brother/sister/cousin
	256	11	outsider
	8	13	other household member
	470	.	
	256	.b	

c2_bb_E **E : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 7
    unique missing codes: 2

                                units: 1
    missing .: 907/1,397
    missing *: 31/1,397
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	5	3	mother
	6	5	grandparents
	2	7	uncle/aunt
	147	9	brother/sister/cousin
	290	11	outsider
	7	13	other household member
	907	.	
	31	.b	

c2_bc_E **E : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,11]
    unique values: 3
    unique missing codes: 2

                                units: 1
    missing .: 1,162/1,397
    missing *: 10/1,397
    
```

tabulation:	Freq.	Numeric	Label
	1	1	father
	52	9	brother/sister/cousin
	172	11	outsider
	1,162	.	
	10	.b	

c2_ba_gen_E **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .. 726/1,397

tabulation: Freq.  Numeric  Label
              302      1  male
              369      3  female
              726      .
    
```

c2_bb_gen_E **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .. 938/1,397

tabulation: Freq.  Numeric  Label
              202      1  male
              257      3  female
              938      .
    
```

c2_bc_gen_E **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .. 1,172/1,397

tabulation: Freq.  Numeric  Label
              107      1  male
              118      3  female
              1,172    .
    
```

c3_code_E **E : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 1

units: 1
missing .. 0/1,397
missing *: 1,021/1,397

tabulation: Freq.  Numeric  Label
              8      3  at least once a month
              368    5  at least once a week
              1,021  .b
    
```

c3_hr_E **E : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,15]
unique values: 12

units: 1
missing .. 1,029/1,397
    
```

```

tabulation:  Freq.  Value
              144    0
              103    1
               58    2
               31    3
               12    4
                8    5
                2    6
                3    8
                2    9
                3   10
                1   12
                1   15
            1,029    .
    mean:      1.38859
    std. dev:  1.94714
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         1         2         3
    
```

c3_min_E

E : Minutes per week (Monday - Sunday)

```

    type: numeric (float)
    range: [0,53]
    unique values: 25
    units: 1
    missing .: 1,029/1,397
    
```

```

tabulation:  Freq.  Value
              86    0
               1    2
               4    3
               8    5
               3    6
               2    7
               9    8
               1    9
              17   10
               5   13
              28   15
               3   16
               3   19
              17   20
               7   23
               7   25
               1   28
              99   30
               1   31
               2   35
               6   38
               4   40
              36   45
              13   50
               5   53
            1,029    .
    mean:      20.7201
    std. dev:  16.2147
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         5        20        30        45
    
```

c3_aa_E

E :Monday-Friday How many times (Monday - Sunday)

```

    type: string (str6), but longest is str4
    unique values: 11
    missing "": 1,029/1,397
    
```

```

tabulation: Freq. Value
            1,029 ""
             43 "1"
             48 "1.5"
             65 "2"
             84 "2.5"
             45 "3"
             39 "3.5"
             22 "4"
              6 "4.5"
             13 "5"
              1 "5.25"
              2 "5.5"
    
```

c3_ab_E **E :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1 missing "": 1,029/1,397
tabulation: Freq. Value
            1,029 ""
             368 "week"
    
```

c3_ac_E **E :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,5] units: .1
unique values: 9 missing .: 1,029/1,397
tabulation: Freq. Value
            246 0
            100 1
              3 1.5
             10 2
              2 2.5
              2 3
              2 3.5
              2 4
              1 5
            1,029 .
mean: .422554
std. dev: .72526
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1
    
```

c3_ad_E **E :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [0,50] units: .1
unique values: 18 missing .: 1,136/1,397
    
```

```

tabulation:  Freq.  Value
              3    0
              5    2
              3   2.5
              3    3
              2   3.5
              1    4
              6   4.5
             22    5
              5   7.5
              1    8
             31   10
              3  12.5
             24   15
             30   20
              3   25
            113   30
              5   45
              1   50
            1,136  .
      mean:    20.182
    std. dev:  11.0911

percentiles:      10%      25%      50%      75%      90%
                  5        10        20        30        30
    
```

c3_ba_E **E : People doing activity with (person 1)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]
      unique values: 7
      unique missing codes: 2

                        units: 1
      missing .: 1,021/1,397
      missing *: 103/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              2         1  father
              2         3  mother
              7         5  grandparents
              2         7  uncle/aunt
             128        9  brother/sister/cousin
             129        11  outsider
              3         13  other household member
            1,021        .
             103        .b
    
```

c3_bb_E **E : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [3,11]
      unique values: 5
      unique missing codes: 2

                        units: 1
      missing .: 1,194/1,397
      missing *: 7/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              2         3  mother
              1         5  grandparents
              1         7  uncle/aunt
              52         9  brother/sister/cousin
             140        11  outsider
            1,194        .
              7         .b
    
```

c3_bc_E **E : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A
range: [9,11]
unique values: 2
unique missing codes: 2
units: 1
missing .: 1,291/1,397
missing *: 5/1,397

```

```

tabulation: Freq.  Numeric  Label
             8         9  brother/sister/cousin
             93        11  outsider
            1,291       .
             5         .b

```

c3_ba_gen_E **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen
range: [1,3]
unique values: 2
units: 1
missing .: 1,124/1,397

```

```

tabulation: Freq.  Numeric  Label
             113       1  male
             160       3  female
            1,124       .

```

c3_bb_gen_E **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen
range: [1,3]
unique values: 2
units: 1
missing .: 1,201/1,397

```

```

tabulation: Freq.  Numeric  Label
             84       1  male
             112       3  female
            1,201       .

```

c3_bc_gen_E **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen
range: [1,3]
unique values: 2
units: 1
missing .: 1,295/1,397

```

```

tabulation: Freq.  Numeric  Label
             42       1  male
             60       3  female
            1,295       .

```

activity_F **Practice reading-writing numer, ABC and counting number (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,397/1,397

```

```

tabulation: Freq.  Value
            1,397  ""

```

detail_F **F: detail**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c1_code_F **F : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,397
 unique missing codes: 2 missing *: 569/1,397
 tabulation: Freq. Numeric Label
 426 0 never
 3 5 at least once a week
 350 7 once a day
 49 9 more than once a day
 2 .a
 567 .c

c1_hr_F **F : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,12] units: 1
 unique values: 8 missing .: 995/1,397
 unique missing codes: 2 missing *: 1/1,397
 tabulation: Freq. Value
 153 0
 65 1
 117 2
 6 3
 50 5
 6 7
 3 10
 1 12
 995 .
 1 .c
 mean: 1.62344
 std. dev: 1.94817
 percentiles: 10% 25% 50% 75% 90%
 0 0 1 2 5

c1_min_F **F : Minutes per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,56] units: 1
 unique values: 24 missing .: 995/1,397
 unique missing codes: 2 missing *: 1/1,397

```

tabulation:  Freq.  Value
              51    0
              3    3
              8    5
              2    8
              5   10
              2   11
              9   13
             25   15
              4   18
              2   20
              8   23
             33   25
              1   26
              3   28
             115   30
              1   34
              1   35
             10   38
             37   40
              5   45
             67   50
              2   53
              5   55
              2   56
            995   .
              1   .c
    mean:     28.197
std. dev:    16.0905

percentiles: 10%    25%    50%    75%    90%
              0     15     30     40     50
    
```

c1_aa_F **F :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 8 missing "": 995/1,397

tabulation:  Freq.  Value
             995   ""
            351  "1"
             12  "1.5"
             24  "2"
              7  "2.5"
              2  "3"
              1  "4"
              1  "7"
              4  "many times"

warning: variable has embedded blanks
    
```

c1_ab_F **F :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 995/1,397

tabulation:  Freq.  Value
             995   ""
            400  "day"
              2  "week"
    
```

c1_ac_F **F :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,2]
unique values: 4
unique missing codes: 2
units: .1
missing .: 995/1,397
missing *: 1/1,397

tabulation: Freq. Value
              347  0
              50  1
              1  1.5
              3  2
              995  .
              1  .c
mean: .143392
std. dev: .374182

percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  1
    
```

c1_ad_F F : Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (double)
range: [0,310]
unique values: 21
unique missing codes: 2
units: .1
missing .: 995/1,397
missing *: 1/1,397

tabulation: Freq. Value
              50  0
              2  1
              3  1.5
              4  2
              11  2.5
              6  3
              6  3.5
              11  4.5
              34  5
              2  5.5
              9  7.5
              72  10
              4  13
              25  15
              2  17.5
              34  20
              4  25
              114 30
              4  35
              3  45
              1  310
              995  .
              1  .c
mean: 15.8254
std. dev: 18.7963

percentiles: 10% 25% 50% 75% 90%
              0  5  10  30  30
    
```

c1_ba_F F : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 995/1,397
missing *: 62/1,397
    
```


tabulation:	Freq.	Numeric	Label
	35	1	father
	121	3	mother
	120	5	grandparents
	15	7	uncle/aunt
	29	9	brother/sister/cousin
	9	11	outsider
	11	13	other household member
	995	.	
	62	.b	

c1_bb_F **F : People doing activity with (person 2)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,220/1,397
 unique missing codes: 2 missing *: 5/1,397

tabulation:	Freq.	Numeric	Label
	13	1	father
	32	3	mother
	45	5	grandparents
	8	7	uncle/aunt
	64	9	brother/sister/cousin
	6	11	outsider
	4	13	other household member
	1,220	.	
	5	.b	

c1_bc_F **F : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [3,11] units: 1
 unique values: 4 missing .: 1,364/1,397

tabulation:	Freq.	Numeric	Label
	5	3	mother
	6	5	grandparents
	21	9	brother/sister/cousin
	1	11	outsider
	1,364	.	

c1_ba_gen_F **Gender code (person 1)**

type: numeric (byte)
 label: **c1_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,057/1,397

tabulation:	Freq.	Numeric	Label
	84	1	male
	256	3	female
	1,057	.	

c1_bb_gen_F **Gender code (person 2)**

type: numeric (byte)
 label: **c1_bb_gen**

```

range: [1,3] units: 1
unique values: 2 missing .: 1,225/1,397

tabulation: Freq. Numeric Label
             51      1 male
             121     3 female
             1,225     .
    
```

c1_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,364/1,397

tabulation: Freq. Numeric Label
             12      1 male
             21     3 female
             1,364     .
    
```

c2_code_F **F : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9] units: 1
unique values: 4 missing .: 0/1,397
unique missing codes: 2 missing *: 569/1,397

tabulation: Freq. Numeric Label
             426     0 never
              3     5 at least once a week
             342     7 once a day
              57     9 more than once a day
              2     .a
             567     .c
    
```

c2_hr_F **F : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,5] units: 1
unique values: 6 missing .: 995/1,397
unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
             223  0
             115  1
              50  2
               7  3
               4  4
               2  5
             995  .
              1  .c
mean:       .653367
std. dev:   .89557

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

c2_min_F **F : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)
range: [0,50]
unique values: 24
unique missing codes: 2
units: 1
missing .: 995/1,397
missing *: 1/1,397

```

```

tabulation: Freq. Value
164 0
2 2
1 3
4 4
11 5
3 6
5 7
8 9
35 10
2 11
1 12
2 14
12 15
1 18
1 19
65 20
1 22
2 23
2 25
28 30
2 35
40 40
3 45
6 50
995 .
1 .c
mean: 12.9551
std. dev: 14.4253

```

```

percentiles: 10% 25% 50% 75% 90%
              0 0 10 20 40

```

c2_aa_F F :Monday-Friday How many times (Saturday - Sunday)

```

type: string (str30), but longest is str10
unique values: 7
missing "": 995/1,397

```

```

tabulation: Freq. Value
995 ""
345 "1"
14 "1.5"
26 "2"
7 "2.5"
3 "3"
2 "5"
5 "many times"

```

warning: variable has embedded blanks

c2_ab_F F :Monday-Friday How many times per units (Saturday - Sunday)

```

type: string (str21), but longest is str4
unique values: 2
missing "": 995/1,397

```

```

tabulation: Freq. Value
995 ""
399 "day"
3 "week"

```

c2_ac_F **F :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,2]
unique values: 4
unique missing codes: 2
units: .1
missing .: 995/1,397
missing *: 1/1,397

tabulation: Freq. Value
             346  0
             50  1
              1  1.5
              4  2
             995  .
              1  .c
mean:       .148379
std. dev:   .385427

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c2_ad_F **F :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45]
unique values: 20
unique missing codes: 2
units: .1
missing .: 995/1,397
missing *: 1/1,397

tabulation: Freq. Value
             51  0
              2  1
              3  1.5
              4  2
             11  2.5
              5  3
              7  3.5
             11  4.5
             31  5
              2  5.5
             13  7.5
              1  9.5
             72  10
             27  15
              2  17.5
             35  20
              4  25
            114  30
              3  35
              3  45
             995  .
              1  .c
mean:       15.0224
std. dev:   11.6561

percentiles:    10%    25%    50%    75%    90%
                0      5      10     30     30
    
```

c2_ba_F **F : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 995/1,397
 unique missing codes: 2 missing *: 62/1,397

tabulation:	Freq.	Numeric	Label
	35	1	father
	121	3	mother
	118	5	grandparents
	16	7	uncle/aunt
	31	9	brother/sister/cousin
	8	11	outsider
	11	13	other household member
	995	.	
	62	.b	

c2_bb_F **F : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,227/1,397
 unique missing codes: 2 missing *: 5/1,397

tabulation:	Freq.	Numeric	Label
	12	1	father
	31	3	mother
	44	5	grandparents
	8	7	uncle/aunt
	60	9	brother/sister/cousin
	6	11	outsider
	4	13	other household member
	1,227	.	
	5	.b	

c2_bc_F **F : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A

range: [3,11] units: 1
 unique values: 4 missing .: 1,364/1,397

tabulation:	Freq.	Numeric	Label
	5	3	mother
	6	5	grandparents
	21	9	brother/sister/cousin
	1	11	outsider
	1,364	.	

c2_ba_gen_F **Gender code (person 1)**

type: numeric (byte)
 label: c2_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,057/1,397

tabulation:	Freq.	Numeric	Label
	84	1	male
	256	3	female
	1,057	.	

c2_bb_gen_F **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,232/1,397

tabulation: Freq.  Numeric  Label
              49         1  male
              116        3  female
              1,232        .
    
```

c2_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,364/1,397

tabulation: Freq.  Numeric  Label
              12         1  male
              21         3  female
              1,364        .
    
```

c3_code_F **F : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 0/1,397
missing *: 830/1,397

tabulation: Freq.  Numeric  Label
              12         3  at least once a month
              555        5  at least once a week
               2         .a
              828        .b
    
```

c3_hr_F **F : Hours per week (Monday - Sunday)**

```

type: numeric(float)

range: [0,12]
unique values: 8
unique missing codes: 2
units: 1
missing ..: 842/1,397
missing *: 2/1,397

tabulation: Freq.  Value
              365    0
              128    1
               39    2
                8    3
                 3    4
                 5    5
                 4    6
                 1   12
              842    .
                 2   .c
mean:         .54792
std. dev:     1.08596
    
```

```
percentiles:      10%      25%      50%      75%      90%
                  0         0         0         1         2
```

c3_min_F **F : Minutes per week (Monday - Sunday)**

```
type: numeric (float)
range: [0,55]
unique values: 35
unique missing codes: 2
units: 1
missing .: 842/1,397
missing *: 2/1,397
```

```
tabulation:  Freq.  Value
              78    0
              3    1
             10    2
             14    3
              8    4
             13    5
             20    6
             11    7
             18    8
              6    9
             38   10
              9   11
              4   12
             13   13
             50   15
              3   16
              1   17
              4   18
              4   19
             36   20
              7   23
             17   25
              3   26
              1   28
            101   30
              1   31
              3   33
              4   35
              9   38
              8   40
              1   41
             35   45
             11   50
              8   53
              1   55
            842  .
              2  .c
mean: 18.5081
std. dev: 14.7266
```

```
percentiles:      10%      25%      50%      75%      90%
                  0         6        15        30        41
```

c3_aa_F **F :Monday-Friday How many times (Monday - Sunday)**

```
type: string (str6), but longest is str3
unique values: 11
missing "": 842/1,397
```

```

tabulation:  Freq.  Value
              842  ""
              70  "1"
              65  "1.5"
             124  "2"
              93  "2.5"
              96  "3"
              55  "3.5"
              15  "4"
              16  "4.5"
              17  "5"
               2  "5.5"
               2  "6"
    
```

c3_ab_F **F :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 2 missing "": 843/1,397
    
```

```

tabulation:  Freq.  Value
              843  ""
               2  "day"
             552  "week"
    
```

c3_ac_F **F :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,2] units: 1
unique values: 3 missing .: 842/1,397
unique missing codes: 2 missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              500  0
               46  1
                7  2
              842  .
                2  .c
mean: .108499
std. dev: .349664
    
```

```

percentiles: 10% 25% 50% 75% 90%
              0   0   0   0   0
    
```

c3_ad_F **F :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [1,45] units: .1
unique values: 21 missing .: 893/1,397
unique missing codes: 2 missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
               5  1
               7  1.5
              11  2
              28  2.5
              12  3
              15  3.5
               5  4
               9  4.5
              59  5
               7  5.5
               2  6.5
              16  7.5
    
```



```

          1  8.5
          95 10
          2 12.5
          35 15
          50 20
           5 25
          133 30
           3 35
           2 45
          893 .
           2 .c
    mean: 15.0229
  std. dev: 10.804

percentiles:    10%    25%    50%    75%    90%
                2.5     5      10     30     30
  
```

c3_ba_F **F : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]           units: 1
  unique values: 7         missing .: 830/1,397
  unique missing codes: 2  missing *: 69/1,397
  
```

tabulation:	Freq.	Numeric	Label
	41	1	father
	152	3	mother
	164	5	grandparents
	23	7	uncle/aunt
	91	9	brother/sister/cousin
	11	11	outsider
	16	13	other household member
	830	.	
	69	.b	

c3_bb_F **F : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]           units: 1
  unique values: 7         missing .: 1,173/1,397
  unique missing codes: 2  missing *: 9/1,397
  
```

tabulation:	Freq.	Numeric	Label
	14	1	father
	49	3	mother
	27	5	grandparents
	6	7	uncle/aunt
	102	9	brother/sister/cousin
	13	11	outsider
	4	13	other household member
	1,173	.	
	9	.b	

c3_bc_F **F : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]           units: 1
  unique values: 7         missing .: 1,351/1,397
  unique missing codes: 2  missing *: 1/1,397
  
```

```

tabulation:  Freq.  Numeric  Label
              2         1  father
              3         3  mother
             10         5  grandparents
              1         7  uncle/aunt
             18         9  brother/sister/cousin
              5         11  outsider
              6         13  other household member
            1,351         .
              1         .b
    
```

c3_ba_gen_F **Gender code (person 1)**

```

      type: numeric (byte)
      label: c3_ba_gen

      range: [1,3]
unique values: 2
                    units: 1
                    missing .: 899/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              108     1  male
              390     3  female
             899     .
    
```

c3_bb_gen_F **Gender code (person 2)**

```

      type: numeric (byte)
      label: c3_bb_gen

      range: [1,3]
unique values: 2
                    units: 1
                    missing .: 1,182/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              74     1  male
              141     3  female
             1,182     .
    
```

c3_bc_gen_F **Gender code (person 3)**

```

      type: numeric (byte)
      label: c3_bc_gen

      range: [1,3]
unique values: 2
                    units: 1
                    missing .: 1,352/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              14     1  male
              31     3  female
             1,352     .
    
```

activity_G **Playing blocks or plasticine, drawing and painting (not display)**

```

      type: string (str147), but longest is str0
unique values: 0
                    missing "": 1,397/1,397
    
```

```

tabulation:  Freq.  Value
            1,397  ""
    
```

detail_G **G: detail**

```

type: string (str238), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

c1_code_G **G : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9] units: 1
unique values: 4 missing .: 0/1,397
unique missing codes: 2 missing *: 713/1,397

tabulation: Freq. Numeric Label
             297 0 never
             1 5 at least once a week
             279 7 once a day
             107 9 more than once a day
             2 .a
             711 .c
    
```

c1_hr_G **G : Hours per week (Monday - Friday)**

```

type: numeric (float)

range: [0,20] units: 1
unique values: 15 missing .: 1,010/1,397
unique missing codes: 2 missing *: 2/1,397

tabulation: Freq. Value
             110 0
             66 1
             85 2
              5 3
              1 4
             76 5
              7 6
             13 7
              1 8
              2 9
              9 10
              2 11
              6 12
              1 15
              1 20
            1,010 .
              2 .c
mean: 2.63117
std. dev: 2.99636

percentiles: 10% 25% 50% 75% 90%
              0 0 2 5 6
    
```

c1_min_G **G : Minutes per week (Monday - Friday)**

```

type: numeric (float)

range: [0,55] units: 1
unique values: 26 missing .: 1,010/1,397
unique missing codes: 2 missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              86    0
               4    3
               8    5
               1    6
               2    8
               5   10
               3   11
               9   13
              28   15
               2   18
               1   19
               5   20
              10   23
              20   25
               1   28
              92   30
               1   33
               1   34
               2   36
               7   38
              39   40
               1   44
               4   45
              50   50
               2   53
               1   55
            1,010  .
               2  .c
    mean:     23.9403
    std. dev: 17.2175

```

```

percentiles:    10%    25%    50%    75%    90%
                0      5      30     40     50

```

c1_aa_G **G :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 8 missing "": 1,010/1,397
tabulation:  Freq.  Value
            1,010  ""
             279  "1"
              17  "1.5"
              36  "2"
              25  "2.5"
               4  "3"
               5  "3.5"
               1  "4.5"
              20  "many times"
warning: variable has embedded blanks

```

c1_ab_G **G :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 3 missing "": 1,010/1,397
tabulation:  Freq.  Value
            1,010  ""
             384  "day"
               2  "time"
               1  "week"

```

cl_ac_G **G : Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,4]
unique values: 5
unique missing codes: 2
units: .1
missing .: 1,010/1,397
missing *: 2/1,397

tabulation: Freq. Value
             289  0
             86  1
              3  1.5
              6  2
              1  4
            1,010 .
              2  .c
mean:       .276623
std. dev:   .518636

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

cl_ad_G **G : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45]
unique values: 23
unique missing codes: 2
units: .1
missing .: 1,010/1,397
missing *: 2/1,397

tabulation: Freq. Value
             89  0
              1  1
              1  1.5
              7  2
             10  2.5
              3  3
              3  3.5
              9  4.5
             29  5
              2  5.5
              1  6.5
              7  7.5
              2  9.5
             57  10
              2  13
             21  15
              1  17.5
             34  20
              1  22.5
              5  25
             95  30
              3  40
              2  45
            1,010 .
              2  .c
mean:       13.3805
std. dev:   12.0181

percentiles:    10%    25%    50%    75%    90%
                0      2     10     30     30
    
```

cl_ba_G **G : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing ..: 1,010/1,397
missing *: 171/1,397

```

tabulation:	Freq.	Numeric	Label
	6	1	father
	24	3	mother
	16	5	grandparents
	4	7	uncle/aunt
	125	9	brother/sister/cousin
	38	11	outsider
	3	13	other household member
	1,010	.	
	171	.b	

c1_bb_G **G : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing ..: 1,264/1,397
missing *: 8/1,397

```

tabulation:	Freq.	Numeric	Label
	1	1	father
	5	3	mother
	12	5	grandparents
	2	7	uncle/aunt
	63	9	brother/sister/cousin
	36	11	outsider
	6	13	other household member
	1,264	.	
	8	.b	

c1_bc_G **G : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,13]
unique values: 5
unique missing codes: 2

units: 1
missing ..: 1,365/1,397
missing *: 2/1,397

```

tabulation:	Freq.	Numeric	Label
	1	3	mother
	1	7	uncle/aunt
	9	9	brother/sister/cousin
	18	11	outsider
	1	13	other household member
	1,365	.	
	2	.b	

c1_ba_gen_G **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,181/1,397

```

```

tabulation:  Freq.  Numeric  Label
              85      1  male
              131     3  female
              1,181   .
    
```

c1_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,273/1,397

tabulation:  Freq.  Numeric  Label
              49      1  male
              75      3  female
              1,273   .
    
```

c1_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,367/1,397

tabulation:  Freq.  Numeric  Label
              14      1  male
              16      3  female
              1,367   .
    
```

c2_code_G **G : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,397
unique missing codes: 2  missing *: 712/1,397

tabulation:  Freq.  Numeric  Label
              277     0  never
              3       5  at least once a week
              274     7  once a day
              131     9  more than once a day
              2       .a
              710     .c
    
```

c2_hr_G **G : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,15]         units: 1
unique values: 10     missing .: 989/1,397
unique missing codes: 2  missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              176    0
              89    1
              84    2
              21    3
              19    4
               9    5
               1    6
               1    7
               5    8
               1   15
             989    .
               2    .c
    mean:     1.25369
    std. dev: 1.67396

percentiles:      10%      25%      50%      75%      90%
                  0         0         1         2         3
    
```

c2_min_G **G : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)
range: [0,53]
unique values: 24
unique missing codes: 2

units: 1
missing .: 989/1,397
missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              201    0
               3    3
               4    4
              10    5
               3    6
               3    7
               3    8
               8    9
              20   10
               1   11
               1   13
               8   15
               1   18
              50   20
               4   25
               1   27
               2   29
              30   30
               1   38
               1   39
              37   40
               4   45
               9   50
               1   53
             989    .
               2    .c
    mean:     12.0616
    std. dev: 15.2566

percentiles:      10%      25%      50%      75%      90%
                  0         0         3        20        40
    
```

c2_aa_G **G :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 8
missing "": 989/1,397
    
```



```

tabulation:  Freq.  Value
              989  ""
              275  "1"
               18  "1.5"
               46  "2"
               27  "2.5"
                4  "3"
                7  "3.5"
                1  "5.5"
               30  "many times"
    
```

warning: variable has embedded blanks

c2_ab_G **G :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 3           missing "": 989/1,397
    
```

```

tabulation:  Freq.  Value
              989  ""
              403  "day"
                2  "time"
                3  "week"
    
```

c2_ac_G **G :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,4]           units: .1
unique values: 6       missing .: 989/1,397
unique missing codes: 2   missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              294  0
               96  1
                2  1.5
                9  2
                1  3
                4  4
              989  .
                2  .c
    
```

```

mean: .334975
std. dev: .636238
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

c2_ad_G **G :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45]         units: .1
unique values: 21     missing .: 989/1,397
unique missing codes: 2   missing *: 2/1,397
    
```

```

tabulation:  Freq.  Value
              98    0
              1    1
              1   1.5
              7    2
              8   2.5
              3    3
              4   3.5
              9   4.5
             31    5
              2   5.5
             11   7.5
              2   9.5
             56   10
             21   15
              1  17.5
             31   20
              1  22.5
              5   25
            108   30
              3   40
              3   45
            989   .
              2   .c
    mean:     13.6022
  std. dev:  12.3322

percentiles:    10%    25%    50%    75%    90%
                0      2      10     30     30
  
```

c2_ba_G **G : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]           units: 1
unique values: 7        missing .: 989/1,397
unique missing codes: 2 missing *: 177/1,397
  
```

```

tabulation:  Freq.  Numeric  Label
              6      1  father
              24     3  mother
              17     5  grandparents
               5     7  uncle/aunt
             134     9  brother/sister/cousin
              41    11  outsider
               4    13  other household member
            989     .
            177    .b
  
```

c2_bb_G **G : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]           units: 1
unique values: 7        missing .: 1,259/1,397
unique missing codes: 2 missing *: 10/1,397
  
```

```

tabulation:  Freq.  Numeric  Label
              1         1  father
              5         3  mother
             12         5  grandparents
              2         7  uncle/aunt
             64         9  brother/sister/cousin
             38        11  outsider
              6        13  other household member
            1,259        .
              10        .b
    
```

c2_bc_G **G : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,13]
unique values: 5
unique missing codes: 2

units: 1
missing .: 1,363/1,397
missing *: 2/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              2         3  mother
              1         7  uncle/aunt
              9         9  brother/sister/cousin
             19        11  outsider
              1        13  other household member
            1,363        .
              2         .b
    
```

c2_ba_gen_G **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,166/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
             92         1  male
            139         3  female
            1,166        .
    
```

c2_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,269/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
             50         1  male
             78         3  female
            1,269        .
    
```

c2_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,365/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              14      1  male
              18      3  female
              1,365    .
    
```

c3_code_G **G : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]          units: 1
unique values: 2      missing .: 0/1,397
unique missing codes: 2  missing *: 686/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              36      3  at least once a month
              675     5  at least once a week
               2      .a
              684     .b
    
```

c3_hr_G **G : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,20]        units: 1
unique values: 9      missing .: 722/1,397
unique missing codes: 2  missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              419    0
              170    1
               43    2
               30    3
                4    4
                3    5
                2    6
                2    8
                1   20
              722    .
                1   .c
mean:        .630564
std. dev:    1.26855
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
    
```

c3_min_G **G : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,53]        units: 1
unique values: 33     missing .: 722/1,397
unique missing codes: 2  missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              114    0
                3    1
                9    2
               12    3
               21    4
               29    5
               11    6
                3    7
               19    8
               10    9
               42   10
    
```

```

        6 11
        2 12
        8 13
        8 14
       83 15
        4 16
        1 17
        4 18
        9 19
       36 20
        3 23
       28 25
      126 30
        1 31
        1 34
        7 35
       11 38
       13 40
        1 44
       29 45
       12 50
        8 53
       722 .
        1 .c
    mean: 17.5074
  std. dev: 14.2808

  percentiles:      10%      25%      50%      75%      90%
                   0         5         15         30         38

```

c3_aa_G **G :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str3
  unique values: 11           missing "": 721/1,397
  tabulation:  Freq.  Value
                721  ""
                140  "1"
                 70  "1.5"
                153  "2"
                122  "2.5"
                112  "3"
                 37  "3.5"
                 20  "4"
                 10  "4.5"
                  9  "5"
                  2  "5.5"
                  1  "6"

```

c3_ab_G **G :Monday-Friday How many times per units (Monday - Sunday)**

```

    type: string (str22), but longest is str5
  unique values: 3           missing "": 721/1,397
  tabulation:  Freq.  Value
                721  ""
                  1  "day"
                  1  "month"
                674  "week"

```

c3_ac_G **G :Monday-Friday How many times per hours (Monday - Sunday)**

```

    type: numeric (double)

```

range: [0,3] units: .1
 unique values: 5 missing .: 723/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 571 0
 94 1
 1 1.5
 5 2
 2 3
 723 .
 1 .c
 mean: .165676
 std. dev: .415075

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c3_ad_G G :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)
 range: [0,45] units: .1
 unique values: 24 missing .: 816/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 1 0
 4 1
 6 1.5
 16 2
 25 2.5
 12 3
 13 3.5
 4 4
 17 4.5
 50 5
 8 5.5
 21 7.5
 102 10
 9 12.5
 60 15
 2 15.5
 1 17.5
 58 20
 1 23
 10 25
 150 30
 1 35
 1 40
 8 45
 816 .
 1 .c
 mean: 15.831
 std. dev: 10.8469

percentiles: 10% 25% 50% 75% 90%
 3 5 15 30 30

c3_ba_G G : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 686/1,397
 unique missing codes: 2 missing *: 268/1,397

```

tabulation:  Freq.  Numeric  Label
              13      1  father
              29      3  mother
              35      5  grandparents
              12      7  uncle/aunt
             254      9  brother/sister/cousin
              87     11  outsider
              13     13  other household member
             686      .
             268     .b
    
```

c3_bb_G **G : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,179/1,397
missing *: 10/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              4      1  father
             16      3  mother
              7      5  grandparents
              2      7  uncle/aunt
             85      9  brother/sister/cousin
             93     11  outsider
              1     13  other household member
            1,179    .
              10     .b
    
```

c3_bc_G **G : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,11]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,311/1,397
missing *: 6/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              1      3  mother
              1      5  grandparents
             24      9  brother/sister/cousin
             54     11  outsider
            1,311    .
              6     .b
    
```

c3_ba_gen_G **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 952/1,397
missing *: 1/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
             193      1  male
             251      3  female
             952      .
              1      .b
    
```

c3_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,189/1,397

tabulation: Freq.  Numeric  Label
              89      1  male
              119     3  female
              1,189   .
    
```

c3_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .: 1,317/1,397

tabulation: Freq.  Numeric  Label
              32      1  male
              48      3  female
              1,317   .
    
```

activity_J
 Go to work with the household members e.g. go to field,farm, sell goods (not dis

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
              1,397  ""
    
```

detail_J **_J detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
              1,397  ""
    
```

c1_code_J **J : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [.,.]
unique values: 1
units: .
missing .: 1,396/1,397

tabulation: Freq.  Numeric  Label
              1      0  never
              1,396   .
    
```

c1_hr_J **J : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

c1_min_J J : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

c1_aa_J J :Monday-Friday How many times (Monday - Friday)

```

type: string (str27), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

```

c1_ab_J J :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str21), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

```

c1_ac_J J :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

c1_ad_J **J : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c1_ba_J **J : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c1_bb_J **J : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c1_bc_J **J : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c1_ba_gen_J **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c1_bb_gen_J **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Numeric  Label
             1,397      .
    
```

c1_bc_gen_J **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Numeric  Label
             1,397      .
    
```

c2_code_J **J : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [...]
unique values: 1
units: .
missing ..: 1,396/1,397

tabulation: Freq.  Numeric  Label
             1      0  never
             1,396      .
    
```

c2_hr_J **J : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Value
             1,397  .
             mean:  .
             std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

c2_min_J **J : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Value
             1,397  .
             mean:  .
             std. dev:  .
    
```

```
percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
```

c2_aa_J **J :Monday-Friday How many times (Saturday - Sunday)**

```
type: string (str30), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
```

c2_ab_J **J :Monday-Friday How many times per units (Saturday - Sunday)**

```
type: string (str21), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
```

c2_ac_J **J :Monday-Friday How many times per hours (Saturday - Sunday)**

```
type: numeric (double)
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
tabulation: Freq. Value
            1,397 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
```

c2_ad_J **J :Monday-Friday How many times per minutes (Saturday - Sunday)**

```
type: numeric (double)
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
tabulation: Freq. Value
            1,397 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
```

c2_ba_J **J : People doing activity with (person 1)**

```
type: numeric (byte)
label: c1_ba_A
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
tabulation: Freq. Numeric Label
            1,397 .
```

c2_bb_J **J : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [..]
unique values: 0
                units: .
                missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c2_bc_J **J : People doing activity with (person 3)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [..]
unique values: 0
                units: .
                missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c2_ba_gen_J **Gender code (person 1)**

```

      type: numeric (byte)
      label: c2_ba_gen

      range: [..]
unique values: 0
                units: .
                missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c2_bb_gen_J **Gender code (person 2)**

```

      type: numeric (byte)
      label: c2_bb_gen

      range: [..]
unique values: 0
                units: .
                missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c2_bc_gen_J **Gender code (person 3)**

```

      type: numeric (byte)
      label: c2_bc_gen

      range: [..]
unique values: 0
                units: .
                missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c3_code_J **J : Frequency (Monday - Sunday)**

```

      type: numeric (byte)
      label: c3_code
    
```

```

range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,396/1,397
missing *: 1/1,397

tabulation: Freq. Numeric Label
             1,396      .
             1         .b
    
```

c3_hr_J **J : Hours per week (Monday - Sunday)**

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
             1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

c3_min_J **J : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
             1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

c3_aa_J **J :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

c3_ab_J **J :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

c3_ac_J **J :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
    
```

```

range: [.,.]          units: .
unique values: 0      missing .. 1,397/1,397

  tabulation: Freq.  Value
              1,397  .
    mean:      .
    std. dev:  .

percentiles:   10%    25%    50%    75%    90%
               .      .      .      .      .
    
```

c3_ad_J **J : Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)

range: [.,.]          units: .
unique values: 0      missing .. 1,397/1,397

  tabulation: Freq.  Value
              1,397  .
    mean:      .
    std. dev:  .

percentiles:   10%    25%    50%    75%    90%
               .      .      .      .      .
    
```

c3_ba_J **J : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [.,.]          units: .
unique values: 0      missing .. 1,397/1,397

  tabulation: Freq.  Numeric  Label
              1,397  .
    
```

c3_bb_J **J : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [.,.]          units: .
unique values: 0      missing .. 1,397/1,397

  tabulation: Freq.  Numeric  Label
              1,397  .
    
```

c3_bc_J **J : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [.,.]          units: .
unique values: 0      missing .. 1,397/1,397

  tabulation: Freq.  Numeric  Label
              1,397  .
    
```

c3_ba_gen_J **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c3_bb_gen_J **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c3_bc_gen_J **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

activity_K **Do housework (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""
    
```

detail_K **K: detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""
    
```

c1_code_K **K : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,397
missing *: 464/1,397
    
```



```

tabulation:  Freq.  Numeric  Label
              792      0      never
              110      7      once a day
              31       9      more than once a day
               2       .a
              462      .c
    
```

c1_hr_K

K : Hours per week (Monday - Friday)

```

type: numeric (float)
range: [0,12]
unique values: 9
unique missing codes: 2
units: 1
missing .: 1,256/1,397
missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              91      0
              19      1
              16      2
               1      3
               1      4
               6      5
               2      7
               3     10
               1     12
            1,256      .
               1     .c
mean:        1.02857
std. dev:    2.1656
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         1         2.5
    
```

c1_min_K

K : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,50]
unique values: 20
unique missing codes: 2
units: 1
missing .: 1,256/1,397
missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              10      0
               1      2
               3      3
               1      5
               8      8
               9     10
               3     11
               8     13
               5     15
               5     18
               2     19
               1     20
               2     23
              20     25
               2     28
              17     30
               5     38
               8     40
               2     45
              28     50
            1,256      .
               1     .c
mean:        26.0143
std. dev:    16.2715
    
```

percentiles: 10% 25% 50% 75% 90%
4 12 25 40 50

c1_aa_K K :Monday-Friday How many times (Monday - Friday)

type: string (str27), but longest is str10
unique values: 6 missing "": 1,256/1,397

tabulation: Freq. Value
1,256 ""
110 "1"
9 "1.5"
13 "2"
1 "3.5"
1 "5.5"
7 "many times"

warning: variable has embedded blanks

c1_ab_K K :Monday-Friday How many times per units (Monday - Friday)

type: string (str21), but longest is str3
unique values: 1 missing "": 1,256/1,397

tabulation: Freq. Value
1,256 ""
141 "day"

c1_ac_K K :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)
range: [0,2.5] units: .1
unique values: 4 missing .: 1,256/1,397
unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
128 0
8 1
3 2
1 2.5
1,256 .
1 .c

mean: .117857
std. dev: .418161

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0

c1_ad_K K :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (double)
range: [0,45] units: .1
unique values: 21 missing .: 1,256/1,397
unique missing codes: 2 missing *: 1/1,397

```

tabulation:  Freq.  Value
              12    0
              1    1
              11   1.5
              9    2
              9   2.5
              2    3
              4   3.5
              1    4
              2   4.5
              29   5
              1   5.5
              1    6
              5   7.5
              24  10
              4   13
              3   15
              1  17.5
              5   20
              14  30
              1   35
              1   45
            1,256  .
              1   .c
    mean:     8.85357
    std. dev: 9.38668

percentiles:    10%    25%    50%    75%    90%
                1.5    2.5     5     10     30
    
```

c1_ba_K **K : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 6
    unique missing codes: 2

                                units: 1
    missing .: 1,256/1,397
    missing *: 22/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              2      1  father
              31     3  mother
              55     5  grandparents
              2      7  uncle/aunt
              24     9  brother/sister/cousin
              5     13  other household member
            1,256  .
              22   .b
    
```

c1_bb_K **K : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 6
    unique missing codes: 2

                                units: 1
    missing .: 1,354/1,397
    missing *: 2/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  father
              7      3  mother
              13     5  grandparents
              1      7  uncle/aunt
              17     9  brother/sister/cousin
              2     13  other household member
            1,354  .
              2   .b
    
```

c1_bc_K **K : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,9]
unique values: 4
units: 1
missing ..: 1,388/1,397

tabulation: Freq.  Numeric  Label
              5         3  mother
              1         5  grandparents
              1         7  uncle/aunt
              2         9  brother/sister/cousin
              1,388      .
    
```

c1_ba_gen_K **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,278/1,397

tabulation: Freq.  Numeric  Label
              16         1  male
              103        3  female
              1,278      .
    
```

c1_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,356/1,397

tabulation: Freq.  Numeric  Label
              11         1  male
              30         3  female
              1,356      .
    
```

c1_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [3,3]
unique values: 1
units: 1
missing ..: 1,387/1,397

tabulation: Freq.  Numeric  Label
              10         3  female
              1,387      .
    
```

c2_code_K **K : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 2
units: 1
missing ..: 0/1,397
missing *: 464/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              787      0      never
              1       5      at least once a week
             113      7      once a day
              32      9      more than once a day
              2       .a
             462      .c
    
```

c2_hr_K

K : Hours per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,5]
unique values: 6
unique missing codes: 2
units: 1
missing .: 1,251/1,397
missing *: 1/1,397

tabulation:  Freq.  Value
              116    0
              16    1
               7    2
               2    3
               3    4
               1    5
            1,251  .
               1   .c
mean:       .365517
std. dev:   .896086

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

c2_min_K

K : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,55]
unique values: 23
unique missing codes: 2
units: 1
missing .: 1,251/1,397
missing *: 1/1,397

tabulation:  Freq.  Value
              27    0
               1    2
               8    3
               9    4
              11    5
               1    6
               4    7
               2    8
              21   10
               1   11
               5   15
               1   18
              31   20
               1   24
               4   25
               4   30
               1   32
               1   33
               1   35
               8   40
               1   45
               1   50
               1   55
            1,251  .
               1   .c
mean:       13.2069
std. dev:   12.3597
    
```

```
percentiles:      10%      25%      50%      75%      90%
                  0         4         10        20        30
```

c2_aa_K **K :Monday-Friday How many times (Saturday - Sunday)**

```
type: string (str30), but longest is str10
```

```
unique values: 7      missing "": 1,251/1,397
```

```
tabulation:  Freq.  Value
             1,251  ""
             114   "1"
              8   "1.5"
             14   "2"
              1   "3"
              1   "3.5"
              1   "5.5"
              7   "many times"
```

```
warning: variable has embedded blanks
```

c2_ab_K **K :Monday-Friday How many times per units (Saturday - Sunday)**

```
type: string (str21), but longest is str4
```

```
unique values: 2      missing "": 1,251/1,397
```

```
tabulation:  Freq.  Value
             1,251  ""
             145   "day"
              1   "week"
```

c2_ac_K **K :Monday-Friday How many times per hours (Saturday - Sunday)**

```
type: numeric (double)
```

```
range: [0,2.5]           units: .1
unique values: 4         missing .: 1,251/1,397
unique missing codes: 2   missing *: 1/1,397
```

```
tabulation:  Freq.  Value
             132   0
              9   1
              3   2
              1  2.5
             1,251 .
              1  .c
```

```
mean:      .12069
std. dev:  .417815
```

```
percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
```

c2_ad_K **K :Monday-Friday How many times per minutes (Saturday - Sunday)**

```
type: numeric (double)
```

```
range: [0,45]           units: .1
unique values: 21       missing .: 1,251/1,397
unique missing codes: 2   missing *: 1/1,397
```

```

tabulation:  Freq.  Value
              13    0
              1    1
              11   1.5
              9    2
              9   2.5
              1    3
              4   3.5
              1    4
              2   4.5
              31   5
              2   5.5
              1    6
              8   7.5
              26  10
              3   15
              1  17.5
              5   20
              1   25
              14  30
              1   35
              1   45
            1,251 .
              1   .c
    mean:     8.74138
    std. dev: 9.32833

percentiles:    10%    25%    50%    75%    90%
                1.5    2.5     5     10     30
    
```

c2_ba_K **K : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,251/1,397
missing *: 23/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              3      1  father
              33     3  mother
              57     5  grandparents
              2      7  uncle/aunt
              23     9  brother/sister/cousin
              5     13  other household member
            1,251 .
              23    .b
    
```

c2_bb_K **K : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,354/1,397
missing *: 2/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  father
              7      3  mother
              13     5  grandparents
              1      7  uncle/aunt
              17     9  brother/sister/cousin
              2     13  other household member
            1,354 .
              2    .b
    
```

c2_bc_K **K : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,9]
unique values: 4
units: 1
missing .. 1,388/1,397

tabulation: Freq.  Numeric  Label
              5          3  mother
              1          5  grandparents
              1          7  uncle/aunt
              2          9  brother/sister/cousin
            1,388          .
    
```

c2_ba_gen_K **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,274/1,397

tabulation: Freq.  Numeric  Label
              17          1  male
              106         3  female
            1,274          .
    
```

c2_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,356/1,397

tabulation: Freq.  Numeric  Label
              11          1  male
              30          3  female
            1,356          .
    
```

c2_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [3,3]
unique values: 1
units: 1
missing .. 1,388/1,397

tabulation: Freq.  Numeric  Label
              9          3  female
            1,388          .
    
```

c3_code_K **K : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 2
units: 1
missing .. 0/1,397
missing *: 935/1,397
    
```



```

tabulation:  Freq.  Numeric  Label
              50      3      at least once a month
              412     5      at least once a week
              2       .a
              933     .b
    
```

c3_hr_K

K : Hours per week (Monday - Sunday)

```

type: numeric (float)
range: [0,5] units: 1
unique values: 6 missing .: 985/1,397

tabulation:  Freq.  Value
              369    0
              32    1
              8     2
              1     3
              1     4
              1     5
              985    .
mean: .145631
std. dev: .506075

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     1
    
```

c3_min_K

K : Minutes per week (Monday - Sunday)

```

type: numeric (float)
range: [0,55] units: 1
unique values: 31 missing .: 985/1,397

tabulation:  Freq.  Value
              29    0
              3    1
              16    2
              21    3
              22    4
              52    5
              15    6
              7    7
              24    8
              8    9
              39   10
              9   11
              5   12
              9   13
              4   14
              38   15
              4   18
              7   19
              26  20
              1   23
              8   25
              1   28
              28  30
              1   31
              3   35
              5   38
              6   40
              7   45
              9   50
              3   53
              2   55
              985  .
mean: 13.4879
    
```

std. dev: 12.5691
 percentiles: 10% 25% 50% 75% 90%
 2 5 10 19 30

c3_aa_K **K :Monday-Friday How many times (Monday - Sunday)**

type: string (**str6**), but longest is str3
 unique values: 10 missing "": 978/1,397
 tabulation: Freq. Value
 978 ""
 108 "1"
 77 "1.5"
 95 "2"
 53 "2.5"
 57 "3"
 15 "3.5"
 7 "4"
 1 "4.5"
 4 "5"
 2 "5.5"

c3_ab_K **K :Monday-Friday How many times per units (Monday - Sunday)**

type: string (**str22**), but longest is str5
 unique values: 3 missing "": 977/1,397
 tabulation: Freq. Value
 977 ""
 1 "day"
 8 "month"
 411 "week"

c3_ac_K **K :Monday-Friday How many times per hours (Monday - Sunday)**

type: numeric (**double**)
 range: [0,2] units: 1
 unique values: 3 missing .: 985/1,397
 tabulation: Freq. Value
 395 0
 15 1
 2 2
 985 .
 mean: .046117
 std. dev: .232011
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c3_ad_K **K :Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (**double**)
 range: [1,45] units: .1
 unique values: 21 missing .: 1,001/1,397

```

tabulation:  Freq.  Value
              11    1
              10   1.5
              22    2
              39   2.5
              13    3
              12   3.5
               6    4
              13   4.5
              91    5
               4   5.5
               2    6
              20   7.5
               1    8
              78   10
               2  12.5
              15   15
              24   20
               2   25
              29   30
               1   35
               1   45
            1,001  .
      mean:    8.80808
  std. dev:   8.05211

percentiles:      10%      25%      50%      75%      90%
                  2        3.5      5        10       20
  
```

c3_ba_K **K : People doing activity with (person 1)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]          units: 1
  unique values: 7          missing .: 935/1,397
  unique missing codes: 2  missing *: 80/1,397

      tabulation:  Freq.  Numeric  Label
                   5        1  father
                   140       3  mother
                   171       5  grandparents
                    12       7  uncle/aunt
                    37       9  brother/sister/cousin
                     1       11 outsider
                    16       13 other household member
                   935        .
                    80       .b
  
```

c3_bb_K **K : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]          units: 1
  unique values: 7          missing .: 1,294/1,397
  unique missing codes: 2  missing *: 7/1,397
  
```

```

tabulation:  Freq.  Numeric  Label
              2       1  father
              13      3  mother
              32      5  grandparents
               3       7  uncle/aunt
              36      9  brother/sister/cousin
               1      11  outsider
               9      13  other household member
            1,294      .
               7       .b
    
```

c3_bc_K **K : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 6      missing .: 1,382/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              1       1  father
              2       5  grandparents
              2       7  uncle/aunt
              6       9  brother/sister/cousin
              1      11  outsider
              3      13  other household member
            1,382      .
    
```

c3_ba_gen_K **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,015/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              34      1  male
              348     3  female
            1,015      .
    
```

c3_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,301/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              24      1  male
              72      3  female
            1,301      .
    
```

c3_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,382/1,397
    
```

```

tabulation: Freq.  Numeric  Label
              6          1  male
              9          3  female
            1,382          .
    
```

activity_L **Do homework (not display)**

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq.  Value
            1,397 ""
    
```

detail_L **L: detail**

```

type: string (str238), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq.  Value
            1,397 ""
    
```

c1_code_L **L : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9] units: 1
unique values: 5 missing .: 0/1,397
unique missing codes: 2 missing *: 241/1,397

tabulation: Freq.  Numeric  Label
              326          0  never
               2          3  at least once a month
              103          5  at least once a week
              718          7  once a day
               7          9  more than once a day
               2           .a
              239          .c
    
```

c1_hr_L **L : Hours per week (Monday - Friday)**

```

type: numeric(float)

range: [0,15] units: 1
unique values: 9 missing .: 569/1,397
unique missing codes: 2 missing *: 1/1,397

tabulation: Freq.  Value
              306  0
              140  1
              253  2
               17  3
               4  4
               96  5
                6  7
                4 10
                1 15
              569  .
                1  .c
mean: 1.55985
std. dev: 1.79985
    
```



```

tabulation: Freq. Value
             569 ""
              1 ".23"
              1 ".69"
             719 "1"
              2 "1.16"
              2 "1.39"
              1 "1.4"
              1 "1.5"
              1 "1.63"
              1 "1.8"
             12 "2"
              1 "2.09"
              1 "2.1"
              4 "2.5"
              1 "2.55"
              5 "2.56"
              2 "2.79"
              1 "2.8"
              8 "3"
              6 "3.02"
              1 "3.2"
              2 "3.26"
              1 "3.48"
              6 "3.49"
              2 "3.5"
              3 "3.72"
              5 "3.95"
             13 "4"
              6 "4.18"
              3 "4.19"
              1 "4.41"
              3 "4.42"
              4 "4.65"
              4 "4.88"
              1 "5"
              1 "5.11"
              1 "5.12"
              1 "7"
    
```

cl_ab_L L :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str21), but longest is str4
unique values: 3 missing "": 569/1,397
tabulation: Freq. Value
             569 ""
             719 "day"
              1 "time"
             108 "week"
    
```

cl_ac_L L :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,3] units: .1
unique values: 5 missing .: 569/1,397
unique missing codes: 2 missing *: 1/1,397
    
```

```

tabulation: Freq. Value
              707  0
              113  1
                2  1.5
                4  2
                1  3
              569 .
                1 .c
  mean:      .153567
  std. dev:  .385884

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
  
```

c1_ad_L **L : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
  range: [0,45]
unique values: 24
unique missing codes: 2
units: .1
missing .: 569/1,397
missing *: 1/1,397
  
```

```

tabulation: Freq. Value
              115  0
                1  1
                6  1.5
               10  2
               18  2.5
               18  3
                4  3.5
                1  4
                9  4.5
               57  5
                7  5.5
                2  6
                3  6.5
               16  7.5
              137  10
                3  13
               53  15
                6  17.5
               77  20
               13  25
              256  30
                2  35
                1  40
               12  45
              569 .
                1 .c
  mean:      15.9208
  std. dev:  12.0197

percentiles:      10%      25%      50%      75%      90%
                  0         5        15        30        30
  
```

c1_ba_L **L : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
  range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 567/1,397
missing *: 206/1,397
  
```



```

tabulation:  Freq.  Numeric  Label
              49      1  father
              210     3  mother
              244     5  grandparents
               26     7  uncle/aunt
               64     9  brother/sister/cousin
                7    11  outsider
               24    13  other household member
              567     .
              206    .b
    
```

c1_bb_L **L : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7        missing .: 1,063/1,397
unique missing codes: 2  missing *: 30/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              33      1  father
              66      3  mother
              99      5  grandparents
              15      7  uncle/aunt
              74      9  brother/sister/cousin
               9     11  outsider
               8     13  other household member
            1,063     .
              30     .b
    
```

c1_bc_L **L : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7        missing .: 1,334/1,397
unique missing codes: 2  missing *: 5/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
               2      1  father
               5      3  mother
              10      5  grandparents
               5      7  uncle/aunt
              30      9  brother/sister/cousin
               4     11  outsider
               2     13  other household member
            1,334     .
               5     .b
    
```

c1_ba_gen_L **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2        missing .: 773/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              134     1  male
              490     3  female
              773     .
    
```

c1_bb_gen_L **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,093/1,397

tabulation: Freq.  Numeric  Label
              88      1  male
              216     3  female
              1,093    .
    
```

c1_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,339/1,397

tabulation: Freq.  Numeric  Label
              19      1  male
              39      3  female
             1,339    .
    
```

c2_code_L **L : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 2
units: 1
missing ..: 0/1,397
missing *: 248/1,397

tabulation: Freq.  Numeric  Label
              853      0  never
              32       5  at least once a week
             259       7  once a day
              5        9  more than once a day
              2        .a
             246        .c
    
```

c2_hr_L **L : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,6]
unique values: 6
unique missing codes: 2
units: 1
missing ..: 1,101/1,397
missing *: 1/1,397

tabulation: Freq.  Value
              146    0
              95    1
              49    2
               2    3
               2    4
               1    6
             1,101  .
               1    .c
mean:       .722034
std. dev:   .871325
    
```


unique values: 2 missing "": 1,101/1,397
 tabulation: Freq. Value
 1,101 ""
 265 "day"
 31 "week"

c2_ac_L L :Monday-Friday How many times per hours (Saturday - Sunday)

type: numeric (double)
 range: [0,3] units: 1
 unique values: 4 missing .: 1,101/1,397
 unique missing codes: 2 missing *: 1/1,397
 tabulation: Freq. Value
 234 0
 58 1
 2 2
 1 3
 1,101 .
 1 .c
 mean: .220339
 std. dev: .454299
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c2_ad_L L :Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)
 range: [0,45] units: .1
 unique values: 18 missing .: 1,101/1,397
 unique missing codes: 2 missing *: 1/1,397
 tabulation: Freq. Value
 58 0
 1 1.5
 6 2
 4 2.5
 6 3
 3 3.5
 3 4.5
 16 5
 1 5.5
 8 7.5
 44 10
 11 15
 2 17.5
 33 20
 2 25
 91 30
 1 35
 5 45
 1,101 .
 1 .c
 mean: 15.4271
 std. dev: 12.5169
 percentiles: 10% 25% 50% 75% 90%
 0 3 10 30 30

c2_ba_L L : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,101/1,397
missing *: 57/1,397

```

tabulation:	Freq.	Numeric	Label
	19	1	father
	91	3	mother
	85	5	grandparents
	10	7	uncle/aunt
	23	9	brother/sister/cousin
	2	11	outsider
	9	13	other household member
	1,101	.	
	57	.b	

c2_bb_L **L : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,262/1,397
missing *: 18/1,397

```

tabulation:	Freq.	Numeric	Label
	17	1	father
	29	3	mother
	32	5	grandparents
	9	7	uncle/aunt
	24	9	brother/sister/cousin
	4	11	outsider
	2	13	other household member
	1,262	.	
	18	.b	

c2_bc_L **L : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,371/1,397
missing *: 1/1,397

```

tabulation:	Freq.	Numeric	Label
	1	1	father
	3	3	mother
	2	5	grandparents
	2	7	uncle/aunt
	14	9	brother/sister/cousin
	3	11	outsider
	1,371	.	
	1	.b	

c2_ba_gen_L **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,158/1,397

```

```

tabulation:  Freq.  Numeric  Label
              57      1  male
              182     3  female
              1,158   .
    
```

c2_bb_gen_L **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,280/1,397

tabulation:  Freq.  Numeric  Label
              30      1  male
              87      3  female
              1,280   .
    
```

c2_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,372/1,397

tabulation:  Freq.  Numeric  Label
              8      1  male
              17      3  female
              1,372   .
    
```

c3_code_L **L : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]          units: 1
unique values: 2      missing .: 0/1,397
unique missing codes: 2  missing *: 1,158/1,397

tabulation:  Freq.  Numeric  Label
              17      3  at least once a month
              222     5  at least once a week
              2       .a
              1,156   .b
    
```

c3_hr_L **L : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,6]          units: 1
unique values: 7      missing .: 1,175/1,397
unique missing codes: 2  missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              125  0
              56  1
              27  2
               6  3
               4  4
               1  5
               2  6
            1,175  .
              1  .c
    mean:     .728507
    std. dev: 1.09068

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

c3_min_L

L : Minutes per week (Monday - Sunday)

```

type: numeric (float)
range: [0,56]
unique values: 33
unique missing codes: 2
units: 1
missing .: 1,175/1,397
missing *: 1/1,397
    
```

```

tabulation:  Freq.  Value
              46  0
               1  1
               1  2
               5  4
               7  5
               3  6
               2  7
               8  8
               1  9
               6 10
               3 11
               1 13
               4 14
              22 15
               1 16
               4 18
               1 19
               6 20
               2 23
               8 25
               1 26
               1 27
              45 30
               1 31
               4 35
               9 38
               1 39
               6 40
               5 45
               6 50
               1 52
               7 53
               2 56
            1,175  .
              1  .c
    mean:     19.8326
    std. dev: 16.0987

percentiles:    10%    25%    50%    75%    90%
                0      5      16     30     40
    
```

c3_aa_L

L : Monday-Friday How many times (Monday - Sunday)

```

type: string (str6), but longest is str4
unique values: 24 missing "": 1,175/1,397
tabulation: Freq. Value
1,175 ""
18 "1"
7 "1.5"
29 "2"
1 "2.09"
40 "2.5"
1 "2.55"
1 "2.79"
58 "3"
1 "3.02"
1 "3.26"
25 "3.5"
1 "3.7"
24 "4"
1 "4.42"
1 "4.5"
1 "4.65"
3 "4.88"
3 "5"
1 "5.3"
1 "5.34"
1 "5.5"
1 "6"
1 "6.05"
1 "6.74"

```

c3_ab_L L :Monday-Friday How many times per units (Monday - Sunday)

```

type: string (str22), but longest is str4
unique values: 1 missing "": 1,176/1,397
tabulation: Freq. Value
1,176 ""
221 "week"

```

c3_ac_L L :Monday-Friday How many times per hours (Monday - Sunday)

```

type: numeric (double)
range: [0,2] units: 1
unique values: 3 missing .: 1,175/1,397
unique missing codes: 2 missing *: 1/1,397
tabulation: Freq. Value
193 0
27 1
1 2
1,175 .
1 .c
mean: .131222
std. dev: .351585
percentiles: 10% 25% 50% 75% 90%
0 0 0 0 1

```

c3_ad_L L :Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)

```


range: [0,45] units: .1
 unique values: 20 missing .: 1,201/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 1 0
 2 1
 4 1.5
 1 2
 6 2.5
 6 3
 5 3.5
 4 4.5
 23 5
 1 5.5
 3 7.5
 34 10
 3 12.5
 20 15
 2 17.5
 21 20
 2 25
 52 30
 1 40
 4 45
 1,201 .
 1 .c
 mean: 16.3282
 std. dev: 11.1607

percentiles: 10% 25% 50% 75% 90%
 3 5 15 30 30

c3_ba_L **L : People doing activity with (person 1)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 1,158/1,397
 unique missing codes: 2 missing *: 50/1,397

tabulation: Freq. Numeric Label
 15 1 father
 67 3 mother
 75 5 grandparents
 4 7 uncle/aunt
 20 9 brother/sister/cousin
 2 11 outsider
 6 13 other household member
 1,158 .
 50 .b

c3_bb_L **L : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 1,300/1,397
 unique missing codes: 2 missing *: 13/1,397

```

tabulation:  Freq.  Numeric  Label
              10      1  father
              22      3  mother
              18      5  grandparents
               4      7  uncle/aunt
              21      9  brother/sister/cousin
               6     11  outsider
               3     13  other household member
            1,300      .
              13      .b
    
```

c3_bc_L **L : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7

units: 1
missing .: 1,374/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              4      1  father
              1      3  mother
              7      5  grandparents
              1      7  uncle/aunt
              8      9  brother/sister/cousin
              1     11  outsider
              1     13  other household member
            1,374      .
    
```

c3_ba_gen_L **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,208/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              39      1  male
             150      3  female
            1,208      .
    
```

c3_bb_gen_L **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,313/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              27      1  male
              57      3  female
            1,313      .
    
```

c3_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,374/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              9      1      male
              14     3      female
              1,374  .
    
```

activity_M **Child reads a book byself (not display)**

```

type:  string (str147), but longest is str0
unique values:  0      missing "":  1,397/1,397
tabulation:  Freq.  Value
              1,397  ""
    
```

detail_M **M: detail**

```

type:  string (str238), but longest is str0
unique values:  0      missing "":  1,397/1,397
tabulation:  Freq.  Value
              1,397  ""
    
```

c1_code_M **M : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  c1_code
range:  [0,9]
unique values:  3      units:  1
unique missing codes:  2      missing .:  0/1,397
                                missing *:  94/1,397
tabulation:  Freq.  Numeric  Label
              1,178  0      never
              115   7      once a day
              10    9      more than once a day
              2     .a
              92    .c
    
```

c1_hr_M **M : Hours per week (Monday - Friday)**

```

type:  numeric (float)
range:  [0,10]
unique values:  6      units:  1
                                missing .:  1,272/1,397
tabulation:  Freq.  Value
              55   0
              26   1
              31   2
               1   3
              11   5
               1  10
            1,272  .
mean:  1.248
std. dev:  1.6542
percentiles:  10%    25%    50%    75%    90%
              0      0      1      2      3
    
```

c1_min_M **M : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,55]
unique values: 17
units: 1
missing .: 1,272/1,397

```

```

tabulation: Freq. Value
             12  0
              5  5
              3 10
              4 13
             11 15
              3 18
              2 20
              1 23
              7 25
              1 28
             30 30
              1 33
              4 38
             13 40
             26 50
              1 53
              1 55
             1,272 .
mean:       28.84
std. dev:   16.206

```

```

percentiles:      10%      25%      50%      75%      90%
                  5        15        30        40        50

```

c1_aa_M **M :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 4
missing "": 1,272/1,397

```

```

tabulation: Freq. Value
             1,272 ""
             116 "1"
              1 "1.5"
              5 "2"
              3 "many times"

```

warning: variable has embedded blanks

c1_ab_M **M :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str3
unique values: 1
missing "": 1,272/1,397

```

```

tabulation: Freq. Value
             1,272 ""
             125 "day"

```

c1_ac_M **M :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,1]
unique values: 2
units: 1
missing .: 1,272/1,397

```

```

tabulation:  Freq.  Value
              113    0
              12    1
              1,272  .
mean:        .096
std. dev:    .295777

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

c1_ad_M M : Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (double)
range: [0,40] units: .1
unique values: 19 missing .: 1,272/1,397

tabulation:  Freq.  Value
              12    0
              4    1
              2    2
              4    2.5
              2    3
              3    3.5
              1    4
              1    4.5
              8    5
              1    6.5
              4    7.5
              25   10
              12   15
              1   17.5
              13   20
              2   25
              28   30
              1   35
              1   40
              1,272 .
mean:        14.336
std. dev:    10.9568

percentiles: 10%    25%    50%    75%    90%
              1      5      10     25     30
    
```

c1_ba_M M : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A
range: [.,.] units: .
unique values: 0 missing .: 1,272/1,397
unique missing codes: 2 missing *: 125/1,397

tabulation:  Freq.  Numeric  Label
              1,272  .
              125    .b
    
```

c1_bb_M M : People doing activity with (person 2)

```

type: numeric (byte)
label: c1_ba_A
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
    
```

tabulation: Freq. Numeric Label
 1,397 .

c1_bc_M **M : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**

range: [..] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
 1,397 .

c1_ba_gen_M **Gender code (person 1)**

type: numeric (byte)
 label: **c1_ba_gen**

range: [..] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
 1,397 .

c1_bb_gen_M **Gender code (person 2)**

type: numeric (byte)
 label: **c1_bb_gen**

range: [..] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
 1,397 .

c1_bc_gen_M **Gender code (person 3)**

type: numeric (byte)
 label: **c1_bc_gen**

range: [..] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
 1,397 .

c2_code_M **M : Frequency (Saturday - Sunday)**

type: numeric (byte)
 label: **c2_code**

range: [0,9] units: 1
 unique values: 3 missing .: 0/1,397
 unique missing codes: 2 missing *: 94/1,397

```

tabulation:  Freq.  Numeric  Label
              1,192      0  never
              102       7  once a day
               9       9  more than once a day
               2       .a
              92       .c
    
```

c2_hr_M **M : Hours per week (Saturday - Sunday)**

```

type: numeric (float)
range: [0,4] units: 1
unique values: 4 missing .: 1,286/1,397

tabulation:  Freq.  Value
              71  0
              28  1
              11  2
               1  4
            1,286 .
mean:       .486486
std. dev:   .749119

percentiles:  10%    25%    50%    75%    90%
              0      0      0      1      2
    
```

c2_min_M **M : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)
range: [0,50] units: 1
unique values: 16 missing .: 1,287/1,397

tabulation:  Freq.  Value
              38  0
               3  2
               3  4
               3  5
               1  6
               3  7
               1  8
               1  9
               8 10
               1 13
               4 15
              21 20
               9 30
              10 40
               1 45
               3 50
            1,287 .
mean:       13.7727
std. dev:   14.6805

percentiles:  10%    25%    50%    75%    90%
              0      0     10     20     40
    
```

c2_aa_M **M :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 4 missing "": 1,286/1,397
    
```

```

tabulation: Freq. Value
             1,286 ""
              103 "1"
               1  "1.5"
               4  "2"
               3  "many times"
    
```

warning: variable has embedded blanks

c2_ab_M **M :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str3
unique values: 1 missing "": 1,286/1,397
tabulation: Freq. Value
             1,286 ""
              111 "day"
    
```

c2_ac_M **M :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,286/1,397
tabulation: Freq. Value
             99 0
              12 1
             1,286 .
mean: .108108
std. dev: .311925
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c2_ad_M **M :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,40] units: .1
unique values: 17 missing .: 1,286/1,397
tabulation: Freq. Value
             12 0
               4 1
               2 2
               3 2.5
               1 3
               3 3.5
               1 4
               1 4.5
               8 5
               5 7.5
              20 10
              12 15
              10 20
               2 25
              25 30
               1 35
               1 40
             1,286 .
mean: 14.1441
std. dev: 11.1448
    
```

c2_bc_gen_M **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Numeric  Label
              1,397      .
    
```

c3_code_M **M : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 0/1,397
missing *: 1,304/1,397

tabulation: Freq.  Numeric  Label
              3          3  at least once a month
              90         5  at least once a week
              2          .a
            1,302         .b
    
```

c3_hr_M **M : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,3]
unique values: 4
units: 1
missing ..: 1,307/1,397

tabulation: Freq.  Value
              65    0
              20    1
               4    2
               1    3
            1,307  .
mean:       .344444
std. dev:   .621002

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      1      1
    
```

c3_min_M **M : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,53]
unique values: 28
units: 1
missing ..: 1,307/1,397

tabulation: Freq.  Value
              11    0
               2    1
               1    2
               1    4
               6    5
               1    6
               7    8
               1    9
               1   10
               4   11
               1   12
    
```

```

          1 13
          2 14
          9 15
          1 16
          2 18
          4 20
          4 25
          1 26
          2 28
         11 30
          1 31
          3 35
          2 38
          5 40
          1 45
          4 50
          1 53
         1,307 .
    mean:    18.9444
  std. dev: 14.7094

percentiles:    10%    25%    50%    75%    90%
                  0      8     15     30     40

```

c3_aa_M **M :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str4
unique values: 11          missing "": 1,307/1,397
  tabulation: Freq. Value
              1,307 ""
               10 "1"
                1 "1.05"
               10 "1.5"
               16 "2"
               18 "2.5"
               14 "3"
                9 "3.5"
                6 "4"
                1 "4.5"
                4 "5"
                1 "5.5"

```

c3_ab_M **M :Monday-Friday How many times per units (Monday - Sunday)**

```

    type: string (str22), but longest is str4
unique values: 2          missing "": 1,307/1,397
  tabulation: Freq. Value
              1,307 ""
                1 "day"
               89 "week"

```

c3_ac_M **M :Monday-Friday How many times per hours (Monday - Sunday)**

```

    type: numeric (double)
    range: [0,1]          units: 1
unique values: 2          missing .: 1,307/1,397

```



```

tabulation: Freq.  Numeric  Label
             1,312      .
             85         .b
    
```

c3_bc_M **M : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [..]
unique values: 0
unique missing codes: 2

units: .
missing ..: 1,312/1,397
missing *: 85/1,397
    
```

```

tabulation: Freq.  Numeric  Label
             1,312      .
             85         .b
    
```

c3_ba_gen_M **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [..]
unique values: 0
unique missing codes: 2

units: .
missing ..: 1,396/1,397
missing *: 1/1,397
    
```

```

tabulation: Freq.  Numeric  Label
             1,396      .
             1         .b
    
```

c3_bb_gen_M **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [..]
unique values: 0

units: .
missing ..: 1,397/1,397
    
```

```

tabulation: Freq.  Numeric  Label
             1,397      .
    
```

c3_bc_gen_M **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [..]
unique values: 0

units: .
missing ..: 1,397/1,397
    
```

```

tabulation: Freq.  Numeric  Label
             1,397      .
    
```

activity_N **Others (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,397/1,397
    
```

```

tabulation: Freq.  Value
             1,397  ""
    
```

detail_N **Identify frequent activities (not display)**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c1_code_N **N : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c1_hr_N **N : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_min_N **N : Minutes per week (Monday - Friday)**

type: numeric (**float**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_aa_N **N :Monday-Friday How many times (Monday - Friday)**

type: string (**str27**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c1_ab_N **N :Monday-Friday How many times per units (Monday - Friday)**

type: string (**str21**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c1_ac_N **N :Monday-Friday How many times per hours (Monday - Friday)**

type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_ad_N **N :Monday-Friday How many times per minutes (Monday - Friday)**

type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c1_ba_N **N : People doing activity with (person 1)**

type: numeric (**byte**)
 label: **c1_ba_A**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c1_bb_N **N : People doing activity with (person 2)**

type: numeric (**byte**)
 label: **c1_ba_A**
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c1_bc_N **N : People doing activity with (person 3)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [..]
unique values: 0
      units: .
      missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c1_ba_gen_N **Gender code (person 1)**

```

      type: numeric (byte)
      label: c1_ba_gen

      range: [..]
unique values: 0
      units: .
      missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c1_bb_gen_N **Gender code (person 2)**

```

      type: numeric (byte)
      label: c1_bb_gen

      range: [..]
unique values: 0
      units: .
      missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c1_bc_gen_N **Gender code (person 3)**

```

      type: numeric (byte)
      label: c1_bc_gen

      range: [..]
unique values: 0
      units: .
      missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c2_code_N **N : Frequency (Saturday - Sunday)**

```

      type: numeric (byte)
      label: c2_code

      range: [..]
unique values: 0
      units: .
      missing : 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

c2_hr_N **N : Hours per week (Saturday - Sunday)**

```

      type: numeric (float)
    
```



```

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,397/1,397

    tabulation: Freq. Value
                1,397 .
        mean: .
        std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

c2_min_N **N : Minutes per week (Saturday - Sunday)**

```

        type: numeric (float)

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,397/1,397

    tabulation: Freq. Value
                1,397 .
        mean: .
        std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

c2_aa_N **N : Monday-Friday How many times (Saturday - Sunday)**

```

        type: string (str30), but longest is str0
unique values: 0
        missing "": 1,397/1,397

    tabulation: Freq. Value
                1,397 ""
    
```

c2_ab_N **N : Monday-Friday How many times per units (Saturday - Sunday)**

```

        type: string (str21), but longest is str0
unique values: 0
        missing "": 1,397/1,397

    tabulation: Freq. Value
                1,397 ""
    
```

c2_ac_N **N : Monday-Friday How many times per hours (Saturday - Sunday)**

```

        type: numeric (double)

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,397/1,397

    tabulation: Freq. Value
                1,397 .
        mean: .
        std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

c2_ad_N **N : Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

c2_ba_N **N : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .

```

c2_bb_N **N : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .

```

c2_bc_N **N : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .

```

c2_ba_gen_N **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .

```

c2_bb_gen_N **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

```

```

range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c2_bc_gen_N **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c3_code_N **N : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

c3_hr_N **N : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c3_min_N **N : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

c3_aa_N **N : Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str0
    
```

unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c3_ab_N N : Monday-Friday How many times per units (Monday - Sunday)

type: string (str22), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

c3_ac_N N : Monday-Friday How many times per hours (Monday - Sunday)

type: numeric (double)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c3_ad_N N : Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

c3_ba_N N : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

c3_bb_N N : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A

```

    range: [.,.]
unique values: 0
    units: .
missing ..: 1,397/1,397

    tabulation: Freq.  Numeric  Label
                1,397      .

```

c3_bc_N **N : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [.,.]
unique values: 0
    units: .
missing ..: 1,397/1,397

    tabulation: Freq.  Numeric  Label
                1,397      .

```

c3_ba_gen_N **Gender code (person 1)**

```

    type: numeric (byte)
    label: c3_ba_gen

    range: [.,.]
unique values: 0
    units: .
missing ..: 1,397/1,397

    tabulation: Freq.  Numeric  Label
                1,397      .

```

c3_bb_gen_N **Gender code (person 2)**

```

    type: numeric (byte)
    label: c3_bb_gen

    range: [.,.]
unique values: 0
    units: .
missing ..: 1,397/1,397

    tabulation: Freq.  Numeric  Label
                1,397      .

```

c3_bc_gen_N **Gender code (person 3)**

```

    type: numeric (byte)
    label: c3_bc_gen

    range: [.,.]
unique values: 0
    units: .
missing ..: 1,397/1,397

    tabulation: Freq.  Numeric  Label
                1,397      .

```

activity_0 **Child plays computer, tablet, ipad, mobile phone (not display)**

```

    type: string (str147), but longest is str0
unique values: 0
    missing "": 1,397/1,397

    tabulation: Freq.  Value
                1,397  ""

```

detail_0 **O: detail**

type: string (**str238**), but longest is str0
 unique values: **0** missing "": **1,397/1,397**
 tabulation: Freq. Value
 1,397 ""

c1_code_0 **O : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: **1**
 unique values: **4** missing .: **1/1,397**
 unique missing codes: **3** missing *: **304/1,397**
 tabulation: Freq. Numeric Label
 354 **0** never
 3 **5** at least once a week
 453 **7** once a day
 282 **9** more than once a day
 1 **.**
 2 **.a**
 302 **.c**

c1_hr_0 **O : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,60] units: **1**
 unique values: **25** missing .: **659/1,397**
 unique missing codes: **2** missing *: **4/1,397**
 tabulation: Freq. Value
 50 **0**
 46 **1**
 120 **2**
 29 **3**
 4 **4**
 239 **5**
 12 **6**
 54 **7**
 1 **8**
 3 **9**
 83 **10**
 1 **11**
 30 **12**
 20 **15**
 1 **16**
 7 **17**
 3 **18**
 15 **20**
 4 **22**
 2 **25**
 1 **27**
 6 **30**
 1 **31**
 1 **33**
 1 **60**
 659 **.**
 4 **.c**
 mean: **6.16894**
 std. dev: **5.6904**

c1_ab_0 O :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str21), but longest is str4
unique values: 3 missing "": 659/1,397
tabulation: Freq. Value
             659 ""
             733 "day"
              2 "time"
              3 "week"
    
```

c1_ac_0 O :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,6] units: .1
unique values: 11 missing .: 659/1,397
unique missing codes: 2 missing *: 4/1,397
tabulation: Freq. Value
             309 0
             311 1
              14 1.5
              65 2
               7 2.5
              15 3
               3 3.5
               6 4
               2 4.5
               1 5
               1 6
             659 .
              4 .c
mean: .788828
std. dev: .8731
percentiles: 10% 25% 50% 75% 90%
              0 0 1 1 2
    
```

c1_ad_0 O :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (double)
range: [0,48] units: .1
unique values: 23 missing .: 659/1,397
unique missing codes: 2 missing *: 4/1,397
tabulation: Freq. Value
             371 0
              1 1
              2 1.5
              2 2
              4 2.5
              1 3
              4 3.5
              4 4.5
             15 5
              6 7.5
             18 10
              6 13
             19 15
              1 17.5
             36 20
              7 25
            208 30
    
```



```

          5 35
          1 36.5
          1 37.5
          3 40
          18 45
          1 48
          659 .
          4 .c
    mean: 12.3917
    std. dev: 14.4932

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      30     30

```

c1_ba_0 **O : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 7
    unique missing codes: 2

    units: 1
    missing .: 659/1,397
    missing *: 440/1,397

```

tabulation:	Freq.	Numeric	Label
	26	1	father
	39	3	mother
	24	5	grandparents
	11	7	uncle/aunt
	170	9	brother/sister/cousin
	23	11	outsider
	5	13	other household member
	659	.	
	440	.b	

c1_bb_0 **O : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 7
    unique missing codes: 2

    units: 1
    missing .: 1,214/1,397
    missing *: 20/1,397

```

tabulation:	Freq.	Numeric	Label
	11	1	father
	32	3	mother
	14	5	grandparents
	4	7	uncle/aunt
	73	9	brother/sister/cousin
	27	11	outsider
	2	13	other household member
	1,214	.	
	20	.b	

c1_bc_0 **O : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]
    unique values: 6
    unique missing codes: 2

    units: 1
    missing .: 1,344/1,397
    missing *: 4/1,397

```

```

tabulation:  Freq.  Numeric  Label
              1         1  father
              5         3  mother
              1         5  grandparents
              20        9  brother/sister/cousin
              19        11  outsider
              3         13  other household member
            1,344         .
              4         .b
    
```

c1_ba_gen_0 **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,098/1,397
missing *: 1/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              139        1  male
              159        3  female
            1,098         .
              1         .b
    
```

c1_bb_gen_0 **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,234/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              73         1  male
              90         3  female
            1,234         .
    
```

c1_bc_gen_0 **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,348/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              22         1  male
              27         3  female
            1,348         .
    
```

c2_code_0 **0 : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 3

units: 1
missing .: 1/1,397
missing *: 303/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              313      0  never
              7       5  at least once a week
             394      7  once a day
             379      9  more than once a day
              1       .
              2      .a
             301      .c
    
```

c2_hr_0

0 : Hours per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,29]
unique values: 19
unique missing codes: 2
units: 1
missing .: 617/1,397
missing *: 10/1,397
    
```

```

tabulation:  Freq.  Value
              99      0
             143      1
             226      2
              54      3
              91      4
              38      5
              34      6
              19      7
              17      8
              11      9
               6     10
               5     11
              15     12
               4     13
               1     14
               2     16
               1     21
               3     24
               1     29
             617      .
              10     .c
mean: 3.11429
std. dev: 3.29794
    
```

```

percentiles: 10% 25% 50% 75% 90%
              0  1  2  4  7
    
```

c2_min_0

0 : Minutes per week (Saturday - Sunday)

```

type: numeric(float)
range: [0,55]
unique values: 22
unique missing codes: 2
units: 1
missing .: 617/1,397
missing *: 10/1,397
    
```

```

tabulation:  Freq.  Value
             594      0
               1      2
               2      3
               3      5
               1      6
               4      7
               4      9
              10     10
               2     12
               1     13
               9     15
              27     20
               1     23
               7     25
    
```

```

    1 28
    1 29
    61 30
    27 40
    4 45
    8 50
    1 53
    1 55
    617 .
    10 .c
  mean: 6.17922
std. dev: 12.7033

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30

```

c2_aa_0 **O :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 12                missing "": 617/1,397
unique missing codes: 2         missing *: 1/1,397

tabulation:  Freq.  Value
              617   ""
              397   "1"
               29   "1.5"
              139   "2"
               56   "2.5"
               30   "3"
                7   "3.5"
                4   "4"
                6   "4.5"
                1   "5"
                1   "5.5"
                1   "DK"
              109   "many times"

warning: variable has embedded blanks

```

c2_ab_0 **O :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 3                missing "": 617/1,397

tabulation:  Freq.  Value
              617   ""
              771   "day"
                2   "time"
                7   "week"

```

c2_ac_0 **O :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)

range: [0,14]                units: .1
unique values: 13           missing .: 617/1,397
unique missing codes: 2     missing *: 10/1,397

```

```

tabulation:  Freq.  Value
              309  0
              308  1
               16  1.5
               68  2
                7  2.5
               33  3
                5  3.5
               11  4
                2  4.5
                7  5
                1  6
                2  12
                1  14
              617  .
              10  .c
    mean:     .953247
    std. dev: 1.26461

percentiles:      10%      25%      50%      75%      90%
                  0         0         1         1         2
    
```

c2_ad_0 **0 :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

    type: numeric (double)
    range: [0,48]
    unique values: 21
    unique missing codes: 2
    units: .1
    missing .: 617/1,397
    missing *: 10/1,397
    
```

```

tabulation:  Freq.  Value
              396  0
                1  1
                2  1.5
                2  2
                4  2.5
                1  3
                4  3.5
                4  4.5
               12  5
               13  7.5
                1  9.5
               16  10
               22  15
                1  17.5
               41  20
                7  25
              215  30
                5  35
                2  40
               20  45
                1  48
              617  .
              10  .c
    mean:     12.176
    std. dev: 14.4425

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         30         30
    
```

c2_ba_0 **0 : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 617/1,397
 unique missing codes: 2 missing *: 457/1,397

tabulation:	Freq.	Numeric	Label
	30	1	father
	38	3	mother
	24	5	grandparents
	13	7	uncle/aunt
	188	9	brother/sister/cousin
	25	11	outsider
	5	13	other household member
	617	.	.
	457	.b	.b

c2_bb_0 O : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,203/1,397
 unique missing codes: 2 missing *: 21/1,397

tabulation:	Freq.	Numeric	Label
	12	1	father
	34	3	mother
	14	5	grandparents
	4	7	uncle/aunt
	77	9	brother/sister/cousin
	30	11	outsider
	2	13	other household member
	1,203	.	.
	21	.b	.b

c2_bc_0 O : People doing activity with (person 3)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 6 missing .: 1,338/1,397
 unique missing codes: 2 missing *: 4/1,397

tabulation:	Freq.	Numeric	Label
	1	1	father
	6	3	mother
	1	5	grandparents
	25	9	brother/sister/cousin
	19	11	outsider
	3	13	other household member
	1,338	.	.
	4	.b	.b

c2_ba_gen_0 Gender code (person 1)

type: numeric (byte)
 label: c2_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,073/1,397
 unique missing codes: 2 missing *: 1/1,397

```

tabulation:  Freq.  Numeric  Label
              153      1  male
              170      3  female
            1,073      .
              1        .b
    
```

c2_bb_gen_0 **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,224/1,397

tabulation:  Freq.  Numeric  Label
              77      1  male
              96      3  female
            1,224      .
    
```

c2_bc_gen_0 **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,342/1,397

tabulation:  Freq.  Numeric  Label
              25      1  male
              30      3  female
            1,342      .
    
```

c3_code_0 **0 : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 3

units: 1
missing ..: 1/1,397
missing *: 1,094/1,397

tabulation:  Freq.  Numeric  Label
              31      3  at least once a month
              271     5  at least once a week
              1        .
              2        .a
            1,092     .b
    
```

c3_hr_0 **0 : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,12]
unique values: 11

units: 1
missing ..: 1,126/1,397
    
```

```

tabulation:  Freq.  Value
              110    0
              68    1
              32    2
              28    3
              13    4
               8    5
               2    6
               3    7
               5    8
               1   11
               1   12
            1,126  .
    mean:     1.49077
    std. dev: 1.97927

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      4
    
```

c3_min_0 **0 : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,59]
unique values: 26
units: 1
missing .: 1,126/1,397
    
```

```

tabulation:  Freq.  Value
              79    0
               3    2
               4    3
               3    4
               2    5
               4    6
               5    8
               2    9
              12   10
               3   11
               7   13
              19   15
               1   18
               1   19
              19   20
               4   23
               2   25
               2   26
              72   30
               2   35
               2   38
               5   40
              11   45
               3   50
               3   53
               1   59
            1,126  .
    mean:     17.0886
    std. dev: 15.0898

percentiles:    10%    25%    50%    75%    90%
                0      0     15     30     30
    
```

c3_aa_0 **0 :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 9
missing "": 1,124/1,397
    
```



```

tabulation: Freq. Value
            1,124 ""
             40 "1"
             20 "1.5"
             57 "2"
             49 "2.5"
             46 "3"
             23 "3.5"
             21 "4"
              7 "4.5"
             10 "5"
    
```

c3_ab_0 O :Monday-Friday How many times per units (Monday - Sunday)

```

type: string (str22), but longest is str5
unique values: 3 missing "": 1,124/1,397
tabulation: Freq. Value
            1,124 ""
              1 "day"
              2 "month"
            270 "week"
    
```

c3_ac_0 O :Monday-Friday How many times per hours (Monday - Sunday)

```

type: numeric (double)
range: [0,4] units: .1
unique values: 6 missing .: 1,126/1,397
tabulation: Freq. Value
            176 0
             72 1
              2 1.5
             18 2
              1 3
              2 4
            1,126 .
mean: .450185
std. dev: .705999
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1
    
```

c3_ad_0 O :Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [0,47.5] units: .1
unique values: 18 missing .: 1,210/1,397
tabulation: Freq. Value
             1 0
             2 1.5
             4 2
             7 2.5
             2 3
             1 3.5
             3 4.5
            15 5
             6 7.5
            31 10
             1 12.5
            10 15
             3 17.5
    
```



```

tabulation:  Freq.  Numeric  Label
              1       3  mother
              2       7  uncle/aunt
              8       9  brother/sister/cousin
              3      11  outsider
            1,382      .
              1       .b
    
```

c3_ba_gen_0 Gender code (person 1)

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,237/1,397
missing *: 2/1,397

tabulation:  Freq.  Numeric  Label
              68     1  male
              90     3  female
            1,237      .
              2     .b
    
```

c3_bb_gen_0 Gender code (person 2)

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,333/1,397

tabulation:  Freq.  Numeric  Label
              27     1  male
              37     3  female
            1,333      .
    
```

c3_bc_gen_0 Gender code (person 3)

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,383/1,397

tabulation:  Freq.  Numeric  Label
              4     1  male
              10    3  female
            1,383      .
    
```

activity_P Child watches TV (not display)

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation:  Freq.  Value
            1,397  ""
    
```

detail_P Identify frequent activities (not display)

```

type: string (str238), but longest is str0
    
```

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

c1_code_P **P : Frequency (Monday - Friday)**

type: numeric (byte)
label: **c1_code**
range: [0,9] units: 1
unique values: 4 missing .: 1/1,397
unique missing codes: 3 missing *: 124/1,397

tabulation:	Freq.	Numeric	Label
	150	0	never
	7	5	at least once a week
	806	7	once a day
	309	9	more than once a day
	1	.	
	2	.a	
	122	.c	

c1_hr_P **P : Hours per week (Monday - Friday)**

type: numeric (double)
range: [0,65] units: 1
unique values: 24 missing .: 0/1,397

tabulation:	Freq.	Value
	361	0
	48	1
	187	2
	46	3
	2	4
	426	5
	4	6
	67	7
	3	9
	144	10
	2	11
	24	12
	39	15
	8	17
	3	18
	18	20
	3	22
	5	25
	1	27
	2	30
	1	31
	1	40
	1	42
	1	65

mean: 4.69506
std. dev: 5.20222

percentiles: 10% 25% 50% 75% 90%
0 0 5 5 10

c1_min_P **P : Minutes per week (Monday - Friday)**

type: numeric (double)

range: [0,55] units: 1
 unique values: 20 missing .: 0/1,397

tabulation: Freq. Value
 911 0
 1 3
 6 5
 2 8
 7 10
 6 13
 23 15
 3 18
 9 20
 5 23
 21 25
 283 30
 2 34
 5 35
 6 38
 28 40
 35 45
 34 50
 4 53
 6 55

mean: 10.9621
 std. dev: 16.0922

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c1_aa_P P :Monday-Friday How many times (Monday - Friday)

type: string (str27), but longest is str10

unique values: 8 missing "": 275/1,397

tabulation: Freq. Value
 275 ""
 806 "1"
 38 "1.5"
 229 "2"
 18 "2.5"
 12 "3"
 3 "3.5"
 1 "4.5"
 15 "many times"

warning: variable has embedded blanks

c1_ab_P P :Monday-Friday How many times per units (Monday - Friday)

type: string (str21), but longest is str4

unique values: 3 missing "": 275/1,397

tabulation: Freq. Value
 275 ""
 1,111 "day"
 2 "time"
 9 "week"

c1_ac_P P :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)

range: [0,6] units: .1
 unique values: 10 missing .: 276/1,397
 unique missing codes: 2 missing *: 2/1,397

tabulation: Freq. Value
 453 0
 497 1
 15 1.5
 115 2
 4 2.5
 25 3
 1 3.5
 6 4
 2 5
 1 6
 276 .
 2 .c
 mean: .784629
 std. dev: .816914

percentiles: 10% 25% 50% 75% 90%
 0 0 1 1 2

c1_ad_P P :Monday-Friday How many times per minutes (Monday - Friday)

type: numeric (double)

range: [0,55] units: .01
 unique values: 29 missing .: 276/1,397
 unique missing codes: 2 missing *: 2/1,397

tabulation: Freq. Value
 586 0
 2 1
 5 1.5
 2 2
 7 2.5
 2 3
 7 3.5
 4 4.5
 22 5
 1 5.5
 1 6.5
 7 7.5
 38 10
 1 13
 26 15
 1 17.5
 1 18.5
 34 20
 2 22.5
 3 25
 322 30
 1 32.25
 1 32.5
 5 35
 4 40
 1 42.5
 30 45
 1 50
 2 55
 276 .
 2 .c
 mean: 12.0512
 std. dev: 14.6893

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c1_ba_P **P : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 275/1,397
missing *: 95/1,397
    
```

tabulation:	Freq.	Numeric	Label
	150	1	father
	119	3	mother
	457	5	grandparents
	23	7	uncle/aunt
	223	9	brother/sister/cousin
	7	11	outsider
	48	13	other household member
	275	.	
	95	.b	

c1_bb_P **P : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 473/1,397
missing *: 15/1,397
    
```

tabulation:	Freq.	Numeric	Label
	51	1	father
	189	3	mother
	400	5	grandparents
	18	7	uncle/aunt
	199	9	brother/sister/cousin
	8	11	outsider
	44	13	other household member
	473	.	
	15	.b	

c1_bc_P **P : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 873/1,397
missing *: 12/1,397
    
```

tabulation:	Freq.	Numeric	Label
	21	1	father
	48	3	mother
	130	5	grandparents
	29	7	uncle/aunt
	242	9	brother/sister/cousin
	9	11	outsider
	33	13	other household member
	873	.	
	12	.b	

c1_ba_gen_P **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 370/1,397

tabulation: Freq.   Numeric   Label
              490         1   male
              537         3   female
              370         .
    
```

c1_bb_gen_P **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 488/1,397

tabulation: Freq.   Numeric   Label
              296         1   male
              613         3   female
              488         .
    
```

c1_bc_gen_P **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 885/1,397

tabulation: Freq.   Numeric   Label
              195         1   male
              317         3   female
              885         .
    
```

c2_code_P **P : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 3
units: 1
missing .. 1/1,397
missing *: 122/1,397

tabulation: Freq.   Numeric   Label
              131         0   never
              2          5   at least once a week
              672         7   once a day
              469         9   more than once a day
              1          .
              2          .a
              120         .c
    
```

c2_hr_P **P : Hours per week (Saturday - Sunday)**

```

type: numeric (double)

range: [0,36]
unique values: 21
units: 1
missing .. 0/1,397
    
```



```

tabulation:  Freq.  Value
              376    0
              192    1
              383    2
               68    3
             167    4
               30    5
               45    6
               20    7
               44    8
                7    9
               21   10
                6   11
               16   12
                1   13
                7   14
                3   15
                4   16
                2   20
                2   21
                2   26
                1   36
    
```

```

mean: 2.62205
std. dev: 3.26003
    
```

```

percentiles:  10%    25%    50%    75%    90%
              0      0      2      4      6
    
```

c2_min_P

P : Minutes per week (Saturday - Sunday)

```

type: numeric (byte)
range: [0,55]
unique values: 19
units: 1
missing .: 0/1,397
    
```

```

tabulation:  Freq.  Value
             1,210    0
                2    3
                3    4
                5    5
                2    6
                2    7
                3    9
               19   10
                1   12
                5   14
                6   15
               39   20
                1   26
               60   30
                1   38
               30   40
                5   45
                2   50
                1   55
    
```

```

mean: 3.35147
std. dev: 9.54391
    
```

```

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0     15
    
```

c2_aa_P

P : Monday-Friday How many times (Saturday - Sunday)

```

type: string (str30), but longest is str10
unique values: 8
missing "": 254/1,397
    
```

```

tabulation: Freq. Value
             254 ""
             669 "1"
             37  "1.5"
            326 "2"
             30  "2.5"
             22  "3"
              6  "3.5"
              1  "4.5"
             52  "many times"
    
```

warning: variable has embedded blanks

c2_ab_P P :Monday-Friday How many times per units (Saturday - Sunday)

```

type: string (str21), but longest is str4
unique values: 3 missing "": 254/1,397
tabulation: Freq. Value
             254 ""
            1,136 "day"
               2  "time"
               5  "week"
    
```

c2_ac_P P :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,10] units: .1
unique values: 13 missing .: 254/1,397
unique missing codes: 2 missing *: 5/1,397
tabulation: Freq. Value
            407 0
            493 1
             16 1.5
            152 2
              5 2.5
             32 3
              3 3.5
             12 4
             11 5
              3 6
              2 7
              1 9
              1 10
            254 .
              5 .c
mean: .961336
std. dev: 1.06734
percentiles: 10% 25% 50% 75% 90%
              0 0 1 1 2
    
```

c2_ad_P P :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,45] units: .1
unique values: 21 missing .: 254/1,397
unique missing codes: 2 missing *: 5/1,397
    
```

```

tabulation:  Freq.  Value
              608    0
              5     1
              3    1.5
              2     2
              5    2.5
              2     3
              6    3.5
              1     4
              4    4.5
              19    5
              8    7.5
              36   10
              25   15
              1   17.5
              37   20
              1   22.5
              2   25
              326  30
              4   35
              3   40
              40  45
              254  .
              5   .c
    mean:     11.9815
    std. dev: 14.7683

percentiles:    10%    25%    50%    75%    90%
                0      0      0     30     30
    
```

c2_ba_P **P : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 254/1,397
missing *: 100/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              154     1  father
              115     3  mother
              460     5  grandparents
              23      7  uncle/aunt
              234     9  brother/sister/cousin
              7      11  outsider
              50     13  other household member
              254     .
              100    .b
    
```

c2_bb_P **P : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 465/1,397
missing *: 15/1,397
    
```

tabulation:	Freq.	Numeric	Label
	53	1	father
	197	3	mother
	402	5	grandparents
	19	7	uncle/aunt
	192	9	brother/sister/cousin
	9	11	outsider
	45	13	other household member
	465	.	
	15	.b	

c2_bc_P **P : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 863/1,397
 unique missing codes: 2 missing *: 13/1,397

tabulation:	Freq.	Numeric	Label
	22	1	father
	51	3	mother
	130	5	grandparents
	28	7	uncle/aunt
	247	9	brother/sister/cousin
	9	11	outsider
	34	13	other household member
	863	.	
	13	.b	

c2_ba_gen_P **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 354/1,397

tabulation:	Freq.	Numeric	Label
	505	1	male
	538	3	female
	354	.	

c2_bb_gen_P **Gender code (person 2)**

type: numeric (byte)
 label: **c2_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 480/1,397

tabulation:	Freq.	Numeric	Label
	293	1	male
	624	3	female
	480	.	

c2_bc_gen_P **Gender code (person 3)**

type: numeric (byte)
 label: **c2_bc_gen**

range: [1,3] units: 1
 unique values: 2 missing : 875/1,397

tabulation:	Freq.	Numeric	Label
	199	1	male
	323	3	female
	875	.	.

c3_code_P P : Frequency (Monday - Sunday)

type: numeric (byte)
 label: c3_code

range: [3,5] units: 1
 unique values: 2 missing : 1/1,397
 unique missing codes: 3 missing *: 1,276/1,397

tabulation:	Freq.	Numeric	Label
	8	3	at least once a month
	112	5	at least once a week
	1	.	.
	2	.a	.a
	1,274	.b	.b

c3_hr_P P : Hours per week (Monday - Sunday)

type: numeric (double)

range: [0,9] units: 1
 unique values: 9 missing : 0/1,397

tabulation:	Freq.	Value
	1,336	0
	31	1
	10	2
	11	3
	3	4
	1	6
	1	7
	1	8
	3	9

mean: .103078
 std. dev: .65294

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

c3_min_P P : Minutes per week (Monday - Sunday)

type: numeric (byte)

range: [0,53] units: 1
 unique values: 24 missing : 0/1,397

tabulation:	Freq.	Value
	1,309	0
	1	3
	1	4
	1	5
	1	6
	1	7
	2	8
	4	10
	1	12
	1	13
	1	14

```

13 15
 2 19
 1 20
 1 22
 2 25
 1 28
29 30
 1 35
 1 38
 6 40
15 45
 1 50
 1 53
    mean: 1.7423
    std. dev: 7.45326
percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

c3_aa_P **P :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 10          missing "": 1,285/1,397
tabulation:
  Freq.  Value
1,285   ""
  10    "1"
  20    "1.5"
  17    "2"
  18    "2.5"
  23    "3"
  10    "3.5"
   5    "4"
   6    "4.5"
   2    "5"
   1    "5.5"

```

c3_ab_P **P :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1          missing "": 1,285/1,397
tabulation:
  Freq.  Value
1,285   ""
  112   "week"

```

c3_ac_P **P :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,3]          units: .1
unique values: 5      missing .: 1,285/1,397
tabulation:
  Freq.  Value
   82    0
   25    1
    1   1.5
    2    2
    2    3
1,285   .
    mean: .325893
    std. dev: .610382

```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

c3_ad_P **P : Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (double)
 range: [0,45] units: .1
 unique values: 14 missing .: 1,312/1,397

tabulation: Freq. Value
 1 0
 2 2
 1 3.5
 1 4
 7 5
 2 5.5
 2 7.5
 13 10
 3 15
 9 20
 2 25
 40 30
 1 40
 1 45
 1,312 .
 mean: 20.7353
 std. dev: 11.0671

percentiles: 10% 25% 50% 75% 90%
 5 10 25 30 30

c3_ba_P **P : People doing activity with (person 1)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 1,277/1,397
 unique missing codes: 2 missing *: 17/1,397

tabulation: Freq. Numeric Label
 13 1 father
 11 3 mother
 40 5 grandparents
 5 7 uncle/aunt
 25 9 brother/sister/cousin
 2 11 outsider
 7 13 other household member
 1,277 .
 17 .b

c3_bb_P **P : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 1,322/1,397
 unique missing codes: 2 missing *: 1/1,397

```

tabulation:  Freq.  Numeric  Label
              6       1  father
              17      3  mother
              31      5  grandparents
               1       7  uncle/aunt
              14      9  brother/sister/cousin
               3      11  outsider
               2      13  other household member
            1,322      .
               1       .b
    
```

c3_bc_P **P : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7      missing .: 1,360/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              3       1  father
              4       3  mother
              6       5  grandparents
              5       7  uncle/aunt
             17      9  brother/sister/cousin
               1      11  outsider
               1      13  other household member
            1,360      .
    
```

c3_ba_gen_P **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,294/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              44      1  male
              59      3  female
            1,294      .
    
```

c3_bb_gen_P **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,323/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              22      1  male
              52      3  female
            1,323      .
    
```

c3_bc_gen_P **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,360/1,397
    
```



```

tabulation:  Freq.  Numeric  Label
              16      1  male
              21      3  female
            1,360      .
    
```

activity_H **Go to temple, library, zoo and museum (not display)**

```

type:  string (str97), but longest is str0
unique values:  0          missing "":  1,397/1,397
tabulation:  Freq.  Value
            1,397  ""
    
```

detail_H **H: detail**

```

type:  string (str1), but longest is str0
unique values:  0          missing "":  1,397/1,397
tabulation:  Freq.  Value
            1,397  ""
    
```

clb_code_H **H : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  clb_code

range:  [0,9]          units:  1
unique values:  3          missing .:  0/1,397
unique missing codes:  2          missing *:  994/1,397

tabulation:  Freq.  Numeric  Label
              394      0  never
               8      7  once a day
               1      9  more than once a day
               2      .a
              992      .c
    
```

clb_hr_H **H : Hours per week (Monday - Friday)**

```

type:  numeric (float)

range:  [2,12]          units:  1
unique values:  3          missing .:  1,388/1,397

tabulation:  Freq.  Value
              3      2
              5      5
              1     12
            1,388      .
mean:  4.77778
std. dev:  3.07318

percentiles:  10%      25%      50%      75%      90%
              2         2         5         5         12
    
```

clb_min_H **H : Minutes per week (Monday - Friday)**

```

type:  numeric (float)
    
```

```

range: [0,30] units: 10
unique values: 2 missing .: 1,388/1,397

tabulation: Freq. Value
             5 0
             4 30
             1,388 .
mean: 13.3333
std. dev: 15.8114

percentiles: 10% 25% 50% 75% 90%
              0 0 0 30 30
    
```

clb_aa_H H :Monday-Friday How many times (Monday - Friday)

```

type: string (str1)
unique values: 2 missing "": 1,388/1,397

tabulation: Freq. Value
             1,388 ""
             8 "1"
             1 "2"
    
```

clb_ab_H H :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str9), but longest is str3
unique values: 1 missing "": 1,388/1,397

tabulation: Freq. Value
             1,388 ""
             9 "day"
    
```

clb_ac_H H :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,388/1,397

tabulation: Freq. Value
             3 0
             6 1
             1,388 .
mean: .666667
std. dev: .5

percentiles: 10% 25% 50% 75% 90%
              0 0 1 1 1
    
```

clb_ad_H H :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (byte)
range: [0,30] units: 1
unique values: 3 missing .: 1,388/1,397
    
```

```

tabulation:  Freq.  Value
              5    0
              1   15
              3   30
            1,388  .
      mean:   11.6667
      std. dev: 14.5774

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

clb_ba_H **H : People doing activity with (person 1)**

```

      type: numeric (byte)
      label: clb_ba

      range: [1,13]          units: 1
unique values: 4             missing .: 1,389/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  father
              3      5  grandparents
              2      9  brother/sister/cousin
              2     13  other household member
            1,389  .
    
```

clb_bb_H **H : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c2b_bb

      range: [.,.]          units: .
unique values: 0             missing .: 1,397/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
            1,397  .
    
```

clb_bc_H **H : People doing activity with (person 3)**

```

      type: numeric (byte)
      label: clb_bc

      range: [.,.]          units: .
unique values: 0             missing .: 1,397/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
            1,397  .
    
```

clb_ba_gen_H **Gender code (person 1)**

```

      type: numeric (byte)
      label: clb_ba_gen

      range: [1,3]          units: 1
unique values: 2             missing .: 1,388/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              2      1  male
              7      3  female
            1,388  .
    
```

c1b_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: c1b_bb_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Numeric  Label
             1,397          .
    
```

c1b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c1b_bc_gen

range: [...]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.  Numeric  Label
             1,397          .
    
```

c2b_code_H **H : Frequency (Saturday - Sunday)**

```

type: numeric (byte)

range: [0,9]
unique values: 5
unique missing codes: 2
units: 1
missing ..: 0/1,397
missing *: 994/1,397

tabulation: Freq.  Value
             382  0
              1  3
              3  5
             16  7
              1  9
              2  .a
             992  .c
mean:       .344913
std. dev:   1.49714

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

c2b_hr_H **H : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [1,22]
unique values: 5
unique missing codes: 2
units: 1
missing ..: 1,377/1,397
missing *: 1/1,397

tabulation: Freq.  Value
             6  1
             9  2
              1  3
              2  4
              1 22
            1,377  .
              1  .c
mean:       3
std. dev:   4.69042
    
```


percentiles: 10% 25% 50% 75% 90%
 0 0 1 1 2

c2b_ad_H H : Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)
 range: [0,30] units: 10
 unique values: 2 missing .: 1,377/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 12 0
 7 30
 1,377 .
 1 .c
 mean: 11.0526
 std. dev: 14.8678

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c2b_ba_H H : People doing activity with (person 1)

type: numeric (byte)
 label: c2b_ba
 range: [1,13] units: 1
 unique values: 5 missing .: 1,377/1,397

tabulation: Freq. Numeric Label
 1 1 father
 11 5 grandparents
 4 9 brother/sister/cousin
 1 11 outside-household-person
 3 13 other household member
 1,377 .

c2b_bb_H H : People doing activity with (person 2)

type: numeric (byte)
 label: c2b_bb
 range: [5,11] units: 1
 unique values: 3 missing .: 1,394/1,397

tabulation: Freq. Numeric Label
 1 5 grandparents
 1 7 uncle/aunt
 1 11 outside-household-person
 1,394 .

c2b_bc_H H : People doing activity with (person 3)

type: numeric (byte)
 label: c2b_bc
 range: [11,11] units: 1
 unique values: 1 missing .: 1,396/1,397

tabulation: Freq. Numeric Label
 1 11 outside-household-person
 1,396 .

c2b_ba_gen_H **Gender code (person 1)**

```

type: numeric (byte)
label: c2b_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,376/1,397

tabulation: Freq.  Numeric  Label
              3         1  male
              18        3  female
              1,376      .
    
```

c2b_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: c2b_bb_gen

range: [3,3]
unique values: 1
units: 1
missing ..: 1,394/1,397

tabulation: Freq.  Numeric  Label
              3         3  female
              1,394      .
    
```

c2b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c2b_bc_gen

range: [3,3]
unique values: 1
units: 1
missing ..: 1,396/1,397

tabulation: Freq.  Numeric  Label
              1         3  female
              1,396      .
    
```

c3b_code_H **H : Frequency (Monday - Sunday)**

```

type: numeric (byte)

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,397
missing *: 404/1,397

tabulation: Freq.  Value
              473  1
              364  3
              156  5
               2  .a
              402  .b
mean: 2.36153
std. dev: 1.45885

percentiles: 10%  25%  50%  75%  90%
              1    1    3    3    5
    
```

c3b_hr_H **H : Hours per week (Monday - Sunday)**

```

type: numeric (float)
    
```

range: [0,8] units: 1
 unique values: 6 missing .: 1,241/1,397
 unique missing codes: 2 missing *: 3/1,397

tabulation: Freq. Value
 38 0
 80 1
 28 2
 3 3
 3 5
 1 8
 1,241 .
 3 .c
 mean: 1.09804
 std. dev: 1.06848

percentiles: 10% 25% 50% 75% 90%
 0 1 1 1 2

c3b_min_H H : Minutes per week (Monday - Sunday)

type: numeric (float)
 range: [0,45] units: 1
 unique values: 9 missing .: 1,241/1,397
 unique missing codes: 2 missing *: 3/1,397

tabulation: Freq. Value
 92 0
 4 5
 1 8
 2 10
 4 15
 1 20
 46 30
 1 40
 2 45
 1,241 .
 3 .c
 mean: 10.7059
 std. dev: 14.3219

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c3b_aa_H H :Monday-Friday How many times (Monday - Sunday)

type: string (str6), but longest is str3
 unique values: 7 missing "": 1,241/1,397

tabulation: Freq. Value
 1,241 ""
 106 "1"
 9 "1.5"
 23 "2"
 8 "2.5"
 5 "3"
 2 "4"
 3 "5"

c3b_ab_H H :Monday-Friday How many times per units (Monday - Sunday)

type: string (str21), but longest is str4

unique values: 1 missing "": 1,241/1,397
 tabulation: Freq. Value
 1,241 ""
 156 "week"

c3b_ac_H H :Monday-Friday How many times per hours (Monday - Sunday)

type: numeric (double)
 range: [0,3] units: .1
 unique values: 6 missing .: 1,241/1,397
 unique missing codes: 2 missing *: 3/1,397

tabulation: Freq. Value
 54 0
 88 1
 1 1.5
 8 2
 1 2.5
 1 3
 1,241 .
 3 .c
 mean: .72549
 std. dev: .612214

percentiles: 10% 25% 50% 75% 90%
 0 0 1 1 1

c3b_ad_H H :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)
 range: [0,40] units: .1
 unique values: 9 missing .: 1,241/1,397
 unique missing codes: 2 missing *: 3/1,397

tabulation: Freq. Value
 93 0
 2 4.5
 2 5
 1 7.5
 2 10
 1 15
 1 20
 50 30
 1 40
 1,241 .
 3 .c
 mean: 10.598
 std. dev: 14.1391

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c3b_ba_H H : People doing activity with (person 1)

type: numeric (byte)
 label: c3b_ba
 range: [1,13] units: 1
 unique values: 7 missing .: 404/1,397
 unique missing codes: 2 missing *: 2/1,397

tabulation:	Freq.	Numeric	Label
	182	1	father
	253	3	mother
	427	5	grandparents
	42	7	uncle/aunt
	38	9	brother/sister/cousin
	11	11	outside-household-person
	38	13	other household member
	404	.	
	2	.b	

c3b_bb_H **H : People doing activity with (person 2)**

type: numeric (byte)
 label: **c3b_bb**
 range: [1,13] units: 1
 unique values: 7 missing .: 780/1,397

tabulation:	Freq.	Numeric	Label
	54	1	father
	206	3	mother
	127	5	grandparents
	29	7	uncle/aunt
	169	9	brother/sister/cousin
	16	11	outside-household-person
	16	13	other household member
	780	.	

c3b_bc_H **H : People doing activity with (person 3)**

type: numeric (byte)
 label: **c3b_bc**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,155/1,397

tabulation:	Freq.	Numeric	Label
	12	1	father
	23	3	mother
	35	5	grandparents
	10	7	uncle/aunt
	150	9	brother/sister/cousin
	6	11	outside-household-person
	6	13	other household member
	1,155	.	

c3b_ba_gen_H **Gender code (person 1)**

type: numeric (byte)
 label: **c3b_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 406/1,397

tabulation:	Freq.	Numeric	Label
	268	1	male
	723	3	female
	406	.	

c3b_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: c3b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 780/1,397

tabulation: Freq.  Numeric  Label
              173      1    male
              444      3    female
              780      .
    
```

c3b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c3b_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,155/1,397

tabulation: Freq.  Numeric  Label
              90      1    male
              152      3    female
             1,155      .
    
```

activity_I **Go to department store (not display)**

```

type: string (str97), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
              1,397  ""
    
```

detail_I **I: detail**

```

type: string (str1), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
              1,397  ""
    
```

clb_code_I **I : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: clb_code

range: [0,7]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 0/1,397
missing *: 1,171/1,397

tabulation: Freq.  Numeric  Label
              215      0    never
              11      7    once a day
              2       .a
             1,169      .c
    
```

clb_hr_I **I : Hours per week (Monday - Friday)**

```

type: numeric (float)
    
```

range: [1,7] units: 1
 unique values: 5 missing .: 1,386/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 2 1
 2 2
 2 3
 2 5
 2 7
 1,386 .
 1 .c
 mean: 3.6
 std. dev: 2.27058

percentiles: 10% 25% 50% 75% 90%
 1 2 3 5 7

clb_min_I I : Minutes per week (Monday - Friday)

type: numeric (float)
 range: [0,45] units: 1
 unique values: 4 missing .: 1,386/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 2 0
 2 15
 4 30
 2 45
 1,386 .
 1 .c
 mean: 24
 std. dev: 16.1245

percentiles: 10% 25% 50% 75% 90%
 0 15 30 30 45

clb_aa_I I :Monday-Friday How many times (Monday - Friday)

type: string (str1)
 unique values: 1 missing "": 1,386/1,397

tabulation: Freq. Value
 1,386 ""
 11 "1"

clb_ab_I I :Monday-Friday How many times per units (Monday - Friday)

type: string (str9), but longest is str3
 unique values: 1 missing "": 1,386/1,397

tabulation: Freq. Value
 1,386 ""
 11 "day"

clb_ac_I I :Monday-Friday How many times per hours (Monday - Friday)

type: numeric (double)

```

range: [0,1.5] units: .1
unique values: 3 missing .: 1,386/1,397
unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
              6 0
              3 1
              1 1.5
            1,386 .
              1 .c
mean: .45
std. dev: .598609

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1.25
    
```

clb_ad_I I : Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (byte)

range: [0,45] units: 1
unique values: 4 missing .: 1,386/1,397
unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
              3 0
              2 15
              3 30
              2 45
            1,386 .
              1 .c
mean: 21
std. dev: 17.6068

percentiles: 10% 25% 50% 75% 90%
              0 0 22.5 30 45
    
```

clb_ba_I I : People doing activity with (person 1)

```

type: numeric (byte)
label: clb_ba

range: [1,11] units: 1
unique values: 6 missing .: 1,386/1,397

tabulation: Freq. Numeric Label
              3 1 father
              2 3 mother
              2 5 grandparents
              2 7 uncle/aunt
              1 9 brother/sister/cousin
              1 11 outside-household-person
            1,386 .
    
```

clb_bb_I I : People doing activity with (person 2)

```

type: numeric (byte)
label: c2b_bb

range: [1,11] units: 1
unique values: 5 missing .: 1,387/1,397
    
```

```

tabulation: Freq.  Numeric  Label
              1          1  father
              4          3  mother
              1          5  grandparents
              3          9  brother/sister/cousin
              1         11  outside-household-person
1,387          .
    
```

clb_bc_I **I : People doing activity with (person 3)**

```

type: numeric (byte)
label: clb_bc

range: [3,11]          units: 1
unique values: 3      missing .. 1,394/1,397

tabulation: Freq.  Numeric  Label
              1          3  mother
              1          7  uncle/aunt
              1         11  outside-household-person
1,394          .
    
```

clb_ba_gen_I **Gender code (person 1)**

```

type: numeric (byte)
label: clb_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,386/1,397

tabulation: Freq.  Numeric  Label
              5          1  male
              6          3  female
1,386          .
    
```

clb_bb_gen_I **Gender code (person 2)**

```

type: numeric (byte)
label: clb_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,387/1,397

tabulation: Freq.  Numeric  Label
              4          1  male
              6          3  female
1,387          .
    
```

clb_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: clb_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,394/1,397

tabulation: Freq.  Numeric  Label
              1          1  male
              2          3  female
1,394          .
    
```

c2b_code_I **I : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
range: [0,7]
unique values: 4
unique missing codes: 2
units: 1
missing .: 0/1,397
missing *: 1,171/1,397

tabulation: Freq. Value
             210  0
              1  3
              3  5
             12  7
              2  .a
            1,169 .c
mean:       .451327
std. dev:   1.66795

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

c2b_hr_I **I : Hours per week (Saturday - Sunday)**

```

type: numeric (float)
range: [1,12]
unique values: 6
unique missing codes: 2
units: 1
missing .: 1,382/1,397
missing *: 1/1,397

tabulation: Freq. Value
             4  1
             3  2
             4  3
             1  4
             1  5
             1 12
            1,382 .
              1  .c
mean:       3.07143
std. dev:   2.84103

percentiles:    10%    25%    50%    75%    90%
                1      1      2.5    3      5
    
```

c2b_min_I **I : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)
range: [0,30]
unique values: 2
unique missing codes: 2
units: 10
missing .: 1,382/1,397
missing *: 1/1,397

tabulation: Freq. Value
             10  0
              4 30
            1,382 .
              1  .c
mean:       8.57143
std. dev:   14.0642

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30    30
    
```

c2b_aa_I **I :Monday-Friday How many times (Saturday - Sunday)**

type: string (**str6**), but longest is str1
 unique values: 1 missing "": 1,382/1,397
 tabulation: Freq. Value
 1,382 ""
 15 "1"

c2b_ab_I **I :Monday-Friday How many times per units (Saturday - Sunday)**

type: string (**str21**), but longest is str4
 unique values: 2 missing "": 1,382/1,397
 tabulation: Freq. Value
 1,382 ""
 12 "day"
 3 "week"

c2b_ac_I **I :Monday-Friday How many times per hours (Saturday - Sunday)**

type: numeric (**double**)
 range: [0,6] units: .1
 unique values: 8 missing .: 1,382/1,397
 unique missing codes: 2 missing *: 1/1,397
 tabulation: Freq. Value
 4 0
 3 1
 1 1.5
 2 2
 1 2.5
 1 3
 1 3.5
 1 6
 1,382 .
 1 .c
 mean: 1.67857
 std. dev: 1.69396
 percentiles: 10% 25% 50% 75% 90%
 0 0 1.25 2.5 3.5

c2b_ad_I **I :Monday-Friday How many times per minutes (Saturday - Sunday)**

type: numeric (**double**)
 range: [0,45] units: 1
 unique values: 3 missing .: 1,382/1,397
 unique missing codes: 2 missing *: 1/1,397
 tabulation: Freq. Value
 8 0
 4 30
 2 45
 1,382 .
 1 .c
 mean: 15
 std. dev: 18.6052

percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 45

c2b_ba_I I : People doing activity with (person 1)

 type: numeric (byte)
 label: **c2b_ba**

 range: [1,11] units: 1
unique values: 6 missing .: 1,381/1,397

 tabulation: Freq. Numeric Label
 6 1 father
 4 3 mother
 2 5 grandparents
 2 7 uncle/aunt
 1 9 brother/sister/cousin
 1 11 outside-household-person
 1,381 .

c2b_bb_I I : People doing activity with (person 2)

 type: numeric (byte)
 label: **c2b_bb**

 range: [1,11] units: 1
unique values: 5 missing .: 1,383/1,397

 tabulation: Freq. Numeric Label
 1 1 father
 7 3 mother
 1 5 grandparents
 4 9 brother/sister/cousin
 1 11 outside-household-person
 1,383 .

c2b_bc_I I : People doing activity with (person 3)

 type: numeric (byte)
 label: **c2b_bc**

 range: [3,11] units: 1
unique values: 4 missing .: 1,390/1,397

 tabulation: Freq. Numeric Label
 1 3 mother
 2 7 uncle/aunt
 3 9 brother/sister/cousin
 1 11 outside-household-person
 1,390 .

c2b_ba_gen_I Gender code (person 1)

 type: numeric (byte)
 label: **c2b_ba_gen**

 range: [1,3] units: 1
unique values: 2 missing .: 1,381/1,397

 tabulation: Freq. Numeric Label
 8 1 male
 8 3 female
 1,381 .

c2b_bb_gen_I **Gender code (person 2)**

```

type: numeric (byte)
label: c2b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,383/1,397

tabulation: Freq.  Numeric  Label
              4          1  male
              10         3  female
            1,383          .
    
```

c2b_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: c2b_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,390/1,397

tabulation: Freq.  Numeric  Label
              3          1  male
              4          3  female
            1,390          .
    
```

c3b_code_I **I : Frequency (Monday - Sunday)**

```

type: numeric (byte)

range: [1,5]
unique values: 3
unique missing codes: 3
units: 1
missing ..: 0/1,397
missing *: 225/1,397

tabulation: Freq.  Value
              403    1
              566    3
              203    5
               2    .a
              222    .b
               1    .c
mean:       2.6587
std. dev:   1.39766

percentiles:    10%    25%    50%    75%    90%
                1      1      3      3      5
    
```

c3b_hr_I **I : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,13]
unique values: 14
unique missing codes: 2
units: 1
missing ..: 1,193/1,397
missing *: 3/1,397
    
```

```

tabulation:  Freq.  Value
              12    0
              68    1
              38    2
              30    3
              14    4
              10    5
              12    6
               1    7
               4    8
               2    9
               3   10
               2   11
               4   12
               1   13
            1,193  .
               3  .c
    mean:      2.89552
    std. dev:  2.70629

percentiles:      10%      25%      50%      75%      90%
                  1         1         2         4         6
    
```

c3b_min_I **I : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,45]
unique values: 9
unique missing codes: 2
units: 1
missing .: 1,193/1,397
missing *: 3/1,397
    
```

```

tabulation:  Freq.  Value
              118    0
               1    8
               1   14
              11   15
               1   25
              62   30
               1   34
               1   35
               5   45
            1,193  .
               3  .c
    mean:      11.7711
    std. dev:  14.8013

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        30        30
    
```

c3b_aa_I **I :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 10
missing "": 1,194/1,397
    
```

```

tabulation:  Freq.  Value
            1,194  ""
             120  "1"
               4  "1.5"
              25  "2"
              19  "2.5"
              14  "3"
               6  "3.5"
               6  "4"
               5  "4.5"
               1  "5"
               3  "5.5"
    
```

c3b_ab_I I :Monday-Friday How many times per units (Monday - Sunday)

type: string (str21), but longest is str5
 unique values: 3 missing "": 1,194/1,397
 tabulation: Freq. Value
 1,194 ""
 1 "day"
 1 "month"
 201 "week"

c3b_ac_I I :Monday-Friday How many times per hours (Monday - Sunday)

type: numeric (double)
 range: [0,5.5] units: .1
 unique values: 11 missing .: 1,194/1,397
 unique missing codes: 2 missing *: 3/1,397
 tabulation: Freq. Value
 20 0
 85 1
 6 1.5
 40 2
 13 2.5
 19 3
 7 3.5
 5 4
 1 4.5
 3 5
 1 5.5
 1,194 .
 3 .c
 mean: 1.665
 std. dev: 1.11535
 percentiles: 10% 25% 50% 75% 90%
 .5 1 1 2 3

c3b_ad_I I :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)
 range: [0,35] units: .1
 unique values: 5 missing .: 1,194/1,397
 unique missing codes: 2 missing *: 3/1,397
 tabulation: Freq. Value
 147 0
 1 4.5
 1 7.5
 50 30
 1 35
 1,194 .
 3 .c
 mean: 7.735
 std. dev: 13.1354
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

c3b_ba_I I : People doing activity with (person 1)

```

type: numeric (byte)
label: c3b_ba

range: [1,13]          units: 1
unique values: 7      missing .. 225/1,397

tabulation: Freq.  Numeric  Label
             411      1  father
             290      3  mother
             278      5  grandparents
              87      7  uncle/aunt
              46      9  brother/sister/cousin
              31     11  outside-household-person
              29     13  other household member
             225      .
    
```

c3b_bb_I **I : People doing activity with (person 2)**

```

type: numeric (byte)
label: c3b_bb

range: [1,13]          units: 1
unique values: 7      missing .. 427/1,397

tabulation: Freq.  Numeric  Label
             96      1  father
            425      3  mother
            179      5  grandparents
             52      7  uncle/aunt
            159      9  brother/sister/cousin
             26     11  outside-household-person
             33     13  other household member
            427      .
    
```

c3b_bc_I **I : People doing activity with (person 3)**

```

type: numeric (byte)
label: c3b_bc

range: [1,13]          units: 1
unique values: 7      missing .. 880/1,397

tabulation: Freq.  Numeric  Label
             14      1  father
             27      3  mother
             60      5  grandparents
             24      7  uncle/aunt
            360      9  brother/sister/cousin
             16     11  outside-household-person
             16     13  other household member
            880      .
    
```

c3b_ba_gen_I **Gender code (person 1)**

```

type: numeric (byte)
label: c3b_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .. 225/1,397

tabulation: Freq.  Numeric  Label
             554      1  male
             618      3  female
             225      .
    
```

c3b_bb_gen_I **Gender code (person 2)**

```

type: numeric (byte)
label: c3b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 428/1,397

tabulation: Freq.  Numeric  Label
              257      1  male
              712      3  female
              428      .
    
```

c3b_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: c3b_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 879/1,397

tabulation: Freq.  Numeric  Label
              209      1  male
              309      3  female
              879      .
    
```

note **Interviewer note (unavailable)**

```

type: string (str517), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
              1,397  ""
    
```

sleeptime_perday **Hours per day of a child's nighttime sleep**

```

type: numeric (float)
range: [6,13.5]
unique values: 33
units: 1.000e-06
missing ..: 0/1,397

tabulation: Freq.  Value
              1      6
              2      6.5
              7      7
             13      7.5
             56      8
             86      8.5
              1  8.666667
              1  8.75
            249      9
              2  9.166667
              1  9.25
              2  9.333333
            281      9.5
              5  9.666667
              1  9.75
              1  9.833333
            365      10
              1 10.083333
              2 10.166667
              3 10.25
              1 10.333333
    
```

```

183 10.5
  1 10.666667
  1 10.75
  1 10.833333
94 11
  1 11.166667
  1 11.25
21 11.5
  1 11.666667
  9 12
  2 12.5
  1 13.5
mean: 9.67639
std. dev: .862105

percentiles:      10%      25%      50%      75%      90%
                  8.5       9       9.5      10      10.5
    
```

sleeptime_perweek **Hours per week of a child's nighttime sleep**

```

type: numeric (float)
range: [42,94.5]
unique values: 33
units: 1.000e-06
missing .: 0/1,397
    
```

```

tabulation: Freq. Value
             1 42
             2 45.5
             7 49
            13 52.5
            56 56
            86 59.5
             1 60.666668
             1 61.25
           249 63
             2 64.166664
             1 64.75
             2 65.333336
           281 66.5
             5 67.666664
             1 68.25
             1 68.833336
           365 70
             1 70.583336
             2 71.166664
             3 71.75
             1 72.333336
           183 73.5
             1 74.666664
             1 75.25
             1 75.833336
           94 77
             1 78.166664
             1 78.75
           21 80.5
             1 81.666664
             9 84
             2 87.5
             1 94.5
    
```

```

mean: 67.7347
std. dev: 6.03473

percentiles:      10%      25%      50%      75%      90%
                  59.5      63      66.5      70      73.5
    
```

schooltime_perweek **Hours per week of a child's going to school**

```

type: numeric (float)
range: [0,65]
unique values: 54
units: 1.000e-06
missing .: 1/1,397

```

```

tabulation: Freq. Value
20 0
2 20
2 25
1 26.666666
18 27.5
1 28.333334
67 30
1 30.416666
3 30.833334
1 31.25
1 31.666666
144 32.5
5 33.333332
10 33.75
5 34.166668
226 35
3 35.833332
5 36.25
7 36.666668
259 37.5
1 37.916668
8 38.333332
9 38.75
5 39.166668
1 39.583332
237 40
2 40.416668
2 40.833332
1 41.25
1 41.333332
5 41.666668
121 42.5
3 43.333332
1 43.75
4 44.166668
77 45
2 45.833332
3 46.25
3 46.666668
40 47.5
3 48.333332
1 48.75
1 49.166668
1 49.583332
36 50
1 50.416668
4 50.833332
4 51.666668
26 52.5
8 55
1 56.666668
1 60
1 62.5
1 65
1 .

```

```

mean: 38.0024
std. dev: 7.21568

```

```

percentiles:      10%      25%      50%      75%      90%
                 32.5      35       37.5     41.2917  45

```

naptime_athome_perweek

Hours per week of a child's nap time at home

```

type: numeric (float)
range: [0,20.133333]          units: 1.000e-09
unique values: 21             missing .: 0/1,397

```

```

tabulation: Freq. Value
             637  0
              8  .01666667
             234  .03333334
              75  .05
             250  .06666667
               1  .075
              45  .08333334
              97  .1
              10  .11666667
              14  .13333334
               1  .15000001
               4  .16666667
               1  .2
               2  5.0333333
               1  7.5500002
               5  10.066667
               3  12.583333
               1  15
               6  15.1
               1  17.616667
               1  20.133333

```

```

mean: .211149
std. dev: 1.54662

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0      .033333  .066667  .1

```

atctivity_tv_dum **While a child watch TV, did the child participate in any activities**

```

type: numeric (float)
label: atctivity_tv_dum
range: [0,1]          units: 1
unique values: 2      missing .: 0/1,397

```

```

tabulation: Freq.  Numeric  Label
             390      0      do not
             1,007    1      do

```

atctivity_tv_des **While a child watch TV, what activities did the child do**

```

type: string (str168), but longest is str133
unique values: 269      missing "": 390/1,397

warning: variable has embedded and trailing blanks

```

reading_time_cl **Monday-Friday:Hours per week of reading to child**

```

type: numeric (float)
range: [0,12.5]        units: 1.000e-09
unique values: 22      missing .: 0/1,397

```

```

tabulation:  Freq.  Value
              1,287  0
              1   .08333334
              1   .13333334
              1   .16666667
              4   .21666667
              3   .25
              1   .30000001
              1   .33333334
              7   .38333333
             12   .41666666
              2   .46666667
              1   .51666665
              2   .63333333
             19   .83333331
              1   1.05
              4   1.25
              1   1.4666667
             10   1.6666666
             27   2.5
              2   2.9166667
              9   5
              1  12.5
    mean:      .131627
  std. dev:   .654788

percentiles:  10%      25%      50%      75%      90%
              0         0         0         0         0
    
```

reading_time_c2 **Saturday-Sunday:Hours per week of reading to child**

```

    type:  numeric (float)

    range:  [0,5]
unique values:  20
                units:  1.000e-09
                missing .:  0/1,397

    tabulation:  Freq.  Value
                  1,294  0
                  1   .03333334
                  4   .08333334
                  3   .1
                  1   .11666667
                  1   .13333334
                  8   .15000001
                  9   .16666667
                  2   .18333334
                  1   .21666667
                  3   .25
                  18  .33333334
                  1   .41666666
                  2   .5
                  11  .66666669
                  21  1
                  2   1.1666666
                  1   1.6666666
                  11  2
                  3   5
    mean:      .058482
  std. dev:   .326818

percentiles:  10%      25%      50%      75%      90%
              0         0         0         0         0
    
```

reading_time_c3 **Monday-Sunday:Hours per week of reading to child**

```

    type:  numeric (float)
    
```

range: [0,4.5] units: 1.000e-09
 unique values: 43 missing .: 0/1,397

tabulation: Freq. Value
 1,057 0
 3 .01666667
 4 .03333334
 7 .05
 11 .06666667
 24 .08333334
 6 .1
 4 .11666667
 15 .13333334
 4 .15000001
 37 .16666667
 9 .18333334
 2 .2
 10 .21666667
 1 .23333333
 17 .25
 1 .30000001
 6 .31666666
 24 .33333334
 8 .38333333
 15 .41666666
 1 .43333334
 27 .5
 1 .51666665
 4 .58333331
 7 .63333333
 5 .66666669
 9 .75
 1 .83333331
 30 1
 1 1.05
 2 1.16666666
 8 1.25
 1 1.33333334
 1 1.38333333
 13 1.5
 6 1.75
 6 2
 2 2.5
 2 3
 3 3.5
 1 4
 1 4.5

mean: .137115
 std. dev: .405084

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 .416667

reading_time

Hours per week of reading to children

type: numeric (float)

range: [0,17.5] units: 1.000e-09
 unique values: 59 missing .: 0/1,397

```

tabulation:  Freq.  Value
              939    0
                3   .01666667
                4   .03333334
                7   .05
               11   .06666667
               24   .08333334
                6   .1
                4   .11666667
                1   .11666667
               16   .13333334
                5   .15000001
               37   .16666667
                9   .18333334
                2   .2
               11   .21666667
                1   .23333333
               17   .25
                4   .30000001
                6   .31666666
               26   .33333334
                3   .34999999
                8   .38333333
               18   .41666666
                1   .41666669
                1   .43333334
                1   .46666667
               28   .5
                1   .51666665
                7   .53333333
               12   .58333331
                7   .63333333
                2   .64999998
                7   .66666669
                1   .73333335
                9   .75
                3   .83333331
                2   .88333333
               30   1
                1   1.05
               19   1.16666666
                9   1.25
                1   1.3333334
                1   1.3833333
                1   1.4666666
                1   1.4666667
               14   1.5
                2   1.6666666
                8   1.75
                9   2
                9   2.3333333
                7   2.5
                2   3
               24   3.5
                1   4
                2   4.0833335
                2   4.5
                7   7
                2   10
                1   17.5
    mean:      .327225
    std. dev:  1.0061

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0     .166667    1

```

storytelling_time_c1 Monday-Friday:Hours per week of storytelling to child

type: numeric (float)

range: [0,5] units: 1.000e-09
 unique values: 23 missing .: 0/1,397

tabulation: Freq. Value
 1,314 0
 1 .08333334
 1 .16666667
 3 .21666667
 3 .25
 1 .30000001
 5 .38333333
 14 .41666666
 1 .51666665
 5 .63333333
 16 .83333331
 1 1.05
 2 1.2166667
 4 1.25
 1 1.3333334
 2 1.4666667
 1 1.5666667
 5 1.6666666
 1 1.8833333
 12 2.5
 1 3.75
 1 4.1666665
 2 5

mean: .070985
 std. dev: .381023

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

storytelling_time_c2 Saturday-Sunday:Hours per week of storytelling to child

type: numeric (float)

range: [0,2] units: 1.000e-09
 unique values: 23 missing .: 0/1,397

tabulation: Freq. Value
 1,310 0
 1 .03333334
 1 .06666667
 4 .08333334
 3 .1
 1 .11666667
 5 .15000001
 12 .16666667
 1 .21666667
 6 .25
 17 .33333334
 1 .41666666
 2 .48333332
 5 .5
 1 .53333336
 2 .58333331
 1 .63333333
 5 .66666669
 1 .75
 12 1
 1 1.5
 1 1.6666666
 4 2

mean: .031818
 std. dev: .170304

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

storytelling_time_c3 **Monday-Sunday:Hours per week of storytelling to child**

type: numeric (float)
 range: [0,4.5] units: 1.000e-09
 unique values: 41 missing .: 0/1,397

tabulation:

Freq.	Value
957	0
1	.01666667
11	.03333334
17	.05
19	.06666667
44	.08333334
3	.1
6	.11666667
19	.13333334
12	.15000001
54	.16666667
11	.18333334
11	.21666667
5	.23333333
35	.25
3	.30000001
6	.31666666
23	.33333334
8	.38333333
16	.41666666
38	.5
3	.51666665
1	.56666666
2	.58333331
6	.63333333
13	.66666669
10	.75
2	.83333331
4	.88333333
22	1
3	1.1666666
11	1.25
6	1.5
5	1.75
1	1.8833333
4	2
1	2.5
1	3
1	3.75
1	4
1	4.5

mean: .13393
 std. dev: .354209

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .083333 .416667

storytelling_time **Hours per week of storytelling to children**

type: numeric (float)
 range: [0,7] units: 1.000e-09
 unique values: 58 missing .: 0/1,397

```

tabulation:  Freq.  Value
              869    0
                1   .01666667
               11   .03333334
               17   .05
               19   .06666667
               44   .08333334
                3   .1
                6   .11666667
                1   .11666667
               19   .13333334
               12   .15000001
               54   .16666667
               11   .18333334
               11   .21666667
                5   .23333333
                1   .23333335
               36   .25
                6   .30000001
                6   .31666666
               24   .33333334
                3   .34999999
                8   .38333333
               17   .41666666
                1   .41666669
               40   .5
                3   .51666665
                5   .53333333
                1   .56666666
               14   .58333331
                6   .63333333
               13   .66666669
                1   .73333335
               10   .75
                2   .83333331
                9   .88333333
               22   1
               19   1.1666666
               11   1.25
                1   1.4666666
                6   1.5
                2   1.7
                9   1.75
                1   1.8666668
                1   1.8833333
                6   2
                2   2.05
                1   2.2
                5   2.3333333
                1   2.5
                1   2.6333332
                1   3
               12   3.5
                1   3.75
                1   4
                1   4.5
                1   5.25
                1   5.833333
                2   7

```

```

mean: .236733
std. dev: .622535

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0    .166667  .666667

```

outdoorplaying_time_c1 Monday-Friday:Hours per week of child's outdoor play

type: numeric (float)

```

range: [0,0] units: 1
unique values: 1 missing .: 0/1,397

tabulation: Freq. Value
1,397 0
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

outdoorplaying_time_c2 Saturday-Sunday:Hours per week of child's outdoor play

```

type: numeric (float)

range: [0,0] units: 1
unique values: 1 missing .: 0/1,397

tabulation: Freq. Value
1,397 0
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

outdoorplaying_time_c3 Monday-Sunday:Hours per week of child's outdoor play

```

type: numeric (float)

range: [0,0] units: 1
unique values: 1 missing .: 0/1,397

tabulation: Freq. Value
1,397 0
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

outdoorplaying_time Hours per week of child's outdoor play

```

type: numeric (float)

range: [0,0] units: 1
unique values: 1 missing .: 0/1,397

tabulation: Freq. Value
1,397 0
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

sport_time_c1 Monday-Fiday:Hours per week of child's playing sport, singing, dancing

```

type: numeric (float)

range: [0,33.75] units: 1.000e-08
unique values: 58 missing .: 0/1,397
    
```



```

tabulation:  Freq.  Value
              674    0
              9    .13333334
              6    .16666667
              3    .18333334
              28   .21666667
              15   .25
              5    .30000001
              5    .31666666
              3    .33333334
              11   .38333333
              38   .41666666
              3    .46666667
              2    .5
              5    .51666665
              1    .55000001
              3    .56666666
              34   .63333333
              1    .66666669
              1    .68333334
              2    .73333335
              3    .75
              60   .83333331
              1    .88333333
              8    .93333334
              1    1.03333333
              5    1.05
              25   1.25
              1    1.31666667
              4    1.46666667
              1    1.56666667
              2    1.6
              29   1.66666666
              2    1.68333333
              1    1.75
              1    1.86666667
              1    1.88333333
              19   2.08333333
              116  2.5
              3    2.91666667
              1    3
              9    3.33333333
              3    4.16666665
              154  5
              1    5.21666667
              2    5.83333335
              1    6.25
              1    6.76666669
              24   7.5
              2    8.75
              28   10
              18   12.5
              1    13.75
              11   15
              1    17.083334
              2    17.5
              3    18.75
              2    20
              1    33.75

```

```

mean: 1.77712
std. dev: 3.22648

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      .216667    2.5    5

```

sport_time_c2

Saturday-Sunday:Hours per week of child's playing sport, singing, dancing

type: numeric (float)

range: [0,18] units: 1.000e-09
 unique values: 54 missing .: 0/1,397

```

tabulation: Freq. Value
668 0
8 .05
6 .06666667
32 .08333334
15 .1
5 .11666667
8 .13333334
12 .15000001
37 .16666667
2 .2
6 .21666667
3 .23333333
34 .25
1 .26666668
1 .28333333
5 .30000001
59 .33333334
1 .34999999
2 .36666667
8 .38333333
6 .41666666
25 .5
2 .53333336
5 .58333331
1 .63333333
2 .64999998
29 .66666669
2 .68333334
1 .69999999
2 .75
19 .83333331
118 1
3 1.16666666
1 1.2
9 1.33333334
3 1.66666666
151 2
1 2.08333333
2 2.33333333
2 2.5
22 3
2 3.5
27 4
17 5
1 5.5
13 6
5 7
3 7.5
5 8
1 10.5
1 13
1 13.5
1 16
1 18
    
```

mean: .774839
 std. dev: 1.54832

percentiles: 10% 25% 50% 75% 90%
 0 0 .083333 1 2

sport_time_c3 Monday-Sunday:Hours per week of child's playing sport, singing, dancing

type: numeric (float)

range: [0,7.5]
 unique values: 64

units: 1.000e-09
 missing .: 0/1,397

tabulation:	Freq.	Value
	896	0
	2	.01666667
	1	.03333334
	9	.05
	9	.06666667
	19	.08333334
	26	.1
	6	.11666667
	18	.13333334
	11	.15000001
	21	.16666667
	6	.18333334
	3	.2
	9	.21666667
	2	.23333333
	21	.25
	4	.26666668
	1	.28333333
	5	.30000001
	6	.31666666
	24	.33333334
	5	.38333333
	17	.41666666
	1	.43333334
	1	.46666667
	1	.48333332
	27	.5
	2	.51666665
	1	.53333336
	1	.56666666
	17	.58333331
	5	.63333333
	12	.66666669
	1	.73333335
	17	.75
	9	.83333331
	2	.88333333
	1	.91666669
	34	1
	1	1.05
	3	1.1333333
	1	1.1666666
	11	1.25
	2	1.3333334
	22	1.5
	5	1.6666666
	8	1.75
	1	1.8833333
	18	2
	2	2.05
	3	2.25
	2	2.3333333
	19	2.5
	1	2.75
	10	3
	8	3.5
	3	3.75
	6	4
	3	4.5
	5	5
	4	5.25
	3	6
	1	7
	2	7.5

mean: .368074
 std. dev: .903567

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .25 1.16667

sport_time Hours per week of child's playing sport, singing, dancing

type: numeric (float)
 range: [0,47.25] units: 1.000e-09
 unique values: 125 missing .: 0/1,397
 mean: 2.92003
 std. dev: 4.53217
 percentiles: 10% 25% 50% 75% 90%
 0 .266667 1.03333 3.5 7

roleplay_time_c1
 Monday-Friday:Hours per week of child's role play, selling play, playing with rob

type: numeric (float)
 range: [0,30] units: 1.000e-09
 unique values: 61 missing .: 0/1,397

tabulation:	Freq.	Value
	555	0
	1	.08333334
	5	.16666667
	1	.18333334
	6	.21666667
	5	.25
	3	.30000001
	1	.31666666
	1	.33333334
	11	.41666666
	1	.43333334
	3	.46666667
	1	.5
	3	.51666665
	1	.56666666
	1	.58333331
	7	.63333333
	1	.68333334
	2	.73333335
	33	.83333331
	6	.91666669
	4	.93333334
	1	1.01666667
	1	1.05
	1	1.13333333
	42	1.25
	1	1.33333334
	2	1.46666667
	1	1.56666667
	1	1.6
	48	1.66666666
	1	1.83333334
	5	1.88333333
	10	2.08333333
	1	2.3
	146	2.5
	4	2.91666667
	4	3.13333334
	3	3.33333333
	17	3.75
	6	4.16666665
	2	4.38333332
	252	5

```

      1  5.0999999
      3  5.2166667
      8  6.25
     41  7.5
      2  8.75
      1  9.3833332
     65  10
      1  11.25
     34  12.5
      1  13
     18  15
      6  17.5
      3  18.75
      3  20
      3  22.5
      3  25
      2  27.5
      1  30
    mean: 3.01754
    std. dev: 4.17466

    percentiles:      10%      25%      50%      75%      90%
                     0         0      1.46667      5         10

```

roleplay_time_c2
Saturday-Sunday:Hours per week of child's role play, selling play, playing with

```

    type: numeric (float)
    range: [0,15]
    unique values: 60
    units: 1.000e-09
    missing .: 0/1,397

```

```

    tabulation: Freq. Value
                472  0
                 1  .05
                 5  .06666667
                 6  .083333334
                 5  .1
                 3  .11666667
                 1  .133333334
                 6  .16666667
                 4  .183333334
                 2  .2
                 3  .21666667
                 3  .233333333
                 9  .25
                 1  .283333333
                 2  .30000001
                 1  .31666666
                34  .333333334
                 5  .36666667
                 2  .383333333
                 1  .41666666
                 1  .44999999
                 1  .46666667
                41  .5
                 2  .58333331
                 2  .633333333
                 1  .64999998
                45  .66666669
                 1  .73333335
                 7  .75
                14  .83333331
                 1  .91666669
               145  1
                 4  1.1666666
                 7  1.25
                 4  1.3333334
                20  1.5
                 6  1.6666666

```

```

      2 1.75
      1 1.8333334
    246 2
      1 2.0333333
      3 2.0833333
     14 2.5
     46 3
      2 3.5
      1 3.75
     80 4
      3 4.5
     54 5
     28 6
      8 7
      6 7.5
     12 8
      6 9
      5 10
      1 10.5
      2 11
      4 12
      2 13
      2 15
    mean: 1.57361
  std. dev: 2.12003

  percentiles:      10%      25%      50%      75%      90%
                   0         0         1         2         4

```

roleplay_time_c3
Monday-Sunday:Hours per week of child's role play, selling play, playing with ro

```

      type: numeric (float)
      range: [0,15]
  unique values: 54
      units: 1.000e-09
  missing .: 0/1,397

```

```

  tabulation: Freq. Value
             1,029 0
               1 .03333334
               4 .05
               8 .08333334
               3 .1
               2 .11666667
               6 .13333334
               1 .15000001
              13 .16666667
               5 .21666667
               5 .25
               3 .26666668
               3 .31666666
              13 .33333334
               6 .38333333
               7 .41666666
              20 .5
               1 .51666665
               2 .58333331
               5 .63333333
               3 .66666669
              16 .75
              13 .83333331
               4 .88333333
              27 1
               3 1.1333333
               4 1.1666666
              18 1.25
               4 1.3333334
               1 1.4666667
              33 1.5
               1 1.6666666

```

```

11 1.75
1 1.8833333
26 2
3 2.25
27 2.5
1 2.6333334
1 2.75
15 3
11 3.5
5 3.75
7 4
1 4.3833332
4 4.5
7 5
1 5.5
2 6.25
3 8.75
2 9
1 10
2 10.5
1 12.5
1 15
mean: .456753
std. dev: 1.24495

percentiles:      10%      25%      50%      75%      90%
                  0        0        0      .133333  1.5

```

roleplay_time
Hours per week of child's role play, selling play, playing with robot or car

```

type: numeric (float)
range: [0,42] units: 1.000e-09
unique values: 134 missing.: 0/1,397

mean: 5.0479
std. dev: 5.72074

percentiles:      10%      25%      50%      75%      90%
                  .216667  1.03333  3.5      7      13.5

```

learning_time_c1
Monday-Friday:Hours per week of child's practice reading, writing alphabet, count

```

type: numeric (float)
range: [0,12.5] units: 1.000e-09
unique values: 38 missing.: 0/1,397

tabulation: Freq. Value
             996 0
               2 .08333334
               1 .13333334
               5 .16666667
               2 .18333334
               8 .21666667
               4 .25
               4 .30000001
               1 .33333334
               8 .38333333
              33 .41666666
               1 .43333334
               1 .46666667
               1 .5
               1 .56666666
               1 .58333331
               9 .63333333

```

```

      1 .75
     67 .83333331
      1 .91666669
      2 .93333334
      3 1.05
     21 1.25
      2 1.4666667
     37 1.6666666
      2 1.8833333
      6 2.0833333
    107 2.5
      4 2.9166667
      1 3.1333334
      1 3.3333333
      4 3.75
     48 5
      1 5.2166667
      1 5.6333332
      6 7.5
      3 10
      1 12.5
    mean: .600895
  std. dev: 1.35614

percentiles:      10%      25%      50%      75%      90%
                  0        0        0      .416667      2.5

```

learning_time_c2
Saturday-Sunday:Hours per week of child's practice reading, writing alphabet, co

```

type: numeric (float)
range: [0,5]
unique values: 36
units: 1.000e-09
missing .: 0/1,397

```

```

tabulation: Freq. Value
            996 0
              2 .03333334
              1 .05
              4 .06666667
             10 .08333334
              3 .1
              5 .11666667
              8 .15000001
             32 .16666667
              2 .18333334
              1 .2
              2 .23333333
             10 .25
              1 .30000001
              1 .31666666
             63 .33333334
              1 .36666667
              2 .38333333
              2 .41666666
             24 .5
              2 .58333331
             38 .66666669
              3 .75
              6 .83333331
            103 1
              3 1.1666666
              1 1.25
              2 1.3333334
              4 1.5
              2 1.6666666
             48 2
              1 2.0833333
              1 2.25
              7 3

```



```

          4 4
          2 5
    mean:  .249523
    std. dev: .572576
    
```

```

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      .166667    1
    
```

learning_time_c3
Monday-Sunday:Hours per week of child's practice reading, writing alphabet, coun

```

    type: numeric (float)
    range: [0,12.5]
    unique values: 59
    units: 1.000e-09
    missing .: 0/1,397
    
```

```

tabulation:  Freq.  Value
              844    0
                3  .01666667
               10  .03333334
                11  .05
                8  .06666667
               12  .08333334
               20  .1
               11  .11666667
               15  .13333334
                6  .15000001
               28  .16666667
                9  .18333334
                4  .2
               13  .21666667
               24  .25
                3  .26666668
                1  .28333333
                4  .30000001
                4  .31666666
               33  .33333334
                7  .38333333
               17  .41666666
                3  .43333334
               54  .5
                1  .51666665
                3  .55000001
                4  .58333331
                8  .63333333
                6  .66666669
                1  .68333334
               22  .75
               11  .83333331
                8  .88333333
                1  .91666669
               45  1
                1  1.05
                3  1.13333333
               10  1.16666666
               21  1.25
                3  1.33333334
                1  1.46666667
               30  1.5
                2  1.66666666
               12  1.75
               21  2
                2  2.05
                1  2.08333333
                4  2.25
               10  2.5
                1  2.63333334
                4  3
                4  3.5
                1  4
    
```

```

                2  4.5
                5  5
                2  6
                1  6.25
                1  6.75
                1  12.5
    mean:      .339
    std. dev:  .79483

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      .333333  1.13333
    
```

learning_time
Hours per week of child's practice reading, writing alphabet, counting numbers

```

    type: numeric (float)
    range: [0,17.5]
    unique values: 89
    units: 1.000e-09
    missing .: 0/1,397
    
```

```

    tabulation:
    Freq.  Value
    428    0
    3      .01666667
    10     .03333334
    11     .05
    8      .06666667
    12     .08333334
    20     .1
    12     .11666667
    2      .11666667
    15     .13333334
    6      .15000001
    28     .16666667
    10     .18333334
    4      .2
    13     .21666667
    4      .23333335
    26     .25
    5      .26666668
    1      .28333333
    12     .30000001
    5      .31666666
    35     .33333334
    3      .34999999
    7      .38333333
    19     .41666666
    4      .41666669
    3      .43333334
    56     .5
    1      .51666665
    8      .53333333
    3      .55000001
    35     .58333331
    1      .61666667
    8      .63333333
    1      .64999998
    8      .66666669
    1      .68333334
    1      .69999999
    23     .75
    1      .80000001
    1      .81666666
    12     .83333331
    17     .88333333
    1      .91666669
    48     1
    3      1.05
    3      1.1333333
    72     1.1666666
    21     1.25
    
```

```

1 1.2833333
2 1.3166666
1 1.3333333
4 1.3333334
2 1.4666666
1 1.4666667
31 1.5
3 1.6666666
33 1.75
23 2
4 2.05
1 2.0833333
4 2.25
35 2.3333333
18 2.5
2 2.6333332
1 2.6333334
6 2.9166665
1 2.9166667
5 3
104 3.5
1 3.6666665
1 4
3 4.0833335
1 4.3833332
2 4.5
7 5
4 5.25
1 5.5
2 6
1 6.25
1 6.75
46 7
1 7.3000002
1 7.8833332
1 9
6 10.5
1 12.5
3 14
1 17.5

```

```

mean: 1.18942
std. dev: 1.91321

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0      .416667    1.5      3.5

```

drawing_time_cl
Monday-Friday:Hours per week of child's palying blocks, plasticine, drawing, colo

```

type: numeric(float)
range: [0,20]
unique values: 45
units: 1.000e-08
missing .: 0/1,397

```

```

tabulation: Freq. Value
1,012 0
1 .13333334
4 .16666667
9 .21666667
3 .25
2 .30000001
1 .31666666
2 .33333334
8 .38333333
20 .41666666
1 .46666667
1 .55000001
7 .63333333
1 .73333335
50 .83333331

```

```

      4 1.05
      1 1.1333333
      2 1.1833333
     16 1.25
      1 1.5666667
      1 1.6
     38 1.6666666
      1 1.75
      2 1.8833333
      8 2.0833333
      1 2.1833334
      1 2.25
     73 2.5
      1 2.5999999
      1 2.9166667
      3 3.3333333
      2 3.75
      1 4.1666665
     75 5
      1 5.0999999
      6 6.25
      1 6.6666665
     13 7.5
      1 8.75
      2 9.3833332
      9 10
      2 11.25
      6 12.5
      1 15
      1 20
    mean: .835087
  std. dev: 2.02044

percentiles:      10%      25%      50%      75%      90%
                  0         0         0      .416667      2.5

```

drawing_time_c2
Saturday-Sunday:Hours per week of child's palying blocks, plasticine, drawing, c

```

type: numeric (float)
range: [0,15]
unique values: 46
units: 1.000e-09
missing .: 0/1,397

```

```

tabulation: Freq. Value
            991 0
              1 .05
              4 .06666667
             10 .08333334
              3 .1
              3 .11666667
              3 .13333334
              8 .15000001
             19 .16666667
              1 .18333334
              1 .21666667
              7 .25
              1 .30000001
             46 .33333334
              4 .41666666
              1 .44999999
              2 .48333332
             14 .5
              1 .63333333
              1 .64999998
             35 .66666669
              2 .75
              8 .83333331
              1 .88333333
             77 1

```

```

1 1.05
1 1.1666666
1 1.25
4 1.3333334
3 1.5
1 1.6666666
1 1.8333334
75 2
1 2.05
7 2.5
1 2.6666667
15 3
4 3.5
2 3.75
17 4
2 4.5
9 5
1 6
1 7
5 8
1 15
mean: .422775
std. dev: 1.0777

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0     .25     2

```

drawing_time_c3
Monday-Sunday:Hours per week of child's palying blocks, plasticine, drawing, col

```

type: numeric (float)
range: [0,20]
unique values: 59
units: 1.000e-09
missing .: 0/1,397

```

```

tabulation: Freq. Value
723 0
2 .01666667
8 .03333334
10 .05
21 .06666667
29 .08333334
11 .1
3 .11666667
17 .13333334
10 .15000001
35 .16666667
6 .18333334
2 .2
8 .21666667
8 .23333333
40 .25
4 .26666668
1 .28333333
4 .30000001
9 .31666666
32 .33333334
3 .38333333
28 .41666666
54 .5
1 .51666665
1 .56666666
7 .58333331
11 .63333333
12 .66666669
1 .73333335
24 .75
11 .83333331
6 .88333333
66 1

```

```

1 1.0333333
2 1.05
2 1.1333333
7 1.1666666
37 1.25
4 1.3333334
45 1.5
1 1.6666666
2 1.75
1 1.8333334
2 1.8833333
24 2
1 2.0166667
4 2.25
14 2.5
19 3
10 3.5
1 3.75
2 4
2 4.5
2 5
1 5.5
2 6.25
2 8.75
1 20
mean: .445001
std. dev: .986393

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        .5      1.33333

```

drawing_time Hours per week of child's palying blocks, plasticine, drawing, coloring

```

type: numeric (float)
range: [0,30] units: 1.000e-09
unique values: 102 missing.: 0/1,397
mean: 1.70286
std. dev: 2.95104
percentiles:      10%      25%      50%      75%      90%
                  0      .066667 .583333 2      4.5

```

fieldtrip_time_c1 Monday-Friday:Hours per week of child's going to temple, library, zoo, museum

```

type: numeric(float)
range: [0,12.5] units: .1
unique values: 4 missing.: 0/1,397
tabulation: Freq. Value
             1,388 0
              3 2.5
              5 5
              1 12.5
mean: .032212
std. dev: .462451
percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

fieldtrip_time_c2 Saturday-Sunday:Hours per week of child's going to temples, libraries, zoo, muse

```

type: numeric (float)
range: [0,22] units: .1
unique values: 7 missing .: 0/1,397

tabulation: Freq. Value
1,378 0
5 1
1 1.5
9 2
1 3
2 4
1 22
mean: .04116
std. dev: .636679

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0

```

fieldtrip_time_c3
Monday-Sunday:Hours per week of child's going to temples, libraries, zoo, museum

```

type: numeric (float)
range: [0,8] units: 1.000e-09
unique values: 17 missing .: 0/1,397

tabulation: Freq. Value
1,244 0
4 .08333334
1 .13333334
2 .16666667
1 .33333334
27 .5
1 .66666669
2 .75
64 1
3 1.25
13 1.5
21 2
1 2.25
6 2.5
3 3
3 5
1 8
mean: .1398
std. dev: .516025

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 .5

```

fieldtrip_time **Hours per week of child's going to temples, libraries, zoo, museums**

```

type: numeric (float)
range: [0,34.5] units: 1.000e-09
unique values: 21 missing .: 0/1,397

```

```

tabulation:  Freq.  Value
              1,225  0
              4    .08333334
              1    .13333334
              2    .16666667
              1    .33333334
              27    .5
              1    .66666669
              2    .75
              66    1
              3    1.25
              14    1.5
              25    2
              1    2.25
              6    2.5
              4    3
              3    3.5
              2    4
              3    5
              5    7
              1    8
              1    34.5
    
```

```

mean: .213171
std. dev: 1.15701
    
```

```

percentiles:  10%    25%    50%    75%    90%
               0      0      0      0      .5
    
```

shopping_time_c1 Monday-Friday:Hours per week of child's going to department store

```

type: numeric (float)
range: [0,7.5] units: .01
unique values: 6 missing.: 0/1,397
    
```

```

tabulation:  Freq.  Value
              1,387  0
              2    1.25
              2    2.5
              2    3.75
              2    5
              2    7.5
    
```

```

mean: .028633
std. dev: .383306
    
```

```

percentiles:  10%    25%    50%    75%    90%
               0      0      0      0      0
    
```

shopping_time_c2 Saturday-Sunday:Hours per week of child's going to department store

```

type: numeric (float)
range: [0,12] units: .1
unique values: 9 missing.: 0/1,397
    
```

```

tabulation:  Freq.  Value
              1,383  0
              2    1
              2    1.5
              3    2
              2    3
              2    3.5
              1    4
              1    5
              1    12
    
```

```

mean: .032212
std. dev: .418544
    
```


percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

shopping_time_c3 Monday-Sunday:Hours per week of child's going to department store

type: numeric (float)
 range: [0,13.75] units: 1.000e-08
 unique values: 34 missing .: 0/1,397

tabulation: Freq. Value
 1,196 0
 1 .13333334
 1 .23333333
 9 .5
 1 .58333331
 42 1
 3 1.25
 21 1.5
 1 1.5666667
 1 1.75
 25 2
 13 2.5
 17 3
 11 3.5
 2 3.75
 9 4
 5 4.5
 10 5
 7 6
 4 6.25
 1 6.4166665
 1 7.5
 1 8
 2 8.25
 1 8.75
 2 9
 2 10
 1 10.5
 1 11
 1 11.25
 2 12
 1 12.25
 1 12.5
 1 13.75

mean: .444834
 std. dev: 1.49104

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1.5

shopping_time Hours per week of child's going to department store

type: numeric (float)
 range: [0,13.75] units: 1.000e-08
 unique values: 37 missing .: 0/1,397

```

tabulation:  Freq.  Value
              1,182  0
                1  .13333334
                1  .23333333
                9  .5
                1  .58333331
               42  1
                3  1.25
               21  1.5
                1  1.5666667
                1  1.75
               26  2
               13  2.5
               17  3
               13  3.5
                2  3.75
               10  4
                5  4.5
                2  4.75
               11  5
                2  5.25
                7  6
                4  6.25
                1  6.4166665
                2  7
                1  7.5
                1  8
                2  8.25
                1  8.75
                2  9
                2  10
                3  10.5
                1  11
                1  11.25
                3  12
                1  12.25
                1  12.5
                1  13.75
    mean:      .505679
    std. dev:  1.6181

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1.5
    
```

working_time_c1
Monday-Friday:Hours per week of child's going to work with household members

```

    type:  numeric (float)
    range: [0,0]
    unique values: 1
    units: 1
    missing .: 0/1,397

    tabulation:  Freq.  Value
                  1,397  0
    mean:      0
    std. dev:  0

    percentiles:  10%    25%    50%    75%    90%
                  0      0      0      0      0
    
```

working_time_c2
Saturday-Sunday:Hours per week of child's going to work with household members

```

    type:  numeric (float)
    range: [0,0]
    unique values: 1
    units: 1
    missing .: 0/1,397
    
```

```

tabulation: Freq. Value
             1,397  0
    mean:    0
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

working_time_c3 Monday-Sunday:Hours per week of child's going to work with household members

```

type: numeric (float)
range: [0,0] units: 1
unique values: 1 missing .: 0/1,397

tabulation: Freq. Value
             1,397  0
    mean:    0
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

working_time Hours per week of child's going to work with household members

```

type: numeric (float)
range: [0,0] units: 1
unique values: 1 missing .: 0/1,397

tabulation: Freq. Value
             1,397  0
    mean:    0
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

housework_time_c1 Monday-Fiday:Hours per week of child's doing housework

```

type: numeric (float)
range: [0,12.5] units: 1.000e-09
unique values: 32 missing .: 0/1,397

tabulation: Freq. Value
             1,257  0
              1 .08333334
              8 .13333334
              9 .16666667
              3 .18333334
              8 .21666667
              1 .25
              4 .30000001
              1 .31666666
              1 .33333334
              1 .38333333
             20 .41666666
              1 .46666667
              5 .63333333
              1 .75
             27 .83333331
              1 1
              1 1.0333333
              3 1.05
    
```

```

      4 1.25
      1 1.3166667
      1 1.4666667
      8 1.6666666
      1 2.3
     14 2.5
      1 2.8333333
      1 3.75
      1 4.3833332
      6 5
      2 7.5
      3 10
      1 12.5
    mean: .146528
  std. dev: .797222

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0      .083333

```

housework_time_c2 **Saturday-Sunday:Hours per week of child's doing housework**

```

    type: numeric (float)
    range: [0,5]
unique values: 29
                    units: 1.000e-09
                    missing .: 0/1,397

```

```

tabulation: Freq. Value
            1,252 0
              1 .03333334
              8 .05
              9 .06666667
             11 .08333334
              1 .1
              4 .11666667
              2 .13333334
             21 .16666667
              1 .18333334
              5 .25
              1 .30000001
             31 .33333334
              1 .40000001
              4 .41666666
              3 .5
              1 .53333336
              1 .55000001
              1 .58333331
              8 .66666669
              1 .83333331
              1 .91666669
             14 1
              1 1.5
              1 1.75
              7 2
              2 3
              3 4
              1 5

```

```

    mean: .060785
  std. dev: .322812

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0      .05

```

housework_time_c3 **Monday-Sunday:Hours per week of child's doing housework**

```

    type: numeric (float)

```

range: [0,5] units: 1.000e-09
 unique values: 43 missing .: 0/1,397

tabulation: Freq. Value
 985 0
 3 .01666667
 16 .03333334
 20 .05
 22 .06666667
 52 .08333334
 15 .1
 7 .11666667
 23 .13333334
 8 .15000001
 38 .16666667
 9 .18333334
 5 .2
 9 .21666667
 4 .23333333
 37 .25
 4 .30000001
 7 .31666666
 25 .33333334
 1 .38333333
 8 .41666666
 22 .5
 1 .51666665
 3 .58333331
 5 .63333333
 6 .66666669
 5 .75
 9 .83333331
 3 .88333333
 2 .91666669
 18 1
 1 1.05
 1 1.13333333
 1 1.16666666
 1 1.25
 1 1.33333334
 1 1.46666667
 6 1.5
 2 1.75
 8 2
 1 3
 1 4
 1 5

mean: .109246
 std. dev: .325585

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .083333 .316667

housework_time Hours per week of child's doing housework

type: numeric (float)
 range: [0,17.5] units: 1.000e-09
 unique values: 67 missing .: 0/1,397

```

tabulation:  Freq.  Value
              839    0
                3   .01666667
               16   .03333334
               20   .05
               22   .06666667
               52   .08333334
               15   .1
                7   .11666667
                1   .11666667
               23   .13333334
                8   .15000001
               39   .16666667
               17   .18333334
                5   .2
                9   .21666667
                4   .23333333
                9   .23333335
               37   .25
                3   .26666668
               12   .30000001
                7   .31666666
               28   .33333334
                1   .34999999
                1   .38333333
                9   .41666666
                4   .41666669
                1   .44999999
                1   .46666667
               22   .5
                1   .51666665
               23   .58333331
                5   .63333333
                1   .64999998
                6   .66666669
                5   .75
                9   .83333331
                8   .88333333
                2   .91666669
                1   .93333334
               18   1
                2   1.05
                1   1.1333333
               28   1.1666666
                2   1.25
                1   1.3333334
                1   1.4
                3   1.4666666
                1   1.4666667
                6   1.5
                5   1.75
                1   1.8500001
                1   1.8666666
                9   2
                1   2.05
                8   2.3333333
                1   3
                1   3.1666665
                1   3.2166667
               14   3.5
                1   4
                1   5
                1   5.25
                1   6.1333332
                6   7
                2   10.5
                3   14
                1   17.5
    mean:      .316559
    std. dev:  1.14232

```



```

    1 3
    1 3.0166667
    1 3.25
    1 3.5
   13 3.75
    2 4
    1 4.1833334
    1 4.3166666
   95 5
    1 5.1166668
    6 7.5
    4 10
    1 15
  mean: 1.18743
std. dev: 1.61673

percentiles:    10%    25%    50%    75%    90%
                0      0     .416667  2.5    2.5
  
```

homework_time_c2 **Saturday-Sunday:Hours per week of child's doing homework**

```

      type: numeric (float)
      range: [0,6]
unique values: 31
units: 1.000e-09
missing .: 0/1,397

  tabulation: Freq.  Value
             1,102  0
               1  .03333334
               1  .05
               4  .06666667
               5  .08333334
               7  .1
               3  .11666667
               1  .13333334
               3  .15000001
              21  .16666667
               1  .21666667
               8  .25
              42  .33333334
               1  .41666666
               2  .46666667
              14  .5
               2  .58333331
               1  .61666667
              26  .66666669
               1  .69999999
               2  .83333331
              85  1
               1  1.0333333
               1  1.1666666
               1  1.4
               6  1.5
               1  1.8666667
              49  2
               2  3
               2  4
               1  6
  mean: .192854
std. dev: .508572

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
  
```

homework_time_c3 **Monday-Sunday:Hours per week of child's doing homework**

```

type: numeric (float)
  
```


range: [0,6] units: 1.000e-09
 unique values: 52 missing .: 0/1,397

tabulation: Freq. Value
 1,176 0
 1 .01666667
 1 .03333334
 4 .06666667
 7 .08333334
 2 .1
 1 .11666667
 8 .13333334
 1 .15000001
 3 .16666667
 3 .18333334
 1 .21666667
 4 .23333333
 11 .25
 1 .26666668
 4 .30000001
 1 .31666666
 6 .33333334
 2 .38333333
 7 .41666666
 1 .43333334
 22 .5
 1 .51666665
 4 .58333331
 6 .63333333
 6 .66666669
 2 .75
 6 .83333331
 7 .88333333
 2 .93333334
 19 1
 1 1.0666667
 1 1.1166667
 3 1.1666666
 10 1.25
 15 1.5
 3 1.6333333
 3 1.75
 1 1.8666667
 18 2
 1 2.0999999
 1 2.25
 1 2.45
 5 2.5
 1 2.6500001
 4 3
 2 3.5
 2 4
 1 4.4166665
 1 4.5
 1 5
 2 6

mean: .167538
 std. dev: .561609

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 .5

homework_time Hours per week of child's doing homework

type: numeric (float)
 range: [0,21] units: 1.000e-09
 unique values: 111 missing .: 0/1,397

mean: 1.54782
 std. dev: 1.93804
 percentiles: 10% 25% 50% 75% 90%
 0 .033333 .833333 2.5 3.5

selfreading_c1 **Monday-Friday:Hours per week of child's reading**

type: numeric (float)
 range: [0,10] units: 1.000e-09
 unique values: 24 missing .: 0/1,397

tabulation: Freq. Value
 1,272 0
 3 .08333334
 3 .16666667
 4 .21666667
 1 .25
 3 .30000001
 1 .33333334
 1 .38333333
 7 .41666666
 1 .5
 1 .55000001
 4 .63333333
 26 .83333331
 10 1.25
 1 1.4666667
 1 1.5
 13 1.6666666
 1 1.8833333
 2 2.0833333
 28 2.5
 1 2.9166667
 1 3.3333333
 11 5
 1 10
 mean: .154677
 std. dev: .67011

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

selfreading_c2 **Saturday-Sunday:Hours per week of child's reading**

type: numeric (float)
 range: [0,4] units: 1.000e-09
 unique values: 21 missing .: 0/1,397

tabulation: Freq. Value
 1,287 0
 3 .03333334
 3 .06666667
 3 .08333334
 1 .1
 3 .11666667
 1 .13333334
 1 .15000001
 7 .16666667
 1 .21666667
 4 .25
 20 .33333334
 9 .5
 10 .66666669
 1 .75
 3 .83333331

```

                26 1
                1 1.1666666
                1 1.3333334
                11 2
                 1 4
    mean:       .056729
    std. dev:   .263362

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

selfreading_c3 **Monday-Sunday:Hours per week of child's reading**

```

    type: numeric (float)
    range: [0,3]
    unique values: 37
    units: 1.000e-09
    missing .: 0/1,397
    
```

```

    tabulation: Freq. Value
                1,307 0
                 2 .01666667
                 1 .03333334
                 1 .06666667
                 6 .08333334
                 1 .1
                 7 .13333334
                 1 .15000001
                 1 .16666667
                 4 .18333334
                 1 .2
                 1 .21666667
                 2 .23333333
                 5 .25
                 1 .26666668
                 2 .30000001
                 4 .33333334
                 4 .41666666
                 1 .43333334
                 1 .46666667
                 4 .5
                 1 .51666665
                 3 .58333331
                 2 .63333333
                 4 .66666669
                 4 .83333331
                 1 .88333333
                 8 1
                 3 1.25
                 1 1.4666667
                 6 1.5
                 1 1.6666666
                 1 1.75
                 2 2
                 1 2.25
                 1 2.5
                 1 3
    
```

```

    mean:       .042532
    std. dev:   .225618
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

selfreading_time **Hours per week of child's reading**

```

    type: numeric (float)
    
```

range: [0,14] units: 1.000e-09
 unique values: 54 missing .: 0/1,397

```

tabulation: Freq. Value
1,180 0
2 .01666667
1 .03333334
1 .06666667
6 .08333334
1 .1
3 .11666667
7 .13333334
1 .15000001
2 .16666667
4 .18333334
1 .2
2 .21666667
2 .23333333
3 .23333335
5 .25
1 .26666668
5 .30000001
4 .33333334
1 .34999999
5 .41666666
3 .41666669
1 .43333334
1 .46666667
1 .46666667
5 .5
1 .51666665
1 .53333333
9 .58333331
2 .63333333
4 .66666669
1 .76666665
9 .83333331
5 .88333333
8 1
20 1.1666666
4 1.25
2 1.4666667
6 1.5
5 1.6666666
10 1.75
3 2
1 2.25
10 2.3333333
5 2.5
1 2.6333332
2 2.9166665
1 3
25 3.5
1 4.0833335
1 4.6666665
1 5
10 7
1 14
    
```

mean: .253937
 std. dev: .937727

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 .583333

screen_time_c1
 Monday-Friday:Hours per week of child's playing computer ,tablet, ipad and smart

type: numeric (float)

range: [0, 60]
 unique values: 59

units: 1.000e-09
 missing .: 0/1,397

tabulation:	Freq.	Value
	663	0
	1	.08333334
	1	.13333334
	1	.16666667
	1	.18333334
	2	.21666667
	1	.25
	4	.30000001
	4	.38333333
	9	.41666666
	2	.5
	1	.51666665
	4	.63333333
	1	.75
	17	.83333331
	1	.93333334
	2	1
	4	1.05
	15	1.25
	2	1.4666667
	22	1.6666666
	1	1.8833333
	1	2
	6	2.0833333
	1	2.1833334
	109	2.5
	1	2.5999999
	2	2.9166667
	1	3.1333334
	9	3.3333333
	1	3.6500001
	18	3.75
	2	4.1666665
	1	4.3833332
	1	4.5833335
	233	5
	2	5.4166665
	4	5.8333335
	1	6.0500002
	11	6.25
	1	7.3000002
	53	7.5
	1	8.75
	3	9.3833332
	83	10
	1	11.25
	30	12.5
	20	15
	1	16.666666
	7	17.5
	3	18.75
	15	20
	4	22.5
	2	25
	1	27.5
	6	30
	1	31.25
	1	33.75
	1	60

mean: 3.37373
 std. dev: 5.18331

percentiles: 10% 25% 50% 75% 90%
 0 0 .833333 5 10

screen_time_c2
 Saturday-Sunday:Hours per week of child's playing computer ,tablet, ipad and sma

type: numeric (float)
 range: [0,29] units: 1.000e-09
 unique values: 57 missing .: 0/1,397

tabulation:	Freq.	Value
	627	0
	1	.03333334
	1	.05
	3	.08333334
	1	.1
	4	.11666667
	4	.15000001
	8	.16666667
	2	.2
	1	.21666667
	6	.25
	14	.33333334
	1	.38333333
	7	.41666666
	1	.48333332
	14	.5
	22	.66666669
	1	.75
	7	.83333331
	1	.88333333
	101	1
	1	1.05
	2	1.16666666
	2	1.25
	9	1.33333334
	1	1.46666667
	20	1.5
	5	1.66666666
	1	1.75
	1	1.83333334
	208	2
	1	2.25
	4	2.33333333
	12	2.5
	1	2.91666667
	51	3
	1	3.5
	2	3.75
	88	4
	3	4.5
	38	5
	34	6
	13	7
	6	7.5
	17	8
	11	9
	6	10
	5	11
	13	12
	2	12.5
	1	13
	3	13.5
	1	14
	2	16
	1	21
	3	24
	1	29

mean: 1.7733
 std. dev: 2.89293

percentiles: 10% 25% 50% 75% 90%
 0 0 .666667 2 5

screen_time_c3

Monday-Sunday:Hours per week of child's playing computer ,tablet, ipad and smart

type: numeric (float)
 range: [0,12] units: 1.000e-09
 unique values: 51 missing .: 0/1,397

tabulation:	Freq.	Value
	1,126	0
	3	.03333334
	3	.05
	3	.06666667
	2	.08333334
	4	.1
	3	.13333334
	2	.15000001
	10	.16666667
	3	.18333334
	7	.21666667
	3	.25
	1	.30000001
	1	.31666666
	16	.33333334
	4	.38333333
	2	.41666666
	2	.43333334
	24	.5
	2	.58333331
	2	.63333333
	5	.66666669
	4	.75
	3	.83333331
	1	.88333333
	24	1
	1	1.05
	2	1.1333333
	2	1.1666666
	11	1.25
	3	1.3333334
	17	1.5
	5	1.75
	2	1.8833333
	1	1.9833333
	12	2
	3	2.25
	17	2.5
	16	3
	10	3.5
	2	3.75
	10	4
	3	4.5
	7	5
	1	5.25
	2	6
	2	7
	1	7.5
	5	8
	1	11.25
	1	12

mean: .34444
 std. dev: 1.09542

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

screen_time Hours per week of child's playing computer ,tablet, ipad and smart phone

```

type: numeric (float)
range: [0,84] units: 1.000e-09
unique values: 146 missing .: 0/1,397
mean: 5.49147
std. dev: 7.45321
percentiles: 10% 25% 50% 75% 90%
              0 .033333 3.06667 7 14
    
```

tv_time_c1 Hours per week of child's watching tv

```

type: numeric (float)
range: [0,65] units: 1.000e-08
unique values: 57 missing .: 0/1,397
    
```

```

tabulation: Freq. Value
            277 0
              2 .13333334
              3 .16666667
              5 .21666667
              2 .25
              3 .30000001
              3 .38333333
             20 .41666666
              1 .5
              1 .56666666
              5 .58333331
              5 .63333333
             33 .83333331
              1 .91666669
              1 1
              1 1.05
              1 1.0833334
             13 1.25
              1 1.5666667
             27 1.6666666
              4 1.8833333
              2 2.0833333
             180 2.5
              5 2.9166667
              4 3
              1 3.0833333
              9 3.3333333
             32 3.75
              2 4.1666665
             422 5
              1 5.2166667
              1 5.3833332
              1 5.4166665
              1 5.6333332
              3 6.25
              1 6.6666665
              2 7.0833335
             65 7.5
              2 9.1666667
              1 9.3833332
            144 10
              2 11.25
             24 12.5
             38 15
              1 15.833333
              8 17.5
              3 18.75
    
```



```

                16 20
                2 20.25
                3 22.5
                5 25
                1 27.5
                2 30
                1 31.25
                1 40
                1 42.5
                1 65
    mean:      4.87776
    std. dev:  5.16866

    percentiles:    10%    25%    50%    75%    90%
                   0     .833333  5     5     10

```

tv_time_c2 **Hours per week of child's watching tv**

```

    type: numeric (float)
    range: [0,36]
    unique values: 56
    units: 1.000e-09
    missing .: 0/1,397

```

```

    tabulation:
    Freq. Value
    260 0
    2 .05
    3 .06666667
    4 .08333334
    2 .1
    2 .11666667
    3 .15000001
    15 .16666667
    1 .2
    5 .23333333
    4 .25
    31 .33333334
    1 .43333334
    10 .5
    1 .63333333
    26 .66666669
    4 .75
    2 .83333331
    151 1
    3 1.1666666
    7 1.3333334
    28 1.5
    3 1.6666666
    372 2
    1 2.0833333
    1 2.25
    1 2.3333333
    6 2.5
    1 2.6666667
    1 2.9166667
    63 3
    4 3.5
    1 3.75
    164 4
    3 4.5
    27 5
    1 5.1666665
    2 5.5
    44 6
    1 6.25
    16 7
    4 7.5
    44 8
    7 9
    21 10
    6 11

```

```

13 12
3 12.5
1 13
7 14
3 15
4 16
2 20
2 21
2 26
1 36
mean: 2.67791
std. dev: 3.23709

percentiles:      10%      25%      50%      75%      90%
                  0      .666667      2      4      6
    
```

tv_time_c3 **Hours per week of child's watching tv**

```

type: numeric (float)
range: [0,9]
unique values: 39
units: 1.000e-09
missing .: 0/1,397
    
```

```

tabulation: Freq. Value
1,285 0
1 .06666667
1 .08333334
1 .1
1 .11666667
2 .13333334
4 .16666667
1 .2
1 .21666667
1 .23333333
6 .25
2 .31666666
1 .33333334
1 .36666667
2 .41666666
7 .5
1 .58333331
1 .63333333
6 .66666669
10 .75
1 .83333331
9 1
1 1.05
5 1.25
1 1.4666667
10 1.5
4 1.75
1 1.8833333
4 2
1 2.25
5 2.5
7 3
4 3.5
1 4
2 4.5
1 6.75
1 7.5
1 8.25
3 9
mean: .132116
std. dev: .698256
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0      0      0      0      0
    
```

tv_time **Hours per week of child's watching tv**

```

type: numeric (float)
range: [0,91]
unique values: 152
mean: 7.68778
std. dev: 7.75583
units: 1.000e-09
missing .: 0/1,397

percentiles:      10%      25%      50%      75%      90%
                  .166667  2.33333  7        10.5     17
    
```

other_c1 **Monday-Friday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,0]
unique values: 1
mean: 0
std. dev: 0
units: 1
missing .: 0/1,397

tabulation: Freq. Value
             1,397  0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

other_c2 **Saturday-Sunday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,0]
unique values: 1
mean: 0
std. dev: 0
units: 1
missing .: 0/1,397

tabulation: Freq. Value
             1,397  0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

other_c3 **Monday-Sunday:Hours per week of child's doing other activity**

```

type: numeric (float)
range: [0,0]
unique values: 1
mean: 0
std. dev: 0
units: 1
missing .: 0/1,397

tabulation: Freq. Value
             1,397  0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

other_time **Hours per week of child's doing other activity**

```

type: numeric (float)
    
```

```

    range: [0,0]                units: 1
unique values: 1                missing .: 0/1,397

  tabulation: Freq.  Value
              1,397  0
    mean:      0
  std. dev:    0

percentiles:   10%    25%    50%    75%    90%
               0      0      0      0      0
    
```

year_survey **year survey**

```

    type: numeric (float)

    range: [2018,2018]          units: 1
unique values: 1                missing .: 0/1,397

  tabulation: Freq.  Value
              1,397  2018
    mean:      2018
  std. dev:    0

percentiles:   10%    25%    50%    75%    90%
               2018   2018   2018   2018   2018
    
```

survey_name **survey round**

```

    type: string (str12)

unique values: 1                missing "": 0/1,397

  tabulation: Freq.  Value
              1,397  "RESURVEY2018"
    
```

```

2 . log close
   name: <unnamed>
   log:  V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2018\\b11.smcl
   log type: smcl
   closed on: 27 Jul 2024, 16:16:02
    
```
