



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\b13.smcl
log type: smcl
opened on: 5 Jan 2024, 09:58:18
    
```

1 . codebookr \_all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b13_run.dta
Last saved: 5 Jan 2024 09:58
    
```

```

Label: [none]
Number of variables: 43
Number of observations: 1,397
Size: 289,179 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b NA
                  .c DK
                  .d MI
    
```

---

**cid** **children id**

---

```

type: string (str18)
unique values: 1,397 missing "": 0/1,397
examples: "201591160604207H1"
           "201691131001062H1"
           "201691160105024H1"
           "201691161708105H1"
    
```

---

**iyear** **year**

---

```

type: string (str4)
unique values: 2 missing "": 0/1,397
tabulation: Freq. Value
              517 "2015"
              880 "2016"
    
```

---

**hhid** **household id**

---

```

type: string (str15)
unique values: 1,197 missing "": 0/1,397
    
```

examples: "201591160604207"  
 "201691131001041"  
 "201691160105024"  
 "201691161708105"

---

**prov** **province**

---

type: string (**str2**)  
 unique values: 2 missing "": 0/1,397  
 tabulation: Freq. Value  
                   1,259 "91"  
                   138 "93"

---

**amp** **amphoe**

---

type: string (**str2**)  
 unique values: 7 missing "": 0/1,397  
 tabulation: Freq. Value  
                   138 "12"  
                   241 "13"  
                   116 "14"  
                   136 "15"  
                   514 "16"  
                   41 "17"  
                   211 "18"

---

**tam** **tambon**

---

type: string (**str2**)  
 unique values: 15 missing "": 0/1,397  
 tabulation: Freq. Value  
                   63 "01"  
                   214 "02"  
                   122 "04"  
                   53 "05"  
                   53 "06"  
                   63 "07"  
                   56 "08"  
                   92 "09"  
                   122 "10"  
                   89 "11"  
                   141 "13"  
                   42 "14"  
                   137 "15"  
                   96 "17"  
                   54 "19"

---

**moo** **moo**

---

type: string (**str2**)  
 unique values: 21 missing "": 0/1,397

```

tabulation:  Freq.  Value
              153  "01"
              62  "02"
              141  "03"
              148  "04"
              116  "05"
              145  "06"
              76  "07"
              143  "08"
              87  "09"
              70  "10"
              50  "11"
              39  "12"
              38  "13"
              10  "14"
              12  "15"
              36  "16"
              8   "17"
              12  "18"
              26  "19"
              18  "22"
              7   "24"
    
```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 182           missing "": 0/1,397
examples: "011"
          "035"
          "070"
          "147"
    
```

---

**bpi1** **Children change their mood or feelings quickly**

---

```

type: numeric (byte)
label: bpi1
range: [0,5]           units: 1
unique values: 4       missing .: 0/1,397
tabulation:  Freq.  Numeric  Label
              10    0    not happen
              406   1    not encounter
              667   3    sometimes
              314   5    usually
    
```

---

**bpi2** **Children feeling or complaining about being unloved**

---

```

type: numeric (byte)
label: bpi2
range: [0,5]           units: 1
unique values: 4       missing .: 0/1,397
tabulation:  Freq.  Numeric  Label
              6     0    not happen
              864   1    not encounter
              440   3    sometimes
              87    5    usually
    
```

---

**bpi3** **Child is rather irritable stressed or anxious**

---

```

type: numeric (byte)
label: bpi3

range: [0,5]          units: 1
unique values: 4      missing .. 0/1,397

tabulation: Freq.  Numeric  Label
              10         0  not happen
              989        1  not encounter
              343        3  sometimes
              55         5  usually
    
```

**bpi4** **Child is cheater or like to lie**

```

type: numeric (byte)
label: bpi4

range: [0,5]          units: 1
unique values: 4      missing .. 0/1,397

tabulation: Freq.  Numeric  Label
              10         0  not happen
              965        1  not encounter
              386        3  sometimes
              36         5  usually
    
```

**bpi5** **Child is overly scared or agitated**

```

type: numeric (byte)
label: bpi5

range: [0,5]          units: 1
unique values: 4      missing .. 0/1,397

tabulation: Freq.  Numeric  Label
              10         0  not happen
            1,151        1  not encounter
              195        3  sometimes
              41         5  usually
    
```

**bpi6** **Child too argumentative**

```

type: numeric (byte)
label: bpi6

range: [0,5]          units: 1
unique values: 4      missing .. 0/1,397

tabulation: Freq.  Numeric  Label
              2         0  not happen
              793        1  not encounter
              492        3  sometimes
              110        5  usually
    
```

**bpi7** **Child can't stay focused on one thing for a long time**

```

type: numeric (byte)
label: bpi7

range: [0,5]          units: 1
unique values: 4      missing .. 0/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              12      0  not happen
              889     1  not encounter
              419     3  sometimes
              77      5  usually
    
```

**bpi8** **Child is confused or easily distracted**

```

type: numeric (byte)
label: bpi8

range: [0,5]          units: 1
unique values: 4      missing .. 0/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              7      0  not happen
            1,264     1  not encounter
              117     3  sometimes
               9      5  usually
    
```

**bpi9** **Child likes to bully or bully others**

```

type: numeric (byte)
label: bpi9

range: [0,5]          units: 1
unique values: 4      missing .. 0/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              16      0  not happen
            1,003     1  not encounter
              293     3  sometimes
               85     5  usually
    
```

**bpi10** **Child is stubborn or disobedient at home**

```

type: numeric (byte)
label: bpi10

range: [0,5]          units: 1
unique values: 4      missing .. 0/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
               2      0  not happen
              484     1  not encounter
              760     3  sometimes
              151     5  usually
    
```

**bpi11** **Children do not feel sorry when they make mistakes**

```

type: numeric (byte)
label: bpi11

range: [0,5]          units: 1
unique values: 4      missing .. 0/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              25      0  not happen
             830     1  not encounter
             458     3  sometimes
               84     5  usually
    
```

---

**bpi12** **Child difficult to get along with other children**

---

```

type: numeric (byte)
label: bpi12

range: [0,5]                units: 1
unique values: 4            missing .. 0/1,397

tabulation: Freq.  Numeric  Label
              9         0  not happen
            1,236       1  not encounter
              112       3  sometimes
              40        5  usually
    
```

---

**bpi13** **Child is act hastily or does anything without thinking**

---

```

type: numeric (byte)
label: bpi13

range: [0,5]                units: 1
unique values: 4            missing .. 0/1,397

tabulation: Freq.  Numeric  Label
              30         0  not happen
             910         1  not encounter
             416         3  sometimes
              41         5  usually
    
```

---

**bpi14** **Child feel worthless or feeling of inferiority**

---

```

type: numeric (byte)
label: bpi14

range: [0,5]                units: 1
unique values: 4            missing .. 0/1,397

tabulation: Freq.  Numeric  Label
              19         0  not happen
            1,249       1  not encounter
              122       3  sometimes
               7         5  usually
    
```

---

**bpi15** **Other children don't like this child**

---

```

type: numeric (byte)
label: bpi15

range: [0,5]                units: 1
unique values: 4            missing .. 0/1,397

tabulation: Freq.  Numeric  Label
              29         0  not happen
            1,221       1  not encounter
              132       3  sometimes
               15         5  usually
    
```

---

**bpi16** **Child is obsessed and will not stop thinking until get the answer**

---

```

type: numeric (byte)
label: bpi16
    
```

```

        range: [0,5]                units: 1
unique values: 4                    missing .: 0/1,397

    tabulation: Freq.  Numeric  Label
                15         0  not happen
                1,205       1  not encounter
                151         3  sometimes
                26         5  usually
    
```

**bpi17** **Child unable to sit or stay still for a long time**

```

        type: numeric (byte)
        label: bpi17

        range: [0,5]                units: 1
unique values: 4                    missing .: 0/1,397

    tabulation: Freq.  Numeric  Label
                5         0  not happen
                794       1  not encounter
                417       3  sometimes
                181       5  usually
    
```

**bpi18** **Child is stubborn and easily angered**

```

        type: numeric (byte)
        label: bpi18

        range: [0,5]                units: 1
unique values: 4                    missing .: 0/1,397

    tabulation: Freq.  Numeric  Label
                3         0  not happen
                585       1  not encounter
                639       3  sometimes
                170       5  usually
    
```

**bpi19** **Child is strong temper and have difficulty controlling their emotions**

```

        type: numeric (byte)
        label: bpi19

        range: [0,5]                units: 1
unique values: 4                    missing .: 0/1,397

    tabulation: Freq.  Numeric  Label
                9         0  not happen
                1,072     1  not encounter
                273       3  sometimes
                43        5  usually
    
```

**bpi20** **Child appears unhappy, sad, or depressed**

```

        type: numeric (byte)
        label: bpi20

        range: [0,5]                units: 1
unique values: 4                    missing .: 0/1,397
    
```

```

tabulation: Freq.  Numeric  Label
              7          0  not happen
            1,327      1  not encounter
              60          3  sometimes
               3          5  usually
    
```

**bpi21** **Child is introvert and do not mingle with others**

```

type: numeric (byte)
label: bpi21

range: [0,5]          units: 1
unique values: 4      missing .. 0/1,397
    
```

```

tabulation: Freq.  Numeric  Label
              8          0  not happen
            1,314      1  not encounter
              66          3  sometimes
               9          5  usually
    
```

**bpi22** **Children have destructive behavior things**

```

type: numeric (byte)
label: bpi22

range: [0,5]          units: 1
unique values: 4      missing .. 0/1,397
    
```

```

tabulation: Freq.  Numeric  Label
              9          0  not happen
            1,005      1  not encounter
              337          3  sometimes
               46          5  usually
    
```

**bpi23** **Children addicted to adult**

```

type: numeric (byte)
label: bpi23

range: [0,5]          units: 1
unique values: 4      missing .. 0/1,397
    
```

```

tabulation: Freq.  Numeric  Label
              2          0  not happen
             329          1  not encounter
             507          3  sometimes
             559          5  usually
    
```

**bpi24** **Child is cry easily**

```

type: numeric (byte)
label: bpi24

range: [0,5]          units: 1
unique values: 4      missing .. 0/1,397
    
```

```

tabulation: Freq.  Numeric  Label
              2          0  not happen
             667          1  not encounter
             477          3  sometimes
             251          5  usually
    
```



---

**bpi25** **Children likes to demand attention**

---

```

type: numeric (byte)
label: bpi25

range: [0,5]                units: 1
unique values: 4            missing .. 0/1,397

tabulation: Freq.  Numeric  Label
              6          0  not happen
              713        1  not encounter
              538        3  sometimes
              140        5  usually
    
```

---

**bpi26** **Children tend to be overly dependent on others**

---

```

type: numeric (byte)
label: bpi26

range: [0,5]                units: 1
unique values: 4            missing .. 0/1,397

tabulation: Freq.  Numeric  Label
              5          0  not happen
              971        1  not encounter
              359        3  sometimes
              62         5  usually
    
```

---

**bpi27** **Child are paranoid feel like someone was going to hurt them**

---

```

type: numeric (byte)
label: bpi27

range: [0,5]                units: 1
unique values: 4            missing .. 0/1,397

tabulation: Freq.  Numeric  Label
              7          0  not happen
             1,326        1  not encounter
              60          3  sometimes
              4           5  usually
    
```

---

**bpi28** **Children like to hang out with mischievous children**

---

```

type: numeric (byte)
label: bpi28

range: [0,5]                units: 1
unique values: 4            missing .. 0/1,397

tabulation: Freq.  Numeric  Label
              48          0  not happen
             1,263        1  not encounter
              79          3  sometimes
              7           5  usually
    
```

---

**bpi29** **Children likes to keep secrets to herself**

---

```

type: numeric (byte)
label: bpi29
    
```

range: [0,5] units: 1  
 unique values: 4 missing .: 0/1,397

| tabulation: | Freq. | Numeric | Label         |
|-------------|-------|---------|---------------|
|             | 55    | 0       | not happen    |
|             | 1,262 | 1       | not encounter |
|             | 70    | 3       | sometimes     |
|             | 10    | 5       | usually       |

**bpi30** **Children excessive worry**

type: numeric (byte)  
 label: **bpi30**

range: [0,5] units: 1  
 unique values: 4 missing .: 0/1,397

| tabulation: | Freq. | Numeric | Label         |
|-------------|-------|---------|---------------|
|             | 8     | 0       | not happen    |
|             | 1,343 | 1       | not encounter |
|             | 42    | 3       | sometimes     |
|             | 4     | 5       | usually       |

**bpi31** **Child is stubborn or disobedient at school**

type: numeric (byte)  
 label: **bpi31**

range: [0,5] units: 1  
 unique values: 4 missing .: 0/1,397

| tabulation: | Freq. | Numeric | Label         |
|-------------|-------|---------|---------------|
|             | 229   | 0       | not happen    |
|             | 850   | 1       | not encounter |
|             | 286   | 3       | sometimes     |
|             | 32    | 5       | usually       |

**bpi32** **Child has a hard time getting along with teacher**

type: numeric (byte)  
 label: **bpi32**

range: [0,5] units: 1  
 unique values: 4 missing .: 0/1,397

| tabulation: | Freq. | Numeric | Label         |
|-------------|-------|---------|---------------|
|             | 44    | 0       | not happen    |
|             | 1,305 | 1       | not encounter |
|             | 41    | 3       | sometimes     |
|             | 7     | 5       | usually       |

**note** **Interviewer note (unavailable)**

type: string (str113), but longest is str0

unique values: 0 missing "": 1,397/1,397

| tabulation: | Freq. | Value |
|-------------|-------|-------|
|             | 1,397 | " "   |

```

      type: numeric (int)
      range: [2018,2018]
unique values: 1
      units: 1
      missing .: 0/1,397

      tabulation: Freq. Value
                  1,397 2018
      mean:      2018
      std. dev:   0

      percentiles:      10%      25%      50%      75%      90%
                       2018      2018      2018      2018      2018

```

---

**survey\_name** **survey round**

---

```

      type: string (str12)
unique values: 1
      missing "": 0/1,397

      tabulation: Freq. Value
                  1,397 "RESURVEY2018"

```

2 . log close

```

      name: <unnamed>
      log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2018\b13.scml
      log type: smcl
      closed on: 5 Jan 2024, 09:58:19

```

---