



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\b2.scml
log type: smcl
opened on: 27 Jul 2024, 15:46:31
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b2_run.dta
Last saved: 27 Jul 2024 15:45
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 245
Number of observations: 1,397
Size: 7,454,392 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,397 missing "": 0/1,397
examples: "201591160604207H1"
           "201691131001062H1"
           "201691160105024H1"
           "201691161708105H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,397
tabulation: Freq. Value
             517 "2015"
             880 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,197 missing "": 0/1,397
 examples: "201591160604207"
 "201691131001041"
 "201691160105024"
 "201691161708105"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,397
 tabulation: Freq. Value
 1,259 "91"
 138 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/1,397
 tabulation: Freq. Value
 138 "12"
 241 "13"
 116 "14"
 136 "15"
 514 "16"
 41 "17"
 211 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,397
 tabulation: Freq. Value
 63 "01"
 214 "02"
 122 "04"
 53 "05"
 53 "06"
 63 "07"
 56 "08"
 92 "09"
 122 "10"
 89 "11"
 141 "13"
 42 "14"
 137 "15"
 96 "17"
 54 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,397

```

tabulation:  Freq.  Value
              153  "01"
              62  "02"
              141  "03"
              148  "04"
              116  "05"
              145  "06"
              76  "07"
              143  "08"
              87  "09"
              70  "10"
              50  "11"
              39  "12"
              38  "13"
              10  "14"
              12  "15"
              36  "16"
              8   "17"
              12  "18"
              26  "19"
              18  "22"
              7   "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 182          missing "": 0/1,397
examples: "011"
           "035"
           "070"
           "147"
    
```

ccla In the past month, did you feed the child with breast milk? (Check the Roster,in

```

type: numeric (byte)
label: ccla
range: [1,3]          units: 1
unique values: 2      missing .: 841/1,397
unique missing codes: 2  missing *: 19/1,397

tabulation:  Freq.  Numeric  Label
              31     1  yes
              506    3  no
              841     .
              19     .d
    
```

cclal **How old was the child when you stopped breast feeding ?**

```

type: numeric (byte)
range: [0,47]        units: 1
unique values: 30    missing .: 891/1,397
unique missing codes: 3  missing *: 23/1,397
    
```



```

tabulation:  Freq.  Value
              85    1
              61    2
              69    3
              65    4
              20    5
              34    6
              38    7
              21    8
              23    9
              14   10
               5   11
              25   12
              10   13
               7   14
               4   15
               4   16
               5   17
              11   18
               8   19
               4   20
               2   21
               1   22
               1   23
               8   24
               3   25
               2   26
               2   29
             842   .
               1   .c
              22   .d
    mean:     6.47556
  std. dev:  5.81813

percentiles:      10%      25%      50%      75%      90%
                  1         2         4         9        15
  
```

cc3 Since previous interview, have child eaten vitamin or supplementary food?

```

    type: numeric (byte)
    label: cc3

    range: [1,3]          units: 1
  unique values: 2      missing .: 0/1,397

  tabulation:  Freq.  Numeric  Label
                616    1    yes
                781    3    no
  
```

cc3b Since the last interview , What vitamins did the child eat? (not display)

```

    type: string (str120), but longest is str0
  unique values: 0          missing "": 1,397/1,397

  tabulation:  Freq.  Value
                1,397  ""
  
```

cc3ca Since last interview, has the child had supplementary food e.g. chicken essence,

```

    type: numeric (int)

    range: [0,60]          units: 1
  unique values: 17      missing .: 781/1,397
  unique missing codes: 2  missing *: 6/1,397
  
```

```

tabulation:  Freq.  Value
              478  0
              84  1
              15  2
              11  3
               3  4
               3  5
               4  6
               1  7
               1  9
               1 11
               1 12
               2 14
               2 15
               1 20
               1 29
               1 30
               1 60
              781 .
               6 .c
    mean:     .711475
    std. dev: 3.43344

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

cc3cb How often do children have to consume food supplements such as instant real bird

```

type: string (str30), but longest is str16

unique values: 6                missing "": 1,259/1,397
unique missing codes: 2        missing *: 6/1,397

tabulation:  Freq.  Value
              1,259 ""
               6  "DK"
               40  "daily"
               24  "monthly"
                1  "two times a year"
               31  "weekly"
               36  "yearly"

warning: variable has embedded blanks
    
```

cc3cc Frequency code : The child had supplementary food

```

type: numeric (byte)
label: cc3cc

range: [1,9]                units: 1
unique values: 5            missing .: 1,259/1,397
unique missing codes: 2    missing *: 6/1,397

tabulation:  Freq.  Numeric  Label
              40      1  every day
              31      3  every week
              24      5  every month
                1      7  every 6 months
              36      9  every year
             1,259      .
                6      .c
    
```

cc4b Since previous interview, does child regularly drank water being boiled, filte

```

type: numeric (byte)
label: cc4b

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,397

tabulation: Freq.  Numeric  Label
             1,237    1  yes
             160     3  no
    
```

cc5a4 Since last interview, has your child eaten vegetable (including cooked, dried, g

```

type: numeric (byte)
label: cc5a4

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,397

tabulation: Freq.  Numeric  Label
             1,062    1  yes
             335     3  no
    
```

cc5b4 How many days per month did your child have vegetable (including cooked, dried,

```

type: numeric (byte)

range: [1,30]
unique values: 20
unique missing codes: 2
units: 1
missing ..: 335/1,397
missing *: 1/1,397

tabulation: Freq.  Value
             4  1
             13 2
             16 3
             96 4
              9 5
             60 6
              3 7
             122 9
              7 10
             93 11
             90 13
             49 15
             16 17
              1 18
              7 19
              2 20
             14 22
              4 24
              3 26
             452 30
             335 .
              1 .c
mean: 18.3685
std. dev: 10.6637

percentiles: 10%    25%    50%    75%    90%
              4      9      15     30     30
    
```

cc5a6 Since last interview, has your child eaten eggs, meat and meat products?

```

type: numeric (byte)
label: cc5a6
    
```

range: [1,1] units: 1
 unique values: 1 missing .: 0/1,397
 tabulation: Freq. Numeric Label
 1,397 1 yes

cc5b6 How many days per month did your child have eggs, meat and meat products?

type: numeric (byte)
 range: [4,30] units: 1
 unique values: 13 missing .: 0/1,397
 tabulation: Freq. Value
 6 4
 4 6
 3 9
 10 11
 1 12
 8 13
 6 15
 8 17
 3 19
 4 22
 1 24
 1 26
 1,342 30
 mean: 29.3357
 std. dev: 3.45722
 percentiles: 10% 25% 50% 75% 90%
 30 30 30 30 30

cc5a7 Have children ever eating seafood such as mackerel, squid

type: numeric (byte)
 label: cc5a7
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,397
 tabulation: Freq. Numeric Label
 1,194 1 yes
 203 3 no

cc5b7 How many days per month did your child have seafood e.g. mackerel, squid?

type: numeric (int)
 range: [1,30] units: 1
 unique values: 23 missing .: 203/1,397
 tabulation: Freq. Value
 35 1
 63 2
 61 3
 243 4
 13 5
 100 6
 4 7
 1 8
 199 9
 4 10
 145 11
 1 12
 118 13


```

                2 14
                57 15
                24 17
                15 19
                 1 20
                 8 22
                 1 24
                 1 26
                 1 28
                97 30
                203 .
    mean:      9.84003
    std. dev:  7.47303

    percentiles:    10%    25%    50%    75%    90%
                   3      4      9     13     19
    
```

cc5a8 **Since last interview, has your child eaten softdrink?**

```

    type: numeric (byte)
    label: cc5a8

    range: [1,3]                units: 1
    unique values: 2            missing .: 0/1,397

    tabulation:  Freq.  Numeric  Label
                 1,126    1      yes
                 271      3      no
    
```

cc5b8 **How many days per month did your child have softdrink?**

```

    type: numeric (byte)

    range: [1,30]                units: 1
    unique values: 22            missing .: 271/1,397
    unique missing codes: 2      missing *: 3/1,397

    tabulation:  Freq.  Value
                 40    1
                 57    2
                 43    3
                189    4
                 12    5
                 73    6
                   3    7
                145    9
                   3   10
                 70   11
                   1   12
                 66   13
                 26   15
                 17   17
                   1   18
                 14   19
                   4   20
                 24   22
                   3   24
                   1   25
                   1   26
                330   30
                271  .
                   3  .c
    mean:      14.3606
    std. dev:  11.0242

    percentiles:    10%    25%    50%    75%    90%
                   3      4      9     30     30
    
```

cc10a1 Rank of reponsive freq : using praise to the child for satisfying behavior

```

type: numeric (byte)
label: cc10a1

range: [..]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10a2 Rank of reponsive freq : hug, kiss, head pad or applaud to the child for satisfy

```

type: numeric (byte)
label: cc10a2

range: [..]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10a3 Rank of reponsive freq : give reward to the child for satisfying behavior

```

type: numeric (byte)
label: cc10a3

range: [..]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10a4 Rank of reponsive freq : respond to the child with the other reponsive types

```

type: numeric (byte)
label: cc10a4

range: [..]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10a4_des Description of other reponsive types (not display)

```

type: string (str114), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""
    
```

cc10b1 Rank of reponsive freq : assign time out to the child for unsatisfying behavior

```

type: numeric (byte)
label: cc10b1
    
```

range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10b2

Rank of reponsive freq : show offensive facial expression to the child for unsa

type: numeric (byte)
 label: cc10b2
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10b3

Rank of reponsive freq : use fierceful words, loud voice or shout to the child f

type: numeric (byte)
 label: cc10b3
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10b4

Rank of reponsive freq : give warning to the child for unsatisfying behavior

type: numeric (byte)
 label: cc10b4
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10b5

Rank of reponsive freq : hit or spank the child for unsatisfying behavior

type: numeric (byte)
 label: cc10b5
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10b6

Rank of reponsive freq : threaten to not love or leave the child for unsatisfyin

type: numeric (byte)
 label: cc10b6
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
 1,397 .

cc10b7

Rank of reponsive freq : negotiate with the child that if he/she stop unsatisfyi

type: numeric (**byte**)
 label: **cc10b7**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10b8

Rank of reponsive freq : responding to the child with the other responsive types

type: numeric (**byte**)
 label: **cc10b8**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10b8_des

Description of the other reponsive types (not display)

type: string (**str106**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc10c

Since previous interview, have child ever wetting

type: numeric (**byte**)
 label: **cc10c**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10c1

Rank of reponsive freq reponsive for the bedwetting:punishing of the child(chil

type: numeric (**byte**)
 label: **cc10c1**
 range: [..]
 unique values: 0 units: .
 missing ..: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10c2
Rank of reponsive freq for the bedwetting : training the child to urinate before

```

type: numeric (byte)
label: cc10c2

range: [..]
unique values: 0

units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10c3
Rank of reponsive freq for the bedwetting : avoid giving milk and water to the c

```

type: numeric (byte)
label: cc10c3

range: [..]
unique values: 0

units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10c4
Rank of reponsive freq reponsive for the bedwetting:waking the child up at night

```

type: numeric (byte)
label: cc10c4

range: [..]
unique values: 0

units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10c6 **Rank of reponsive freq for the bedwetting : do nothing**

```

type: numeric (byte)
label: cc10c6

range: [..]
unique values: 0

units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10c5
Rank of reponsive freq reponsive for the bedwetting:the child : other rection ty

```

type: numeric (byte)
label: cc10c5

range: [..]
unique values: 0

units: .
missing .: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc10c5_des Description of other reaction types to the child for bedwetting (not display)

type: string (**str78**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc10d Since previous interview, has child ever get constipation

type: numeric (**byte**)
 label: **cc10d**
 range: [..]
 unique values: 0 units: . missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10d1 Constipation problem solution : anus's been tucked by soap

type: numeric (**byte**)
 label: **cc10d1**
 range: [..]
 unique values: 0 units: . missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10d2 Use enema (for bottom injection)

type: numeric (**byte**)
 label: **cc10d2**
 range: [..]
 unique values: 0 units: . missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10d3 Training for scheduled defecation

type: numeric (**byte**)
 label: **cc10d3**
 range: [..]
 unique values: 0 units: . missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10d4 Use laxative (for eating)

type: numeric (**byte**)
 label: **cc10d4**

range: [..]
 unique values: 0
 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10e1 Take the child to restroom or manage child to sit on toilet or pot

type: numeric (byte)
 label: cc10e1
 range: [..]
 unique values: 0
 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10e2 Child go to restroom by himself

type: numeric (byte)
 label: cc10e2
 range: [..]
 unique values: 0
 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10e3 Take child to defecate under house or around the house, not in the toilet

type: numeric (byte)
 label: cc10e3
 range: [..]
 unique values: 0
 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10e4 Help child to clean after defecation

type: numeric (byte)
 label: cc10e4
 range: [..]
 unique values: 0
 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10e5 Let child manage him self after defecation

type: numeric (byte)
 label: cc10e5
 range: [..]
 unique values: 0
 units: .
 missing : 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc10f1 **Electric plug installed with cover**

```

      type: numeric (byte)
      label: cc10f1

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

cc10f2 **Electric plug installed at high position (over child hight)**

```

      type: numeric (byte)
      label: cc10f2

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

cc10f3 **Keep sharp objects away from children**

```

      type: numeric (byte)
      label: cc10f3

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

cc10f4 **Keep medicine away from children**

```

      type: numeric (byte)
      label: cc10f4

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

cc10f5 **Keep chemical substance away from children**

```

      type: numeric (byte)
      label: cc10f5

      range: [.,.]
unique values: 0
                    units: .
                    missing .: 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .
    
```

cc10g **In the child's eating, Do you need to feed the baby now?**

```

      type: numeric (byte)
      label: cc10g
    
```


range: [1,3] units: 1
 unique values: 2 missing : 841/1,397

tabulation:	Freq.	Numeric	Label
	124	1	yes
	432	3	no
	841	.	.

cc11i Media exposure and influence of media on children: How often does the child watc

type: numeric (byte)
 label: cc11i

range: [1,5] units: 1
 unique values: 3 missing : 0/1,397

tabulation:	Freq.	Numeric	Label
	558	1	never
	565	3	sometimes
	274	5	often

cc11c Media exposure and influence of media on children: In the past week, did you res

type: numeric (byte)
 label: cc11c

range: [1,5] units: 1
 unique values: 3 missing : 0/1,397
 unique missing codes: 1 missing *: 1/1,397

tabulation:	Freq.	Numeric	Label
	114	1	yes (restricted)
	1,169	3	no (the child can watch any program.)
	113	5	the child did not watch television.
	1	.d	.

cc11e Media exposure and influence of media on children: Does your household connect t

type: numeric (byte)
 label: cc11e

range: [1,3] units: 1
 unique values: 2 missing : 0/1,397
 unique missing codes: 1 missing *: 1/1,397

tabulation:	Freq.	Numeric	Label
	1,024	1	yes
	372	3	no
	1	.c	.

cc12 Since previous interview, have your household member wathching political news in

type: numeric (byte)
 label: cc12

range: [.,.] units: .
 unique values: 0 missing : 1,397/1,397

tabulation:	Freq.	Numeric	Label
	1,397	.	.

cc12a The child join when watching political news (yes/no)

```

type: numeric (byte)
label: cc12a

range: [.,.]          units: .
unique values: 0      missing .: 1,397/1,397

tabulation: Freq.  Numeric  Label
             1,397          .
    
```

cc13a The response of parents to the child : Since last interview, has the child's fat

```

type: numeric (byte)
label: cc13a

range: [1,5]          units: 1
unique values: 3      missing .: 0/1,397
unique missing codes: 1  missing *: 1/1,397

tabulation: Freq.  Numeric  Label
             449      1  never (skip to cc13b)
             484      3  sometimes
             463      5  often
              1      .c
    
```

cc13a_des The response of parents to the child : If yes, please specify how

```

type: string (str236)

unique values: 631      missing "": 450/1,397
unique missing codes: 2  missing *: 2/1,397

warning: variable has embedded and trailing blanks
    
```

cc13b The response of parents to the child : Since last interview, have you and your h

```

type: numeric (byte)
label: cc13b

range: [1,5]          units: 1
unique values: 3      missing .: 0/1,397
unique missing codes: 1  missing *: 99/1,397

tabulation: Freq.  Numeric  Label
             713      1  never (skip to cc13h)
             427      3  sometimes
             158      5  often
              99      .b
    
```

cc13b_des The response of parents to the child : If yes, please specify how

```

type: string (str356), but longest is str228

unique values: 405      missing "": 803/1,397

warning: variable has embedded and trailing blanks
    
```

cc13h **Number of learning centers for children in the community**

```

type: numeric (byte)
label: cc13h

range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq.   Numeric   Label
              1,397           .
    
```

cc13i **The response of parents to the child : At present, how dangerous is the communit**

```

type: numeric (byte)
label: cc13i

range: [1,5]
unique values: 3
units: 1
missing ..: 0/1,397

tabulation: Freq.   Numeric   Label
              1,052           1 not at all
              243            3 somewhat
              102            5 much
    
```

cc14 **Interviewer note (unavailable)**

```

type: string (str693), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.   Value
              1,397 ""
    
```

cc2_1 **Powdered milk (not display)**

```

type: string (str84), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.   Value
              1,397 ""
    
```

cc2_1:
 1. subjected to a carryforward operation

cc2a_1 **Powdered milk: Eat or not?**

```

type: numeric (byte)
label: cc2a_1

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1/1,397
missing *: 841/1,397

tabulation: Freq.   Numeric   Label
              63            1 yes
              492           3 no
              1             .
              841           .b
    
```

cc2b_1

Powdered milk: Average quantity per week

```

type: numeric (int)
range: [3,1600]
unique values: 32
unique missing codes: 2
units: 1
missing .: 493/1,397
missing *: 841/1,397
    
```

```

tabulation: Freq. Value
             1 3
             1 9
             2 12
             1 14
             3 21
             5 28
             2 42
             1 49
             6 56
             1 63
             1 70
             3 84
             2 98
             1 105
             4 112
             1 136
             1 142
             3 147
             1 154
             7 168
             1 173
             1 196
             1 200
             1 210
             1 214
             2 224
             2 280
             2 308
             2 336
             1 448
             1 508
             1 1600
             493 .
             841 .b
mean: 154.762
std. dev: 214.27
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  21       49       112      173      308
    
```

cc2c_1

Powdered milk: Unit

```

type: string (str35), but longest is str15
unique values: 1
missing "": 1/1,397
    
```

```

tabulation: Freq. Value
             1 ""
             1,396 "๑๑๑"
    
```

cc2_2

Bag milk/Pasteurized milk (not display)

```

type: string (str84), but longest is str0
unique values: 0
missing "": 1,397/1,397
    
```

tabulation: Freq. Value
 1,397 ""

cc2_2:

1. subjected to a carryforward operation

cc2a_2 **Bag milk/Pasteurized milk: Eat or not?**

type: numeric (**byte**)
 label: **cc2a_2**
 range: [1,3] units: 1
 unique values: 2 missing .: 1/1,397
 unique missing codes: 2 missing *: 3/1,397

tabulation:	Freq.	Numeric	Label
	1,110	1	yes
	283	3	no
	1	.	
	3	.c	

cc2b_2 **Bag milk/Pasteurized milk: Average quantity per week**

type: numeric (**int**)
 range: [1,78] units: 1
 unique values: 37 missing .: 287/1,397
 unique missing codes: 2 missing *: 4/1,397

tabulation:	Freq.	Value
	10	1
	13	2
	26	3
	16	4
	672	5
	7	6
	59	7
	48	8
	6	9
	101	10
	9	11
	34	12
	10	13
	29	14
	7	15
	2	16
	6	17
	6	18
	9	19
	1	20
	2	21
	1	22
	3	23
	1	24
	7	26
	7	28
	1	30
	4	32
	1	33
	1	35
	1	37
	1	40
	1	44
	1	50
	1	54
	1	61
	1	78
	287	.


```

      5 13
    150 14
      2 15
      4 16
      1 17
     40 18
     12 19
      1 20
     71 21
      2 22
      1 24
     24 25
      9 26
     37 28
      9 32
      2 33
     13 35
      1 37
      9 39
     19 42
      2 46
      1 47
      5 49
      1 53
     10 56
      2 70
      1 72
      4 84
      1 89
      1 112
      1 168
    397 .
  mean: 13.689
std. dev: 13.6942

percentiles:      10%      25%      50%      75%      90%
                  3         5         9        18        28

```

cc2c_3 **UHT milk (sterilize): Unit**

```

      type: string (str35), but longest is str15
unique values: 1          missing "": 1/1,397
  tabulation: Freq. Value
               1  ""
               1,396 "na"

```

cc2_4 **Soy milk (not display)**

```

      type: string (str84), but longest is str0
unique values: 0          missing "": 1,397/1,397
  tabulation: Freq. Value
               1,397 ""

```

cc2_4:
 1. subjected to a carryforward operation

cc2a_4 **Soy milk: Eat or not?**

```

      type: numeric (byte)
label: cc2a_4

```

```

range: [1,3] units: 1
unique values: 2 missing .: 1/1,397
unique missing codes: 2 missing *: 2/1,397

tabulation: Freq. Numeric Label
              607      1 yes
              787      3 no
              1       .
              2       .c
    
```

cc2b_4

Soy milk: Average quantity per week

```

type: numeric (int)

range: [1,84] units: 1
unique values: 18 missing .: 790/1,397
unique missing codes: 2 missing *: 6/1,397
    
```

```

tabulation: Freq. Value
              111  1
              136  2
              103  3
               32  4
               12  5
               16  6
              119  7
               11 11
               1  12
               28 14
               9  18
               7  21
               3  25
               7  28
               1  32
               1  35
               3  42
               1  84
              790  .
               6  .c
mean: 5.30948
std. dev: 6.68137

percentiles: 10% 25% 50% 75% 90%
              1  2  3  7  12
    
```

cc2c_4

Soy milk: Unit

```

type: string (str35)

unique values: 1 missing "": 1/1,397

tabulation: Freq. Value
              1  ""
              1,396 "ร.ง./ขวด/กล่อง"
    
```

cc2_5

Curd/Yacult (not display)

```

type: string (str84), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
              1,397 ""
    
```


cc2_5:
 1. subjected to a carryforward operation

cc2a_5 **Curd/Yacult: Eat or not?**

type: numeric (**byte**)
 label: **cc2a_5**
 range: [1,3] units: 1
 unique values: 2 missing .: 1/1,397

tabulation:	Freq.	Numeric	Label
	1,155	1	yes
	241	3	no
	1	.	.

cc2b_5 **Curd/Yacult: Average quantity per week**

type: numeric (**int**)
 range: [1,81] units: 1
 unique values: 31 missing .: 242/1,397
 unique missing codes: 2 missing *: 4/1,397

tabulation:	Freq.	Value
	89	1
	164	2
	194	3
	86	4
	35	5
	21	6
	279	7
	1	8
	1	10
	42	11
	9	12
	2	13
	95	14
	1	15
	2	16
	2	17
	27	18
	43	21
	1	22
	4	24
	16	25
	1	26
	19	28
	4	32
	1	35
	2	39
	5	42
	1	44
	2	46
	1	56
	1	81
	242	.
	4	.c
mean:	7.65508	
std. dev:	7.67005	

percentiles:	10%	25%	50%	75%	90%
	2	3	6	7	18

cc2c_5 **Curd/Yacult: Unit**

```

type: string (str35), but longest is str25
unique values: 1 missing "": 1/1,397
tabulation: Freq. Value
              1 ""
              1,396 "นมข้น/หวาน"
    
```

cc2_6 Sweet condensed milk (not display)

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
              1,397 ""
    
```

cc2_6:
1. subjected to a carryforward operation

cc2a_6 Sweet condensed milk: Eat or not?

```

type: numeric (byte)
label: cc2a_6
range: [1,3] units: 1
unique values: 2 missing .: 1/1,397
unique missing codes: 2 missing *: 841/1,397
tabulation: Freq. Numeric Label
              6 1 yes
              549 3 no
              1 .
              841 .b
    
```

cc2b_6 Sweet condensed milk: Average quantity per week

```

type: numeric (int)
range: [1,5] units: 1
unique values: 4 missing .: 550/1,397
unique missing codes: 2 missing *: 841/1,397
tabulation: Freq. Value
              2 1
              2 2
              1 3
              1 5
              550 .
              841 .b
mean: 2.33333
std. dev: 1.50555
percentiles: 10% 25% 50% 75% 90%
              1 1 2 3 5
    
```

cc2c_6 Sweet condensed milk: Unit

```

type: string (str35), but longest is str21
unique values: 1 missing "": 1/1,397
    
```

```

tabulation: Freq. Value
              1 ""
              1,396 "กระป๋อง"
    
```

cc2_7 **Condensed milk (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
              1,397 ""
    
```

cc2_7:
1. subjected to a carryforward operation

cc2a_7 **Condensed milk: Eat or not?**

```

type: numeric (byte)
label: cc2a_7
range: [1,3] units: 1
unique values: 2 missing .: 1/1,397
unique missing codes: 2 missing *: 841/1,397
    
```

```

tabulation: Freq. Numeric Label
              4          1 yes
              551         3 no
              1           .
              841         .b
    
```

cc2b_7 **Condensed milk: Average quantity per week**

```

type: numeric (int)
range: [1,25] units: 1
unique values: 3 missing .: 552/1,397
unique missing codes: 2 missing *: 841/1,397
    
```

```

tabulation: Freq. Value
              1 1
              2 3
              1 25
              552 .
              841 .b
    
```

```

mean: 8
std. dev: 11.3725
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1         2         3         14         25
    
```

cc2c_7 **Condensed milk: Unit**

```

type: string (str35), but longest is str21
unique values: 1 missing "": 1/1,397
tabulation: Freq. Value
              1 ""
              1,396 "กระป๋อง"
    
```

cc2_8 **Yogurt (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

cc2_8:
 1. subjected to a carryforward operation

cc2a_8 **Yogurt: Eat or not?**

```

type: numeric (byte)
label: cc2a_8
range: [1,3] units: 1
unique values: 2 missing .: 1/1,397
unique missing codes: 2 missing *: 2/1,397
tabulation: Freq. Numeric Label
             719 1 yes
             675 3 no
             1 .
             2 .c
    
```

cc2b_8 **Yogurt: Average quantity per week**

```

type: numeric (int)
range: [1,21] units: 1
unique values: 12 missing .: 678/1,397
unique missing codes: 2 missing *: 6/1,397
tabulation: Freq. Value
             248 1
             189 2
             114 3
             40 4
             18 5
             9 6
             73 7
             5 11
             2 12
             9 14
             4 18
             2 21
             678 .
             6 .c
mean: 2.94811
std. dev: 2.81925
percentiles: 10% 25% 50% 75% 90%
              1 1 2 3 7
    
```

cc2c_8 **Yogurt: Unit**

```

type: string (str35), but longest is str12
unique values: 1 missing "": 1/1,397
    
```

```

tabulation: Freq. Value
              1 ""
              1,396 "อื่น"
    
```

cc2_9 **Other (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
              1,397 ""
    
```

cc2a_9 **Other: Eat or not?**

```

type: numeric (byte)
label: cc2a
range: [1,1] units: 1
unique values: 1 missing .: 1,381/1,397
tabulation: Freq. Numeric Label
              16          1 yes
              1,381          .
    
```

cc2b_9 **Other: Average quantity per week**

```

type: numeric (int)
range: [2,168] units: 1
unique values: 6 missing .: 1,381/1,397
tabulation: Freq. Value
              1 2
              2 5
              8 7
              1 18
              1 84
              3 168
              1,381 .
mean: 42.125
std. dev: 65.3737
percentiles: 10% 25% 50% 75% 90%
              5 7 7 51 168
    
```

cc2c_9 **Other: Unit**

```

type: string (str35), but longest is str15
unique values: 3 missing "": 1,381/1,397
tabulation: Freq. Value
              1,381 ""
              5 "ของ"
              4 "ของ"
              7 "แก้ว"
    
```

cc7_1 **Childcare center (not display)**

```

type: string (str127), but longest is str0
    
```

unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc7a_1 **Childcare center: Is child receiving care from following person**

type: numeric (byte)
 label: cc7a_1
 range: [3,3] units: 1
 unique values: 1 missing .: 841/1,397
 tabulation: Freq. Numeric Label
 556 3 no
 841 .

cc7b_1 **Childcare center: member id**

type: string (str11), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc7c_1 **Childcare center: relationship with child (not display)**

type: string (str68), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc7c_code_1 **Childcare center: relationship code**

type: numeric (byte)
 label: cc7c_code_1
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc7da_1 **Childcare center: when did child started to receive care from that person (mont**

type: numeric (byte)
 label: cc7da
 range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc7db_1 **Childcare center: when did child started to receive care from that person (year**

```

type: numeric (int)
range: [,,]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

cc7e_1 **Childcare center: how many hour per week that child receive care from that perso**

```

type: numeric (int)
range: [,,]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

cc7f_1 **Childcare center: how much average expense per month of money that household mem**

```

type: numeric (int)
range: [,,]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

cc7g_1 **Childcare center: is that expense include lunch meal**

```

type: numeric (byte)
label: cc7g_1
range: [,,]
unique values: 0
units: .
missing ..: 1,397/1,397

tabulation: Freq. Numeric Label
1,397 .
    
```

cc7ha_1 **Childcare center: indentify total number of child in classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cc7hb_1 Childcare center: identify number of teacher/caregiver in classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cc7_2 Babysitter (not display)

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

```

cc7a_2 Babysitter: Is child receiving care from following person

```

type: numeric (byte)
label: cc7a_2
range: [3,3]
unique values: 1
units: 1
missing .: 841/1,397

tabulation: Freq. Numeric Label
556 3 no
841 .

```

cc7b_2 Babysitter: member id

```

type: string (str11), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
1,397 ""

```

cc7c_2 Babysitter: relationship with child (not display)

```

type: string (str68), but longest is str0

```


unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc7c_code_2 **Babysitter: relationship code**

type: numeric (byte)
 label: cc7c_code_2
 range: [..] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc7da_2 **Babysitter: when did child started to receive care from that person (month)**

type: numeric (byte)
 label: cc7da
 range: [..] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Numeric Label
 1,397 .

cc7db_2 **Babysitter: when did child started to receive care from that person (year)**

type: numeric (int)
 range: [..] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cc7e_2 **Babysitter: how many hour per week that child receive care from that person**

type: numeric (int)
 range: [..] units: .
 unique values: 0 missing .: 1,397/1,397
 tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cc7f_2 **Babysitter: how much average expense per month of money that household member pa**

type: numeric (int)

```

    range: [.,.]          units: .
unique values: 0          missing .: 1,397/1,397

    tabulation: Freq. Value
                1,397 .
    mean:      .
    std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

cc7g_2 **Babysitter: is that expense include lunch meal**

```

    type: numeric (byte)
    label: cc7g_2

    range: [.,.]          units: .
unique values: 0          missing .: 1,397/1,397

    tabulation: Freq. Numeric Label
                1,397      .

```

cc7ha_2 **Babysitter: indentify total number of child in classroom**

```

    type: numeric (byte)

    range: [.,.]          units: .
unique values: 0          missing .: 1,397/1,397

    tabulation: Freq. Value
                1,397 .
    mean:      .
    std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

cc7hb_2 **Babysitter: identify number of teacher/caregiver in classroom**

```

    type: numeric (byte)

    range: [.,.]          units: .
unique values: 0          missing .: 1,397/1,397

    tabulation: Freq. Value
                1,397 .
    mean:      .
    std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

cc7_3 **Relatives outside household (not display)**

```

    type: string (str127), but longest is str0
unique values: 0          missing "": 1,397/1,397

    tabulation: Freq. Value
                1,397 ""

```

cc7a_3 **Relatives outside household: Is child receiving care from following person**

```

type: numeric (byte)
label: cc7a_3

range: [1,3]
unique values: 2
units: 1
missing ..: 841/1,397

tabulation: Freq.  Numeric  Label
              120      1      yes
              436      3      no
              841      .

```

cc7b_3 **Relatives outside household: member id**

```

type: string (str11), but longest is str2

unique values: 1
unique missing codes: 2
missing "": 1,277/1,397
missing *: 120/1,397

tabulation: Freq.  Value
              1,277  ""
              120   "NA"

```

cc7c_3 **Relatives outside household: relationship with child (not display)**

```

type: string (str68), but longest is str0

unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
              1,397  ""

```

cc7c_code_3 **Relatives outside household: relationship code**

```

type: numeric (byte)
label: cc7c_code_3

range: [5,37]
unique values: 9
units: 1
missing ..: 1,277/1,397

tabulation: Freq.  Numeric  Label
              2       5      Father / Mother
              2       13      Cousin
              3       15      Uncle and aunt: father side
              16      17      Uncle and aunt: mother side
              18      19      Grand parents: father side
              15      21      Grand parents: mother side
              1       29      Sister/brother-in-law
              61      35      Relatives of other kinds
              2       37      Non-relatives
              1,277  .

```

cc7da_3 **Relatives outside household: when did child started to receive care from that p**

```

type: numeric (byte)
label: cc7da

```

range: [1,12] units: 1
 unique values: 12 missing .: 1,277/1,397
 unique missing codes: 2 missing *: 4/1,397

tabulation:	Freq.	Numeric	Label
	10	1	january
	13	2	february
	13	3	march
	8	4	april
	12	5	may
	8	6	june
	12	7	july
	14	8	august
	2	9	september
	8	10	october
	8	11	november
	8	12	december
	1,277	.	
	4	.c	

cc7db_3

Relatives outside household: when did child started to receive care from that p

type: numeric (int)

range: [2013,2018] units: 1
 unique values: 6 missing .: 1,277/1,397

tabulation:	Freq.	Value
	18	2013
	50	2014
	26	2015
	10	2016
	6	2017
	10	2018
	1,277	.

mean: 2014.72
 std. dev: 1.40935

percentiles:	10%	25%	50%	75%	90%
	2013	2014	2014	2015	2017

cc7e_3

Relatives outside household: how many hour per week that child receive care from

type: numeric (int)

range: [1,105] units: 1
 unique values: 38 missing .: 1,277/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation:	Freq.	Value
	1	1
	2	2
	2	3
	6	4
	1	5
	5	6
	8	7
	1	8
	1	9
	2	10
	13	11
	1	12
	1	13
	13	14
	2	15
	15	18

```

1 20
8 21
1 23
1 24
3 25
2 27
4 28
1 29
2 32
1 34
4 35
1 38
5 39
2 42
1 47
1 59
1 61
1 64
1 70
1 84
1 98
2 105
1,277 .
1 .c
mean: 21.563
std. dev: 19.6622

percentiles:    10%    25%    50%    75%    90%
                 5      11     18     27     39
    
```

cc7f_3 **Relatives outside household: how much average expense per month of money that ho**

```

type: numeric (int)
range: [0,500]
unique values: 2
unique missing codes: 2
units: 100
missing .: 1,277/1,397
missing *: 11/1,397

tabulation:  Freq.  Value
              108    0
               1    500
            1,277    .
               11    .d
mean: 4.58716
std. dev: 47.8913

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

cc7g_3 **Relatives outside household: is that expense include lunch meal**

```

type: numeric (byte)
label: cc7g_3
range: [3,3]
unique values: 1
unique missing codes: 2
units: 1
missing .: 1,385/1,397
missing *: 11/1,397

tabulation:  Freq.  Numeric  Label
              1      3    no
            1,385    .
               11    .d
    
```

cc7ha_3 **Relatives outside household: indentify total number of child in classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,277/1,397
missing *: 120/1,397

tabulation: Freq. Value
             1,277 .
             120 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc7hb_3 Relatives outside household: identify number of teacher/caregiver in classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,277/1,397
missing *: 120/1,397

tabulation: Freq. Value
             1,277 .
             120 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc7_4 Relatives inside household (not display)

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cc7a_4 Relatives inside household: Is child receiving care from following person

```

type: numeric (byte)
label: cc7a_4
range: [1,3]
unique values: 2
units: 1
missing .: 841/1,397

tabulation: Freq. Numeric Label
             420      1 yes
             136      3 no
             841      .
    
```

cc7b_4 Relatives inside household: member id

```

type: string (str11), but longest is str3
unique values: 9
missing "": 977/1,397
    
```


cc7db_4

Relatives inside household: when did child started to receive care from that pe

```

type: numeric (int)
range: [2013,2017]           units: 1
unique values: 5             missing .: 977/1,397

tabulation: Freq. Value
              93 2013
              201 2014
              105 2015
               12 2016
               9 2017
              977 .
mean: 2014.15
std. dev: .870561

percentiles:    10%    25%    50%    75%    90%
                2013    2014    2014    2015    2015
    
```

cc7e_4

Relatives inside household: how many hour per week that child receive care from

```

type: numeric (int)
range: [1,109]           units: 1
unique values: 61       missing .: 977/1,397
unique missing codes: 2  missing *: 2/1,397

tabulation: Freq. Value
              3 1
              1 2
              2 3
             13 4
              2 5
              3 6
             40 7
              1 10
             24 11
              1 13
             55 14
              2 15
              2 16
             53 18
              1 19
             33 21
              1 23
             18 25
             20 28
              2 29
              1 30
             14 32
              3 33
              2 34
             20 35
              1 37
              9 39
              1 40
              8 42
              1 43
              1 44
              4 46
              1 47
              1 49
              1 53
              2 54
              3 55
    
```



```

        6 56
        3 57
        4 58
        1 59
        5 61
        7 62
        7 63
        4 64
        1 65
        4 66
        2 67
        2 68
        1 69
        6 70
        1 71
        1 74
        3 75
        2 79
        1 80
        2 82
        1 84
        1 95
        2 98
        1 109
    977 .
        2 .c
    mean: 27.8158
    std. dev: 20.8826

    percentiles:      10%      25%      50%      75%      90%
                       7         14         21         35         63
    
```

cc7f_4 **Relatives inside household: how much average expense per month of money that hou**

```

    type: numeric (int)
    range: [..]
    unique values: 0
    unique missing codes: 2
    units: .
    missing .: 977/1,397
    missing *: 420/1,397

    tabulation:  Freq.  Value
                 977   .
                 420  .b
    mean: .
    std. dev: .

    percentiles:      10%      25%      50%      75%      90%
                       .         .         .         .         .
    
```

cc7g_4 **Relatives inside household: is that expense include lunch meal**

```

    type: numeric (byte)
    label: cc7g_4
    range: [..]
    unique values: 0
    unique missing codes: 2
    units: .
    missing .: 977/1,397
    missing *: 420/1,397

    tabulation:  Freq.  Numeric  Label
                 977   .
                 420   .b
    
```

cc7ha_4 **Relatives inside household: indentify total number of child in classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 977/1,397
missing *: 420/1,397

tabulation: Freq. Value
             977 .
             420 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc7hb_4 Relatives inside household: identify number of teacher/caregiver in classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 977/1,397
missing *: 420/1,397

tabulation: Freq. Value
             977 .
             420 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc7_5 Other (not display)

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cc7a_5 Other: Is child receiving care from following person

```

type: numeric (byte)
label: cc7a_5
range: [1,1]
unique values: 1
units: 1
missing .: 1,242/1,397

tabulation: Freq. Numeric Label
             155      1 yes
             1,242      .
    
```

cc7b_5 Other: member id

```

type: string (str11), but longest is str2
unique values: 8
unique missing codes: 2
missing "": 1,242/1,397
missing *: 22/1,397
    
```

```

tabulation: Freq. Value
             1,242 ""
              9 "H2"
             43 "H3"
             43 "H4"
             19 "H5"
             13 "H6"
              5 "H7"
              1 "H9"
             22 "NA"
    
```

cc7c_5 **Other: relationship with child (not display)**

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

cc7c_code_5 **Other: relationship code**

```

type: numeric (byte)
label: cc7c_code_3
range: [5,35] units: 1
unique values: 8 missing .: 1,242/1,397
tabulation: Freq. Numeric Label
             3 5 Father / Mother
             9 9 Brother / Sister
             7 13 Cousin
             5 15 Uncle and aunt: father side
             26 17 Uncle and aunt: mother side
             25 19 Grand parents: father side
             55 21 Grand parents: mother side
             25 35 Relatives of other kinds
            1,242 .
    
```

cc7da_5 **Other: when did child started to receive care from that person (month)**

```

type: numeric (byte)
label: cc7da
range: [1,12] units: 1
unique values: 12 missing .: 1,242/1,397
unique missing codes: 2 missing *: 1/1,397
tabulation: Freq. Numeric Label
             7 1 january
            16 2 february
            19 3 march
            13 4 april
            14 5 may
            10 6 june
            14 7 july
            19 8 august
             6 9 september
            10 10 october
            13 11 november
            13 12 december
            1,242 .
              1 .c
    
```

cc7db_5 Other: when did child started to receive care from that person (year)

```

type: numeric (int)
range: [2013,2018]
unique values: 6
units: 1
missing .: 1,242/1,397

tabulation: Freq. Value
              29 2013
              64 2014
              44 2015
               7 2016
               4 2017
               7 2018
            1,242 .
mean: 2014.45
std. dev: 1.19056

percentiles:    10%    25%    50%    75%    90%
                2013    2014    2014    2015    2016

```

cc7e_5 Other: how many hour per week that child receive care from that person

```

type: numeric (int)
range: [2,98]
unique values: 39
unique missing codes: 2
units: 1
missing .: 1,242/1,397
missing *: 1/1,397

tabulation: Freq. Value
              1  2
              1  3
               3  4
               1  5
               2  6
              21  7
               2 10
              12 11
              13 14
              20 18
               1 19
              14 21
               9 25
               2 26
               2 27
               7 28
               2 32
               1 33
               1 34
               9 35
               5 39
               2 42
               1 45
               3 46
               2 49
               1 53
               1 54
               1 56
               1 58
               1 61
               1 64
               2 65
               1 67
               2 68
               2 69
               1 71
               1 73
               1 84

```

```

          1 98
        1,242 .
          1 .c
    mean: 25.0909
  std. dev: 18.7485

percentiles:    10%    25%    50%    75%    90%
                7      11     20     35     54
    
```

cc7f_5 Other: how much average expense per month of money that household member pay

```

    type: numeric (int)
    range: [0,0]
  unique values: 1
unique missing codes: 3

    units: 1
  missing .: 1,242/1,397
  missing *: 136/1,397

  tabulation: Freq. Value
              19 0
            1,242 .
             133 .b
               3 .d
    mean: 0
  std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

cc7g_5 Other: is that expense include lunch meal

```

    type: numeric (byte)
  label: cc7g_5
    range: [.,.]
  unique values: 0
unique missing codes: 3

    units: .
  missing .: 1,261/1,397
  missing *: 136/1,397

  tabulation: Freq. Numeric Label
              1,261 .
             133 .b
               3 .d
    
```

cc7ha_5 Other: indentify total number of child in classroom

```

    type: numeric (byte)
    range: [.,.]
  unique values: 0
unique missing codes: 2

    units: .
  missing .: 1,242/1,397
  missing *: 155/1,397

  tabulation: Freq. Value
              1,242 .
             155 .b
    mean: .
  std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

cc7hb_5 Other: identify number of teacher/caregiver in classroom

```

    type: numeric (byte)
    
```

range: [.,.] units: .
 unique values: 0 missing .: 1,242/1,397
 unique missing codes: 2 missing *: 155/1,397

tabulation: Freq. Value
 1,242 .
 155 .b
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cc7_6 **Other (not display)**

type: string (**str127**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc7a_6 **Other: Is child receiving care from following person**

type: numeric (**byte**)
 label: **cc7a_6**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,369/1,397
 tabulation: Freq. Numeric Label
 28 1 yes
 1,369 .

cc7b_6 **Other: member id**

type: string (**str11**), but longest is str2
 unique values: 7 missing "": 1,369/1,397
 unique missing codes: 2 missing *: 2/1,397
 tabulation: Freq. Value
 1,369 ""
 1 "H3"
 3 "H4"
 7 "H5"
 8 "H6"
 6 "H7"
 1 "H8"
 2 "NA"

cc7c_6 **Other: relationship with child (not display)**

type: string (**str68**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc7c_code_6 **Other: relationship code**

```

type: numeric (byte)
label: cc7c_code_3

range: [9,37]
unique values: 7
units: 1
missing .. 1,369/1,397

tabulation: Freq.  Numeric  Label
              3          9  Brother / Sister
              3         13  Cousin
              8         17  Uncle and aunt: mother side
              2         19  Grand parents: father side
              4         21  Grand parents: mother side
              7         35  Relatives of other kinds
              1         37  Non-relatives
1,369          .
    
```

cc7da_6 Other: when did child started to receive care from that person (month)

```

type: numeric (byte)
label: cc7da

range: [1,12]
unique values: 12
units: 1
missing .. 1,369/1,397

tabulation: Freq.  Numeric  Label
              1          1  january
              3          2  february
              2          3  march
              2          4  april
              1          5  may
              1          6  june
              3          7  july
              3          8  august
              1          9  september
              3         10  october
              6         11  november
              2         12  december
1,369          .
    
```

cc7db_6 Other: when did child started to receive care from that person (year)

```

type: numeric (int)

range: [2013,2017]
unique values: 5
units: 1
missing .. 1,369/1,397

tabulation: Freq.  Value
              8  2013
              8  2014
              9  2015
              2  2016
              1  2017
1,369          .
mean: 2014.29
std. dev: 1.08379

percentiles:      10%      25%      50%      75%      90%
                  2013      2013      2014      2015      2016
    
```

cc7e_6 Other: how many hour per week that child receive care from that person

```

type: numeric (int)

range: [4,84]
unique values: 15
units: 1
missing .. 1,369/1,397
    
```

```

tabulation:  Freq.  Value
              1    4
              1    6
              5    7
              3   11
              4   14
              2   18
              2   21
              2   25
              1   26
              2   28
              1   39
              1   56
              1   64
              1   71
              1   84
            1,369  .
      mean:    23.5
  std. dev:   20.9541

percentiles:    10%    25%    50%    75%    90%
                7      9     16     27     64
    
```

cc7f_6 Other: how much average expense per month of money that household member pay

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 1,369/1,397
missing *: 26/1,397

tabulation:  Freq.  Value
              2    0
            1,369  .
              26  .b
      mean:    0
  std. dev:    0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

cc7g_6 Other: is that expense include lunch meal

```

type: numeric (byte)
label: cc7g_6
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,371/1,397
missing *: 26/1,397

tabulation:  Freq.  Numeric  Label
            1,371  .
              26   .b
    
```

cc7ha_6 Other: indentify total number of child in classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,369/1,397
missing *: 28/1,397
    
```



```

tabulation: Freq. Value
             1,369 .
             28 .b
mean:       .
std. dev:   .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7hb_6 **Other: identify number of teacher/caregiver in classroom**

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 1,369/1,397
unique missing codes: 2  missing *: 28/1,397

tabulation: Freq. Value
             1,369 .
             28 .b
mean:       .
std. dev:   .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7_7 **Other (not display)**

```

type: string (str127), but longest is str0
unique values: 0          missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cc7a_7 **Other: Is child receiving care from following person**

```

type: numeric (byte)
label: cc7a_7

range: [1,1]          units: 1
unique values: 1      missing .: 1,392/1,397

tabulation: Freq. Numeric Label
             5         1 yes
             1,392     .
    
```

cc7b_7 **Other: member id**

```

type: string (str11), but longest is str2
unique values: 4          missing "": 1,392/1,397

tabulation: Freq. Value
             1,392 ""
             1  "H3"
             1  "H5"
             1  "H6"
             2  "H8"
    
```

cc7c_7 **Other: relationship with child (not display)**

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

cc7c_code_7 **Other: relationship code**

```

type: numeric (byte)
label: cc7c_code_3

range: [9,35] units: 1
unique values: 4 missing .: 1,392/1,397

tabulation: Freq. Numeric Label
             1         9 Brother / Sister
             2        17 Uncle and aunt: mother side
             1        21 Grand parents: mother side
             1        35 Relatives of other kinds
             1,392 .
    
```

cc7da_7 **Other: when did child started to receive care from that person (month)**

```

type: numeric (byte)
label: cc7da

range: [1,11] units: 1
unique values: 4 missing .: 1,392/1,397

tabulation: Freq. Numeric Label
             1         1 january
             1         9 september
             1        10 october
             2        11 november
             1,392 .
    
```

cc7db_7 **Other: when did child started to receive care from that person (year)**

```

type: numeric (int)

range: [2013,2015] units: 1
unique values: 3 missing .: 1,392/1,397

tabulation: Freq. Value
             2 2013
             2 2014
             1 2015
             1,392 .
mean: 2013.8
std. dev: .83666

percentiles: 10% 25% 50% 75% 90%
              2013 2013 2014 2014 2015
    
```

cc7e_7 **Other: how many hour per week that child receive care from that person**

```

type: numeric (int)

range: [14,84] units: 1
unique values: 5 missing .: 1,392/1,397
    
```

```

tabulation:  Freq.  Value
              1  14
              1  28
              1  64
              1  69
              1  84
            1,392 .
    mean:      51.8
    std. dev:  29.4822

percentiles:  10%    25%    50%    75%    90%
              14     28     64     69     84
    
```

cc7f_7 Other: how much average expense per month of money that household member pay

```

type: numeric (int)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,392/1,397
missing *: 5/1,397

tabulation:  Freq.  Value
            1,392 .
             5  .b
    mean:      .
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

cc7g_7 Other: is that expense include lunch meal

```

type: numeric (byte)
label: cc7g_7
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,392/1,397
missing *: 5/1,397

tabulation:  Freq.  Numeric  Label
            1,392 .
             5    .b
    
```

cc7ha_7 Other: indentify total number of child in classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,392/1,397
missing *: 5/1,397

tabulation:  Freq.  Value
            1,392 .
             5  .b
    mean:      .
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

cc7hb_7 Other: identify number of teacher/caregiver in classroom

```

type: numeric (byte)
    
```

range: [.,.] units: .
 unique values: 0 missing .: 1,392/1,397
 unique missing codes: 2 missing *: 5/1,397

tabulation: Freq. Value
 1,392 .
 5 .b
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cc7_8 **Other (not display)**

type: string (**str127**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc7a_8 **Other: Is child receiving care from following person**

type: numeric (**byte**)
 label: **cc7a_8**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,396/1,397
 tabulation: Freq. Numeric Label
 1 1 yes
 1,396 .

cc7b_8 **Other: member id**

type: string (**str11**), but longest is str2
 unique values: 1 missing "": 1,396/1,397
 tabulation: Freq. Value
 1,396 ""
 1 "H9"

cc7c_8 **Other: relationship with child (not display)**

type: string (**str68**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc7c_code_8 **Other: relationship code**

type: numeric (**byte**)
 label: **cc7c_code_3**
 range: [35,35] units: 1
 unique values: 1 missing .: 1,396/1,397

```

tabulation:  Freq.  Numeric  Label
              1      35  Relatives of other kinds
            1,396      .
    
```

cc7da_8 Other: when did child started to receive care from that person (month)

```

type:  numeric (byte)
label:  cc7da

range:  [9,9]                units:  1
unique values:  1            missing  .:  1,396/1,397

tabulation:  Freq.  Numeric  Label
              1      9  september
            1,396      .
    
```

cc7db_8 Other: when did child started to receive care from that person (year)

```

type:  numeric (int)

range:  [2014,2014]         units:  1
unique values:  1            missing  .:  1,396/1,397

tabulation:  Freq.  Value
              1  2014
            1,396  .
mean:        2014
std. dev:    .

percentiles:  10%      25%      50%      75%      90%
              2014    2014    2014    2014    2014
    
```

cc7e_8 Other: how many hour per week that child receive care from that person

```

type:  numeric (int)

range:  [28,28]             units:  1
unique values:  1            missing  .:  1,396/1,397

tabulation:  Freq.  Value
              1  28
            1,396  .
mean:        28
std. dev:    .

percentiles:  10%      25%      50%      75%      90%
              28      28      28      28      28
    
```

cc7f_8 Other: how much average expense per month of money that household member pay

```

type:  numeric (int)

range:  [.,.]              units:  .
unique values:  0            missing  .:  1,396/1,397
unique missing codes:  2      missing  *:  1/1,397

tabulation:  Freq.  Value
              1  .b
            1,396  .
mean:        .
std. dev:    .
    
```

cc15a What action do you take if the child is malnourished? (not display)

type: string (**str148**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cc6a How many hours per week does the father take care of this child?

type: numeric (**double**)
 range: [0,112] units: 1.000e-07
 unique values: 142 missing .: 0/1,397
 unique missing codes: 2 missing *: 880/1,397
 mean: 38.599
 std. dev: 20.8308
 percentiles: 10% 25% 50% 75% 90%
 10 22.5 39 55 63.25

cc6aa Starting time of caring time of this child by father : Before going to school on

type: string (**str6**), but longest is str5
 unique values: 10 missing "": 1,080/1,397
 tabulation: Freq. Value
 1,080 ""
 1 "03.00"
 23 "05.00"
 21 "05.30"
 3 "05.40"
 147 "06.00"
 62 "06.30"
 2 "06.40"
 48 "07.00"
 9 "07.30"
 1 "08.00"

cc6ab Finishing time of caring time of this child by father : Before going to school o

type: string (**str5**)
 unique values: 19 missing "": 1,080/1,397
 tabulation: Freq. Value
 1,080 ""
 5 "06.00"
 1 "06.10"
 20 "06.30"
 1 "06.35"
 4 "06.40"
 1 "06.45"
 4 "06.50"
 87 "07.00"
 3 "07.15"
 1 "07.20"
 123 "07.30"
 2 "07.40"
 3 "07.45"
 49 "08.00"

```

6 "08.30"
1 "09.00"
2 "20.00"
3 "20.30"
1 "21.30"

```

cc6ac Starting time of caring time of this child by father : After school (until going

```

type: string (str6), but longest is str5
unique values: 25           missing "": 1,013/1,397

```

```

tabulation: Freq. Value
1,013 ""
1 "12.00"
1 "13.00"
13 "14.00"
1 "14.20"
23 "14.30"
1 "14.40"
48 "15.00"
1 "15.10"
34 "15.30"
2 "15.40"
1 "15.45"
20 "16.00"
1 "16.10"
23 "16.30"
1 "16.50"
104 "17.00"
29 "17.30"
1 "17.45"
35 "18.00"
10 "18.30"
16 "19.00"
5 "19.30"
9 "20.00"
3 "20.30"
1 "21.00"

```

cc6ad Finishing time of caring time of this child by father : After school (until going

```

type: string (str5)
unique values: 15           missing "": 1,013/1,397

```

```

tabulation: Freq. Value
1,013 ""
1 "15.00"
1 "15.30"
1 "16.00"
1 "17.00"
2 "18.00"
14 "19.00"
23 "19.30"
134 "20.00"
74 "20.30"
84 "21.00"
1 "21.15"
21 "21.30"
20 "22.00"
6 "22.30"
1 "23.00"

```

cc6ae Since previous interview, how many hours child's father spend time to taking car

```

type: string (str101)
unique values: 255           missing "": 897/1,397

warning: variable has embedded blanks

```

cc6ae_1
Starting time of caring time of the child by father : before go to work Weekends

```

type: string (str6)
unique values: 17           missing "": 1,004/1,397

```

```

tabulation: Freq. Value
1,004 ""
1 "03.00"
21 "05.00"
12 "05.30"
1 "05.40"
144 "06.00"
1 "06.00 "
1 "06.20"
61 "06.30"
2 "06.40"
68 "07.00"
28 "07.30"
30 "08.00"
10 "08.30"
10 "09.00"
1 "09.30"
1 "10.00"
1 "11.00"

```

warning: variable has trailing blanks

cc6ae_2
Finishing time of caring time of the child by father : before go to work Weekend

```

type: string (str5)
unique values: 21           missing "": 1,004/1,397

```

```

tabulation: Freq. Value
1,004 ""
1 "06.30"
1 "06.50"
33 "07.00"
30 "07.30"
18 "08.00"
1 "08.30"
2 "09.00"
1 "09.30"
2 "10.00"
2 "15.00"
1 "18.00"
4 "19.00"
15 "19.30"
105 "20.00"
56 "20.30"
68 "21.00"
24 "21.30"
1 "21.45"
21 "22.00"
5 "22.30"
2 "23.00"

```

cc6ae_3
Starting time of caring time of the child by father : after go to work Weekends

type: string (**str6**), but longest is str5
 unique values: **16** missing "": **1,249/1,397**

tabulation:	Freq.	Value
	1,249	" "
	2	"12.00"
	1	"13.00"
	1	"14.00"
	2	"14.30"
	7	"15.00"
	2	"15.30"
	7	"16.00"
	5	"16.30"
	60	"17.00"
	13	"17.30"
	1	"17.45"
	24	"18.00"
	6	"18.30"
	11	"19.00"
	4	"19.30"
	2	"20.00"

cc6ae_4
Finishing time of caring time of the child by father : after go to work Weekends

type: string (**str6**), but longest is str5
 unique values: **10** missing "": **1,249/1,397**

tabulation:	Freq.	Value
	1,249	" "
	2	"16.00"
	1	"17.00"
	11	"19.00"
	11	"19.30"
	47	"20.00"
	35	"20.30"
	26	"21.00"
	6	"21.30"
	7	"22.00"
	2	"22.30"

cc6ae_5
Hours per day on weekends or holidays caring time of the child by father (undefi

type: numeric (**double**)
 range: **[1,9]** units: **.1**
 unique values: **8** missing .: **1,368/1,397**

tabulation:	Freq.	Value
	11	1
	6	1.5
	1	2
	2	2.5
	3	3
	2	3.5
	3	8
	1	9
	1,368	.
mean:	2.62069	
std. dev:	2.43727	

percentiles: 10% 25% 50% 75% 90%
 1 1 1.5 3 8

cc6b How many hours per week does the mother take care of this child?

type: numeric (double)
 range: [1.5,122.5] units: 1.000e-07
 unique values: 174 missing .: 694/1,397
 mean: 52.8051
 std. dev: 16.6888
 percentiles: 10% 25% 50% 75% 90%
 29 45 55.5 63 69

cc6ba Starting time of caring time of this child by mother : Before going to school on

type: string (str5)
 unique values: 18 missing "": 799/1,397

tabulation:	Freq.	Value
	799	" "
	1	"03.00"
	3	"04.00"
	3	"04.30"
	35	"05.00"
	48	"05.30"
	3	"05.40"
	1	"05.45"
	1	"05.50"
	270	"06.00"
	1	"06.15"
	114	"06.30"
	4	"06.40"
	1	"06.45"
	97	"07.00"
	1	"07.10"
	1	"07.20"
	13	"07.30"
	1	"08.00"

cc6bb Finishing time of caring time of this child by mother : Before going to school

type: string (str5)
 unique values: 19 missing "": 799/1,397

tabulation:	Freq.	Value
	799	" "
	10	"06.00"
	1	"06.10"
	1	"06.20"
	29	"06.30"
	5	"06.40"
	4	"06.50"
	141	"07.00"
	3	"07.10"
	6	"07.15"
	3	"07.20"
	256	"07.30"
	7	"07.40"
	3	"07.45"
	4	"07.50"

```

102 "08.00"
  1 "08.15"
  1 "08.20"
 19 "08.30"
  2 "09.00"

```

cc6bc Starting time of caring time of this child by mother : After school (until going

```

type: string (str11), but longest is str5
unique values: 27                missing "": 785/1,397

```

```

tabulation: Freq. Value
             785 ""
              2 "12.00"
              2 "13.00"
              1 "13.30"
             36 "14.00"
              1 "14.10"
             84 "14.30"
              2 "14.45"
            126 "15.00"
              1 "15.10"
              2 "15.15"
              3 "15.20"
             92 "15.30"
              2 "15.40"
              2 "15.45"
             57 "16.00"
              1 "16.10"
             23 "16.30"
             84 "17.00"
              3 "17.10"
             17 "17.30"
             37 "18.00"
              2 "18.30"
             18 "19.00"
              2 "19.30"
              6 "20.00"
              3 "20.30"
              3 "21.00"

```

cc6bd Finishing time of caring time of this child by mother : After school (until going

```

type: string (str11), but longest is str5
unique values: 12                missing "": 785/1,397

```

```

tabulation: Freq. Value
             785 ""
              2 "18.00"
              2 "18.30"
             16 "19.00"
             31 "19.30"
            213 "20.00"
            131 "20.30"
            139 "21.00"
              1 "21.15"
             35 "21.30"
             36 "22.00"
              5 "22.30"
              1 "23.00"

```

cc6be Since previous interview, how many hours child's mother spend time to taking car

```

type: string (str145), but longest is str96
unique values: 182                missing "": 695/1,397

warning: variable has embedded blanks

```

cc6be_1
Starting time of caring time of the child by mother : before go to work Weekends

```

type: string (str5)
unique values: 20                missing "": 724/1,397

```

```

tabulation:  Freq.  Value
              724  ""
               1  "03.00"
               2  "04.00"
               4  "04.30"
              32  "05.00"
              31  "05.30"
               2  "05.40"
             249  "06.00"
               1  "06.20"
              92  "06.30"
               2  "06.45"
             123  "07.00"
               1  "07.10"
              43  "07.30"
               2  "07.45"
              60  "08.00"
               2  "08.15"
              18  "08.30"
               6  "09.00"
               1  "09.30"
               1  "10.00"

```

cc6be_2
Finishing time of caring time of the child by mother : before go to work Weekend

```

type: string (str5)
unique values: 19                missing "": 724/1,397

```

```

tabulation:  Freq.  Value
              724  ""
               1  "06.00"
               9  "07.00"
               2  "07.25"
              14  "07.30"
              15  "08.00"
               3  "08.30"
               6  "09.00"
               2  "15.00"
               2  "18.30"
              14  "19.00"
              28  "19.30"
             220  "20.00"
             120  "20.30"
             137  "21.00"
              36  "21.30"
               1  "21.45"
              47  "22.00"
              13  "22.30"
               3  "23.00"

```

cc6be_3
Starting time of caring time of the child by mother : after go to work Weekends

```

type: string (str5)
unique values: 14                               missing "": 1,333/1,397

tabulation: Freq. Value
1,333 ""
3 "12.00"
2 "14.00"
2 "14.30"
2 "15.00"
3 "15.30"
1 "15.45"
4 "16.00"
4 "16.30"
22 "17.00"
2 "17.30"
11 "18.00"
5 "19.00"
2 "19.30"
1 "20.00"
    
```

cc6be_4
Finishing time of caring time of the child by mother : after go to work Weekends

```

type: string (str5)
unique values: 8                               missing "": 1,333/1,397

tabulation: Freq. Value
1,333 ""
1 "18.00"
5 "19.00"
3 "19.30"
26 "20.00"
12 "20.30"
13 "21.00"
3 "21.30"
1 "22.00"
    
```

cc6be_5
Hours per day on weekends or holidays caring time of the child by mother (undefi

```

type: numeric(double)
range: [1,8]                                units: .1
unique values: 5                            missing .: 1,389/1,397

tabulation: Freq. Value
1 1
1 1.5
3 2
1 3.5
2 8
1,389 .
mean: 3.5
std. dev: 2.86606

percentiles:    10%    25%    50%    75%    90%
                1      1.75  2      5.75  8
    
```

cc6c How many hours per week does the primary caregiver take care of this child?

```

type: numeric (double)
range: [12.5,108.5]          units: 1.000e-06
unique values: 166          missing .: 420/1,397

mean: 60.13
std. dev: 9.9877

percentiles:    10%    25%    50%    75%    90%
                 50    54.5   60.5   65    70.5
    
```

cc6ca Starting time of caring time this child by primary caregiver : Before going to s

```

type: string (str5)
unique values: 20          missing "": 449/1,397

tabulation:  Freq.  Value
              449   ""
                8   "04.00"
                4   "04.30"
               81   "05.00"
               89   "05.30"
                1   "05.40"
                1   "05.45"
              423   "06.00"
                2   "06.10"
                1   "06.15"
                2   "06.20"
              190   "06.30"
                1   "06.40"
                1   "06.45"
                1   "06.50"
              100   "07.00"
                1   "07.10"
               31   "07.30"
                1   "07.45"
                7   "08.00"
                3   "08.30"
    
```

cc6cb Finishing time of caring time of the child by primary caregiver : Before going t

```

type: string (str5)
unique values: 20          missing "": 449/1,397

tabulation:  Freq.  Value
              449   ""
               13   "06.00"
                3   "06.20"
               47   "06.30"
                6   "06.40"
                1   "06.45"
                1   "06.50"
              205   "07.00"
                7   "07.10"
                7   "07.15"
                8   "07.20"
                2   "07.25"
              395   "07.30"
                5   "07.40"
                7   "07.45"
                3   "07.50"
              182   "08.00"
    
```

```

1 "08.10"
1 "08.15"
48 "08.30"
6 "09.00"

```

cc6cc Starting time of caring time of this child by primary caregiver : After school (

```

type: string (str5)
unique values: 25          missing "": 438/1,397

```

```

tabulation: Freq. Value
438 ""
1 "12.00"
2 "13.30"
63 "14.00"
2 "14.10"
2 "14.20"
213 "14.30"
1 "14.40"
1 "14.55"
263 "15.00"
2 "15.15"
1 "15.16"
4 "15.20"
184 "15.30"
5 "15.40"
3 "15.45"
107 "16.00"
2 "16.20"
38 "16.30"
2 "16.40"
2 "16.45"
39 "17.00"
4 "17.30"
13 "18.00"
4 "19.00"
1 "19.30"

```

cc6cd Finishing time of caring time of this child by primary caregiver : After school

```

type: string (str5)
unique values: 14          missing "": 438/1,397

```

```

tabulation: Freq. Value
438 ""
2 "16.30"
2 "17.00"
4 "18.00"
3 "18.30"
36 "19.00"
64 "19.30"
2 "19.45"
365 "20.00"
195 "20.30"
194 "21.00"
41 "21.30"
38 "22.00"
10 "22.30"
3 "23.00"

```

cc6ce Since previous interview, how many hours you spend time to taking care this chil

```

type: string (str55), but longest is str43

```



```

type: string (str5)
unique values: 4 missing "": 1,389/1,397
tabulation: Freq. Value
1,389 ""
2 "14.00"
1 "17.00"
4 "18.00"
1 "18.30"

```

cc6ce_4 Finishing time of caring time of the child by primary caretaker : after go to wo

```

type: string (str5)
unique values: 3 missing "": 1,389/1,397
tabulation: Freq. Value
1,389 ""
1 "19.00"
5 "20.00"
2 "21.00"

```

cc6ce_5 Hours per day on weekends or holidays Hours per day on weekends or holidays

```

type: numeric (double)
range: [4.5,4.5] units: .1
unique values: 1 missing .: 1,396/1,397
tabulation: Freq. Value
1 4.5
1,396 .
mean: 4.5
std. dev: .
percentiles: 10% 25% 50% 75% 90%
4.5 4.5 4.5 4.5 4.5

```

survey_name survey round

```

type: string (str12)
unique values: 1 missing "": 0/1,397
tabulation: Freq. Value
1,397 "RESURVEY2018"

```

year_survey year survey

```

type: numeric (float)
range: [2018,2018] units: 1
unique values: 1 missing .: 0/1,397
tabulation: Freq. Value
1,397 2018
mean: 2018
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
2018 2018 2018 2018 2018

```

```
2 . log close
   name: <unnamed>
   log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2018\b2.scm1
   log type: smcl
   closed on: 27 Jul 2024, 15:47:00
```
