

name: <unnamed>

log: V:\\RIECE DATA\RIECE RELEASE V3-2017-2018/codebook\2018\b3.scml

log type: smcl

opened on: 27 Jul 2024, 15:48:07

1 . codebookr _all,all

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b3_run.dta

Last saved: 27 Jul 2024 15:48

DATA HAVE CHANGED SINCE LAST SAVED

Label: [none]
Number of variables: 42
Number of observations: 1,397

Size: 1,783,969 bytes ignoring labels, etc.

Unique Values: A list of all of the possible non-missing values for the variable and the description of the values.

Unique Missing Values: There are four types of missing values

.a or RF: The subject explicitly refused to answer the question

when he or she should have.

.b or NA: The subject was never asked the question

for one reason or another. Usually this results

from "skip patterns" that occur.

.c or DK: The subject was unable to answer the question either because he or she had no opinion or because

the required information was not available.

.d or MI: Items should be filled out but have no data entry found.

This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question

or forgetting to record a response

or rorgetting to record a response

Numeric Missing*: .a String Missing*: RF .b NA .c DK

.c DK

cid children id

type: string (str18)

unique values: 1,397 missing "": 0/1,397

examples: "201591160604207H1"
"201691131001062H1"
"201691160105024H1"

"201691160105024H1"
"201691161708105H1"

iyear year

type: string (str4)

unique values: 2 missing "": 0/1,397

tabulation: Freq. Value 517 "2015" 880 "2016"

hhid household id

type: string (str15)

missing "": 0/1,397 unique values: 1,197

"201591160604207" examples:

"201691131001041" "201691160105024" "201691161708105"

province prov

type: string (str2)

missing "": 0/1,397 unique values:

tabulation: Freq. Value

1,259 "91" 138 "93"

amp amphoe

type: string (str2)

unique values: 7 missing "": 0/1,397

tabulation: Freq. Value

138 "12" "13" 241 116 "14" "15" 136 "16" 514 41 "17" 211 "18"

tamtambon

type: string (str2)

unique values: 15 missing "": 0/1,397

tabulation: Value Freq.

63 "01" 214 "02" "04" 122 53 "05" "06" 53 63 "07" "08" 56 "09" 92 122 "10" "11" 89 141 "13" "14" 42 137 "15" 96 "17" "19"

moo moo

type: string (str2)

54

unique values: 21 missing "": 0/1,397

```
tabulation: Freq.
                     Value
                153
                     "01"
                     "02"
                 62
                     "03"
                141
                148
                     "04"
                     "05"
                116
                145
                     "06"
                     "07"
                 76
                     "08"
                143
                 87
70
                     "09"
                     "10"
                 50
                     "11"
                 39
                     "12"
                 38
                     "13"
                     "14"
                 10
                     "15"
                 12
                 36
                     "16"
                     "17"
                 8
                 12
                     "18"
                 26
                     "19"
                 18
                     "22"
                     "24"
                  7
```

strucid structure ID

type: string (str3)

unique values: 182 missing "": 0/1,397

"011" examples: "035" "070"

"147"

ch1 How is the child's health now?

type: numeric (byte)
label: ch1

range: [1,9]

units: 1 missing .: 0/1,397unique values:

tabulation: Freq. Numeric Label 223 very good **3** good 933 229 5 quite good 10 7 somewhat bad 9 bad 2

ch2 Since previous interview : Did the child ever visit a dentist to take care of hi

type: numeric (byte)
label: ch2

range: [1,3] unique values: 2

units: 1
missing .: 0/1,397
missing *: 3/1,397 unique missing codes: 1

Numeric Label
1 yes tabulation: Freq. 370 **3** no 1,024 .c

Number of times ch2a

type: numeric (byte)

label: ch2a, but label does not exist

range: [1,24]
unique values: 11 units: 1
missing :: 1,027/1,397
missing *: 2/1,397 unique missing codes: 2

tabulation: Freq. Value 202 1 113 2 31 3

1 18 1 24 1,027 . 2 .c

mean: 1.85054 std. dev: 1.94389

percentiles: 10% 25% 50% 75% 90% 1

ch10 Since the last interview Has the child been to a psychiatrist or doctor for advi

type: numeric (byte)

label: ch10

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,397
missing *: 1/1,397 unique missing codes: 1

tabulation: Freq. Numeric Label 1 yes 3 no 2 1,394 .c

Since the last interview How many times do children receive health checkups that ch4

type: numeric (byte)
label: ch4, but label does not exist

range: [0,7]
unique values: 6

units: 1
missing .: 0/1,397
missing *: 2/1,397 unique missing codes: 1

tabulation: Freq. Value

2

.c .082437 mean: .382095 std. dev:

50% 75% 90% **0 0** 25% percentiles: 10% 0

```
ch4_des
                                   Name of place for the health check-ups (unavailable)
                   type: string (str114), but longest is str0
         unique values:
                                                    missing "": 1,397/1,397
            tabulation:
                          Freq.
                                 Value
                          1,397
ch4b
                                         Code of the most place for the health check-ups
                   type: numeric (byte)
                 label: ch4b
         range: [1,99]
unique values: 6
                                                    units: 1
missing :: 1,306/1,397
missing *: 1/1,397
       unique missing codes: 2
            tabulation:
                          Freq.
                                  Numeric Label
                             49
                                           Health promoting hospital District hospital
                             15
                                         3
                             17
                                           Center hospital / provincial
                                            hospital
                                        7 University hospital
                              1
                                        17 Medical clinic
                              3
                              5
                                        99 other (Specify in ch4ba)
                          1,306
                                        .d
ch4ba
                                  Detail : place for the health check-ups (not display)
                   type: string (str48), but longest is str0
                                                    missing "": 1,397/1,397
         unique values:
            tabulation:
                          Freq.
                                 Value
                          1,397 ""
ch4aa des
                                                               Sub-district (unavailable)
                   type: string (str36), but longest is str0
         unique values:
                                                    missing "": 1,397/1,397
            tabulation:
                          Freq.
                                 Value
                          1,397
ch4aa
                                                          Sub-district code (unavailable)
                   type: string (str2), but longest is str0
```

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value 1,397 ""

ch4ab_des District (unavailable)

type: string (str42), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value 1,397 ""

ch4ab District code (unavailable)

type: string (str2), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value 1,397 ""

ch4ac_des Province (unavailable)

type: string (str39), but longest is str0

missing "": 1,397/1,397 unique values: 0

tabulation: Freq. Value 1,397 ""

Province code (unavailable) ch4ac

type: string (str2), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value 1,397 ""

ch5 Ever since the child was 2 years old until now, Has the child ever go to the doc

type: numeric (byte)

label: ch5

range: [1,3]
unique values: 2 units: 1 missing .: 0/1,397

tabulation: Freq. Numeric Label yes
 no 155 1,242

ch5a How many times?

type: numeric (byte)
label: ch5a, but label does not exist

range: [1,4]

units: 1 missing .: 1,242/1,397 unique valués: 4

tabulation: Freq. Value

136 1 13 2

5 3

1 4

1,242

1.16774 mean: std. dev: .494376

percentiles: 10% 25% 50% 75% 90% ch5b What was the most severe injury? type: numeric (byte) label: ch5b range: [1,99] units: 1 missing .: 1,242/1,397 unique values: 12 tabulation: Freq. Numeric Label Cut or pierced by sharp object 17 1 (open wounds, bleeding) Crash/Fall (with open wounds, 59 broken bones, unconscious) 2 Burn (until skin blister) 4 7 Swallow, take or put things in the ear or nose 1 Eat chemical substance e.g. insecticide, washing detergent 4 11 Bitten or stung by poisonous animals 21 13 Hurt by non 17 Car accident (the child is not 1 in the car) 19 1 Drown 17 23 Bicycle injury 14 25 Motercycle injury 99 Other (Specify in ch5ba) 14 1,242 ch5ba Detail of the most severe injury (not display) type: string (str154), but longest is str0 unique values: missing "": 1,397/1,397 tabulation: Freq. Value 1,397 ch5c Where did the accident happen? type: numeric (byte) label: ch5c units: 1 range: [1,99] unique values: missing .: 1,242/1,397 tabulation: Freq. Numeric Label 65 1 home 25 3 house of others 5 school / child center 26

ch5ca Detail : place of accident (unavailable)

99 other

alley / road

playing field / playground

type: string (str69), but longest is str0

9

1

24

14

1,242

unique values: 0 missing "": 1,397/1,397 tabulation: Freq. Value 1,397 ""

ch5e How many days did the child miss school as a result of this injury?

type: numeric (byte)

label: ch5e, but label does not exist

units:

range: [0,44] unique values: 16 missing : 1,242/1,397 missing *: 1/1,397 unique missing codes: 2

tabulation: Freq. Value

82 0 10 1 10 2

10 3 8 4 12 5

1,242 42 . 1 .c 2.98701 mean: std. dev: 5.75535

percentiles: 10% 25% 50% 75% 90% 10 0 0

ch5f How many days was the child hospitalized because of this injury?

type: numeric (byte)
label: ch5f, but label does not exist

range: [0,23]

units: 1 missing .: 1,242/1,397 unique values: 8

tabulation: Freq. Value 125 0

23 1,242 .658065 mean: 2.24314 std. dev:

percentiles: 10% 25% 50% 75% 90%

ch9 Since the last interview, Did the child is once sick and had to be admitted to t

type: numeric (byte)

label: ch9

units: 1 missing .: 0/1,397 range: [1,3]
unique values: 2

Numeric Label
1 yes
3 no tabulation: Freq. 88 1,309

ch9a How many times?

type: numeric (byte)

label: ch9a, but label does not exist

units: 1

range: [1,10]
unique values: 5 missing :: 1,309/1,397 missing *: 1/1,397 unique missing codes: 2

tabulation: Freq. Value 79 1 5 2 1 3 1 6 10 1 1,309

1.24138 mean: std. dev: 1.13061

percentiles: 10% 25% 50% 75% 90%

ch9b What was the most severe desease?

type: numeric (byte)
label: ch9b

range: [1,99]

units: 1 missing .: 1,309/1,397 unique values:

tabulation: Freq. Numeric Label 1 Respiratory (cough /cold/ runny nose/gasp)
3 Diarrhea / dysentery 21 5 Stomachache / flatulence / indigestion / gastritis
 11 Dermatitis / eczema / rash
 13 Eye / ear / throat / nose
 15 Oral diseases / caries / gum 11 4 1 1 disease / mouth ulcers 33 **17** Fever 19 Lung and bronchial diseases 1 (pneumonia / bronchitis)
21 Diseases of the gastrointestinal tract and liver (intestinal / liver / appendicitis / bile
ducts / gallbladder / excluding

gastritis) 99 other (Specify in ch9ba) 1,309

ch9ba Detail : the most severe desease (not display)

type: string (str129), but longest is str0

unique values: 0 missing "": 1,397/1,397 tabulation: Freq. Value 1,397 ""

ch9c How many days did the child miss school as a result of this acute disease?

type: numeric (byte)
label: ch9c, but label does not exist

range: [0,30] unique values: 11 units: 1
missing :: 1,309/1,397
missing *: 1/1,397 unique missing codes: 2

tabulation: Freq. Value

1 30 1,309 . 1 .c

4.21839 mean: std. dev: 4.28742

10% 25% 50% 75% 90% percentiles: 0 2 5

ch9d How many days was the child hospitalized because of this acute disease?

type: numeric (byte)

label: ch9d, but label does not exist

range: [1,60]
unique values: 9

units: 1 missing .: 1,309/1,397

tabulation: Freq. Value 15 1

1,309 3.88636 mean: std. dev: 6.37421

10% 25% 50% 75% 90% percentiles: 1 6

ch6 Does the child have health insurance with insurance company? (e.g. AIA, Krungtha

type: numeric (byte)

label: ch6

range: [.,.]
unique values: 0 units: missing :: 0/1,397 missing *: 1,397/1,397 unique missing codes: 1

Numeric Label tabulation: Freq.

1,397 .b

ch7 Since the last interview, have there been cases where the child need medical ser

type: numeric (byte)

label: ch7

units: 1 missing .: 0/1,397 range: [1,3]
unique values: 2

Numeric Label
1 yes
3 no tabulation: Freq. 30 1,367

ch8 Interviewer note (unavailable)

type: string (str417), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value 1,397 ""

note_cleaner Data cleaner note (not display)

type: string (str142), but longest is str0

missing "": 1,397/1,397 unique values: 0

tabulation: Freq. Value 1,397 ""

year_survey year survey

type: numeric (int)

range: [2018,2018]

units: 1 missing .: 0/1,397unique values: 1

tabulation: Freq. Value 1,397 2018 mean: 2018

std. dev:

percentiles: 10% 25% 50% 75% 90% 2018 2018 2018 2018 2018

survey_name survey round

type: string (str12)

unique values: 1 missing "": 0/1,397

tabulation: Freq. Value 1,397 "RESURVEY2018"

2 . log close

name: <unnamed>
log: V:\\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\b3.scml
log type: smcl
closed on: 27 Jul 2024, 15:48:07