



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\b4.scml
log type: smcl
opened on: 27 Jul 2024, 15:48:20
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b4_run.dta
Last saved: 27 Jul 2024 15:48
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 88
Number of observations: 1,397
Size: 5,877,179 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,397 missing "": 0/1,397
examples: "201591160604207H1"
           "201691131001062H1"
           "201691160105024H1"
           "201691161708105H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,397
tabulation: Freq. Value
             517 "2015"
             880 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,197 missing "": 0/1,397
 examples: "201591160604207"
 "201691131001041"
 "201691160105024"
 "201691161708105"

prov **province**

 type: string (**str2**)
 unique values: 2 missing "": 0/1,397
 tabulation: Freq. Value
 1,259 "91"
 138 "93"

amp **amphoe**

 type: string (**str2**)
 unique values: 7 missing "": 0/1,397
 tabulation: Freq. Value
 138 "12"
 241 "13"
 116 "14"
 136 "15"
 514 "16"
 41 "17"
 211 "18"

tam **tambon**

 type: string (**str2**)
 unique values: 15 missing "": 0/1,397
 tabulation: Freq. Value
 63 "01"
 214 "02"
 122 "04"
 53 "05"
 53 "06"
 63 "07"
 56 "08"
 92 "09"
 122 "10"
 89 "11"
 141 "13"
 42 "14"
 137 "15"
 96 "17"
 54 "19"

moo **moo**

 type: string (**str2**)
 unique values: 21 missing "": 0/1,397

```

tabulation:  Freq.  Value
              153  "01"
              62  "02"
              141  "03"
              148  "04"
              116  "05"
              145  "06"
              76  "07"
              143  "08"
              87  "09"
              70  "10"
              50  "11"
              39  "12"
              38  "13"
              10  "14"
              12  "15"
              36  "16"
              8   "17"
              12  "18"
              26  "19"
              18  "22"
              7   "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/1,397
examples: "011"
           "035"
           "070"
           "147"
    
```

chd1_1 Open Roster and Identify childhood underlying disease since previous interview

```

type: numeric (byte)
label: chd1_1, but label does not exist
range: [0,4]           units: 1
unique values: 5       missing .: 0/1,397

tabulation:  Freq.  Value
              1,237  0
              146   1
              11    2
              2     3
              1     4
mean: .127416
std. dev: .379753

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

chd1_2
Since previous interview, Have you ever been told by a doctor, nurse or speciali

```

type: numeric (byte)
label: chd1_2, but label does not exist
range: [0,2]           units: 1
unique values: 3       missing .: 0/1,397
    
```

```

tabulation: Freq. Value
            1,362 0
            34 1
            1 2
mean:      .02577
std. dev:  .16296

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

chd1a_1 **Underlying disease 1 (not display)**

```

type: string (str92), but longest is str0
unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

chd1aa_1 **Underlying disease code 1**

```

type: numeric (byte)
label: chd1aa_1

range: [7,99] units: 1
unique values: 11 missing .: 1,214/1,397

tabulation: Freq. Numeric Label
            6          7 Heart disease
            1         17 Depression / psychosis /
                    neurosis
            5         21 Seizures / epilepsy
           95         27 Asthma / emphysema
           31         31 Allergy
           14         55 Thalassemia
            2         57 Down syndrom
            1         73 Attention deficit disorder
           15         75 G6PD
            9         77 Anemia
            4         99 others
          1,214          .
    
```

chd1b_1 **What kind of treatment did child receive**

```

type: string (str6), but longest is str5
unique values: 12 missing "": 1,214/1,397
unique missing codes: 2 missing *: 4/1,397

tabulation: Freq. Value
          1,214 ""
            1 "-9"
           63 "B"
            7 "B;C"
            3 "B;D"
            1 "B;D;G"
            9 "C"
            1 "C;G"
           23 "D"
           59 "F"
            3 "F;G"
            9 "G"
            4 "MI"
    
```

chdlba_1 **Other categories of treatment 1 (not display)**

type: string (**str250**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

chdlc_1 **Taking the child to an emergency room at least for one night 1**

type: numeric (**byte**)
 label: **chdlc**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,215/1,397
 unique missing codes: 2 missing *: 4/1,397
 tabulation: Freq. Numeric Label
 30 1 yes
 148 3 no
 1,215 .
 4 .d

chdlca_1 **Number of days : the child stayed in hospital at the longest period because of u**

type: numeric (**int**)
 label: **chdlca**, but label does not exist
 range: [1,14] units: 1
 unique values: 9 missing .: 1,367/1,397
 tabulation: Freq. Value
 1 1
 6 2
 7 3
 5 4
 3 5
 1 6
 5 7
 1 8
 1 14
 1,367 .
 mean: 4.4
 std. dev: 2.64705
 percentiles: 10% 25% 50% 75% 90%
 2 3 4 6 7

chdlld_1 **At present, Does the child have an underlying medical condition**

type: numeric (**byte**)
 label: **chdlld**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,215/1,397
 unique missing codes: 3 missing *: 5/1,397

```

tabulation: Freq.  Numeric  Label
             153      1      yes
             24       3      no
             1,215    .
             1       .c
             4       .d
    
```

chd1a_2 **Underlying disease 2 (not display)**

```

type: string (str92), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq.  Value
             1,397 ""
    
```

chd1aa_2 **Underlying disease code 2**

```

type: numeric (byte)
label: chd1aa_1
range: [3,99] units: 1
unique values: 6 missing .: 1,380/1,397
tabulation: Freq.  Numeric  Label
             1       3      Thyroid / Goiter
             5       27     Asthma / emphysema
             6       31     Allergy
             1       55     Thalassemia
             2       75     G6PD
             2       99     others
             1,380    .
    
```

chd1b_2 **What kind of treatment did child receive**

```

type: string (str6), but longest is str3
unique values: 7 missing "": 1,380/1,397
tabulation: Freq.  Value
             1,380 ""
             2     "B"
             2     "B;D"
             2     "C"
             4     "D"
             1     "D;G"
             5     "F"
             1     "G"
    
```

chd1ba_2 **Other category of treatment 2 (not display)**

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq.  Value
             1,397 ""
    
```

chd1c_2 **Taking the child to an emergency room at least for one night 2**

```

type: numeric (byte)
label: chdlc

range: [3,3] units: 1
unique values: 1 missing .: 1,380/1,397

tabulation: Freq. Numeric Label
              17      3 no
              1,380      .
    
```

chdlca_2 **Number of days : the child stayed in hospitalized at the longest period because**

```

type: numeric (int)
label: chdlca, but label does not exist

range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Value
              1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

chdlid_2 **At present, Does the child have an underlying medical condition**

```

type: numeric (byte)
label: chdlid

range: [1,3] units: 1
unique values: 2 missing .: 1,380/1,397

tabulation: Freq. Numeric Label
              15      1 yes
              2      3 no
              1,380      .
    
```

chdlia_3 **Underlying disease 3 (not display)**

```

type: string (str92), but longest is str0
unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
              1,397 ""
    
```

chdliaa_3 **Underlying disease code 3**

```

type: numeric (byte)
label: chdliaa_1

range: [27,57] units: 1
unique values: 2 missing .: 1,394/1,397

tabulation: Freq. Numeric Label
              2      27 Asthma / emphysema
              1      57 Down syndrom
              1,394      .
    
```

chdlb_3 **What kind of treatment did child receive**

```

type: string (str6), but longest is str1
unique values: 2 missing "": 1,394/1,397
tabulation: Freq. Value
              1,394 ""
              2 "B"
              1 "F"
    
```

chdlba_3 **Other category of treatment 3 (not display)**

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
              1,397 ""
    
```

chdlc_3 **Taking the child to an emergency room at least for one night 3**

```

type: numeric (byte)
label: chdlc
range: [1,3] units: 1
unique values: 2 missing .: 1,394/1,397
tabulation: Freq. Numeric Label
              1 1 yes
              2 3 no
              1,394 .
    
```

chdlca_3 **Number of days : the child stayed in hospitalized at the longest period because**

```

type: numeric (int)
label: chdlca, but label does not exist
range: [2,2] units: 1
unique values: 1 missing .: 1,396/1,397
tabulation: Freq. Value
              1 2
              1,396 .
mean: 2
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              2 2 2 2 2
    
```

chdlid_3 **At present, Does the child have an underlying medical condition**

```

type: numeric (byte)
label: chdlid
range: [1,1] units: 1
unique values: 1 missing .: 1,394/1,397
    
```



```

tabulation: Freq.  Numeric  Label
              3          1  yes
            1,394          .
    
```

chd1a_4 **Underlying disease 4**

```

type: string (str92), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq.  Value
            1,397  ""
    
```

chd1aa_4 **Underlying disease code 4**

```

type: numeric (byte)
label: chd1aa_1
range: [3,3] units: 1
unique values: 1 missing .: 1,396/1,397
tabulation: Freq.  Numeric  Label
            1          3  Thyroid / Goiter
          1,396          .
    
```

chd1b_4 **Treatment 4**

```

type: string (str6), but longest is str1
unique values: 1 missing "": 1,396/1,397
tabulation: Freq.  Value
            1,396  ""
              1  "F"
    
```

chd1b_des_4 **Detail of treatment method**

```

type: string (str58), but longest is str34
unique values: 1 missing "": 1,396/1,397
tabulation: Freq.  Value
            1,396  ""
              1  "no treatment just observe symptoms"
warning: variable has embedded blanks
    
```

chd1ba_4 **Other category of treatment 4**

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq.  Value
            1,397  ""
    
```

chd1c_4 **Taking the child to an emergency room at least for one night 4**

```

type: numeric (byte)
label: chdlc

range: [3,3] units: 1
unique values: 1 missing .: 1,396/1,397

tabulation: Freq. Numeric Label
             1      3 no
             1,396 .
    
```

chdlca 4
No. of days : hospitalized at the longest period because of underlying disease 4

```

type: numeric (int)
label: chdlca, but label does not exist

range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Value
             1,397 .
             .
             .
             .
             .

mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

chdlid_4 **Having an underlying medical condition (underlying disease 4)**

```

type: numeric (byte)
label: chdlid

range: [1,1] units: 1
unique values: 1 missing .: 1,396/1,397

tabulation: Freq. Numeric Label
             1      1 yes
             1,396 .
    
```

chd2 **Since the last interview Has the child ever had their ear pierced**

```

type: numeric (byte)
label: chd2

range: [1,3] units: 1
unique values: 2 missing .: 0/1,397

tabulation: Freq. Numeric Label
             6      1 yes
             1,391 3 no
    
```

chd3 **Code of the reason for the child ever had an ear drainage puncture**

```

type: numeric (byte)
label: chd3

range: [1,7] units: 1
unique values: 3 missing .: 1,391/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              3         1  fluid in the ears
              1         5  both 1 and 3
              2         7  other CHD3A
            1,391         .
    
```

chd3a Other category of the reason for the child ever had an ear drainage puncture (no

```

type:  string (str90), but longest is str0
unique values:  0          missing "":  1,397/1,397
tabulation:  Freq.  Value
            1,397  ""
    
```

chd4_1 Open Roster and identify the number of defects of child since previous interview

```

type:  numeric (byte)
label:  chd4_1, but label does not exist
range:  [0,3]          units:  1
unique values:  4          missing .:  0/1,397
tabulation:  Freq.  Value
            1,383  0
              11  1
               2  2
               1  3
mean:  .012885
std. dev:  .141036
percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

chd4_2 Since previous interview, Have you ever been told by a doctor how many defects o

```

type:  numeric (byte)
label:  chd4_2, but label does not exist
range:  [0,1]          units:  1
unique values:  2          missing .:  0/1,397
tabulation:  Freq.  Value
            1,395  0
               2  1
mean:  .001432
std. dev:  .037823
percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

chd4a_1 Disability 1 (not display)

```

type:  string (str108), but longest is str0
unique values:  0          missing "":  1,397/1,397
tabulation:  Freq.  Value
            1,397  ""
    
```

chd4aa_1 **Disability code 1**

```

type: numeric (byte)
label: chd4aa_1

range: [1,99]
unique values: 5
units: 1
missing .: 1,382/1,397

tabulation: Freq.  Numeric  Label
              1          1  Problems with mobility due to
              5          3  Problems with learning
              1          7  Problems with limb movement
              4          9  Problems with communication
              4         99  other
1,382         .
    
```

chd4b_1 **What kind of treatment did child receive**

```

type: string (str11), but longest is str3
unique values: 6
unique missing codes: 2
missing "": 1,382/1,397
missing *: 4/1,397

tabulation: Freq.  Value
1,382     ""
2         "A"
1         "A,B"
1         "B"
2         "C"
5         "I"
4         "NA"
    
```

chd4ba_1 **Other category of treatment 1 (not display)**

```

type: string (str144), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
1,397     ""
    
```

chd4c_1 **Has the child ever been diagnosed by a medical professional**

```

type: numeric (byte)
label: chd4c

range: [1,3]
unique values: 2
units: 1
missing .: 1,382/1,397

tabulation: Freq.  Numeric  Label
              8          1  yes
              7          3  no
1,382         .
    
```

chd4d_1 **At present: Is this still a problem**

```

type: numeric (byte)
label: chd4d
range: [1,3]
unique values: 2
units: 1
missing ..: 1,382/1,397

tabulation: Freq. Numeric Label
             12         1 yes
             3         3 no
             1,382      .
    
```

chd4a_2 **Disability 2 (not display)**

```

type: string (str108), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

chd4aa_2 **Disability code 2**

```

type: numeric (byte)
label: chd4aa_1
range: [1,99]
unique values: 3
units: 1
missing ..: 1,393/1,397

tabulation: Freq. Numeric Label
             1         1 Problems with mobility due to
             2         9 brain disorder
             1        99 Problems with communication
             1,393      . other
    
```

chd4b_2 **What kind of treatment did child receive**

```

type: string (str11), but longest is str5
unique values: 4
unique missing codes: 2
missing "": 1,393/1,397
missing *: 1/1,397

tabulation: Freq. Value
             1,393 ""
             1 "A;B;C"
             1 "G"
             1 "I"
             1 "NA"
    
```

chd4ba_2 **Other category of treatment 2 (not display)**

```

type: string (str144), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

chd4c_2 **Has the child ever been diagnosed by a medical professional**

```

type: numeric (byte)
label: chd4c

range: [1,3]
unique values: 2
units: 1
missing ..: 1,393/1,397

tabulation: Freq.  Numeric  Label
              2         1     yes
              2         3     no
            1,393         .
    
```

chd4d_2 **At present: Is this still a problem**

```

type: numeric (byte)
label: chd4d

range: [1,1]
unique values: 1
units: 1
missing ..: 1,393/1,397

tabulation: Freq.  Numeric  Label
              4         1     yes
            1,393         .
    
```

chd4a_3 **Disability 3**

```

type: string (str108), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
            1,397  ""
    
```

chd4aa_3 **Disability code 3**

```

type: numeric (byte)
label: chd4aa_1

range: [9,9]
unique values: 1
units: 1
missing ..: 1,396/1,397

tabulation: Freq.  Numeric  Label
              1         9     Problems with communication
            1,396         .     development
    
```

chd4b_3 **Treatment_3**

```

type: string (str11), but longest is str2
unique values: 1
unique missing codes: 2
missing "": 1,396/1,397
missing *: 1/1,397

tabulation: Freq.  Value
            1,396  ""
              1    "NA"
    
```

chd4b_des_3 **Description of disability treatment 3**

```

type: string (str45), but longest is str0
unique values: 0
missing "": 1,397/1,397
    
```

tabulation: Freq. Value
 1,397 ""

chd4ba_3 **Other category of treatment 3**

type: string (**str144**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

chd4c_3 **Be diagnosed or treated by a doctor or a specialist 3**

type: numeric (**byte**)
 label: **chd4c**
 range: [3,3] units: 1
 unique values: 1 missing .: 1,396/1,397
 tabulation: Freq. Numeric Label
 1 3 no
 1,396 .

chd4d_3 **At present: having this problem 3**

type: numeric (**byte**)
 label: **chd4d**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,396/1,397
 tabulation: Freq. Numeric Label
 1 1 yes
 1,396 .

chd5 **Since the last interview, Does the child have hearing disability problem**

type: numeric (**byte**)
 label: **chd5**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,397
 tabulation: Freq. Numeric Label
 5 1 yes
 1,392 3 no

chd6 **Ear side of hearing disability**

type: numeric (**byte**)
 label: **chd6**
 range: [1,5] units: 1
 unique values: 2 missing .: 1,392/1,397
 unique missing codes: 2 missing *: 1/1,397

```

tabulation: Freq.  Numeric  Label
              3          1  left
              1          5  both
            1,392          .
              1          .c
    
```

chd7 Since the last interview, Does the child have vision disability problem

```

type: numeric (byte)
label: chd7

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,397

tabulation: Freq.  Numeric  Label
              1          1  yes
            1,396          3  no
    
```

chd8 Does the child need to use assistive devices such as canes, wheelchairs, hearing

```

type: numeric (byte)
label: chd8

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,397

tabulation: Freq.  Numeric  Label
              2          1  yes
            1,395          3  no
    
```

chd9 Does the child currently wear glasses

```

type: numeric (byte)
label: chd9

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,397

tabulation: Freq.  Numeric  Label
              1          1  yes
            1,396          3  no
    
```

chd10 Is the child currently receiving special education

```

type: numeric (byte)
label: chd10

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,397

tabulation: Freq.  Numeric  Label
              2          1  yes
            1,395          3  no
    
```

chd10a1_des Location where the child receiving special education services (unavailable)

```

type: string (str126), but longest is str0
unique values: 0
missing "": 1,397/1,397
    
```


tabulation: Freq. Value
 1,397 ""

chd10a1 **Location code (unavailable)**

type: string (**str6**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

chd10a2_des
Sub-district where the child receiving special education services (unavailable)

type: string (**str21**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

chd10a2 **Sub-district code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

chd10a3_des
District where the child receiving special education services (unavailable)

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

chd10a3 **District code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

chd10a4_des
Province where the child receiving special education services (unavailable)

type: string (**str27**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

chd10a4 **Province code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

chd11 **Interviewer note (unavailable)**

type: string (**str620**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

note_cleaner **data cleaner note (not display)**

type: string (**str291**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

year_survey **year survey**

type: numeric (**float**)
 range: [2018,2018] units: 1
 unique values: 1 missing .: 0/1,397
 tabulation: Freq. Value
 1,397 2018
 mean: 2018
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 2018 2018 2018 2018 2018

survey_name **survey round**

type: string (**str12**)
 unique values: 1 missing "": 0/1,397
 tabulation: Freq. Value
 1,397 "RESURVEY2018"

chd1_number **How many underlying disease does the child currently have that are incurable?**

type: numeric (**float**)
 range: [0,4] units: 1
 unique values: 5 missing .: 0/1,397

```

tabulation:  Freq.  Value
              1,242  0
              142   1
              10   2
               2   3
               1   4
    mean:     .123121
    std. dev: .373575

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

chdlb_des_1 Detail of treatment method

```

type: string (str74)
unique values: 10          missing "": 1,219/1,397
tabulation:  Freq.  Value
              1,219  ""
               9  "antibiotics (take continuously until
                 the dose is finished)"
               1  "antibiotics (take continuously until
                 the dose is finished);other"
              63  "bronchodilators"
               7  "bronchodilators;antibiotics (take
                 continuously until the dose is
                 finished)"
               3  "bronchodilators;drug (unknown type)"
               1  "bronchodilators;drug (unknown
                 type);other"
              23  "drug (unknown type)"
              59  "no treatment just observe symptoms"
               3  "no treatment just observe
                 symptoms;other"
               9  "other"

warning: variable has embedded blanks
    
```

chdlb_des_2 Detail of treatment method

```

type: string (str78), but longest is str58
unique values: 7          missing "": 1,380/1,397
tabulation:  Freq.  Value
              1,380  ""
               2  "antibiotics (take continuously until
                 the dose is finished)"
               2  "bronchodilators"
               2  "bronchodilators;drug (unknown type)"
               4  "drug (unknown type)"
               1  "drug (unknown type);other"
               5  "no treatment just observe symptoms"
               1  "other"

warning: variable has embedded blanks
    
```

chdlb_des_3 Detail of treatment method

```

type: string (str34)
unique values: 2          missing "": 1,394/1,397
    
```

```

tabulation:  Freq.  Value
              1,394  ""
              2  "bronchodilators"
              1  "no treatment just observe symptoms"
    
```

warning: variable has embedded blanks

chd4_number **How many disability does the child currently have that are incurable?**

```

type: numeric (float)
range: [0,3]          units: 1
unique values: 4      missing .: 0/1,397

tabulation:  Freq.  Value
              1,385  0
              8      1
              3      2
              1      3
mean: .012169
std. dev: .143616

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

chd4b_des_1 **Detail of how to help**

```

type: string (str299), but longest is str26
unique values: 4      missing "": 1,387/1,397

tabulation:  Freq.  Value
              1,387  ""
              1  "occupational therapy"
              5  "other"
              2  "physical therapy"
              2  "speech or language therapy"
    
```

warning: variable has embedded blanks

chd4b_des_2 **Detail of how to help**

```

type: string (str96)
unique values: 3      missing "": 1,394/1,397

tabulation:  Freq.  Value
              1,394  ""
              1  "Hearing service (this does not include
                  a temporary loss of hearing due to a
                  cold or congestion.)"
              1  "other"
              1  "speech or language therapy;occupational
                  therapy;physical therapy;"
    
```

warning: variable has embedded blanks

```

2 . log close
   name: <unnamed>
   log: V:\\RIECE DATA\RIECE_RELEASE V3-2017-2018\codebook\2018\b4.scml
   log type: smcl
   closed on: 27 Jul 2024, 15:48:22
    
```