



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\b5.scml
log type: smcl
opened on: 27 Jul 2024, 15:49:34

```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b5_run.dta
Last saved: 27 Jul 2024 15:48
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 188
Number of observations: 1,397
Size: 6,845,300 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,397 missing "": 0/1,397
examples: "201591160604207H1"
"201691131001062H1"
"201691160105024H1"
"201691161708105H1"

```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,397
tabulation: Freq. Value
517 "2015"
880 "2016"

```

hhid **household id**

```

type: string (str15)

```

unique values: 1,197 missing "": 0/1,397
 examples: "201591160604207"
 "201691131001041"
 "201691160105024"
 "201691161708105"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,397
 tabulation: Freq. Value
 1,259 "91"
 138 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/1,397
 tabulation: Freq. Value
 138 "12"
 241 "13"
 116 "14"
 136 "15"
 514 "16"
 41 "17"
 211 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,397
 tabulation: Freq. Value
 63 "01"
 214 "02"
 122 "04"
 53 "05"
 53 "06"
 63 "07"
 56 "08"
 92 "09"
 122 "10"
 89 "11"
 141 "13"
 42 "14"
 137 "15"
 96 "17"
 54 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,397

```

tabulation:  Freq.  Value
              153  "01"
              62  "02"
              141  "03"
              148  "04"
              116  "05"
              145  "06"
              76  "07"
              143  "08"
              87  "09"
              70  "10"
              50  "11"
              39  "12"
              38  "13"
              10  "14"
              12  "15"
              36  "16"
              8   "17"
              12  "18"
              26  "19"
              18  "22"
              7   "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 182           missing "": 0/1,397
examples: "011"
          "035"
          "070"
          "147"
    
```

ce0 **Since last interview, has this child attended school?**

```

type: numeric (byte)
label: ce0
range: [1,3]           units: 1
unique values: 2       missing .: 0/1,397
tabulation:  Freq.  Numeric  Label
              1,377  1      yes
              20     3      no
    
```

ce3a **When do you expect the child to go to school (e.g. Jan)?**

```

type: numeric (byte)
label: ce3a
range: [5,11]         units: 1
unique values: 2       missing .: 1,377/1,397
unique missing codes: 3  missing *: 4/1,397
tabulation:  Freq.  Numeric  Label
              14     5      May
              2      11     November
              1,377  .
              2      .c
              2      .d
    
```

ce3b **When do you expect the child to go to school (year)?**

```

type: numeric (int)
range: [2018,2019]
unique values: 2
unique missing codes: 3
units: 1
missing .: 1,377/1,397
missing *: 4/1,397

tabulation: Freq. Value
             2 2018
             14 2019
            1,377 .
              2 .c
              2 .d
mean: 2018.88
std. dev: .341565

percentiles: 10% 25% 50% 75% 90%
             2018 2019 2019 2019 2019
    
```

tce4a **CEC/school**

```

type: string (str26), but longest is str6
unique values: 4
unique missing codes: 3
missing "": 1,377/1,397
missing *: 4/1,397

tabulation: Freq. Value
            1,377 ""
              9 "CDC"
              1 "DK"
              3 "MI"
              7 "School"
    
```

ce4a **CEC name (unavailable)**

```

type: string (str110), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

ce4b3 **Province of school address (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

ce4b2 **District of school address (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

ce4b1 **Sub-district of school address (unavailable)**

type: string (**str36**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

ce4c **Expected school code (unavailable)**

type: string (**str10**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cel6m_1 **Since May 2016, which grade level was the child in? 1**

type: string (**str24**), but longest is str22
 unique values: 7 missing "": 20/1,397
 unique missing codes: 2 missing *: 1/1,397
 tabulation: Freq. Value
 20 ""
 544 "Child Education Center"
 1 "DK"
 312 "Kindergarten1"
 343 "Kindergarten2"
 81 "Kindergarten3"
 31 "Pre-Kindergarten"
 65 "Primary1"

warning: variable has embedded blanks

tcel6a_1 **School/CDC. 1**

type: string (**str10**), but longest is str6
 unique values: 2 missing "": 20/1,397
 tabulation: Freq. Value
 20 ""
 608 "CEC"
 769 "School"

cel6a_1 **School name 1 (unavailable)**

type: string (**str120**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cel6n_1 **CDC/School Code 1 (unavailable)**

type: string (**str11**), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

ce16o_1 **The type of school/CDC. 1**

type: numeric (byte)
 label: ce16o_1
 range: [1,5] units: 1
 unique values: 3 missing .: 20/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation:	Freq.	Numeric	Label
	1,246	1	Government school
	4	3	School attached to the university
	126	5	Private School
	20	.	
	1	.c	

ce16p_1 **Province 1 (unavailable)**

type: string (str39), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

ce16q_1 **Amphoe 1 (unavailable)**

type: string (str42), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

ce16r_1 **Tambon 1 (unavailable)**

type: string (str42), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

ce16s_1 **How many class teachers are there in the classroom 1**

type: numeric (byte)
 range: [1,5] units: 1
 unique values: 5 missing .: 20/1,397
 unique missing codes: 2 missing *: 111/1,397

```

tabulation:  Freq.  Value
              808    1
              334    2
              108    3
               15    4
               1     5
               20    .
              111    .c
    mean:    1.47314
    std. dev: .707714

percentiles:    10%    25%    50%    75%    90%
                1      1      1      2      2
    
```

celb1_1 **The 1st teacher's name 1 (unavailable)**

```

    type:  string (str64), but longest is str0
unique values:  0                               missing "":  1,397/1,397
    tabulation:  Freq.  Value
                 1,397  ""
    
```

celc1_1 **The 1st teacher's code 1 (unavailable)**

```

    type:  string (str12), but longest is str0
unique values:  0                               missing "":  1,397/1,397
    tabulation:  Freq.  Value
                 1,397  ""
    
```

celb2_1 **The 2nd teacher's name 1 (unavailable)**

```

    type:  string (str67), but longest is str0
unique values:  0                               missing "":  1,397/1,397
    tabulation:  Freq.  Value
                 1,397  ""
    
```

celc2_1 **The 2nd teacher's code 1 (unavailable)**

```

    type:  string (str18), but longest is str0
unique values:  0                               missing "":  1,397/1,397
    tabulation:  Freq.  Value
                 1,397  ""
    
```

celb3_1 **The 3rd teacher's name 1 (unavailable)**

```

    type:  string (str58), but longest is str0
unique values:  0                               missing "":  1,397/1,397
    tabulation:  Freq.  Value
                 1,397  ""
    
```

celc3_1 **The 3rd teacher's code 1 (unavailable)**

```

type: string (str10), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

cel6t_1 **How many students are there in the classroom? 1**

```

type: numeric (byte)
range: [1,65] units: 1
unique values: 49 missing .: 20/1,397
unique missing codes: 2 missing *: 739/1,397
    
```

```

tabulation: Freq. Value
             1 1
             4 3
             4 4
             7 5
             8 6
             6 7
            16 8
             9 9
            31 10
            17 11
            20 12
            26 13
            23 14
            44 15
            19 16
            31 17
            18 18
            17 19
            80 20
             7 21
            15 22
             7 23
             9 24
            35 25
             9 26
             5 27
            12 28
             5 29
            55 30
             1 31
            11 32
             8 33
             9 34
            26 35
             1 36
             2 37
             3 38
            16 40
             2 41
             4 42
             1 43
             4 44
             3 45
             1 46
             1 48
             2 50
             1 59
             1 63
             1 65
            20 .
    
```



```

type: numeric (byte)
range: [3,9]
unique values: 7
unique missing codes: 2
units: 1
missing .: 20/1,397
missing *: 53/1,397

tabulation: Freq. Value
              1 3
              2 4
              81 5
             554 6
             589 7
              96 8
               1 9
              20 .
              53 .c
mean: 6.52568
std. dev: .734696

percentiles:      10%      25%      50%      75%      90%
                  6        6        7        7        7
    
```

ce16e_1 **How many days per week does the child study? 1**

```

type: numeric (byte)
range: [2,5]
unique values: 3
unique missing codes: 2
units: 1
missing .: 20/1,397
missing *: 1/1,397

tabulation: Freq. Value
              1 2
              1 3
             1,374 5
              20 .
               1 .c
mean: 4.99637
std. dev: .097167

percentiles:      10%      25%      50%      75%      90%
                  5        5        5        5        5
    
```

ce16f_1 **Has this child ever borrowed books, story books (not textbooks) from child devel**

```

type: numeric (byte)
label: ce16f
range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing .: 20/1,397
missing *: 6/1,397

tabulation: Freq. Numeric Label
             448      1 yes
             923      3 no
              20      .
               6      .c
    
```

ce16g_1 **Borrowed books : Number of times 1**

```

type: numeric (byte)
range: [1,10]
unique values: 6
unique missing codes: 2
units: 1
missing .: 943/1,397
missing *: 11/1,397
    
```

```

tabulation:  Freq.  Value
              83    1
              53    2
              62    3
               8    4
             236    5
               1   10
             943    .
              11   .c
    mean:    3.60497
    std. dev: 1.66401

percentiles:    10%    25%    50%    75%    90%
                1      2      5      5      5
    
```

cel6h_1 **Frequency 1 (not display)**

```

type:  string (str45), but longest is str0
unique values:  0          missing "":  1,397/1,397

tabulation:  Freq.  Value
             1,397  ""
    
```

cel6ha_1 **Borrowed books code : frequency 1**

```

type:  numeric (byte)
label:  cel6ha_1

range:  [3,9]          units:  1
unique values:  3      missing .:  943/1,397
unique missing codes:  3      missing *:  12/1,397

tabulation:  Freq.  Numeric  Label
             406    3        Weekly
              25    5        Monthly
              11    9        Yearly
             943    .
              11   .c
               1   .d
    
```

cel6i_1 **Has the school sent you the child's development monitoring record (apart from th**

```

type:  numeric (byte)
label:  cel6i

range:  [1,3]          units:  1
unique values:  2      missing .:  20/1,397
unique missing codes:  2      missing *:  25/1,397

tabulation:  Freq.  Numeric  Label
             377    1        yes
             975    3        no
              20    .
              25   .c
    
```

cel6j_1 **the school sent you the child's development monitoring record : Number of times**

```

type:  numeric (byte)
    
```

range: [1,4] units: 1
 unique values: 4 missing .: 995/1,397
 unique missing codes: 2 missing *: 31/1,397

tabulation: Freq. Value
 225 1
 142 2
 3 3
 1 4
 995 .
 31 .c
 mean: 1.40701
 std. dev: .523868

percentiles: 10% 25% 50% 75% 90%
 1 1 1 2 2

cel6k_1 **Frequency 1 (not display)**

type: string (str30), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

cel6ka_1
The school sent you the child's development monitoring record code : Frequency 1

type: numeric (byte)
 label: cel6ha_1

range: [3,9] units: 1
 unique values: 3 missing .: 995/1,397
 unique missing codes: 2 missing *: 31/1,397

tabulation: Freq. Numeric Label
 7 3 Weekly
 3 5 Monthly
 361 9 Yearly
 995 .
 31 .c

cel6ua_1
Academic results (ask from elementary school level onwards and specify only in o

type: numeric (double)

range: [3,4] units: .01
 unique values: 4 missing .: 21/1,397
 unique missing codes: 4 missing *: 1,372/1,397

tabulation: Freq. Value
 1 3
 1 3.5
 1 3.84
 1 4
 21 .
 1,312 .b
 43 .c
 17 .d
 mean: 3.585
 std. dev: .442229

percentiles: 10% 25% 50% 75% 90%
 3 3.25 3.67 3.92 4

cel6ub_1

Academic results (ask from elementary school level onwards and specify only in o

type: numeric (**double**)
 range: [83.2,83.2] units: .1
 unique values: 1 missing .: 24/1,397
 unique missing codes: 4 missing *: 1,372/1,397

tabulation: Freq. Value
 1 83.2
 24 .
 1,312 .b
 43 .c
 17 .d
 mean: 83.2
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%
 83.2 83.2 83.2 83.2 83.2

cel6l_1

Reason for leave 1 (not display)

type: string (**str206**), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

cel6m_2

Since May 2016, which grade level was the child in? 2

type: string (**str24**), but longest is str22
 unique values: 8 missing "": 133/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
 133 "
 205 "Child Education Center"
 1 "DK"
 168 "Kindergarten1"
 341 "Kindergarten2"
 214 "Kindergarten3"
 2 "Pre-Kindergarten"
 268 "Primary1"
 65 "Primary2"

warning: variable has embedded blanks

tcel6a_2

School/CDC. 2

type: string (**str10**), but longest is str6
 unique values: 3 missing "": 133/1,397
 unique missing codes: 2 missing *: 1/1,397

```

tabulation: Freq. Value
             133 ""
             246 "CEC"
              1 "DK"
            1,017 "School"
    
```

ce16a_2 **School name 2 (unavailable)**

```

type: string (str120), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

ce16n_2 **CDC/School Code 2 (unavailable)**

```

type: string (str11), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

ce16o_2 **The type of school/CDC. 2**

```

type: numeric (byte)
label: ce16o_1
range: [1,5] units: 1
unique values: 3 missing .: 133/1,397
unique missing codes: 2 missing *: 2/1,397
tabulation: Freq. Numeric Label
            1,127 1 Government school
              3 3 School attached to the
              132 5 Private School
              133 .
              2 .c
    
```

ce16p_2 **Province 2 (unavailable)**

```

type: string (str39), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

ce16q_2 **Amphoe 2 (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
            1,397 ""
    
```

cel6r_2 **Tambon 2 (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

cel6s_2 **How many class teachers are there in the classroom 2**

```

type: numeric (byte)
range: [1,6] units: 1
unique values: 6 missing .: 133/1,397
unique missing codes: 3 missing *: 132/1,397
tabulation: Freq. Value
             862 1
             226 2
              37 3
               5 4
               1 5
               1 6
             133 .
             131 .c
               1 .d
mean: 1.28622
std. dev: .569847
percentiles: 10% 25% 50% 75% 90%
              1 1 1 1 2
    
```

celb1_2 **The 1st teacher's name 2 (unavailable)**

```

type: string (str64), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

celc1_2 **The 1st teacher's code 2 (unavailable)**

```

type: string (str12), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

celb2_2 **The 2nd teacher's name 2 (unavailable)**

```

type: string (str67), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

ce1c2_2 **The 2nd teacher's code 2 (unavailable)**

```

type: string (str18), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

ce1b3_2 **The 3rd teacher's name 2 (unavailable)**

```

type: string (str58), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

ce1c3_2 **The 3rd teacher's code 2 (unavailable)**

```

type: string (str10), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

ce16t_2 **How many students are there in the classroom? 2**

```

type: numeric (byte)
range: [1,54] units: 1
unique values: 47 missing .: 133/1,397
unique missing codes: 2 missing *: 614/1,397

tabulation: Freq. Value
             2 1
             2 2
             4 3
             7 4
             7 5
            11 6
            14 7
            13 8
             8 9
            37 10
            15 11
            24 12
            23 13
            29 14
            43 15
            30 16
            23 17
            18 18
            20 19
            55 20
            10 21
            13 22
             8 23
            16 24
            38 25
             9 26
             8 27
            12 28
    
```



```

      7 29
     45 30
      3 31
     16 32
      9 33
      5 34
     23 35
      4 36
      7 37
      3 38
      3 39
     14 40
      5 42
      1 43
      2 44
      1 45
      1 48
      1 50
      1 54
     133 .
     614 .c
    mean: 20.3554
   std. dev: 9.62717

percentiles:      10%      25%      50%      75%      90%
                  9        13        19        28        35

```

ce16ba_2 **Start month 2 (unavailable)**

```

      type: numeric (byte)
      label: ce16ba

      range: [.,.]
unique values: 0
                units: .
                missing.: 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .

```

ce16bb_2 **Start year 2 (unavailable)**

```

      type: numeric (int)

      range: [.,.]
unique values: 0
                units: .
                missing.: 1,397/1,397

      tabulation: Freq.  Value
                  1,397  .
      mean:      .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .

```

ce16ca_2 **End month 2 (unavailable)**

```

      type: numeric (byte)
      label: ce16ca

      range: [.,.]
unique values: 0
                units: .
                missing.: 1,397/1,397

      tabulation: Freq.  Numeric  Label
                  1,397      .

```

cel6cb_2 **End year 2 (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

tabulation: Freq. Value
1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

cel6d_2 **How many hours per day does the child study? 2**

```

type: numeric (byte)
range: [3,9]
unique values: 6
unique missing codes: 3
units: 1
missing .: 133/1,397
missing *: 65/1,397

tabulation: Freq. Value
1 3
46 5
358 6
647 7
145 8
2 9
133 .
64 .c
1 .d
mean: 6.74562
std. dev: .727136

percentiles: 10% 25% 50% 75% 90%
6 6 7 7 8
    
```

cel6e_2 **How many days per week does the child study? 2**

```

type: numeric (byte)
range: [3,5]
unique values: 2
unique missing codes: 3
units: 1
missing .: 133/1,397
missing *: 23/1,397

tabulation: Freq. Value
1 3
1,240 5
133 .
22 .c
1 .d
mean: 4.99839
std. dev: .056773

percentiles: 10% 25% 50% 75% 90%
5 5 5 5 5
    
```

cel6f_2 **Has this child ever borrowed books, story books (not textbooks) from child devel**

```

type: numeric (byte)
label: ce16f

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 133/1,397
missing *: 29/1,397
    
```

```

tabulation: Freq.  Numeric  Label
             152      1     yes
             1,083    3     no
             133      .
             28       .c
             1        .d
    
```

ce16g_2 **Borrowed books : Number of times 2**

```

type: numeric (byte)

range: [1,5]
unique values: 5
unique missing codes: 3

units: 1
missing .: 1,216/1,397
missing *: 30/1,397
    
```

```

tabulation: Freq.  Value
             21     1
             23     2
             18     3
              4     4
             85     5
            1,216   .
             29   .c
              1   .d
mean:       3.72185
std. dev:   1.57547
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1        2        5        5        5
    
```

ce16h_2 **Frequency 2 (not display)**

```

type: string (str45), but longest is str0

unique values: 0
missing "": 1,397/1,397
    
```

```

tabulation: Freq.  Value
            1,397  ""
    
```

ce16ha_2 **Borrowed books code : frequency 2**

```

type: numeric (byte)
label: ce16ha_1

range: [3,9]
unique values: 3
unique missing codes: 3

units: 1
missing .: 1,216/1,397
missing *: 31/1,397
    
```

```

tabulation: Freq.  Numeric  Label
             135      3     Weekly
             12      5     Monthly
              3      9     Yearly
            1,216   .
             29     .c
              2     .d
    
```

cel16i_2
Has the school sent you the child's development monitoring record (apart from th

```

type: numeric (byte)
label: cel16i

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 133/1,397
missing *: 31/1,397

tabulation: Freq.  Numeric  Label
              28         1  yes
              1,205       3  no
              133         .
              31         .c
    
```

cel16j_2
the school sent you the child's development monitoring record : Number of times

```

type: numeric (byte)

range: [1,2]
unique values: 2
unique missing codes: 2

units: 1
missing .: 1,338/1,397
missing *: 31/1,397

tabulation: Freq.  Value
              26  1
              2  2
            1,338  .
              31  .c

mean: 1.07143
std. dev: .262265

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         1         1
    
```

cel16k_2 **Frequency 2 (not display)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq.  Value
            1,397  ""
    
```

cel16ka_2
The school sent you the child's development monitoring record code : Frequency 2

```

type: numeric (byte)
label: cel16ha_1

range: [3,9]
unique values: 3
unique missing codes: 2

units: 1
missing .: 1,338/1,397
missing *: 31/1,397

tabulation: Freq.  Numeric  Label
              6         3  Weekly
              2         5  Monthly
              20        9  Yearly
            1,338         .
              31         .c
    
```

cel6ua_2

Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)
range: [.,.]
unique values: 0
unique missing codes: 4
units: .
missing ..: 133/1,397
missing *: 1,264/1,397

tabulation: Freq. Value
             133 .
             1,118 .b
              2 .c
             144 .d
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cel6ub_2

Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)
range: [.,.]
unique values: 0
unique missing codes: 4
units: .
missing ..: 133/1,397
missing *: 1,264/1,397

tabulation: Freq. Value
             133 .
             1,118 .b
              2 .c
             144 .d
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cel6l_2

Reason for leave 2 (not display)

```

type: string (str206), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
            1,397 ""
    
```

cel6m_3

Since May 2016, which grade level was the child in? 3

```

type: string (str24), but longest is str13
unique values: 2
missing "": 1,395/1,397

tabulation: Freq. Value
            1,395 ""
              1 "Kindergarten1"
              1 "Kindergarten3"
    
```

tcel6a_3

School/CDC. 3

```

type: string (str10), but longest is str6
unique values: 1 missing "": 1,395/1,397
tabulation: Freq. Value
             1,395 ""
             2 "School"
    
```

ce16a_3 **School name 3 (unavailable)**

```

type: string (str120), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

ce16n_3 **CDC/School Code 3 (unavailable)**

```

type: string (str11), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

ce16o_3 **The type of school/CDC. 3**

```

type: numeric (byte)
label: ce16o_1
range: [1,1] units: 1
unique values: 1 missing .: 1,395/1,397
tabulation: Freq. Numeric Label
             2 1 Government school
             1,395 .
    
```

ce16p_3 **Province 3 (unavailable)**

```

type: string (str39), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

ce16q_3 **Amphoe 3 (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

ce16r_3 **Tambon 3 (unavailable)**

```

type: string (str42), but longest is str0
    
```

unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

cel6s_3 **How many class teachers are there in the classroom 3**

type: numeric (**byte**)
 range: [1,1] units: 1
 unique values: 1 missing .: 1,395/1,397
 tabulation: Freq. Value
 2 1
 1,395 .
 mean: 1
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 1

celb1_3 **The 1st teacher's name 3 (unavailable)**

type: string (**str64**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

celc1_3 **The 1st teacher's code 3 (unavailable)**

type: string (**str12**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

celb2_3 **The 2nd teacher's name 3 (unavailable)**

type: string (**str67**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

celc2_3 **The 2nd teacher's code 3 (unavailable)**

type: string (**str18**), but longest is str0
 unique values: 0 missing "": 1,397/1,397
 tabulation: Freq. Value
 1,397 ""

celb3_3 **The 3rd teacher's name 3 (unavailable)**

```

type: string (str58), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

ce1c3_3 The 3rd teacher's code 3 (unavailable)

```

type: string (str10), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

ce16t_3 How many students are there in the classroom? 3

```

type: numeric (byte)
range: [20,20] units: 10
unique values: 1 missing .: 1,395/1,397
unique missing codes: 2 missing *: 1/1,397
tabulation: Freq. Value
             1 20
             1,395 .
             1 .c
mean: 20
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              20 20 20 20 20
    
```

ce16ba_3 Start month 3 (unavailable)

```

type: numeric (byte)
label: ce16ba
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
tabulation: Freq. Numeric Label
             1,397 .
    
```

ce16bb_3 Start year 3 (unavailable)

```

type: numeric (int)
range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397
tabulation: Freq. Value
             1,397 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ce16ca_3 End month 3 (unavailable)


```

type: numeric (byte)
label: ce16ca
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397
tabulation: Freq. Numeric Label
1,397 .
    
```

ce16cb_3 **End year 3 (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing ..: 1,397/1,397
tabulation: Freq. Value
1,397 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

ce16d_3 **How many hours per day does the child study? 3**

```

type: numeric (byte)
range: [7,8]
unique values: 2
units: 1
missing ..: 1,395/1,397
tabulation: Freq. Value
1 7
1 8
1,395 .
mean: 7.5
std. dev: .707107
percentiles: 10% 25% 50% 75% 90%
7 7 7.5 8 8
    
```

ce16e_3 **How many days per week does the child study? 3**

```

type: numeric (byte)
range: [5,5]
unique values: 1
units: 1
missing ..: 1,395/1,397
tabulation: Freq. Value
2 5
1,395 .
mean: 5
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
5 5 5 5 5
    
```

ce16f_3 **Has this child ever borrowed books, story books (not textbooks) from child devel**

```

type: numeric (byte)
label: ce16f
    
```

```

range: [3,3] units: 1
unique values: 1 missing .: 1,395/1,397

tabulation: Freq. Numeric Label
              2          3 no
              1,395      .
    
```

cel6g_3 **Borrowed books : Number of times 3**

```

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Value
              1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cel6h_3 **Frequency 3 (not display)**

```

type: string (str45), but longest is str0
unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
              1,397 ""
    
```

cel6ha_3 **Borrowed books code : frequency 3**

```

type: numeric (byte)
label: cel6ha_1

range: [.,.] units: .
unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
              1,397      .
    
```

cel6i_3 **Has the school sent you the child's development monitoring record (apart from th**

```

type: numeric (byte)
label: cel6i

range: [3,3] units: 1
unique values: 1 missing .: 1,395/1,397

tabulation: Freq. Numeric Label
              2          3 no
              1,395      .
    
```

cel6j_3 **the school sent you the child's development monitoring record : Number of times**

```

type: numeric (byte)
    
```

```

    range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

    tabulation: Freq. Value
                1,397 .
    mean: .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

cel6k_3 **Frequency 3 (not display)**

```

    type: string (str30), but longest is str0
unique values: 0
missing "": 1,397/1,397

    tabulation: Freq. Value
                1,397 ""
    
```

cel6ka_3
The school sent you the child's development monitoring record code : Frequency 3

```

    type: numeric (byte)
    label: cel6ha_1

    range: [.,.]
unique values: 0
units: .
missing .: 1,397/1,397

    tabulation: Freq. Numeric Label
                1,397 .
    
```

cel6ua_3
Academic results (ask from elementary school level onwards and specify only in o

```

    type: numeric (double)

    range: [.,.]
unique values: 0
units: .
missing .: 1,395/1,397
unique missing codes: 2
missing *: 2/1,397

    tabulation: Freq. Value
                1,395 .
                2 .b
    mean: .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

cel6ub_3
Academic results (ask from elementary school level onwards and specify only in o

```

    type: numeric (double)

    range: [.,.]
unique values: 0
units: .
missing .: 1,395/1,397
unique missing codes: 2
missing *: 2/1,397
    
```

```

tabulation: Freq. Value
             1,395 .
             2 .b
mean:       .
std. dev:   .

percentiles: 10%      25%      50%      75%      90%
              .        .        .        .        .
    
```

cel16l_3 Reason for leave 3 (not display)

```

type: string (str206), but longest is str0
unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cel6m_4 Since May 2016, which grade level was the child in? 4

```

type: string (str14), but longest is str13
unique values: 1 missing "": 1,396/1,397

tabulation: Freq. Value
             1,396 ""
             1 "Kindergarten3"
    
```

tcel6a_4 School/CDC. 4

```

type: string (str10), but longest is str6
unique values: 1 missing "": 1,396/1,397

tabulation: Freq. Value
             1,396 ""
             1 "School"
    
```

cel6a_4 School name 4 (unavailable)

```

type: string (str118), but longest is str0
unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cel6n_4 CDC/School Code 4 (unavailable)

```

type: string (str9), but longest is str0
unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cel6o_4 The type of school/CDC. 4

```

type: numeric (byte)
label: cel6o_1
range: [1,1]
unique values: 1
units: 1
missing.: 1,396/1,397

tabulation: Freq. Numeric Label
             1      1 Government school
             1,396 .
    
```

cel6p_4 Province 4 (unavailable)

```

type: string (str39), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cel6q_4 Amphoe 4 (unavailable)

```

type: string (str42), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cel6r_4 Tambon 4 (unavailable)

```

type: string (str36), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cel6s_4 How many class teachers are there in the classroom 4

```

type: numeric (byte)
range: [1,1]
unique values: 1
units: 1
missing.: 1,396/1,397

tabulation: Freq. Value
             1      1
             1,396 .
mean: 1
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              1      1      1      1      1
    
```

cel6t_4 The 1st teacher's name 4 (unavailable)

```

type: string (str64), but longest is str0
unique values: 0
missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

celc1_4 **The 1st teacher's code 4 (unavailable)**

```

type: string (str11), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

celb2_4 **The 2nd teacher's name 4 (unavailable)**

```

type: string (str36), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

celc2_4 **The 2nd teacher's code 4 (unavailable)**

```

type: string (str18), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

celb3_4 **The 3rd teacher's name 4 (unavailable)**

```

type: string (str33), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

celc3_4 **The 3rd teacher's code 4 (unavailable)**

```

type: string (str10), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

cel6t_4 **How many students are there in the classroom? 4**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1,396/1,397
unique missing codes: 2 missing *: 1/1,397

tabulation: Freq. Value
             1,396 .
             1 .c
mean: .
std. dev: .
    
```

percentiles: 10% 25% 50% 75% 90%

cel6ba_4 **Start month 4 (unavailable)**

type: numeric (**byte**)
 label: **cel6ba**

range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
 1,397 .

cel6bb_4 **Start year 4 (unavailable)**

type: numeric (**int**)

range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

cel6ca_4 **End month 4 (unavailable)**

type: numeric (**byte**)
 label: **cel6ca**

range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Numeric Label
 1,397 .

cel6cb_4 **End year 4 (unavailable)**

type: numeric (**int**)

range: [.,.] units: .
 unique values: 0 missing .: 1,397/1,397

tabulation: Freq. Value
 1,397 .
 mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

cel6d_4 **How many hours per day does the child study? 4**

type: numeric (**byte**)

range: [7,7] units: 1
 unique values: 1 missing .: 1,396/1,397

```

tabulation:  Freq.  Value
              1      7
            1,396  .
      mean:    7
      std. dev: .

percentiles: 10%      25%      50%      75%      90%
              7        7        7        7        7
    
```

cel6e_4 **How many days per week does the child study? 4**

```

      type: numeric (byte)
      range: [5,5]
unique values: 1
            units: 1
            missing.: 1,396/1,397

      tabulation:  Freq.  Value
                   1      5
                 1,396  .
      mean:        5
      std. dev:    .

percentiles: 10%      25%      50%      75%      90%
              5        5        5        5        5
    
```

cel6f_4 **Has this child ever borrowed books, story books (not textbooks) from child devel**

```

      type: numeric (byte)
      label: cel6f
      range: [3,3]
unique values: 1
            units: 1
            missing.: 1,396/1,397

      tabulation:  Freq.  Numeric  Label
                   1        3     no
                 1,396  .
    
```

cel6g_4 **Borrowed books : Number of times 4**

```

      type: numeric (byte)
      range: [.,.]
unique values: 0
            units: .
            missing.: 1,397/1,397

      tabulation:  Freq.  Value
                   1      .
                 1,397  .
      mean:        .
      std. dev:    .

percentiles: 10%      25%      50%      75%      90%
              .        .        .        .        .
    
```

cel6h_4 **Borrowed books : frequency 4**

```

      type: string (str30), but longest is str0
unique values: 0
            missing "": 1,397/1,397

      tabulation:  Freq.  Value
                   1      ""
                 1,397  ""
    
```

cel6ha_4 Borrowed books code : frequency 4

```

type: numeric (byte)
label: cel6ha_1

range: [...] units: .
unique values: 0 missing .. 1,397/1,397

tabulation: Freq. Numeric Label
             1,397 .
    
```

cel6i_4 Has the school sent you the child's development monitoring record (apart from th

```

type: numeric (byte)
label: cel6i

range: [3,3] units: 1
unique values: 1 missing .. 1,396/1,397

tabulation: Freq. Numeric Label
             1 3 no
             1,396 .
    
```

cel6j_4 the school sent you the child's development monitoring record : Number of times

```

type: numeric (byte)

range: [...] units: .
unique values: 0 missing .. 1,397/1,397

tabulation: Freq. Value
             1,397 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cel6k_4 The school sent you the child's development monitoring record : Frequency 4

```

type: string (str30), but longest is str0

unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
             1,397 ""
    
```

cel6ka_4 The school sent you the child's development monitoring record code : Frequency 4

```

type: numeric (byte)
label: cel6ha_1

range: [...] units: .
unique values: 0 missing .. 1,397/1,397

tabulation: Freq. Numeric Label
             1,397 .
    
```

cel6ua_4

Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,396/1,397
missing *: 1/1,397

tabulation: Freq. Value
             1,396 .
             1 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cel6ub_4

Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,396/1,397
missing *: 1/1,397

tabulation: Freq. Value
             1,396 .
             1 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cel6l_4

Reason for changing school 4

```

type: string (str186), but longest is str2
unique values: 1
unique missing codes: 2
missing "": 1,396/1,397
missing *: 1/1,397

tabulation: Freq. Value
             1,396 ""
             1 "NA"
    
```

cel2a1a

Do you currently have story books for children in your house?

```

type: numeric (byte)
label: cel2a1a
range: [1,3]
unique values: 2
units: 1
missing .: 0/1,397

tabulation: Freq. Numeric Label
             492 1 yes
             905 3 no
    
```

cel2a2a

Do you currently have picture books or picture cards, such as animal picture car

```

type: numeric (byte)
label: ce12a1a

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,397

tabulation: Freq.  Numeric  Label
             576      1     yes
             821      3     no
    
```

ce12a3a Do you currently have letter/number Poster in your house?

```

type: numeric (byte)
label: ce12a1a

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,397

tabulation: Freq.  Numeric  Label
             454      1     yes
             943      3     no
    
```

ce12a1aa Story books for children : quantity

```

type: numeric (byte)

range: [1,35]
unique values: 17
unique missing codes: 2
units: 1
missing ..: 905/1,397
missing *: 32/1,397

tabulation: Freq.  Value
             73     1
            111     2
            110     3
             41     4
             45     5
             12     6
              3     7
              2     8
              1     9
             40    10
              1    11
              1    12
              2    13
              6    15
              9    20
              2    28
              1    35
            905     .
             32     .c
mean:      4.22174
std. dev:  4.23271

percentiles:      10%      25%      50%      75%      90%
                  1         2         3         5         10
    
```

ce12a2aa Picture books or picture cards, such as animal picture cards number picture card

```

type: numeric (byte)

range: [1,24]
unique values: 12
unique missing codes: 2
units: 1
missing ..: 821/1,397
missing *: 29/1,397
    
```

```

tabulation:  Freq.  Value
              202    1
              174    2
              86     3
              24     4
              27     5
               7     6
               3     8
              13    10
               1    12
               4    15
               5    20
               1    24
             821    .
             29    .c
    mean:    2.61609
    std. dev: 2.82304

percentiles:    10%    25%    50%    75%    90%
                1      1      2      3      5
    
```

ce12a3aa **Letter/Number Poster : quantity**

```

    type:  numeric (byte)
    range:  [1,10]
unique values:  8
                units:  1
                missing .:  943/1,397

    tabulation:  Freq.  Value
                  125    1
                  183    2
                   95    3
                   31    4
                   14    5
                    2    6
                    1    7
                    3   10
                  943    .
    mean:    2.24449
    std. dev: 1.23583

percentiles:    10%    25%    50%    75%    90%
                1      1      2      3      4
    
```

ce13a1a **Does this child currently have preparatory exercises for children?**

```

    type:  numeric (byte)
    label:  ce12a1a
    range:  [1,3]
unique values:  2
                units:  1
                missing .:  0/1,397

    tabulation:  Freq.  Numeric  Label
                  798      1  yes
                  599      3  no
    
```

ce13a2a **Does this child currently have coloring book?**

```

    type:  numeric (byte)
    label:  ce12a1a
    range:  [1,3]
unique values:  2
                units:  1
                missing .:  0/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              948      1  yes
              449      3  no
    
```

ce13a1aa **Preparatory exercises for children : quantity**

```

type: numeric (byte)
range: [1,24]
unique values: 12
unique missing codes: 3
units: 1
missing .: 599/1,397
missing *: 61/1,397
    
```

```

tabulation:  Freq.  Value
              186    1
              266    2
              147    3
               39    4
               45    5
               19    6
                3    7
                7    8
               21   10
                1   12
                2   20
                1   24
              599    .
               59   .c
                2   .d
    
```

```

mean: 2.73677
std. dev: 2.24242
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1         1         2         3         5
    
```

ce13a2aa **Coloring book : quantity**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 1
units: .
missing .: 0/1,397
missing *: 1,397/1,397
    
```

```

tabulation:  Freq.  Value
              1,397  .b
mean: .
std. dev: .
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  .         .         .         .         .
    
```

ce18 **What subjects do this child has aptitude for**

```

type: string (str72), but longest is str19
unique values: 15
unique missing codes: 2
missing "": 0/1,397
missing *: 732/1,397
    
```

```

tabulation:  Freq.  Value
              322  "Art"
              1   "Computer"
              728  "DK"
              10  "Dancing"
              1   "Dancing;Mathematics"
              5   "Dancing;Music"
              1   "Don't have"
              44  "English"
              4   "MI"
              123 "Mathematics"
              14  "Music"
              1   "Science"
              1   "Social Studies"
              5   "Sport"
              137 "Thai language"
    
```

warning: variable has embedded blanks

cel7 Since the last interview, has this child received any special lessons or extra a

```

      type: numeric (byte)
      label: cel7

      range: [1,3]
unique values: 2
      units: 1
missing .: 0/1,397

      tabulation:  Freq.  Numeric  Label
                  86      1      yes
                  1,311  3      no
    
```

cel7a Classified into subjects or not?

```

      type: numeric (byte)
      label: cel7a

      range: [1,3]
unique values: 2
unique missing codes: 3
      units: 1
missing .: 1,311/1,397
missing *: 2/1,397

      tabulation:  Freq.  Numeric  Label
                  13      1      yes
                  71      3      no
                  1,311  .
                  1      .c
                  1      .d
    
```

note_cleaner Data cleaner note (not display)

```

      type: string (str159), but longest is str0
unique values: 0
missing "": 1,397/1,397

      tabulation:  Freq.  Value
                  1,397  ""
    
```

cel7b_1 Where does this child take special education or supplementary 1 (unavailable)

```

      type: string (str99), but longest is str0
unique values: 0
missing "": 1,397/1,397
    
```

tabulation: Freq. Value
 1,397 ""

cel7ba_1 **Type 1**

type: numeric (byte)
 label: **cel7ba_1**
 range: [1,11] units: 1
 unique values: 6 missing .: 1,311/1,397
 unique missing codes: 2 missing *: 2/1,397

tabulation:	Freq.	Numeric	Label
	31	1	Study at school: organized by the school
	14	3	Study at school
	33	5	Study at the teacher's home
	1	7	Study at the child's house
	3	9	Study at the institute
	2	11	Others
	1,311	.	.
	2	.c	.

cel7c_1 **What subjects? (Record all answers) 1**

type: string (str33)
 unique values: 14 missing "": 1,311/1,397
 unique missing codes: 2 missing *: 1/1,397

tabulation:	Freq.	Value
	1,311	""
	49	"Assorted Subjects"
	1	"DK"
	4	"English"
	1	"English;Arts"
	1	"Mathematics"
	2	"Mathematics;English"
	2	"Mathematics;Science;Thai Language"
	3	"Mathematics;Thai Language"
	15	"Mathematics;Thai Language;English"
	1	"Sports"
	1	"Thai Language"
	2	"Thai Language;Arts"
	3	"Thai Language;English"
	1	"Thai Language;Social;English"

warning: variable has embedded blanks

cel7ca_1 **Other such as 1**

type: string (str58), but longest is str0
 unique values: 0 missing "": 1,397/1,397

tabulation: Freq. Value
 1,397 ""

cel7d_1 **Number of days of study per year 1**

type: numeric (int)

range: [2,334] units: 1
 unique values: 46 missing .: 1,311/1,397
 unique missing codes: 2 missing *: 12/1,397

tabulation: Freq. Value
 1 2
 3 4
 1 9
 2 10
 2 14
 1 15
 1 16
 3 17
 3 18
 1 21
 3 22
 2 24
 1 26
 2 27
 1 29
 6 30
 1 34
 1 38
 1 42
 1 44
 2 45
 1 46
 1 53
 1 54
 1 60
 3 66
 1 76
 1 79
 1 80
 1 86
 1 88
 1 90
 1 102
 2 104
 1 108
 1 116
 1 176
 3 198
 1 203
 4 215
 1 237
 1 242
 1 258
 3 260
 1 261
 1 334
 1,311 .
 12 .c
 mean: 84.7027
 std. dev: 87.248

percentiles: 10% 25% 50% 75% 90%
 14 22 44.5 108 237

cel7e_1

Expense per year? 1

type: numeric (int)
 range: [0,30000] units: 1
 unique values: 36 missing .: 1,311/1,397
 unique missing codes: 2 missing *: 10/1,397


```

tabulation:  Freq.  Value
              6      0
              3     200
              1     300
              4     400
              1     420
              1     450
              3     500
              1     600
              5     800
              5    1200
              4    1500
              1    1600
              1    1800
              1    1840
              1    1900
              1    1920
              7    2000
              2    2400
              3    2500
              1    2700
              1    2800
              3    3000
              1    3500
              1    4000
              1    4400
              1    4500
              1    4535
              5    5000
              2    5500
              1    6000
              1    7200
              1    9000
              1    9600
              2   10000
              1   25000
              1   30000
            1,311  .
              10  .c
    mean:      3092.96
std. dev:     4720.88

percentiles:  10%      25%      50%      75%      90%
              200      550      1910     3750     6000
    
```

ce17b_2 Where does this child take special education or supplementary 2 (unavailable)

```

type: string (str99), but longest is str0
unique values: 0 missing "": 1,397/1,397

tabulation:  Freq.  Value
            1,397  ""
    
```

ce17ba_2 Type 2

```

type: numeric (byte)
label: ce17ba_1

range: [1,5] units: 1
unique values: 2 missing .: 1,395/1,397

tabulation:  Freq.  Numeric  Label
            1      1      Study at school: organized by
            1      5      the school
            1,395  .      Study at the teacher's home
    
```

ce17c_2 **What subjects? (Record all answers) 2**

```

type: string (str33), but longest is str17
unique values: 1 missing "": 1,395/1,397
tabulation: Freq. Value
             1,395 ""
             2 "Assorted Subjects"
warning: variable has embedded blanks
    
```

ce17ca_2 **Other such as 2**

```

type: string (str58), but longest is str0
unique values: 0 missing "": 1,397/1,397
tabulation: Freq. Value
             1,397 ""
    
```

ce17d_2 **Number of days of study per year 2**

```

type: numeric (int)
range: [20,20] units: 10
unique values: 1 missing .: 1,395/1,397
unique missing codes: 2 missing *: 1/1,397
tabulation: Freq. Value
             1 20
             1,395 .
             1 .c
mean: 20
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              20 20 20 20 20
    
```

ce17e_2 **Expense per year? 2**

```

type: numeric (int)
range: [1500,5000] units: 100
unique values: 2 missing .: 1,395/1,397
tabulation: Freq. Value
             1 1500
             1 5000
             1,395 .
mean: 3250
std. dev: 2474.87
percentiles: 10% 25% 50% 75% 90%
              1500 1500 3250 5000 5000
    
```

ce14 **Interviewer note (not display)**

```

type: string (str653), but longest is str0
unique values: 0 missing "": 1,397/1,397
    
```

tabulation: Freq. Value
 1,397 ""

ce2e **Borrowed a story book from the child development center**

type: numeric (**float**)
 label: **ce2e**
 range: [1,3] units: 1
 unique values: 2 missing .: 20/1,397
 unique missing codes: 3 missing *: 32/1,397

tabulation: Freq. Numeric Label
 172 1 yes
 1,173 3 no
 20 .
 31 .c
 1 .d

ce2f **Borrowed a story book : times**

type: numeric (**float**)
 range: [1,5] units: 1
 unique values: 5 missing .: 1,193/1,397
 unique missing codes: 3 missing *: 33/1,397

tabulation: Freq. Value
 23 1
 23 2
 20 3
 5 4
 100 5
 1,193 .
 32 .c
 1 .d
 mean: 3.79532
 std. dev: 1.55646

percentiles: 10% 25% 50% 75% 90%
 1 2 5 5 5

ce2f_yearly **Code of frequency (yearly)**

type: numeric (**float**)
 range: [1,200] units: 1
 unique values: 11 missing .: 1,193/1,397
 unique missing codes: 3 missing *: 33/1,397

tabulation: Freq. Value
 1 1
 2 2
 1 3
 5 9
 5 18
 2 27
 17 40
 16 80
 17 120
 5 160
 100 200
 1,193 .
 32 .c
 1 .d
 mean: 146.181

std. dev: 70.7858
 percentiles: 10% 25% 50% 75% 90%
 40 80 200 200 200

ce2g Borrowed a story book : frequency

type: string (**str30**), but longest is str7
 unique values: 5 missing "": 1,193/1,397
 unique missing codes: 3 missing *: 34/1,397

tabulation:	Freq.	Value
	1,193	" "
	32	"DK"
	2	"MI"
	12	"monthly"
	155	"weekly"
	3	"yearly"

ce2h Borrowed a story book code

type: numeric (**float**)
 label: **ce2h**
 range: [3,9] units: 1
 unique values: 3 missing .: 1,193/1,397
 unique missing codes: 3 missing *: 34/1,397

tabulation:	Freq.	Numeric	Label
	155	3	weekly
	12	5	monthly
	3	9	yearly
	1,193	.	.
	32	.c	.
	2	.d	.

ce8 Sending a child-development record by school

type: numeric (**float**)
 label: **ce8**
 range: [1,3] units: 1
 unique values: 2 missing .: 20/1,397
 unique missing codes: 2 missing *: 36/1,397

tabulation:	Freq.	Numeric	Label
	32	1	yes
	1,309	3	no
	20	.	.
	36	.c	.

ce8a Number of times : sending a child-development record by school

type: numeric (**float**)
 range: [1,3] units: 1
 unique values: 3 missing .: 1,329/1,397
 unique missing codes: 2 missing *: 36/1,397

```

tabulation:  Freq.  Value
              29    1
              2    2
              1    3
            1,329  .
              36  .c
    mean:     1.125
    std. dev: .421212

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      1
    
```

ce8a_yearly Code of frequency (yearly)

```

type: numeric (float)

range: [1,40]
unique values: 5
unique missing codes: 2

units: 1
missing .: 1,329/1,397
missing *: 36/1,397

tabulation:  Freq.  Value
              20    1
              2    2
              1    3
              3    9
              6   40
            1,329  .
              36  .c
    mean:     9.1875
    std. dev: 15.2176

percentiles:    10%    25%    50%    75%    90%
                1      1      1      9     40
    
```

ce8b Frequency of a child-development record has ever sent (not display)

```

type: string (str30), but longest is str0

unique values: 0
missing "": 1,397/1,397

tabulation:  Freq.  Value
            1,397  ""
    
```

ce8ba Code of frequency

```

type: numeric(float)
label: ce8ba

range: [3,9]
unique values: 3
unique missing codes: 2

units: 1
missing .: 1,329/1,397
missing *: 36/1,397

tabulation:  Freq.  Numeric  Label
              6      3    weekly
              3      5    monthly
              23     9    yearly
            1,329  .
              36     .c
    
```

year_survey year survey

```

type: numeric (float)
    
```

```

range: [2018,2018]           units: 1
unique values: 1             missing .: 0/1,397

tabulation: Freq. Value
             1,397 2018
mean:       2018
std. dev:   0

percentiles:    10%    25%    50%    75%    90%
                2018    2018    2018    2018    2018
    
```

survey_name	survey round
-------------	--------------

```

type: string (str12)
unique values: 1             missing "": 0/1,397

tabulation: Freq. Value
             1,397 "RESURVEY2018"
    
```

```

2 . log close
   name: <unnamed>
   log:  V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2018\\b5.scml
   log type: smcl
   closed on: 27 Jul 2024, 15:49:47
    
```
