



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\b6.scml
log type: smcl
opened on: 27 Jul 2024, 15:50:27
    
```

1 . codebookr _all,all

```

Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\b6_run.dta
Last saved: 27 Jul 2024 15:50
           DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 72
Number of observations: 1,397
Size: 1,239,139 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
                for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,397 missing "": 0/1,397
examples: "201591160604207H1"
           "201691131001062H1"
           "201691160105024H1"
           "201691161708105H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,397
tabulation: Freq. Value
             517 "2015"
             880 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,197 missing "": 0/1,397
 examples: "201591160604207"
 "201691131001041"
 "201691160105024"
 "201691161708105"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,397
 tabulation: Freq. Value
 1,259 "91"
 138 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/1,397
 tabulation: Freq. Value
 138 "12"
 241 "13"
 116 "14"
 136 "15"
 514 "16"
 41 "17"
 211 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,397
 tabulation: Freq. Value
 63 "01"
 214 "02"
 122 "04"
 53 "05"
 53 "06"
 63 "07"
 56 "08"
 92 "09"
 122 "10"
 89 "11"
 141 "13"
 42 "14"
 137 "15"
 96 "17"
 54 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,397

```

tabulation:  Freq.  Value
              153  "01"
              62  "02"
              141  "03"
              148  "04"
              116  "05"
              145  "06"
              76  "07"
              143  "08"
              87  "09"
              70  "10"
              50  "11"
              39  "12"
              38  "13"
              10  "14"
              12  "15"
              36  "16"
              8   "17"
              12  "18"
              26  "19"
              18  "22"
              7   "24"
    
```

strucid **structure ID**

```

type:  string (str3)
unique values:  182          missing "":  0/1,397
examples:  "011"
           "035"
           "070"
           "147"
    
```

cd1 **Can walk up stairs alternating feet (child age less than 5 years old)**

```

type:  numeric (byte)
label:  cd1
range:  [0,5]          units:  1
unique values:  4          missing .:  841/1,397
tabulation:  Freq.  Numeric  Label
              30     0  not happened
              46     1  never
              109    3  sometimes
              371    5  usually
              841    .
    
```

cd2 **Can hold a pencil or other writing correctly (child age under 5 years old)**

```

type:  numeric (byte)
label:  cd2
range:  [0,5]          units:  1
unique values:  4          missing .:  841/1,397
tabulation:  Freq.  Numeric  Label
              6     0  not happened
              59     1  never
              129    3  sometimes
              362    5  usually
              841    .
    
```

cd3 Can pour water into a cup or bowl without spilling it. (child age under 5 years

```

type: numeric (byte)
label: cd3

range: [0,5]                units: 1
unique values: 4            missing .. 841/1,397

tabulation: Freq.  Numeric  Label
              16         0  not happened
              72         1  never
              257        3  sometimes
              211        5  usually
              841         .
    
```

cd4 Can use a spoon to eat by themselves without spilling. (child age under 5 years

```

type: numeric (byte)
label: cd4

range: [0,5]                units: 1
unique values: 4            missing .. 841/1,397

tabulation: Freq.  Numeric  Label
              6         0  not happened
              74         1  never
              253        3  sometimes
              223        5  usually
              841         .
    
```

cd5 Can tell the way back home from a nearby location. (child age under 5 years old)

```

type: numeric (byte)
label: cd5

range: [0,5]                units: 1
unique values: 4            missing .. 841/1,397

tabulation: Freq.  Numeric  Label
              18         0  not happened
              48         1  never
              105        3  sometimes
              385        5  usually
              841         .
    
```

cd6 Can brush teeth by themselves. (child age under 5 years old)

```

type: numeric (byte)
label: cd6

range: [0,5]                units: 1
unique values: 4            missing .. 841/1,397

tabulation: Freq.  Numeric  Label
              5         0  not happened
              29         1  never
              112        3  sometimes
              410        5  usually
              841         .
    
```

cd11 The child can follow simple rules such as queuing to buy things or to use the ba

```

    type: numeric (byte)
    label: cd11

    range: [0,5]
    unique values: 4
                    units: 1
                    missing .. 841/1,397

    tabulation: Freq.  Numeric  Label
                 33      0  not happened
                 57      1  never
                 207     3  sometimes
                 259     5  usually
                 841     .

```

cd13 The child can tell whether he/she likes or dislikes things or activity.

```

    type: numeric (byte)
    label: cd13

    range: [0,5]
    unique values: 4
                    units: 1
                    missing .. 841/1,397

    tabulation: Freq.  Numeric  Label
                 10      0  not happened
                 59      1  never
                 122     3  sometimes
                 365     5  usually
                 841     .

```

cd15 Child often show off their work to make others feel that they are talented (chil

```

    type: numeric (byte)
    label: cd15

    range: [0,5]
    unique values: 4
                    units: 1
                    missing .. 841/1,397

    tabulation: Freq.  Numeric  Label
                 11      0  not happened
                 70      1  never
                 187     3  sometimes
                 288     5  usually
                 841     .

```

cd17 Can tell a story that happened in their daily lives (child age under 5 years old

```

    type: numeric (byte)
    label: cd17

    range: [0,5]
    unique values: 4
                    units: 1
                    missing .. 841/1,397

    tabulation: Freq.  Numeric  Label
                 8       0  not happened
                 82      1  never
                 233     3  sometimes
                 233     5  usually
                 841     .

```

cd18 Child always doubt and question on the things they interests (child age under 5

```

    type: numeric (byte)
    label: cd18

```

range: [0,5] units: 1
 unique values: 4 missing : 841/1,397

tabulation:	Freq.	Numeric	Label
	4	0	not happened
	63	1	never
	142	3	sometimes
	347	5	usually
	841	.	

cd19 Can listen to adults reading books (not story books) at least 5 minutes. (child

type: numeric (byte)
 label: cd19

range: [0,5] units: 1
 unique values: 4 missing : 841/1,397

tabulation:	Freq.	Numeric	Label
	26	0	not happened
	183	1	never
	215	3	sometimes
	132	5	usually
	841	.	

cd22 Can arrange a word into a sentence correctly (child age under 5 years old)

type: numeric (byte)
 label: cd22

range: [0,5] units: 1
 unique values: 4 missing : 841/1,397

tabulation:	Freq.	Numeric	Label
	6	0	not happened
	52	1	never
	96	3	sometimes
	402	5	usually
	841	.	

cd24 The child can tell meaning and what to do when seeing the sign in the daily life

type: numeric (byte)
 label: cd24

range: [0,5] units: 1
 unique values: 4 missing : 841/1,397

tabulation:	Freq.	Numeric	Label
	44	0	not happened
	192	1	never
	115	3	sometimes
	205	5	usually
	841	.	

cd25 The child can sing the whole song or almost the whole song

type: numeric (byte)
 label: cd25

range: [0,5] units: 1
 unique values: 4 missing : 841/1,397

```

tabulation: Freq.   Numeric   Label
              8         0   not happened
              171       1   never
              186       3   sometimes
              191       5   usually
              841       .
    
```

cd29 The child tidies up stuffs when he/she finished playing with them

```

type: numeric (byte)
label: cd29

range: [0,5]                        units: 1
unique values: 4                    missing .: 841/1,397
    
```

```

tabulation: Freq.   Numeric   Label
              5         0   not happened
             129       1   never
             303       3   sometimes
             119       5   usually
             841       .
    
```

cd30 Child recognize and accept to apologize. when they do wrong or misbehaves (child

```

type: numeric (byte)
label: cd30

range: [0,5]                        units: 1
unique values: 4                    missing .: 841/1,397
    
```

```

tabulation: Freq.   Numeric   Label
              6         0   not happened
             89       1   never
            291       3   sometimes
            170       5   usually
            841       .
    
```

cd32 Can tell name and surname (child age under 5 years old)

```

type: numeric (byte)
label: cd32

range: [0,5]                        units: 1
unique values: 4                    missing .: 841/1,397
    
```

```

tabulation: Freq.   Numeric   Label
              6         0   not happened
             75       1   never
             84       3   sometimes
            391       5   usually
            841       .
    
```

cd33 Child knows their age (child age under 5 years old)

```

type: numeric (byte)
label: cd33

range: [0,5]                        units: 1
unique values: 4                    missing .: 841/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              27      0  not happened
              388     1  never
              71      3  sometimes
              70      5  usually
              841      .
    
```

cd34 Child knows their gender (child age under 5 years old)

```

type: numeric (byte)
label: cd34

range: [0,5]          units: 1
unique values: 4      missing .: 841/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              9      0  not happened
              49     1  never
              50     3  sometimes
              448    5  usually
              841      .
    
```

cd35 The child can wash and wipe their hands by themselves, while the adult help turn

```

type: numeric (byte)
label: cd35

range: [0,5]          units: 1
unique values: 4      missing .: 841/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              4      0  not happened
              13     1  never
              93     3  sometimes
              446    5  usually
              841      .
    
```

cd36 Can dress byself exclude tying shoelaces and button up back (child age under 5 y

```

type: numeric (byte)
label: cd36

range: [0,5]          units: 1
unique values: 4      missing .: 841/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              6      0  not happened
              187    1  never
              224    3  sometimes
              139    5  usually
              841      .
    
```

cd37 The child can count numbers loudly up to 10

```

type: numeric (byte)
label: cd37

range: [0,5]          units: 1
unique values: 4      missing .: 841/1,397
    
```



```

tabulation:  Freq.  Numeric  Label
              5      0  not happened
              42     1  never
              94     3  sometimes
             415     5  usually
             841     .
    
```

cd38 The child can draw well enough that the elder can recognize it as male or female

```

type: numeric (byte)
label: cd38

range: [0,5]          units: 1
unique values: 4      missing .: 841/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              23     0  not happened
             388     1  never
              80     3  sometimes
              65     5  usually
             841     .
    
```

cd39 The child can tell at least 8 colors correctly

```

type: numeric (byte)
label: cd39

range: [0,5]          units: 1
unique values: 4      missing .: 841/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              18     0  not happened
             202     1  never
             100     3  sometimes
             236     5  usually
             841     .
    
```

cd40 Can easily calculate by using object or doing mental arithmetic (child age under

```

type: numeric (byte)
label: cd40

range: [0,5]          units: 1
unique values: 4      missing .: 841/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              19     0  not happened
             384     1  never
              97     3  sometimes
              56     5  usually
             841     .
    
```

cd41 Can count amount of object more than 10 pieces and tell correctly number (child

```

type: numeric (byte)
label: cd41

range: [0,5]          units: 1
unique values: 4      missing .: 841/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              20      0  not happened
              318     1  never
              128     3  sometimes
              90      5  usually
              841     .
    
```

cd42 **The child can write at least 5 Thai alphabets**

```

type:  numeric (byte)
label:  cd42

range:  [0,5]
unique values:  4

units:  1
missing .:  841/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              15      0  not happened
              425     1  never
              42      3  sometimes
              74      5  usually
              841     .
    
```

cd43 **Can spell word by letter spelling not memorizing (child age under 5 years old)**

```

type:  numeric (byte)
label:  cd43

range:  [0,5]
unique values:  4

units:  1
missing .:  841/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              10      0  not happened
              491     1  never
              39      3  sometimes
              16      5  usually
              841     .
    
```

cd44 **The child can use fingers to work on things that consist of many steps , e.g. us**

```

type:  numeric (byte)
label:  cd44

range:  [0,5]
unique values:  4

units:  1
missing .:  841/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              43      0  not happened
              334     1  never
              118     3  sometimes
              61      5  usually
              841     .
    
```

cd31 **Interviewer note (unavailable)**

```

type:  string (str432), but longest is str0

unique values:  0

missing "":  1,397/1,397

tabulation:  Freq.  Value
              1,397  ""
    
```

ef4 The child can follow simple rules such as queuing to buy things or to use the ba

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .. 556/1,397

tabulation: Freq.   Numeric  Label
              15      0  not encounter
              19      1  unable
              268     3  sometimes
              539     5  usually
              556     .
    
```

vn5 The child uses violence and aggression to solve problems when something is dissa

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .. 556/1,397

tabulation: Freq.   Numeric  Label
              6      0  not encounter
             241     1  unable
             466     3  sometimes
             128     5  usually
             556     .
    
```

ef5 The child can suppress the desires even if he/she wants that thing

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .. 556/1,397

tabulation: Freq.   Numeric  Label
              2      0  not encounter
             151     1  unable
             451     3  sometimes
             237     5  usually
             556     .
    
```

ef9 The child can accept the reason and is not angry when the plan is changed

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .. 556/1,397

tabulation: Freq.   Numeric  Label
              1      0  not encounter
             106     1  unable
             512     3  sometimes
             222     5  usually
             556     .
    
```

vn7 The child is obedient

```

    type: numeric (byte)
    label: ef4

    range: [0,5]
    unique values: 4

    units: 1
    missing .. 556/1,397

    tabulation: Freq.  Numeric  Label
                 1         0  not encounter
                 35        1  unable
                 512       3  sometimes
                 293       5  usually
                 556       .
    
```

ef7 The child quits playing when he/she is told to do something else

```

    type: numeric (byte)
    label: ef4

    range: [0,5]
    unique values: 4

    units: 1
    missing .. 556/1,397

    tabulation: Freq.  Numeric  Label
                 1         0  not encounter
                 94        1  unable
                 475       3  sometimes
                 271       5  usually
                 556       .
    
```

ef14 The child sits still and listens attentively to adult telling 1 -2 stories unti

```

    type: numeric (byte)
    label: ef4

    range: [0,5]
    unique values: 4

    units: 1
    missing .. 556/1,397

    tabulation: Freq.  Numeric  Label
                 44        0  not encounter
                 178       1  unable
                 314       3  sometimes
                 305       5  usually
                 556       .
    
```

ef19 The child acts immediately without delay when he/she intends to do something

```

    type: numeric (byte)
    label: ef4

    range: [0,5]
    unique values: 4

    units: 1
    missing .. 556/1,397

    tabulation: Freq.  Numeric  Label
                 9         0  not encounter
                 81        1  unable
                 399       3  sometimes
                 352       5  usually
                 556       .
    
```

vn16 The child is adaptable and not scared when going to a new place or meeting new p

```

    type: numeric (byte)
    label: ef4
    
```

range: [0,5] units: 1
 unique values: 4 missing .. 556/1,397

tabulation:	Freq.	Numeric	Label
	9	0	not encounter
	131	1	unable
	286	3	sometimes
	415	5	usually
	556	.	.

vn17 The child is kind to younger children (exclude siblings in the household)

type: numeric (byte)
 label: ef4

range: [0,5] units: 1
 unique values: 4 missing .. 556/1,397

tabulation:	Freq.	Numeric	Label
	21	0	not encounter
	37	1	unable
	264	3	sometimes
	519	5	usually
	556	.	.

vn18 The child tells a lie

type: numeric (byte)
 label: ef4

range: [0,5] units: 1
 unique values: 4 missing .. 556/1,397

tabulation:	Freq.	Numeric	Label
	16	0	not encounter
	363	1	unable
	421	3	sometimes
	41	5	usually
	556	.	.

ef23 The child tidies up and can look for stuffs later

type: numeric (byte)
 label: ef4

range: [0,5] units: 1
 unique values: 4 missing .. 556/1,397

tabulation:	Freq.	Numeric	Label
	2	0	not encounter
	271	1	unable
	403	3	sometimes
	165	5	usually
	556	.	.

vn19 The child is bullied by other children (excluding siblings in the household)

type: numeric (byte)
 label: ef4

range: [0,5] units: 1
 unique values: 4 missing .. 556/1,397

```

tabulation:  Freq.  Numeric  Label
              26      0  not encounter
              229     1  unable
              466     3  sometimes
              120     5  usually
              556     .
    
```

vn20 **The child often volunteers to help others**

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              22      0  not encounter
              83      1  unable
              512     3  sometimes
              224     5  usually
              556     .
    
```

exp_a9 **The child can accurately describe a wide range of emotions such as disappointed,**

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              13      0  not encounter
              102     1  unable
              355     3  sometimes
              371     5  usually
              556     .
    
```

vn22 **The child steals things from home, school or anywhere else**

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              14      0  not encounter
              755     1  unable
              64      3  sometimes
              8       5  usually
              556     .
    
```

exp_a3 **The child can use complex words to talk about possibilities**

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              58      0  not encounter
              320     1  unable
              329     3  sometimes
              134     5  usually
              556     .
    
```

vn25 **The child can finish what he/she is doing without giving up**

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              7      0  not encounter
             116     1  unable
             378     3  sometimes
             340     5  usually
             556     .
    
```

vn1 **The child is considerate**

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              24     0  not encounter
             150     1  unable
             459     3  sometimes
             208     5  usually
             556     .
    
```

vn6 **The child often plays alone**

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              1      0  not encounter
             404     1  unable
             309     3  sometimes
             127     5  usually
             556     .
    
```

ef11 **The child takes time to deal with disappointment**

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              2      0  not encounter
              587    1  unable
              180    3  sometimes
              72     5  usually
              556    .
    
```

ef12 The child is over excited when doing what he/ she likes

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              4      0  not encounter
             295    1  unable
             259    3  sometimes
             283    5  usually
             556    .
    
```

vn12 The child quarrels with or bullies other children (excluding siblings in the hou

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
             13      0  not encounter
            576    1  unable
            233    3  sometimes
            19     5  usually
            556    .
    
```

vn13 The child is depressed or cries easily

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              1      0  not encounter
             472    1  unable
             235    3  sometimes
             133    5  usually
             556    .
    
```

vn14 The child is generally liked by other children. (excluding siblings in the house

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```



```

tabulation: Freq.  Numeric  Label
              18          0  not encounter
              84          1  unable
              282         3  sometimes
              457         5  usually
              556          .
    
```

exp_a10 The child can mediate when other children are arguing

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```

```

tabulation: Freq.  Numeric  Label
              177         0  not encounter
              264         1  unable
              319         3  sometimes
              81          5  usually
              556          .
    
```

vn23 The child can get along with adults better than with children (excluding sibling

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```

```

tabulation: Freq.  Numeric  Label
              5          0  not encounter
             193         1  unable
             329         3  sometimes
             314         5  usually
             556          .
    
```

vn24 The child is easily frightened and afraid of various things

```

type: numeric (byte)
label: ef4

range: [0,5]          units: 1
unique values: 4      missing .: 556/1,397
    
```

```

tabulation: Freq.  Numeric  Label
              4          0  not encounter
             431         1  unable
             297         3  sometimes
             109         5  usually
             556          .
    
```

vn29 In general, do you think this child has problems with emotions, concentration, b

```

type: numeric (byte)
label: vn29

range: [1,3]          units: 1
unique values: 2      missing .: 556/1,397
    
```

```

tabulation:  Freq.  Numeric  Label
              96      1      yes
              745     3      no
              556     .
    
```

vn29a **To what extent do you think the child has this problem?**

```

type:  numeric (byte)
label:  vn29a

range:  [1,5]          units:  1
unique values:  3      missing .:  1,301/1,397

tabulation:  Freq.  Numeric  Label
              85      1      A little
              8       3      Much
              3       5      Severely
            1,301     .
    
```

note **Interviewer note (unavailable)**

```

type:  string (str331), but longest is str0
unique values:  0      missing "":  1,397/1,397

tabulation:  Freq.  Value
            1,397  ""
    
```

year_survey **year survey**

```

type:  numeric (float)

range:  [2018,2018]          units:  1
unique values:  1      missing .:  0/1,397

tabulation:  Freq.  Value
            1,397  2018
mean:        2018
std. dev:    0

percentiles:  10%      25%      50%      75%      90%
              2018     2018     2018     2018     2018
    
```

survey_name **survey round**

```

type:  string (str12)
unique values:  1      missing "":  0/1,397

tabulation:  Freq.  Value
            1,397  "RESURVEY2018"
    
```

```

2 . log close
   name:  <unnamed>
   log:   V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018\\codebook\\2018\\b6.scml
   log type:  smcl
   closed on:  27 Jul 2024, 15:50:31
    
```
