



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\a10.scml
log type: smcl
opened on: 22 Aug 2024, 09:23:36

```

1 . codebookr _all,all

```

> _run.dta
Dataset: Z:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\a10
Last saved: 22 Aug 2024 09:23

```

```

Label: [none]
Number of variables: 44
Number of observations: 1,230
Size: 1,265,670 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

hhid **household id**

```

type: string (str15)
unique values: 1,230 missing "": 0/1,230
examples: "201591160419002"
           "201691130201104"
           "201691150908040"
           "201691161706017"

```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,230
tabulation: Freq. Value
             487 "2015"
             743 "2016"

```

prov **province**

```

type: string (str2)

```



```

      8 "15"
     34 "16"
     12 "17"
     11 "18"
     27 "19"
      1 "20"
     14 "22"
      6 "24"
  
```

strucid **structure ID**

```

      type: string (str3)
unique values: 182           missing "": 0/1,230
  examples: "010"
            "034"
            "070"
            "173"
  
```

br1a **The amount of current outstanding debt of all household members : Bank loans**

```

      type: numeric (long)
      range: [0,310000]           units: 10000
unique values: 3           missing .: 1,224/1,230
  tabulation: Freq. Value
               4 0
               1 50000
               1 310000
            1,224 .
      mean: 60000
  std. dev: 124097
  percentiles:      10%      25%      50%      75%      90%
                   0         0         0       50000     310000
  
```

br1b **The amount of current outstanding debt of all household members : Cooperatives 1**

```

      type: numeric (byte)
      range: [0,0]           units: 1
unique values: 1           missing .: 1,224/1,230
  tabulation: Freq. Value
               6 0
            1,224 .
      mean: 0
  std. dev: 0
  percentiles:      10%      25%      50%      75%      90%
                   0         0         0         0         0
  
```

br1c **The amount of current outstanding debt of all household members : Village Funds**

```

      type: numeric (int)
      range: [0,30000]           units: 1000
unique values: 5           missing .: 1,224/1,230
  
```

```

tabulation:  Freq.  Value
              2      0
              1  20000
              1  25000
              1  28000
              1  30000
            1,224  .
      mean:   17166.7
    std. dev: 13717.4

percentiles:    10%    25%    50%    75%    90%
                0      0    22500  28000  30000
    
```

br1d The amount of current outstanding debt of all household members : Relatives loan

```

      type:  numeric (byte)

      range:  [0,0]                units:  1
unique values: 1                missing  .:  1,224/1,230

      tabulation:  Freq.  Value
                   6      0
                 1,224  .
      mean:        0
    std. dev:      0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

br1e The amount of current outstanding debt of all household members : Illegal loan

```

      type:  numeric (byte)

      range:  [0,0]                units:  1
unique values: 1                missing  .:  1,224/1,230

      tabulation:  Freq.  Value
                   6      0
                 1,224  .
      mean:        0
    std. dev:      0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

br1f The amount of current outstanding debt of all household members : Advanced wag

```

      type:  numeric (byte)

      range:  [0,0]                units:  1
unique values: 1                missing  .:  1,224/1,230

      tabulation:  Freq.  Value
                   6      0
                 1,224  .
      mean:        0
    std. dev:      0

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

br1g Pawn: The amount of current outstanding debt

```

type: numeric (byte)
range: [0,0]
unique values: 1
units: 1
missing .: 1,224/1,230

tabulation: Freq. Value
             6 0
             1,224 .
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

br1g_1a **Pawn: Number of repayment tranches**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,230/1,230

tabulation: Freq. Value
             1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

br1g_1b **Pawn: Number of repayment tranches paid**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,230/1,230

tabulation: Freq. Value
             1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

br1g_1c **Pawn: Amount of money to repay in each tranche**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,230/1,230

tabulation: Freq. Value
             1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

br1g_2a **Pawn: Number of repayment tranches**

```

type: numeric (byte)
    
```

```

    range: [.,.]
unique values: 0
units: .
missing .: 1,230/1,230

    tabulation: Freq. Value
                1,230 .
    mean: .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

br1g_2b **Pawn: Number of repayment tranches paid**

```

    type: numeric (byte)

    range: [.,.]
unique values: 0
units: .
missing .: 1,230/1,230

    tabulation: Freq. Value
                1,230 .
    mean: .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

br1g_2c **Pawn: Amount of money to repay in each tranche**

```

    type: numeric (byte)

    range: [.,.]
unique values: 0
units: .
missing .: 1,230/1,230

    tabulation: Freq. Value
                1,230 .
    mean: .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

br1h **Installment purchase for car/goods: The amount of current outstanding debt**

```

    type: numeric (long)

    range: [0,316800]
unique values: 4
units: 10
missing .: 1,224/1,230

    tabulation: Freq. Value
                3 0
                1 13470
                1 82080
                1 316800
    mean: 1,224 .
    std. dev: 68725
                125652

percentiles:    10%    25%    50%    75%    90%
                0      0      6735   82080  316800
    
```

br1h_1a **Installment purchase for car/goods: Number of repayment tranches**

```

    type: numeric (byte)
    
```

```

    range: [12,84]                units: 1
unique values: 2                  missing .: 1,227/1,230

  tabulation: Freq. Value
                1  12
                2  84
            1,227 .
    mean:      60
  std. dev:   41.5692

percentiles:    10%    25%    50%    75%    90%
                12     12     84     84     84
  
```

brlh_1b **Installment purchase for car/goods: Number of repayment tranches paid**

```

    type: numeric (byte)

    range: [6,72]                units: 1
unique values: 3                  missing .: 1,227/1,230

  tabulation: Freq. Value
                1   6
                1  36
                1  72
            1,227 .
    mean:      38
  std. dev:   33.0454

percentiles:    10%    25%    50%    75%    90%
                6     6     36     72     72
  
```

brlh_1c **Installment purchase for car/goods: Amount of money to repay in each tranche**

```

    type: numeric (int)

    range: [2245,6840]          units: 1
unique values: 3                  missing .: 1,227/1,230

  tabulation: Freq. Value
                1  2245
                1  6600
                1  6840
            1,227 .
    mean:      5228.33
  std. dev:   2586.43

percentiles:    10%    25%    50%    75%    90%
                2245   2245   6600   6840   6840
  
```

brlh_2a **Installment purchase for car/goods: Number of repayment tranches**

```

    type: numeric (byte)

    range: [.,.]                units: .
unique values: 0                  missing .: 1,230/1,230

  tabulation: Freq. Value
            1,230 .
    mean:      .
  std. dev:   .

percentiles:    10%    25%    50%    75%    90%
                .     .     .     .     .
  
```

br1h_2b Installment purchase for car/goods: Number of repayment tranches paid

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing : 1,230/1,230

tabulation: Freq. Value
1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

br1h_2c Installment purchase for car/goods: Amount of money to repay in each tranche

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing : 1,230/1,230

tabulation: Freq. Value
1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

br1h_3a Installment purchase for car/goods: Number of repayment tranches

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing : 1,230/1,230

tabulation: Freq. Value
1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

br1h_3b Installment purchase for car/goods: Number of repayment tranches paid

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing : 1,230/1,230

tabulation: Freq. Value
1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

br1h_3c Installment purchase for car/goods: Amount of money to repay in each tranche

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,230/1,230

tabulation: Freq. Value
1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

brli_des **Others, please identify (not display)**

```

type: string (str102), but longest is str0
unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
1,230 ""

```

brli **The amount of current outstanding debt**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,229/1,230
missing *: 1/1,230

tabulation: Freq. Value
1,229 .
1 .c
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

brlj_des **Others, please identify (not display)**

```

type: string (str69), but longest is str0
unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
1,230 ""

```

brlj **The amount of current outstanding debt**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,230/1,230

tabulation: Freq. Value
1,230 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

br2 In the past 12 months, did household members have any outstanding loans, both pr

```

type: numeric (byte)
label: br2

range: [1,3]                units: 1
unique values: 2            missing .. 0/1,230

tabulation: Freq.  Numeric  Label
              111      1     yes
              1,119    3     no
    
```

br2a In the future, do you think the household members will be able to repay this loa

```

type: numeric (byte)
label: br2a

range: [1,5]                units: 1
unique values: 3            missing .. 1,119/1,230

tabulation: Freq.  Numeric  Label
              82      1     yes
              5       3     no
              24      5     not sure
              1,119    .
    
```

br3 Have household members ever tried to take loans, installment purchase or get ad

```

type: numeric (byte)
label: br3

range: [1,3]                units: 1
unique values: 2            missing .. 0/1,230

tabulation: Freq.  Numeric  Label
              123     1     yes
              1,107  3     never
    
```

br3a Why not? (not display)

```

type: string (str193), but longest is str0
unique values: 0            missing "": 1,230/1,230

tabulation: Freq.  Value
              1,230 ""
    
```

br4 Have any household members ever been rejected by lender?

```

type: numeric (byte)
label: br4

range: [1,3]                units: 1
unique values: 2            missing .. 0/1,230

tabulation: Freq.  Numeric  Label
              78     1     yes
              1,152  3     never
    
```

br5 The total value of money/ items that all household members lent to outside house

```

type: numeric (long)
range: [0,200000]          units: 1000
unique values: 3          missing .: 1,224/1,230

tabulation: Freq. Value
              4  0
              1 2000
              1 200000
            1,224 .
mean: 33666.7
std. dev: 81490.3

percentiles:      10%      25%      50%      75%      90%
                  0        0        0       2000    200000
    
```

note Interviewer note (unavailable)

```

type: string (str574), but longest is str0
unique values: 0          missing "": 1,230/1,230

tabulation: Freq. Value
            1,230 ""
    
```

hh_change Sample has moved so that its household structure changed

```

type: numeric (float)
label: hh_change
range: [0,1]          units: 1
unique values: 2      missing .: 0/1,230

tabulation: Freq. Numeric Label
            1,224      0 no
              6        1 yes
    
```

survey_name survey round

```

type: string (str12)
unique values: 1          missing "": 0/1,230

tabulation: Freq. Value
            1,230 "RESURVEY2019"
    
```

year_survey year survey

```

type: numeric (float)
range: [2019,2019]    units: 1
unique values: 1      missing .: 0/1,230

tabulation: Freq. Value
            1,230 2019
mean: 2019
std. dev: 0
    
```

percentiles:	10%	25%	50%	75%	90%
	2019	2019	2019	2019	2019

2 . log close
name: <unnamed>
log: Z:\\RIECE DATA\\RIECE_RELEASE V5-2019\\Resurvey2019\\codebook\\a10.scml
log type: smcl
closed on: 22 Aug 2024, 09:23:37
