



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\a8.smcl
log type: smcl
opened on: 26 Aug 2024, 16:49:36

```

```
1 . codebookr _all,all
```

```

> run.dta
Dataset: Z:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\a8_
Last saved: 26 Aug 2024 16:49

```

```

Label: [none]
Number of variables: 291
Number of observations: 1,230
Size: 15,652,980 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

---

```
hhid household id
```

---

```

type: string (str15)
unique values: 1,230 missing "": 0/1,230
examples: "201591160419002"
           "201691130201104"
           "201691150908040"
           "201691161706017"

```

---

```
iyear year
```

---

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,230
tabulation: Freq. Value
             487 "2015"
             743 "2016"

```

---

```
prov province
```

---

```
type: string (str2)
```

unique values: 2 missing "": 0/1,230  
 tabulation: Freq. Value  
                   1,114 "91"  
                   116 "93"

**amp** **amphoe**

type: string (str2)  
 unique values: 8 missing "": 0/1,230  
 tabulation: Freq. Value  
                   1 "09"  
                   115 "12"  
                   231 "13"  
                   103 "14"  
                   124 "15"  
                   443 "16"  
                   31 "17"  
                   182 "18"

**tam** **tambon**

type: string (str2)  
 unique values: 15 missing "": 0/1,230  
 tabulation: Freq. Value  
                   55 "01"  
                   188 "02"  
                   109 "04"  
                   46 "05"  
                   45 "06"  
                   57 "07"  
                   47 "08"  
                   88 "09"  
                   113 "10"  
                   75 "11"  
                   116 "13"  
                   42 "14"  
                   123 "15"  
                   81 "17"  
                   45 "19"

**moo** **moo**

type: string (str2)  
 unique values: 22 missing "": 0/1,230  
 tabulation: Freq. Value  
                   130 "01"  
                   60 "02"  
                   117 "03"  
                   135 "04"  
                   96 "05"  
                   135 "06"  
                   66 "07"  
                   121 "08"  
                   69 "09"  
                   60 "10"  
                   47 "11"  
                   35 "12"  
                   36 "13"  
                   10 "14"

```

      8 "15"
     34 "16"
     12 "17"
     11 "18"
     27 "19"
      1 "20"
     14 "22"
      6 "24"
    
```

---

**strucid** **structure ID**

---

```

      type: string (str3)
  unique values: 182           missing "": 0/1,230
  examples:   "010"
              "034"
              "070"
              "173"
    
```

---

**no\_A** **no A**

---

```

      type: string (str2), but longest is str1
  unique values: 1           missing "": 0/1,230
  tabulation:  Freq. Value
                1,230 "1"
    
```

---

**description\_A** **Item of expenditure: rice & flour (not display)**

---

```

      type: string (str269), but longest is str0
  unique values: 0           missing "": 1,230/1,230
  tabulation:  Freq. Value
                1,230 ""
    
```

---

**hc0\_A** **Code of Inseparable expenses**

---

```

      type: string (str46), but longest is str0
  unique values: 0           missing "": 1,230/1,230
  tabulation:  Freq. Value
                1,230 ""
    
```

---

**hc1\_A** **HH. Expenses: Rice, glutinous rice, flour, product from flour (THB)**

---

```

      type: numeric (long)
  range: [0,1700]           units: 1
  unique values: 256       missing .: 0/1,230
  unique missing codes: 1  missing *: 23/1,230

  mean: 87.9843
  std. dev: 172.51

  percentiles:      10%      25%      50%      75%      90%
                   0        0        0        105      302
    
```

---

**hc2\_A Value of producing: Rice, glutinous rice, flour, product from flour (THB)**

---

```

type: numeric (int)
range: [0,1556] units: 1
unique values: 379 missing .: 0/1,230
unique missing codes: 1 missing *: 14/1,230

mean: 215.858
std. dev: 199.09

percentiles: 10% 25% 50% 75% 90%
              0 47 189 314 465
    
```

---

**hc3\_A Value of receiving: Rice, glutinous rice, flour, product from flour (THB)**

---

```

type: numeric (long)
range: [0,1102] units: 1
unique values: 48 missing .: 0/1,230
unique missing codes: 1 missing *: 29/1,230
    
```

```

tabulation: Freq. Value
1,130 0
1 7
2 8
1 9
2 12
3 16
2 18
3 19
2 23
1 27
2 28
1 30
3 31
1 32
2 33
1 37
1 38
1 44
2 46
2 47
1 48
1 49
1 50
2 52
1 53
2 55
1 60
1 62
5 93
1 99
1 112
1 138
2 147
1 149
3 151
2 174
1 186
1 195
1 209
1 212
1 233
1 279
1 320
1 325
1 329
    
```

```

          1  465
          1  843
          1 1102
          29 .c
    mean:   6.78102
  std. dev: 50.2527

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

---

**freq\_A** **Frequency: Weekly**

---

```

    type: numeric (byte)
    label: freq

    range: [5,5]
  unique values: 1
                    units: 1
                    missing .: 0/1,230

    tabulation: Freq.  Numeric  Label
                 1,230      5  weekly
    
```

---

**no\_B** **no B**

---

```

    type: string (str2), but longest is str1

  unique values: 1
                    missing "": 0/1,230

    tabulation: Freq.  Value
                 1,230  "2"
    
```

---

**description\_B**  
**Item of expenditure: food & materials, beverage (excluding alcohol drink) (not d**

---

```

    type: string (str269), but longest is str0

  unique values: 0
                    missing "": 1,230/1,230

    tabulation: Freq.  Value
                 1,230  ""
    
```

---

**hc0\_B** **Code of Inseparable expenses**

---

```

    type: string (str46), but longest is str3

  unique values: 1
                    missing "": 1,228/1,230

    tabulation: Freq.  Value
                 1,228  ""
                  2  "B,I"
    
```

---

**hc1\_B** **HH. expenses: Expenses on food, non-alcoholic beverages (THB)**

---

```

    type: numeric (long)

    range: [0,4970]
  unique values: 391
  unique missing codes: 1
                    units: 1
                    missing .: 0/1,230
                    missing *: 16/1,230

    mean:   1280.67
  std. dev: 739.901
    
```



unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

---

**hc0\_C** **Code of Inseparable expenses**

---

type: string (**str46**), but longest is str3  
 unique values: 2 missing "": 1,228/1,230  
 unique missing codes: 2 missing \*: 1/1,230  
 tabulation: Freq. Value  
 1,228 ""  
 1 "C,D"  
 1 "DK"

---

**hc1\_C** **HH. Expenses: Alcoholic beverages (THB)**

---

type: numeric (**long**)  
 range: [0,7200] units: 1  
 unique values: 97 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 296/1,230  
 tabulation: Freq. Value  
 636 0  
 1 5  
 1 8  
 1 10  
 1 21  
 1 29  
 1 30  
 1 35  
 1 40  
 1 45  
 3 50  
 2 55  
 6 60  
 3 65  
 1 67  
 2 70  
 1 75  
 1 80  
 9 100  
 2 110  
 4 120  
 1 130  
 10 150  
 1 151  
 1 155  
 2 167  
 1 170  
 1 172  
 1 180  
 11 200  
 3 210  
 1 215  
 10 250  
 4 258  
 2 280  
 19 300  
 1 323  
 1 344  
 9 350  
 1 358  
 1 360  
 2 375

```

1 387
2 400
3 430
9 450
12 500
2 516
2 550
1 559
17 600
3 650
1 700
2 750
1 753
1 774
1 800
2 860
14 900
1 903
16 1000
4 1050
1 1075
1 1095
1 1100
1 1110
1 1125
4 1200
1 1250
2 1290
1 1300
1 1350
10 1500
1 1505
1 1575
1 1650
1 1677
13 1800
1 1945
4 1950
3 2000
1 2100
2 2250
1 2500
1 2925
7 3000
1 3250
1 3300
2 3500
1 3600
1 3750
1 4300
3 4500
1 4800
1 5000
3 6000
1 7200

```

```

296 .c
mean: 294.747
std. dev: 771.61

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0     200    1000

```

---

**hc2\_C** **Value of producing: Alcoholic beverages (THB)**

---

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 0/1,230
missing *: 2/1,230

```



```

tabulation:  Freq.  Value
              1,228  0
              1    .c
              1    .d
    mean:    0
    std. dev: 0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

**hc3\_C** **Value of receiving: Alcoholic beverages (THB)**

```

type: numeric (long)

range: [0,0]          units: 1
unique values: 1      missing .: 0/1,230
unique missing codes: 2  missing *: 18/1,230

tabulation:  Freq.  Value
              1,212  0
              17    .c
              1    .d
    mean:    0
    std. dev: 0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

**freq\_C** **Frequency: Monthly**

```

type: numeric (byte)
label: freq

range: [9,9]          units: 1
unique values: 1      missing .: 0/1,230

tabulation:  Freq.  Numeric  Label
              1,230    9    monthly
    
```

**no\_D** **code D**

```

type: string (str2), but longest is str1

unique values: 1      missing "": 0/1,230

tabulation:  Freq.  Value
              1,230  "4"
    
```

**description\_D** **Item of expenditure: cigarette, tobacco, baccy (not display)**

```

type: string (str269), but longest is str0

unique values: 0      missing "": 1,230/1,230

tabulation:  Freq.  Value
              1,230  ""
    
```

**hc0\_D** **Code of Inseparable expenses**

```

type: string (str46), but longest is str3
    
```

unique values: 2  
 unique missing codes: 2

missing "": 1,228/1,230  
 missing \*: 1/1,230

tabulation: Freq. Value  
 1,228 ""  
 1 "C,D"  
 1 "DK"

---

hcl\_D

HH. Expenses: Tobacco, cigarett (THB)

---

type: numeric (long)

range: [0,4500]  
 unique values: 80  
 unique missing codes: 1

units: 1  
 missing .: 0/1,230  
 missing \*: 252/1,230

tabulation: Freq. Value  
 607 0  
 3 10  
 6 20  
 1 22  
 2 25  
 2 26  
 4 30  
 1 33  
 1 34  
 4 35  
 5 40  
 1 42  
 12 43  
 2 45  
 6 50  
 3 52  
 4 60  
 4 65  
 4 67  
 2 70  
 8 75  
 1 77  
 6 80  
 9 86  
 1 90  
 28 100  
 1 103  
 1 108  
 3 120  
 3 129  
 1 133  
 34 150  
 1 151  
 2 155  
 5 180  
 1 194  
 16 200  
 1 210  
 4 215  
 3 225  
 3 240  
 3 250  
 46 300  
 1 330  
 1 350  
 6 360  
 1 375  
 4 400  
 1 420  
 4 430  
 11 450  
 15 500  
 1 516

```

      1 550
     16 600
      1 630
      1 645
      1 650
      1 720
      1 750
      9 900
      1 975
      4 1000
      1 1020
      3 1050
      1 1125
      3 1200
      1 1300
      1 1350
      3 1500
      1 1505
     13 1800
      4 1950
      1 2000
      3 2100
      1 2700
      2 3000
      1 3250
      2 3600
      1 4500
    252 .c
  mean: 166.499
std. dev: 439.56

percentiles:    10%    25%    50%    75%    90%
                0      0      0     129     450

```

---

**hc2\_D** Value of producing: Tobacco, cigarett (THB)

---

```

      type: numeric (int)
      range: [0,150]
unique values: 2
unique missing codes: 1
      units: 10
      missing .: 0/1,230
      missing *: 1/1,230

  tabulation: Freq. Value
              1,228  0
              1 150
              1 .c
      mean: .12205
      std. dev: 4.27873

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

---

**hc3\_D** Value of receiving: Tobacco, cigarett (THB)

---

```

      type: numeric (long)
      range: [0,0]
unique values: 1
unique missing codes: 1
      units: 1
      missing .: 0/1,230
      missing *: 3/1,230

  tabulation: Freq. Value
              1,227  0
              3 .c
      mean: 0
      std. dev: 0

```

percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**freq\_D** **Frequency: Monthly**

---

          type: numeric (**byte**)  
           label: **freq**  
           range: [9,9]                                   units: 1  
   unique values: 1                                   missing .: 0/1,230  
           tabulation: Freq.   Numeric   Label  
                       1,230         9   monthly

---

**no\_E** **code E**

---

          type: string (**str2**), but longest is str1  
   unique values: 1                                   missing "": 0/1,230  
           tabulation: Freq.   Value  
                       1,230   "5"

---

**description\_E**  
 Item of expenditure: **eliecticity, plumbing, phone, internet connect etc. (not d**

---

          type: string (**str269**), but longest is str0  
   unique values: 0                                   missing "": 1,230/1,230  
           tabulation: Freq.   Value  
                       1,230   ""

---

**hc0\_E** **Code of Inseparable expenses**

---

          type: string (**str46**), but longest is str0  
   unique values: 0                                   missing "": 1,230/1,230  
           tabulation: Freq.   Value  
                       1,230   ""

---

**hc1\_E HH. Expenses: Utilities such as water, electricity, telephone and internet (THB)**

---

          type: numeric (**long**)  
           range: [0,8900]                           units: 1  
   unique values: 560                               missing .: 0/1,230  
   unique missing codes: 1                         missing \*: 4/1,230  
           mean: 1053.08  
           std. dev: 842.718  
           percentiles:       10%       25%       50%       75%       90%  
                               379       550       842       1300       1900

---

**hc2\_E Value of producing: Utilities such as water, electricity, telephone and internet**

---

          type: numeric (**int**)

```

        range: [0,0]                units: 1
    unique values: 1                missing .: 0/1,230
    unique missing codes: 1        missing *: 1/1,230

    tabulation:  Freq.  Value
                 1,229  0
                 1     .d
    mean:        0
    std. dev:    0

    percentiles: 10%    25%    50%    75%    90%
                  0      0      0      0      0
    
```

**hc3\_E Value of receiving: Utilities such as water, electricity, telephone and internet**

```

        type: numeric (long)

        range: [0,1290]            units: 1
    unique values: 17            missing .: 0/1,230
    unique missing codes: 2      missing *: 20/1,230

    tabulation:  Freq.  Value
                 1,192  0
                 1    17
                 1    60
                 2   100
                 1   150
                 1   200
                 1   300
                 1   340
                 1   405
                 1   450
                 1   490
                 2   600
                 1   632
                 1   650
                 1   700
                 1   860
                 1  1290
                 19   .c
                 1   .d
    mean:        6.56529
    std. dev:    66.0982

    percentiles: 10%    25%    50%    75%    90%
                  0      0      0      0      0
    
```

**freq\_E Frequency: Monthly**

```

        type: numeric (byte)
    label:  freq

        range: [9,9]                units: 1
    unique values: 1                missing .: 0/1,230

    tabulation:  Freq.  Numeric  Label
                 1,230    9    monthly
    
```

**no\_F code F**

```

        type: string (str2), but longest is str1
    unique values: 1                missing "": 0/1,230
    
```

tabulation: Freq. Value  
 1,230 "6"

---

**description\_F** **Item of expenditure: house rent (not display)**

---

type: string (**str269**), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

---

**hc0\_F** **Code of Inseparable expenses**

---

type: string (**str46**), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

---

**hc1\_F** **HH. Expenses: House rents (THB)**

---

type: numeric (**long**)  
 range: [0,1000] units: 10  
 unique values: 3 missing ..: 0/1,230  
 tabulation: Freq. Value  
 1,227 0  
           1 10  
           2 1000  
 mean: 1.63415  
 std. dev: 40.3082  
 percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**hc2\_F** **Value of producing: House rents (THB)**

---

type: numeric (**int**)  
 range: [0,0] units: 1  
 unique values: 1 missing ..: 0/1,230  
 tabulation: Freq. Value  
 1,230 0  
 mean: 0  
 std. dev: 0  
 percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**hc3\_F** **Value of receiving: House rents (THB)**

---

type: numeric (**long**)  
 range: [0,1000] units: 1000  
 unique values: 2 missing ..: 0/1,230

```

tabulation: Freq. Value
             1,229 0
             1 1000
mean:       .813008
std. dev:   28.5133

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**freq\_F** **Frequency: Monthly**

---

```

type: numeric (byte)
label: freq

range: [9,9]          units: 1
unique values: 1      missing .: 0/1,230

tabulation: Freq.  Numeric  Label
             1,230      9  monthly
    
```

---

**no\_G** **code G**

---

```

type: string (str2), but longest is str1
unique values: 1      missing "": 0/1,230

tabulation: Freq. Value
             1,230  "7"
    
```

---

**description\_G** **Item of expenditure: fuel and gasoline (not display)**

---

```

type: string (str269), but longest is str0
unique values: 0      missing "": 1,230/1,230

tabulation: Freq. Value
             1,230  ""
    
```

---

**hc0\_G** **Code of Inseparable expenses**

---

```

type: string (str46), but longest is str3
unique values: 1      missing "": 1,229/1,230

tabulation: Freq. Value
             1,229  ""
             1    "300"
    
```

---

**hc1\_G** **HH. Expenses: Fuel such as gasoline and gas for private car (THB)**

---

```

type: numeric (long)

range: [0,15900]          units: 1
unique values: 144      missing .: 0/1,230
unique missing codes: 1  missing *: 172/1,230

mean:       978.195
std. dev:   1395.79

percentiles: 10%    25%    50%    75%    90%
              150    300    500    1000   2150
    
```

---

**hc2\_G Value of producing: Fuel such as gasoline and gas for private car (THB)**

---

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing.: 0/1,230
unique missing codes: 1 missing*: 1/1,230

tabulation: Freq. Value
             1,229 0
             1 .c
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

---

**hc3\_G Value of receiving: Fuel such as gasoline and gas for private car (THB)**

---

```

type: numeric (long)
range: [0,0] units: 1
unique values: 1 missing.: 0/1,230
unique missing codes: 1 missing*: 2/1,230

tabulation: Freq. Value
             1,228 0
             2 .c
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

---

**freq\_G Frequency: Monthly**

---

```

type: numeric (byte)
label: freq
range: [9,9] units: 1
unique values: 1 missing.: 0/1,230

tabulation: Freq. Numeric Label
             1,230 9 monthly
    
```

---

**no\_H code H**

---

```

type: string (str2), but longest is str1
unique values: 1 missing "": 0/1,230

tabulation: Freq. Value
             1,230 "8"
    
```

---

**description\_H Item of expenditure: cooking fuel and gasoline (not display)**

---

```

type: string (str269), but longest is str0
unique values: 0 missing "": 1,230/1,230
    
```



tabulation: Freq. Value  
 1,230 ""

---

**hc0\_H** **Code of Inseparable expenses**

---

type: string (**str46**), but longest is str3  
 unique values: 1 missing "": 1,229/1,230  
 tabulation: Freq. Value  
 1,229 ""  
 1 "133"

---

**hc1\_H** **HH. Expenses: Gas, firewood for cooking (THB)**

---

type: numeric (**long**)  
 range: [0,4000] units: 1  
 unique values: 302 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 19/1,230  
 mean: 269.694  
 std. dev: 244.837  
 percentiles: 10% 25% 50% 75% 90%  
 25 123 223 393 516

---

**hc2\_H** **Value of producing: Gas, firewood for cooking (THB)**

---

type: numeric (**int**)  
 range: [0,1300] units: 1  
 unique values: 67 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 163/1,230  
 tabulation: Freq. Value  
 793 0  
 1 5  
 1 13  
 1 25  
 1 33  
 1 34  
 1 38  
 4 40  
 3 43  
 2 48  
 4 50  
 7 60  
 6 65  
 3 70  
 15 75  
 1 80  
 1 87  
 14 100  
 27 120  
 24 130  
 1 133  
 9 140  
 1 145  
 27 150  
 2 160  
 1 180  
 3 200  
 1 206  
 1 220  
 2 225

```

      1 238
     13 240
      1 246
      4 250
     14 260
      7 280
     14 300
      1 320
      1 323
      2 325
      1 340
      1 350
      3 360
      3 375
      3 390
      1 400
      2 420
      1 430
     10 450
      2 480
      1 500
      1 516
      3 520
      1 525
      1 538
      1 540
      2 559
      2 600
      2 602
      1 650
      1 660
      1 675
      1 688
      3 750
      1 900
      1 1050
      1 1300
      163 .c
    mean: 57.2962
   std. dev: 134.042

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         40        240

```

---

**hc3\_H** **Value of receiving: Gas, firewood for cooking (THB)**

---

```

      type: numeric (long)
      range: [0,520]
  unique values: 16
unique missing codes: 1
      units: 1
      missing .: 0/1,230
      missing *: 16/1,230

  tabulation:  Freq.  Value
                1,198  0
                 1    38
                 1    50
                 1    53
                 1    60
                 1   100
                 1   120
                 1   130
                 1   140
                 2   150
                 1   210
                 1   240
                 1   300
                 1   360
                 1   400
                 1   520
                 16   .c

```

mean: 2.48847  
 std. dev: 26.6335  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**freq\_H** **Frequency: Monthly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [9,9] units: 1  
 unique values: 1 missing .: 0/1,230  
 tabulation: Freq. Numeric Label  
 1,230 9 monthly

---

**no\_I** **code I**

---

type: string (**str2**), but longest is str1  
 unique values: 1 missing "": 0/1,230  
 tabulation: Freq. Value  
 1,230 "9"

---

**description\_I** **Item of expenditure: household supplies (not display)**

---

type: string (**str269**), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

---

**hc0\_I** **Code of Inseparable expenses**

---

type: string (**str46**), but longest is str3  
 unique values: 4 missing "": 1,226/1,230  
 tabulation: Freq. Value  
 1,226 ""  
 1 "600"  
 1 "B,I"  
 1 "I,B"  
 1 "I,W"

---

**hc1\_I HH. Expenses: Household products such as soap, toothpaste, shampoo, laundry dete**

---

type: numeric (**long**)  
 range: [0,4000] units: 1  
 unique values: 70 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 70/1,230

```

tabulation:  Freq.  Value
              52    0
              1    39
              1    40
              2    60
              1    80
              1    83
              1    90
             16   100
              1   101
              1   110
              1   125
             14   150
              1   165
              1   170
              1   194
             53   200
              1   240
             30   250
              1   260
            162   300
              1   320
              2   340
              2   345
             27   350
              2   380
              3   390
             41   400
              2   420
              1   430
             38   450
              1   455
              1   480
            213   500
              1   520
             27   550
              1   565
             98   600
              1   608
              1   640
              2   645
             14   650
              1   680
             27   700
              1   710
             13   750
             18   800
              1   850
              1   860
             22   900
              1   945
              1   950
              1   963
            133  1000
              6   1100
             13  1200
              5  1250
              1  1292
              5  1300
              1  1400
             35  1500
              1  1600
              1  1650
              2  1700
             28  2000
              1  2200
              1  2250
              6  2500
              8  3000
              2  3500
              3  4000
             70  .c
    
```

mean: 630.099  
 std. dev: 518.076  
 percentiles: 10% 25% 50% 75% 90%  
 200 300 500 800 1100

---

**hc2\_I Value of producing: Household products such as soap, toothpaste, shampoo, laundr**

---

type: numeric (int)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,230  
 tabulation: Freq. Value  
 1,230 0  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc3\_I Value of receiving: Household products such as soap, toothpaste, shampoo, laundr**

---

type: numeric (long)  
 range: [0,12000] units: 10  
 unique values: 9 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 27/1,230  
 tabulation: Freq. Value  
 1,190 0  
 1 100  
 2 300  
 3 500  
 2 600  
 1 870  
 1 1000  
 2 1500  
 1 12000  
 27 .c  
 mean: 16.8495  
 std. dev: 355.109  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**freq\_I Frequency: Monthly**

---

type: numeric (byte)  
 label: freq  
 range: [9,9] units: 1  
 unique values: 1 missing .: 0/1,230  
 tabulation: Freq. Numeric Label  
 1,230 9 monthly

---

**no\_J code J**

---

type: string (str2)  
 unique values: 1 missing "": 0/1,230

tabulation: Freq. Value  
 1,230 "10"

---

**description\_J Item of expenditure: gambling activities as lotteries (not display)**

---

type: string (**str269**), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

---

**hc0\_J Code of Inseparable expenses**

---

type: string (**str46**), but longest is str3  
 unique values: 1 missing "": 1,229/1,230  
 tabulation: Freq. Value  
 1,229 ""  
 1 "600"

---

**hc1\_J HH. Expenses: Lottery such as illegal lottery, government lottery, gold lottery**

---

type: numeric (**long**)  
 range: [0,30000] units: 1  
 unique values: 107 missing .: 0/1,230  
 unique missing codes: 2 missing \*: 71/1,230  
 mean: 1044.82  
 std. dev: 1857.09  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 500 1100 2500

---

**hc2\_J Value of producing: Lottery such as illegal lottery, government lottery, gold lo**

---

type: numeric (**int**)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 5/1,230  
 tabulation: Freq. Value  
 1,225 0  
 5 .d  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc3\_J Value of receiving: Lottery such as illegal lottery, government lottery, gold lo**

---

type: numeric (**long**)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 5/1,230

```

tabulation: Freq. Value
             1,225  0
             5    .d
    mean:    0
    std. dev: 0

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

---

**freq\_J** **Frequency: Monthly**

---

```

    type: numeric (byte)
    label: freq

    range: [9,9]          units: 1
unique values: 1          missing .: 0/1,230

    tabulation: Freq.  Numeric  Label
                1,230    9    monthly
    
```

---

**no\_K** **code K**

---

```

    type: string (str2)

unique values: 1          missing "": 0/1,230

    tabulation: Freq. Value
                1,230  "11"
    
```

---

**description\_K** **Item of expenditure: pharmaceutical products (not display)**

---

```

    type: string (str269), but longest is str0

unique values: 0          missing "": 1,230/1,230

    tabulation: Freq. Value
                1,230  ""
    
```

---

**hc0\_K** **Code of Inseparable expenses**

---

```

    type: string (str46), but longest is str3

unique values: 1          missing "": 1,229/1,230

    tabulation: Freq. Value
                1,229  ""
                 1    "100"
    
```

---

**hc1\_K** **HH. Expenses: Expense on medicine THB)**

---

```

    type: numeric (long)

    range: [0,15000]      units: 1
unique values: 91        missing .: 0/1,230
unique missing codes: 1  missing *: 51/1,230
    
```

tabulation:	Freq.	Value
	636	0
	1	7
	3	10
	3	15
	18	20
	13	25
	1	29
	14	30
	5	35
	9	40
	3	45
	1	48
	20	50
	6	60
	4	70
	2	75
	1	80
	1	83
	2	90
	43	100
	1	105
	1	110
	1	117
	5	120
	1	144
	1	145
	1	146
	30	150
	1	156
	1	158
	2	170
	4	180
	1	190
	1	195
	48	200
	1	217
	4	240
	34	250
	1	271
	23	300
	2	310
	9	350
	3	360
	5	400
	22	450
	3	480
	41	500
	1	540
	3	550
	1	570
	7	600
	1	650
	1	700
	1	708
	2	750
	1	798
	1	850
	1	900
	36	1000
	1	1040
	1	1050
	11	1200
	1	1209
	1	1225
	3	1300
	1	1440
	9	1500
	1	1600
	1	1700
	1	1750
	5	1800



```

      7 2000
     11 2400
      5 2500
      2 2600
      8 3000
      3 3500
      2 3600
      1 4050
      1 4200
      2 4500
      1 5000
      1 5200
      1 5400
      1 5500
      1 5850
      1 7000
      2 7200
      1 10000
      2 13000
      1 15000
     51 .c
    mean: 336.905
   std. dev: 1057.29

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        200       1000

```

---

**hc2\_K** **Value of producing: Expense on medicine (THB)**

---

```

      type: numeric (int)
      range: [0,0]
unique values: 1
      units: 1
      missing .: 0/1,230

      tabulation: Freq. Value
                  1,230  0
      mean: 0
      std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

---

**hc3\_K** **Value of receiving: Expense on medicine (THB)**

---

```

      type: numeric (long)
      range: [0,16800]
unique values: 6
unique missing codes: 1
      units: 100
      missing .: 0/1,230
      missing *: 12/1,230

      tabulation: Freq. Value
                  1,213  0
                   1  200
                   1  300
                   1 12000
                   1 15000
                   1 16800
                   12 .c
      mean: 36.3711
      std. dev: 730.686

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

---

**freq\_K** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing.: 0/1,230
tabulation: Freq. Numeric Label
1,230 17 yearly
    
```

---

**no\_L** **code L**

---

```

type: string (str2)
unique values: 1
missing "": 0/1,230
tabulation: Freq. Value
1,230 "12"
    
```

---

**description\_L** **Item of expenditure: seeing a doctor in clinic (not display)**

---

```

type: string (str269), but longest is str0
unique values: 0
missing "": 1,230/1,230
tabulation: Freq. Value
1,230 ""
    
```

---

**hc0\_L** **Code of Inseparable expenses**

---

```

type: string (str46), but longest is str0
unique values: 0
missing "": 1,230/1,230
tabulation: Freq. Value
1,230 ""
    
```

---

**hc1\_L** **HH. Expenses: Expense on doctor visit at medical clinic (THB)**

---

```

type: numeric (long)
range: [0,75000]
unique values: 155
unique missing codes: 1
units: 1
missing.: 0/1,230
missing *: 31/1,230
mean: 1122.73
std. dev: 3570.93
percentiles: 10% 25% 50% 75% 90%
0 0 240 1000 2500
    
```

---

**hc2\_L** **Value of producing: Expense on doctor visit at medical clinic (THB)**

---

```

type: numeric (int)
range: [0,0]
unique values: 1
units: 1
missing.: 0/1,230
tabulation: Freq. Value
1,230 0
mean: 0
std. dev: 0
    
```



---

**hcl\_M** **HH. Expenses: Expense on doctor visit at hospital (THB)**

---

type: numeric (**long**)  
 range: [0,300000] units: 1  
 unique values: 54 missing .: 0/1,230  
 unique missing codes: 2 missing \*: 22/1,230

tabulation:	Freq.	Value
	1,083	0
	20	30
	1	45
	14	60
	3	90
	2	100
	1	103
	5	105
	1	110
	1	113
	9	120
	1	130
	1	140
	4	150
	6	180
	2	195
	1	200
	2	210
	1	225
	2	240
	1	250
	4	300
	1	360
	1	420
	3	500
	1	520
	1	600
	1	650
	1	690
	1	750
	1	800
	2	1000
	1	1100
	1	1200
	1	1400
	1	1500
	1	1560
	1	2000
	1	2100
	1	2300
	2	2500
	1	2600
	4	3000
	1	3500
	2	3600
	1	4000
	3	5000
	1	5300
	1	8000
	1	8600
	1	9000
	2	15000
	1	20000
	1	300000
	21	.c
	1	.d

mean: 381.334  
 std. dev: 8689.43

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 30

---

**hc2\_M Value of producing: Expense on doctor visit at hospital (THB)**

---

type: numeric (int)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,230  
 tabulation: Freq. Value  
 1,230 0  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc3\_M Value of receiving: Expense on doctor visit at hospital (THB)**

---

type: numeric (long)  
 range: [0,4750] units: 10  
 unique values: 2 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 602/1,230  
 tabulation: Freq. Value  
 627 0  
 1 4750  
 602 .c  
 mean: 7.56369  
 std. dev: 189.546  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**freq\_M Frequency: Yearly**

---

type: numeric (byte)  
 label: freq  
 range: [17,17] units: 1  
 unique values: 1 missing .: 0/1,230  
 tabulation: Freq. Numeric Label  
 1,230 17 yearly

---

**no\_N code N**

---

type: string (str2)  
 unique values: 1 missing "": 0/1,230  
 tabulation: Freq. Value  
 1,230 "14"

---

**description\_N Item of expenditure: household donating/charity (not display)**

---

type: string (str269), but longest is str0  
 unique values: 0 missing "": 1,230/1,230

tabulation: Freq. Value  
 1,230 ""

---

**hc0\_N** **Code of Inseparable expenses**

---

type: string (**str46**), but longest is str3

unique values: 1 missing "": 1,229/1,230

tabulation: Freq. Value  
 1,229 ""  
 1 "500"

---

**hc1\_N** **HH. Expenses: Donation (THB)**

---

type: numeric (**long**)

range: [0,36000] units: 1  
 unique values: 65 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 332/1,230

tabulation: Freq. Value

24	0
1	43
1	75
3	100
1	150
5	200
6	250
8	300
6	350
2	400
1	420
11	450
45	500
5	550
1	583
5	600
2	650
2	700
7	750
3	800
164	1000
7	1200
3	1250
1	1300
2	1350
1	1400
72	1500
3	1600
1	1800
1	1900
120	2000
87	2500
1	2650
1	2900
92	3000
1	3250
34	3500
4	3600
15	4000
27	4500
1	4800
30	5000
1	5200
2	5400
3	5500
5	6000

```

      1 6500
      1 6600
      4 7500
      1 8000
      1 9000
     42 10000
      3 12000
      2 13000
      1 14000
     11 15000
      1 16800
      1 17400
      1 18000
      1 19500
      3 20000
      3 24000
      1 26000
      1 30000
      1 36000
    332 .c
  mean: 2942.4
std. dev: 3667.24

percentiles:      10%      25%      50%      75%      90%
                  500      1000     2000     3000     5400

```

---

**hc2\_N** **Value of producing: Donation (THB)**

---

```

      type: numeric (int)
      range: [0,0]
unique values: 1
unique missing codes: 1

      tabulation: Freq. Value
                  1,229 0
                  1 .c
      mean: 0
std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

---

**hc3\_N** **Value of receiving: Donation (THB)**

---

```

      type: numeric (long)
      range: [0,0]
unique values: 1
unique missing codes: 1

      tabulation: Freq. Value
                  1,228 0
                  2 .c
      mean: 0
std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

---

**freq\_N** **Frequency: Yearly**

---

```

      type: numeric (byte)
      label: freq

```

range: [17,17] units: 1  
 unique values: 1 missing .: 0/1,230  
 tabulation: Freq. Numeric Label  
 1,230 17 yearly

**no\_O** **code 0**

type: string (str2)  
 unique values: 1 missing "": 0/1,230  
 tabulation: Freq. Value  
 1,230 "15"

**description\_O** **Item of expenditure: performing ceremonies (not display)**

type: string (str269), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

**hc0\_O** **Code of Inseparable expenses**

type: string (str46), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

**hc1\_O** **HH. Expenses: Expense on ceremony (THB)**

type: numeric (long)  
 range: [0,500000] units: 100  
 unique values: 44 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 16/1,230  
 tabulation: Freq. Value  
 1,103 0  
 1 100  
 2 1500  
 2 2500  
 2 3000  
 1 4000  
 1 4500  
 1 5000  
 1 7500  
 8 10000  
 2 12000  
 7 15000  
 1 16500  
 4 20000  
 3 25000  
 7 30000  
 2 35000  
 1 45000  
 1 45500  
 5 50000  
 1 53000  
 3 55000



```

      3 60000
      3 65000
      2 70000
      1 74000
      1 75000
      1 80000
      1 90000
      1 95000
      9 100000
      1 112000
      1 120000
      2 130000
      9 150000
      1 165000
      1 170000
      1 180000
     10 200000
      3 250000
      1 300000
      1 350000
      1 400000
      1 500000
     16 .c
    mean: 8023.15
   std. dev: 37274.4

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0

```

---

**hc2\_O** **Value of producing: Expense on ceremony (THB)**

---

```

      type: numeric (int)
      range: [0,0]
unique values: 1
      units: 1
      missing .: 0/1,230

      tabulation: Freq. Value
                  1,230 0
      mean: 0
      std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0

```

---

**hc3\_O** **Value of receiving: Expense on ceremony (THB)**

---

```

      type: numeric (long)
      range: [0,350000]
unique values: 10
unique missing codes: 1
      units: 100
      missing .: 0/1,230
      missing *: 2/1,230

      tabulation: Freq. Value
                  1,218 0
                   1 1500
                   1 7000
                   1 10000
                   1 40000
                   1 70000
                   2 100000
                   1 150000
                   1 200000
                   1 350000
                   2 .c
    mean: 837.541
   std. dev: 13107

```

percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**freq\_O** **Frequency: Yearly**

---

          type: numeric (**byte**)  
           label: **freq**  
           range: [17,17]                                   units: 1  
   unique values: 1                                       missing .: 0/1,230  
           tabulation: Freq.   Numeric   Label  
                           1,230        17    yearly

---

**no\_P** **code P**

---

          type: string (**str2**)  
   unique values: 1                                       missing "": 0/1,230  
           tabulation: Freq.   Value  
                           1,230   "16"

---

**description\_P** **Item of expenditure: dwelling maintenance (not display)**

---

          type: string (**str269**), but longest is str0  
   unique values: 0                                       missing "": 1,230/1,230  
           tabulation: Freq.   Value  
                           1,230   ""

---

**hc0\_P** **Code of Inseparable expenses**

---

          type: string (**str46**), but longest is str5  
   unique values: 1                                       missing "": 1,229/1,230  
           tabulation: Freq.   Value  
                           1,229   ""  
                               1    "P,R,V"

---

**hc1\_P** **HH. Expenses: House restoration or construction (THB)**

---

          type: numeric (**long**)  
           range: [0,3030000]                               units: 10  
   unique values: 80                                       missing .: 0/1,230  
   unique missing codes: 1                                missing \*: 14/1,230  
           tabulation: Freq.   Value  
                           958    0  
                               1    90  
                               1   130  
                               1   350  
                               1   450  
                               1   500  
                               1   550  
                               3  1000  
                               5  1500  
                               4  2000  
                               1  2300

2 2500  
1 2700  
9 3000  
1 3300  
2 3500  
5 4000  
14 5000  
3 5500  
1 5600  
1 6000  
3 6500  
3 7000  
2 7500  
3 8000  
1 8500  
11 10000  
1 10500  
5 12000  
1 12700  
1 13000  
7 15000  
2 15500  
1 16000  
3 17000  
2 18000  
1 19000  
17 20000  
1 22000  
8 25000  
17 30000  
1 34500  
8 35000  
2 38000  
9 40000  
3 45000  
7 50000  
4 55000  
6 60000  
1 65000  
6 70000  
1 75000  
3 80000  
2 90000  
11 100000  
1 110000  
2 120000  
1 125000  
2 140000  
7 150000  
1 160000  
1 175000  
1 185000  
5 200000  
5 250000  
1 270000  
1 280000  
3 300000  
2 350000  
1 380000  
1 450000  
2 500000  
1 550000  
1 700000  
1 800000  
2 1000000  
1 1500000  
1 2500000  
1 3000000  
1 3030000  
14 .c

mean: 23306.5  
std. dev: 162612

percentiles:           10%           25%           50%           75%           90%  
                        0           0           0           0           30000

---

**hc2\_P**                               **Value of producing: House restoration or construction (THB)**

---

        type: numeric (**int**)  
        range: [0,0]                               units: 1  
    unique values: 1                               missing : 0/1,230  
  
    tabulation:   Freq.   Value  
                  1,230   0  
        mean:         0  
        std. dev:     0  
  
    percentiles:   10%       25%       50%       75%       90%  
                        0           0           0           0           0

---

**hc3\_P**                               **Value of receiving: House restoration or construction (THB)**

---

        type: numeric (**long**)  
        range: [0,700000]                         units: 1  
    unique values: 11                             missing : 0/1,230  
    unique missing codes: 1                       missing \*: 4/1,230  
  
    tabulation:   Freq.   Value  
                  1,216   0  
                        1   2205  
                        1   3500  
                        1   6000  
                        1  10000  
                        1  20000  
                        1 100000  
                        1 104500  
                        1 200000  
                        1 250000  
                        1 700000  
                        4   .c  
        mean:       1138.83  
        std. dev:   22358.5  
  
    percentiles:   10%       25%       50%       75%       90%  
                        0           0           0           0           0

---

**freq\_P**   **Frequency: Yearly**

---

        type: numeric (**byte**)  
        label: **freq**  
        range: [17,17]                           units: 1  
    unique values: 1                             missing : 0/1,230  
  
    tabulation:   Freq.   Numeric   Label  
                  1,230         17   yearly

---

**no\_Q**   **code Q**

---

        type: string (**str2**)  
  
    unique values: 1                             missing "": 0/1,230

tabulation: Freq. Value  
 1,230 "17"

**description\_Q**

Item of expenditure: Maintenance cost and registration cost of mothercycle, car

type: string (str269), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

**hc0\_Q**

Code of Inseparable expenses

type: string (str46), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

**hc1\_Q HH. Expenses: Insurance, maintainance cost and registration cost of mothercycle,**

type: numeric (long)  
 range: [0,100000] units: 1  
 unique values: 169 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 213/1,230  
 mean: 3217.94  
 std. dev: 7489.12  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 600 2800 8080

**hc2\_Q Value of producing: Insurance, maintainance cost and registration cost of mother**

type: numeric (int)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 1/1,230  
 tabulation: Freq. Value  
 1,229 0  
 1 .c  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

**hc3\_Q Value of receiving: Insurance, maintainance cost and registration cost of mother**

type: numeric (long)  
 range: [0,15000] units: 100  
 unique values: 4 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 18/1,230

```

tabulation: Freq. Value
            1,207 0
              3 500
              1 2500
              1 15000
             18 .c
mean:      15.6766
std. dev:  437.414

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

**freq\_Q** **Frequency: Yearly**

```

type: numeric (byte)
label: freq

range: [17,17]          units: 1
unique values: 1        missing .: 0/1,230

tabulation: Freq.  Numeric  Label
            1,230      17     yearly
    
```

**no\_R** **code R**

```

type: string (str2)

unique values: 1          missing "": 0/1,230

tabulation: Freq. Value
            1,230 "18"
    
```

**description\_R**  
**Item of expenditure: Furniture and house decoration (in case paid in cash) (not**

```

type: string (str269), but longest is str0

unique values: 0          missing "": 1,230/1,230

tabulation: Freq. Value
            1,230 ""
    
```

**hc0\_R** **Code of Inseparable expenses**

```

type: string (str46), but longest is str5

unique values: 1          missing "": 1,229/1,230

tabulation: Freq. Value
            1,229 ""
              1 "P,R,V"
    
```

**hc1\_R** **HH. Expenses: Furniture and house decoration (in case paid in cash) (THB)**

```

type: numeric (long)

range: [0,3000000]      units: 10
unique values: 50       missing .: 0/1,230
unique missing codes: 1  missing *: 20/1,230
    
```

```

tabulation:  Freq.  Value
              1,102  0
               1  200
               1  300
               1  450
               3  500
               2  600
               1  800
               1  900
               7 1000
               2 1200
               3 1500
               1 1700
               1 1800
               4 2000
               2 2200
               1 2400
               5 2500
               1 2700
               2 2800
               1 2900
              12 3000
               3 3500
               1 3900
               4 4000
               5 4500
               1 4700
               5 5000
               2 5500
               4 6000
               1 6400
               1 6500
               1 7200
               1 7500
               1 8000
               1 8200
               2 8500
               1 8600
               1 8700
               2 9000
               5 10000
               1 15000
               1 16000
               3 20000
               1 25000
               1 26900
               3 30000
               1 50000
               1 300000
               1 450000
               1 3000000
              20  .c
    mean:      3631.28
  std. dev:    87643.8

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

---

**hc2\_R Value of producing: Furniture and house decoration (in case paid in cash) (THB)**

---

```

    type: numeric (int)
    range: [0,0]
  unique values: 1
    units: 1
  missing .: 0/1,230

  tabulation:  Freq.  Value
                1,230  0
    mean:      0
  std. dev:    0
    
```

percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**hc3\_R Value of receiving: Furniture and house decoration (in case paid in cash) (THB)**

---

type: numeric (long)  
 range: [0,30000]                   units: 100  
 unique values: 6                   missing .: 0/1,230  
 unique missing codes: 1           missing \*: 4/1,230

tabulation: Freq. Value  
 1,221 0  
           1 3000  
           1 4000  
           1 8300  
           1 12000  
           1 30000  
           4 .c

mean: 46.7374  
 std. dev: 962.654

percentiles:           10%       25%       50%       75%       90%  
                           0           0           0           0           0

---

**freq\_R Frequency: Yearly**

---

type: numeric (byte)  
 label: freq  
 range: [17,17]                   units: 1  
 unique values: 1                   missing .: 0/1,230

tabulation: Freq. Numeric Label  
 1,230           17 yearly

---

**no\_S code S**

---

type: string (str2)  
 unique values: 1                   missing "": 0/1,230  
 tabulation: Freq. Value  
 1,230 "19"

---

**description\_S Item of expenditure: hobbies & entertainment (not display)**

---

type: string (str269), but longest is str0  
 unique values: 0                   missing "": 1,230/1,230  
 tabulation: Freq. Value  
 1,230 ""

---

**hc0\_S Code of Inseparable expenses**

---

type: string (str46), but longest is str0  
 unique values: 0                   missing "": 1,230/1,230



tabulation: Freq. Value  
 1,230 ""

---

**hc1\_S HH. Expenses: Recreational costs (Traveling to different locations) (THB)**

---

type: numeric (long)  
 range: [0,78000] units: 10  
 unique values: 59 missing .: 0/1,230  
 unique missing codes: 1 missing \*: 62/1,230

tabulation: Freq. Value

904	0
1	40
1	100
2	150
5	200
2	250
3	300
1	350
1	360
1	400
4	450
8	500
2	550
3	600
1	650
2	700
25	1000
2	1200
1	1290
1	1350
1	1450
15	1500
1	1600
1	1660
26	2000
1	2100
1	2400
9	2500
24	3000
7	3500
8	4000
1	4140
6	4500
19	5000
1	5200
1	5400
6	5500
2	6000
1	6500
2	7000
2	7500
4	8000
2	9000
1	9100
29	10000
1	10500
1	12000
2	15000
1	17500
8	20000
1	22500
2	25000
1	27000
5	30000
1	34500
1	36000
1	45500
1	50000

```

          1 78000
          62 .c
    mean: 1343.57
    std. dev: 4852.97

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      3500
    
```

**hc2\_S Value of producing: Recreational costs (Traveling to different locations) (THB)**

```

    type: numeric (int)
    range: [0,0]
    unique values: 1
    units: 1
    missing .: 0/1,230

    tabulation: Freq. Value
                1,230 0
    mean: 0
    std. dev: 0

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

**hc3\_S Value of receiving: Recreational costs (Traveling to different locations) (THB)**

```

    type: numeric (long)
    range: [0,27000]
    unique values: 4
    unique missing codes: 1
    units: 100
    missing .: 0/1,230
    missing *: 17/1,230

    tabulation: Freq. Value
                1,207 0
                 4 1500
                 1 4500
                 1 27000
                 17 .c
    mean: 30.9151
    std. dev: 790.356

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

**freq\_S Frequency: Yearly**

```

    type: numeric (byte)
    label: freq
    range: [17,17]
    unique values: 1
    units: 1
    missing .: 0/1,230

    tabulation: Freq. Numeric Label
                1,230      17  yearly
    
```

**no\_T code T**

```

    type: string (str2)
    unique values: 1
    missing "": 0/1,230

    tabulation: Freq. Value
                1,230 "20"
    
```

---

**description\_T**  
**Item of expenditure: Land or shop rental fee (not include land rental fee in bus**

---

type: string (**str269**), but longest is str0  
unique values: 0 missing "": 1,230/1,230  
tabulation: Freq. Value  
1,230 ""

---

**hc0\_T** **Code of Inseparable expenses**

---

type: string (**str46**), but longest is str0  
unique values: 0 missing "": 1,230/1,230  
tabulation: Freq. Value  
1,230 ""

---

**hc1\_T HH. Expenses: Land or shop rental fee (excluding land rental fee in business sec**

---

type: numeric (**long**)  
range: [0,120000] units: 1  
unique values: 81 missing .: 0/1,230  
unique missing codes: 1 missing \*: 9/1,230  
tabulation: Freq. Value  
1,113 0  
1 100  
1 115  
1 129  
1 500  
1 700  
1 900  
1 1000  
1 1376  
1 1750  
1 1950  
2 2000  
1 2100  
1 2500  
1 2700  
2 3000  
1 3250  
1 3360  
2 3600  
1 4000  
1 4900  
5 5000  
1 5040  
1 5200  
1 5400  
1 5429  
1 5700  
1 5790  
3 6000  
1 7000  
2 7200  
1 7325  
1 7500  
1 7540  
1 7680  
1 7840  
3 8000  
1 8625

```

1 9000
1 9750
3 10000
1 10350
1 10400
1 10500
1 10800
1 11000
1 11550
3 12000
1 12775
3 13000
1 13400
1 14000
1 14280
1 14500
4 15000
1 15300
1 15400
1 15500
1 16000
1 17000
1 17500
2 18000
1 18250
1 19500
1 19710
5 20000
1 22400
1 22750
1 23000
1 23800
1 24000
1 25740
1 27000
1 28000
3 30000
1 30375
1 36400
1 55000
1 65000
1 114000
1 120000
9 .c
mean: 1253.83
std. dev: 6595.88

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

---

**hc2\_T Value of producing: Land or shop rental fee (excluding land rental fee in busine**

---

```

type: numeric (int)
range: [0,8713]
unique values: 3
units: 1
missing .: 0/1,230

tabulation: Freq. Value
1,228 0
1 5200
1 8713
mean: 11.3114
std. dev: 289.213

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

---

**hc3\_T Value of receiving: Land or shop rental fee (excluding land rental fee in busine**

---

```

type: numeric (long)
range: [0,23400] units: 1
unique values: 5 missing .: 0/1,230

tabulation: Freq. Value
1,226 0
1 975
1 2145
1 8000
1 23400
mean: 28.065
std. dev: 708.051

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

---

**freq\_T** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17] units: 1
unique values: 1 missing .: 0/1,230

tabulation: Freq. Numeric Label
1,230 17 yearly
    
```

---

**no\_U** **code U**

---

```

type: string (str2)
unique values: 2 missing "": 0/1,230

tabulation: Freq. Value
846 "."
384 "22"
    
```

---

**description\_U** **Item of expenditure: Other, please specify (not display)**

---

```

type: string (str269), but longest is str0
unique values: 0 missing "": 1,230/1,230

tabulation: Freq. Value
1,230 ""
    
```

---

**description\_U\_group** **Group of items: describtion\_U (not display)**

---

```

type: string (str40), but longest is str0
unique values: 0 missing "": 1,230/1,230

tabulation: Freq. Value
1,230 ""
    
```

---

**hc0\_U** **Code of Inseparable expenses**

---

```

type: string (str46), but longest is str0
unique values: 0 missing "": 1,230/1,230
tabulation: Freq. Value
             1,230 ""
    
```

**hc1\_U**

**HH. Expenses: Others (THB)**

```

type: numeric (long)
range: [0,38000] units: 10
unique values: 11 missing .: 895/1,230
unique missing codes: 2 missing *: 1/1,230
    
```

```

tabulation: Freq. Value
             324 0
             1 500
             1 520
             1 1000
             1 2500
             1 7000
             1 7500
             1 12000
             1 18000
             1 21000
             1 38000
             895 .
             1 .c
mean: 323.413
std. dev: 2701.95

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**hc2\_U**

**Value of producing: others (THB)**

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing .: 895/1,230
    
```

```

tabulation: Freq. Value
             335 0
             895 .
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**hc3\_U**

**Value of receiving: others (THB)**

```

type: numeric (long)
range: [0,126140] units: 1
unique values: 88 missing .: 895/1,230
unique missing codes: 2 missing *: 146/1,230
    
```

tabulation:	Freq.	Value
	10	0
	1	150
	3	250
	1	300
	1	350
	2	360
	1	388
	1	400
	3	450
	7	500
	7	550
	2	600
	1	700
	1	750
	1	825
	3	850
	3	900
	11	1000
	1	1200
	1	1250
	1	1266
	1	1350
	1	1485
	10	1500
	1	1575
	1	1650
	1	1800
	12	2000
	1	2025
	1	2275
	1	2400
	1	2475
	12	2500
	1	2600
	5	3000
	2	3125
	1	3150
	2	3500
	3	3600
	2	3750
	3	4000
	1	4275
	5	4500
	1	4800
	5	5000
	1	5100
	1	5112
	1	5250
	1	5500
	1	5550
	3	6000
	1	6300
	1	6400
	1	6500
	1	6600
	1	6675
	3	7000
	1	7200
	1	7800
	2	8000
	1	8450
	2	9000
	1	9275
	1	9600
	2	10000
	1	10400
	2	10500
	1	10800
	1	12000
	1	14000
	1	14400

```

      1 15000
      1 16875
      3 18000
      1 19450
      1 22000
      1 23500
      1 24450
      1 25300
      1 25800
      1 30000
      1 30200
      1 32550
      1 40000
      1 54000
      1 60000
      1 71500
      1 126140
      895 .
      146 .c
    mean: 6295.16
  std. dev: 13141.7

percentiles:      10%      25%      50%      75%      90%
                  388      900      2500      6000      15000

```

---

**freq\_U** **Frequency: Yearly**

---

```

    type: numeric (byte)
    label: freq

    range: [17,17]          units: 1
unique values: 1          missing .: 895/1,230

    tabulation: Freq.  Numeric  Label
                 335      17    yearly
                 895      .

```

---

**no\_V** **code V**

---

```

    type: string (str2)

unique values: 2          missing "": 0/1,230

    tabulation: Freq.  Value
                 1,026  "."
                 204   "23"

```

---

**description\_V** **Item of expenditure: Other, please specify (not display)**

---

```

    type: string (str269), but longest is str0

unique values: 0          missing "": 1,230/1,230

    tabulation: Freq.  Value
                 1,230  ""

```

---

**description\_V\_group** **Group of items: description\_V (not display)**

---

```

    type: string (str31), but longest is str0

unique values: 0          missing "": 1,230/1,230

```



tabulation: Freq. Value  
 1,230 ""

---

**hc0\_v** **Code of Inseparable expenses**

---

type: string (**str46**), but longest is str5  
 unique values: 1 missing "": 1,229/1,230  
 tabulation: Freq. Value  
 1,229 ""  
 1 "P,R,V"

---

**hc1\_v** **HH. Expenses: Others (THB)**

---

type: numeric (**long**)  
 range: [0,66700] units: 100  
 unique values: 6 missing .: 1,171/1,230  
 unique missing codes: 2 missing \*: 2/1,230  
 tabulation: Freq. Value  
 52 0  
 1 2000  
 1 2400  
 1 3000  
 1 20000  
 1 66700  
 1,171 .  
 2 .c  
 mean: 1650.88  
 std. dev: 9173.24  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc2\_v** **Value of producing: others (THB)**

---

type: numeric (**int**)  
 range: [0,0] units: 1  
 unique values: 1 missing .: 1,171/1,230  
 tabulation: Freq. Value  
 59 0  
 1,171 .  
 mean: 0  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

**hc3\_v** **Value of receiving: others (THB)**

---

type: numeric (**long**)  
 range: [0,24000] units: 1  
 unique values: 17 missing .: 1,171/1,230  
 unique missing codes: 2 missing \*: 33/1,230

```

tabulation:  Freq.  Value
              7    0
              1   225
              2   450
              1   750
              2  1000
              1  1500
              1  2175
              1  2500
              1  3000
              1  3500
              2  4000
              1  4950
              1  5400
              1  6000
              1  8500
              1 13000
              1 24000
1,171      .
          33  .c
mean:      3323.08
std. dev:  5250.89

percentiles:    10%    25%    50%    75%    90%
                0      0      1250   4000   8500
    
```

---

**freq\_V** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq

range: [17,17]          units: 1
unique values: 1        missing .: 1,171/1,230

tabulation:  Freq.  Numeric  Label
              59     17     yearly
1,171      .
    
```

---

**no\_W** **code W**

---

```

type: string (str2)

unique values: 1        missing "": 0/1,230

tabulation:  Freq.  Value
1,230      "21"
    
```

---

**description\_W** **Item of expenditure: Cosmetic & Skincare (not display)**

---

```

type: string (str269), but longest is str0

unique values: 0        missing "": 1,230/1,230

tabulation:  Freq.  Value
1,230      ""
    
```

---

**hc0\_W** **Code of Inseparable expenses**

---

```

type: string (str46), but longest is str3

unique values: 1        missing "": 1,229/1,230
    
```

```

tabulation: Freq. Value
             1,229 ""
             1 "I,W"
    
```

---

**hcl\_W**

**HH. Expenses: Other (THB)**

---

```

type: numeric (long)
range: [0,60000]
unique values: 92
unique missing codes: 1
units: 1
missing .: 0/1,230
missing *: 211/1,230
    
```

```

tabulation: Freq. Value
             629 0
             1 20
             1 50
             1 54
             1 59
             1 60
             1 75
             1 86
             4 100
             1 120
             9 150
             1 180
            16 200
             2 230
            10 250
             1 260
            13 300
             6 350
             1 390
             4 400
             5 450
             2 480
             1 490
            30 500
             1 520
             2 540
             2 550
             1 600
             2 650
             1 720
             1 778
             1 780
             2 800
            47 1000
             1 1100
             1 1176
            12 1200
             1 1278
             2 1300
             1 1440
             1 1464
            15 1500
             1 1600
             7 1800
             1 1900
             1 1920
             1 1950
            17 2000
             1 2028
             1 2043
             1 2100
            13 2400
             5 2500
             2 2600
             1 2786
            16 3000
             1 3250
    
```

```

      8 3600
      3 3750
      4 3900
      1 4000
      6 4200
      3 4500
      1 4550
      2 4800
      1 4900
      2 5000
      1 5200
      6 5400
      1 5850
     18 6000
      4 6500
      4 6600
      2 6750
      2 7000
      3 7200
      2 7500
      1 7700
      1 8000
      1 9350
      1 9600
      3 10000
     17 12000
      4 13000
      2 14000
      2 15000
      2 18000
      1 19500
      1 24000
      1 26000
      1 30000
      2 60000
    211 .c
  mean: 1304.79
std. dev: 3959.17

percentiles:      10%      25%      50%      75%      90%
                  0         0         0       1000       3900

```

---

**hc2\_W** **Value of producing: others (THB)**

---

```

      type: numeric (int)
      range: [0,0]
unique values: 1
      units: 1
      missing .: 0/1,230

  tabulation: Freq. Value
               1,230  0
      mean: 0
      std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

---

**hc3\_W** **Value of receiving: others (THB)**

---

```

      type: numeric (long)
      range: [0,12000]
unique values: 3
unique missing codes: 1
      units: 100
      missing .: 0/1,230
      missing *: 29/1,230

```

```

tabulation: Freq. Value
            1,199 0
            1 200
            1 12000
            29 .c
mean:      10.1582
std. dev:  346.309

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**freq\_W** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq

range: [17,17]          units: 1
unique values: 1        missing .: 0/1,230

tabulation: Freq.  Numeric  Label
            1,230      17    yearly
    
```

---

**description\_1 Expenditures for Education: Transportation cost to school (not display)**

---

```

type: string (str109), but longest is str0
unique values: 0          missing "": 1,230/1,230

tabulation: Freq. Value
            1,230 ""
    
```

---

**freq\_1** **Frequency: Monthly**

---

```

type: numeric (byte)
label: freq

range: [9,9]           units: 1
unique values: 1        missing .: 0/1,230

tabulation: Freq.  Numeric  Label
            1,230      9    monthly
    
```

---

**hcla\_1** **Pre School**

---

```

type: numeric (long)

range: [0,2000]        units: 1
unique values: 30      missing .: 464/1,230
unique missing codes: 3 missing *: 9/1,230

tabulation: Freq. Value
            633 0
            1 50
            8 150
            3 200
            3 250
            18 300
            1 340
            9 350
            1 360
            1 390
            15 400
            3 450
            4 475
    
```

```

          9  500
          1  535
          1  550
         23  600
          1  650
          1  660
          2  700
          7  800
          1  900
          2  950
          2 1000
          1 1100
          1 1300
          1 1400
          1 1500
          2 1600
          1 2000
         464 .
          8  .c
          1  .d
    mean:   85.1849
  std. dev: 230.907

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0     400

```

---

**hclb\_1**

**Primary School**

---

```

    type: numeric (long)
    range: [0,6000]
  unique values: 43
unique missing codes: 3
          units: 1
    missing .: 366/1,230
    missing *: 7/1,230

```

```

tabulation:  Freq.  Value
             638    0
              1    40
              1    50
              2   100
              2   150
              5   200
              1   210
              1   220
              3   250
             29   300
              1   340
             12   350
              1   360
              1   370
             37   400
              2   440
              7   450
              2   475
              1   490
             22   500
              1   528
              1   550
             29   600
              1   680
             10   700
              1   720
             13   800
              1   880
              1   900
              4  1000
              1  1070
              2  1100
              4  1200
              1  1300
              2  1400

```

```

          5 1500
          5 1600
          1 1800
          1 2000
          1 2600
          1 4000
          1 4800
          1 6000
        366 .
          5 .c
          2 .d
    mean: 163.288
  std. dev: 425.403

percentiles:    10%    25%    50%    75%    90%
                0      0      0     150     600

```

---

hc1c\_1

Secondary school/vocational

---

```

type: numeric (int)
range: [0,5400]
unique values: 37
unique missing codes: 3

units: 1
missing .: 970/1,230
missing *: 5/1,230

```

```

tabulation:  Freq.  Value
             142    0
              1    40
              2    150
              1    180
              2    200
              1    250
              9    300
              2    330
              1    350
              1    352
              1    380
             16    400
              1    430
             15    440
              3    450
              8    500
              1    520
              2    528
              1    550
             18    600
              1    650
              3    700
              1    750
              2    760
              3    800
              1    850
              3    880
              2    1000
              2    1100
              2    1300
              1    1400
              1    1800
              1    2100
              1    2200
              1    2400
              1    3440
              1    5400
             970    .
              4    .c
              1    .d
    mean: 289.286
  std. dev: 538.832

```





```

tabulation:  Freq.  Value
              547    0
              1    10
              6    20
              1    24
              1    29
              4    30
              4    40
              2    45
              9    50
              1    53
              1    60
              1    63
              1    66
              1    70
              1    75
              1    83
              1    88
              1    90
             29   100
              1   120
              1   125
              2   133
             13   150
              1   160
              1   167
              1   170
              1   180
              1   195
              1   199
             19   200
              1   240
             18   250
              1   270
             13   300
              1   315
              1   333
              5   350
              1   401
             10   450
             17   500
              1   600
              2   750
              3  1000
              1  1200
              1  1470
              2  2500
              2  3000
             463  .
              31  .c
              1  .d
    mean:      75.3224
std. dev:    249.764

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        20       250

```

---

**hclb\_2**

**Primary School**

---

```

type:  numeric (long)
range:  [0,3600]
unique values:  35
unique missing codes:  3
units:  1
missing .:  366/1,230
missing *:  39/1,230

```

```

tabulation:  Freq.  Value
              701    0
              1    15
              4    20
              1    25
              1    27
              3    40
             10    50
              1    60
              1    66
              1    67
              1    75
              2    80
              1    83
             15   100
              2   120
              1   125
              2   130
             10   150
              1   195
             16   200
              9   250
             11   300
              1   333
              3   350
              1   400
              1   401
              6   450
              8   500
              1   650
              1   667
              1   750
              1   800
              3  1000
              2  1500
              1  3600
             366  .
             38  .c
              1  .d
    mean:      42.6655
  std. dev:   183.668

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0       100
    
```

---

**hc1c\_2** **Secondary school/vocational**

---

```

    type: numeric (int)
    range: [0,150]
  unique values: 2
unique missing codes: 3
    units: 10
  missing .: 971/1,230
  missing *: 2/1,230

    tabulation:  Freq.  Value
                 256    0
                 1    150
                 971  .
                 1  .c
                 1  .d
    mean:       .583658
  std. dev:    9.35674

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

---

**hc1d\_2** **Higher than Secondary school/vocational**

---

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 1,212/1,230
missing *: 1/1,230

tabulation: Freq. Value
             17 0
             1,212 .
             1 .d
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

**hclnote\_2** Interviewer note of table 1 (unavailable)

```

type: string (str138), but longest is str0
unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
             1,230 ""
    
```

**description\_3** Expenditures for Education: Poster e.g. ABC, mm, 0-9 (not display)

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
             1,230 ""
    
```

**freq\_3** Frequency: Yearly

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 0/1,230

tabulation: Freq. Numeric Label
             1,230 17 yearly
    
```

**hcl1a\_3** Pre School

```

type: numeric (long)
range: [0,2500]
unique values: 29
unique missing codes: 3
units: 1
missing .: 461/1,230
missing *: 22/1,230
    
```

```

tabulation:  Freq.  Value
              685    0
              6    20
              3    30
              1    35
              1    39
              5    40
              1    45
              1    50
              1    59
              1    60
              1    78
              1    83
              1    88
             10   100
              1   120
              1   140
              5   150
              1   167
              1   177
              7   200
              2   250
              2   300
              1   350
              1   360
              1   450
              3   500
              1   650
              1  2000
              1  2500
             461   .
              21  .c
              1  .d
    mean:     18.2209
  std. dev:  129.797

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
  
```

---

**hclb\_3**

**Primary School**

---

```

type: numeric (long)
range: [0,450]
unique values: 20
unique missing codes: 3
units: 1
missing .: 368/1,230
missing *: 24/1,230
  
```

```

tabulation:  Freq.  Value
              794    0
              5    20
              1    30
              2    40
              5    50
              1    55
              2    60
              2    70
              2    80
              1    83
              1    99
              4   100
              2   120
              3   150
              4   200
              3   250
              1   300
              1   333
              3   350
              1   450
             368   .
              23  .c
  
```

```

                1 .d
    mean:      7.02864
    std. dev:  39.1274

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

---

**hc1c\_3** **Secondary school/vocational**

---

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
    unique missing codes: 1

    units: .
    missing .: 0/1,230
    missing *: 1,230/1,230

    tabulation: Freq. Value
                1,230 .b
    mean:      .
    std. dev:  .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

---

**hc1d\_3** **Higher than Secondary school/vocational**

---

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
    unique missing codes: 1

    units: .
    missing .: 0/1,230
    missing *: 1,230/1,230

    tabulation: Freq. Value
                1,230 .b
    mean:      .
    std. dev:  .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

---

**hc1note\_3** **Interviewer note of table 1 (unavailable)**

---

```

    type: string (str138), but longest is str0

    unique values: 0
    missing "": 1,230/1,230

    tabulation: Freq. Value
                1,230 ""
    
```

---

**description\_4** **Expenditures for Education: Writing exercises, number count (not display)**

---

```

    type: string (str109), but longest is str0

    unique values: 0
    missing "": 1,230/1,230

    tabulation: Freq. Value
                1,230 ""
    
```

---

**freq\_4** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing ..: 0/1,230

tabulation: Freq. Numeric Label
             1,230      17 yearly
    
```

---

**hcla\_4**

**Pre School**

---

```

type: numeric (long)
range: [0,2500]
unique values: 49
unique missing codes: 3
units: 1
missing ..: 461/1,230
missing *: 39/1,230
    
```

```

tabulation: Freq. Value
             531  0
              4  10
              1  15
              8  20
              3  25
             11  30
             11  40
              9  50
              2  53
              3  55
              1  58
              1  59
              6  60
              2  65
              2  70
              4  75
              1  78
              1  80
              2  83
              1  87
              1  88
              1  90
             29 100
              1 120
              1 125
              2 133
              1 135
              1 140
             19 150
              1 160
              1 167
             19 200
              1 248
             13 250
              6 300
              2 350
              2 375
              1 400
              1 401
              1 480
             11 500
              1 600
              1 650
              1 700
              2 840
              3 1000
              1 1200
              1 1500
              1 2500
             461 .
             38 .c
              1 .d
    
```

mean: **54.026**  
 std. dev: **167.929**  
 percentiles:           10%           25%           50%           75%           90%  
                           0            0            0            30           150

---

**hclb\_4** **Primary School**

---

type: numeric (**long**)  
 range: [0,1500]                           units: **1**  
 unique values: **36**                       missing .: **368/1,230**  
 unique missing codes: **3**               missing \*: **39/1,230**

tabulation:   Freq.   Value  
               **726**   **0**  
               **2**    **10**  
               **6**    **20**  
               **1**    **25**  
               **1**    **29**  
               **1**    **30**  
               **1**    **36**  
               **2**    **40**  
               **2**    **45**  
               **7**    **50**  
               **1**    **52**  
               **1**    **55**  
               **1**    **59**  
               **2**    **60**  
               **1**    **65**  
               **1**    **67**  
               **1**    **75**  
               **2**    **80**  
               **2**    **83**  
               **11**   **100**  
               **1**    **120**  
               **11**   **150**  
               **1**    **180**  
               **11**   **200**  
               **1**    **225**  
               **4**    **250**  
               **7**    **300**  
               **1**    **333**  
               **1**    **350**  
               **1**    **375**  
               **1**    **400**  
               **1**    **401**  
               **1**    **480**  
               **6**    **500**  
               **1**    **1000**  
               **2**    **1500**  
               **368**   **.**  
               **38**   **.c**  
               **1**    **.d**  
 mean:       **23.7096**  
 std. dev:   **106.514**

percentiles:           10%           25%           50%           75%           90%  
                           0            0            0            0            45

---

**hclc\_4** **Secondary school/vocational**

---

type: numeric (**int**)  
 range: [.,.]                           units: **.**  
 unique values: **0**                       missing .: **0/1,230**  
 unique missing codes: **1**               missing \*: **1,230/1,230**

```

tabulation: Freq. Value
             1,230 .b
    mean:    .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

---

**hcld\_4** **Higher than Secondary school/vocational**

---

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
    unique missing codes: 1

    units: .
    missing .: 0/1,230
    missing *: 1,230/1,230

    tabulation: Freq. Value
                1,230 .b
    mean:    .
    std. dev: .

    percentiles:    10%    25%    50%    75%    90%
                    .      .      .      .      .
    
```

---

**hclnote\_4** **Interviewer note of table 1 (unavailable)**

---

```

    type: string (str138), but longest is str0

    unique values: 0
    missing "": 1,230/1,230

    tabulation: Freq. Value
                1,230 ""
    
```

---

**description\_5** **Expenditures for Education: Coloring book (not display)**

---

```

    type: string (str109), but longest is str0

    unique values: 0
    missing "": 1,230/1,230

    tabulation: Freq. Value
                1,230 ""
    
```

---

**freq\_5** **Frequency: Yearly**

---

```

    type: numeric (byte)
    label: freq

    range: [17,17]
    unique values: 1

    units: 1
    missing .: 0/1,230

    tabulation: Freq. Numeric Label
                1,230      17  yearly
    
```

---

**hcla\_5** **Pre School**

---

```

    type: numeric (long)

    range: [0,5200]
    unique values: 56
    unique missing codes: 3

    units: 1
    missing .: 462/1,230
    missing *: 66/1,230
    
```



```

tabulation:  Freq.  Value
              423    0
               1    5
               1   10
               4   15
               2   17
               1   18
              18   20
               3   25
              12   30
               3   35
              14   40
               2   45
              13   50
               1   53
               1   56
              16   60
               1   65
               1   68
               8   70
               4   75
               1   76
               2   80
               1   83
               1   87
               7   90
              52  100
               2  120
               2  125
               2  133
              23  150
               1  167
               2  175
              22  200
               1  225
               1  240
              11  250
               6  300
               1  347
               1  350
               2  375
               3  400
               1  401
               4  450
               1  480
               6  500
               3  520
               1  550
               2  600
               4 1000
               1 1200
               1 1400
               1 1560
               1 2500
               1 2580
               1 2600
               1 5200
              462  .
               65  .c
                1  .d
    mean:      81.8248
  std. dev:   295.291

percentiles:    10%    25%    50%    75%    90%
                0      0      0      75    200

```

---

**hclb\_5**

**Primary School**

---

type: numeric (**long**)

range: [0,2600]  
 unique values: 52  
 unique missing codes: 3

units: 1  
 missing .: 369/1,230  
 missing \*: 62/1,230

tabulation: Freq. Value  
 559 0  
 3 10  
 1 13  
 3 15  
 1 18  
 20 20  
 2 24  
 4 25  
 9 30  
 1 33  
 1 35  
 1 36  
 15 40  
 4 45  
 14 50  
 1 55  
 14 60  
 1 67  
 3 70  
 4 75  
 1 79  
 2 80  
 1 83  
 1 85  
 1 90  
 32 100  
 1 120  
 1 125  
 16 150  
 2 160  
 1 173  
 2 175  
 26 200  
 2 225  
 1 240  
 9 250  
 1 260  
 9 300  
 1 333  
 2 350  
 1 360  
 1 375  
 1 401  
 3 450  
 1 480  
 9 500  
 2 520  
 1 720  
 3 1000  
 2 1200  
 1 1560  
 1 2600  
 369 .  
 61 .c  
 1 .d  
 mean: 52.6708  
 std. dev: 164.182

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 30 173

---

hclc\_5

Secondary school/vocational

---

type: numeric (int)

```

        range: [.,.]
unique values: 0
unique missing codes: 1
        units: .
        missing .: 0/1,230
        missing *: 1,230/1,230

tabulation: Freq. Value
            1,230 .b
        mean: .
        std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

**hcld\_5 Higher than Secondary school/vocational**

```

        type: numeric (int)

        range: [.,.]
unique values: 0
unique missing codes: 1
        units: .
        missing .: 0/1,230
        missing *: 1,230/1,230

tabulation: Freq. Value
            1,230 .b
        mean: .
        std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

**hclnote\_5 Interviewer note of table 1 (unavailable)**

```

        type: string (str138), but longest is str0
unique values: 0
        missing "": 1,230/1,230

tabulation: Freq. Value
            1,230 ""
    
```

**description\_6 Expenditures for Education: LEGO (not display)**

```

        type: string (str109), but longest is str0
unique values: 0
        missing "": 1,230/1,230

tabulation: Freq. Value
            1,230 ""
    
```

**freq\_6 Frequency: Yearly**

```

        type: numeric (byte)
        label: freq

        range: [17,17]
unique values: 1
        units: 1
        missing .: 0/1,230

tabulation: Freq. Numeric Label
            1,230      17  yearly
    
```

**hcla\_6 Pre School**

```

        type: numeric (long)
    
```

range: [0,12000] units: 1  
 unique values: 52 missing .: 6/1,230  
 unique missing codes: 3 missing \*: 34/1,230

tabulation: Freq. Value  
 1,069 0  
 1 10  
 1 12  
 1 18  
 3 20  
 2 30  
 1 35  
 1 40  
 4 50  
 1 55  
 2 60  
 1 75  
 2 80  
 1 83  
 1 84  
 1 89  
 1 99  
 12 100  
 1 110  
 2 120  
 1 140  
 1 149  
 8 150  
 2 159  
 1 160  
 1 170  
 2 175  
 2 180  
 1 190  
 5 199  
 7 200  
 1 223  
 1 235  
 5 250  
 1 275  
 6 300  
 4 350  
 1 375  
 2 399  
 2 400  
 2 450  
 10 500  
 1 700  
 2 750  
 5 1000  
 2 1040  
 1 1300  
 1 2000  
 1 2500  
 1 3500  
 1 5400  
 1 12000  
 6 .  
 33 .c  
 1 .d  
 mean: 48.0824  
 std. dev: 420.049

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 15

---

**hclb\_6**

**Primary School**

---

type: numeric (long)

range: [0,7500] units: 1  
 unique values: 34 missing .: 6/1,230  
 unique missing codes: 4 missing \*: 404/1,230

tabulation: Freq. Value  
 731 0  
 1 9  
 1 10  
 1 13  
 4 20  
 1 25  
 1 30  
 6 50  
 2 75  
 1 84  
 1 89  
 1 99  
 11 100  
 1 120  
 1 130  
 12 150  
 1 175  
 2 199  
 12 200  
 1 250  
 1 275  
 1 297  
 2 300  
 4 350  
 4 400  
 1 450  
 3 500  
 4 1000  
 2 1040  
 1 1200  
 2 1300  
 1 1820  
 1 2000  
 1 7500  
 6 .  
 367 .b  
 36 .c  
 1 .d  
 mean: 42.1756  
 std. dev: 305.887

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 22.5

---

**hc1c\_6** **Secondary school/vocational**

---

type: numeric (int)  
 range: [.,.] units: .  
 unique values: 0 missing .: 6/1,230  
 unique missing codes: 2 missing \*: 1,224/1,230

tabulation: Freq. Value  
 6 .  
 1,224 .b  
 mean: .  
 std. dev: .

percentiles: 10% 25% 50% 75% 90%  
 . . . . .

---

**hc1d\_6** **Higher than Secondary school/vocational**

---

```

type: numeric (int)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 6/1,230
missing *: 1,224/1,230

tabulation: Freq. Value
              6 .
            1,224 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

---

**hclnote\_6** **Interviewer note of table 1 (unavailable)**

---

```

type: string (str138), but longest is str0
unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
            1,230 ""
    
```

---

**description\_7** **Expenditures for Education: Jigsaw (not display)**

---

```

type: string (str109), but longest is str0
unique values: 0
missing "": 1,230/1,230

tabulation: Freq. Value
            1,230 ""
    
```

---

**freq\_7** **Frequency: Yearly**

---

```

type: numeric (byte)
label: freq
range: [17,17]
unique values: 1
units: 1
missing .: 0/1,230

tabulation: Freq. Numeric Label
            1,230 17 yearly
    
```

---

**hcla\_7** **Pre School**

---

```

type: numeric (long)
range: [0,3000]
unique values: 20
unique missing codes: 3
units: 1
missing .: 468/1,230
missing *: 27/1,230

tabulation: Freq. Value
            695 0
              1 5
              1 10
              1 15
              1 18
              5 20
              2 30
              1 50
              5 100
              2 120
              3 150
    
```

```

          1 180
          2 199
          3 200
          4 250
          4 300
          1 500
          1 750
          1 2500
          1 3000
        468 .
         26 .c
          1 .d
    mean: 15.7497
  std. dev: 151.626

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      0
    
```

---

**hclb\_7** **Primary School**

---

```

    type: numeric (long)
    range: [0,1500]
  unique values: 21
unique missing codes: 3
          units: 1
    missing .: 372/1,230
    missing *: 25/1,230
    
```

```

  tabulation:  Freq.  Value
                797    0
                 1    3
                 1    9
                 1   10
                 1   15
                 6   20
                 1   25
                 1   30
                 3   50
                 1   59
                 1   60
                 1   95
                 7  100
                 1  132
                 4  150
                 1  199
                 1  247
                 1  250
                 1  500
                 1  560
                 1 1500
                372 .
                 24 .c
                  1 .d
    mean: 6.31933
  std. dev: 61.5194

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      0
    
```

---

**hclc\_7** **Secondary school/vocational**

---

```

    type: numeric (int)
    range: [.,.]
  unique values: 0
unique missing codes: 2
          units: .
    missing .: 6/1,230
    missing *: 1,224/1,230
    
```

```

tabulation:  Freq.  Value
              6      .
              1,224  .b
    mean:    .
    std. dev: .
percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

---

**hc1d\_7** **Higher than Secondary school/vocational**

---

```

    type: numeric (int)
    range: [.,.]
    unique values: 0
    unique missing codes: 2
    units: .
    missing .: 6/1,230
    missing *: 1,224/1,230
    tabulation:  Freq.  Value
                  6      .
                  1,224  .b
    mean:    .
    std. dev: .
percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

---

**hc1note\_7** **Interviewer note of table 1 (unavailable)**

---

```

    type: string (str138), but longest is str0
    unique values: 0
    missing "": 1,230/1,230
    tabulation:  Freq.  Value
                  1,230  ""
    
```

---

**description\_8** **Expenditures for Education: Wooden or plastic block (not display)**

---

```

    type: string (str109), but longest is str0
    unique values: 0
    missing "": 1,230/1,230
    tabulation:  Freq.  Value
                  1,230  ""
    
```

---

**freq\_8** **Frequency: Yearly**

---

```

    type: numeric (byte)
    label: freq
    range: [17,17]
    unique values: 1
    units: 1
    missing .: 0/1,230
    tabulation:  Freq.  Numeric  Label
                  1,230    17    yearly
    
```

---

**hc1a\_8** **Pre School**

---

```

    type: numeric (long)
    
```



range: [0,10400] units: 1  
 unique values: 26 missing .: 6/1,230  
 unique missing codes: 4 missing \*: 475/1,230

tabulation: Freq. Value  
 703 0  
 1 18  
 1 20  
 1 40  
 1 60  
 1 80  
 4 100  
 1 130  
 4 150  
 1 160  
 1 188  
 1 199  
 6 200  
 1 250  
 3 300  
 1 333  
 3 500  
 1 550  
 1 600  
 2 650  
 1 750  
 6 1000  
 1 1200  
 1 1500  
 1 2500  
 1 10400  
 6 .  
 461 .b  
 13 .c  
 1 .d  
 mean: 41.2256  
 std. dev: 411.386  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 0

---

hclb\_8

Primary School

---

type: numeric (long)  
 range: [0,4290] units: 1  
 unique values: 23 missing .: 30/1,230  
 unique missing codes: 4 missing \*: 360/1,230

tabulation: Freq. Value  
 802 0  
 1 9  
 2 10  
 1 25  
 1 30  
 1 50  
 1 79  
 6 100  
 7 150  
 1 159  
 1 160  
 1 188  
 1 199  
 1 250  
 1 450  
 1 500  
 1 550  
 1 667  
 1 750  
 5 1000

```

          1 1200
          1 1400
          1 4290
          30 .
          342 .b
           17 .c
           1 .d
    mean: 20.9833
  std. dev: 184.672

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0
    
```

---

**hc1c\_8** **Secondary school/vocational**

---

```

    type: numeric (int)

    range: [.,.]
  unique values: 0
unique missing codes: 2

    units: .
  missing .: 6/1,230
  missing *: 1,224/1,230

  tabulation: Freq. Value
                6 .
            1,224 .b
    mean: .
  std. dev: .

percentiles:    10%    25%    50%    75%    90%
                 .      .      .      .      .
    
```

---

**hc1d\_8** **Higher than Secondary school/vocational**

---

```

    type: numeric (int)

    range: [.,.]
  unique values: 0
unique missing codes: 2

    units: .
  missing .: 6/1,230
  missing *: 1,224/1,230

  tabulation: Freq. Value
                6 .
            1,224 .b
    mean: .
  std. dev: .

percentiles:    10%    25%    50%    75%    90%
                 .      .      .      .      .
    
```

---

**hc1note\_8** **Interviewer note of table 1 (unavailable)**

---

```

    type: string (str138), but longest is str0

  unique values: 0
  missing "": 1,230/1,230

  tabulation: Freq. Value
                1,230 ""
    
```

---

**description\_9** **Expenditures for Education: Clay (not display)**

---

```

    type: string (str109), but longest is str0

  unique values: 0
  missing "": 1,230/1,230
    
```

tabulation: Freq. Value  
 1,230 ""

---

**freq\_9** **Frequency: Yearly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17] units: 1  
 unique values: 1 missing .: 0/1,230

tabulation: Freq. Numeric Label  
 1,230 17 yearly

---

**hcla\_9** **Pre School**

---

type: numeric (**long**)  
 range: [0,7200] units: 1  
 unique values: 65 missing .: 6/1,230  
 unique missing codes: 4 missing \*: 536/1,230

tabulation: Freq. Value

366	0
8	5
2	7
1	8
13	10
1	14
6	15
1	18
28	20
7	25
1	28
15	30
1	34
3	35
7	40
1	45
1	49
27	50
7	60
1	64
1	69
2	70
1	75
1	78
1	83
1	89
1	90
68	100
3	120
1	130
14	150
24	200
3	240
11	250
1	259
1	260
1	270
1	295
1	299
11	300
1	333
3	450
1	455
1	480
5	500

```

                2  516
                1  520
                1  550
                2  600
                1  650
                1  667
                1  700
                1  750
                3 1000
                5 1040
                3 1200
                3 1300
                1 2400
                1 2500
                1 2600
                1 2640
                1 2795
                1 2800
                1 4800
                1 7200
                6  .
            463  .b
                72  .c
                 1  .d
    mean:      118.406
    std. dev:   443.33

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     100     250

```

---

**hclb\_9**

**Primary School**

---

```

    type: numeric (long)
    range: [0,10000]
    unique values: 55
    unique missing codes: 4
    units: 1
    missing .: 6/1,230
    missing *: 442/1,230

```

```

    tabulation:  Freq.  Value
                 484    0
                  4    5
                   1    7
                   1    9
                  10   10
                   1   13
                   1   14
                   3   15
                   1   17
                  41   20
                   6   25
                   1   28
                  16   30
                   2   35
                   1   38
                   8   40
                   7   45
                  31   50
                   1   55
                  11   60
                   1   75
                   1   80
                  62  100
                   3  120
                   1  128
                  12  150
                   1  160
                   1  167
                   1  180
                  18  200
                   6  240

```

```

      7 250
      1 255
      1 259
      2 260
      1 270
      1 299
      6 300
      1 333
      1 360
      2 450
      1 480
      3 500
      1 520
      2 540
      2 600
      1 650
      1 667
      1 750
      2 1000
      1 1040
      3 1200
      1 1300
      1 2080
      1 10000
      6 .
    366 .b
      75 .c
       1 .d
  mean: 67.1535
std. dev: 389.079

percentiles:    10%    25%    50%    75%    90%
                0      0      0      45    150

```

---

**hclc\_9** **Secondary school/vocational**

---

```

      type: numeric (int)
      range: [.,.]
unique values: 0
unique missing codes: 2
      units: .
      missing .: 6/1,230
      missing *: 1,224/1,230

  tabulation: Freq. Value
               6 .
            1,224 .b
      mean: .
      std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

---

**hcl1d\_9** **Higher than Secondary school/vocational**

---

```

      type: numeric (int)
      range: [.,.]
unique values: 0
unique missing codes: 2
      units: .
      missing .: 6/1,230
      missing *: 1,224/1,230

  tabulation: Freq. Value
               6 .
            1,224 .b
      mean: .
      std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

---

**hclnote\_9** **Interviewer note of table 1 (unavailable)**

---

type: string (**str138**), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
                   1,230 ""

---

**description\_10** **Expenditures for Education: Tuition fee (not display)**

---

type: string (**str109**), but longest is str0  
 unique values: 0 missing "": 1,230/1,230  
 tabulation: Freq. Value  
                   1,230 ""

---

**freq\_10** **Frequency: Yearly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17] units: 1  
 unique values: 1 missing .: 0/1,230  
 tabulation: Freq. Numeric Label  
                   1,230 17 yearly

---

**hcl1a\_10** **Pre School**

---

type: numeric (**long**)  
 range: [0,80000] units: 10  
 unique values: 70 missing .: 1/1,230  
 unique missing codes: 4 missing \*: 487/1,230  
 tabulation: Freq. Value  
                   602 0  
                   6 100  
                   1 130  
                   2 150  
                   6 200  
                   7 300  
                   8 500  
                   2 600  
                   2 800  
                   1 900  
                   1 920  
                   8 1000  
                   5 1200  
                   1 1300  
                   1 1400  
                   1 1500  
                   3 1600  
                   1 1650  
                   2 1800  
                   1 1900  
                   2 2000  
                   1 2300  
                   6 2500  
                   1 2600  
                   4 3000  
                   1 3200

```

1 3800
2 4000
1 4500
1 4800
1 5300
1 5400
1 5500
2 6000
1 6500
1 6700
1 6900
1 7000
1 7500
1 7600
1 7700
4 8000
1 8400
2 8500
1 8900
4 9000
2 9600
2 10000
1 11500
5 12000
1 12020
1 13000
1 13200
1 13400
2 13800
2 14000
1 15000
1 15200
1 15300
1 15400
3 16000
4 17000
1 18000
1 18400
1 20800
1 29400
1 40000
1 52000
1 56000
1 80000
1 .
465 .b
21 .c
1 .d
mean: 1338.44
std. dev: 5402.92

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0     2500

```

---

**hclb\_10**

**Primary School**

---

```

type: numeric (long)
range: [0,210000]
unique values: 61
unique missing codes: 4
units: 1
missing .: 1/1,230
missing *: 399/1,230

```

```

tabulation:  Freq.  Value
              695    0
              1    35
              2   100
              1   170
              3   200
              1   250
              3   300
              2   350
              4   400
              1   450
              9   500
              4   800
             11  1000
              2  1100
              1  1200
              1  1300
              1  1400
              2  1600
              1  1800
             11  2000
              2  2320
              1  2400
              6  2500
              3  3000
              2  3200
              1  3350
              2  3500
              1  3900
              3  4000
              1  4130
              1  4500
              1  4600
              2  5000
              1  5300
              1  5500
              1  5550
              2  5700
              3  6000
              1  6100
              2  6400
              1  7000
              1  7200
              2  8000
              1  9000
              1  9700
              1 10000
              1 10500
              1 11000
              8 12000
              5 14000
              1 14600
              2 15000
              1 15640
              1 16000
              1 18000
              1 19500
              3 20000
              1 24000
              2 40000
              1 182000
              1 210000
              1  .
             365 .b
              33 .c
              1  .d
    mean:     1354.72
    std. dev: 10195.9

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      2000

```



hclc\_10

Secondary school/vocational

type: numeric (int)  
 range: [0,28000] units: 10  
 unique values: 40 missing .: 974/1,230  
 unique missing codes: 3 missing \*: 31/1,230

tabulation: Freq. Value  
 152 0  
 1 400  
 3 500  
 2 1000  
 1 1080  
 1 1100  
 1 1200  
 1 1300  
 1 1400  
 1 1500  
 2 1600  
 1 1800  
 7 2000  
 1 2300  
 2 2400  
 4 2500  
 2 2700  
 1 2800  
 6 3000  
 1 3200  
 1 3400  
 2 3500  
 2 4000  
 1 4250  
 3 4500  
 1 4700  
 1 4800  
 5 5000  
 1 5400  
 1 5500  
 1 5600  
 1 5800  
 1 6000  
 3 7000  
 2 7500  
 1 9500  
 4 10000  
 1 12000  
 1 15000  
 1 28000  
 974 .  
 30 .c  
 1 .d

mean: 1406.36  
 std. dev: 3071.04

percentiles: 10% 25% 50% 75% 90%  
 0 0 0 2000 5000

hcl1d\_10

Higher than Secondary school/vocational

type: numeric (int)  
 range: [0,20000] units: 100  
 unique values: 10 missing .: 1,212/1,230  
 unique missing codes: 3 missing \*: 3/1,230



```

tabulation:  Freq.  Value
              754    0
              1    1000
              1    1260
              1    3000
              1    3900
              2    4000
              1    6000
              1    8000
              1   12000
              1    .
            463    .b
              2    .c
              1    .d
    mean:     56.5662
    std. dev: 627.828

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**hclb\_11** **Primary School**

---

```

type: numeric (long)

range: [0,15000]          units: 100
unique values: 10         missing .: 366/1,230
unique missing codes: 3   missing *: 5/1,230
    
```

```

tabulation:  Freq.  Value
              850    0
              1    1000
              1    1200
              1    1500
              1    1900
              1    2500
              1    3600
              1    4000
              1    8100
              1   15000
            366    .
              4    .c
              1    .d
    mean:     45.1688
    std. dev: 622.394

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

**hclc\_11** **Secondary school/vocational**

---

```

type: numeric (int)

range: [0,5500]          units: 100
unique values: 3         missing .: 1/1,230
unique missing codes: 3   missing *: 975/1,230
    
```

```

tabulation:  Freq.  Value
              252    0
              1    2500
              1    5500
              1    .
            974    .b
              1    .d
    mean:     31.4961
    std. dev: 378.514
    
```



```

tabulation:  Freq.  Value
              743    0
              1     1
              1   500
              1   700
              1  1200
              1  1500
              1  1800
              1  1900
              2  2000
              1  2400
              3  2500
              2  2900
              1  4500
              1 10400
              1     .
              463  .b
              5     .c
              1     .d
    mean:     55.5276
  std. dev:  495.934

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

---

hc1b\_12

Primary School

---

```

type:  numeric (long)
range: [0,7000]
unique values: 29
unique missing codes: 4
units: 1
missing .: 1/1,230
missing *: 382/1,230
    
```

```

tabulation:  Freq.  Value
              798    0
              1     1
              1   500
              1   900
              1  1000
              1  1200
              1  1300
              2  1400
              2  1500
              1  1550
              2  1600
              1  1700
              2  1800
              4  1900
              6  2000
              1  2200
              1  2300
              2  2400
              1  2500
              1  2900
              2  3000
              2  3500
              1  3900
              3  4000
              2  4900
              3  5000
              1  5900
              1  6000
              2  7000
              1     .
              365  .b
              16   .c
              1     .d
    mean:     158.974
  std. dev:  754.331
    
```

percentiles:           10%           25%           50%           75%           90%  
                           0            0            0            0            0

---

**hc1c\_12** **Secondary school/vocational**

---

type: numeric (**int**)  
 range: [0,19000]                           units: 10  
 unique values: 28                           missing .: 1/1,230  
 unique missing codes: 4                    missing \*: 978/1,230

tabulation:   Freq.   Value  
               201    0  
               1   1000  
               1   1400  
               1   1500  
               1   1690  
               1   1990  
               6   2000  
               1   2100  
               1   2300  
               3   2500  
               1   2900  
               1   3000  
               1   3600  
               1   3900  
               5   4000  
               3   4500  
               7   4900  
               3   5000  
               1   5900  
               2   6000  
               1   7000  
               1   7900  
               1   8800  
               1   9800  
               2  12000  
               1  13000  
               1  15900  
               1  19000  
               1   .  
               974  .b  
               3   .c  
               1   .d  
 mean:        999.92  
 std. dev:   2611.84  
 percentiles:   10%           25%           50%           75%           90%  
                   0            0            0            0           4000

---

**hc1d\_12** **Higher than Secondary school/vocational**

---

type: numeric (**int**)  
 range: [0,1800]                           units: 100  
 unique values: 2                           missing .: 1/1,230  
 unique missing codes: 3                    missing \*: 1,212/1,230

tabulation:   Freq.   Value  
               16    0  
               1   1800  
               1   .  
               1,211  .b  
               1   .d  
 mean:        105.882  
 std. dev:   436.564

percentiles:           10%           25%           50%           75%           90%  
                           0               0               0               0               0

---

**hclnote\_12** **Interviewer note of table 1 (unavailable)**

---

type: string (**str138**), but longest is str0  
 unique values: 0                           missing "": 1,230/1,230  
 tabulation: Freq. Value  
                   1,230 ""

---

**description\_13**  
**Expenditures for Education: Notebook (paper), book and school supplies (not disp**

---

type: string (**str109**), but longest is str0  
 unique values: 0                           missing "": 1,230/1,230  
 tabulation: Freq. Value  
                   1,230 ""

---

**freq\_13** **Frequency: Yearly**

---

type: numeric (**byte**)  
 label: **freq**  
 range: [17,17]                           units: 1  
 unique values: 1                           missing .: 0/1,230  
 tabulation: Freq. Numeric Label  
                   1,230       17 yearly

---

**hcl1a\_13** **Pre School**

---

type: numeric (**long**)  
 range: [0,5000]  
 unique values: 44                           units: 1  
 unique missing codes: 4                   missing .: 3/1,230  
   missing \*: 500/1,230  
 tabulation: Freq. Value  
                   577 0  
                   1 10  
                   5 20  
                   1 21  
                   1 25  
                   1 30  
                   1 40  
                   1 45  
                   4 50  
                   1 56  
                   2 60  
                   1 75  
                   25 100  
                   2 120  
                   3 150  
                   1 160  
                   2 190  
                   2 195  
                   1 199  
                   16 200  
                   1 225  
                   12 250

```

10 300
1 350
3 360
2 400
5 450
1 490
13 500
2 600
1 650
1 750
1 760
1 800
11 1000
1 1200
3 1500
4 2000
1 2300
1 2500
1 3000
1 3800
1 4000
1 5000
3 .
465 .b
34 .c
1 .d
mean: 103.708
std. dev: 397.203

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      250

```

---

**hclb\_13**

**Primary School**

---

```

type: numeric (long)
range: [0,7200]
unique values: 61
unique missing codes: 4

units: 1
missing .: 3/1,230
missing *: 420/1,230

```

```

tabulation: Freq. Value
539 0
1 13
3 20
3 25
5 30
1 35
4 50
4 60
1 70
2 75
1 80
1 82
1 90
23 100
7 120
1 130
7 150
1 160
2 190
1 195
1 199
26 200
1 220
1 225
1 240
12 250
1 270
24 300
10 350

```



```

      2 360
      1 390
     14 400
      1 429
      1 449
      5 450
     26 500
      3 550
      5 600
      2 650
      6 700
      1 720
      2 750
      1 780
      2 800
     15 1000
      1 1160
      2 1200
      1 1269
      3 1300
      3 1500
      9 2000
      1 2100
      1 2390
      1 2400
      3 2500
      1 2600
      4 3000
      1 3580
      2 4000
      1 5000
      1 7200
      3 .
     365 .b
      54 .c
       1 .d
    mean: 201.91
  std. dev: 569.636

percentiles:      10%      25%      50%      75%      90%
                  0         0         0        190        500

```

---

**hclc\_13** **Secondary school/vocational**

---

```

      type: numeric (int)
      range: [0,3000]
unique values: 22
unique missing codes: 4
      units: 10
      missing .: 3/1,230
      missing *: 999/1,230

tabulation:  Freq.  Value
             178    0
              1    20
              1    50
              3   100
              2   150
              2   200
              3   250
              9   300
              3   350
              1   360
              1   400
              1   450
              5   500
              1   530
              1   600
              1   700
              2   900
              5  1000
              3  1500

```

```

          1 1600
          3 2000
          1 3000
          3 .
        971 .b
         27 .c
          1 .d
    mean: 144.781
  std. dev: 401.246

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        500
    
```

---

**hc1d\_13** **Higher than Secondary school/vocational**

---

```

    type: numeric (int)
    range: [0,2000]
  unique values: 5
unique missing codes: 4
    units: 100
  missing .: 3/1,230
  missing *: 1,213/1,230

  tabulation: Freq. Value
              10  0
              1  200
              1 1000
              1 1500
              1 2000
              3 .
            1,210 .b
              2 .c
              1 .d
    mean: 335.714
  std. dev: 662.869

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        200      1500
    
```

---

**hc1note\_13** **Interviewer note of table 1 (unavailable)**

---

```

    type: string (str138), but longest is str0
  unique values: 0
                missing "": 1,230/1,230

  tabulation: Freq. Value
              1,230 ""
    
```

---

**description\_14** **Expenditures for Education: Other (not display)**

---

```

    type: string (str109), but longest is str0
  unique values: 0
                missing "": 1,230/1,230

  tabulation: Freq. Value
              1,230 ""
    
```

---

**freq\_14** **Frequency: Yearly**

---

```

    type: numeric (byte)
    label: freq
    range: [17,17]
  unique values: 1
    units: 1
  missing .: 1,213/1,230
    
```

tabulation: Freq. Numeric Label  
 17 17 yearly  
 1,213 .

---

**hcla\_14** **Pre School**

---

type: numeric (**long**)  
 range: [0,995] units: 1  
 unique values: 3 missing .: 1,227/1,230

tabulation: Freq. Value  
 1 0  
 1 300  
 1 995  
 1,227 .  
 mean: 431.667  
 std. dev: 510.4

percentiles: 10% 25% 50% 75% 90%  
 0 0 300 995 995

---

**hclb\_14** **Primary School**

---

type: numeric (**long**)  
 range: [0,1300] units: 100  
 unique values: 3 missing .: 1,227/1,230

tabulation: Freq. Value  
 1 0  
 1 1000  
 1 1300  
 1,227 .  
 mean: 766.667  
 std. dev: 680.686

percentiles: 10% 25% 50% 75% 90%  
 0 0 1000 1300 1300

---

**hclc\_14** **Secondary school/vocational**

---

type: numeric (**int**)  
 range: [700,2500] units: 100  
 unique values: 2 missing .: 1,228/1,230

tabulation: Freq. Value  
 1 700  
 1 2500  
 1,228 .  
 mean: 1600  
 std. dev: 1272.79

percentiles: 10% 25% 50% 75% 90%  
 700 700 1600 2500 2500

---

**hcld\_14** **Higher than Secondary school/vocational**

---

type: numeric (**int**)  
 range: [.,.] units: .  
 unique values: 0 missing .: 1,230/1,230

```

tabulation: Freq. Value
             1,230 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

**hclnote\_14** **Interviewer note of table 1 (unavailable)**

```

type: string (str138), but longest is str0
unique values: 0 missing "": 1,230/1,230

tabulation: Freq. Value
             1,230 ""
    
```

**description\_15**  
**Expenditures for Education: Toys e.g. jigsaw, wooden block, clay (not display)**

```

type: string (str109), but longest is str0
unique values: 0 missing "": 1,230/1,230

tabulation: Freq. Value
             1,230 ""
    
```

**freq\_15** **Frequency: Yearly**

```

type: numeric (byte)
label: freq

range: [17,17] units: 1
unique values: 1 missing .: 1,224/1,230

tabulation: Freq. Numeric Label
             6         17  yearly
             1,224         .
    
```

**hcl1a\_15** **Pre School**

```

type: numeric (long)

range: [0,3000] units: 1
unique values: 3 missing .: 1,226/1,230

tabulation: Freq. Value
             2  0
             1  96
             1 3000
             1,226 .
      mean: 774
      std. dev: 1484.69

percentiles:      10%      25%      50%      75%      90%
                  0        0        48      1548     3000
    
```

**hcl1b\_15** **Primary School**

```

type: numeric (long)
    
```

range: [0,6000] units: 100  
 unique values: 3 missing .: 1,226/1,230

tabulation: Freq. Value  
                   2 0  
                   1 1800  
                   1 6000  
                   1,226 .

mean: 1950  
 std. dev: 2830.19

percentiles:           10%       25%       50%       75%       90%  
                           0           0        900       3900       6000

**hclc\_15** **Secondary school/vocational**

type: numeric (int)

range: [.,.] units: .  
 unique values: 0 missing .: 1,230/1,230

tabulation: Freq. Value  
                   1,230 .

mean: .  
 std. dev: .

percentiles:           10%       25%       50%       75%       90%  
                           .           .        .        .        .

**hclid\_15** **Higher than Secondary school/vocational**

type: numeric (int)

range: [.,.] units: .  
 unique values: 0 missing .: 1,230/1,230

tabulation: Freq. Value  
                   1,230 .

mean: .  
 std. dev: .

percentiles:           10%       25%       50%       75%       90%  
                           .           .        .        .        .

**hclnote\_15** **Interviewer note of table 1 (unavailable)**

type: string (str138), but longest is str0

unique values: 0 missing "": 1,230/1,230

tabulation: Freq. Value  
                   1,230 ""

**hcla\_num**  
**Number of children attending pre-primary school (Including children who are not**

type: numeric (double)

range: [0,3] units: 1  
 unique values: 4 missing .: 0/1,230

```

tabulation: Freq. Value
             784 0
             384 1
             55 2
             7 3
mean:       .418699
std. dev:   .606025

percentiles: 10%    25%    50%    75%    90%
              0      0      0      1      1
    
```

**hc1b\_num** Number of children attending primary school

```

type: numeric (double)

range: [0,4] units: 1
unique values: 5 missing .: 0/1,230

tabulation: Freq. Value
             243 0
             739 1
             221 2
             24 3
             3 4
mean:       1.02846
std. dev:   .690517

percentiles: 10%    25%    50%    75%    90%
              0      1      1      1      2
    
```

**hc1c\_num** Number of children attending secondary school or vocational education

```

type: numeric (double)

range: [0,4] units: 1
unique values: 5 missing .: 0/1,230

tabulation: Freq. Value
             789 0
             384 1
             54 2
             1 3
             2 4
mean:       .408943
std. dev:   .59514

percentiles: 10%    25%    50%    75%    90%
              0      0      0      1      1
    
```

**hc1d\_num** Number of children attending higher than secondary education or vocational educa

```

type: numeric (double)

range: [0,2] units: 1
unique values: 3 missing .: 0/1,230

tabulation: Freq. Value
             1,171 0
             58 1
             1 2
mean:       .04878
std. dev:   .21924
    
```



```

mean: 2423.26
std. dev: 19037.8
percentiles: 10% 25% 50% 75% 90%
              0    0    0  416.667 2816.67
    
```

---

**hh\_monthly\_exp\_education** Household monthly expenditure for education

---

```

type: numeric (float)
range: [0,20820.834] units: 1.000e-08
unique values: 627 missing.: 0/1,230
mean: 495.842
std. dev: 1123.93
percentiles: 10% 25% 50% 75% 90%
              0  9.16667 91.6667 600 1306.33
    
```

---

**hh\_monthly\_exp\_clothes** Household monthly expenditure for clothes

---

```

type: numeric (double)
range: [0,15000] units: 1.000e-12
unique values: 274 missing.: 0/1,230
mean: 309.547
std. dev: 598.599
percentiles: 10% 25% 50% 75% 90%
              0  66.6667 166.667 375 666.667
    
```

---

**note** (unlabeled)

---

```

type: string (str954)
unique values: 204 missing "": 1,026/1,230
warning: variable has leading, embedded, and trailing blanks
    
```

---

**note\_tb** (unlabeled)

---

```

type: string (str140), but longest is str136
unique values: 4 missing "": 1,226/1,230
tabulation: Freq. Value
             1,226 ""
             1 " H 6 ไ ม ' ส ำ ม 1
             1 "ค่าใช้จ่ายด้านการศึกษาและเสื้อผ้า
              ข้อมูลตกหล่น"
             1 "ผู้ให้ข้อมูลไม่สามารถบอกได้ว่ากี่บาท"
             1 "ช'ำข'ำงบ'ำนให'ข.ค นร. 3 ข.ค"
warning: variable has embedded blanks
    
```

---

**hh\_change** Sample has moved so that its household structure changed

---

```

type: numeric (float)
label: hh_change
    
```



```

range: [0,1] units: 1
unique values: 2 missing .: 0/1,230

tabulation: Freq. Numeric Label
1,224 0 no
6 1 yes
    
```

---

**survey\_name** **survey round**

---

```

type: string (str12)
unique values: 1 missing "": 0/1,230

tabulation: Freq. Value
1,230 "RESURVEY2019"
    
```

---

**year\_survey** **year survey**

---

```

type: numeric (int)
range: [2019,2019] units: 1
unique values: 1 missing .: 0/1,230

tabulation: Freq. Value
1,230 2019
mean: 2019
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
2019 2019 2019 2019 2019
    
```

```

2 . log close
name: <unnamed>
log: Z:\\RIECE DATA\\RIECE_RELEASE V5-2019\\Resurvey2019\\codebook\\a8.scm1
log type: smcl
closed on: 26 Aug 2024, 16:50:11
    
```

---