



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\bla1.scml
log type: smcl
opened on: 22 Aug 2024, 09:24:25

```

1 . codebookr \_all,all

```

Dataset: Z:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\bla
> 1_run.dta
Last saved: 22 Aug 2024 09:24

```

```

Label: [none]
Number of variables: 33
Number of observations: 853
Size: 557,009 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

---

**cid** **children id**

---

```

type: string (str18)
unique values: 472 missing "": 0/853
examples: "201591160419005H1"
           "201593120204203H1"
           "201691150822007H1"
           "201691161410037H1"

```

---

**iyear** **year**

---

```

type: string (str4)
unique values: 2 missing "": 0/853
tabulation: Freq. Value
             365 "2015"
             488 "2016"

```

---

**hhid** **household id**

---

```

type: string (str15)

```



```

tabulation:  Freq.  Value
              90  "01"
              47  "02"
              85  "03"
              82  "04"
              83  "05"
              93  "06"
              47  "07"
              79  "08"
              52  "09"
              42  "10"
              32  "11"
              35  "12"
              11  "13"
               2  "14"
               4  "15"
              23  "16"
               9  "17"
               2  "18"
              16  "19"
              19  "22"
    
```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 139           missing "": 0/853
examples: "012"
          "042"
          "082"
          "205"
    
```

---

**no** **Item number**

---

```

type: numeric (byte)
range: [1,13]           units: 1
unique values: 13       missing .: 0/853
    
```

```

tabulation:  Freq.  Value
              16  1
              62  2
              76  3
             131  4
             159  5
             141  6
             101  7
              71  8
              44  9
              30  10
              17  11
               4  12
               1  13
    
```

```

mean: 5.57093
std. dev: 2.29333
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  3         4         5         7         9
    
```

---

**blaa** **Member id**

---

```

type: string (str5), but longest is str3
unique values: 13           missing "": 0/853
    
```

```

tabulation:  Freq.  Value
              16  "H1"
              28  "H10"
              17  "H11"
               4  "H12"
               1  "H13"
              62  "H2"
              76  "H3"
             131  "H4"
             159  "H5"
             143  "H6"
             103  "H7"
              71  "H8"
              42  "H9"
    
```

---

**blab** **Nickname (unavailable)**

---

```

type:  string (str27), but longest is str0
unique values:  0          missing "":  853/853
tabulation:  Freq.  Value
              853  ""
    
```

---

**blac** **Date of birth (unavailable)**

---

```

type:  numeric (float)
range:  [.,.]          units:  .
unique values:  0          missing .:  853/853
tabulation:  Freq.  Value
              853  .
mean:        .
std. dev:    .
percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

---

**blad** **Month of birth (unavailable)**

---

```

type:  numeric (float)
range:  [.,.]          units:  .
unique values:  0          missing .:  853/853
tabulation:  Freq.  Value
              853  .
mean:        .
std. dev:    .
percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

---

**blae** **Year of birth (unavailable)**

---

```

type:  numeric (float)
range:  [.,.]          units:  .
unique values:  0          missing .:  853/853
    
```

```

tabulation: Freq. Value
              853 .
      mean:      .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

---

**blaf** **Gender**

---

```

      type: numeric (float)
      label: blaf

      range: [1,3]
unique values: 2
                units: 1
                missing .. 0/853

      tabulation: Freq.  Numeric  Label
                  445      1  Male
                  408      3  Female
    
```

---

**blag** **Nationality**

---

```

      type: numeric (float)
      label: blag

      range: [1,3]
unique values: 2
                units: 1
                missing .. 0/853

      tabulation: Freq.  Numeric  Label
                  852      1  Thai
                   1      3  Other
    
```

---

**blag\_other** **Other nationality**

---

```

      type: string (str11), but longest is str2

unique values: 1
unique missing codes: 2
                missing "": 852/853
                missing *: 1/853

      tabulation: Freq. Value
                  852 ""
                   1 "MI"
    
```

---

**blah** **Highest education/present (not display)**

---

```

      type: string (str60), but longest is str0

unique values: 0
                missing "": 853/853

      tabulation: Freq. Value
                  853 ""
    
```

---

**blah\_code** **Highest education code**

---

```

      type: numeric (float)
      label: blah_code

      range: [1,99]
unique values: 28
unique missing codes: 2
                units: 1
                missing .. 17/853
                missing *: 15/853
    
```

```

tabulation:  Freq.  Numeric  Label
              112      1  No education
               8      3  Kindergarten 1
              11      5  Kindergarten 2
               4      7  Kindergarten 3
               6      9  Primary school 1
              12     11  Primary school 2
               9     13  Primary school 3
             127     15  Primary school 4
               8     17  Primary school 5
              86     19  Primary school 6
               1     21  Primary school 7 (old system)
              12     23  Lower secondary 1
              14     25  Lower secondary 2
             127     27  Lower secondary 3
               4     29  Upper secondary 1
              10     31  Upper secondary 2
             137     33  Upper secondary 3
               2     45  Vocational school year 1
               3     47  Vocational school year 2
              15     49  Vocational school year 3
               8     51  High vocational school year 1
              26     53  High vocational school year 2
               1     55  Technical vocational school year
                   1
               6     61  Undergraduate school year 1
               1     63  Undergraduate school year 2
              41     67  Undergraduate school year 4
              21     73  Child Development Center
               9     99  Other
              17      .
              15     .c
    
```

---

**blaia** **Move in (month) (unavailable)**

---

```

      type: numeric (byte)
      label: month

      range: [.,.]
unique values: 0
      units: .
missing .: 853/853

      tabulation:  Freq.  Numeric  Label
                   853      .
    
```

---

**blaib** **Move in (year) (unavailable)**

---

```

      type: numeric (int)

      range: [.,.]
unique values: 0
      units: .
missing .: 853/853

      tabulation:  Freq.  Value
                   853      .
      mean:      .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

---

**blaj** **Marital status**

---

```

      type: numeric (float)
      label: blaj
    
```

range: [1,9] units: 1  
 unique values: 5 missing .: 0/853

tabulation:	Freq.	Numeric	Label
	312	1	Single
	378	3	Married (Both registered and non-registered)
	53	5	Divorce
	44	7	Widowed
	66	9	Leaving seperately

**blaka** **Move out (month) (unavailable)**

type: numeric (byte)  
 label: month  
 range: [.,.] units: .  
 unique values: 0 missing .: 853/853

tabulation:	Freq.	Numeric	Label
	853	.	.

**blakb** **Move out (year) (unavailable)**

type: numeric (int)  
 range: [.,.] units: .  
 unique values: 0 missing .: 853/853

tabulation:	Freq.	Value
	853	.
mean:		.
std. dev:		.
percentiles:		10% 25% 50% 75% 90%
		. . . . .

**blal** **Cause of move out (unavailable)**

type: numeric (byte)  
 label: blal  
 range: [.,.] units: .  
 unique values: 0 missing .: 853/853

tabulation:	Freq.	Numeric	Label
	853	.	.

**blal\_other** **Other (specify) (unavailable)**

type: string (str114), but longest is str0  
 unique values: 0 missing "": 853/853

tabulation:	Freq.	Value
	853	""

**blam** **Adress now (unavailable)**

type: string (str129), but longest is str0

unique values: 0 missing "": 853/853  
 tabulation: Freq. Value  
 853 ""

**move\_in** **Moving in**

type: numeric (**float**)  
 label: **move**  
 range: [0,1] units: 1  
 unique values: 2 missing .: 0/853  
 tabulation: Freq. Numeric Label  
 475 0 No  
 378 1 Yes

**move\_out** **Moving out**

type: numeric (**float**)  
 label: **move**  
 range: [0,1] units: 1  
 unique values: 2 missing .: 0/853  
 tabulation: Freq. Numeric Label  
 378 0 No  
 475 1 Yes

**age** **Age**

type: numeric (**float**)  
 range: [.03011636, 94.587273] units: 1.000e-09  
 unique values: 658 missing .: 68/853  
 mean: 31.2642  
 std. dev: 21.7353  
 percentiles: 10% 25% 50% 75% 90%  
 1.56879 15.2936 29.1116 44.2108 64.5147

**note\_cleaner** **Data cleaner note**

type: string (**str195**), but longest is str0  
 unique values: 0 missing "": 853/853  
 tabulation: Freq. Value  
 853 ""

**survey\_name** **survey name**

type: string (**str12**)  
 unique values: 1 missing "": 0/853  
 tabulation: Freq. Value  
 853 "RESURVEY2019"



---

**year\_survey**

**Year survey**

---

type: numeric (**float**)  
range: [2019,2019] units: 1  
unique values: 1 missing .: 0/853

tabulation: Freq. Value  
                  853 2019  
          mean: 2019  
          std. dev: 0

percentiles:           10%           25%           50%           75%           90%  
                  2019           2019           2019           2019           2019

2 . log close  
  name: <unnamed>  
  log: Z:\\RIECE DATA\\RIECE\_RELEASE V5-2019\\Resurvey2019\\codebook\\bla1.scm1  
  log type: smcl  
  closed on: 22 Aug 2024, 09:24:26

---