



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\b3.smcl
log type: smcl
opened on: 22 Aug 2024, 09:26:33

```

```
1 . codebookr _all,all
```

```

> run.dta
Dataset: Z:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\b3_
Last saved: 22 Aug 2024 09:26

```

```

Label: [none]
Number of variables: 40
Number of observations: 1,434
Size: 1,309,242 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

---

```
cid children id
```

---

```

type: string (str18)
unique values: 1,434 missing "": 0/1,434
examples: "201591160419002H7"
           "201593121510202H4"
           "201691150908055H1"
           "201691161706126H1"

```

---

```
iyear year
```

---

```

type: string (str4)
unique values: 2 missing "": 0/1,434
tabulation: Freq. Value
             573 "2015"
             861 "2016"

```

---

```
hhid household id
```

---

```
type: string (str15)
```

unique values: 1,244                      missing "": 0/1,434  
 examples: "201591160419002"  
           "201593121510202"  
           "201691150908055"  
           "201691161706126"

---

**prov** **province**

---

type: string (**str2**)  
 unique values: 2                              missing "": 0/1,434  
 tabulation: Freq. Value  
               1,300 "91"  
               134 "93"

---

**amp** **amphoe**

---

type: string (**str2**)  
 unique values: 8                              missing "": 0/1,434  
 tabulation: Freq. Value  
               1 "09"  
               133 "12"  
               264 "13"  
               119 "14"  
               144 "15"  
               512 "16"  
               39 "17"  
               222 "18"

---

**tam** **tambon**

---

type: string (**str2**)  
 unique values: 15                              missing "": 0/1,434  
 tabulation: Freq. Value  
               62 "01"  
               206 "02"  
               124 "04"  
               54 "05"  
               54 "06"  
               65 "07"  
               61 "08"  
               100 "09"  
               128 "10"  
               93 "11"  
               139 "13"  
               50 "14"  
               141 "15"  
               99 "17"  
               58 "19"

---

**moo** **moo**

---

type: string (**str2**)  
 unique values: 22                              missing "": 0/1,434

```

tabulation:  Freq.  Value
              157  "01"
              70  "02"
              138  "03"
              152  "04"
              114  "05"
              152  "06"
              79  "07"
              143  "08"
              82  "09"
              70  "10"
              53  "11"
              40  "12"
              39  "13"
              12  "14"
              11  "15"
              39  "16"
              12  "17"
              12  "18"
              30  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

---

**strucid** **structure ID**

---

```

type:  string (str3)
unique values: 185           missing "": 0/1,434
examples: "010"
          "033"
          "071"
          "201"
    
```

---

**ch1** **How is the child's health now?**

---

```

type:  numeric (byte)
label:  ch1
range:  [1,9]           units: 1
unique values: 5           missing .: 0/1,434

tabulation:  Freq.  Numeric  Label
              175    1  Very good
              1,001  3  Good
              238    5  Somewhat good
              19     7  Somewhat bad
              1     9  Bad
    
```

---

**ch2** **Since previous interview : Did the child ever visit a dentist to take care of hi**

---

```

type:  numeric (byte)
label:  ch2
range:  [1,3]           units: 1
unique values: 2           missing .: 0/1,434

tabulation:  Freq.  Numeric  Label
              461    1  Yes
              973    3  No
    
```

---

**ch2a** **Number of times**

---

```

type: numeric (byte)
range: [1,8]
unique values: 7
unique missing codes: 3
units: 1
missing .: 973/1,434
missing *: 6/1,434

```

```

tabulation: Freq. Value
             241  1
             145  2
              46  3
              15  4
               5  5
               1  6
               2  8
             973  .
               5  .c
               1  .d
mean:       1.70549
std. dev:   .985061

```

```

percentiles:    10%    25%    50%    75%    90%
                1      1      1      2      3

```

---

**ch10 Since last interview, has the child ever visited a psychiatrist or doctor who pr**

---

```

type: numeric (byte)
label: ch10
range: [1,3]
unique values: 2
units: 1
missing .: 0/1,434

```

```

tabulation: Freq. Numeric Label
             8         1 Yes
            1,426       3 No

```

---

**ch4\_des Name of place for the health check-ups (unavailable)**

---

```

type: string (str114), but longest is str0
unique values: 0
missing "": 1,434/1,434
tabulation: Freq. Value
            1,434 ""

```

---

**ch4 Since the last interview How many times do children receive health checkups that**

---

```

type: numeric (byte)
range: [0,12]
unique values: 7
unique missing codes: 1
units: 1
missing .: 0/1,434
missing *: 5/1,434

```

```

tabulation: Freq. Value
            1,327  0
              79  1
              14  2
               3  3
               2  4
               2  5
               2 12
               5  .c
mean:       .110567
std. dev:   .600263

```

percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

---

**ch4ba** **Detail : place for the health check-ups (not display)**

---

type: string (**str2**), but longest is str0  
unique values: 0 missing "": 1,434/1,434  
tabulation: Freq. Value  
1,434 ""

---

---

**ch4b** **Code of the most place for the health check-ups**

---

type: numeric (**byte**)  
label: **ch4b**  
range: [1,17] units: 1  
unique values: 4 missing .: 1,327/1,434  
unique missing codes: 2 missing \*: 4/1,434

tabulation:	Freq.	Numeric	Label
	55	1	Health promoting hospital
	26	3	District hospital
	16	5	Center hospital / provincial hospital
	6	17	Medical clinic
	1,327	.	.
	4	.d	.

---

**ch4aa** **Sub-district code (unavailable)**

---

type: numeric (**byte**)  
range: [.,.] units: .  
unique values: 0 missing .: 1,434/1,434  
tabulation: Freq. Value  
1,434 .  
mean: .  
std. dev: .  
percentiles: 10% 25% 50% 75% 90%  
. . . . .

---

**ch4aa\_des** **Sub-district (unavailable)**

---

type: string (**str33**), but longest is str0  
unique values: 0 missing "": 1,434/1,434  
tabulation: Freq. Value  
1,434 ""

---

---

**ch4ab** **District code (unavailable)**

---

type: numeric (**byte**)  
range: [.,.] units: .  
unique values: 0 missing .: 1,434/1,434

```

tabulation: Freq. Value
             1,434 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

**ch4ab\_des** **District (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0 missing "": 1,434/1,434

tabulation: Freq. Value
             1,434 ""
    
```

**ch4ac** **Province code (unavailable)**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1,434/1,434

tabulation: Freq. Value
             1,434 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

**ch4ac\_des** **Province (unavailable)**

```

type: string (str27), but longest is str0
unique values: 0 missing "": 1,434/1,434

tabulation: Freq. Value
             1,434 ""
    
```

**ch5 Ever since the child was 2 years old until now, Has the child ever go to the doc**

```

type: numeric (byte)
label: ch5
range: [1,3] units: 1
unique values: 2 missing .: 0/1,434

tabulation: Freq. Numeric Label
             200      1 Yes
             1,234    3 No
    
```

**ch5a** **Number of times**

```

type: numeric (byte)
range: [1,5] units: 1
unique values: 4 missing .: 1,234/1,434
unique missing codes: 2 missing *: 1/1,434
    
```

```

tabulation:  Freq.  Value
              172    1
              17    2
               9    3
               1    5
            1,234    .
              1    .d
    mean:     1.19598
  std. dev:   .556671

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         1         2
    
```

---

**ch5b** **What was the most severe injury?**

---

```

    type:  numeric (byte)
    label:  ch5b

    range:  [1,99]
unique values: 10
                    units: 1
                    missing.: 1,234/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              14         1  Cut or pierced by sharp object
                    (open wounds, bleeding)
              90         3  Crash/Fall (with open wounds,
                    broken bones, unconscious)
               1         5  Burn (until skin blister)
               4         7  Swallow, take or put things in
                    the ear or nose
               4        11  Bitten or stung by poisonous
                    animals
              25        13  Hurt by non
               4        17  Car accident (the child is not
                    in the car)
              37        23  Bicycle injury
               7        25  Motorcycle injury
              14        99  Other (Specify in ch5ba)
            1,234         .
    
```

---

**ch5ba** **Detail of the most severe injury (not display)**

---

```

    type:  string (str97), but longest is str0
unique values: 0
                    missing "": 1,434/1,434

    tabulation:  Freq.  Value
                 1,434  ""
    
```

---

**ch5c** **Where did the accident happen?**

---

```

    type:  numeric (byte)
    label:  ch5c

    range:  [1,99]
unique values: 6
unique missing codes: 2
                    units: 1
                    missing.: 1,234/1,434
                    missing *: 2/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              67      1      Home
              29      3      House of others
              51      5      School;child center
               2      7      Playing field;playground
              29      9      Alley;road
              20     99      Other
            1,234      .
               2      .d
    
```

---

**ch5ca** **Detail : place of accident (unavailable)**

---

```

type: string (str63), but longest is str0
unique values: 0          missing "": 1,434/1,434
tabulation:  Freq.  Value
            1,434  ""
    
```

---

**ch5e** **How many days did the child miss school as a result of this injury?**

---

```

type: numeric (byte)
range: [0,22]          units: 1
unique values: 10      missing .: 1,234/1,434
unique missing codes: 2  missing *: 2/1,434
tabulation:  Freq.  Value
            115    0
             18    1
             18    2
             12    3
              2    4
             20    5
              1    8
              6   10
              2   15
              4   22
            1,234  .
               2   .c
mean:       1.93939
std. dev:   3.92524
percentiles: 10%    25%    50%    75%    90%
              0      0      0      2      5
    
```

---

**ch5f** **How many days was the child hospitalized because of this injury?**

---

```

type: numeric (byte)
range: [0,8]          units: 1
unique values: 6      missing .: 1,234/1,434
unique missing codes: 2  missing *: 1/1,434
tabulation:  Freq.  Value
            171    0
             14    1
              4    2
              8    3
              1    4
              1    8
            1,234  .
               1   .c
mean:       .291457
std. dev:   .913135
    
```





1,339 .  
1 .d

---

**ch9ba** **Detail : the most severe disease (not display)**

---

type: string (**str84**), but longest is str0  
 unique values: 0 missing "": 1,434/1,434  
 tabulation: Freq. Value  
 1,434 ""

---

**ch9c** **How many days did the child miss school as a result of this acute disease?**

---

type: numeric (**byte**)  
 range: [0,15] units: 1  
 unique values: 12 missing .: 1,339/1,434  
 unique missing codes: 3 missing \*: 2/1,434  
 tabulation: Freq. Value  
 11 0  
 4 1  
 10 2  
 15 3  
 8 4  
 35 5  
 1 6  
 2 7  
 2 8  
 3 10  
 1 12  
 1 15  
 1,339 .  
 1 .c  
 1 .d  
 mean: 3.96774  
 std. dev: 2.6558  
 percentiles: 10% 25% 50% 75% 90%  
 0 2 4 5 6

---

**ch9d** **How many days was the child hospitalized because of this acute disease?**

---

type: numeric (**byte**)  
 range: [1,9] units: 1  
 unique values: 8 missing .: 1,339/1,434  
 unique missing codes: 2 missing \*: 1/1,434  
 tabulation: Freq. Value  
 11 1  
 21 2  
 30 3  
 11 4  
 6 5  
 2 6  
 12 7  
 1 9  
 1,339 .  
 1 .d  
 mean: 3.42553  
 std. dev: 1.8808

percentiles:	10%	25%	50%	75%	90%
	1	2	3	4	7

---

**ch7** Since the last interview, have there been cases where the child need medical ser

---

```

      type: numeric (byte)
      label: ch7
      range: [1,3]
      unique values: 2
      units: 1
      missing .: 0/1,434
      tabulation: Freq.  Numeric  Label
                  17      1   Yes
                  1,417    3   No

```

---

**ch8** Interviewer note (unavailable)

---

```

      type: string (str366), but longest is str0
      unique values: 0
      missing "": 1,434/1,434
      tabulation: Freq.  Value
                  1,434  ""

```

---

**year\_survey** year survey

---

```

      type: numeric (float)
      range: [2019,2019]
      unique values: 1
      units: 1
      missing .: 0/1,434
      tabulation: Freq.  Value
                  1,434  2019
      mean:      2019
      std. dev:  0
      percentiles:
          10%    25%    50%    75%    90%
          2019   2019   2019   2019   2019

```

---

**survey\_name** survey round

---

```

      type: string (str12)
      unique values: 1
      missing "": 0/1,434
      tabulation: Freq.  Value
                  1,434  "RESURVEY2019"

```

```

2 . log close
   name: <unnamed>
   log: Z:\\RIECE DATA\\RIECE_RELEASE V5-2019\\Resurvey2019\\codebook\\b3.scm1
   log type: smcl
   closed on: 22 Aug 2024, 09:26:34

```

---