



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\b5.smcl
log type: smcl
opened on: 22 Aug 2024, 09:26:56

```

1 . codebookr _all,all

```

> run.dta
Dataset: Z:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\b5_
Last saved: 22 Aug 2024 09:26

```

```

Label: [none]
Number of variables: 166
Number of observations: 1,434
Size: 6,141,822 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,434 missing "": 0/1,434
examples: "201591160419002H7"
           "201593121510202H4"
           "201691150908055H1"
           "201691161706126H1"

```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,434
tabulation: Freq. Value
             573 "2015"
             861 "2016"

```

hhid **household id**

```

type: string (str15)

```

unique values: 1,244 missing "": 0/1,434
 examples: "201591160419002"
 "201593121510202"
 "201691150908055"
 "201691161706126"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,434
 tabulation: Freq. Value
 1,300 "91"
 134 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,434
 tabulation: Freq. Value
 1 "09"
 133 "12"
 264 "13"
 119 "14"
 144 "15"
 512 "16"
 39 "17"
 222 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,434
 tabulation: Freq. Value
 62 "01"
 206 "02"
 124 "04"
 54 "05"
 54 "06"
 65 "07"
 61 "08"
 100 "09"
 128 "10"
 93 "11"
 139 "13"
 50 "14"
 141 "15"
 99 "17"
 58 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,434

```

tabulation:  Freq.  Value
              157  "01"
              70  "02"
              138  "03"
              152  "04"
              114  "05"
              152  "06"
              79  "07"
              143  "08"
              82  "09"
              70  "10"
              53  "11"
              40  "12"
              39  "13"
              12  "14"
              11  "15"
              39  "16"
              12  "17"
              12  "18"
              30  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,434
examples: "010"
           "033"
           "071"
           "201"
    
```

ce0 **Since last interview, has this child attended school?**

```

type: numeric (byte)
label: ce0
range: [1,3]           units: 1
unique values: 2       missing .: 0/1,434
tabulation:  Freq.  Numeric  Label
              1,429  1      Yes
              5      3      No
    
```

ce3a **When do you expect the child to go to school (month) ?**

```

type: numeric (byte)
label: ce3a
range: [5,5]           units: 1
unique values: 1       missing .: 1,429/1,434
unique missing codes: 2 missing *: 4/1,434
tabulation:  Freq.  Numeric  Label
              1      5      May
              1,429  .
              4      .c
    
```

ce3b **When do you expect the child to go to school (year) ?**

```

type: numeric (int)
range: [2020,2020]
unique values: 1
unique missing codes: 2
units: 10
missing .: 1,429/1,434
missing *: 4/1,434

tabulation: Freq. Value
             1 2020
             1,429 .
             4 .c
mean: 2020
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              2020 2020 2020 2020 2020
    
```

ce4a **CEC name (unavailable)**

```

type: string (str43), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq. Value
             1,434 ""
    
```

tce4a **CEC/school**

```

type: string (str8), but longest is str3
unique values: 2
unique missing codes: 2
missing "": 1,429/1,434
missing *: 4/1,434

tabulation: Freq. Value
             1,429 ""
             1 "CEC"
             4 "DK"
    
```

ce4b1 **Sub-district of school address (unavailable)**

```

type: string (str21), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq. Value
             1,434 ""
    
```

ce4b2 **District of school address (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq. Value
             1,434 ""
    
```

ce4b3 **Province of school address (unavailable)**

```

type: string (str27), but longest is str0
unique values: 0
missing "": 1,434/1,434
    
```

tabulation: Freq. Value
 1,434 ""

ce4c **Expected school code (unavailable)**

type: string (**str8**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ce12a1a **Do you currently have story books for children in your home?**

type: numeric (**byte**)
 label: **ce12a1a**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,434
 unique missing codes: 1 missing *: 1/1,434
 tabulation: Freq. Numeric Label
 483 1 Yes
 950 3 No
 1 .c

ce12a2a **Do you currently have picture books or picture cards, such as animal picture car**

type: numeric (**byte**)
 label: **ce12a2a**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,434
 unique missing codes: 1 missing *: 1/1,434
 tabulation: Freq. Numeric Label
 494 1 Yes
 939 3 No
 1 .c

ce12a3a **Do you currently have letter/number poster in your home?**

type: numeric (**byte**)
 label: **ce12a3a**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,434
 tabulation: Freq. Numeric Label
 376 1 Yes
 1,058 3 No

ce12a1aa **Story books for children : quantity**

type: numeric (**byte**)
 range: [1,80] units: 1
 unique values: 17 missing .: 951/1,434
 unique missing codes: 3 missing *: 68/1,434

```

tabulation:  Freq.  Value
              57    1
              98    2
              87    3
              43    4
              45    5
              25    6
               7    7
               5    8
               1    9
              24   10
               2   11
               5   12
               4   15
               6   20
               3   25
               1   30
               2   80
              951  .
               67  .c
               1  .d
    mean:     4.64096
    std. dev: 6.59152

percentiles:    10%    25%    50%    75%    90%
                1      2      3      5      10
    
```

ce12a2aa

Picture books or picture cards, such as animal picture cards number picture card

```

type: numeric (byte)

range: [1,100]          units: 1
unique values: 11       missing .: 940/1,434
unique missing codes: 3 missing *: 59/1,434
    
```

```

tabulation:  Freq.  Value
              153    1
              146    2
               73    3
               17    4
               21    5
               10    6
                2    7
                2    8
                9   10
                1   15
                1  100
              940  .
               57  .c
                2  .d
    mean:     2.6023
    std. dev: 5.02441

percentiles:    10%    25%    50%    75%    90%
                1      1      2      3      5
    
```

ce12a3aa

Letter/Number Poster : quantity

```

type: numeric (byte)

range: [1,20]          units: 1
unique values: 10       missing .: 1,058/1,434
unique missing codes: 2 missing *: 6/1,434
    
```

```

tabulation:  Freq.  Value
              103    1
              138    2
              84     3
              26     4
               5     5
               4     6
               1     7
               1     9
               7    10
               1    20
            1,058    .
               6    .c
    mean:     2.40541
    std. dev: 1.79218

percentiles:    10%    25%    50%    75%    90%
                1      1      2      3      4
    
```

ce13a1a **Does this child currently have preparatory exercises for children**

```

    type: numeric (byte)
    label: ce13a1a

    range: [1,3]
    unique values: 2
    unique missing codes: 1

    units: 1
    missing .: 0/1,434
    missing *: 1/1,434

    tabulation:  Freq.  Numeric  Label
                  672    1  Yes
                  761    3  No
                   1    .c
    
```

ce13a2a **Does this child currently have coloring book**

```

    type: numeric (byte)
    label: ce13a2a

    range: [1,3]
    unique values: 2
    unique missing codes: 2

    units: 1
    missing .: 0/1,434
    missing *: 2/1,434

    tabulation:  Freq.  Numeric  Label
                  948    1  Yes
                  484    3  No
                   1    .c
                   1    .d
    
```

ce13a1aa **Preparatory exercises for children : quantity**

```

    type: numeric (byte)

    range: [1,30]
    unique values: 16
    unique missing codes: 4

    units: 1
    missing .: 762/1,434
    missing *: 72/1,434
    
```

```

tabulation:  Freq.  Value
              132    1
              200    2
              141    3
               45    4
               33    5
               18    6
                5    7
                4    8
                1    9
               13   10
                1   12
                1   13
                1   15
                1   16
                2   20
                2   30
             762    .
                1   .b
               69   .c
                2   .d
    mean:      2.95
    std. dev:  2.72517

percentiles:  10%    25%    50%    75%    90%
              1      2      2      3      5
    
```

ce13a2aa **Coloring book : quantity**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 1
units: .
missing .: 0/1,434
missing *: 1,434/1,434

tabulation:  Freq.  Value
              1,434  .b
    mean:    .
    std. dev: .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

ce18 **What subject is this child good at? (Answer only one subject)**

```

type: string (str157), but longest is str132
unique values: 44
unique missing codes: 1
missing "": 0/1,434
missing *: 2/1,434

tabulation:  Freq.  Value
              2    "MI"
                1    "การทำงานอาชีพ"
                1    "การประดิษฐ์"
                1    "การอ่าน"
                1    "การแต่งประโยค"
                4    "กีฬา"
               203   "คณิตศาสตร์"
                1    "คอมพิวเตอร์"
                6    "ศิลปะ"
                1    "คิดว่าเก่งกคณิตศาสตร์
                    เพราะนี่องชอบเขียนเลข"
                1    "งานประดิษฐ์"
                1    "ชอบการอ่าน"
                1    "ดนตรี"
                2    "นาฏศิลป์"
                1    "ปั้นดินน้ำมัน"
                2    "ฟุตบอล"
    
```



```

39 "ภาษาอังกฤษ"
188 "ภาษาไทย"

602 "ยังไม่ทราบว่าเด็กเก่งหรืออ่อนกว่าคนอื่นมาก
      "จุด"
60 "ระบายนี่"
  2 "ร้องเพลง"
    2 "ร้องเพลง; เต้น"
    4 "วาดภาพระบายสี"
129 "วาดรูป"
    4 "วาดรูป, ระบายนี่"
    5 "วาดรูป; ระบายนี่"
    14 "วาดรูประบายสี"
    1 "วิชาคณิตศาสตร์"
    10 "วิชาศิลปะ"
    4 "วิทยาศาสตร์"
    1 "ว่ายน้ำ"
89 "ศิลปะ"
  1 "สังคมศึกษา"
  1 "เขียนตัวเลข"
  6 "เขียนตามเส้นปะ"
4 "เต้น"
  1 "เต้น; ภาษาอังกฤษ"
  1 "เต้น; ร้องเพลง"
1 "ไม่มี"
32 "ไม่รู้"
  1 "ไม่เก่งทุกวิชา"

```

1 "ไม่แน่ใจ" 1 "ไม่แน่ใจ" 1 "ไม่แน่ใจ"

warning: variable has embedded blanks

cel7 Since the last interview, has this child received any special lessons or extra a

```

type: numeric (byte)
label: cel7

range: [1,3]
unique values: 2

units: 1
missing.: 0/1,434

tabulation: Freq. Numeric Label
             161      1 Yes
             1,273    3 No

```

cel7a Classified into subjects or not?

```

type: numeric (byte)
label: cel7a

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing.: 1,273/1,434
missing *: 3/1,434

tabulation: Freq. Numeric Label
             15      1 Yes
             143     3 No
             1,273   .
             3       .c

```

cel4 Interviewer note (not display)

```

type: string (str609), but longest is str0
unique values: 0
missing "": 1,434/1,434

```

tabulation: Freq. Value
 1,434 ""

ce16a_1 **School name 1 (unavailable)**

type: string (**str147**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

tce16a_1 **School/CDC. 1**

type: string (**str10**), but longest is str6
 unique values: 2 missing "": 5/1,434
 tabulation: Freq. Value
 5 ""
 336 "CEC"
 1,093 "school"

ce16ba_1 **Start month 1 (unavailable)**

type: numeric (**byte**)
 label: **ce16ba_1**
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Numeric Label
 1,434 .

ce16bb_1 **Start year 1 (unavailable)**

type: numeric (**int**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Value
 1,434 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

ce16ca_1 **End month 1 (unavailable)**

type: numeric (**byte**)
 label: **ce16ca_1**
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Numeric Label
 1,434 .

cel6cb_1 **End year 1 (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 1,434/1,434

tabulation: Freq. Value
             1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cel6d_1 **How many hours per day does the child study? 1**

```

type: numeric (byte)
range: [3,9]
unique values: 7
unique missing codes: 3
units: 1
missing .: 5/1,434
missing *: 77/1,434

tabulation: Freq. Value
             1 3
             10 4
             91 5
             459 6
             684 7
             106 8
             1 9
             5 .
             1 .b
             76 .c
mean: 6.58062
std. dev: .770098

percentiles: 10% 25% 50% 75% 90%
              6 6 7 7 7
    
```

cel6e_1 **How many days per week does the child study? 1**

```

type: numeric (byte)
range: [3,5]
unique values: 2
unique missing codes: 2
units: 1
missing .: 5/1,434
missing *: 1/1,434

tabulation: Freq. Value
             1 3
             1,427 5
             5 .
             1 .c
mean: 4.9986
std. dev: .052926

percentiles: 10% 25% 50% 75% 90%
              5 5 5 5 5
    
```

cel6f_1 **Has this child ever borrowed books, story books (not textbooks) from child devel**

```

type: numeric (byte)
label: ce16f_1

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 5/1,434
missing *: 7/1,434
    
```

```

tabulation: Freq.  Numeric  Label
             410      1      Yes
             1,012    3      No
              5          .
              5         .c
              2         .d
    
```

ce16g_1 **Borrowed books : Number of times 1**

```

type: numeric (byte)

range: [1,5]
unique values: 5
unique missing codes: 3

units: 1
missing .: 1,022/1,434
missing *: 15/1,434
    
```

```

tabulation: Freq.  Value
             249    1
              69    2
              64    3
              14    4
               1    5
            1,022  .
              13  .c
               2  .d
    
```

```

mean: 1.61209
std. dev: .896489
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         2         3
    
```

ce16h_1 **Frequency 1 (not display)**

```

type: string (str30), but longest is str0

unique values: 0
missing "": 1,434/1,434
    
```

```

tabulation: Freq.  Value
            1,434  ""
    
```

ce16ha_1 **Borrowed books code : frequency 1**

```

type: numeric (byte)
label: ce16ha_3

range: [1,9]
unique values: 5
unique missing codes: 3

units: 1
missing .: 1,022/1,434
missing *: 10/1,434
    
```

```

tabulation: Freq.  Numeric  Label
             5         1      daily
            334         3      weekly
             17         5      monthly
               5         7      semiyearly
             41         9      yearly
            1,022        .
               8         .c
               2         .d
    
```

cel6i_1
Has the school sent you the child's development monitoring record (apart from th

```

type: numeric (byte)
label: cel6i_1

range: [1,3]                units: 1
unique values: 2            missing .: 5/1,434
unique missing codes: 3    missing *: 31/1,434

tabulation:  Freq.  Numeric  Label
              470     1       Yes
              928     3       No
              5       .
              30     .c
              1       .d
    
```

cel6j_1
the school sent you the child's development monitoring record : Number of times

```

type: numeric (byte)

range: [1,3]                units: 1
unique values: 3            missing .: 963/1,434
unique missing codes: 3    missing *: 9/1,434

tabulation:  Freq.  Value
              264   1
              196   2
               2    3
              963   .
               7   .c
               2   .d
mean:        1.4329
std. dev:    .504685

percentiles:  10%    25%    50%    75%    90%
              1      1      1      2      2
    
```

cel6k_1 **Frequency 1 (not display)**

```

type: string (str21), but longest is str0

unique values: 0                missing "": 1,434/1,434

tabulation:  Freq.  Value
              1,434  ""
    
```

cel6ka_1
The school sent you the child's development monitoring record code : Frequency 1

```

type: numeric (byte)
label: cel6ha_3

range: [3,9]                units: 1
unique values: 3            missing .: 963/1,434
unique missing codes: 3    missing *: 7/1,434
    
```



```

tabulation:  Freq.  Value
              1,266  1
              5      3
              154   5
              4    99
              5      .
mean:        1.71239
std. dev:    5.30411

percentiles: 10%      25%      50%      75%      90%
              1        1        1        1        5
    
```

cel6p_1 **Province 1 (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation:  Freq.  Value
              1,434  ""
    
```

cel6q_1 **Amphoe 1 (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation:  Freq.  Value
              1,434  ""
    
```

cel6r_1 **Tambon 1 (unavailable)**

```

type: string (str48), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation:  Freq.  Value
              1,434  ""
    
```

cel6s_1 **How many class teachers are there in the classroom 1**

```

type: numeric (byte)
range: [1,6] units: 1
unique values: 6 missing .: 5/1,434
unique missing codes: 2 missing *: 125/1,434

tabulation:  Freq.  Value
              888  1
              336  2
              60  3
              13  4
              6   5
              1   6
              5   .
              125 .c
mean:        1.40184
std. dev:    .680524

percentiles: 10%      25%      50%      75%      90%
              1        1        1        2        2
    
```

celb1_1 **The 1st teacher's name 1 (unavailable)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation: Freq. Value
             1,434 ""
    
```

celc1_1 **The 1st teacher's code 1 (unavailable)**

```

type: numeric (double)
range: [.,.] units: .
unique values: 0 missing .: 1,434/1,434
tabulation: Freq. Value
             1,434 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

celb2_1 **The 2nd teacher's name 1 (unavailable)**

```

type: string (str78), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation: Freq. Value
             1,434 ""
    
```

celc2_1 **The 2nd teacher's code 1 (unavailable)**

```

type: numeric (double)
range: [.,.] units: .
unique values: 0 missing .: 1,434/1,434
tabulation: Freq. Value
             1,434 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

celb3_1 **The 3rd teacher's name 1 (unavailable)**

```

type: string (str57), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation: Freq. Value
             1,434 ""
    
```

celc3_1 **The 3rd teacher's code 1 (unavailable)**

```

type: numeric (double)
range: [.,.] units: .
unique values: 0 missing .: 1,434/1,434
tabulation: Freq. Value
             1,434 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ce16t_1

How many students are there in the classroom? 1

```

type: numeric (byte)
range: [3,92] units: 1
unique values: 47 missing .: 5/1,434
unique missing codes: 3 missing *: 753/1,434
tabulation: Freq. Value
             1 3
             6 4
             8 5
             9 6
            17 7
            11 8
            15 9
            21 10
            17 11
            29 12
            14 13
            24 14
            39 15
            28 16
            23 17
            26 18
            18 19
            50 20
            15 21
            18 22
            22 23
            26 24
            42 25
             7 26
             7 27
             9 28
             6 29
            48 30
             6 31
            18 32
            13 33
            10 34
            18 35
             5 36
             6 37
             7 38
             2 39
            20 40
             1 41
             4 42
             1 43
             1 44
             3 45
             1 47
             1 49
             2 50
             1 92
             5 .
    
```

746 .c
 7 .d
 mean: 21.4704
 std. dev: 9.92434

percentiles: 10% 25% 50% 75% 90%
 10 14 20 29 35

cel6ua_1

Academic results (ask from elementary school level onwards and specify only in o

type: numeric (double)

range: [3,4] units: .01
 unique values: 16 missing .: 1,076/1,434
 unique missing codes: 3 missing *: 305/1,434

tabulation: Freq. Value
 8 3
 1 3.18
 1 3.2
 1 3.3
 1 3.38
 2 3.4
 5 3.5
 1 3.57
 1 3.6
 2 3.7
 2 3.8
 1 3.81
 1 3.9
 1 3.95
 1 3.98
 24 4
 1,076 .
 300 .c
 5 .d
 mean: 3.68245
 std. dev: .378925

percentiles: 10% 25% 50% 75% 90%
 3 3.4 3.9 4 4

cel6ub_1

Academic results (ask from elementary school level onwards and specify only in o

type: numeric (double)

range: [.,.] units: .
 unique values: 0 missing .: 1,129/1,434
 unique missing codes: 3 missing *: 305/1,434

tabulation: Freq. Value
 1,129 .
 300 .c
 5 .d
 mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

cel6a_2

School name 2 (unavailable)

type: string (str147), but longest is str0

unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

tcel6a_2 **School/CDC. 2**

type: string (**str10**), but longest is str6
 unique values: 3 missing "": 15/1,434
 unique missing codes: 2 missing *: 1/1,434
 tabulation: Freq. Value
 15 ""
 105 "CEC"
 1 "DK"
 1,313 "school"

cel6ba_2 **Start month 2 (unavailable)**

type: numeric (**byte**)
 label: **cel6ba_2**
 range: [.,.] units: .
 unique values: 0 missing ..: 1,434/1,434
 tabulation: Freq. Numeric Label
 1,434 .

cel6bb_2 **Start year 2 (unavailable)**

type: numeric (**int**)
 range: [.,.] units: .
 unique values: 0 missing ..: 1,434/1,434
 tabulation: Freq. Value
 1,434 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cel6ca_2 **End month 2 (unavailable)**

type: numeric (**byte**)
 label: **cel6ca_2**
 range: [.,.] units: .
 unique values: 0 missing ..: 1,434/1,434
 tabulation: Freq. Numeric Label
 1,434 .

cel6cb_2 **End year 2 (unavailable)**

type: numeric (**int**)
 range: [.,.] units: .
 unique values: 0 missing ..: 1,434/1,434

```

tabulation: Freq. Value
             1,434 .
             mean: .
             std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

cel6d_2 **How many hours per day does the child study? 2**

```

type: numeric (byte)

range: [3,9]
unique values: 7
unique missing codes: 3

units: 1
missing .: 15/1,434
missing *: 82/1,434

tabulation: Freq. Value
             1 3
             5 4
             52 5
             321 6
             774 7
             181 8
             3 9
             15 .
             81 .c
             1 .d
             mean: 6.80778
             std. dev: .741014

percentiles:      10%      25%      50%      75%      90%
                  6        6        7        7        8
    
```

cel6e_2 **How many days per week does the child study? 2**

```

type: numeric (byte)

range: [3,5]
unique values: 2
unique missing codes: 3

units: 1
missing .: 15/1,434
missing *: 3/1,434

tabulation: Freq. Value
             2 3
             1,414 5
             15 .
             2 .c
             1 .d
             mean: 4.99718
             std. dev: .075138

percentiles:      10%      25%      50%      75%      90%
                  5        5        5        5        5
    
```

cel6f_2 **Has this child ever borrowed books, story books (not textbooks) from child devel**

```

type: numeric (byte)
label: cel6f_2

range: [1,3]
unique values: 2
unique missing codes: 3

units: 1
missing .: 15/1,434
missing *: 13/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              131      1  Yes
              1,275    3  No
              15      .
              9       .c
              4       .d
    
```

cel6g_2 **Borrowed books : Number of times 2**

```

type: numeric (byte)
range: [1,7]
unique values: 6
unique missing codes: 3
units: 1
missing .: 1,299/1,434
missing *: 7/1,434
    
```

```

tabulation:  Freq.  Value
              26      1
              28      2
              15      3
              5       4
              51      5
              3       7
            1,299    .
              3      .c
              4      .d
mean: 3.30469
std. dev: 1.7232
    
```

```

percentiles:  10%    25%    50%    75%    90%
               1      2      3      5      5
    
```

cel6h_2 **Frequency 2 (not display)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,434/1,434
    
```

```

tabulation:  Freq.  Value
            1,434  ""
    
```

cel6ha_2 **Borrowed books code : frequency 2**

```

type: numeric (byte)
label: cel6ha_3
range: [3,9]
unique values: 4
unique missing codes: 3
units: 1
missing .: 1,299/1,434
missing *: 5/1,434
    
```

```

tabulation:  Freq.  Numeric  Label
              106      3  weekly
              6       5  monthly
              2       7  semiyearly
              16      9  yearly
            1,299    .
              1      .c
              4      .d
    
```

cel6i_2 **Has the school sent you the child's development monitoring record (apart from th**

```

type: numeric (byte)
label: cel6i_2
    
```

```

range: [1,3] units: 1
unique values: 2 missing .: 15/1,434
unique missing codes: 3 missing *: 17/1,434

tabulation: Freq. Numeric Label
              35          1 Yes
            1,367        3 No
              15          .
              14          .c
               3          .d
    
```

cel6j_2
the school sent you the child's development monitoring record : Number of times

```

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 1,396/1,434
unique missing codes: 2 missing *: 3/1,434

tabulation: Freq. Value
              35  1
            1,396 .
               3  .d
mean:         1
std. dev:     0

percentiles: 10%    25%    50%    75%    90%
              1     1     1     1     1
    
```

cel6k_2 **Frequency 2 (not display)**

```

type: string (str21), but longest is str0
unique values: 0 missing "": 1,434/1,434

tabulation: Freq. Value
            1,434 ""
    
```

cel6ka_2
The school sent you the child's development monitoring record code : Frequency 2

```

type: numeric (byte)
label: cel6ha_3

range: [5,9] units: 1
unique values: 2 missing .: 1,396/1,434
unique missing codes: 2 missing *: 3/1,434

tabulation: Freq. Numeric Label
              1          5 monthly
              34          9 yearly
            1,396          .
               3          .d
    
```

cel6l_2 **Reason for leave 2 (not display)**

```

type: string (str204), but longest is str0
unique values: 0 missing "": 1,434/1,434

tabulation: Freq. Value
            1,434 ""
    
```

cel6m_2 **Since May 2018, which grade level was the child in? 2**

```

type: string (str22)
unique values: 11          missing "": 15/1,434
tabulation:  Freq.  Value
              15    ""
              67    "Child Education Center"
              1    "Kindergaerten3"
              64    "Kindergarten1"
              229   "Kindergarten2"
              288   "Kindergarten3"
              1    "Pre-Kindergarten"
              1    "Primary 1"
              1    "Primary 3"
              412   "Primary1"
              284   "Primary2"
              71    "Primary3"
warning: variable has embedded blanks
    
```

cel6n_2 **CDC/School Code 2 (unavailable)**

```

type: numeric (double)
range: [.,.]          units: .
unique values: 0      missing .: 1,434/1,434
tabulation:  Freq.  Value
              1,434  .
mean: .
std. dev: .
percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cel6o_2 **The type of school/CDC. 2**

```

type: numeric (byte)
label: cel6o_3, but label does not exist
range: [1,99]        units: 1
unique values: 4     missing .: 15/1,434
unique missing codes: 2  missing *: 5/1,434
tabulation:  Freq.  Value
              1,258  1
              6      3
              145   5
              5     99
              15    .
              5     .c
mean: 1.76521
std. dev: 5.92093
percentiles: 10%    25%    50%    75%    90%
              1      1      1      1      5
    
```

cel6p_2 **Province 2 (unavailable)**

```

type: string (str30), but longest is str0
    
```

unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

cel6q_2 **Amphoe 2 (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

cel6r_2 **Tambon 2 (unavailable)**

type: string (**str48**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

cel6s_2 **How many class teachers are there in the classroom 2**

type: numeric (**byte**)
 range: [1,5] units: 1
 unique values: 5 missing .: 15/1,434
 unique missing codes: 2 missing *: 134/1,434

tabulation:	Freq.	Value			
	1,027	1			
	225	2			
	27	3			
	3	4			
	3	5			
	15	.			
	134	.c			
mean:	1.23346				
std. dev:	.51304				

percentiles:	10%	25%	50%	75%	90%
	1	1	1	1	2

celb1_2 **The 1st teacher's name 2 (unavailable)**

type: string (**str84**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

celc1_2 **The 1st teacher's code 2 (unavailable)**

type: numeric (**double**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434


```

tabulation: Freq. Value
             1,434 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

celb2_2 **The 2nd teacher's name 2 (unavailable)**

```

      type: string (str78), but longest is str0
unique values: 0 missing "": 1,434/1,434

      tabulation: Freq. Value
                  1,434 ""
    
```

celc2_2 **The 2nd teacher's code 2 (unavailable)**

```

      type: numeric (double)
      range: [.,.] units: .
unique values: 0 missing .: 1,434/1,434

      tabulation: Freq. Value
                  1,434 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

celb3_2 **The 3rd teacher's name 2 (unavailable)**

```

      type: string (str57), but longest is str0
unique values: 0 missing "": 1,434/1,434

      tabulation: Freq. Value
                  1,434 ""
    
```

celc3_2 **The 3rd teacher's code 2 (unavailable)**

```

      type: numeric(double)
      range: [.,.] units: .
unique values: 0 missing .: 1,434/1,434

      tabulation: Freq. Value
                  1,434 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

cel6t_2 **How many students are there in the classroom? 2**

```

      type: numeric (byte)
    
```

```

range: [4,60]
unique values: 47
unique missing codes: 3
units: 1
missing .: 15/1,434
missing *: 695/1,434

```

```

tabulation: Freq. Value
9 4
11 5
16 6
16 7
20 8
16 9
21 10
31 11
30 12
16 13
31 14
31 15
27 16
25 17
29 18
17 19
47 20
26 21
12 22
26 23
22 24
28 25
11 26
14 27
9 28
10 29
41 30
7 31
12 32
12 33
18 34
14 35
6 36
6 37
5 38
4 39
21 40
4 41
7 42
3 43
1 44
4 45
1 47
1 49
4 50
1 55
1 60
15 .
686 .c
9 .d
mean: 21.105
std. dev: 10.2729

```

```

percentiles: 10% 25% 50% 75% 90%
9 13 20 29 35

```

cel6ua_2

Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 4
units: .
missing .: 665/1,434
missing *: 769/1,434

```

```

tabulation:  Freq.  Value
              665   .
              762  .b
               1   .c
               6   .d
    mean:      .
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cel6ub_2

Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (byte)

range: [.,.]
unique values: 0
unique missing codes: 4

units: .
missing .: 665/1,434
missing *: 769/1,434

tabulation:  Freq.  Value
              665   .
              762  .b
               1   .c
               6   .d
    mean:      .
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cel6a_3

School name 3 (unavailable)

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation:  Freq.  Value
              1,434 ""
    
```

tcel6a_3

School/CDC. 3

```

type: string (str10), but longest is str6
unique values: 1
missing "": 1,427/1,434

tabulation:  Freq.  Value
              1,427 ""
               7  "school"
    
```

cel6ba_3

Start month 3 (unavailable)

```

type: numeric (byte)
label: cel6ba_3

range: [.,.]
unique values: 0

units: .
missing .: 1,434/1,434

tabulation:  Freq.  Numeric  Label
              1,434   .
    
```

ce16bb_3 **Start year 3 (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

ce16ca_3 **End month 3 (unavailable)**

```

type: numeric (byte)
label: ce16ca_3
range: [.,.]
unique values: 0
units: .
missing .: 1,434/1,434

tabulation: Freq. Numeric Label
1,434 .
    
```

ce16cb_3 **End year 3 (unavailable)**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

ce16d_3 **How many hours per day does the child study? 3**

```

type: string (str2)
unique values: 4
missing "": 1,427/1,434

tabulation: Freq. Value
1,427 ""
1 "-8"
1 "6"
3 "7"
2 "8"
    
```

ce16e_3 **How many days per week does the child study? 3**

```

type: numeric (byte)
range: [5,5]
unique values: 1
units: 1
missing .: 1,427/1,434
    
```

```

tabulation:  Freq.  Value
              7      5
             1,427  .
    mean:      5
    std. dev:   0

percentiles:  10%      25%      50%      75%      90%
              5        5        5        5        5
    
```

cel6f_3 **Has this child ever borrowed books, story books (not textbooks) from child devel**

```

    type: numeric (byte)
    label: cel6f_3

    range: [3,3]
    unique values: 1
                    units: 1
                    missing .: 1,427/1,434

    tabulation:  Freq.  Numeric  Label
                  7      3      No
                 1,427  .
    
```

cel6g_3 **Borrowed books : Number of times 3**

```

    type: numeric (byte)

    range: [.,.]
    unique values: 0
                    units: .
                    missing .: 1,434/1,434

    tabulation:  Freq.  Value
                  1,434  .
    mean:      .
    std. dev:   .

    percentiles:  10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

cel6h_3 **Frequency 3 (not display)**

```

    type: string (str30), but longest is str0
    unique values: 0
                    missing "": 1,434/1,434

    tabulation:  Freq.  Value
                  1,434  ""
    
```

cel6ha_3 **Borrowed books code : frequency 3**

```

    type: numeric (byte)
    label: cel6ha_3

    range: [.,.]
    unique values: 0
                    units: .
                    missing .: 1,434/1,434

    tabulation:  Freq.  Numeric  Label
                  1,434  .
    
```

cel6i_3 **Has the school sent you the child's development monitoring record (apart from th**

```

type: numeric (byte)
label: cel16f_3

range: [3,3]
unique values: 1
units: 1
missing ..: 1,427/1,434

tabulation: Freq. Numeric Label
              7      3 No
            1,427      .
    
```

cel16j_3
the school sent you the child's development monitoring record : Number of times

```

type: numeric (byte)

range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq. Value
            1,434 .
mean:      .
std. dev:  .

percentiles: 10% 25% 50% 75% 90%
              .  .  .  .  .
    
```

cel16k_3 **Frequency 3 (not display)**

```

type: string (str21), but longest is str0

unique values: 0
missing "": 1,434/1,434

tabulation: Freq. Value
            1,434 ""
    
```

cel16ka_3
The school sent you the child's development monitoring record code : Frequency 3

```

type: numeric (byte)
label: cel16ha_3

range: [.,.]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq. Numeric Label
            1,434      .
    
```

cel16l_3 **Reason for leave 3 (not display)**

```

type: string (str204), but longest is str0

unique values: 0
missing "": 1,434/1,434

tabulation: Freq. Value
            1,434 ""
    
```

cel16m_3 **Since May 2018, which grade level was the child in? 3**

```

type: string (str13)

unique values: 5
missing "": 1,427/1,434
    
```

```

tabulation: Freq. Value
             1,427 ""
             1  "Kindergarten1"
             1  "Kindergarten2"
             1  "Kindergarten3"
             3  "Primary1"
             1  "Primary2"
    
```

ce16n_3 **CDC/School Code 3 (unavailable)**

```

type: numeric (long)
range: [.,.]
unique values: 0
units: .
missing .: 1,434/1,434

tabulation: Freq. Value
             1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ce16o_3 **The type of school/CDC. 3**

```

type: numeric (byte)
label: ce16o_3, but label does not exist
range: [1,1]
unique values: 1
units: 1
missing .: 1,427/1,434

tabulation: Freq. Value
             7 1
             1,427 .
mean: 1
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              1 1 1 1 1
    
```

ce16p_3 **Province 3 (unavailable)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq. Value
             1,434 ""
    
```

ce16q_3 **Amphoe 3 (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq. Value
             1,434 ""
    
```

ce16r_3 **Tambon 3 (unavailable)**

```

type: string (str48), but longest is str0
    
```

unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

cel6s_3 **How many class teachers are there in the classroom 3**

type: string (**str2**), but longest is str1
 unique values: 2 missing "": 1,427/1,434
 tabulation: Freq. Value
 1,427 ""
 5 "1"
 2 "2"

celb1_3 **The 1st teacher's name 3 (unavailable)**

type: string (**str84**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

celc1_3 **The 1st teacher's code 3 (unavailable)**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Value
 1,434 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

celb2_3 **The 2nd teacher's name 3 (unavailable)**

type: string (**str78**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

celc2_3 **The 2nd teacher's code 3 (unavailable)**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Value
 1,434 .
 mean: .
 std. dev: .

unique values: 1
 unique missing codes: 2
 missing "": 1,430/1,434
 missing *: 4/1,434

tabulation: Freq. Value
 1,430 ""
 4 "NA"

cel7b_1 Where does this child take special education or supplementary 1 (unavailable)

type: string (str105), but longest is str0
 unique values: 0
 missing "": 1,434/1,434

tabulation: Freq. Value
 1,434 ""

cel7ba_1 Type of place to study_1

type: numeric (byte)
 label: cel7ba_1
 range: [1,99]
 unique values: 6
 unique missing codes: 2
 units: 1
 missing .: 1,273/1,434
 missing *: 1/1,434

tabulation: Freq. Numeric Label
 33 1 Study at school: organized by
 the school
 38 3 Study at school
 71 5 Study at the teacher's home
 2 7 Study at the child's house
 5 9 Study at the institute
 11 99 Other
 1,273 .
 1 .c

cel7c_1 What subjects? (Record all answers) 1

type: string (str27)
 unique values: 12
 unique missing codes: 2
 missing "": 1,273/1,434
 missing *: 7/1,434

tabulation: Freq. Value
 1,273 ""
 111 "Assorted subjects"
 7 "DK"
 9 "English"
 2 "Mathematics"
 3 "Mathematics;English"
 1 "Mathematics;Science"
 1 "Mathematics;Science;English"
 4 "Mathematics;Science;Thai"
 8 "Mathematics;Thai"
 11 "Mathematics;Thai;English"
 2 "Music"
 2 "Thai"

warning: variable has embedded blanks

cel7ca_1 Others (specify) 1

type: string (str69), but longest is str0

unique values: 0 missing "": 1,434/1,434

tabulation: Freq. Value
1,434 ""

cel7d_1

Number of days of study per year 1

type: numeric (int)

range: [1,365] units: 1
unique values: 60 missing .: 1,273/1,434
unique missing codes: 2 missing *: 5/1,434

tabulation: Freq. Value

1	1
2	2
5	4
6	6
2	7
4	8
4	9
2	10
2	11
3	13
1	14
1	15
3	16
9	17
1	19
3	20
11	22
1	24
5	26
1	27
1	29
10	30
1	32
1	40
3	43
1	44
1	45
1	47
1	48
6	52
1	55
2	56
2	60
5	65
1	66
1	67
1	68
1	80
4	86
1	89
1	90
1	103
6	104
5	108
1	120
5	129
1	151
1	156
1	168
3	172
4	194
2	198
3	215
1	220
1	237
1	255

```

                2 258
                3 260
                1 305
                1 365
            1,273 .
                5 .c
    mean:      69.9744
    std. dev:  75.9541

    percentiles:    10%    25%    50%    75%    90%
                   7      17     31    104    194
    
```

cel7e_1 **Expense per year? 1**

```

    type: numeric (long)
    range: [0,36000]
    unique values: 53
    unique missing codes: 2
    units: 1
    missing .: 1,273/1,434
    missing *: 8/1,434
    
```

```

    tabulation:  Freq.  Value
                 10    0
                 2    200
                 2    250
                 1    300
                 1    350
                 1    360
                 1    480
                17    500
                 1    516
                 1    600
                 1    680
                 2    700
                 1    750
                 4    800
                 8   1000
                 1   1020
                 1   1075
                 1   1100
                 1   1118
                 2   1200
                 1   1290
                 1   1300
                11   1500
                 7   1700
                 2   1800
                 1   1935
                 2   1950
                 9   2000
                 1   2150
                 4   2400
                 4   2500
                 1   2600
                 1   2800
                 7   3000
                 1   3225
                 4   3600
                 7   4000
                 1   4500
                 1   4800
                 4   5000
                 1   5400
                 1   5500
                11   6000
                 1   6500
                 1   8000
                 1   9600
                 1  11600
                 2  12000
                 1  14000
    
```

```

          1 17500
          1 24000
          1 26000
          1 36000
    1,273 .
          8 .c
    mean: 3061.1
    std. dev: 4637.29

    percentiles:    10%    25%    50%    75%    90%
                   350    700    1700   3600   6000
    
```

cel7b_2 Where does this child take special education or supplementary 2 (unavailable)

```

    type: string (str105), but longest is str0
    unique values: 0 missing "": 1,434/1,434
    tabulation: Freq. Value
                1,434 ""
    
```

cel7ba_2 Type of place to study_2

```

    type: numeric (byte)
    label: cel7ba_1
    range: [1,9] units: 1
    unique values: 4 missing .: 1,428/1,434
    tabulation: Freq. Numeric Label
                1 1 Study at school: organized by
                1 3 Study at school
                2 5 Study at the teacher's home
                2 9 Study at the institute
    1,428 .
    
```

cel7c_2 What subjects? (Record all answers) 2

```

    type: string (str17)
    unique values: 4 missing "": 1,428/1,434
    tabulation: Freq. Value
                1,428 ""
                2 "Assorted subjects"
                1 "Mathematics"
                1 "Music"
                2 "Sports"
    warning: variable has embedded blanks
    
```

cel7ca_2 Others (specify) 2

```

    type: string (str69), but longest is str0
    unique values: 0 missing "": 1,434/1,434
    tabulation: Freq. Value
                1,434 ""
    
```

cel7d_2 **Number of days of study per year_2**

```

type: numeric (int)
range: [11,361]
unique values: 6
units: 1
missing .: 1,428/1,434

tabulation: Freq. Value
              1 11
              1 22
              1 104
              1 112
              1 129
              1 361
            1,428 .
mean: 123.167
std. dev: 126.417

percentiles:      10%      25%      50%      75%      90%
                  11       22      108      129      361
    
```

cel7e_2 **Expense per year?_2**

```

type: numeric (int)
range: [500,16800]
unique values: 6
units: 10
missing .: 1,428/1,434

tabulation: Freq. Value
              1 500
              1 2400
              1 5200
              1 6000
              1 6250
              1 16800
            1,428 .
mean: 6191.67
std. dev: 5662.72

percentiles:      10%      25%      50%      75%      90%
                  500      2400      5600      6250      16800
    
```

cel7b_3 **Where does this child take extra tutorial or extra activities class_3**

```

type: string (str105), but longest is str26
unique values: 1
missing "": 1,433/1,434

tabulation: Freq. Value
            1,433 ""
              1 "YAMAHA (ヤマハ)"
    
```

cel7ba_3 **Type of place to study_3**

```

type: numeric (byte)
label: cel7ba_1
range: [9,9]
unique values: 1
units: 1
missing .: 1,433/1,434

tabulation: Freq. Numeric Label
              1          9 Study at the institute
            1,433          .
    
```

ce17c_3 **What subjects does this child study?_3**

```

type: string (str15), but longest is str5
unique values: 1 missing "": 1,433/1,434
tabulation: Freq. Value
             1,433 ""
             1 "Music"
    
```

ce17ca_3 **Other (specify)_3**

```

type: string (str69), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation: Freq. Value
             1,434 ""
    
```

ce17d_3 **Study : day/year_3**

```

type: numeric (byte)
range: [51,51] units: 1
unique values: 1 missing .: 1,433/1,434
tabulation: Freq. Value
             1 51
             1,433 .
mean: 51
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              51 51 51 51 51
    
```

ce17e_3 **Cost : bath/year_3**

```

type: numeric (int)
range: [14000,14000] units: 1000
unique values: 1 missing .: 1,433/1,434
tabulation: Freq. Value
             1 14000
             1,433 .
mean: 14000
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              14000 14000 14000 14000 14000
    
```

ce17b_4 **Where does this child take extra tutorial or extra activities class_4**

```

type: string (str105), but longest is str54
unique values: 1 missing "": 1,433/1,434
tabulation: Freq. Value
             1,433 ""
             1 "ทําอะไรไม่กํากัด"
    
```

ce17ba_4 **Type of place to study_4**

```

type: numeric (byte)
label: ce17ba_1

range: [9,9]
unique values: 1
units: 1
missing ..: 1,433/1,434

tabulation: Freq. Numeric Label
              1      9 Study at the institute
            1,433      .
    
```

ce17c_4 **What subjects does this child study?_4**

```

type: string (str15), but longest is str7
unique values: 1
missing "": 1,433/1,434

tabulation: Freq. Value
              1,433 ""
              1 "English"
    
```

ce17ca_4 **Other (specify)_4**

```

type: string (str69), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq. Value
              1,434 ""
    
```

ce17d_4 **Study : day/year_4**

```

type: numeric (byte)
range: [51,51]
unique values: 1
units: 1
missing ..: 1,433/1,434

tabulation: Freq. Value
              1 51
            1,433 .
mean: 51
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              51 51 51 51 51
    
```

ce17e_4 **Cost : bath/year_4**

```

type: numeric (int)
range: [6000,6000]
unique values: 1
units: 1000
missing ..: 1,433/1,434

tabulation: Freq. Value
              1 6000
            1,433 .
mean: 6000
std. dev: .
    
```


percentiles: 10% 25% 50% 75% 90%
 6000 6000 6000 6000 6000

year_survey **year survey**

type: numeric (**float**)
 range: [2019,2019] units: 1
 unique values: 1 missing .: 0/1,434
 tabulation: Freq. Value
 1,434 2019
 mean: 2019
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 2019 2019 2019 2019 2019

ce2e **Children ever borrowed books**

type: numeric (**float**)
 label: **ce2e**
 range: [1,3] units: 1
 unique values: 2 missing .: 5/1,434
 unique missing codes: 3 missing *: 13/1,434
 tabulation: Freq. Numeric Label
 133 1 yes
 1,283 3 no
 5 .
 9 .c
 4 .d

ce2f **Number of borrowing books to take home**

type: numeric (**float**)
 range: [1,7] units: 1
 unique values: 6 missing .: 1,297/1,434
 unique missing codes: 3 missing *: 7/1,434
 tabulation: Freq. Value
 28 1
 28 2
 15 3
 5 4
 51 5
 3 7
 3,297 .
 3 .c
 4 .d
 mean: 3.26923
 std. dev: 1.73334
 percentiles: 10% 25% 50% 75% 90%
 1 2 3 5 5

ce2g **Frequency of borrowing books to take home**

type: string (**str10**)

unique values: 6 missing "": 1,297/1,434
 unique missing codes: 3 missing *: 5/1,434

tabulation: Freq. Value
 1,297 ""
 1 "DK"
 4 "MI"
 6 "monthly"
 2 "semiyearly"
 108 "weekly"
 16 "yearly"

ce2h **Frequency code of borrowed books**

type: numeric (float)
 label: ce2h
 range: [3,9] units: 1
 unique values: 4 missing .: 1,297/1,434
 unique missing codes: 3 missing *: 5/1,434

tabulation: Freq. Numeric Label
 108 3 weekly
 6 5 monthly
 2 7 semiyearly
 16 9 yearly
 1,297 .
 1 .c
 4 .d

ce8 **School sent a child development record**

type: numeric (float)
 label: ce8
 range: [1,3] units: 1
 unique values: 2 missing .: 5/1,434
 unique missing codes: 3 missing *: 17/1,434

tabulation: Freq. Numeric Label
 36 1 yes
 1,376 3 no
 5 .
 14 .c
 3 .d

ce8a **Number of school sent a child development record**

type: numeric (float)
 range: [1,1] units: 1
 unique values: 1 missing .: 1,395/1,434
 unique missing codes: 2 missing *: 3/1,434

tabulation: Freq. Value
 36 1
 1,395 .
 3 .d
 mean: 1
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 1

ce8b **Frequency of a child-development record has ever sent (not display)**

type: string (**str7**), but longest is str0
 unique values: **0** missing "": **1,434/1,434**
 tabulation: Freq. Value
 1,434 ""

ce8ba **Frequency code of school sent a child development record**

type: numeric (**float**)
 label: **ce8ba**
 range: **[5,9]** units: **1**
 unique values: **2** missing .: **1,395/1,434**
 unique missing codes: **2** missing *: **3/1,434**
 tabulation: Freq. Numeric Label
 1 **5** monthly
 35 **9** yearly
 1,395 .
 3 .d

ce8a_yearly **Number of school sent a child development record(yearly)**

type: numeric (**float**)
 range: **[1,9]** units: **1**
 unique values: **2** missing .: **1,395/1,434**
 unique missing codes: **2** missing *: **3/1,434**
 tabulation: Freq. Value
 35 **1**
 1 **9**
 1,395 .
 3 .d
 mean: **1.22222**
 std. dev: **1.33333**
 percentiles: 10% 25% 50% 75% 90%
 1 **1** **1** **1** **1**

ce2f_yearly **Number of borrowing books to take home(yearly)**

type: numeric (**float**)
 range: **[1,280]** units: **1**
 unique values: **12** missing .: **1,297/1,434**
 unique missing codes: **3** missing *: **7/1,434**
 tabulation: Freq. Value
 9 **1**
 5 **2**
 2 **3**
 1 **4**
 1 **9**
 4 **18**
 17 **40**
 19 **80**
 13 **120**
 5 **160**
 51 **200**
 3 **280**

```
          1,297 .  
           3 .c  
           4 .d  
    mean: 120.846  
  std. dev: 80.7977  
  
percentiles:    10%    25%    50%    75%    90%  
                2      40     120     200     200
```

survey_name **survey round**

type: string (**str12**)

unique values: 1 missing "": 0/1,434

tabulation: Freq. Value
1,434 "RESURVEY2019"

```
2 . log close  
   name: <unnamed>  
   log: Z:\\RIECE DATA\\RIECE_RELEASE V5-2019\\Resurvey2019\\codebook\\b5.scm1  
   log type: smcl  
   closed on: 22 Aug 2024, 09:27:08
```
