



```

name: <unnamed>
log: C:\Users\staff-riped2022\Dropbox\Codes and Data for Projects\\School Read
> iness 2023 (SRS6)/Data and Codes\Codebook\TSRS_2020\TSRS2020_child_development_form_
> from_teacher_public.scml
log type: smcl
opened on: 2 Aug 2024, 08:23:09

```

```
1 . codebookr _all,all
```

```

Dataset: */Data and Codes\Data\plublic data\TSRS_2020_2021_2022_2023_pu
> blic.dta
Last saved: 1 Aug 2024 14:58
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 147
Number of observations: 9,526
Size: 11,069,212 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

```

.a or RF: The subject explicitly refused to answer the question
when he or she should have.
.b or NA: The subject was never asked the question
for one reason or another. Usually this results
from "skip patterns" that occur.
.c or DK: The subject was unable to answer the question
either because he or she had no opinion or because
the required information was not available.
.d or MI: Items should be filled out but have no data entry found.
This is enumerator's own mistake. The circumstances
can be interviewers failing to ask a question
or forgetting to record a response

```

```

Numeric Missing*: .a String Missing*: RF
                  .b NA
                  .c DK
                  .d MI

```

```
stid Student identification code
```

```

type: string (str12), but longest is str10
unique values: 9,526 missing "": 0/9,526
examples: "3209073208"
           "4516073213"
           "5712053105"
           "9301063203"

```

```
prov_code State identification code
```

```

type: string (str2)
unique values: 19 missing "": 0/9,526

```

```

tabulation:  Freq.  Value
              523  "13"
              505  "16"
              512  "24"
              478  "32"
              476  "37"
              492  "40"
              490  "41"
              471  "45"
              495  "51"
              497  "52"
              477  "54"
              482  "57"
              553  "74"
              477  "90"
              519  "91"
              495  "93"
              503  "94"
              516  "95"
              565  "96"
    
```

genderda **Student sex**

```

      type:  numeric (byte)
      label:  genderda

      range:  [1,3]
      unique values:  2
                        units:  1
                        missing .:  0/9,526

      tabulation:  Freq.  Numeric  Label
                  4,842    1      Male
                  4,684    3      Female
    
```

scid **School code**

```

      type:  string (str10), but longest is str7

      unique values:  684
                        missing "":  0/9,526

      examples:  "3209007"
                  "4516007"
                  "5712005"
                  "9301006"
    
```

roomid **Room code**

```

      type:  string (str10), but longest is str8

      unique values:  764
                        missing "":  0/9,526

      examples:  "32090732"
                  "45160732"
                  "57120531"
                  "93010632"
    
```

weightte **Child's weight according to the teacher**

```

      type:  numeric (double)

      range:  [10,62.2]
      unique values:  346
                        units:  .1
                        missing .:  0/9,526
    
```

mean: 20.7184
 std. dev: 5.18928
 percentiles: 10% 25% 50% 75% 90%
 16 17.5 19.45 22.1 27.1

heightte **Child's height according to the teacher**

type: numeric (**double**)
 range: [92,165] units: .1
 unique values: 56 missing .: 0/9,526

tabulation:	Freq.	Value
	2	92
	1	93
	3	94
	4	95
	3	96
	4	97
	6	98
	12	99
	47	100
	27	101
	56	102
	74	103
	102	104
	179	105
	146	106
	206	107
	266	108
	376	109
	654	110
	476	111
	561	112
	593	113
	616	114
	858	115
	577	116
	540	117
	537	118
	490	119
	573	120
	284	121
	270	122
	215	123
	154	124
	198	125
	91	126
	62	127
	60	128
	61	129
	1	129.5
	49	130
	22	131
	21	132
	7	133
	9	134
	12	135
	1	136
	1	137
	5	138
	2	139
	2	142
	2	145
	4	146
	1	152
	1	155
	1	157
	1	165

mean: 115.082
 std. dev: 6.10466
 percentiles: 10% 25% 50% 75% 90%
 108 111 115 119 123

mcmcte06 **The month the teacher got to know the child**

type: numeric (**byte**)
 range: [1,11] units: 1
 unique values: 6 missing .: 24/9,526
 tabulation: Freq. Value
 105 1
 107 3
 26 5
 161 7
 8,926 9
 177 11
 24 .
 mean: 8.83646
 std. dev: 1.12786
 percentiles: 10% 25% 50% 75% 90%
 9 9 9 9 9

mcmcte30 **The year the teacher got to know the child**

type: numeric (**int**)
 range: [2556,2563] units: 1
 unique values: 7 missing .: 24/9,526
 tabulation: Freq. Value
 35 2556
 4 2557
 32 2559
 218 2560
 1,136 2561
 8,076 2562
 1 2563
 24 .
 mean: 2561.8
 std. dev: .587406
 percentiles: 10% 25% 50% 75% 90%
 2561 2562 2562 2562 2562

mcmcte31 **The month that the child started school**

type: numeric (**byte**)
 range: [1,11] units: 1
 unique values: 6 missing .: 24/9,526

```

tabulation:  Freq.  Value
              23    1
              14    3
              14    5
              55    7
            9,358  9
              38   11
              24    .
    mean:     8.96232
    std. dev: .51893

percentiles:      10%      25%      50%      75%      90%
                  9        9        9        9        9
    
```

mcmcte32 **The year that the child started school**

```

    type: numeric (int)
    range: [2556,2563]          units: 1
    unique values: 7           missing .: 24/9,526

    tabulation:  Freq.  Value
                  17  2556
                  1  2557
                  79  2559
                  743 2560
                  524 2561
            8,137 2562
                  1  2563
                  24  .
    mean:     2561.75
    std. dev: .66979

    percentiles:      10%      25%      50%      75%      90%
                    2561    2562    2562    2562    2562
    
```

mcmcte07 **What is the child's primary language at school?**

```

    type: numeric (byte)
    label: mcmcte07
    range: [1,3]          units: 1
    unique values: 2     missing .: 24/9,526

    tabulation:  Freq.  Numeric  Label
                  7,442      1  Standard Thai
                  2,060      3  Thai Isarn
                   24      .
    
```

mcmcte08 **If your answer in mcmcte07 was others, specify further**

```

    type: string (str175), but longest is str27
    unique values: 10           missing "": 7,475/9,526
    
```

```

tabulation:  Freq.  Value
              7,475  ""
              555   "ภาษาอีสาน"
              179   "ภาษาเหนือ"
              231   "ภาษาใต้"
              30    "ภูไท"
              492   "มลายู"
              20    "ม้ง"
              535   "ชาวี"
              1     "ลาว"
              5     "เขมร"
              3     "เมือง"
    
```

mcmcte09 **The community in which the child lives in.**

```

type: numeric (byte)
label: mcmcte09

range: [1,3]                units: 1
unique values: 2            missing .. 95/9,526

tabulation:  Freq.  Numeric  Label
              5,120   1      In the municipal area
              4,311   3      Outside the municipal area
              95      .
    
```

mcmcte10 **Compared to children around the same age, does the child get sick often?**

```

type: numeric (byte)
label: mcmcte10

range: [1,3]                units: 1
unique values: 2            missing .. 46/9,526

tabulation:  Freq.  Numeric  Label
              462    1      Yes
              9,018  3      No
              46     .
    
```

mcmcte11 **Compared to children around the same age, does the child often get fatigued and**

```

type: numeric (byte)
label: mcmcte11

range: [1,3]                units: 1
unique values: 2            missing .. 33/9,526

tabulation:  Freq.  Numeric  Label
              217    1      Yes
              9,276  3      No
              33     .
    
```

mcmcte33 **In the past semester, how many days was the child absent?**

```

type: numeric (double)

range: [0,104]              units: 1
unique values: 64           missing .. 1,678/9,526
    
```

```

tabulation:  Freq.  Value
              2,335  0
              934   1
              988   2
              772   3
              486   4
              502   5
              360   6
              275   7
              226   8
              172   9
              171  10
               99  11
               66  12
               51  13
               43  14
               57  15
               48  16
               31  17
               24  18
               16  19
               34  20
               17  21
               14  22
               15  23
               11  24
               10  25
               10  26
                3  27
                3  28
                3  29
                9  30
                2  32
                5  33
                2  36
                2  37
                2  38
                4  40
                2  41
                1  43
                1  44
                2  60
                1  62
                1  70
                1  77
                1  80
                1  81
                1  82
                3  83
                1  84
                1  85
                2  88
                2  89
                3  90
                2  91
                1  93
                1  94
                1  95
                2  96
                1  97
                1  98
                5  99
                2 100
                1 101
                5 104
              1,678  .
    mean:      4.12971
  std. dev:   7.99766

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        2        5       10

```

mcmcte34 **How many days was the school open last semester?**

type: numeric (**int**)
 range: [68,202] units: 1
 unique values: 37 missing .: 182/9,526

tabulation: Freq. Value

	12	68
	15	85
	15	87
	60	88
	14	89
	24	91
	75	92
	36	93
	57	94
	63	95
	155	96
	75	97
	523	98
	1,421	99
	4,440	100
	1,027	101
	441	102
	388	103
	96	104
	43	105
	22	106
	40	107
	15	110
	14	111
	8	112
	8	114
	12	116
	10	118
	6	134
	15	147
	15	152
	15	180
	15	190
	13	194
	92	200
	41	201
	23	202
	182	.

mean: 102.076
 std. dev: 14.7092

percentiles: 10% 25% 50% 75% 90%
 98 99 100 101 102

mcmcte17 **Number of lead teachers**

type: numeric (**byte**)
 range: [0,2] units: 1
 unique values: 3 missing .: 0/9,526

tabulation: Freq. Value

	53	0
	9,347	1
	126	2

mean: 1.00766
 std. dev: .136872

percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 1

mcmcte18 **Number of co-teachers**

type: numeric (**byte**)
 range: [0,2] units: 1
 unique values: 3 missing .: 0/9,526
 tabulation: Freq. Value
 8,481 0
 1,007 1
 38 2
 mean: .113689
 std. dev: .329778
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

mcmcte19 **Number of interns**

type: numeric (**byte**)
 range: [0,1] units: 1
 unique values: 2 missing .: 0/9,526
 tabulation: Freq. Value
 9,180 0
 346 1
 mean: .036322
 std. dev: .187099
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

mcmcte20 **Number of other teachers**

type: numeric (**byte**)
 range: [0,1] units: 1
 unique values: 2 missing .: 0/9,526
 tabulation: Freq. Value
 9,436 0
 90 1
 mean: .009448
 std. dev: .096745
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

mcmcte15 **Number of students in the room including the child themselves**

type: numeric (**byte**)
 range: [0,51] units: 1
 unique values: 43 missing .: 0/9,526

```

tabulation:  Freq.  Value
              38    0
               2    2
               4    4
              52    5
              30    6
              65    7
             237    8
             177    9
             239   10
             247   11
             343   12
             379   13
             345   14
             418   15
             440   16
             340   17
             274   18
             324   19
             520   20
             495   21
             440   22
             251   23
             366   24
             448   25
             368   26
             420   27
             329   28
             384   29
             368   30
             300   31
              75   32
             194   33
             165   34
             120   35
              90   36
              45   37
              88   38
              15   40
              15   41
              30   42
              15   43
              15   49
              16   51
    mean:      21.3019
    std. dev:  8.03443

```

```

percentiles:      10%      25%      50%      75%      90%
                  11       15       21       27       31

```

mcmcte15:

1. subjected to a carryforward operation

mcmcte20txt

Specify others

```

type:  string (str39)
unique values:  3          missing "":  9,436/9,526

```

```

tabulation:  Freq.  Value
              9,436  ""
               10   "ครูพิเศษ"
               5    "ครูสาริต"
              75   "ไม่ทราบประเภท"

```

mcmcte16

Number of teachers in the child's room

```

type: numeric (byte)
range: [1,4] units: 1
unique values: 4 missing .: 38/9,526

tabulation: Freq. Value
            8,052 1
            1,250 2
             178 3
              8 4
              38 .
mean:      1.1718
std. dev:  .429979

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         1         2
    
```

mcmcte16:

1. subjected to a carryforward operation

mcmcte13

Is there a propability that the child would need extra attention from teachers?

```

type: numeric (byte)
label: mcmcte13

range: [1,3] units: 1
unique values: 2 missing .: 39/9,526

tabulation: Freq. Numeric Label
            583      1 Yes
            8,904    3 No
              39      .
    
```

mcmcte14

If so what are the symptoms of the child?

```

type: numeric (byte)
label: mcmcte14

range: [1,9] units: 1
unique values: 5 missing .: 8,943/9,526

tabulation: Freq. Numeric Label
            219      1 Children with ADHD
            219      3 Chronically ill children
              9      5 Children with severe mental or
                social problems
             25      7 LD children (children with
                learning disabilities)
             111      9 Others
            8,943      .
    
```

mcmcte14txt

In the case of others, please specify futher

```

type: string (str443), but longest is str147
unique values: 58 missing "": 9,415/9,526
    
```

tabulation: Freq. Value
9,415 ""

```

1 "การคิดวิเคราะห์"
1 "การดูแลใจใส่ในครอบครัว"
1 "การเวียน การตอบสนอง"
1 "การเรียนรู้"
1 "การได้ยิน"
1 "ขาดความมั่นใจในตัวเองในกิจกรรมที่เป็นทาง
   การ"
1 "ควบคุมอารมณ์ตัวเอง"
1 "ควบคุมความคิดเปลี่ยนใจ"
1 "ชอบอยู่คนเดียว"
1 "ชอบเมื่อดอย"
1 "ควานขันโครม"
1 "ด้านการสื่อสาร"
   ขาดความมั่นใจ
1 "ด้านการได้ยิน"
1 "ด้านร่างกาย"
2 "ด้านอารมณ์"
1 "ตอบสนองช้า"
1 "ทำงานได้ช้า"
   ไม่มีมั่นใจตนเอง"
1 "ทำงานได้ช้า"
   ไม่มีมั่นใจในตัวเอง"
1 "บทร้องทางการเขียน (ไม่ยอมเขียนหนังสือ)"
1 "ปัญหาการพูดการออกเสียง"
2 "พัฒนาการกล้ามเนื้อ"
34 "พัฒนาการช้า"
2 "พัฒนาการช้า"
1 "พัฒนาการช้า/เคซชก"
1 "พัฒนาการช้าด้านสติปัญญา"
1 "พัฒนาการช้าด้านก"
1 "พัฒนาการภาษาล่าช้า"
1 "พัฒนาการเร็ว"
1 "พิการช้าชอน"
1 "พิการด้านร่างกาย"
1 "พูดค้อ่าง"
1 "พูดไม่ได้ไม่ได้ยิน"
1 "พัฒนาการช้า"
1 "มีความสามารถด้านเราน์ปัญญาอยู่ในระดับค้
   ากว่าเกณฑ์"
2 "ร่างกาย"
1 "สติปัญญา"
3 "สมอง"
1 "สมาธิสั้น"
1 "สมาธิสั้นและLD"
1 "สื่อสารไม่เข้าใจ"
5 "ออทิสติก"
1 "อารมณ์"
1 "เป็นโรคหัวใจ"
1 "เรื่ยกร้องความสนใจ"
3 "เรียนรู้ช้า"
2 "เรื่ยร.ช้ากว่าเพื่อน"
1 "เหม่ลลอย"
1 "เหม่ลลอย ใจลอยบ่อย"
2 "โลกส่วนตัวสูง"
1 "ไม่ค้อยมัสมาธิ"
1 "ไม่ค้อยสื่อสาร"
7 "ไม่ค้อยรับมา"
1 "ไม่ได้ค้อยกับพ่อแม่"
1 "ไม่ได้ค้อยกับพ่อแม่"
1 "ไฮเปอร์"

```

warning: variable has embedded and trailing blanks

manote01 **Can the child identify at least three geometric shape? For example circle, squar**

```

type: numeric (byte)
label: manote01

range: [0,1]
unique values: 2

units: 1
missing .: 233/9,526

tabulation: Freq.   Numeric   Label
              354         0   No
              8,939       1   Yes
              233         .
    
```

manote02 **Can the child identify at least three colors?**

```

type: numeric (byte)
label: manote02

range: [0,1]
unique values: 2

units: 1
missing .: 89/9,526

tabulation: Freq.   Numeric   Label
              90         0   No
              9,347       1   Yes
              89         .
    
```

manote03 **Can the child count from 1 to 10?**

```

type: numeric (byte)
label: manote03

range: [0,1]
unique values: 2

units: 1
missing .: 87/9,526

tabulation: Freq.   Numeric   Label
              106         0   No
              9,333       1   Yes
              87         .
    
```

manote04 **Can the child count from 1 to 20?**

```

type: numeric (byte)
label: manote04

range: [0,1]
unique values: 2

units: 1
missing .: 215/9,526

tabulation: Freq.   Numeric   Label
              342         0   No
              8,969       1   Yes
              215         .
    
```

manote06 **Is the child aware that adults are taller than kids?**

```

type: numeric (byte)
label: manote06

range: [0,1]
unique values: 2

units: 1
missing .: 226/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              95      0      No
              9,205    1      Yes
              226      .
    
```

manote07 **Can the child identify time in terms of morning, afternoon or dusk?**

```

type:  numeric (byte)
label:  manote07

range:  [0,1]
unique values:  2

units:  1
missing .:  209/9,526

tabulation:  Freq.  Numeric  Label
              165      0      No
              9,152    1      Yes
              209      .
    
```

manote08 **Can the child identify time in terms of yesterday, today and tomorrow?**

```

type:  numeric (byte)
label:  manote08

range:  [0,1]
unique values:  2

units:  1
missing .:  356/9,526

tabulation:  Freq.  Numeric  Label
              347      0      No
              8,823    1      Yes
              356      .
    
```

manote09 **Is the child aware that an elephant is heavier than a cat?**

```

type:  numeric (byte)
label:  manote09

range:  [0,1]
unique values:  2

units:  1
missing .:  109/9,526

tabulation:  Freq.  Numeric  Label
              78      0      No
              9,339    1      Yes
              109      .
    
```

manote05 **Is the child aware that 8 is more than 2?**

```

type:  numeric (byte)
label:  manote05

range:  [0,1]
unique values:  2

units:  1
missing .:  356/9,526

tabulation:  Freq.  Numeric  Label
              546      0      No
              8,624    1      Yes
              356      .
    
```

lirete01 **Is the child aware that thai text has to be read from left to right?**

```

type:  numeric (byte)
label:  lirete01
    
```

range: [0,1] units: 1
 unique values: 2 missing .: 988/9,526

tabulation:	Freq.	Numeric	Label
	950	0	No
	7,588	1	Yes
	988	.	.

lialte01 Can the child identify at least 3 Thai characters?

type: numeric (byte)
 label: lialte01

range: [0,1] units: 1
 unique values: 2 missing .: 113/9,526

tabulation:	Freq.	Numeric	Label
	144	0	No
	9,269	1	Yes
	113	.	.

lialte02 Can the child identify at least 10 Thai characters?

type: numeric (byte)
 label: lialte02

range: [0,1] units: 1
 unique values: 2 missing .: 605/9,526

tabulation:	Freq.	Numeric	Label
	540	0	No
	8,381	1	Yes
	605	.	.

lialte11 Can the child identify at least 3 English characters?

type: numeric (byte)
 label: lialte11

range: [0,1] units: 1
 unique values: 2 missing .: 503/9,526

tabulation:	Freq.	Numeric	Label
	1,151	0	No
	7,872	1	Yes
	503	.	.

lialte12 Can the child identify at least 10 English characters?

type: numeric (byte)
 label: lialte12

range: [0,1] units: 1
 unique values: 2 missing .: 1,239/9,526

tabulation:	Freq.	Numeric	Label
	2,867	0	No
	5,420	1	Yes
	1,239	.	.

lialte03 Can the child read at least 4 basic words? (If no, skip to question 15)

```

type: numeric (byte)
label: lialte03

range: [0,1]
unique values: 2

units: 1
missing .. 674/9,526

tabulation: Freq.   Numeric   Label
             4,195       0      No
             4,657       1      Yes
             674         .
    
```

lialte04 **Can the child read basic sentences that consist of 3 words?**

```

type: numeric (byte)
label: lialte04

range: [0,1]
unique values: 2

units: 1
missing .. 5,196/9,526

tabulation: Freq.   Numeric   Label
             1,554       0      No
             2,776       1      Yes
             5,196         .
    
```

lialte05 **Can the child write at least 3 Thai characters?**

```

type: numeric (byte)
label: lialte05

range: [0,1]
unique values: 2

units: 1
missing .. 94/9,526

tabulation: Freq.   Numeric   Label
             302         0      No
             9,130       1      Yes
             94          .
    
```

lialte06 **Can the child write at least 3 English characters?**

```

type: numeric (byte)
label: lialte06

range: [0,1]
unique values: 2

units: 1
missing .. 447/9,526

tabulation: Freq.   Numeric   Label
             1,595       0      No
             7,484       1      Yes
             447         .
    
```

lialte07 **Can the child write their name in Thai?**

```

type: numeric (byte)
label: lialte07

range: [0,1]
unique values: 2

units: 1
missing .. 154/9,526

tabulation: Freq.   Numeric   Label
             573         0      No
             8,799       1      Yes
             154         .
    
```

lialte09 **Can the child write basic words in Thai?**

type: numeric (byte)
 label: **lialte09**
 range: [0,1] units: 1
 unique values: 2 missing .: 461/9,526
 tabulation:

Freq.	Numeric	Label
5,219	0	No
3,846	1	Yes
461	.	.

lialte10 **Can the child write a basic sentence consisting of 3 words?**

type: numeric (byte)
 label: **lialte10**
 range: [0,1] units: 1
 unique values: 2 missing .: 5,890/9,526
 tabulation:

Freq.	Numeric	Label
1,390	0	No
2,246	1	Yes
5,890	.	.

lialte08 **Can the child write their name in English?**

type: numeric (byte)
 label: **lialte08**
 range: [0,1] units: 1
 unique values: 2 missing .: 356/9,526
 tabulation:

Freq.	Numeric	Label
8,266	0	No
904	1	Yes
356	.	.

liexte01 **Can the child say at least 3 sentences explaining what has happened to them?**

type: numeric (byte)
 label: **liexte01**
 range: [0,1] units: 1
 unique values: 2 missing .: 95/9,526
 tabulation:

Freq.	Numeric	Label
203	0	No
9,228	1	Yes
95	.	.

liexte02 **Can the child say sentences expressing their feelings? such as I love Dad or I**

type: numeric (byte)
 label: **liexte02**
 range: [0,2] units: 1
 unique values: 3 missing .: 54/9,526

```

tabulation: Freq.  Numeric  Label
              30         0  Never
              381        1  Occasionally
              9,061       2  Consistently
              54         .
    
```

liexte03 **Can the child explain what has happend in their daily lives?**

```

type: numeric (byte)
label: liexte03

range: [0,2]                    units: 1
unique values: 3                missing .: 73/9,526
    
```

```

tabulation: Freq.  Numeric  Label
              94         0  Never
              689        1  Occasionally
              8,670       2  Consistently
              73         .
    
```

liexte04
Does the child frequently ask questions or give comments about subjects of their

```

type: numeric (byte)
label: liexte04

range: [0,2]                    units: 1
unique values: 3                missing .: 64/9,526
    
```

```

tabulation: Freq.  Numeric  Label
              410        0  Never
              1,666       1  Occasionally
              7,386       2  Consistently
              64         .
    
```

liexte05 **Can the child select words to express the feelings accurately?**

```

type: numeric (byte)
label: liexte05

range: [0,2]                    units: 1
unique values: 3                missing .: 129/9,526
    
```

```

tabulation: Freq.  Numeric  Label
              245        0  Never
              1,202       1  Occasionally
              7,950       2  Consistently
              129         .
    
```

sosete01 **The child can follow basic rules such as waiting in queue.**

```

type: numeric (byte)
label: sosete01

range: [0,2]                    units: 1
unique values: 3                missing .: 43/9,526
    
```

```

tabulation: Freq.  Numeric  Label
              49         0  Never
              1,265       1  Occasionally
              8,169       2  Consistently
              43         .
    
```

sosete02 **The child accept mutual agreements and share toys and items when playing with fr**

```

type: numeric (byte)
label: sosete02

range: [0,2]
unique values: 3

units: 1
missing .: 43/9,526

tabulation: Freq.   Numeric   Label
              57         0   Never
              1,769       1   Occasionally
              7,657       2   Consistently
              43         .
    
```

sosete03 **The child is able to suppress their desires eventhough they want something.**

```

type: numeric (byte)
label: sosete03

range: [0,2]
unique values: 3

units: 1
missing .: 74/9,526

tabulation: Freq.   Numeric   Label
              321         0   Never
              2,158       1   Occasionally
              6,973       2   Consistently
              74         .
    
```

excote01 **The child is eager to learn about new topics and is constantly curious.**

```

type: numeric (byte)
label: excote01

range: [0,2]
unique values: 3

units: 1
missing .: 54/9,526

tabulation: Freq.   Numeric   Label
              22         0   Never
              473         1   Occasionally
              8,977       2   Consistently
              54         .
    
```

excote02 **The child can switch task at command without having to be forced.**

```

type: numeric (byte)
label: excote02

range: [0,2]
unique values: 3

units: 1
missing .: 53/9,526

tabulation: Freq.   Numeric   Label
              181         0   Never
              2,128       1   Occasionally
              7,164       2   Consistently
              53         .
    
```

mcmcte22 **The child can act in a timely manner when they intend to do something.**

```

type: numeric (byte)
label: mcmcte22
    
```

```

range: [0,2] units: 1
unique values: 3 missing .: 39/9,526
unique missing codes: 2 missing *: 9/9,526

tabulation: Freq. Numeric Label
             202      0 Never
             1,868    1 Occasionally
             7,408    2 Consistently
              39      .
              9       .c
    
```

sosute01 **The child knows to avoid interacting with strangers.**

```

type: numeric (byte)
label: sosute01

range: [0,2] units: 1
unique values: 3 missing .: 209/9,526

tabulation: Freq. Numeric Label
             1,286    0 Never
             2,483    1 Occasionally
             5,548    2 Consistently
              209      .
    
```

sosute02 **The child demonstrates empathy and compassion towards others.**

```

type: numeric (byte)
label: sosute02

range: [0,2] units: 1
unique values: 3 missing .: 103/9,526

tabulation: Freq. Numeric Label
             160      0 Never
             1,687    1 Occasionally
             7,576    2 Consistently
              103      .
    
```

sosute03 **The child is friendly and compassionate towards those that are younger, excluding**

```

type: numeric (byte)
label: sosute03

range: [0,2] units: 1
unique values: 3 missing .: 118/9,526

tabulation: Freq. Numeric Label
             58       0 Never
             877      1 Occasionally
             8,473    2 Consistently
              118      .
    
```

sosute04 **The child frequently volunteers to help others such as teachers, parents or friends**

```

type: numeric (byte)
label: sosute04

range: [0,2] units: 1
unique values: 3 missing .: 57/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              114      0  Never
              1,350    1  Occasionally
              8,005    2  Consistently
              57      .
    
```

mcmcte23

The child shows off their work often to demonstrate to others that they are capa

```

type:  numeric (byte)
label:  mcmcte23

range:  [0,2]          units:  1
unique values:  3      missing .:  39/9,526
unique missing codes:  2      missing *:  7/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              319      0  Never
              783      1  Occasionally
              8,378    2  Consistently
              39      .
              7        .c
    
```

soemte01

The child uses an extended amount of time to recover from dissapointment.

```

type:  numeric (byte)
label:  soemte01

range:  [0,2]          units:  1
unique values:  3      missing .:  77/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              7,517    0  Never
              1,359    1  Occasionally
              573      2  Consistently
              77      .
    
```

excote03

The child is able to accepnt when there is a change of plans.

```

type:  numeric (byte)
label:  excote03

range:  [0,2]          units:  1
unique values:  3      missing .:  45/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              230      0  Never
              937      1  Occasionally
              8,314    2  Consistently
              45      .
    
```

mcmcte21

The child plays with rock and wood to represent people or animals.

```

type:  numeric (byte)
label:  mcmcte21

range:  [0,2]          units:  1
unique values:  3      missing .:  306/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              1,225      0  Never
              2,190      1  Occasionally
              5,805      2  Consistently
              306         .
    
```

phgmte01 The child is capable of jumping rope (see picture for more information)

```

      type: numeric (byte)
      label: phgmte01

      range: [0,1]
unique values: 2
                        units: 1
                        missing .. 2,254/9,526

      tabulation:  Freq.  Numeric  Label
                  1,754      0  Never
                  5,518      1  Occasionally
                  2,254         .
    
```

phgmte02 The child can run in a zig zag pattern for at least 3 meters

```

      type: numeric (byte)
      label: phgmte02

      range: [0,1]
unique values: 2
                        units: 1
                        missing .. 116/9,526

      tabulation:  Freq.  Numeric  Label
                  78         0  Never
                  9,332      1  Occasionally
                  116         .
    
```

phgmte03 The child can jump forward on one leg continuously for at least 3 meters

```

      type: numeric (byte)
      label: phgmte03

      range: [0,1]
unique values: 2
                        units: 1
                        missing .. 197/9,526

      tabulation:  Freq.  Numeric  Label
                  274         0  Never
                  9,055      1  Occasionally
                  197         .
    
```

phgmte04 The child can run forward continuously for 20 meters and can keep their balance

```

      type: numeric (byte)
      label: phgmte04

      range: [0,1]
unique values: 2
                        units: 1
                        missing .. 252/9,526

      tabulation:  Freq.  Numeric  Label
                  161         0  Never
                  9,113      1  Occasionally
                  252         .
    
```

phgmte05 The child can throw a ball to a specific target at a distance of 2 meters

```

type: numeric (byte)
label: phgmte05

range: [0,1]
unique values: 2
units: 1
missing .. 214/9,526

tabulation: Freq. Numeric Label
             152      0 Never
             9,160    1 Occasionally
             214      .
    
```

sobite01 **The child's emotion changes quickly.**

```

type: numeric (byte)
label: sobite01

range: [0,2]
unique values: 3
units: 1
missing .. 86/9,526

tabulation: Freq. Numeric Label
             1,041    0 Never
             1,450    1 Occasionally
             6,949    2 Consistently
             86      .
    
```

sobite02 **The child feels or complains about not being loved.**

```

type: numeric (byte)
label: sobite02

range: [0,2]
unique values: 3
units: 1
missing .. 75/9,526

tabulation: Freq. Numeric Label
             64      0 Never
             179     1 Occasionally
             9,208   2 Consistently
             75      .
    
```

sobite03 **The child constantly feels uneasy or anxious.**

```

type: numeric (byte)
label: sobite03

range: [0,2]
unique values: 3
units: 1
missing .. 49/9,526

tabulation: Freq. Numeric Label
             54      0 Never
             176     1 Occasionally
             9,247   2 Consistently
             49      .
    
```

sobite04 **The child feels worthless or has an inferiority complex.**

```

type: numeric (byte)
label: sobite04

range: [0,2]
unique values: 3
units: 1
missing .. 111/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              18      0  Never
              76      1  Occasionally
            9,321      2  Consistently
              111      .
    
```

sobite05 **The child constantly looks unhappy, sad, or depressed.**

```

type:  numeric (byte)
label:  sobite05

range:  [0,2]
unique values:  3
units:  1
missing ..  44/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              35      0  Never
              107      1  Occasionally
            9,340      2  Consistently
              44      .
    
```

sobite06 **The child is constantly irritated, stressed, or worried.**

```

type:  numeric (byte)
label:  sobite06

range:  [0,2]
unique values:  3
units:  1
missing ..  58/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              89      0  Never
              276      1  Occasionally
            9,103      2  Consistently
              58      .
    
```

sobite07 **The child argues too much.**

```

type:  numeric (byte)
label:  sobite07

range:  [0,2]
unique values:  3
units:  1
missing ..  41/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              128      0  Never
              379      1  Occasionally
            8,978      2  Consistently
              41      .
    
```

sobite08 **The child is stubborn and gets angry easily.**

```

type:  numeric (byte)
label:  sobite08

range:  [0,2]
unique values:  3
units:  1
missing ..  43/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              119      0  Never
              431      1  Occasionally
            8,933      2  Consistently
              43      .
    
```

sobite09 The child has a violent temper and has difficulty controlling their emotions.

```

type: numeric (byte)
label: sobite09

range: [0,2]                units: 1
unique values: 3            missing .. 43/9,526

tabulation: Freq.  Numeric  Label
              66      0      Never
              166     1      Occasionally
              9,251   2      Consistently
              43      .
    
```

sobite10 The child is untrustable and has issues related to lying.

```

type: numeric (byte)
label: sobite10

range: [0,2]                units: 1
unique values: 3            missing .. 45/9,526

tabulation: Freq.  Numeric  Label
              109     0      Never
              577     1      Occasionally
              8,795   2      Consistently
              45      .
    
```

sobite11 The child likes to bully others.

```

type: numeric (byte)
label: sobite11

range: [0,2]                units: 1
unique values: 3            missing .. 48/9,526

tabulation: Freq.  Numeric  Label
              243     0      Never
              760     1      Occasionally
              8,475   2      Consistently
              48      .
    
```

sobite12 The child does not feel sad or dissapointed when they have done something wrong.

```

type: numeric (byte)
label: sobite12

range: [0,2]                units: 1
unique values: 3            missing .. 132/9,526

tabulation: Freq.  Numeric  Label
              320     0      Never
              921     1      Occasionally
              8,153   2      Consistently
              132     .
    
```

sobite13 The child has a habit of destroying things, both their own and others.

```

type: numeric (byte)
label: sobite13
    
```

```

        range: [0,2]                units: 1
unique values: 3                    missing .: 47/9,526

    tabulation: Freq.  Numeric  Label
                27         0  Never
                77         1  Occasionally
                9,375       2  Consistently
                47         .
    
```

sobitel4

The child lacks focus and has difficulty concentrating at one thing for an exten

```

        type: numeric (byte)
        label: sobitel4

        range: [0,2]                units: 1
unique values: 3                    missing .: 61/9,526

    tabulation: Freq.  Numeric  Label
                388         0  Never
                1,324       1  Occasionally
                7,753       2  Consistently
                61         .
    
```

sobitel5

The child is constantly confused and is absent minded

```

        type: numeric (byte)
        label: sobitel5

        range: [0,2]                units: 1
unique values: 3                    missing .: 49/9,526

    tabulation: Freq.  Numeric  Label
                168         0  Never
                456         1  Occasionally
                8,853       2  Consistently
                49         .
    
```

sobitel6

The child acts irrationally and acts without prior thinking.

```

        type: numeric (byte)
        label: sobitel6

        range: [0,2]                units: 1
unique values: 3                    missing .: 77/9,526

    tabulation: Freq.  Numeric  Label
                102         0  Never
                541         1  Occasionally
                8,806       2  Consistently
                77         .
    
```

sobitel7

The child is constantly obsesed with a matter and has a habit of doing things re

```

        type: numeric (byte)
        label: sobitel7

        range: [0,2]                units: 1
unique values: 3                    missing .: 65/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              68      0      Never
              242     1      Occasionally
              9,151   2      Consistently
              65      .
    
```

sobite18

The child is restless and has difficulty sitting at one place for an extended pe

```

type: numeric (byte)
label: sobite18

range: [0,2]          units: 1
unique values: 3      missing .: 50/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              283     0      Never
              750     1      Occasionally
              8,443   2      Consistently
              50      .
    
```

sobite19

The child is attached to an adult.

```

type: numeric (byte)
label: sobite19

range: [0,2]          units: 1
unique values: 3      missing .: 64/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              155     0      Never
              457     1      Occasionally
              8,850   2      Consistently
              64      .
    
```

sobite20

The child cries easily

```

type: numeric (byte)
label: sobite20

range: [0,2]          units: 1
unique values: 3      missing .: 58/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              141     0      Never
              287     1      Occasionally
              9,040   2      Consistently
              58      .
    
```

sobite21

The child begs for attention

```

type: numeric (byte)
label: sobite21

range: [0,2]          units: 1
unique values: 3      missing .: 53/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              150     0      Never
              439     1      Occasionally
              8,884   2      Consistently
              53      .
    
```

sobite22 **The child is over reliant on others for example, they let other do stuff that th**

```

type: numeric (byte)
label: sobite22

range: [0,2]                units: 1
unique values: 3            missing .: 75/9,526

tabulation: Freq.  Numeric  Label
              92      0      Never
              315     1      Occasionally
              9,044   2      Consistently
              75      .
    
```

sobite23 **The child has trouble getting along with other kids.**

```

type: numeric (byte)
label: sobite23

range: [0,2]                units: 1
unique values: 3            missing .: 44/9,526

tabulation: Freq.  Numeric  Label
              127     0      Never
              142     1      Occasionally
              9,213   2      Consistently
              44      .
    
```

sobite24 **The child is not liked among their friends.**

```

type: numeric (byte)
label: sobite24

range: [0,2]                units: 1
unique values: 3            missing .: 48/9,526

tabulation: Freq.  Numeric  Label
              55      0      Never
              117     1      Occasionally
              9,306   2      Consistently
              48      .
    
```

sobite25 **The child is overly independent and does not typically associate with others.**

```

type: numeric (byte)
label: sobite25

range: [0,2]                units: 1
unique values: 3            missing .: 47/9,526

tabulation: Freq.  Numeric  Label
              37      0      Never
              92      1      Occasionally
              9,350   2      Consistently
              47      .
    
```

mcmcte35 **The child is stubborn or disobedient at home.**

```

type: numeric (byte)
label: mcmcte35
    
```

```

range: [0,2] units: 1
unique values: 3 missing .. 8,915/9,526

tabulation: Freq. Numeric Label
             329      0 Never
             222      1 Occasionally
             60       2 Consistently
             8,915      .
    
```

mcmcte24 **The child is paranoidic at all times and constantly feels like there is a threat**

```

type: numeric (byte)
label: mcmcte24

range: [0,2] units: 1
unique values: 3 missing .. 54/9,526

tabulation: Freq. Numeric Label
             9,443      0 Never
             22       1 Occasionally
             7         2 Consistently
             54         .
    
```

mcmcte25 **The child likes to mingle with groups of mischievous children.**

```

type: numeric (byte)
label: mcmcte25

range: [0,2] units: 1
unique values: 3 missing .. 49/9,526

tabulation: Freq. Numeric Label
             9,315      0 Never
             110       1 Occasionally
             52        2 Consistently
             49         .
    
```

mcmcte26 **The child likes to keep secrets to themselves.**

```

type: numeric (byte)
label: mcmcte26

range: [0,2] units: 1
unique values: 3 missing .. 211/9,526

tabulation: Freq. Numeric Label
             9,156      0 Never
             131       1 Occasionally
             28        2 Consistently
             211         .
    
```

mcmcte27 **The child has anxiety issues.**

```

type: numeric (byte)
label: mcmcte27

range: [0,2] units: 1
unique values: 3 missing .. 80/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              9,279      0  Never
              135       1  Occasionally
              32        2  Consistently
              80         .
    
```

mcmcte28 **The child is stubborn when at school.**

```

type:  numeric (byte)
label: mcmcte28

range: [0,2]          units: 1
unique values: 3      missing .. 41/9,526

tabulation:  Freq.  Numeric  Label
              8,579      0  Never
              813       1  Occasionally
              93        2  Consistently
              41         .
    
```

mcmcte29 **The child finds it difficult to get along with teachers.**

```

type:  numeric (byte)
label: mcmcte29

range: [0,2]          units: 1
unique values: 3      missing .. 39/9,526

tabulation:  Freq.  Numeric  Label
              9,374      0  Never
              72        1  Occasionally
              41        2  Consistently
              39         .
    
```

scname **school name (unavailable)**

```

type:  string (str301), but longest is str0
unique values: 0      missing "": 9,526/9,526

tabulation:  Freq.  Value
              9,526  ""
    
```

pbimol **Children are alert and interested in doing what the teacher assigns them.**

```

type:  numeric (byte)
label: pbimol

range: [.,.]          units: .
unique values: 0      missing .. 9,526/9,526

tabulation:  Freq.  Numeric  Label
              9,526      .
    
```

pbimo2 **Children show initiative and commitment to learning, such as expressing opinions**

```

type:  numeric (byte)
label: pbimo2
    
```

```

range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Numeric Label
9,526 .
    
```

pbimo3 Children are reluctant to do things or give up easily.

```

type: numeric (byte)
label: pbimo3

range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Numeric Label
9,526 .
    
```

pbimo4 Children learn and remember well.

```

type: numeric (byte)
label: pbimo4

range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Numeric Label
9,526 .
    
```

pbimo5 Children complete assigned tasks.

```

type: numeric (byte)
label: pbimo5

range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Numeric Label
9,526 .
    
```

pbimo6 Children are motivated and eager to learn.

```

type: numeric (byte)
label: pbimo6

range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Numeric Label
9,526 .
    
```

pbimo7 Children are attentive to their own learning.

```

type: numeric (byte)
label: pbimo7

range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Numeric Label
9,526 .
    
```

pbimo8

Children have no interest in the subjects they study or what the teacher teaches

```

type: numeric (byte)
label: pbimo8

range: [..]
unique values: 0

units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

pbimo9

Children show leadership

```

type: numeric (byte)
label: pbimo9

range: [..]
unique values: 0

units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

sosete04

When feeling sad or disappointed, children can restrain and control their behavi

```

type: numeric (byte)
label: sosete04

range: [..]
unique values: 0

units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

liexte06

Children can express themselves in accordance with their emotions, such as smili

```

type: numeric (byte)
label: liexte06

range: [..]
unique values: 0

units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

soemte02

When playing with friends, children can patiently wait to accept the agreement a

```

type: numeric (byte)
label: soemte02

range: [..]
unique values: 0

units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

sdq01 **The child cares about other's feelings.**

```

type: numeric (byte)
label: sdq01

range: [...]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

sdq02 **The child fidgets a lot and has trouble staying still.**

```

type: numeric (byte)
label: sdq02

range: [...]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

sdq03 **The child frequently complains about an upset stomach or nausea.**

```

type: numeric (byte)
label: sdq03

range: [...]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

sdq04 **The child is willing to share with others.**

```

type: numeric (byte)
label: sdq04

range: [...]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

sdq05 **The child acts out often and has bad temper.**

```

type: numeric (byte)
label: sdq05

range: [...]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

sdq06 **The child is overly independent and typically plays alone.**

```

type: numeric (byte)
label: sdq06
    
```

```

    range: [.,.]
unique values: 0
    units: .
missing ..: 9,526/9,526

    tabulation: Freq.  Numeric  Label
                9,526      .

```

sdq07 **The child follows instructions given by adults.**

```

    type: numeric (byte)
    label: sdq07

    range: [.,.]
unique values: 0
    units: .
missing ..: 9,526/9,526

    tabulation: Freq.  Numeric  Label
                9,526      .

```

sdq08 **The child is anxious constantly and about multiple aspects of life.**

```

    type: numeric (byte)
    label: sdq08

    range: [.,.]
unique values: 0
    units: .
missing ..: 9,526/9,526

    tabulation: Freq.  Numeric  Label
                9,526      .

```

sdq09 **The child helps people who are feeling unwell, ill or sick.**

```

    type: numeric (byte)
    label: sdq09

    range: [.,.]
unique values: 0
    units: .
missing ..: 9,526/9,526

    tabulation: Freq.  Numeric  Label
                9,526      .

```

sdq10 **The child does not remain still.**

```

    type: numeric (byte)
    label: sdq10

    range: [.,.]
unique values: 0
    units: .
missing ..: 9,526/9,526

    tabulation: Freq.  Numeric  Label
                9,526      .

```

sdq11 **The child has at least one best friend.**

```

    type: numeric (byte)
    label: sdq11

    range: [.,.]
unique values: 0
    units: .
missing ..: 9,526/9,526

    tabulation: Freq.  Numeric  Label
                9,526      .

```

sdq12 The child has a habit of being violent and bullying other kids.

```

type: numeric (byte)
label: sdq12

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
            9,526 .
    
```

sdq13 The child is constantly unhappy and sad.

```

type: numeric (byte)
label: sdq13

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
            9,526 .
    
```

sdq14 The child is generally like by other kids.

```

type: numeric (byte)
label: sdq14

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
            9,526 .
    
```

sdq15 The child is easily distracted and cannot concentrate.

```

type: numeric (byte)
label: sdq15

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
            9,526 .
    
```

sdq16 The child has trouble with anxiety when in an unfamiliar location and easily loo

```

type: numeric (byte)
label: sdq16

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
            9,526 .
    
```

sdq17 The child is kind to younger kids.

```

type: numeric (byte)
label: sdq17
    
```

range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526
 tabulation: Freq. Numeric Label
 9,526 .

sdq18 **The child is constantly lying.**

type: numeric (byte)
 label: **sdq18**
 range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526
 tabulation: Freq. Numeric Label
 9,526 .

sdq19 **The child is bullied by other kids.**

type: numeric (byte)
 label: **sdq19**
 range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526
 tabulation: Freq. Numeric Label
 9,526 .

sdq20 **The child typically volunteer to help others.**

type: numeric (byte)
 label: **sdq20**
 range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526
 tabulation: Freq. Numeric Label
 9,526 .

sdq21 **The child thinks rationally before acting.**

type: numeric (byte)
 label: **sdq21**
 range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526
 tabulation: Freq. Numeric Label
 9,526 .

sdq22 **The child has a habit of stealing from the house, the school or other places.**

type: numeric (byte)
 label: **sdq22**
 range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526
 tabulation: Freq. Numeric Label
 9,526 .

type: numeric (**float**)
range: [2019,2019] units: 1
unique values: 1 missing .: 0/9,526

tabulation: Freq. Value
 9,526 2019
 mean: 2019
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 2019 2019 2019 2019 2019

```
2 . log close  
   name: <unnamed>  
   log: C:\Users\staff-ripped2022\Dropbox\Codes and Data for Projects\\School Read  
> iness 2023 (SRS6)/Data and Codes\Codebook\TSRS_2020\TSRS2020_child_development_form_  
> from_teacher_public.scml  
   log type: smcl  
   closed on: 2 Aug 2024, 08:24:27
```
