



```

name: <unnamed>
log: C:\Users\staff-riped2022\Dropbox\Codes and Data for Projects\\School Read
> iness 2023 (SRS6)/Data and Codes\Codebook\TSRS_2020\TSRS2020_child_development_form_
> from_parents_public.scml
log type: smcl
opened on: 2 Aug 2024, 08:24:43

```

```
1 . codebookr _all,all
```

```

Dataset: */Data and Codes\Data\public data\TSRS_2020_2021_2022_2023_pu
> blic.dta
Last saved: 1 Aug 2024 14:58
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 345
Number of observations: 9,526
Size: 76,027,006 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

```

.a or RF: The subject explicitly refused to answer the question
when he or she should have.
.b or NA: The subject was never asked the question
for one reason or another. Usually this results
from "skip patterns" that occur.
.c or DK: The subject was unable to answer the question
either because he or she had no opinion or because
the required information was not available.
.d or MI: Items should be filled out but have no data entry found.
This is enumerator's own mistake. The circumstances
can be interviewers failing to ask a question
or forgetting to record a response

```

```

Numeric Missing*: .a String Missing*: RF
                  .b                    NA
                  .c                    DK
                  .d                    MI

```

```
stid Student identification code
```

```

type: string (str12), but longest is str10
unique values: 9,526 missing "": 0/9,526
examples: "3209073208"
          "4516073213"
          "5712053105"
          "9301063203"

```

```
prov_code State identification code
```

```

type: string (str2)
unique values: 19 missing "": 0/9,526

```

```

tabulation:  Freq.  Value
              523  "13"
              505  "16"
              512  "24"
              478  "32"
              476  "37"
              492  "40"
              490  "41"
              471  "45"
              495  "51"
              497  "52"
              477  "54"
              482  "57"
              553  "74"
              477  "90"
              519  "91"
              495  "93"
              503  "94"
              516  "95"
              565  "96"
    
```

municipality Is your house in this muncipal area?

```

type: numeric (byte)
label: municipality

range: [1,5] units: 1
unique values: 3 missing .: 1,705/9,526

tabulation:  Freq.  Numeric  Label
              2,839  1  Yes
              4,493  3  No
              489    5  ไม่ทราบ/ไม่วินิจฉัย
              1,705  .
    
```

membernum How many members currently live in your household?

```

type: numeric (double)

range: [2,30] units: 1
unique values: 19 missing .: 1,828/9,526

tabulation:  Freq.  Value
              117  2
              886  3
              2,004  4
              1,817  5
              1,228  6
              767  7
              406  8
              204  9
              134  10
              61  11
              31  12
              15  13
              14  14
              4  15
              5  16
              1  17
              1  19
              1  21
              2  30
              1,828  .
mean: 5.30592
std. dev: 1.94455
    
```


pa0_c

How old is the primary care giver?

type: numeric (**byte**)
 range: [16,89] units: 1
 unique values: 67 missing .: 1,849/9,526

tabulation:	Freq.	Value
	1	16
	1	17
	2	18
	1	19
	7	20
	12	21
	34	22
	71	23
	115	24
	144	25
	143	26
	167	27
	224	28
	175	29
	306	30
	214	31
	248	32
	274	33
	266	34
	289	35
	275	36
	228	37
	288	38
	256	39
	307	40
	193	41
	252	42
	189	43
	147	44
	179	45
	153	46
	135	47
	141	48
	153	49
	177	50
	92	51
	123	52
	149	53
	126	54
	125	55
	116	56
	114	57
	105	58
	89	59
	177	60
	56	61
	105	62
	109	63
	69	64
	75	65
	49	66
	41	67
	44	68
	16	69
	39	70
	7	71
	19	72
	14	73
	14	74
	10	75
	10	76
	4	77

```

                    5 78
                    3 80
                    3 83
                    1 85
                    1 89
    1,849 .
    mean:    42.1049
    std. dev: 12.1016

    percentiles:    10%    25%    50%    75%    90%
                   28     33     40     50     60
    
```

pa0_d **What is the primary care giver's education level?**

```

    type: numeric (byte)
    label: pa0_d

    range: [1,21]
    unique values: 11
                    units: 1
                    missing.: 1,366/9,526

    tabulation:
    Freq.  Numeric  Label
    404     1      No education
    1,365   3      Lower than grade 6
    1,778   5      Grade 6
    1,435   7      Grade 9
    1,352   9      Grade 12
    250     11     Vocational Certificate
    500     13     High Vocational Certificate
    895     15     Bachelor Degree
    92      17     Masters Degree
    9       19     PhD
    80     21     In case of other degrees,
                    specify in PA0_DA
    1,366   .
    
```

pa0_da **In the case of others, please specify**

```

    type: string (str81)
    unique values: 29
                    missing "": 9,455/9,526

    tabulation:
    Freq.  Value
    9,455  ""
    9      "กศน."
    2      "ทำงาน"
    20     "ป.7"
    1      "ป.7 สมัยก่อน"
    1      "ปกศ. (สูง)"
    1      "ปกศ. สูง"
    1      "ประถม 7"
    5      "ปริญญาตรี"
    1      "ปวท."
    1      "ม.1"
    1      "ม.1 (ของประเทศพม่า)"
    1      "ม.2"
    1      "ม.3 กศน."
    1      "ม.4"
    1      "ม.ปลาย กศน."
    4      "ม.ศ.3"
    2      "ม.ศ.5"
    1      "มศ.3"
    1      "มศ.3"
    7      "อนุปริญญา"
    1      "อนุปริญญาตรี"
    1      "เร่ร่อนจบจากประเทศพม่า"
    1      "เร่ร่อนที่แม่ฮ่องสอน"
    
```

```

1 "เรีชนท'เมีชนม'า" 1 "เรีชนปอเนาะ"
1 "เรีชนหน้งสือทม'า" 1 "ไม'เรีชนท"

```

warning: variable has embedded blanks

pa0_e **What is the child father's ethnicity**

```

type: numeric (byte)
label: pa0_e
range: [1,9]
unique values: 5
units: 1
missing.: 1,197/9,526

```

tabulation:	Freq.	Numeric	Label
	7,984	1	Thai
	171	3	Ethnic groups such as Pga Kyo (Karen), Hmong, Shan
	141	5	Foreigners in Southeast Asia zone such as Burma, Laos, Cambodia
	12	7	Foreigners in Western countries such as Germany or the USA
	21	9	Others
	1,197	.	.

pa0_ea **In the case of others, please specify**

```

type: string (str100), but longest is str70
unique values: 53
missing "": 9,233/9,526

```

tabulation:	Freq.	Value
	9,233	" "
	7	"กะเหรี่ยง"
	1	"กล, 'ม ชา คิ ทั น ร, 'ม ลา บ ร"
	1	"กะเหรี่ยง ปกาเกอจะฉอ"
	16	"กัมพูชา"
	1	"กานา"
	4	"จีน"
	2	"ญี่ปุ่น"
	1	"นอเวส์"
	1	"บิคาไม'ปรากฎ"
	1	"บิคาไม'ปรากฎ'อ"
	1	"ปกาเกอจะฉอ"
	1	"ปกาเกอจะฉอ (กะเหรี่ยง)"
	1	"ประตัง"
	1	"ประทรวง"
	2	"ฝรั่งเศส"
	53	"พม่า"
	2	"พม่า"
	1	"มลาญ"
	5	"มอญ"
	7	"มาเลเซีย"
	1	"มาเลเซีย (จีน)"
	2	"มุเซอ"
	45	"ม้ง"
	1	"ลัว"
	3	"ลัวะ"
	25	"ลาว"
	4	"ลาหู่"
	1	"ลิซอ"
	1	"ออสเตรีย"
	1	"ออสเตรเลีย"
	23	"อาซ่า"
	1	"อินโดนีเซีย"

```

1 "อิสลาม"
1 "อเมริกา"
1 "เกาหลีใต้ (เชื้อชาติต่าง ๆ)"
1 "เชื้อชาติลาว"
1 "เป็นไทยคือ"
3 "เขื่อนมา"
1 "เยอรมัน"
1 "เยเมน"
1 "เฮา (เมียน)"
1 "แอฟริกา"
1 "ไทย, ปกาเกอญอ"
1 "ไทยพื้นเมือง"
2 "ไทยคือ"
40 "ไทยใหญ่"
1 "ไทยใหญ่ พม่า"
13 "ไทใหญ่"
1 "ไมทราบ"
2 "ไม่ปรากฏ"
1 "ไม่ปรากฏอื่น"
1 "ไม่มี"

```

warning: variable has embedded blanks

pa0_f What is the child mother's ethnicity

```

type: numeric (byte)
label: pa0_f
range: [1,9]
unique values: 4
units: 1
missing.: 1,193/9,526

tabulation:
Freq. Numeric Label
7,917 1 Thai
182 3 Ethnic groups such as Pga Kyo
(Karen), Hmong, Shan
229 5 Foreigners in Southeast Asia
zone such as Burma, Laos,
Cambodia
5 9 Others
1,193 .

```

pa0_fa In the case of others, please specify

```

type: string (str87), but longest is str63
unique values: 45
missing "": 9,167/9,526

tabulation:
Freq. Value
9,167 ""
11 "กะเหรี่ยง"
1 "กะเหรี่ยง ปกาเกอญอ"
1 "กะเหรี่ยง มุเซอ"
24 "กัมพูชา"
1 "ชนเผ่าขมุ"
1 "ชาวมอญ"
1 "ปกาเกอญอ (กะเหรี่ยง)"
1 "ประลวง"
1 "ประหรง"
1 "ปะกาเกอญล"
56 "พม่า"
1 "พืลปบีนส"
2 "พืลปบีนส"
1 "มลาชู"
6 "มอญ"
2 "มาเลเชี"
2 "มุเซอ"
48 "ม้ง"

```



```

tabulation: Freq. Value
             9,526 .
             mean: .
             std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

pal_1b **Child's month of birth (letter) (unavailable)**

```

type: string (str18), but longest is str0
unique values: 0 missing "": 9,526/9,526

tabulation: Freq. Value
             9,526 ""
    
```

pal_1ba **Child's month of birth (numbers) (unavailable)**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 9,526/9,526

tabulation: Freq. Value
             9,526 .
             mean: .
             std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

pal_1c **Child's birth year (unavailable)**

```

type: numeric (int)
range: [.,.] units: .
unique values: 0 missing .: 9,526/9,526

tabulation: Freq. Value
             9,526 .
             mean: .
             std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

pal_2 **What is the child's nationality**

```

type: numeric (byte)
label: pal_2
range: [1,3] units: 1
unique values: 2 missing .: 1,112/9,526

tabulation: Freq. Numeric Label
             8,222      1 Thai
              192      3 Other
             1,112      .
    
```

pal_2a **In the case of others, please specify**

```

type: string (str136), but longest is str105
unique values: 33 missing "": 9,340/9,526
tabulation: Freq. Value
9,340 ""
1 "กะเหรี่ยง"
13 "กัมพูชา"
51 "พม่า"
1 "ฟิลิปปินส์"
5 "มอญ"
3 "มอญ, พม่า"
2 "มาเลเซีย"
1 "มาเลเซีย, ไทย"
4 "ม้ง"
1 "ยังไม่ได้ระบุสัญชาติ"
1 "ลาว"
2 "ลัวะ"
27 "ลาว"
1 "สัญชาติลาว"
1 "ออสเตรเลียและไทย"
4 "อาซา"
1 "อิสลาม"
2 "เมียนมา"
3 "เมียนมาร์"
4 "เมียนมา"
1 "เยอรมัน"
1 "ไทย ฝรั่งเศส"
1 "ไทย-ลาว"
27 "ไทใหญ่"
15 "ไทใหญ่"
1 "ไทใหญ่ (พม่า)"
6 "ไทใหญ่/พม่า"
1 "ไม่มี"
1 "ไม่ระบุสัญชาติ"
1 "ไม่ได้ระบุสัญชาติไทย"
1 "ไม่ได้ระบุสัญชาติไทย"

warning: variable has embedded blanks

```

pal_3 What language does the child predominantly use at home?

```

type: numeric (byte)
label: pal_3
range: [1,11] units: 1
unique values: 6 missing .: 1,104/9,526
tabulation: Freq. Numeric Label
2,893 1 Standard Thai
1,596 3 Thai Isarn
1,201 5 Northern Thai
1,079 7 Southern Thai
1,247 9 Malayo
406 11 Others
1,104 .

```

pal_3a In the case of others, please specify

```

type: string (str119), but longest is str104
unique values: 157 missing "": 9,127/9,526

```

warning: variable has embedded blanks

phchpa01

Currently, does the child get sick often when compared with other kids of the sa

```

type: numeric (byte)
label: phchpa01

range: [1,3]
unique values: 2

units: 1
missing .: 1,139/9,526

tabulation: Freq.   Numeric   Label
             1,030       1   Yes
             7,357       3   No
             1,139       .
    
```

phchpa02

Currently, does the child experience fatigue or tiredness compared to other chil

```

type: numeric (byte)
label: phchpa02

range: [1,3]
unique values: 2

units: 1
missing .: 1,139/9,526

tabulation: Freq.   Numeric   Label
             533       1   Yes
             7,854       3   No
             1,139       .
    
```

phchpa03

Does the child currently have any chronic illnesses?

```

type: numeric (byte)
label: phchpa03

range: [1,3]
unique values: 2

units: 1
missing .: 1,149/9,526

tabulation: Freq.   Numeric   Label
             910       1   Yes
             7,467       3   No
             1,149       .
    
```

phchpa03_txt

Please list the child's chronic illnesses

```

type: string (str232)

unique values: 337

missing "": 8,646/9,526

warning: variable has embedded blanks
    
```

pal_vaccined

Currently, does your child ever received the COVID-19 vaccine?

```

type: numeric (byte)
label: pal_vaccined

range: [.,.]
unique values: 0

units: .
missing .: 9,526/9,526

tabulation: Freq.   Numeric   Label
             9,526       .
    
```

pa1_vaccined_cnt **Yes, quantity received**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Value
             9,526 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

pa1_capital_eel
Have you ever received a scholarship from the Fund for Educational Equality (EEF)

```

type: numeric (byte)
label: pa1_capital_eel
range: [.,.]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

pa2_1 **What is your level of satisfaction with the school/learning center?**

```

type: numeric (byte)
label: pa2_1
range: [1,5]
unique values: 3
units: 1
missing ..: 1,155/9,526

tabulation: Freq. Numeric Label
             36 1 Not satisfied at all
             4,801 3 Satisfied
             3,534 5 Very satisfied
             1,155 .
    
```

pa2_2a **Borrowing books from school to read with parents**

```

type: numeric (byte)
label: pa2_2a
range: [1,3]
unique values: 2
units: 1
missing ..: 1,574/9,526

tabulation: Freq. Numeric Label
             776 1 No
             7,176 3 Yes
             1,574 .
    
```

pa2_2b **Activities that are done with parents such as coloring or creative art work**

```

type: numeric (byte)
label: pa2_2b
range: [1,3]
unique values: 2
units: 1
missing ..: 1,474/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              298      1      No
              7,754    3      Yes
              1,474    .
    
```

pa2_2c

Worksheet or academic exercises

```

type:  numeric (byte)
label: pa2_2c

range:  [1,3]          units:  1
unique values:  2      missing .:  1,458/9,526

tabulation:  Freq.  Numeric  Label
              279      1      No
              7,789    3      Yes
              1,458    .
    
```

pa2_2ca How much homework should a child recieve in a week? (answer in terms of days)

```

type:  numeric (double)

range:  [1,12]        units:  .1
unique values:  13    missing .:  2,634/9,526

tabulation:  Freq.  Value
              987    1
              63     1.5
            1,254    2
              202    2.5
            2,145    3
              107    3.5
              313    4
               11    4.5
            1,588    5
               1     5.5
               24    6
              196    7
               1    12
            2,634    .
mean:      3.14553
std. dev:  1.49512

percentiles:  10%    25%    50%    75%    90%
              1      2      3      5      5
    
```

pa2_2cb How much homework should a child recievein a day? (answer in terms of pages)

```

type:  numeric (double)

range:  [.5,10]      units:  .1
unique values:  17    missing .:  2,645/9,526

tabulation:  Freq.  Value
              1     .5
            3,743    1
               3    1.2
              607    1.5
            2,055    2
               1    2.3
              120    2.5
              244    3
               10    3.5
               32    4
               2    4.5
              43    5
    
```

```

          1  5.5
          4  6
          8  7
          1  9
          6 10
    2,645 .
    mean:  1.50318
    std. dev: .736688

    percentiles:    10%    25%    50%    75%    90%
                   1      1      1      2      2
    
```

pa2_3 Do you believe that a third kindergarten teacher should hand out worksheets and

```

    type: numeric (byte)
    label: pa2_3

    range: [1,3]          units: 1
    unique values: 2      missing .. 1,452/9,526

    tabulation: Freq.  Numeric  Label
                378      1      No
                7,696    3      Yes
                1,452    .
    
```

pa2_3a How much worksheet and academic exercises should a child practice in class in th

```

    type: numeric (double)

    range: [1,12]        units: .1
    unique values: 13    missing .. 3,046/9,526

    tabulation: Freq.  Value
                718    1
                59     1.5
                1,008  2
                186    2.5
                1,676  3
                82     3.5
                348    4
                17     4.5
                2,236  5
                13     6
                135    7
                1      10
                1      12
                3,046  .
    mean:  3.44074
    std. dev: 1.499

    percentiles:    10%    25%    50%    75%    90%
                   1      2      3      5      5
    
```

pa2_3b How much worksheet and academic exercises should a child practice in class in th

```

    type: numeric (double)

    range: [0,10]        units: .1
    unique values: 16    missing .. 3,044/9,526
    
```

```

tabulation:  Freq.  Value
              10    0
              2    .5
            3,858  1
              2    1.2
            520   1.5
            1,511  2
            125   2.5
            293   3
              10   3.5
              54   4
              4    4.5
              77   5
              1    5.5
              5    6
              7    7
              3   10
            3,044  .
    mean:     1.48463
    std. dev: .790718

percentiles:  10%    25%    50%    75%    90%
              1     1     1     2     2
    
```

pa2_4 Which of these two strategies should a teacher predominantly impliment whilst te

```

    type: numeric (byte)
    label: pa2_4

    range: [1,3]
unique values: 2
                units: 1
                missing .. 1,467/9,526

    tabulation:  Freq.  Numeric  Label
                 4,278    1  Teaching reading and writing
                 3,781    3  Teaching through hands on
                 1,467    .  activities
    
```

pa2_5 Which of these following innovations do you know?

```

    type: numeric (byte)
    label: pa2_5

    range: [1,3]
unique values: 2
                units: 1
                missing .. 1,950/9,526

    tabulation:  Freq.  Numeric  Label
                 4,297    1  Yes
                 3,279    3  No
                 1,950    .
    
```

pa2_5a Teaching through 6 main activities

```

    type: numeric (byte)
    label: pa2_5a

    range: [0,1]
unique values: 2
                units: 1
                missing .. 6,247/9,526

    tabulation:  Freq.  Numeric  Label
                 1,917    0  No
                 1,362    1  Yes
                 6,247    .
    
```

pa2_5b **High-scope Teaching**

```

type: numeric (byte)
label: pa2_5b

range: [0,1]
unique values: 2

units: 1
missing .: 6,247/9,526

tabulation: Freq.  Numeric  Label
              2,948      0      No
              331        1      Yes
              6,247      .
    
```

pa2_5c **Montessori Teaching**

```

type: numeric (byte)
label: pa2_5c

range: [0,1]
unique values: 2

units: 1
missing .: 6,247/9,526

tabulation: Freq.  Numeric  Label
              2,929      0      No
              350        1      Yes
              6,247      .
    
```

pa2_5d **Waldorf teaching**

```

type: numeric (byte)
label: pa2_5d

range: [0,1]
unique values: 2

units: 1
missing .: 6,247/9,526

tabulation: Freq.  Numeric  Label
              3,113      0      No
              166        1      Yes
              6,247      .
    
```

pa2_5e **Buddhist oriented school**

```

type: numeric (byte)
label: pa2_5e

range: [0,1]
unique values: 2

units: 1
missing .: 6,247/9,526

tabulation: Freq.  Numeric  Label
              1,631      0      No
              1,648      1      Yes
              6,247      .
    
```

pa2_5f **Project approached teaching**

```

type: numeric (byte)
label: pa2_5f

range: [0,1]
unique values: 2

units: 1
missing .: 6,247/9,526
    
```



```

tabulation:  Freq.  Numeric  Label
              2,131      0      No
              1,148      1      Yes
              6,247      .
    
```

pa2_5g Others

```

type:  numeric (byte)
label:  pa2_5g

range:  [0,1]
unique values:  2

units:  1
missing .:  6,247/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              3,172      0      No
              107        1      Yes
              6,247      .
    
```

pa2_5ga In the case of others, please specify

```

type:  string (str259), but longest is str186
unique values:  58
missing "":  9,458/9,526
    
```

```

tabulation:  Freq.  Value
              9,458  ""
              1  "ACTING LEARNING, PBL(PROBLEM BASED
                  LEARNING), PBL(PROJECT BASED LEARNING)"
              3  "ACTIVE LEARNING"
              1  "ACTIVE LEARNING "
                  1  "ACTIVEP เสนอแนะ"
              1  "BBI"
              1  "BBL"
              1  "FINLAND EDUCATION SYSTEM"
              2  "HOME SCHOOL"
              2  "STEM"
              1  "STEM,BBL"
              1  "STEM/BBL"
                  1  " การคิดวิเคราะห์"
                  1  " การฝึกแบบปฏิบัติ "
                  1  " การสอนแบบทวิภาษา"
                  1  " การสอนแบบบูรณาการ "
                      1  " การสอนแบบวิถีม.สตีม "
                      2  " การไรซ์" คอมพิวเตอร์"
              1  "จะได้แสวงหาความรู้ค้นคว้าความรู้ที่
                  " ตามหลักทวิไป"
                  1  " ตามแบบการของรัฐบาลจัด "
              1  "ทดลอง"
              1  "ทวิไป"
                  1  "บูรณาการ 5 ภาษา 1.ไทย 2.อังกฤษ 3.จีน
                  4.อาหรับ 5.มาลาญ"
                  1  "บูรณาการผ่านการสอน "
              1  "ที แอล ซี"
                  1  " พื้นฐานตามอายุ"
                  1  "พูด อ่าน เขียน"
                  1  " พื้นแลนค้ อันคับ 1
ของโลกล้มคือวิจัยก็ได้ เลียนแบบเลข"
                  1  " ลงมือปฏิบัติจริง "
              1  " วิถีอิสลาม"
              3  " วิทยาศาสตร์"
                  1  " วิทยาศาสตร์น้อย"
              1  " วิถีน้อยๆ"
              1  "สอนซ้ำ"
              1  "สอนแบบMind Map"
              1  " สอนอะไรก็ได้ "
    
```

```

1 "สอนแบบการพัฒนาการ และเรียนรู้ของเด็ก"
  1 "สอนแบบท'เด็กทำได้"
  2 "สอนแบบท'านศาสดา"
  2 "สอนแบบบูรณาการ"
  1 "สอนแบบวิถีอิสลาม"
  1 "สอนแบบวิถีธรรมชาติ"
  1 "สอนแบบวิถีผสมผสาน"
1 "สอนแบบอิสลาม"
  2 "สอนแบบอานเข็ชช"
  1 "สืบเสาะและหาความรู้"
1 "อิสลาม"
  1 "หลักสูตร ตามเกณฑ์"
  1 "เท'ชวสวนศ'คว"
  1 "เท'าที่'เด็กเร'ชช"
  1 "เร'ชชตามความเหมาะสม"
  1 "เร'ชชและลงม'อป"
  1 "ให'ร'จกเข็ชช-อ'าน"

```

warning: variable has embedded and trailing blanks

pa2_5h **MI**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing: 9,526/9,526

tabulation: Freq. Value
             9,526 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .

```

pa2_6 **Do you have concerns about the child's learning and development?**

```

type: numeric (byte)
label: pa2_6
range: [1,5]
unique values: 3
units: 1
missing: 1,176/9,526

tabulation: Freq. Numeric Label
             852 1 Very concerned
             5,554 3 Partly concerned
             1,944 5 Not concerned at all
             1,176 .

```

falspa01 **In the past 12 months, did the kid recieve tutoring from the school?**

```

type: numeric (byte)
label: falspa01
range: [1,3]
unique values: 2
units: 1
missing: 2,039/9,526

tabulation: Freq. Numeric Label
             1,130 1 Yes
             6,357 3 No
             2,039 .

```

falspa01a **If so, which subject of tutoring did the child recieve?**

type: string (**str135**)
 unique values: **255** missing "": **8,888/9,526**
 warning: variable has embedded blanks

falspa01_math **Math**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: **0** missing .: **9,526/9,526**
 tabulation: Freq. Value
 9,526 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

falspa01_thai **Thai**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: **0** missing .: **9,526/9,526**
 tabulation: Freq. Value
 9,526 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

falspa01_eng **Engilsh**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: **0** missing .: **9,526/9,526**
 tabulation: Freq. Value
 9,526 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

falspa01b **If so, how much money did it cost?**

type: numeric (**long**)
 range: [0,130000] units: **1**
 unique values: **90** missing .: **2,456/9,526**

tabulation:	Freq.	Value
	6,544	0
	1	1
	1	10
	4	20
	1	40
	7	50
	2	90
	2	100
	1	150
	20	200
	4	270
	38	300
	2	315
	5	350
	1	355
	4	360
	1	390
	24	400
	1	420
	4	450
	38	500
	1	520
	23	600
	1	630
	2	650
	5	700
	4	750
	9	800
	6	900
	15	1000
	7	1200
	1	1300
	1	1350
	14	1500
	5	1600
	1	1700
	4	1800
	23	2000
	1	2100
	1	2200
	5	2250
	18	2400
	3	2500
	15	2700
	1	2800
	21	3000
	6	3200
	1	3300
	29	3600
	1	3650
	1	3800
	7	4000
	1	4050
	1	4100
	2	4200
	10	4500
	12	4800
	10	5000
	1	5280
	19	5400
	1	5475
	21	6000
	1	6300
	1	6750
	1	7000
	10	7200
	2	7800
	3	8000
	2	8100
	3	8400
	1	8500

```

                2  9000
                1  9300
                1 10000
                1 10400
                1 10500
                1 10800
                1 11500
                3 12000
                1 12775
                1 13440
                6 13500
                1 15000
                1 16000
                5 18000
                1 27000
                1 34500
                1 36000
                1 38400
                1 130000
    mean:      2,456 .
  std. dev:   245.226
percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0

```

falspa02
In the past 12 months, did the child participate in any extracurricular activiti

```

    type: numeric (byte)
    label: falspa02
    range: [1,3]
unique values: 2
    units: 1
missing .: 2,267/9,526
    tabulation: Freq.  Numeric  Label
                868      1  Yes
                6,391     3  No
                2,267     .

```

falspa02a **If so, which were some of the activities that the child participated?**

```

    type: string (str115)
unique values: 120
missing "": 8,803/9,526
    warning: variable has leading, embedded, and trailing blanks

```

falspa02a_1 **Sports**

```

    type: string (str84), but longest is str0
unique values: 0
missing "": 9,526/9,526
    tabulation: Freq.  Value
                9,526  ""

```

falspa02a_2 **Music**

```

    type: string (str113), but longest is str0
unique values: 0
missing "": 9,526/9,526

```

tabulation: Freq. Value
 9,526 ""

falspa02a_3 **Art**

type: string (**str109**), but longest is str0
 unique values: 0 missing "": 9,526/9,526
 tabulation: Freq. Value
 9,526 ""

falspa02a_4 **Other**

type: string (**str106**), but longest is str0
 unique values: 0 missing "": 9,526/9,526
 tabulation: Freq. Value
 9,526 ""

falspa02b **If so, how much money did it cost?**

type: numeric (**long**)
 range: [0,41300] units: 1
 unique values: 54 missing .: 2,456/9,526
 tabulation: Freq. Value
 6,911 0
 1 10
 3 20
 1 30
 1 40
 1 130
 6 200
 4 300
 1 360
 3 400
 13 500
 1 550
 7 600
 1 700
 3 800
 20 1000
 4 1200
 12 1500
 1 1600
 1 1800
 1 1900
 10 2000
 1 2100
 1 2200
 1 2400
 1 2500
 1 2700
 8 3000
 2 3500
 2 3600
 8 4000
 2 4500
 1 4600
 4 5000
 1 5475
 5 6000
 1 6600

```

          1  6750
          2  7200
          3  8000
          1  9800
          3 10000
          2 12000
          1 12775
          1 13800
          2 15000
          1 16800
          1 17400
          1 21000
          1 24000
          2 30000
          1 32000
          1 34500
          1 41300
    2,456 .
    mean:  92.925
    std. dev: 1183.17

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0

```

falspa03 **In the past 12 months, did the child recieve any additional tutoring?**

```

    type: numeric (byte)
    label: falspa03

    range: [1,3]
    unique values: 2
    units: 1
    missing .: 2,267/9,526

    tabulation: Freq.  Numeric  Label
                1,072    1      Yes
                6,187    3      No
                2,267    .

```

falspa03a_math **If so, did the child recieve tutoring in math?**

```

    type: numeric (byte)
    label: falspa03a_math

    range: [1,1]
    unique values: 1
    units: 1
    missing .: 9,089/9,526

    tabulation: Freq.  Numeric  Label
                437    1      Yes
                9,089  .

```

falspa03a_eng **If so, did the child recieve tutoring in English?**

```

    type: numeric (byte)
    label: falspa03a_eng

    range: [1,1]
    unique values: 1
    units: 1
    missing .: 9,140/9,526

    tabulation: Freq.  Numeric  Label
                386    1      Yes
                9,140  .

```

falspa03a_thai **If so, did the child recieve tutoring in Thai?**

```

type: numeric (byte)
label: falspa03a_thai

range: [1,1] units: 1
unique values: 1 missing .: 9,004/9,526

tabulation: Freq. Numeric Label
             522      1 Yes
             9,004      .
    
```

falspa03a If so, did the child receive tutoring in other subjects?

```

type: numeric (byte)
label: falspa03a

range: [1,1] units: 1
unique values: 1 missing .: 9,386/9,526

tabulation: Freq. Numeric Label
             140      1 Math
             9,386      .
    
```

falspa03b If so, please specify the additional subjects that the child received tutoring?

```

type: string (str122)
unique values: 94 missing "": 9,373/9,526
    
```

```

tabulation: Freq. Value
             9,373 ""

             1 "การบ้านครู"
             2 "กีฬาสี"
             1 "กีฬาฟุตบอล"
             1 "กู้อ่าน"
                 1 "คณิตศาสตร์ ภาษาอังกฤษ"
                 3 "คณิตศาสตร์, ภาษาอังกฤษ"
                 5 "คณิตศาสตร์, ภาษาไทย"
                 1 "คณิตศาสตร์, ภาษาไทย"
                 1 "คณิตศาสตร์, ระบายสี"
             1 "คริสตจักร"
             1 "คอม"
                 1 "คอมพิวเตอร์"
                 1 "คุณแม่สอนเอง"
                 1 "อาชีพ"
                 1 "งานศิลป์"
                 4 "จินตคณิต"
             4 "จีน"
                 1 "จีน ภาษาอังกฤษ"
                 1 "จีน, คณิตศาสตร์, อังกฤษ, ไทย"
             2 "ดนตรี"
                 1 "ตำรังก์ชีวิต"
                 1 "ตาดักกา/อัลกอ,รอน"
             1 "ตามครูสอน"
             2 "ทั่วไป"
                 1 "ทำกาบ้าน"
                 1 "ที่บ้านอาจารย์"
             5 "ทุกวิชา"
             1 "ปฐมวัย"
                 1 "ประคิษฐ์"
                 2 "ปั้นดินน้ำมัน"
                     1 "ฝึกท'องจำอัลกอ,รอน"
                     1 "ฝึกเขียน, วาดรูป, ระบายสี"
                 1 "ฝึกเขียนทั่วไป"
    
```


- 3 "ฟุตบอล"
 - 1 "ฟุตบอล, ภาษาอังกฤษ"
 - 9 "ภาษาจีน"
 - 1 "ภาษาจีนกลาง คณิตศาสตร์"
 - 1 "ภาษามลายู"
 - 1 "ภาษาอังกฤษ ภาษาจีน"
 - 1 "ภาษาอังกฤษ, ศิลปะ"
 - 2 "ภาษาอาหรับ"
 - 1 "มลายู"
 - 1 "มักคับ"
 - 1 "มีแค่ระบาย"
 - 1 "ฮารี/อัลกุรอาน"
 - 1 "รวมทุกวิชา"
 - 1 "ระบายสี"
 - 1 "ระบายสีศิลปะ"
 - 1 "วาดรูป"
 - 1 "วาดรูป ระบายสี"
 - 1 "วาดรูป, ภาษาไทย"
 - 1 "วาดเขียนระบายสี"
 - 1 "วาดเขียน"
 - 1 "วิชาวิทยาศาสตร์"
 - 2 "วิทยาศาสตร์"
- " " ว ' า ย น ' ำ , ค ณ ิ ต พ
- 4 "ศาสนา"
 - 1 "ศาสนาภาคคำ"
 - 2 "ศาสนาอิสลาม"
- 10 "ศิลปะ"
 - 1 "ศิลปะบำบัด"
 - 1 "สอนการบ้าน"
 - 1 "สอนว'า ย น 'ำ เองที่'บ้าน"
 - 1 "สอนแบบบูรณาการ"
 - 1 "หลังเลิกเรียน"
 - 1 "อัลกุรอาน"
 - 8 "อัลกุรอาน"
 - 4 "อัลกุรอาน"
 - 2 "อาหรับ"
 - 2 "อิสลามศึกษา"
 - 2 "อ่านอัลกุรอาน"
 - 1 "อ่านอัลกุรอาน, เร็ย"
 - 2 "เทควันโด"
 - 1 "เทควันโด-สแต็ค"
 - 1 "เร็ยกับครูประจำชััน"
 - 1 "เรียนคารัคกา"
 - 1 "เร็ยที่รร.พิเศษ"
 - 1 "เร็ยพิเศษกับค"
 - 1 "ไม่ได้กำหนดเวลา"
 - 1 "เรียนรวม"
 - 1 "เร็ยอ่านกุรอาน"
 - 1 "เรียนเด่น"
 - 1 "เร็ยเสาร'-อาทิตย'"
 - 1 "เสาริมสร'างลักษณะนิสัย"
 - 1 "แม่สอนเอง"
 - 1 "แม่เสาริมที่'บ้าน"
 - 1 "ไม่ระบุภาษา"
 - 1 "ไม่รู้"
 - 1 "ไม่แน่ใจ"
 - 1 "ไม่ได้เร็ย"

warning: variable has embedded blanks

falspa03c

If so, how much money did it cost?

type: numeric (long)
 range: [0,50000] units: 1
 unique values: 77 missing .: 2,456/9,526

tabulation:	Freq.	Value
	6,835	0
	1	10
	1	15
	1	30
	2	50
	3	100
	1	150
	9	200
	2	250
	16	300
	1	360
	7	400
	1	440
	17	500
	10	600
	1	700
	1	750
	9	800
	2	900
	16	1000
	2	1100
	3	1200
	12	1500
	1	1600
	1	1900
	10	2000
	1	2100
	2	2400
	2	2500
	1	2700
	1	2800
	1	2990
	11	3000
	1	3200
	1	3300
	2	3400
	1	3500
	2	3600
	1	3700
	5	4000
	1	4400
	2	4500
	4	4800
	3	5000
	1	5500
	1	5600
	9	6000
	1	7000
	5	7200
	1	7500
	2	7800
	1	8000
	2	8400
	1	8440
	1	9000
	3	9600
	2	10000
	1	10400
	1	11880
	6	12000
	1	12775
	2	14400
	2	15000
	1	15600
	1	16000
	1	17000
	5	18000
	1	19200
	1	22800
	2	24000
	1	28000

```

                1 29800
                1 34000
                1 34500
                2 35000
                1 36000
                1 50000
    mean:      2,456 .
    std. dev:  162.269
percentiles:  10%      25%      50%      75%      90%
                0        0        0        0        0
    
```

falspa04

How many books does the child currently own, excluding ones that are borrowed?

```

    type: numeric (double)
    range: [0,1000]
    unique values: 60
    units: .1
    missing .: 2,038/9,526
    
```

```

tabulation: Freq. Value
2,916 0
217 1
33 1.5
770 2
79 2.5
755 3
60 3.5
284 4
88 4.5
753 5
40 5.5
157 6
15 6.5
73 7
43 7.5
82 8
3 8.5
18 9
2 9.5
591 10
1 10.5
9 11
36 12
6 12.5
12 13
5 14
74 15
4 16
2 17.5
3 18
5 19
168 20
1 21
4 23
3 24
18 25
1 26
3 28
57 30
7 35
1 37
1 39
19 40
1 45
2 47
31 50
2 52
2 55
    
```

```

                2  56
                2  57
                5  60
                1  65
                1  70
                1  80
                2  85
                1  95
               13 100
                1 200
                1 435
                1 1000
    2,038      .
    mean:     4.48478
    std. dev: 15.0701

    percentiles:    10%    25%    50%    75%    90%
                   0      0      2      5     10

```

falspa05 In the past weeks, how many days did a house hold member read to the child?

```

    type: numeric (double)
    range: [0,7]
    unique values: 15
    units: .1
    missing .: 2,037/9,526

    tabulation:
    Freq. Value
    3,010 0
     2 .5
    592 1
    177 1.5
    1,339 2
    239 2.5
    946 3
    99 3.5
    221 4
    24 4.5
    366 5
    5 5.5
    24 6
    1 6.5
    444 7
    2,037 .
    mean: 1.79283
    std. dev: 1.98422

    percentiles:    10%    25%    50%    75%    90%
                   0      0     1.5     3     5

```

fapapa10 In the past 1 year, the child has studied additional activities other than schoo

```

    type: numeric (byte)
    range: [.,.]
    unique values: 0
    units: .
    missing .: 9,526/9,526

    tabulation:
    Freq. Value
    9,526 .
    mean: .
    std. dev: .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .

```

fapapa10a_1 **Sports**

```

type: string (str110), but longest is str0
unique values: 0 missing "": 9,526/9,526
tabulation: Freq. Value
             9,526 ""
    
```

fapapa10a_2 **Music**

```

type: string (str105), but longest is str0
unique values: 0 missing "": 9,526/9,526
tabulation: Freq. Value
             9,526 ""
    
```

fapapa10a_3 **Art**

```

type: string (str91), but longest is str0
unique values: 0 missing "": 9,526/9,526
tabulation: Freq. Value
             9,526 ""
    
```

fapapa10a_4 **Other**

```

type: string (str98), but longest is str0
unique values: 0 missing "": 9,526/9,526
tabulation: Freq. Value
             9,526 ""
    
```

fapapa10b **In the past 1 year, how many baht did you spend in total per year?**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 9,526/9,526
tabulation: Freq. Value
             9,526 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

pa2_10 **What education level do you want your child to receive?**

```

type: numeric (byte)
label: pa2_10
range: [1,19] units: 1
unique values: 10 missing .: 1,340/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              81      1  No education
              117     3  Lower than grade 6
              631     5  Grade 6
              121     7  Grade 9
              565     9  Grade 12
            4,229    11  Vocational Certificate
              546    13  High Vocational Certificate
              636    15  Bachelor Degree
              827    17  Masters Degree
              433    19  PhD
            1,340     .
    
```

pa2_10a **In the case of others, please specify**

```

type:  string (str528)
unique values:  342          missing "":  9,106/9,526

warning:  variable has embedded blanks
    
```

pa2_11 **What education level do you think your child would graduate from?**

```

type:  numeric (byte)
label:  pa2_11

range:  [1,19]          units:  1
unique values:  10      missing .:  1,649/9,526

tabulation:  Freq.  Numeric  Label
              110     1  No education
              201     3  Lower than grade 6
              953     5  Grade 6
              147     7  Grade 9
              609     9  Grade 12
            3,488    11  Vocational Certificate
              348    13  High Vocational Certificate
              353    15  Bachelor Degree
            1,316    17  Masters Degree
              352    19  PhD
            1,649     .
    
```

pa2_11a **In the case of others, please specify**

```

type:  string (str444), but longest is str351
unique values:  222          missing "":  9,200/9,526

warning:  variable has embedded blanks
    
```

fapapa01 **In the past week, have you left your child alone at home for over an hour?**

```

type:  numeric (byte)
label:  fapapa01

range:  [1,3]          units:  1
unique values:  2      missing .:  1,338/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              1,047      1  Yes
              7,141      3  No
              1,338      .
    
```

fapapa01a

If so, please specify the number of hours

```

type:  numeric (double)
range: [0,24]
unique values: 30
units: .01
missing .: 8,996/9,526
    
```

```

tabulation:  Freq.  Value
              2      0
              1     .25
              1     .47
             79      1
              7     1.3
             32     1.5
            126      2
              3     2.3
             20     2.5
             71      3
             15     3.5
             23      4
              7     4.5
             41      5
              1     5.3
              4     5.5
              1     5.6
             14      6
             11      7
              2     7.5
             13      8
              1     8.5
              4      9
             14     10
              7     12
             10     14
              5     15
              4     20
              3     21
              8     24
            8,996  .
    
```

```

mean: 4.09645
std. dev: 4.31724
    
```

```

percentiles: 10%      25%      50%      75%      90%
              1         2         2.5      5         9
    
```

fanupa01

In the past year, how often does your house hold experience not having enough fo

```

type:  numeric (byte)
label: fanupa01
range: [0,2]
unique values: 3
units: 1
missing .: 1,666/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              6,224      0  Never
              1,420      1  Occasionally
               216      2  Consistently
              1,666      .
    
```

fapapa16

In the past 1 week (7 days), have you had your younger sibling help with housewo

```

type: numeric (byte)
range: [.,.]          units: .
unique values: 0      missing .. 9,526/9,526

tabulation: Freq. Value
             9,526 .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

fapapa16a

Please specify number of hours per week

```

type: numeric (double)
range: [.,.]          units: .
unique values: 0      missing .. 9,526/9,526

tabulation: Freq. Value
             9,526 .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

fapapa17

In the past 1 week (7 days), have you played games on your mobile phone, compute

```

type: numeric (byte)
range: [.,.]          units: .
unique values: 0      missing .. 9,526/9,526

tabulation: Freq. Value
             9,526 .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

fapapa17a

Please specify the number of days per week

```

type: numeric (double)
range: [.,.]          units: .
unique values: 0      missing .. 9,526/9,526

tabulation: Freq. Value
             9,526 .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

fapapa18 **Do you have your own computer?**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Value
             9,526 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

fapapa18a **Yes, starting from how old is the child?**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Value
             9,526 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

fapapa19 **Does you're the child have their own iPad tablet?**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Value
             9,526 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

fapapa19a **Yes, starting from how old is the child?**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Value
             9,526 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

fapapa20 **Does the child have their own mobile phone?**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Value
             9,526 .
             .
             .
             .
             .
             .
percentiles: 10% 25% 50% 75% 90%
             . . . . .
    
```

fapapa20a **Yes, starting from how old is the child?**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Value
             9,526 .
             .
             .
             .
             .
percentiles: 10% 25% 50% 75% 90%
             . . . . .
    
```

pa3_2 **Curently, how often does the child drink milk from a bottle?**

```

type: numeric (byte)
label: pa3_2
range: [0,2]
unique values: 3
units: 1
missing ..: 1,758/9,526

tabulation: Freq. Numeric Label
             6,208 0 Never
             902 1 Occasionally
             658 2 Consistently
             1,758 .
    
```

pa3_3 **Currently, does the child find it difficult to eat vegetables?**

```

type: numeric (byte)
label: pa3_3
range: [1,3]
unique values: 2
units: 1
missing ..: 1,831/9,526

tabulation: Freq. Numeric Label
             3,375 1 Yes
             4,320 3 No
             1,831 .
    
```

pa3_4 **Currently, how often does the child eat vegetables?**

```

type: numeric (byte)
label: pa3_4
range: [1,5]
unique values: 3
units: 1
missing ..: 1,180/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              782      1  Ever
              5,765    3  Sometimes
              1,799    5  regular
              1,180    .
    
```

fanupa02 **Did the child eat breakfast every day in the past week?**

```

type: numeric (byte)
label: fanupa02

range: [1,5]
unique values: 3
units: 1
missing ..: 1,403/9,526

tabulation:  Freq.  Numeric  Label
              6,003    1  Everyday
              2,010    3  Somedays
              110      5  Never
              1,403    .
    
```

fanupa03a **Monday**

```

type: numeric (byte)
label: fanupa03a

range: [1,1]
unique values: 1
units: 1
missing ..: 8,755/9,526

tabulation:  Freq.  Numeric  Label
              771      1  Yes
              8,755    .
    
```

fanupa03b **Tuesday**

```

type: numeric (byte)
label: fanupa03b

range: [1,1]
unique values: 1
units: 1
missing ..: 9,021/9,526

tabulation:  Freq.  Numeric  Label
              505      1  Yes
              9,021    .
    
```

fanupa03c **Wednesday**

```

type: numeric (byte)
label: fanupa03c

range: [1,1]
unique values: 1
units: 1
missing ..: 9,123/9,526

tabulation:  Freq.  Numeric  Label
              403      1  Yes
              9,123    .
    
```

fanupa03d **Thursday**

```

type: numeric (byte)
label: fanupa03d
    
```

range: [1,1] units: 1
 unique values: 1 missing .: 9,062/9,526
 tabulation: Freq. Numeric Label
 464 1 Yes
 9,062 .

fanupa03e **Friday**

type: numeric (byte)
 label: fanupa03e
 range: [1,1] units: 1
 unique values: 1 missing .: 9,095/9,526
 tabulation: Freq. Numeric Label
 431 1 Yes
 9,095 .

fanupa03f **Saturday**

type: numeric (byte)
 label: fanupa03f
 range: [1,1] units: 1
 unique values: 1 missing .: 9,478/9,526
 tabulation: Freq. Numeric Label
 48 1 Yes
 9,478 .

fanupa03g **Sunday**

type: numeric (byte)
 label: fanupa03g
 range: [1,1] units: 1
 unique values: 1 missing .: 9,061/9,526
 tabulation: Freq. Numeric Label
 465 1 Yes
 9,061 .

fanupa03h **MI**

type: numeric (byte)
 label: fanupa03h
 range: [1,1] units: 1
 unique values: 1 missing .: 9,122/9,526
 tabulation: Freq. Numeric Label
 404 1 Yes
 9,122 .

fanupa04 **Where does the child typically eat breakfast?**

type: numeric (byte)
 label: fanupa04

```

    range: [1,5]                units: 1
unique values: 3                missing .: 1,627/9,526

    tabulation: Freq.  Numeric  Label
                7,200    1    At home
                 516     3    At school
                 183     5    On the way to school
                1,627     .

```

fanupa05a **Rice and side dishes**

```

    type: numeric (byte)
    label: fanupa05a

    range: [0,1]                units: 1
unique values: 2                missing .: 1,514/9,526

    tabulation: Freq.  Numeric  Label
                882     0    No
                7,130    1    Yes
                1,514     .

```

fanupa05b **Milk**

```

    type: numeric (byte)
    label: fanupa05b

    range: [0,1]                units: 1
unique values: 2                missing .: 1,513/9,526

    tabulation: Freq.  Numeric  Label
                5,625    0    No
                2,388    1    Yes
                1,513     .

```

fanupa05c **Bread**

```

    type: numeric (byte)
    label: fanupa05c

    range: [0,1]                units: 1
unique values: 2                missing .: 1,513/9,526

    tabulation: Freq.  Numeric  Label
                6,387    0    No
                1,626    1    Yes
                1,513     .

```

fanupa05d **Cereal**

```

    type: numeric (byte)
    label: fanupa05d

    range: [0,1]                units: 1
unique values: 2                missing .: 1,513/9,526

    tabulation: Freq.  Numeric  Label
                7,478    0    No
                 535     1    Yes
                1,513     .

```

fanupa05e **Crispy snacks**

```

type: numeric (byte)
label: fanupa05e

range: [0,1]
unique values: 2
units: 1
missing ..: 1,513/9,526

tabulation: Freq.  Numeric  Label
              7,608      0      No
              405        1      Yes
              1,513          .
    
```

fanupa05f **Instant food such as instant noodles or instant porridge**

```

type: numeric (byte)
label: fanupa05f

range: [0,1]
unique values: 2
units: 1
missing ..: 1,513/9,526

tabulation: Freq.  Numeric  Label
              7,125      0      No
              888        1      Yes
              1,513          .
    
```

fanupa05g **Others**

```

type: numeric (byte)
label: fanupa05g

range: [0,1]
unique values: 2
units: 1
missing ..: 1,513/9,526

tabulation: Freq.  Numeric  Label
              7,463      0      No
              550        1      Yes
              1,513          .
    
```

fanupa05h **MI**

```

type: numeric (byte)
label: fanupa05h

range: [.,.]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq.  Numeric  Label
              9,526          .
    
```

fanupa05i **Fruits**

```

type: numeric (byte)

range: [.,.]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq.  Value
              9,526  .
mean:      .
std. dev:  .
    
```

faecpa02

Sedan cars

```

type: numeric (byte)
range: [0,6]
unique values: 7
units: 1
missing .: 2,277/9,526

tabulation:
  Freq. Value
  5,653 0
  1,421 1
    147 2
    22 3
     3 4
     1 5
     2 6
  2,277 .
mean: .24969
std. dev: .512006

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

faecpa03

Pickup truck, van, small truck

```

type: numeric (byte)
range: [0,6]
unique values: 7
units: 1
missing .: 2,291/9,526

tabulation:
  Freq. Value
  4,433 0
  2,398 1
    325 2
    66 3
     8 4
     4 5
     1 6
  2,291 .
mean: .456669
std. dev: .649021

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        1
    
```

faecpa04

Vehicles with over 6 wheels

```

type: numeric (byte)
range: [0,4]
unique values: 5
units: 1
missing .: 2,277/9,526

tabulation:
  Freq. Value
  7,045 0
    146 1
     45 2
     10 3
     3 4
  2,277 .
mean: .03835
std. dev: .250093

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

faecpa05

Motorcycle

type: numeric (**byte**)
 range: [0,14] units: 1
 unique values: 11 missing .: 2,377/9,526

tabulation: Freq. Value
 727 0
 3,039 1
 2,268 2
 796 3
 223 4
 66 5
 18 6
 7 7
 3 8
 1 12
 1 14
 2,377 .
 mean: 1.59351
 std. dev: 1.0488

percentiles: 10% 25% 50% 75% 90%
 0 1 1 2 3

faecpa06

Manual tractor (one where a person pushes it from behind)

type: numeric (**byte**)
 range: [0,7] units: 1
 unique values: 6 missing .: 2,309/9,526

tabulation: Freq. Value
 6,218 0
 941 1
 50 2
 6 3
 1 4
 1 7
 2,309 .
 mean: .148261
 std. dev: .390676

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

faecpa07

4-wheeled tractor

type: numeric (**byte**)
 range: [0,8] units: 1
 unique values: 9 missing .: 2,289/9,526

tabulation: Freq. Value
 6,913 0
 248 1
 43 2
 14 3
 9 4
 6 5
 1 6
 1 7
 2 8
 2,289 .
 mean: .065082

std. dev: .37588
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

faecpa08

Mobile phone

type: numeric (**byte**)
 range: [0,15] units: 1
 unique values: 16 missing .: 2,391/9,526

tabulation:	Freq.	Value
	296	0
	1,582	1
	2,266	2
	1,306	3
	885	4
	434	5
	210	6
	89	7
	38	8
	10	9
	11	10
	3	11
	2	12
	1	13
	1	14
	1	15
	2,391	.

mean: 2.55473
 std. dev: 1.60365

percentiles: 10% 25% 50% 75% 90%
 1 1 2 3 5

faecpa09

Motor boat

type: numeric (**byte**)
 range: [0,5] units: 1
 unique values: 6 missing .: 2,281/9,526

tabulation:	Freq.	Value
	7,127	0
	98	1
	14	2
	2	3
	3	4
	1	5
	2,281	.

mean: .020566
 std. dev: .182751

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

faecpa10

Computer, digital notebook

type: numeric (**byte**)
 range: [0,13] units: 1
 unique values: 9 missing .: 2,295/9,526

```

tabulation:  Freq.  Value
              5,411  0
              1,435  1
              299    2
               61    3
               14    4
                8    5
                1   11
                1   12
                1   13
              2,295  .
    mean:    .324713
  std. dev: .673092

percentiles:  10%    25%    50%    75%    90%
              0      0      0      1      1
    
```

faecpa11

Lap top, ipad

```

type:  numeric (byte)

range:  [0,4]          units:  1
unique values:  5      missing .:  2,287/9,526

tabulation:  Freq.  Value
              6,293  0
              823   1
              111   2
               11   3
                1   4
              2,287  .
    mean:    .149468
  std. dev: .410601

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

faecpa12

VDO / VCD / DVD player

```

type:  numeric (byte)

range:  [0,10]        units:  1
unique values:  8      missing .:  2,307/9,526

tabulation:  Freq.  Value
              5,525  0
              1,532  1
               137   2
                19   3
                 2   4
                 2   5
                 1   7
                 1  10
              2,307  .
    mean:    .262917
  std. dev: .524145

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

faecpa13

Colored Television

```

type:  numeric (byte)
    
```

```

range: [0,7] units: 1
unique values: 8 missing .: 2,362/9,526

tabulation: Freq. Value
             910 0
             4,500 1
             1,263 2
             364 3
             94 4
             25 5
             7 6
             1 7
             2,362 .
mean: 1.20994
std. dev: .816062

percentiles: 10% 25% 50% 75% 90%
              0 1 1 1 2
    
```

faecpa14

Fan

```

type: numeric (byte)

range: [0,15] units: 1
unique values: 15 missing .: 2,395/9,526

tabulation: Freq. Value
             219 0
             1,533 1
             1,992 2
             1,600 3
             861 4
             528 5
             206 6
             93 7
             48 8
             12 9
             27 10
             4 11
             5 12
             1 14
             2 15
             2,395 .
mean: 2.69219
std. dev: 1.66472

percentiles: 10% 25% 50% 75% 90%
              1 2 2 4 5
    
```

faecpa15

Water heater

```

type: numeric (byte)

range: [0,8] units: 1
unique values: 8 missing .: 2,308/9,526

tabulation: Freq. Value
             5,353 0
             1,625 1
             192 2
             35 3
             7 4
             3 5
             2 6
             1 8
             2,308 .
mean: .301607
std. dev: .573586
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

faecpa16 **Washing machine**

type: numeric (**byte**)
 range: [0,15] units: 1
 unique values: 8 missing .: 2,363/9,526

tabulation: Freq. Value
 1,580 0
 5,099 1
 443 2
 34 3
 3 4
 2 5
 1 7
 1 15
 2,363 .
 mean: .855926
 std. dev: .566854

percentiles: 10% 25% 50% 75% 90%
 0 1 1 1 1

faecpa17 **Air conditioner**

type: numeric (**byte**)
 range: [0,10] units: 1
 unique values: 10 missing .: 2,275/9,526

tabulation: Freq. Value
 5,558 0
 1,091 1
 368 2
 150 3
 49 4
 21 5
 8 6
 4 7
 1 8
 1 10
 2,275 .
 mean: .368501
 std. dev: .82088

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

faecpa18 **Microwave**

type: numeric (**byte**)
 range: [0,3] units: 1
 unique values: 4 missing .: 2,297/9,526

```

tabulation: Freq. Value
             5,676 0
             1,496 1
              51 2
              6 3
             2,297 .
mean:       .223544
std. dev:   .438963

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

faecpa19 **Fridge**

```

type: numeric (byte)
range: [0,8]
unique values: 8
units: 1
missing .: 2,386/9,526

tabulation: Freq. Value
             568 0
             5,477 1
             946 2
             123 3
              18 4
               5 5
               2 6
               1 8
             2,386 .
mean:       1.10014
std. dev:   .56456

percentiles:      10%      25%      50%      75%      90%
                  1        1        1        1        2
    
```

pa4_2a **How much legal debt do you owe?**

```

type: numeric (double)
range: [0,50214900]
unique values: 280
units: .01
missing .: 3,209/9,526

mean:       201597
std. dev:   796353

percentiles:      10%      25%      50%      75%      90%
                  0        0      30000      200000      500000
    
```

pa4_2b **How much illegal debt do you owe?**

```

type: numeric (long)
range: [0,2500000]
unique values: 102
units: 1
missing .: 4,025/9,526

mean:       18981.3
std. dev:   80793.9

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0      50000
    
```

faecpa20 **What type of house does the household currently live in?**

```

type: numeric (byte)
label: faecpa20, but 1 nonmissing value is not labeled

range: [0,1] units: 1
unique values: 2 missing .: 1,498/9,526

tabulation: Freq. Numeric Label
             1,142      0
             6,886      1 Your own house
             1,498      .
    
```

faecpa20a **In the case of others, please specify**

```

type: string (str121)

unique values: 229 missing "": 8,467/9,526

warning: variable has embedded blanks
    
```

faecpa21 **Is the house you live in owned by you or someone in your family?**

```

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 9,526/9,526

tabulation: Freq. Value
             9,526 .
             mean: .
             std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

pa4_4 **How many stories does your house have?**

```

type: numeric (byte)
label: pa4_4

range: [1,7] units: 1
unique values: 4 missing .: 2,825/9,526

tabulation: Freq. Numeric Label
             4,371      1 One story
             2,296      3 Two stories
                26      5 Three stories
                 8      7 Four stories
             2,825      .
    
```

pa4_5 **How many bathrooms are there in the house? (counting only the ones with toilets)**

```

type: numeric (byte)

range: [0,18] units: 1
unique values: 12 missing .: 3,063/9,526
    
```

```

tabulation:  Freq.  Value
              309    0
              4,385  1
              1,454  2
              240   3
              45    4
              12    5
              7     6
              6     7
              1     8
              2    10
              1    12
              1    18
              3,063  .
    mean:     1.29893
    std. dev: .762238

percentiles:      10%      25%      50%      75%      90%
                  1        1        1        2        2
    
```

pa4_6 **How many bedrooms are there in the house?**

```

    type: numeric (byte)
    range: [0,11]
    unique values: 10
    units: 1
    missing .: 2,973/9,526

    tabulation:  Freq.  Value
                  187    0
                  1,760  1
                  2,551  2
                  1,520  3
                   423   4
                   85   5
                   22   6
                    2   7
                    2   8
                    1  11
                  2,973  .
    mean:     2.09248
    std. dev: 1.03244

percentiles:      10%      25%      50%      75%      90%
                  1        1        2        3        3
    
```

pa5_1a **Facebook**

```

    type: numeric (byte)
    label: pa5_1a
    range: [0,1]
    unique values: 2
    units: 1
    missing .: 1,023/9,526

    tabulation:  Freq.  Numeric  Label
                  2,764      0     No
                  5,739      1     Yes
                  1,023      .
    
```

pa5_1b **Youtube**

```

    type: numeric (byte)
    label: pa5_1b
    range: [0,1]
    unique values: 2
    units: 1
    missing .: 1,028/9,526
    
```



```

tabulation:  Freq.  Numeric  Label
              3,268      0      No
              5,230      1      Yes
              1,028      .
    
```

pa5_1c **Line**

```

      type:  numeric (byte)
      label:  pa5_1c

      range:  [0,1]
unique values:  2
                                units:  1
                                missing .:  1,025/9,526

      tabulation:  Freq.  Numeric  Label
                   3,720      0      No
                   4,781      1      Yes
                   1,025      .
    
```

pa5_1d **Instagram**

```

      type:  numeric (byte)
      label:  pa5_1d

      range:  [0,1]
unique values:  2
                                units:  1
                                missing .:  1,037/9,526

      tabulation:  Freq.  Numeric  Label
                   7,640      0      No
                   849        1      Yes
                   1,037      .
    
```

pa5_1e **Twitter**

```

      type:  numeric (byte)
      label:  pa5_1e

      range:  [0,1]
unique values:  2
                                units:  1
                                missing .:  1,037/9,526

      tabulation:  Freq.  Numeric  Label
                   8,190      0      No
                   299        1      Yes
                   1,037      .
    
```

pa5_1f **None**

```

      type:  numeric (byte)
      label:  pa5_1f

      range:  [0,1]
unique values:  2
                                units:  1
                                missing .:  1,039/9,526

      tabulation:  Freq.  Numeric  Label
                   7,307      0      No
                   1,180      1      Yes
                   1,039      .
    
```

pa5_cvd01
 During the COVID-19 outbreak, have children studied online or distance learning

```

type: numeric (byte)
label: pa5_cvd01
range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526
tabulation: Freq. Numeric Label
              9,526 .

```

pa5_cvd02
Do you think of online learning or distance learning via satellite? (DLTV) How d

```

type: numeric (byte)
label: pa5_cvd02
range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526
tabulation: Freq. Numeric Label
              9,526 .

```

pa5_cvd03
Semester 1, during 18 May - 30 June 2020, did the children go to school as usual

```

type: numeric (byte)
label: pa5_cvd03
range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526
tabulation: Freq. Numeric Label
              9,526 .

```

pa5_cvd04
Semester 1, during 18 May - 30 June 2020, what activities did the teacher do or

```

type: numeric (byte)
label: pa5_cvd04
range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526
tabulation: Freq. Numeric Label
              9,526 .

```

pa5_cvd04_hw **The teacher assigns homework to the children to take home.**

```

type: numeric (byte)
range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526
tabulation: Freq. Value
              9,526 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .

```

pa5_cvd04_online **Teachers assign children to study online.**

type: numeric (**byte**)
range: [.,.] units: .
unique values: 0 missing .: 9,526/9,526
tabulation: Freq. Value
9,526 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
.

pa5_cvd04_dltv Teachers assign children to study distance learning via satellite (DLTV).

type: numeric (**byte**)
range: [.,.] units: .
unique values: 0 missing .: 9,526/9,526
tabulation: Freq. Value
9,526 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
.

pa5_cvd04_paact Teachers send equipment to their homes so that parents can do activities with th

type: numeric (**byte**)
range: [.,.] units: .
unique values: 0 missing .: 9,526/9,526
tabulation: Freq. Value
9,526 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
.

pa5_cvd04_vshome Teachers visit children's homes and assign homework/activities for children to d

type: numeric (**byte**)
range: [.,.] units: .
unique values: 0 missing .: 9,526/9,526
tabulation: Freq. Value
9,526 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
.

pa5_cvd04_other Other, please specify

```

type: string (str332), but longest is str0
unique values: 0 missing "": 9,526/9,526
tabulation: Freq. Value
             9,526 ""
    
```

pa5_cvd05
Semester 1, during 1 July - 11 August 2020, will the children's classrooms allow

```

type: numeric (byte)
label: pa5_cvd05
range: [..] units: .
unique values: 0 missing ..: 9,526/9,526
tabulation: Freq. Numeric Label
             9,526 .
    
```

pa5_cvd06
In the first semester of the 2020 academic year, after classes open as usual (fr

```

type: numeric (byte)
label: pa5_cvd06
range: [..] units: .
unique values: 0 missing ..: 9,526/9,526
tabulation: Freq. Numeric Label
             9,526 .
    
```

pa5_cvd06_det
There has been an announcement of additional school closures. How many days

```

type: numeric (double)
range: [..] units: .
unique values: 0 missing ..: 9,526/9,526
tabulation: Freq. Value
             9,526 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

pa5_cvd07
In the first semester of the 2020 academic year, do children's classrooms have c

```

type: numeric (byte)
label: pa5_cvd07
range: [..] units: .
unique values: 0 missing ..: 9,526/9,526
tabulation: Freq. Numeric Label
             9,526 .
    
```

pa5_cvd07_det **How many days of compensatory study are there?**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Value
9,526 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

pa5_cvd08 Semester 2, during 1-31 Jan. 2021, did children go to school as usual?

```

type: numeric (byte)
label: pa5_cvd08
range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Numeric Label
9,526 .

```

pa5_cvd09 Semester 2 during 1-31 Jan. 2021, teachers organized activities. Or assign the c

```

type: numeric (byte)
label: pa5_cvd09
range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Numeric Label
9,526 .

```

pa5_cvd09_hw The teacher assigns homework to the children to take home.

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Value
9,526 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

pa5_cvd09_online Teachers assign children to study online.

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Value
9,526 .
mean: .
std. dev: .

```

percentiles: 10% 25% 50% 75% 90%

pa5_cvd09_dltv

Teachers assign children to study distance learning via satellite (DLTV).

```

  type: numeric (byte)
  range: [..]
  unique values: 0
  units: .
  missing : 9,526/9,526

  tabulation: Freq. Value
               9,526 .
  mean:      .
  std. dev:  .

  percentiles: 10% 25% 50% 75% 90%
                . . . . .
```

pa5_cvd09_paact

Teachers send equipment to their homes so that parents can do activities with th

```

  type: numeric (byte)
  range: [..]
  unique values: 0
  units: .
  missing : 9,526/9,526

  tabulation: Freq. Value
               9,526 .
  mean:      .
  std. dev:  .

  percentiles: 10% 25% 50% 75% 90%
                . . . . .
```

pa5_cvd09_vshome

Teachers visit children's homes and assign homework/activities for children to d

```

  type: numeric (byte)
  range: [..]
  unique values: 0
  units: .
  missing : 9,526/9,526

  tabulation: Freq. Value
               9,526 .
  mean:      .
  std. dev:  .

  percentiles: 10% 25% 50% 75% 90%
                . . . . .
```

pa5_cvd09_other

Other, please specify

```

  type: string (str201), but longest is str0
  unique values: 0
  missing "": 9,526/9,526

  tabulation: Freq. Value
               9,526 ""
```

pa5_cvd10
Semester 2 from 31 Jan. 2021 until present ,does the child's classroom allow stu

```

type: numeric (byte)
label: pa5_cvd10

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

pa5_cvd11
During the COVID-19 outbreak ,your family has purchased electronic equipment. su

```

type: numeric (byte)
label: pa5_cvd11

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

pa5_cvd11_amount **How many baht is it?**

```

type: numeric (long)

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Value
             9,526 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

pa5_cvd12
From 1 January 2020 until now ,your family members have people who work. Or have

```

type: numeric (byte)
label: pa5_cvd12

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

pa5_cvd12_cnt **How many people are there?**

```

type: numeric (double)

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526
    
```

```

tabulation: Freq. Value
             9,526 .
             mean: .
             std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

pa5_cvd13
Has anyone in your family had to change jobs or be laid off due to the COVID-19

```

type: numeric (byte)
label: pa5_cvd13

range: [.,.]          units: .
unique values: 0      missing ..: 9,526/9,526

tabulation: Freq.  Numeric  Label
             9,526      .
    
```

pa5_cvd13_cnt **How many people are there?**

```

type: numeric (double)

range: [.,.]          units: .
unique values: 0      missing ..: 9,526/9,526

tabulation: Freq.  Value
             9,526 .
             mean: .
             std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

pa5_cvd14
During the COVID-19 outbreak ,how has your family's income changed from normal?

```

type: numeric (byte)
label: pa5_cvd14

range: [.,.]          units: .
unique values: 0      missing ..: 9,526/9,526

tabulation: Freq.  Numeric  Label
             9,526      .
    
```

pa5_cvd14_incl **decreased By approximately how many baht/month?**

```

type: numeric (long)

range: [.,.]          units: .
unique values: 0      missing ..: 9,526/9,526

tabulation: Freq.  Value
             9,526 .
             mean: .
             std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

pa5_cvd14_inc2 **How many baht/month do you usually get?**

```

type: numeric (long)
range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Value
9,526 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

pa5_cvd14_dec1 **increased By approximately how many baht/month?**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Value
9,526 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

pa5_cvd14_dec2 **How many baht/month do you usually get?**

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Value
9,526 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

pa5_cvd15 **During the COVID-19 outbreak ,how have your family's expenses changed from norma**

```

type: numeric (byte)
label: pa5_cvd15
range: [.,.]
unique values: 0
units: .
missing .: 9,526/9,526

tabulation: Freq. Numeric Label
9,526 .
    
```

pa5_cvd15_inc1 **decreased By approximately how many baht/month?**

```

type: numeric (long)
    
```

```

range: [.,.]          units: .
unique values: 0      missing .: 9,526/9,526

  tabulation: Freq.  Value
              9,526  .
    mean:      .
  std. dev:    .

percentiles:   10%    25%    50%    75%    90%
               .      .      .      .      .
    
```

pa5_cvd15_inc2 **How many baht/month do you usually get?**

```

type: numeric (long)

range: [.,.]          units: .
unique values: 0      missing .: 9,526/9,526

  tabulation: Freq.  Value
              9,526  .
    mean:      .
  std. dev:    .

percentiles:   10%    25%    50%    75%    90%
               .      .      .      .      .
    
```

pa5_cvd15_dec1 **increased By approximately how many baht/month?**

```

type: numeric (long)

range: [.,.]          units: .
unique values: 0      missing .: 9,526/9,526

  tabulation: Freq.  Value
              9,526  .
    mean:      .
  std. dev:    .

percentiles:   10%    25%    50%    75%    90%
               .      .      .      .      .
    
```

pa5_cvd15_dec2 **How many baht/month do you usually get?**

```

type: numeric (long)

range: [.,.]          units: .
unique values: 0      missing .: 9,526/9,526

  tabulation: Freq.  Value
              9,526  .
    mean:      .
  std. dev:    .

percentiles:   10%    25%    50%    75%    90%
               .      .      .      .      .
    
```

pa5_cvd16 **Semester 1 during June - October 2021, will teachers assign students to study on**

```

type: numeric (byte)
label: pa5_cvd16
    
```

```

    range: [,.]
unique values: 0
    units: .
missing ..: 9,526/9,526

    tabulation: Freq. Numeric Label
                9,526 .

```

pa5_cvd16_a **Did child study online?**

```

    type: numeric (byte)
    label: pa5_cvd16_a

    range: [,.]
unique values: 0
    units: .
missing ..: 9,526/9,526

    tabulation: Freq. Numeric Label
                9,526 .

```

pa5_cvd16_b **Where do child study online?**

```

    type: numeric (byte)
    label: pa5_cvd16_b

    range: [,.]
unique values: 0
    units: .
missing ..: 9,526/9,526

    tabulation: Freq. Numeric Label
                9,526 .

```

pa5_cvd16_bdes **Study online elsewhere, please specify**

```

    type: string (str87), but longest is str0
unique values: 0
    missing "": 9,526/9,526

    tabulation: Freq. Value
                9,526 ""

```

pa5_cvd16_c **While child study online To what extent do you have problems using the internet**

```

    type: numeric (byte)
    label: pa5_cvd16_c

    range: [,.]
unique values: 0
    units: .
missing ..: 9,526/9,526

    tabulation: Freq. Numeric Label
                9,526 .

```

pa5_cvd16_d **While child study online with the homeroom teacher/subject teacher How many adul**

```

    type: numeric (double)

    range: [,.]
unique values: 0
    units: .
missing ..: 9,526/9,526

    tabulation: Freq. Value
                9,526 .
    mean: .
    std. dev: .

```



```

type: string (str126), but longest is str0
unique values: 0 missing "": 9,526/9,526
tabulation: Freq. Value
             9,526 ""
    
```

pa5_cvd17_c
While child study online To what extent do you have problems using the internet

```

type: numeric (byte)
label: pa5_cvd17_c
range: [..] units: .
unique values: 0 missing ..: 9,526/9,526
tabulation: Freq. Numeric Label
             9,526 .
    
```

pa5_cvd17_d
While child study online with the homeroom teacher/subject teacher How many adul

```

type: numeric (double)
range: [..] units: .
unique values: 0 missing ..: 9,526/9,526
tabulation: Freq. Value
             9,526 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

pa5_cvd17_e
Child don't study online, for what reason?

```

type: numeric (byte)
label: pa5_cvd17_e
range: [..] units: .
unique values: 0 missing ..: 9,526/9,526
tabulation: Freq. Numeric Label
             9,526 .
    
```

pa5_cvd17_edes
Other, please specify.

```

type: string (str256), but longest is str0
unique values: 0 missing "": 9,526/9,526
tabulation: Freq. Value
             9,526 ""
    
```

pa5_cvd18
Semester 2 from 1 Nov. 2021 until present. Does your classroom have any compensa

```

type: numeric (byte)
label: pa5_cvd18
    
```

range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526
 tabulation: Freq. Numeric Label
 9,526 .

fapapa02a **Relatives or neighbors**

type: numeric (**byte**)
 label: **fapapa02a**
 range: [0,1] units: 1
 unique values: 2 missing .: 11/9,526
 tabulation: Freq. Numeric Label
 3,895 0 No
 5,620 1 Yes
 11 .

fapapa02b **Doctors who vaccinate the child**

type: numeric (**byte**)
 label: **fapapa02b**
 range: [0,1] units: 1
 unique values: 2 missing .: 12/9,526
 tabulation: Freq. Numeric Label
 6,502 0 No
 3,012 1 Yes
 12 .

fapapa02c **Village volunteer doctors**

type: numeric (**byte**)
 label: **fapapa02c**
 range: [0,1] units: 1
 unique values: 2 missing .: 20/9,526
 tabulation: Freq. Numeric Label
 7,717 0 No
 1,789 1 Yes
 20 .

fapapa02d **Television**

type: numeric (**byte**)
 label: **fapapa02d**
 range: [0,1] units: 1
 unique values: 2 missing .: 16/9,526
 tabulation: Freq. Numeric Label
 6,892 0 No
 2,618 1 Yes
 16 .

fapapa02e **Radio**

```

type: numeric (byte)
label: fapapa02e

range: [0,1]
unique values: 2

units: 1
missing .. 20/9,526

tabulation: Freq.  Numeric  Label
              9,091    0      No
              415     1      Yes
              20      .
    
```

fapapa02f **Newspaper**

```

type: numeric (byte)
label: fapapa02f

range: [0,1]
unique values: 2

units: 1
missing .. 20/9,526

tabulation: Freq.  Numeric  Label
              9,218    0      No
              288     1      Yes
              20      .
    
```

fapapa02g **Magazines**

```

type: numeric (byte)
label: fapapa02g

range: [0,1]
unique values: 2

units: 1
missing .. 19/9,526

tabulation: Freq.  Numeric  Label
              8,915    0      No
              592     1      Yes
              19      .
    
```

fapapa02h **Child raising books**

```

type: numeric (byte)
label: fapapa02h

range: [0,1]
unique values: 2

units: 1
missing .. 16/9,526

tabulation: Freq.  Numeric  Label
              7,916    0      No
              1,594    1      Yes
              16      .
    
```

fapapa02i **Facebook**

```

type: numeric (byte)
label: fapapa02i

range: [0,1]
unique values: 2

units: 1
missing .. 15/9,526

tabulation: Freq.  Numeric  Label
              6,927    0      No
              2,584    1      Yes
              15      .
    
```

fapapa02j **Youtube**

```

type: numeric (byte)
label: fapapa02j

range: [0,1]
unique values: 2

units: 1
missing .. 12/9,526

tabulation: Freq.  Numeric  Label
              6,528    0      No
              2,986    1      Yes
              12       .
    
```

fapapa02k **Websites**

```

type: numeric (byte)
label: fapapa02k

range: [0,1]
unique values: 2

units: 1
missing .. 15/9,526

tabulation: Freq.  Numeric  Label
              8,106    0      No
              1,405    1      Yes
              15       .
    
```

fapapa02l **Others**

```

type: numeric (byte)
label: fapapa02l

range: [0,1]
unique values: 2

units: 1
missing .. 1,039/9,526

tabulation: Freq.  Numeric  Label
              8,207    0      No
              280     1      Yes
              1,039    .
    
```

fapapa02la **In the case of others, please specify**

```

type: string (str203)

unique values: 147

missing "": 9,269/9,526

warning: variable has embedded blanks
    
```

pa5_3 Prior to enrolling this school for the child, have you ever visited the school t

```

type: numeric (byte)
label: pa5_3

range: [1,3]
unique values: 2

units: 1
missing .. 1,590/9,526

tabulation: Freq.  Numeric  Label
              3,181    1      Yes
              4,755    3      No
              1,590    .
    
```

pa5_4 Did you consult with anyone before enrolling this school for your child?

```

type: numeric (byte)
label: pa5_4

range: [1,3]
unique values: 2
units: 1
missing ..: 1,687/9,526

tabulation: Freq.  Numeric  Label
             5,229    1      Yes
             2,610    3      No
             1,687    .
    
```

pa5_4a In the case of others, please specify

```

type: string (str273)
unique values: 962
missing "": 7,407/9,526

warning: variable has embedded blanks
    
```

pa5_5 In the next semester, when the child is attending grade 1, where do you think yo

```

type: string (str125)
unique values: 1,164
missing "": 6,180/9,526

warning: variable has embedded blanks
    
```

pa5_5a Is it a public or private school?

```

type: numeric (byte)
label: pa5_5a

range: [1,3]
unique values: 2
units: 1
missing ..: 2,836/9,526

tabulation: Freq.  Numeric  Label
             5,756    1      Public school
             934     3      Private school
             2,836    .
    
```

pa5_6 Have you ever seen how the school that you answered in part 5 operate in person?

```

type: numeric (byte)
label: pa5_6

range: [1,3]
unique values: 2
units: 1
missing ..: 2,561/9,526

tabulation: Freq.  Numeric  Label
             3,148    1      Yes
             3,817    3      No
             2,561    .
    
```

pa5_7 Befored deciding to send the child to study in Grade 1 in the school that you me

```

type: numeric (byte)
label: pa5_7

range: [1,3]
unique values: 2
units: 1
missing .: 2,674/9,526

tabulation: Freq.  Numeric  Label
             5,545    1      Yes
             1,307    3      No
             2,674    .
    
```

pa5_7a **Where did you find the information?**

```

type: string (str277)

unique values: 708
unique missing codes: 2
missing "": 6,564/9,526
missing *: 1,953/9,526

warning: variable has embedded blanks
    
```

pa5_8 Do you think there is a school that is better than the one you mentioned the chi

```

type: numeric (byte)
label: pa5_8

range: [1,3]
unique values: 2
units: 1
missing .: 3,425/9,526

tabulation: Freq.  Numeric  Label
             4,289    1      Yes
             1,812    3      No
             3,425    .
    
```

pa5_8a **If so, which one?**

```

type: string (str174)

unique values: 524
missing "": 8,797/9,526

warning: variable has embedded blanks
    
```

pa5_8b **If so, is it a public or private school?**

```

type: numeric (byte)
label: pa5_8b

range: [1,3]
unique values: 2
units: 1
missing .: 7,956/9,526

tabulation: Freq.  Numeric  Label
             938    1      Public school
             632    3      Private school
             7,956    .
    
```

pa5_8c **If so, why did you not send the child to this school?**

```

type: string (str658)

unique values: 624
missing "": 8,625/9,526
    
```

warning: variable has embedded blanks

pa5_9 Are you aware that you can send the child to any public school without having to

```

type: numeric (byte)
label: pa5_9

range: [1,3]
unique values: 2
units: 1
missing .: 2,927/9,526

tabulation: Freq.  Numeric  Label
             2,275    1      Yes
             4,324    3      No
             2,927    .
    
```

pa5_9a If you had recieved a scholarship that allows you to send the child to any schoo

```

type: string (str228)

unique values: 1,322
missing "": 6,868/9,526

warning: variable has embedded blanks
    
```

pa5_9b Is it a public or private school?

```

type: numeric (byte)
label: pa5_9b

range: [1,3]
unique values: 2
units: 1
missing .: 4,143/9,526

tabulation: Freq.  Numeric  Label
             4,030    1      Public school
             1,353    3      Private school
             4,143    .
    
```

pa5_9c Why would you send the child there?

```

type: string (str598)

unique values: 1,924
missing "": 6,915/9,526

warning: variable has embedded blanks
    
```

manopa01 Can the child identify at least three geometric shape? For example circle, squar

```

type: numeric (byte)
label: manopa01

range: [0,1]
unique values: 2
units: 1
missing .: 2,214/9,526

tabulation: Freq.  Numeric  Label
             322     0      No
             6,990   1      Yes
             2,214   .
    
```

manopa02 **Can the child identify at least three colors?**

```

type: numeric (byte)
label: manopa02

range: [0,1]
unique values: 2

units: 1
missing .. 1,497/9,526

tabulation: Freq.   Numeric   Label
              69         0     No
              7,960       1     Yes
              1,497         .
    
```

manopa03 **Can the child count from 1 to 10?**

```

type: numeric (byte)
label: manopa03

range: [0,1]
unique values: 2

units: 1
missing .. 1,431/9,526

tabulation: Freq.   Numeric   Label
              59         0     No
              8,036       1     Yes
              1,431         .
    
```

manopa04 **Can the child count from 1 to 20?**

```

type: numeric (byte)
label: manopa04

range: [0,1]
unique values: 2

units: 1
missing .. 1,715/9,526

tabulation: Freq.   Numeric   Label
              243         0     No
              7,568       1     Yes
              1,715         .
    
```

manopa06 **Is the child aware that adults are taller than kids?**

```

type: numeric (byte)
label: manopa06

range: [0,1]
unique values: 2

units: 1
missing .. 1,979/9,526

tabulation: Freq.   Numeric   Label
              238         0     No
              7,309       1     Yes
              1,979         .
    
```

manopa07 **Can the child identify time in terms of morning, afternoon or dusk?**

```

type: numeric (byte)
label: manopa07

range: [0,1]
unique values: 2

units: 1
missing .. 2,191/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              456      0      No
              6,879    1      Yes
              2,191    .
    
```

manopa08 **Can the child identify time in terms of yesterday, today and tomorrow?**

```

      type: numeric (byte)
      label: manopa08

      range: [0,1]
unique values: 2
                    units: 1
                    missing .: 2,545/9,526

      tabulation:  Freq.  Numeric  Label
                   830      0      No
                   6,151    1      Yes
                   2,545    .
    
```

manopa09 **Is the child aware that an elephant is heavier than a cat?**

```

      type: numeric (byte)
      label: manopa09

      range: [0,1]
unique values: 2
                    units: 1
                    missing .: 1,856/9,526

      tabulation:  Freq.  Numeric  Label
                   211      0      No
                   7,459    1      Yes
                   1,856    .
    
```

manopa05 **Is the child aware that 8 is more than 2?**

```

      type: numeric (byte)
      label: manopa05

      range: [0,1]
unique values: 2
                    units: 1
                    missing .: 2,079/9,526

      tabulation:  Freq.  Numeric  Label
                   315      0      No
                   7,132    1      Yes
                   2,079    .
    
```

lirepa01 **Is the child aware that thai text has to be read from left to right?**

```

      type: numeric (byte)
      label: lirepa01

      range: [0,1]
unique values: 2
                    units: 1
                    missing .: 3,189/9,526

      tabulation:  Freq.  Numeric  Label
                   879      0      No
                   5,458    1      Yes
                   3,189    .
    
```

lialpa01 **Can the child identify at least 3 Thai characters?**

```

      type: numeric (byte)
      label: lialpa01
    
```

range: [0,1] units: 1
 unique values: 2 missing .: 1,813/9,526

tabulation:	Freq.	Numeric	Label
	274	0	No
	7,439	1	Yes
	1,813	.	.

lialpa02 Can the child identify at least 10 Thai characters?

type: numeric (byte)
 label: lialpa02

range: [0,1] units: 1
 unique values: 2 missing .: 2,451/9,526

tabulation:	Freq.	Numeric	Label
	583	0	No
	6,492	1	Yes
	2,451	.	.

lialpa03 Can the child read at least 4 basic words? (If no, skip to question 15)

type: numeric (byte)
 label: lialpa03

range: [0,1] units: 1
 unique values: 2 missing .: 3,435/9,526

tabulation:	Freq.	Numeric	Label
	2,208	0	No
	3,883	1	Yes
	3,435	.	.

lialpa04 Can the child read basic sentences that consist of 3 words?

type: numeric (byte)
 label: lialpa04

range: [0,1] units: 1
 unique values: 2 missing .: 6,028/9,526

tabulation:	Freq.	Numeric	Label
	379	0	No
	3,119	1	Yes
	6,028	.	.

lialpa05 Can the child write at least 3 Thai characters?

type: numeric (byte)
 label: lialpa05

range: [0,1] units: 1
 unique values: 2 missing .: 1,623/9,526

tabulation:	Freq.	Numeric	Label
	206	0	No
	7,697	1	Yes
	1,623	.	.

lialpa06 Can the child write at least 3 English characters?

```

type: numeric (byte)
label: lialpa06

range: [0,1]
unique values: 2

units: 1
missing .. 2,471/9,526

tabulation: Freq.   Numeric   Label
             1,102     0      No
             5,953     1      Yes
             2,471     .
    
```

lialpa07 **Can the child write their name in Thai?**

```

type: numeric (byte)
label: lialpa07

range: [0,1]
unique values: 2

units: 1
missing .. 1,809/9,526

tabulation: Freq.   Numeric   Label
             441     0      No
             7,276   1      Yes
             1,809   .
    
```

lialpa08 **Can the child write their name in English?**

```

type: numeric (byte)
label: lialpa08

range: [0,1]
unique values: 2

units: 1
missing .. 3,156/9,526

tabulation: Freq.   Numeric   Label
             4,991     0      No
             1,379     1      Yes
             3,156     .
    
```

lialpa09 **Can the child write basic words in Thai? (If cannot, skip to question 21)**

```

type: numeric (byte)
label: lialpa09

range: [0,1]
unique values: 2

units: 1
missing .. 3,488/9,526

tabulation: Freq.   Numeric   Label
             2,356     0      No
             3,682     1      Yes
             3,488     .
    
```

lialpa10 **Can the child write a basic sentence consisting of 3 words?**

```

type: numeric (byte)
label: lialpa10

range: [0,1]
unique values: 2

units: 1
missing .. 6,289/9,526

tabulation: Freq.   Numeric   Label
             559     0      No
             2,678   1      Yes
             6,289   .
    
```

liexpa01 Can the child say at least 3 sentences explaining what has happened to them?

```

type: numeric (byte)
label: liexpa01

range: [0,1]
unique values: 2
units: 1
missing .. 2,230/9,526

tabulation: Freq.   Numeric   Label
              454         0   No
              6,842       1   Yes
              2,230         .
    
```

liexpa02 Can the child say sentences expressing their feelings? such as I love Dad or I

```

type: numeric (byte)
label: liexpa02

range: [0,2]
unique values: 3
units: 1
missing .. 1,898/9,526

tabulation: Freq.   Numeric   Label
              149         0   Not true
              1,579       1   Sometimes true
              5,900       2   Definitely true
              1,898         .
    
```

liexpa03 Can the child explain what has happend in their daily lives?

```

type: numeric (byte)
label: liexpa03

range: [0,2]
unique values: 3
units: 1
missing .. 1,856/9,526

tabulation: Freq.   Numeric   Label
              172         0   Not true
              2,273       1   Sometimes true
              5,225       2   Definitely true
              1,856         .
    
```

liexpa04 Does the child frequently ask questions or give comments about subjects of their

```

type: numeric (byte)
label: liexpa04

range: [0,2]
unique values: 3
units: 1
missing .. 1,892/9,526

tabulation: Freq.   Numeric   Label
              185         0   Not true
              1,846       1   Sometimes true
              5,603       2   Definitely true
              1,892         .
    
```

liexpa05 Can the child select words to express the feelings accurately?

```

type: numeric (byte)
label: liexpa05
    
```


range: [0,2] units: 1
 unique values: 3 missing .: 2,142/9,526

tabulation:	Freq.	Numeric	Label
	382	0	Not true
	3,209	1	Sometimes true
	3,793	2	Definitely true
	2,142	.	.

phgmpa02 Can the child ride a 2-wheel bicycle?

type: numeric (byte)
 label: **phgmpa02**

range: [0,1] units: 1
 unique values: 2 missing .: 1,938/9,526

tabulation:	Freq.	Numeric	Label
	1,972	0	No
	5,616	1	Yes
	1,938	.	.

phgmpa01 Can the child skip rope? (see figure below for example)

type: numeric (byte)
 label: **phgmpa01**

range: [0,1] units: 1
 unique values: 2 missing .: 3,040/9,526

tabulation:	Freq.	Numeric	Label
	2,620	0	No
	3,866	1	Yes
	3,040	.	.

sosepa01 The child can follow basic rules such as waiting in queue.

type: numeric (byte)
 label: **sosepa01**

range: [0,2] units: 1
 unique values: 3 missing .: 2,023/9,526

tabulation:	Freq.	Numeric	Label
	136	0	Never
	2,617	1	Occasionally
	4,750	2	Consistently
	2,023	.	.

sosepa02 The child can switch task at command without having to be forced.

type: numeric (byte)
 label: **sosepa02**

range: [0,2] units: 1
 unique values: 3 missing .: 1,924/9,526

tabulation:	Freq.	Numeric	Label
	474	0	Never
	5,109	1	Occasionally
	2,019	2	Consistently
	1,924	.	.

sosepa03 The child accept mutual agreements and share toys and items with friends.

```

type: numeric (byte)
label: sosepa03

range: [0,2]
unique values: 3
units: 1
missing ..: 2,082/9,526

tabulation: Freq.  Numeric  Label
             168      0      Never
             3,805    1      Occasionally
             3,471    2      Consistently
             2,082    .

```

sosepa04 The child is able to suppress their desires eventhough they want something.

```

type: numeric (byte)
label: sosepa04

range: [0,2]
unique values: 3
units: 1
missing ..: 2,017/9,526

tabulation: Freq.  Numeric  Label
             493      0      Never
             5,283    1      Occasionally
             1,733    2      Consistently
             2,017    .

```

sosepa05
When feeling sad or disappointed, the child can restrain and control behavior ap

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq.  Value
             9,526  .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .

```

excopa01 The child is eager to learn about new topics and is constantly curious.

```

type: numeric (byte)
label: excopa01

range: [0,2]
unique values: 3
units: 1
missing ..: 2,161/9,526

tabulation: Freq.  Numeric  Label
             195      0      Never
             3,070    1      Occasionally
             4,100    2      Consistently
             2,161    .

```

excopa02 The child is able to accept when there is a change of plans.

```

type: numeric (byte)
label: excopa02

range: [0,2]
unique values: 3
units: 1
missing .. 2,091/9,526

tabulation: Freq.   Numeric   Label
              488         0   Never
              5,091       1   Occasionally
              1,856       2   Consistently
              2,091         .
    
```

pa6_3b **The child is helpful with housework such as washing the dishes or sweeping the f**

```

type: numeric (byte)
label: pa6_3b

range: [0,2]
unique values: 3
units: 1
missing .. 1,923/9,526

tabulation: Freq.   Numeric   Label
              622         0   Never
              4,549       1   Occasionally
              2,432       2   Consistently
              1,923         .
    
```

pa6_6b **The child can act in a timely manner when they intend to do something.**

```

type: numeric (byte)
label: pa6_6b

range: [0,2]
unique values: 3
units: 1
missing .. 2,134/9,526

tabulation: Freq.   Numeric   Label
              316         0   Never
              4,240       1   Occasionally
              2,836       2   Consistently
              2,134         .
    
```

sosupa01 **The child knows to avoid interacting with strangers.**

```

type: numeric (byte)
label: sosupa01

range: [0,2]
unique values: 3
units: 1
missing .. 2,351/9,526

tabulation: Freq.   Numeric   Label
              652         0   Never
              2,561       1   Occasionally
              3,962       2   Consistently
              2,351         .
    
```

sosupa02 **The child demonstrates empathy and compassion towards others.**

```

type: numeric (byte)
label: sosupa02

range: [0,2]
unique values: 3
units: 1
missing .. 2,348/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              468      0      Never
              4,208    1      Occasionally
              2,502    2      Consistently
              2,348    .
    
```

sosupa03

The child is friendly and compassionate towards those that are younger, excluding

```

type:  numeric (byte)
label:  sosupa03

range:  [0,2]
unique values:  3

units:  1
missing .:  2,145/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              229      0      Never
              3,100    1      Occasionally
              4,052    2      Consistently
              2,145    .
    
```

sosupa04

The child frequently volunteers to help others such as teachers, parents or friends

```

type:  numeric (byte)
label:  sosupa04

range:  [0,2]
unique values:  3

units:  1
missing .:  2,240/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              192      0      Never
              4,045    1      Occasionally
              3,049    2      Consistently
              2,240    .
    
```

pa6_9b

You often volunteer to help others (parents, teachers, other children).

```

type:  numeric (byte)
label:  pa6_9b

range:  [0,2]
unique values:  3

units:  1
missing .:  1,998/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              411      0      Never
              2,486    1      Occasionally
              4,631    2      Consistently
              1,998    .
    
```

soempa01

The child can recover in a timely manner after they are disappointed.

```

type:  numeric (byte)
label:  soempa01

range:  [0,2]
unique values:  3

units:  1
missing .:  2,157/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              1,535    0      Never
              5,069    1      Occasionally
              765      2      Consistently
              2,157    .
    
```

pa6_19b The child plays with rock and wood to represent people or animals.

```

type: numeric (byte)
label: pa6_19b

range: [0,2]
unique values: 3

units: 1
missing .. 2,211/9,526

tabulation: Freq.  Numeric  Label
             1,072    0      Never
             3,157    1      Occasionally
             3,086    2      Consistently
             2,211    .
    
```

pa6_10c The child is stubborn or disobedient at home.

```

type: numeric (byte)
label: pa6_10c

range: [0,2]
unique values: 3

units: 1
missing .. 1,844/9,526

tabulation: Freq.  Numeric  Label
             1,698    0      Never
             5,386    1      Occasionally
             598      2      Consistently
             1,844    .
    
```

pa6_27c The child is slightly paranoid at all times and constantly feels like there is a

```

type: numeric (byte)
label: pa6_27c

range: [0,2]
unique values: 3

units: 1
missing .. 2,019/9,526

tabulation: Freq.  Numeric  Label
             6,802    0      Never
             651      1      Occasionally
             54       2      Consistently
             2,019    .
    
```

pa6_28c The child likes to mingle with groups of mischievous children.

```

type: numeric (byte)
label: pa6_28c

range: [0,2]
unique values: 3

units: 1
missing .. 2,177/9,526

tabulation: Freq.  Numeric  Label
             6,449    0      Never
             831      1      Occasionally
             69       2      Consistently
             2,177    .
    
```

pa6_29c The child likes to keep secrets to themselves.

```

type: numeric (byte)
label: pa6_29c
    
```

range: [0,2] units: 1
 unique values: 3 missing .: 2,213/9,526

tabulation:	Freq.	Numeric	Label
	6,168	0	Never
	1,045	1	Occasionally
	100	2	Consistently
	2,213	.	.

pa6_30c **The child has anxiety issues.**

type: numeric (byte)
 label: **pa6_30c**

range: [0,2] units: 1
 unique values: 3 missing .: 2,130/9,526

tabulation:	Freq.	Numeric	Label
	6,389	0	Never
	935	1	Occasionally
	72	2	Consistently
	2,130	.	.

pa6_31c **The child is stubborn when at school.**

type: numeric (byte)
 label: **pa6_31c**

range: [0,2] units: 1
 unique values: 3 missing .: 3,525/9,526

tabulation:	Freq.	Numeric	Label
	3,604	0	Never
	2,261	1	Occasionally
	136	2	Consistently
	3,525	.	.

pa6_32c **The child finds it difficult to get along with teachers.**

type: numeric (byte)
 label: **pa6_32c**

range: [0,2] units: 1
 unique values: 3 missing .: 3,199/9,526

tabulation:	Freq.	Numeric	Label
	5,201	0	Never
	985	1	Occasionally
	141	2	Consistently
	3,199	.	.

sobipa01 **The child's emotions fluctuate constantly.**

type: numeric (byte)
 label: **sobipa01**

range: [0,2] units: 1
 unique values: 3 missing .: 2,033/9,526

```

tabulation:  Freq.  Numeric  Label
              1,476      0  Never
              4,910      1  Occasionally
              1,107      2  Consistently
              2,033      .
    
```

sobipa02 **The child does not feel loved.**

```

type:  numeric (byte)
label:  sobipa02

range:  [0,2]
unique values:  3

units:  1
missing ..  1,979/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              341      0  Never
              2,684      1  Occasionally
              4,522      2  Consistently
              1,979      .
    
```

sobipa03 **The child constantly feels uneasy or anxious.**

```

type:  numeric (byte)
label:  sobipa03

range:  [0,2]
unique values:  3

units:  1
missing ..  2,106/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              159      0  Never
              2,357      1  Occasionally
              4,904      2  Consistently
              2,106      .
    
```

sobipa04 **The child feels worthless or has an inferiority complex.**

```

type:  numeric (byte)
label:  sobipa04

range:  [0,2]
unique values:  3

units:  1
missing ..  2,149/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              71      0  Never
              1,040      1  Occasionally
              6,266      2  Consistently
              2,149      .
    
```

sobipa05 **The child constantly looks unhappy, sad, or depressed.**

```

type:  numeric (byte)
label:  sobipa05

range:  [0,2]
unique values:  3

units:  1
missing ..  1,971/9,526
    
```

```

tabulation:  Freq.  Numeric  Label
              58      0  Never
              1,063      1  Occasionally
              6,434      2  Consistently
              1,971      .
    
```

sobipa06 **The child is constantly irritated, stressed, or worried.**

type: numeric (byte)
 label: **sobipa06**
 range: [0,2] units: 1
 unique values: 3 missing .. 2,072/9,526
 tabulation:

Freq.	Numeric	Label
227	0	Never
2,734	1	Occasionally
4,493	2	Consistently
2,072	.	

sobipa07 **The child argues too much.**

type: numeric (byte)
 label: **sobipa07**
 range: [0,2] units: 1
 unique values: 3 missing .. 1,875/9,526
 tabulation:

Freq.	Numeric	Label
538	0	Never
4,961	1	Occasionally
2,152	2	Consistently
1,875	.	

sobipa08 **The child is stubborn and gets angry easily.**

type: numeric (byte)
 label: **sobipa08**
 range: [0,2] units: 1
 unique values: 3 missing .. 1,918/9,526
 tabulation:

Freq.	Numeric	Label
546	0	Never
4,029	1	Occasionally
3,033	2	Consistently
1,918	.	

sobipa09 **The child has a violent temper and has difficulty controlling their emotions**

type: numeric (byte)
 label: **sobipa09**
 range: [0,2] units: 1
 unique values: 3 missing .. 2,008/9,526
 tabulation:

Freq.	Numeric	Label
210	0	Never
1,918	1	Occasionally
5,390	2	Consistently
2,008	.	

sobipa10 **The child is untrustable and has issues related to lying.**

type: numeric (byte)
 label: **sobipa10**

range: [0,2] units: 1
 unique values: 3 missing .: 2,080/9,526

tabulation:	Freq.	Numeric	Label
	158	0	Never
	3,049	1	Occasionally
	4,239	2	Consistently
	2,080	.	

sobipa11 **The child likes to bully others.**

type: numeric (byte)
 label: **sobipa11**

range: [0,2] units: 1
 unique values: 3 missing .: 2,089/9,526

tabulation:	Freq.	Numeric	Label
	261	0	Never
	3,287	1	Occasionally
	3,889	2	Consistently
	2,089	.	

sobipa12 **The child does not feel sad or dissappointed when they have done something wrong.**

type: numeric (byte)
 label: **sobipa12**

range: [0,2] units: 1
 unique values: 3 missing .: 2,137/9,526

tabulation:	Freq.	Numeric	Label
	589	0	Never
	3,880	1	Occasionally
	2,920	2	Consistently
	2,137	.	

sobipa13 **The child has a habit of destroying things, both their own and others.**

type: numeric (byte)
 label: **sobipa13**

range: [0,2] units: 1
 unique values: 3 missing .: 1,936/9,526

tabulation:	Freq.	Numeric	Label
	108	0	Never
	1,407	1	Occasionally
	6,075	2	Consistently
	1,936	.	

sobipa14 **The child lacks focus and has difficulty concentrating at one thing for an exten**

type: numeric (byte)
 label: **sobipa14**

range: [0,2] units: 1
 unique values: 3 missing .: 2,118/9,526

sobipa19 **The child is attached to an adult.**

```

type: numeric (byte)
label: sobipa19

range: [0,2]
unique values: 3

units: 1
missing .. 1,961/9,526

tabulation: Freq.  Numeric  Label
             1,233      0  Never
             4,123      1  Occasionally
             2,209      2  Consistently
             1,961      .
    
```

sobipa20 **The child cries easily**

```

type: numeric (byte)
label: sobipa20

range: [0,2]
unique values: 3

units: 1
missing .. 1,878/9,526

tabulation: Freq.  Numeric  Label
             1,004      0  Never
             4,219      1  Occasionally
             2,425      2  Consistently
             1,878      .
    
```

sobipa21 **The child begs for attention**

```

type: numeric (byte)
label: sobipa21

range: [0,2]
unique values: 3

units: 1
missing .. 2,017/9,526

tabulation: Freq.  Numeric  Label
             607       0  Never
             3,824      1  Occasionally
             3,078      2  Consistently
             2,017      .
    
```

sobipa22 **The child is over reliant on others for example, they let other do stuff that th**

```

type: numeric (byte)
label: sobipa22

range: [0,2]
unique values: 3

units: 1
missing .. 2,306/9,526

tabulation: Freq.  Numeric  Label
             238       0  Never
             3,257      1  Occasionally
             3,725      2  Consistently
             2,306      .
    
```

sobipa23 **The child has trouble getting along with other kids.**

```

type: numeric (byte)
label: sobipa23
    
```

```

range: [0,2] units: 1
unique values: 3 missing .: 2,056/9,526

tabulation: Freq. Numeric Label
              303      0 Never
              2,072    1 Occasionally
              5,095    2 Consistently
              2,056    .
    
```

sobipa24 The child is not liked among their friends.

```

type: numeric (byte)
label: sobipa24

range: [0,2] units: 1
unique values: 3 missing .: 2,606/9,526

tabulation: Freq. Numeric Label
              124      0 Never
              1,619    1 Occasionally
              5,177    2 Consistently
              2,606    .
    
```

sobipa25 The child is overly independent and does not typically associate with others.

```

type: numeric (byte)
label: sobipa25

range: [0,2] units: 1
unique values: 3 missing .: 1,930/9,526

tabulation: Freq. Numeric Label
              43      0 Never
              676     1 Occasionally
              6,877   2 Consistently
              1,930   .
    
```

sobipa26 The child can express his feelings in accordance with his emotions, such as smil

```

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 9,526/9,526

tabulation: Freq. Value
              9,526 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

sobipa27 The child can control his emotions appropriately to the situation.

```

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 9,526/9,526
    
```

```

tabulation: Freq. Value
             9,526 .
      mean:  .
      std. dev:  .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

accchbhv01 **Be attentive to other people's feelings**

```

      type: numeric (byte)
      label: accchbhv01

      range: [..]
unique values: 0
                units: .
                missing .: 9,526/9,526

      tabulation: Freq. Numeric Label
                  9,526 .
    
```

accchbhv02 **Restless, moving a lot Unable to stay still for long**

```

      type: numeric (byte)
      label: accchbhv02

      range: [..]
unique values: 0
                units: .
                missing .: 9,526/9,526

      tabulation: Freq. Numeric Label
                  9,526 .
    
```

accchbhv03 **Frequently complain of headaches, stomach pain or nausea.**

```

      type: numeric (byte)
      label: accchbhv03

      range: [..]
unique values: 0
                units: .
                missing .: 9,526/9,526

      tabulation: Freq. Numeric Label
                  9,526 .
    
```

accchbhv04 **Willing to share with others (snacks, toys, pencils, etc.)**

```

      type: numeric (byte)
      label: accchbhv04

      range: [..]
unique values: 0
                units: .
                missing .: 9,526/9,526

      tabulation: Freq. Numeric Label
                  9,526 .
    
```

accchbhv05 **Frequently acts or hot temper**

```

      type: numeric (byte)
      label: accchbhv05

      range: [..]
unique values: 0
                units: .
                missing .: 9,526/9,526
    
```

tabulation: Freq. Numeric Label
 9,526 .

accchbhv06 **quite isolated often plays alone**

type: numeric (byte)
 label: **accchbhv06**

range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526

tabulation: Freq. Numeric Label
 9,526 .

accchbhv07 **Normally, obey and do as your elders tell you.**

type: numeric (byte)
 label: **accchbhv07**

range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526

tabulation: Freq. Numeric Label
 9,526 .

accchbhv08 **There are many concerns. Seems worried often**

type: numeric (byte)
 label: **accchbhv08**

range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526

tabulation: Freq. Numeric Label
 9,526 .

accchbhv09 **Help if someone is injured, uncomfortable, or sick.**

type: numeric (byte)
 label: **accchbhv09**

range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526

tabulation: Freq. Numeric Label
 9,526 .

accchbhv10 **Pinching or squirming all the time.**

type: numeric (byte)
 label: **accchbhv10**

range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526

tabulation: Freq. Numeric Label
 9,526 .

accchbhv11 **Have at least one close friend**

```

type: numeric (byte)
label: accchbhv11

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

accchbhv12 **Frequently fighting or bullying other children**

```

type: numeric (byte)
label: accchbhv12

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

accchbhv13 **Unhappy, sad or crying often**

```

type: numeric (byte)
label: accchbhv13

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

accchbhv14 **Generally liked by other children**

```

type: numeric (byte)
label: accchbhv14

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

accchbhv15 **Easily distracted, unable to concentrate**

```

type: numeric (byte)
label: accchbhv15

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

accchbhv16 **Anxious or stuck in new situations Lose confidence easily**

```

type: numeric (byte)
label: accchbhv16

range: [..]
unique values: 0
units: .
missing ..: 9,526/9,526
    
```

tabulation: Freq. Numeric Label
 9,526 .

accchbhv17 **Kind to younger children**

type: numeric (**byte**)
 label: **accchbhv17**

range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526

tabulation: Freq. Numeric Label
 9,526 .

accchbhv18 **Often lies or cheats**

type: numeric (**byte**)
 label: **accchbhv18**

range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526

tabulation: Freq. Numeric Label
 9,526 .

accchbhv19 **Being teased or bullied by other children**

type: numeric (**byte**)
 label: **accchbhv19**

range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526

tabulation: Freq. Numeric Label
 9,526 .

accchbhv20 **Often volunteers to help others (parents, teachers, other children)**

type: numeric (**byte**)
 label: **accchbhv20**

range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526

tabulation: Freq. Numeric Label
 9,526 .

accchbhv21 **Think before you act.**

type: numeric (**byte**)
 label: **accchbhv21**

range: [.,.] units: .
 unique values: 0 missing .: 9,526/9,526

tabulation: Freq. Numeric Label
 9,526 .

accchbhv22 **Stealing things at home, at school, or anywhere else**


```

type: numeric (byte)
label: accchbhv22

range: [.,.]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

accchbhv23 Gets along better with adults than with other children.

```

type: numeric (byte)
label: accchbhv23

range: [.,.]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

accchbhv24 I worry about many things and get scared easily.

```

type: numeric (byte)
label: accchbhv24

range: [.,.]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

accchbhv25 Concentrate on following through with work until it is completed.

```

type: numeric (byte)
label: accchbhv25

range: [.,.]
unique values: 0
units: .
missing ..: 9,526/9,526

tabulation: Freq. Numeric Label
             9,526 .
    
```

tsrs_survey tsrs survey

```

type: string (str4)
unique values: 1
missing "": 0/9,526

tabulation: Freq. Value
             9,526 "srs3"
    
```

year_survey year survey

```

type: numeric (int)
range: [2020,2020]
unique values: 1
units: 1
missing ..: 0/9,526
    
```

```

tabulation: Freq. Value
             9,526 2020
      mean:   2020
      std. dev: 0

percentiles:    10%    25%    50%    75%    90%
                2020    2020    2020    2020    2020
    
```

year_academic **year academic**

```

      type: numeric (float)
      range: [2019,2019]
unique values: 1
      units: 1
      missing .: 0/9,526

      tabulation: Freq. Value
                  9,526 2019
      mean:       2019
      std. dev:   0

percentiles:    10%    25%    50%    75%    90%
                2019    2019    2019    2019    2019
    
```

```

2 . log close
   name: <unnamed>
   log:  C:\Users\staff-ripped2022\Dropbox\Codes and Data for Projects\\School Read
> iness 2023 (SRS6)/Data and Codes\Codebook\TSRS_2020\TSRS2020_child_development_form_
> from_parents_public.scml
   log type: smcl
   closed on: 2 Aug 2024, 08:31:14
    
```
